

A Comparison of Accelerometer Selection Methods for Modal Pretest Analysis

Daniel Linehan
Kevin Napolitano
ATA Engineering, Inc.
11995 El Camino Real, Suite 200
San Diego, California 92130

ABSTRACT

Prior to performing a modal survey test, pretest analysis is typically performed to determine the optimal number and location of response measurements (usually acceleration) and reference measurements (dynamic loads). This pretest analysis begins with the preparation of an accurate finite element model (FEM). Typically, the test measurement set cannot practically contain more than several hundred degrees of freedom (DOF) (although some recent tests have used as many as a thousand), so any method of pretest analysis should extract the best possible candidate locations from the initial FEM. Automated sensor selection algorithms first up-select to a candidate set of potential degrees of freedom that are several times larger than the final set of sensors. The methods then down-select from this candidate set to an optimal set of sensors. This paper presents the methods used to arrive at an initial candidate set for measurements, from the perspective of a practicing test engineer. Specifically, the iterative residual kinetic energy (IRKE) method is compared to manual DOF selection, noting the advantages and drawbacks of each. While some test articles may lend themselves to simple manual DOF selection (i.e., symmetric structures such as aircraft), others are far more asymmetric and may require more rigorous analytic methods to complement or entirely replace any manual selection of a candidate set. This paper utilizes an "iron bird" demonstration test article as a tool to compare and contrast these candidate DOF selection methods.

INTRODUCTION

To increase the chances of a successful test, modal survey tests should often be prefaced with an accurate pretest analysis of the test article. A variety of tools and methods are available to select an optimized set of acceleration response measurements. Pretest analyses begin with a cursory examination of the dynamic FEM to determine the target modes that must be extracted to complete a successful test program. Once these target modes are identified, a mass-reduced test-analysis model (TAM) is generated by determining an accelerometer set (ASET) that uniquely describes the target modes. The number of accelerometers that can be used may be limited by resources such as available test time, budget, and data acquisition channels. Generally, no more than ten accelerometers per target mode will be necessary to adequately capture all target modes.

While purely analytical methods exist to generate a TAM and a highly efficient ASET that minimizes the ASET and maximizes the quality of extracted modes, practical considerations influence the final ASET development. Analytically generated TAMs may select measurement DOF that are not physically realizable on the test article. For example, selected measurement DOF may include inaccessible locations such as internal components, locations that are unreachable on large test articles, or locations that cannot physically accommodate the dimensions of available accelerometers. Manual effort can be spent to remove these inaccessible locations from consideration in the automated selection of the candidate set.

Often, analytically selected measurement DOF are accessible but accelerometer installation may still be difficult or cause unnecessary delays in the test program. Examples of such measurement DOF may include:

1. Locations requiring the removal of paneling to access internal components.
2. Locations requiring technical support personnel to operate a manlift.
3. Locations that are not easily referenced to identifiable features of the test article such as rivet lines, edges or corners; with additional time and effort, such locations may still be identified by a template or laser tracker.

This paper discusses the compromises that can be made when developing the TAM in order to successfully extract all target modes while minimizing the difficulty of installing the sensors. The ultimate figure of merit for a successful pretest is the pseudo-orthogonality, defined in the following section. Holding the number of accelerometers constant, a purely analytically derived TAM will produce the best possible pretest pseudo-orthogonality. A TAM that has been adjusted to allow for an easily installed and maintained ASET may have a slightly degraded, but still sufficient, pseudo-orthogonality. The following sections describe the pretest analysis process, including the iterative residual kinetic energy (IRKE) method to select the candidate accelerometer locations, the genetic algorithm for down-selecting to an optimal set of accelerometers, and how these relate to the construction of the test display model (TDM). The specific test article studied in this paper is the “iron bird,” which was fabricated by ATA Engineering, Inc., (ATA) as an internal development and training tool that simulates the dynamics and form factor of a fighter jet. While only the FEM of the iron bird is studied in this paper, the physical test article is depicted in [Figure 1](#) undergoing a modal test.




Figure 1. ATA “iron bird” test article.

DESCRIPTION OF ANALYTIC PRETEST PROCESS

A successful pretest analysis results in an optimized ASET that captures all pretest target modes, as evidenced by the pseudo-orthogonality:

$$[O_{12}] = [\Phi_1]^T [M_{AA}] [\Phi_2] \quad \text{Equation 1}$$

where $[\Phi_1]$ and $[\Phi_2]$ are full FEM mode shape matrices parsed to the ASET DOF, and $[M_{AA}]$ is the TAM analytical mass matrix. Ideally, the on-diagonal terms of this matrix should be 0.95 or greater, and the off-diagonal terms should be less than 0.10.

The ASET is derived from the test article's dynamic FEM, which may contain several hundred thousand DOF. Once the target modes are defined, the IRKE method can be used to generate an initial candidate ASET from the full FEM. The IRKE method is particularly useful for test articles with complex form factors and multiple mass simulators, such as large satellites. The IRKE method functions by assessing the modal kinetic energy of all translational DOF in the test article FEM, and iteratively determining which DOF are most important with respect to the supplied target modes [1]. The user inputs an initial DOF set (this is generally very small—it need only be a single DOF) and requests a final number for the candidate ASET DOF. Additional DOF are selected that are not included in the initial DOF set, and the process is repeated until the final user-requested DOF set is completed. All IRKE analyses presented in this paper were completed using NX Nastran™.

Once the IRKE method is completed, the pseudo-orthogonality of the candidate ASET must be checked. If the pseudo-orthogonality does not meet the aforementioned numeric quality, this is likely due to an insufficient number of requested DOF for the candidate ASET; the user must regenerate the candidate ASET, requesting a larger number until a satisfactory pseudo-orthogonality is achieved.

Once the initial candidate ASET is established, additional analytic methods exist to reduce the ASET to the final measurement ASET, if the candidate set is purposely too large. The genetic algorithm (GA) is used frequently to establish a final ASET that is within the available accelerometer budget [2]. As with the initial IRKE analysis, the pseudo-orthogonality of the final TAM must be checked to verify that all target modes will be attainable during testing.

The use of the IRKE up-selection and GA down-selection methods generates an efficient ASET for a pre-determined accelerometer budget. To prepare for an efficient test program, a more heuristic approach is needed, and both of these methods can provide guidance in arriving at a practical TAM. The following section discusses the complete pretest process on the iron bird test article, highlighting this heuristic approach from the viewpoint of a practicing test engineer.

PRETEST ANALYSIS OF THE IRON BIRD TEST ARTICLE

The iron bird FEM is comprised of 6194 nodes and 6057 elements (mostly quadrilateral plate elements—CQUAD4). Only translational DOF were considered in the development of the TAM, bringing the maximum possible candidate set to $6194 * 3 = 18582$. The prior modal test on the physical test article required 105 test DOF, so this number is used as the target ASET size for this current pretest study. All modes up to 55 Hz were considered target modes (including the six rigid body modes), resulting in a total of 26 target modes based on an analysis of the full dynamic FEM.

The IRKE method was run on the dynamic FEM, with six initial seed DOF located at the wingtips, tail tips, and fuselage. The IRKE method was run with a requested 1000 ASET DOF. The pseudo-orthogonality of this result was checked, verifying that this 1000-DOF TAM is nearly identical to the full FEM. GA was applied to this TAM with ASET requests of 105, 95, 85, 75, and 65 measurement DOF. Based on the pseudo-orthogonality results, the 75-DOF TAM yielded a quality ASET; the result is displayed in [Figure 2](#). The pseudo-orthogonality is displayed at the top of the figure and the FEM at the bottom. Values less than 0.01 are not displayed in the pseudo-orthogonality. The arrows plotted on the FEM represent selected accelerometer locations. While the pseudo-orthogonality verifies whether the TAM quality is good, the ASET—generalizing the result displayed in [Figure 2](#) to many different types of test articles encountered by ATA—has the following practical disadvantages.

1. The accelerometer spacing is uneven and irregular. This will require individual measurements for locating and marking each accelerometer in the ASET, requiring an excessive amount of test set-up time.

2. The selected accelerometer locations may not correspond to easily identifiable hardware features such as rivet lines, edges, or mass simulator edges or corners. Additionally, these locations may not reference convenient local displacement coordinate systems, which would otherwise allow accelerometer installations that are normal or parallel to test article surfaces.
3. The selected accelerometer locations may be difficult or impossible to access. Inaccessible locations may include internal components or unreachable surfaces. Other difficult locations may include locations on tall structures requiring technical support (e.g., the use of a manlift and accompanying operator support).

Instead of the fully automated IRKE and GA selection method, the ASET can be selected manually based on test engineering experience. The TDM, ASET, and TAM were generated manually for the initial modal test of the iron bird. The 105-DOF ASET and pseudo-orthogonality are presented in [Figure 3](#). The accelerometers are deliberately located on the edges of the test article and are spaced evenly for a convenient and simple test setup. However, the pseudo-orthogonality indicates that the TAM is not sufficient—and that the ASET may not adequately capture all target modes. To verify that the manual TDM ASET selection is insufficient, the pseudo-orthogonality was checked by including all three DOF for every node in the TDM. The 243-DOF result is displayed in [Figure 4](#). Since this represents the best-case scenario for the manual TDM selection, a GA reduction is irrelevant until the initial TAM is improved.

Modes 15, 16, 25, and 26, which are plotted in [Figure 5](#), are the modes requiring additional instrumentation. These four modes are wing modes. Both the plotted mode shapes in [Figure 5](#) and the IRKE/GA result provide guidance for the next step in the pretest process. Specifically, accelerometers placed manually in the center of the wings and tails should sufficiently strengthen the TAM. If the accelerometer budget must be held constant at 105, the TAM may be improved by adding 126 additional candidate DOF at 42 regularly spaced locations on the centers of the wings and tails, and running a GA reduction. The TAM is checked again with this new 369-DOF candidate set, and the result is shown in [Figure 6](#). The pseudo-orthogonality now demonstrates that the TAM is sufficient to proceed with a GA reduction to 105 DOF.

FEM Pseudo Orthogonality Table																												
		FEM shapes																										
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	
FEM shapes	POgg	0.4	0.4	0.4	1.1	1.2	1.4	5.4	7.8	12.8	12.8	14.5	15.6	20.3	20.4	27.9	28.6	32.5	42.6	42.8	42.9	43.8	45.3	45.9	50.4	54.0	54.5	
	1	0.4	1.00																									
	2	0.4		1.00																								
	3	0.4			1.00																							
	4	1.1				1.00																						
	5	1.2					1.00																					
	6	1.4						1.00																				
	7	5.4							1.00																			
	8	7.8								1.00																		
	9	12.8									1.00																	
	10	12.8										1.00																
	11	14.5											0.99															
	12	15.6												0.99														
	13	20.3													0.99													
	14	20.4														0.99												
	15	27.9															0.98											
	16	28.6																0.98										
	17	32.5																	0.99									
	18	42.6																		0.98								
	19	42.8																			0.98							
	20	42.9																				0.98						
	21	43.8																					0.97					
	22	45.3																						0.98				
	23	45.9																							0.96			
	24	50.4																								0.95		
	25	54.0																									0.96	
	26	54.5																										0.97




Figure 2. IRKE-selected and GA-reduced 75-DOF ASET. The pseudo-orthogonality and FEM are displayed.

FEM Pseudo Orthogonality Table																												
FEM shapes																												
POgg		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	
FEM shapes	1	0.4	1.00																									
	2	0.4		1.00																								
	3	0.4			1.00																							
	4	1.1				1.00																						
	5	1.2					1.00																					
	6	1.4						1.00																				
	7	5.4							0.99																			
	8	7.8								0.99																		
	9	12.8									0.99																	
	10	12.8										0.98																
	11	14.5											0.96															
	12	15.6												0.96														
	13	20.3													0.96													
	14	20.4														0.97												
	15	27.9															0.77											
	16	28.6																0.78										
	17	32.5																	0.97									
	18	42.6																		0.94								
	19	42.8																			0.93							
	20	42.9																				0.93						
	21	43.8																					0.92					
	22	45.3																						0.98				
	23	45.9																							0.94			
	24	50.4																								0.97	0.03	
	25	54.0																									0.03	0.85
	26	54.5																										0.81




Figure 3. Manually selected ASET. The pseudo-orthogonality and FEM are displayed.

FEM Pseudo Orthogonality Table																												
FEM shapes																												
FEM shapes		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	
POgg		0.4	0.4	0.4	1.1	1.2	1.4	5.4	7.8	12.8	12.8	14.5	15.6	20.3	20.4	27.9	28.6	32.5	42.6	42.8	42.9	43.8	45.3	45.9	50.4	54.0	54.5	
1	0.4	1.00																										
2	0.4		1.00																									
3	0.4			1.00																								
4	1.1				1.00																							
5	1.2					1.00																						
6	1.4						1.00																					
7	5.4							0.99																				
8	7.8								0.99																			
9	12.8									0.99																		
10	12.8										0.98																	
11	14.5											0.96																
12	15.6												0.96															
13	20.3													0.96														
14	20.4														0.97													
15	27.9															0.77												
16	28.6																0.78											
17	32.5																	0.99										
18	42.6																		0.94									
19	42.8																			0.93								
20	42.9																				0.93							
21	43.8																					0.92						
22	45.3																						0.98					
23	45.9																							0.97				
24	50.4																								0.97	0.04		
25	54.0																									0.04	0.85	
26	54.5																											0.81




Figure 4. Manually selected ASET, including all three DOF. The pseudo-orthogonality still indicates an insufficient TAM, so a GA reduction will not be productive.




Figure 5. The pseudo-orthogonality of the manual ASET selection indicates that modes 15, 16, 25, and 26 are not sufficiently represented in the TAM. All four modes are wing modes.

After adding 126 candidate DOF to locations in the wing and tail centers, the GA reduced the ASET to the 105-measurement DOF budget. A final pretest iteration is displayed in [Figure 7](#). Predictably, the GA selected DOF that corresponded closely with the original manual selection, consisting of mostly accelerometers perpendicular to the various iron bird surfaces. The pseudo-orthogonality demonstrates that this TAM is sufficient to capture all target modes. The IRKE/GA result provided guidance in arriving at this final TAM, but since the ASET was still manually selected, none of the drawbacks of irregularity and inaccessibility will be encountered in the test setup. While the final TAM includes thirty more accelerometers than the IRKE/GA-derived TAM, this is a small cost to bear for a convenient, practical, and easily maintained test setup.

The four TAMs are summarized in the following list as well as in [Table 1](#).

1. IRKE/GA-selected ASET, 75 DOF ([Figure 2](#)).
2. Manually selected ASET, 105 DOF ([Figure 3](#)).
3. Manually selected ASET, 243 DOF. All three translational DOF from every TDM node were included to check the viability of any possible manual TDM-derived ASET ([Figure 4](#)).
4. Manually selected ASET, 369 DOF. Additional candidate DOF were added to the wings and tail sections, and all three translational DOF from every TDM node were included ([Figure 6](#)).
5. Manually selected ASET, reduced via GA to 105 DOF ([Figure 7](#)).

[Table 1](#) condenses the four results studied above by displaying only the on-diagonal pseudo-orthogonality results and the FEM/TAM frequency comparisons. The IRKE/GA result clearly produced the best TAM, as evidenced by the pseudo-orthogonality. Additionally, a fully manual ASET selection resulted in an insufficient TAM. Studying the IRKE/GA result was useful to augment the manual and heuristic development of an ASET that would be sufficient to capture all target modes. While TAM 5 ([Figure 7](#)) requires thirty additional accelerometers, it has a comparable pseudo-orthogonality to the IRKE/GA result and is both sufficient and practical for a successful test program.

Further manual iterations on the TAM were not completed for this paper, but the IRKE/GA result suggests two additional modifications to bolster the pseudo-orthogonality and perhaps even lower the channel count. First, accelerometers may not be needed along the most inboard locations on the wings. Second, the mid-section of the fuselage could possibly be de-emphasized, though additional accelerometers may be placed towards the forward and aft areas of the fuselage.

FEM Pseudo Orthogonality Table																													
		FEM shapes																											
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26		
FEM shapes	POgg	0.4	0.4	0.4	1.1	1.2	1.4	5.4	7.8	12.8	12.8	14.5	15.6	20.3	20.4	27.9	28.6	32.5	42.6	42.8	42.9	43.8	45.3	45.9	50.4	54.0	54.5		
	1	0.4	1.00																										
	2	0.4		1.00																									
	3	0.4			1.00																								
	4	1.1				1.00																							
	5	1.2					1.00																						
	6	1.4						1.00																					
	7	5.4							1.00																				
	8	7.8								1.00																			
	9	12.8									1.00																		
	10	12.8										1.00																	
	11	14.5											1.00																
	12	15.6												1.00															
	13	20.3													1.00														
	14	20.4														1.00													
	15	27.9															0.99												
	16	28.6																0.99											
	17	32.5																	1.00										
	18	42.6																		0.97									
	19	42.8																			0.97								
	20	42.9																				0.96							
	21	43.8																					0.97						
	22	45.3																						0.99					
	23	45.9																							0.97				
	24	50.4																								0.98			
	25	54.0																									0.98		
	26	54.5																											0.97




Figure 6. Manually selected ASET, including all three DOF. Additional DOF were added to the wings and tails, and the pseudo-orthogonality indicates a sufficient TAM.

FEM Pseudo Orthogonality Table																												
		FEM shapes																										
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	
FEM shapes	POgg	0.4	0.4	0.4	1.1	1.2	1.4	5.4	7.8	12.8	12.8	14.5	15.6	20.3	20.4	27.9	28.6	32.5	42.6	42.8	42.9	43.8	45.3	45.9	50.4	54.0	54.5	
	1	0.4	1.00																									
	2	0.4		1.00																								
	3	0.4			1.00																							
	4	1.1				1.00																						
	5	1.2					1.00																					
	6	1.4						1.00																				
	7	5.4							1.00																			
	8	7.8								1.00																		
	9	12.8									1.00																	
	10	12.8										1.00																
	11	14.5											1.00															
	12	15.6												1.00														
	13	20.3													0.99													
	14	20.4														0.99												
	15	27.9															0.98											
	16	28.6																0.99										
	17	32.5																	0.99									
	18	42.6																		0.97								
	19	42.8																			0.97							
	20	42.9																				0.96						
	21	43.8																					0.97					
	22	45.3																						0.99				
	23	45.9																							0.96			
	24	50.4																								0.98		
	25	54.0																									0.97	
	26	54.5																										0.97




Figure 7. Final ASET, derived from the manual 369-DOF TDM, with accelerometers added to the wings and tails and then reduced via GA.

Table 1. Condensed TAM results.

FEM		TAM 1	TAM 2	TAM 3	TAM 4	TAM 5	FEM		TAM 1	TAM 2	TAM 3	TAM 4	TAM 5				
Mode #	Freq (Hz)	PORTHO	PORTHO	PORTHO	PORTHO	PORTHO	FEM Mode	Freq (Hz)	Freq (Hz)	% Difference	Freq (Hz)	% Difference	Freq (Hz)	% Difference			
1	0.36	1.00	1.00	1.00	1.00	1.00	1	0.36	0.361	0.0	0.361	0.0	0.4	0.361	0.0		
2	0.40	1.00	1.00	1.00	1.00	1.00	2	0.40	0.400	0.0	0.400	0.0	0.4	0.400	0.0		
3	0.43	1.00	1.00	1.00	1.00	1.00	3	0.43	0.432	0.0	0.432	0.0	0.4	0.432	0.0		
4	1.15	1.00	1.00	1.00	1.00	1.00	4	1.15	1.147	0.0	1.147	0.0	1.1	1.147	0.0		
5	1.23	1.00	1.00	1.00	1.00	1.00	5	1.23	1.235	0.0	1.235	0.0	1.2	1.235	0.0		
6	1.43	1.00	1.00	1.00	1.00	1.00	6	1.43	1.429	0.0	1.429	0.0	1.4	1.429	0.0		
7	5.38	1.00	0.99	0.99	1.00	1.00	7	5.38	5.380	0.0	5.397	0.3	5.4	5.380	0.0		
8	7.82	1.00	0.99	0.99	1.00	1.00	8	7.82	7.820	0.0	7.841	0.3	7.8	7.819	0.0		
9	12.80	1.00	0.99	0.99	1.00	1.00	9	12.80	12.807	0.1	12.837	0.3	12.8	12.802	0.1		
10	12.80	1.00	0.98	0.98	1.00	1.00	10	12.80	12.813	0.1	12.849	0.4	12.8	12.814	0.1		
11	14.49	0.99	0.96	0.96	1.00	1.00	11	14.49	14.541	0.4	14.639	1.0	14.5	14.500	0.1		
12	15.64	0.99	0.96	0.96	1.00	1.00	12	15.64	15.694	0.4	15.804	1.1	15.7	15.653	0.1		
13	20.28	0.99	0.96	0.96	1.00	0.99	13	20.28	20.352	0.3	20.464	0.9	20.3	20.324	0.2		
14	20.44	0.99	0.97	0.97	1.00	0.99	14	20.44	20.511	0.3	20.590	0.7	20.5	20.485	0.2		
15	27.86	0.98	0.77	0.77	0.99	0.98	15	27.86	27.989	0.5	29.812	7.0	29.799	7.0	27.9	27.966	0.4
16	28.57	0.98	0.78	0.78	0.99	0.99	16	28.57	28.699	0.4	30.460	6.6	30.455	6.6	28.6	28.673	0.4
17	32.48	0.99	0.97	0.99	1.00	0.99	17	32.48	32.598	0.3	32.735	0.8	32.602	0.4	32.5	32.561	0.3
18	42.62	0.98	0.94	0.94	0.97	0.97	18	42.62	42.874	0.6	43.301	1.6	43.272	1.5	42.9	42.940	0.8
19	42.82	0.98	0.93	0.93	0.97	0.97	19	42.82	43.066	0.6	43.560	1.7	43.558	1.7	43.2	43.213	0.9
20	42.87	0.98	0.93	0.93	0.96	0.96	20	42.87	43.104	0.5	43.643	1.8	43.640	1.8	43.3	43.296	1.0
21	43.81	0.97	0.92	0.92	0.97	0.97	21	43.81	44.086	0.6	44.672	2.0	44.670	2.0	44.1	44.151	0.8
22	45.30	0.98	0.98	0.98	0.99	0.99	22	45.30	45.524	0.5	45.555	0.6	45.538	0.5	45.4	45.450	0.3
23	45.90	0.96	0.94	0.97	0.97	0.96	23	45.90	46.381	1.0	46.605	1.5	46.216	0.7	46.2	46.341	1.0
24	50.43	0.95	0.97	0.97	0.98	0.98	24	50.43	51.067	1.2	50.827	0.8	50.784	0.7	50.6	50.671	0.5
25	53.97	0.96	0.85	0.85	0.98	0.97	25	53.97	54.552	1.1	56.145	4.0	56.029	3.8	54.3	54.407	0.8
26	54.51	0.97	0.81	0.81	0.97	0.97	26	54.51	54.987	0.9	57.436	5.4	57.434	5.4	54.9	54.921	0.8

DISCUSSION

The analytic tools for pretest, such as IRKE and GA, can guide a manual pretest process. A flowchart depicting the complete analytical and manual TAM development process is shown in Figure 8. The pretest analysis can take either an analytic path, with later adjustments influenced by practical test program considerations, or a manual path that is influenced as necessary by the analytic results.

This paper has focused on the iron bird test article, but actual pretest analyses require collaboration with the customer—the owner of the test article. In the iron bird study, all 26 modes below 55 Hz were accepted as target modes of equal importance. Other test articles may have modes of variable importance, which can affect the manual ASET selection. For example, if the iron bird fuselage breathing modes were determined to be of low value (due to future correlation efforts or relatively high modal frequencies), additional DOF may have been subtracted from the ASET. This hypothetical determination, which would be made with customer and analyst concurrence, has the advantage of reducing the size of the ASET.




Figure 8. Flowchart depicting the pretest process. The dashed grey lines indicate that analysis results can influence a manual TAM development, and vice versa.

Additionally, should such a determination be made, the selected ASET may still be sufficient to visualize the target mode shapes. This is checked initially through observation of the analysis modes. TAM 2 has sufficient measurement DOF to visualize the second wing torsion modes, but if TAM 2 was used in an actual test, test engineers could not expect the final test-extracted mode list to pass rigorous orthogonality checks. The importance of such a data-quality check (successful visualization of all target modes and perhaps a high-quality modal assurance criteria check) is again subject to negotiation between the customer and analysis engineers, with the goal of having a successful yet practical test program.

Measurement DOF that may be difficult or time-consuming to install, such as those requiring manlifts or test article disassembly (and the accompanying customer technical support), should also be considered for exclusion from the ASET if the TAM results allow for such a compromise. The customer should work with the test engineers prior to the test program to provide as much information, including drawings and pictures, about the test article as possible. Test engineers and the customer should be cognizant of the additional time and resources required by both parties for accelerometers that are difficult to install and maintain.

In the iron bird study, the GA was used to reduce the manual TDM set. Additional manual DOF rearrangements and pseudo-orthogonality checks may be performed to further improve the ASET. Like with the IRKE method, the GA may produce a highly efficient, but irregular, ASET, and manual adjustments should be made to regularize and simplify the final ASET—within the constraints of a sufficient TAM.

REFERENCES

- [1] Tuttle, R., T. Cole, and J. Lollock, "An Automated Method for Identification of Efficient Measurement Degrees-of-Freedom For Mode Survey Testing," 46th AIAA/ASME/ASCE/AHS/ASC Structures, Structural Dynamics & Materials Conference, Austin, Texas, 2005.
- [2] Stabb, M., and P. Biełloch, "A Genetic Algorithm For Optimally Selecting Accelerometer Locations," 13th International Modal Analysis Conference, Nashville, Tennessee, 1995.