



Neutron activation analysis of Inka pottery from fifteen archaeological sites in the Lurín valley, central coast of Peru: insights into production and exchange

James A. Davenport¹

Received: 27 June 2024 / Accepted: 5 September 2024
© Akadémiai Kiadó, Budapest, Hungary 2024

Abstract

NAA is applied to a sample of 360 archaeological ceramics mostly dating to the Late Horizon (1470–1532 CE) from the major Inka center of Pachacamac and fourteen additional sites in the Lurín valley of Peru's central coast. Results indicate Inka pottery was produced by multiple communities of practice working in distinct locations and the importation of small amounts of pottery from the Inka capital Cuzco, and networks of distribution for this pottery and sociopolitical boundaries in the region are discussed based on results.

Keywords Neutron activation analysis · Thin section petrography · Archaeology · Pottery · Inka

Introduction and archaeological background

Tawantinsuyu, the empire of the Inkas, expanded out of the capital region of Cuzco during the Late Horizon (c. 1470–1532 CE) to encompass more than 2 million km² of Andean South America, controlling an estimated 10 million subjects [1]. Strategies for organizing and exerting control over subjects varied region-to-region, depending on multiple factors, including local resources that existed which the empire wanted to exploit, the distance from the imperial core, levels of local cooperation and resistance, population density, and existing degrees of political integration [2–4]. A commonality of Inka control was the production of state-sponsored rituals, ceremonies, feasts, and other events which promoted the empire's power through the provision of food and drink served in pottery decorated in imperial Inka styles [5]. Inka pottery was recognizable throughout the empire, as it was made in a standard suite of forms and decorated in a limited set of repeated geometric designs [6, 7]. Subjects paid tribute to the empire through labor, called *mit'a*

[8], which included military service, working state-owned agricultural lands, or for skilled craft producers, the creation of crafts in distinctive imperial styles [8, 9]. This led to Inka pottery, a ware that was standardized in form and appearance, being produced all throughout the empire by a diversity of producers with different backgrounds, materials, and techniques for pottery production. Previous limited studies into the production of Inka pottery [1, 2, 9–13] have shown diverse models for the level of control over production exerted by the Inkas and the range of distribution that products from one workshop or community of producers may extend. The standardized appearance of Inka pottery additionally may belie both connections and boundaries that existed in the past.

Because of this outward standardization and internal heterogeneity, bulk compositional analysis such as neutron activation analysis (NAA) is an important tool for the study of Inka pottery production. While the outward appearance, in decoration and form, of a ceramic vessel is adaptable and can be copied without knowledge transmission between potters [14], attributes of pottery with lower visibility tend to be more technologically conservative [15]. Furthermore, the techniques that result in these low-visibility attributes are learned during process-oriented transmission by participating in a community of practice, which is a group of individuals that participate in an activity system and transmit knowledge about that activity [16, 17]. Two potters working in different regions may produce a final product, for example

✉ James A. Davenport
davenportja@missouri.edu

¹ Archaeometry Laboratory, University of Missouri Research Reactor, 1513 Research Park Drive, Columbia, MO 65211, USA

an Inka *urpu*, which is outwardly identical in appearance, but they have made different decisions at different steps in the production process to complete the finished product, and those decisions were informed by their social setting and by participation in a community of practice [18, 19]. These decisions, considered together, can be described as chaînes-opératoires, or operational chains or sequences. Following the chaîne-opératoire approach, a finished pottery vessel can be viewed as the culmination of these decisions [19]. Investigating the bulk composition of that vessel through NAA can then, as a proxy, allow these chaînes-opératoires to be compared to each other, and boundaries which may not have been previously visible uncovered [20, 21].

This research applies this approach to the study of Inka pottery from Pachacamac and fourteen additional sites in the Lurín valley of Peru's central coast (Fig. 1). How was the production of Inka pottery at an important imperial center and smaller settlements in its surrounding valley organized? Was it produced centrally at one location and distributed long distances across the valley, or was its production decentralized and distribution and exchange more restricted? Did different communities of practice supply different contexts, sites, or regions?

Pachacamac is a 465-hectare archaeological site located on the Pacific coast just to the north of the mouth of the Lurín River (Fig. 2). Presently it sits just south of metropolitan Lima. Human occupation at Pachacamac dates back at least as far as the Early Intermediate Period (200–600 CE) [22]. During the Late Horizon (1000–1470 CE), prior to

Inka conquest, Pachacamac was the political center of the Ychsma polity, a hierarchical society centered on the Lurín and Rímac valleys of Peru's central coast [23]. It was also the home to an oracular *wak'a* that, at the time of Spanish conquest, had pan-Andean importance [24].

Pachacamac was brought under the control of the Inka empire around 1460 to 1470 CE [25, 26], and the Inkas transformed the site into a major Inka political and ceremonial center. This included the abandonment of some pre-Inka spaces, relocation of parts of the population, and large-scale architectural modifications, including the renovation of existing structures and the construction of new ones, such as the Pilgrims' Plaza, the Mamacona "Convent," the Tauri Chumpi palace, and the Temple of the Sun [23, 27–30]. While the practice of remodeling and building over existing structures at subjugated political centers was not uncommon, the renovation at Pachacamac is likely the most monumental example of the Inka adapting its architecture and planning to an existing layout [31]. Ethnohistoric sources describe the Inka incorporation of Pachacamac as motivated by the cultivation of coca and the appropriation of the important religious center of Pachacamac [23, 32, 33], and the ceremonies that occurred in Inka spaces there utilized pottery in the distinctive Inka styles for their production.

Pachacamac's large size and apparent imperial importance are unique in the central coast and in the Lurín valley, and this research is focused on elucidating the relationship that it had as a center with surrounding settlements. Research into Inka pottery production and distribution has



Fig. 1 Map of the Lurín valley, showing sites where samples were excavated and collected, or otherwise mentioned in the text




Fig. 2 Map of Pachacamac, showing locations of excavations by Max Uhle and William Duncan Strong, with additional notable structures highlighted

identified multiple models, from the production at a central location and distribution across an entire region [34] to a small embedded workshop creating material for use at one specific structure [35]. Previous research into Inka pottery production at Pachacamac [36] has identified multiple compositional groups present, which may correspond to multiple communities of practice. To what extent were the products of these communities distributed beyond the imperial center of Pachacamac?

This research seeks to address the organization of production for Inka pottery at Pachacamac and in the Lurín valley as a way to better understand the relationships between empires and their subjects. Empires, like *Tawantinsuyu*, affect significant change in the political, economic, and ritual lives and landscapes of their subject peoples territories. The production of Inka pottery in the Lurín valley, and in turn Inka networks and hierarchies of distribution and exchange, are examined and evaluated against existing models for state craft production and use.

Methods

The Archaeometry Laboratory at MURR has been processing samples and collecting data with the same parameters for its entire 36-year existence to ensure data interoperability and to create a comprehensive database of archaeological materials, including pottery. Laboratory methods for the analysis of archaeological ceramics at MURR have been described in detail elsewhere [37–39]. To briefly summarize, a fragment of roughly 1 cm² was removed from each sherd that was analyzed. Because NAA is a bulk analytical technique, all surfaces were removed with a silicon-carbide grinding tool to account for any compositionally distinct decorations added to the surface of the pottery, either through a slip clay or pigments used for decoration. This also accounts for any post-depositional contamination from taphonomic processes. The burred pieces were rinsed in deionized water and allowed to dry. Samples were then homogenized into a fine powder using an agate mortar and pestle and placed in a drying oven for a minimum of 24 hours at 105 °C. Once completely dry, aliquots of each sample were measured into two vials: 100 ± 2 mg of powder was measured into a high-density polyethylene vial, and 200 ± 2 mg of powder measured into a high-purity quartz vial and sealed under vacuum.

The portions of the samples in the polyethylene vials were loaded into rabbits in pairs and transported to the reactor via a pneumatic tube system for an irradiation of five seconds by a neutron flux of $8 \times 10^{13} \text{ cm}^{-2} \text{ s}^{-1}$. At the beginning, middle, and end of this process, standards from NIST of SRM1633c Coal Fly Ash and SRM688 Basalt Rock were simultaneously irradiated under the same parameters and used as

comparators, and an in-house quality control of New Ohio Red Clay was also irradiated under the same parameters and used as a quality control. After a decay of 25 min, samples were counted for a period of 12 minutes by high-purity germanium detectors, yielding values in parts per million for 9 elements: Al, Ba, Ca, Dy, K, Mn, Na, Ti, and V.

The portions of the samples in quartz vials were bundled in groups of 50 samples along with standards from NIST of SRM1633c Coal Fly Ash, which was used as a comparator, and SRM679 Brick Clay and New Ohio Red Clay which were used as quality controls. These bundles were irradiated for a period of 24 hours in a neutron flux of $6 \times 10^{13} \text{ cm}^{-2} \text{ s}^{-1}$. After an initial decay of seven days, these samples were washed and placed on automatic sample changers which moved samples in front of a high-purity germanium detector for a period of 30 minutes each, yielding counts for As, La, Lu, Nd, Sm, U, and Yb. Samples were then allowed to decay for an additional two weeks before being returned to the sample changers for a second detection period of 2.5 hours, yielding counts for Ce, Co, Cr, Cs, Eu, Fe, Hf, Ni, Rb, Sb, Sc, Sr, Ta, Tb, Th, Zn, and Zr.

Sample

Previous analysis [36] examined the composition of 149 ceramic vessels from a midden on the northeast face of the Temple of the Sun at Pachacamac, excavated by William Duncan Strong and colleagues in 1941 [40]. This pottery was stylistically Inka polychrome, dating to the Late Horizon, as well as styles local to the central coast, including contemporary Ychsma styles dating to the Late Horizon and Late Intermediate Periods (CE 1000–1470), and Lima styles of pottery, dating to the Early Intermediate Period (CE 200–600). Analysis of these data identified three distinct compositional groups. Inka Polychrome samples were present in all three compositional groups, while samples decorated in contemporary and earlier local styles were present only in one of the groups. Additionally, of the two groups comprised of Inka pottery, one of these groups was primarily just one form: the Inka *urpu*, a long-necked, pointed-bottomed vessel used for the serving and storage of *chicha*, a maize beer central to Andean ceremonial life and the most ubiquitous Inka form found outside the imperial capital. *Urpus* were also members of the other two compositional groups.

Building on the results of this earlier analysis, the sample was expanded by an additional 211 ceramic vessels, bringing the total sample size to 360. Fifty eight of these new samples were from Pachacamac: 38 from Strong and colleagues' excavations at the Temple of the Sun, and 20 from the 1897 excavations of Max Uhle [41], who excavated and made collections at several loci around the site, including a

cemetery on a southeast terrace of the Temple of the Sun, several cemeteries around the site including one at the base of the Temple of Pachacamac, and the second precinct, an elite residential sector immediately to the north of Pachacamac's ceremonial core. Three samples were excavated from Pachacamac Island, a small, rocky island immediately off the coast of Pachacamac in 1935 by Harris Kennedy, a medical doctor visiting the island under the auspices of the Harvard Club of Boston, a local alumni association. Samples from Pachacamac Island were Inka polychrome in style, except for one "waster," a piece of pottery that became deformed or otherwise unusable during the firing process. The remaining 150 samples were collected from an additional thirteen sites in the Lurín valley by Thomas C. Patterson during a survey in 1964 (Fig. 1, Table 1) [42–44]. These sites vary in size and level of Inka presence. Some have significant Inka constructions and presence, while others are secondary or tertiary centers with only minimal evidence of Inka activity. All samples are currently curated in museums or collections facilities in the United States, including the American Museum of Natural History in New York (AMNH), the University of Pennsylvania Museum of Archaeology and Anthropology in Philadelphia (Penn Museum), and the Harvard Peabody Museum of Archaeology and Ethnography in Cambridge (Peabody), and appropriate permissions were obtained from these museums prior to analysis.

The samples that were chosen were restricted to one of a few categories: pottery that was stylistically Inka Polychrome; pottery that was decorated in styles that were closely associated with Inka presence in the valley, like polished blackware, a style not present in pre-Inka periods of Ychsma pottery [45] that is more commonly associated with the Chimú of Peru's north coast [9] or the Chinchá of Peru's

south coast [46] but that saw a wider distribution along Inka networks during the Late Horizon; a select few forms of contemporary local Ychsma styles of pottery, including the *cara-gollete*, a form that shared morphometric similarities to the Inka *urpu* and that was made primarily during the Late Horizon [45, 47], and wasters. Inka polychrome pottery was focused on three primary forms that were commonly found in the Lurín valley (and are among the most frequent to be found in Inka contexts in the provinces [48]): *urpus*, flat bowls with vertical walls, and shallow plates. These forms were all primarily used for serving or storing comestibles that were consumed at state-sponsored ceremonies, and as a result played an important role in the creation and maintenance of imperial power among subjects of the Inkas [5, 48]. Inka Polychrome pottery comprised 54% of the sample ($n = 195$), and is the focus of this research.

Results

Prior to any analysis of the data, the element nickel was first removed, as values registered below laboratory detection limits for 84% (302 out of 360) samples. The remaining 32 elements were used in a suite of multivariate statistical analyses that are commonly used to interpret archaeological compositional data [49–53]. The goal of these analyses is to identify distinct homogenous groups. In the interpretation of compositional data of archaeological artifacts, these groups are often assumed to represent geographically restricted sources, based on the provenance postulate [54], with the largest or most frequently occurring groups assumed to represent local material, based on the criterion of abundance [55]. While these are valuable interpretations and insights

Table 1 Distribution of decorative styles and Inka polychrome forms by site

Inka polychrome pottery					
Site	<i>Urpu</i>	Bowl	Plate	Blackware	Local Styles
Pachacamac	34	9	43	19	102
Pachacamac Island	1	–	1	–	1
Tablada de Lurín (PV48-229)	2	1	–	1	2
Pampa de Flores (PV48-12)	2	4	–	6	10
Villa Toledo (PV48-32)	8	3	–	4	3
Panquilma (PV48-35)	3	4	–	5	–
Molle (PV48-28)	1	1	–	2	–
Antivales (PV48-86)	–	1	–	4	–
Anchucaya (PV48-110, 113)	–	3	–	4	–
Vichuya (PV48-109)	–	1	–	–	–
Avillay (PV48-137)	29	2	1	–	1
Chamallanca (PV48-164)	3	–	–	1	–
PV48-347	26	3	1	–	–
PV48-286	4	2	–	–	–
PV48-290	3	3	–	–	–

that can be gleaned from compositional data, these data also hold the potential to examine a more nuanced picture of the archaeological past, especially when applied in combination with complementary methods. Ceramics are an anthropogenic phenomenon, and while the elemental composition of a piece of pottery is in part the product of the geologic materials used in its creation, it is also affected by choices made by potters during the production process [19, 56]. As these production processes, or chaînes opératoires, are informed by the social environment in which techniques for pottery production are learned, so too can differences between them elucidate social and political boundaries. The bulk compositional analysis of pottery is a useful proxy for the investigation of differences between multiple chaînes opératoires—while the specific differences in choices made by potters will often require additional analyses to thoroughly describe, these choices can and often do result in compositional variation. For this reason, the majority of elemental values detected were used in the statistical analysis of the dataset.

Samples were assigned to compositional groups using a combination of hierarchical cluster analysis (HCA), the calculation of a total variation matrix (TVM), and principal component analysis (PCA) [38]. After group assignments were made, group membership was evaluated and refined through the calculation of Mahalanobis distances (MD).

Building on the results of the previous study [36], the 360 total samples were assigned into 5 compositional groups, along with 22 outliers (Fig. 3). The full dataset can be found in online Appendix A. Results from the PCA (Fig. 4) indicate that the elements that are positively loaded for PC1 are Cs, Sb, As, Rb, Zn, and Th; for PC2, Cr, Ca, Ta, Ce, La, Nd, and Dy; and for PC3, Ca, As, V, Mn, and Co. Instead of assigning groups a number, groups were named based on either a defining characteristic of their members, or a probable location of their manufacture. After assignment into compositional groups and evaluation of group composition, samples were compared by decorative style, and Inka polychrome samples were compared by form (Table 1). Inka Polychrome pottery is present in each group. The distribution of samples from each compositional group was also compared by site (Table 2).

Group 1: “lower Lurín”

The first group, which I refer to as “Lower Lurín,” corresponds with the previously identified Group 1 [36]. This group is comprised of 161 members. From the earlier study, nearly all of the local styles, both earlier Lima and later Ychsma, were assigned to this group. Additionally, 56 samples in this group are Inka Polychrome in style, including 19 *urpus*, 21 bowls, and 14 plates. Of the samples, 104 were from Pachacamac, and 53 were from other sites in the valley.

This group is called “Lower Lurín” because the location of its production is hypothesized to be somewhere in the lower Lurín valley. While no workshops or other evidence of ceramic production dating to the Inka period have been found at Pachacamac itself, it is hypothesized that this pottery was produced at least in the region, and potentially at the site of Pampa de Flores, due to the presence of wasters from there that are assigned to this group.


Group 2: “Armatambo”

The second group, which I refer to as “Armatambo,” corresponds with the previously identified Group 2 [36]. This group is comprised of 117 members. A total of 68 samples assigned to this group are Inka Polychrome, including 26 *urpus*, 10 bowls, and 27 plates. A total of 52 samples were from Pachacamac, and 40 were from other sites in the valley. This group is called “Armatambo” because it is hypothesized that these samples originated at the site of Armatambo, which was another Inka state installation located on the Pacific coast approximately halfway between the Lurín and Rímac valleys. While samples from Armatambo have not yet been analyzed using NAA, there are visual similarities in the petrographic analysis of samples assigned to this group and recently published samples from Armatambo [57], including the mineralogy, size, angularity, and frequency of aplastic inclusions (Fig. 5). Additionally, previous research by Krzysztof Makowski and colleagues [58] utilizing Laser Ablation-Inductively Coupled Plasma-Mass Spectrometry comparing pottery from the Lurín valley to clay sources in the region identified three possible loci of clay extraction, one of which is near Armatambo and compositionally distinct from other extant sources in the valley. Further compositional analysis of material from Armatambo would lend additional support to this hypothesis, and is a future direction for research.

Group 3: “urpu”

The third group, which I refer to as “Urpu,” correspond with the previously identified Group 3 [36]. This group is comprised of 20 members, all of which are Inka Polychrome and 19 of which are *urpus*, with one plate. Additionally, 19 of these samples were from Pachacamac, while the remaining sample is an *urpu* from the site of Avillay. Petrographic analysis of this group supports a relationship between this group and some members the Armatambo group. Petrography of members of this group is defined by angular, coarse to very coarse inclusions of intrusive igneous rocks, including granites and diorites. There are some samples assigned to the Armatambo group that are distinct from the petrography previously described which are characterized by inclusions that share the same size,

Fig. 3 Scatterplots of PC1 vs PC2 and PC3 showing compositional groups identified in this analysis. Ellipses are drawn at 90% confidence intervals



angularity, frequency, and level of sorting as those in the Uru group. The only distinction is that the samples in the Armatambo group have inclusions of extrusive igneous rocks, like rhyolite and basalt (Fig. 6). Both intrusive and extrusive igneous rocks outcrop in the lower Lurín valley and around the area of Armatambo, and this group may

represent a single community of practice utilizing a distinct raw material to create a specific form of pottery (the *urpu*), or pottery that was meant to be used in a specific location, as nearly all samples assigned to this group were from the Temple of the Sun at Pachacamac.

Table 2 Distribution of compositional groups by site

Site	Lower Lurín	Armatambo	Urupu	Upper Lurín 1	Upper Lurín 2	Outlier
Pachacamac	104	77	18	2	–	6
Pachacamac Island	1	–	1	–	–	1
Tablada de Lurín (PV48-229)	1	4	–	–	–	1
Pampa de Flores (PV48-12)	17	5	–	–	–	–
Villa Toledo (PV48-32)	8	10	–	–	–	–
Panquilma (PV48-35)	10	2	–	–	–	–
Molle (PV48-28)	3	1	–	–	–	–
Antivales (PV48-86)	2	–	–	–	–	3
Anchucaya (PV48-110, 113)	2	4	–	–	1	–
Vichuya (PV48-109)	1	–	–	–	–	–
Avillay (PV48-137)	9	5	1	14	–	4
Chamallanca (PV48-164)	–	1	–	–	3	–
PV48-347	1	8	–	11	1	5
PV48-286	2	–	–	3	–	1
PV48-290	–	–	–	5	–	1




Fig. 5 Photographs of petrographic thin sections at 4× magnification in cross-polarized light (XPL) showing artifacts that have similarities to those illustrated in Pareja et al. Above: Penn Museum object no. 34277D; Below: AMNH Object No. 41.1/8966 V34




Fig. 6 Photographs of petrographic thin sections at 4× magnification in cross-polarized light (XPL) showing the difference in mineralogy between members of the Armatambo group (above) and members of the Urupu group (below). Above: AMNH object no. 41.1/8966 V01; Below: AMNH object no. 41.1/8966 U11

Based on an analysis of macroscopic characteristics, Feltham [43] hypothesized two Inka pottery manufacturing centers for the Lurín valley: one at Pachacamac and one at Sisicaya, near Chamallanca. Citing thorough ethnohistoric research, she proposed that these manufacturing centers corresponded to a political division within Inka administration of the valley that corresponded to a pre-Inka boundary between the inhabitants of the lower Lurín valley and the Yauyos, who incurred into the upper valley from the highlands. While the location of the manufacturing centers cannot be confirmed by the compositional data alone, it is likely that this compositional group corresponds to the products of the upper manufacturing location, and the macroscopic appearance of its members, with a paste that is browner compared to the more orange-colored paste of the lower valley samples, corresponds to the distinctions described by Feltham.

Group 5: “upper Lurín 2”

The final compositional group, referred to as “Upper Lurín 2,” was also newly identified in this expansion of the study. It is the smallest compositional group, being comprised of just five members. All members of this group are Inka polychrome pottery, including 4 *urpus* and 1 bowl, and all were found at upper-valley sites. It is difficult to make any resolute statements about such a small group, but it is possible that this group represents either a distinct community of practice working in the same location as the one which produced pottery assigned to Upper Lurín 1, or a distinct choice in


practice made by the same community, similar to the relationship between the Urpu and Armatambo groups. Alternatively, it could represent a unique locus of manufacture for Inka pottery separate from the others already discussed.

Outliers

In addition to the groups discussed above, there were 22 outliers that were not assigned to any groups. These groups were compared to the database of archaeological ceramics at MURR. This database contains over 8,900 samples from South America, most of which are from the Andes, spanning nearly the entire time depth of ceramic production on the continent.

A comparison was made against Inka pottery from the capital region of Cuzco which were analyzed at MURR as part of a research project of Richard Burger [59]. A total of five samples had compositional similarity with compositional groups from Cuzco: two samples, one from Pachacamac Island and one from PV48-347, fit with Burger’s Group 2, and three samples, one from Pachacamac, one from Avilay, and one from PV48-290 fit with Burger’s Group 4A (Fig. 7). Analysis from petrography shows that several of these samples have a red paste with a well-sorted andesite temper, which is a hallmark of pottery from Cuzco (Fig. 8) [60]. Previous studies have used NAA to identify imports from Cuzco to other provincial Inka centers [1], and this phenomenon is observed in the Lurín valley as well.

Fig. 7 Scatterplot of PC1 vs PC3 showing compositional groups identified in this analysis along with the two Cuzco compositional groups identified by Burger et al., and outlier samples assigned to those groups. Ellipses are drawn at 90% confidence intervals






Fig. 8 Photographs of petrographic thin section at 4× magnification in cross-polarized light (XPL) showing andesite temper that is typical of the Cuzco region. AMNH object no. 41.1/8970 B

Additional outliers could not be reliably assigned to any compositional groups from other loci of Inka manufacture that have been previously identified in the MURR database. These ceramics may represent communities of practice outside the Lurín valley, innovation by individuals or communities of practice utilizing different materials and methods, or statistical variation within the raw materials used.

Discussion

The distribution of forms among the groups is complicated somewhat by the prevalence of plates at Pachacamac, which are almost entirely absent from other sites in the valley. In a chi-squared goodness of fit test excluding Pachacamac, the distribution of forms across the compositional groups was found to be not significant ($p=0.1813$). Outside of Pachacamac, *urpus* dominate the assemblage of Inka Polychrome pottery ($n=58$ of 71, 81.7%). While the assemblages analyzed here represent surface collections, and more thorough excavation may change the picture, based on these data, whatever state-sponsored events occurred in the Lurín valley outside of Pachacamac did not utilize plates or bowls as frequently as those that occurred at Pachacamac.

Analysis of quantitative (e.g., rim diameter, wall thickness, wall angle) and qualitative (e.g., paint color scheme, the presence and direction of burnishing, decorative motifs present) attributes of similar forms of Inka pottery across the compositional groups revealed no significant differences between the compositional groups. Building on conclusions from previous research [36], the decoration of Inka pottery was standardized across different communities of practice, and perhaps this was an element of Inka pottery production that was overseen or controlled directly or indirectly by state

agents, or at the very least that innovation within established canons of decoration was discouraged.

The distribution of compositional groups was also compared across sites. Pottery from the two Upper Lurín groups was generally restricted to sites in the upper valley, with only two samples from Upper Lurín 1 being found at Pachacamac. In contrast, the Lower Lurín and Armatambo groups are generally restricted to sites in the lower valley, with only a few samples collected at sites up-valley of Avillay. The Urpu group was restricted to Pachacamac except for one sample from Avillay. Within lower valley sites, some sites did appear to have more pottery from either the Lower Lurín group or the Armatambo group. Comparing the distribution of samples of different compositional groups across specific excavation contexts at Pachacamac, there are no contexts that have pottery from just one group. If these compositional groups represent different communities of practice, their products (which are standardized across compositional boundaries in measures of form and decoration) are not distributed across different networks, but appear to be present together in multiple contexts, potentially supporting movement of these objects to a greater degree of freedom within the region (though less so across other social or political boundaries, like the one between the lower and upper portions of the valley).

The site of Avillay stands out from this distribution pattern, as it had pottery in roughly equal proportions from both up-valley ($n=14$) and lower-valley ($n=15$) compositional groups. Without samples from better controlled excavation contexts, it is difficult to hypothesize this anomalous distribution pattern. Inka structures did exist at Avillay [61] and it may have played an important role in the administration or control of the middle valley, or otherwise had a stronger Inka presence than other sites in the region.

Conclusions

There are several conclusions that can be drawn from the interpretation of these data. First, there were multiple communities of practice supplying Inka Polychrome pottery to Pachacamac, and these communities of practice were also supplying Inka Polychrome pottery to other sites in the Lurín valley. There were at least two distinct communities of practice involved in this production, hypothesized to have been located at Armatambo and Pampa de Flores, or somewhere else in the lower Lurín valley. It is possible that there were greater than two communities involved, and the presence of distinct groups identified by thin section petrography (Figs. 6 and 7) comprising a single compositional group supports this interpretation. Additionally, at least one of these communities of practice utilized a different material when making a different form, as evidenced by the Urpu group's

petrographic similarity and compositional and mineralogical dissimilarity to some members of the Armatambo group.

Second, the existence of a political boundary that is described in ethnohistoric documents in the upper Lurín valley is supported by compositional data. With regards to the movement of pottery, while this boundary is identifiable, it also was not firm and small amounts still moved across it in both directions, especially to larger sites. Small amounts of pottery from other Inka centers outside the valley and region (like the capital of Cuzco) were also brought to major centers in the Lurín valley.

Through having a clearer picture of Inka pottery production at Pachacamac and the Lurín valley, this research can contribute to the broader understanding of Inka provincial administration and the relationship between subjects and the state. Previous archaeological and historical research has identified long-distance exchange of Inka pottery between major centers [1] and the distribution of wares from one workshop across a region [11, 34]. Previous research has also identified the presence of smaller, specialized ceramic workshops that serve one specific context [35]. It is possible that the presence of the urpu compositional group, which exists primarily at Pachacamac, fits this model of one specific workshop or community of potters who work to provision one context. Furthermore, examining the organization of Inka pottery production on a regional scale through the Lurín valley shows a complex system, with at least three workshops or communities of potters provisioning state activities through the valley with significant overlap in the distribution of their products, which is a distinct model for the organization of state pottery production in *Tawantinsuyu*, and strengthens the argument that Inka administration of its subjects and the territories in which they lived varies place-to-place and depends on multiple factors about both the people and the area [2–4]. There are significant limitations in the sample, and the understanding of this mode of production would benefit from the inclusion of pottery from controlled contexts beyond the surface and from pottery from important areas adjacent to the valley, including further into the highlands and in the adjacent valleys and on the coast.

Finally, this research demonstrates that beyond applications of provenience, bulk compositional analysis like NAA is a useful tool for identifying distinct communities of practice, especially when used as part of a multi-method approach, in concert with complementary techniques like thin section petrography.

Supplementary Information The online version contains supplementary material available at <https://doi.org/10.1007/s10967-024-09767-1>.

Acknowledgements The Archaeometry Laboratory at MURR is supported by Grant number 2208558 from the National Science Foundation. This research was supported, in part, by a Dissertation Fieldwork

Grant number 9810 from the Wenner-Gren Foundation. I am especially grateful to Thomas C. Patterson for permission to sample the Lurín valley survey collection, and to John Bierhorst and DJ Conley for assistance with sampling. I thank Sumru Aricanli, Charles Spencer, David Hurst Thomas, and Kristen Mable at the American Museum of Natural History; Clark Erickson, Lucy Fowler Williams, Bill Wierzbowski, and Marie-Claude Boileau at the Penn Museum; Viva Fisher and Laura Costello at the Harvard Peabody Museum; and Frank Martinez at Burgess Storage in Riverside, California. I am grateful to two anonymous reviewers for their comments and feedback which have strengthened this paper. As the author of this paper, I am responsible for its contents, errors, and any unintentional misinterpretations.

Data availability Data from this research are available as supplementary material to this manuscript. They can also be found on Zenodo at <https://doi.org/10.5281/zenodo.12822773> and on the Archaeometry Laboratory's webpage, <https://archaeometry.missouri.edu>.

Declarations

Conflicts of interest No potential conflict of interest was reported by the author.

References

1. D'Altroy TN, Bishop RL (1990) The provincial organization of inka ceramic production. *Am antiq* 55:120–138. <https://doi.org/10.2307/281498>
2. Alconini S (2008) Dis-embedded centers and architecture of power in the fringes of the Inka empire: new perspectives on territorial and hegemonic strategies of domination. *J Anthropol Archaeol* 27:63–81. <https://doi.org/10.1016/j.jaa.2007.08.002>
3. Schreiber KJ (1992) Wari imperialism in middle horizon Peru. Museum of anthropology. University of Michigan, Ann Arbor
4. Morris C (1998) Inka strategies of incorporation and governance. In: Feinman GM, Marcus J (eds) *Archaic States*. School of American Research Press, Santa Fe, p 17
5. Morris C (1995) Symbols to power: styles and media in the Inka State. In: Carr C, Neitzel JE (eds) *Style, society, and person: archaeological and ethnological perspectives*. Plenum Press, New York, pp 419–433
6. Rowe JH (1944) An introduction to the archaeology of Cuzco. Papers of the peabody museum of American Archaeology and Ethnology, Harvard University 27(1):69
7. Meyers A (1975) Algunos problemas en la clasificacion del estilo incaico. *Pumapunku* 8:7–25
8. Murra JV (1982) The Mit'a obligations of ethnic groups to the Inka State. In: Collier GA, Rosaldo R, Wirth JD (eds) *The Inca and Aztec States, 1400–1800: Anthropology and History*. Academic Press, New York, pp 237–262
9. Hayashida FM (1998) New insights into inka pottery production. In: Shimada I (ed) *Andean ceramics: technology, organization, and approaches*. University Museum of Archaeology and Anthropology University of Pennsylvania, Philadelphia, pp 315–335
10. Hayashida FM (1995) State pottery production in the Inka provinces. *Anthropology*. University of Michigan
11. Spurling G (1992) The organization of craft production in the Inka state: the potters and weavers of Milliraya. *Anthropology*. Cornell University
12. Lorandi AM, Cremonese B (1991) Evidencias en torno a los Mitmaquna Incaicos en el N.O. *Argent Anthropol* 9:213–243

13. Quave KE (2017) Imperial-style ceramic production on a royal estate in the Inka Heartland (Cuzco, Peru). *Latin Am antiq* 28:599–608. <https://doi.org/10.1017/laq.2017.41>
14. Eckert SL, Schleher KL, James WD (2015) Communities of identity, communities of practice: understanding Santa Fe Black-on-White Pottery in the Española Basin of New Mexico. *J Archaeol Sci* 63:1–12. <https://doi.org/10.1016/j.jas.2015.07.001>
15. Carr C (1995) Building a unified middle-range theory of artifact design: historical perspectives and tactics. In: Carr C, Neitzel JE (eds) *Style, society, and person: archaeological and ethnological perspectives*. Plenum Press, New York, pp 151–170
16. Lave J, Wenger E (1991) *Situated learning: legitimate peripheral participation*. Cambridge University Press, Cambridge
17. Wenger E (1998) *Communities of practice: learning, meaning, and identity*. Cambridge University Press, Cambridge
18. Lemonnier P (1993) *Technological choices: transformation in material cultures since the Neolithic*. Routledge, London, New York
19. Gosselain OP (1998) Social and technical identity in a clay crystal ball. In: Stark MT (ed) *The archaeology of social boundaries*. Smithsonian Institution Press, Washington, pp 78–106
20. Hegmon M, Nelson MC, Ennes MJ (2000) Corrugated pottery, technological style, and population movement in the Mimbres region of the American Southwest. *J Anthropol Res* 56:217–240
21. Lechtman H (1977) Style in technology: some early thoughts. In: Lechtman H, Merrill RS (eds) *Material culture: style, organization, and dynamics of technology*. West Publishing Company, New York, pp 3–20
22. Makowski Hanula K, Vallenás A (2015) La ocupación Lima en el valle de Lurín: En los orígenes de Pachacamac monumental. *Boletín de Arqueología PUCP* 19:97–143
23. Marcone Flores G (2010) Highland empires, lowland politics: the central Peruvian coast and its relation to Pan-Andean empires. In: Cutright RE, López-Hurtado E, Martín AJ (eds) *Comparative perspectives on the archaeology of coastal South America*. Center for comparative Archaeology, University of Pittsburgh, Pittsburgh, pp 127–145
24. Rostworowski de Diez Canseco M (1992) Pachacamac y el señor de los milagros: Una trayectoria milenaria. Instituto de Estudios Peruanos, Lima
25. Marsteller SJ, Zolotova N, Knudson KJ (2017) Investigating economic specialization on the central Peruvian coast: a reconstruction of late intermediate period Ychsma diet using stable isotopes Marsteller et al. *Am J Phys Anthropol* 162:300–317. <https://doi.org/10.1002/ajpa.23117>
26. Takigami MK, Shimada I, Segura R et al (2014) Assessing the chronology and rewrapping of funerary bundles at the prehispanic religious center of Pachacamac, Peru. *Latin Am antiq* 25:322–343. <https://doi.org/10.7183/1045-6635.25.3.322>
27. Franco Jordán RG (1996) *El Templo del Sol de Pachacamac: Esplendor y Poder*. DPI, Lima
28. Marcone Flores G, López-Hurtado E (2002) Panquimilla y Cieneguilla en la Discusión Arqueológica del Horizonte Tardío de la Costa Central. *Boletín de Arqueología PUCP* 6:375–394
29. Sánchez Borjas ÁE (2000) Relaciones Sociales Serrano Costeñas Durante el Intermedio Tardío en el Valle Medio del Río Lurín. *Arqueológicas* 24:129–147
30. Shimada I (1991) Pachacamac Archaeology: Retrospect and Prospect. In: *Pachacamac and Pachacamac Archaeology*. The University Museum, University of Pennsylvania, Philadelphia, p XV–LXVIII
31. Hyslop J (1990) *Inka settlement planning*. University of Texas Press, Austin
32. Cornejo M (2000) La Nación Ischma y la Provincia Inca de Pachacamac. *Arqueológicas* 24:149–173
33. de Diez R, Canseco M (1999) *History of the Inca realm*. Cambridge University Press, Cambridge
34. Alconini S (2013) El Territorio Kallawaya y el Taller Alfarero de Milliraya: Evaluación de la Distribución e Intercambio Interregional de la Cerámica Inca Provincial. *Chungará (Arica)* 45:277–292. <https://doi.org/10.4067/S0717-73562013000200005>
35. Mackey C (2003) La Transformación Socioeconómica de Farfán bajo el Gobierno Inca. *Boletín de Arqueología PUCP* 7:321–353
36. Davenport JA (2020) The organization of production for Inka Polychrome pottery from Pachacamac Peru. *J Anthropol Archaeol* 60:101235. <https://doi.org/10.1016/j.jaa.2020.101235>
37. Glascock MD (1992) Characterization of archaeological ceramics at MURR by neutron activation analysis and multivariate statistics. In: Neff H (ed) *Characterization of ceramic pastes in archaeology*. Prehistory Press, Madison, pp 11–26
38. Glascock MD (2019) Compositional analysis of archaeological ceramics. In: Glascock MD, Neff H, Vaughn KJ (eds) *Ceramics of the indigenous cultures of south America: studies of production and exchange through compositional analysis*. University of New Mexico Press, Albuquerque
39. Glascock MD (2022) Instrumental neutron activation analysis and its application to cultural heritage materials. In: D'Amico S, Venuti V (eds) *Handbook of cultural heritage analysis*. Springer International Publishing, Cham, pp 69–94
40. Strong WD, Willey GR, Corbett JM (1943) *Archeological studies in Peru, 1941–1942*. Columbia University Press, New York
41. Uhle M (1991) *Pachacamac: a reprint of the 1903 edition. Pachacamac and Pachacamac archaeology*. The university museum. University of Pennsylvania, Philadelphia, pp 1–103
42. Patterson TC, Lanning EP (1964) Changing settlement patterns on the central peruvian coast. *Ñawpa Pacha* 2:113–123. <https://doi.org/10.1179/naw.1964.2.1.003>
43. Feltham PJ (1983) *The Lurín Valley, Peru, A.D. 1000–1532*. Archaeology. University of London
44. Loffler G (2018) *Post middle horizon ceramic styles in the Lurín valley of the central coast of Peru*. University of California, Riverside, Anthropology
45. Vallejo Berríos F (2004) El estilo Ychsma: características generales, secuencia y distribución geográfica. *Bifea*. <https://doi.org/10.4000/bifea.5165>
46. Menzel D (1976) *Pottery style and society in ancient Peru: art as a mirror of history in the Ica Valley, 1350–1570*. University of California Press, Berkeley
47. Davenport JA, Boileau MC (2023) Forming Techniques of Ychsma Cephalomorphic Bottles and Cara-Golletes from Pachacamac Peru. *Ñawpa Pacha*. <https://doi.org/10.1080/007762972286787>
48. Bray TL (2003) To dine splendidly: imperial pottery, commensal Politics, and the Inca state. In: Bray TL (ed) *The archaeology and politics of food and feasting in early states and empires*. Kluwer Academic, New York, pp 93–142
49. Baxter MJ, Buck CE (2000) *Data handling and statistical analysis*. In: Ciliberto E, Spoto G (eds) *Modern analytical methods in art and archaeology*. John Wiley & Sons Inc, New York, pp 681–746
50. Baxter MJ (1992) Archaeological use of the Biplot—a Neglected Technique? In: Lock G, Moffett J (eds) *Computer applications and quantitative methods in archaeology, 1991*. Temp vs Reparatum. Archaeological and Historical Associates, Oxford, pp 141–148
51. Neff H (1994) RQ-mode principal components analysis of ceramic compositional data. *Archaeometry* 36:115–130. <https://doi.org/10.1111/j.1475-4754.1994.tb01068.x>
52. Neff H (2000) Neutron activation analysis for provenance determination in archaeology. In: Ciliberto E, Spoto G (eds) *Modern analytical methods in art and archaeology*. John Wiley & Sons Inc, New York, pp 81–134

53. Neff H (2002) Quantitative techniques for analyzing ceramic compositional data. In: Glowacki DM, Neff H (eds) Ceramic production and circulation in the greater southwest: source determination by inaa and complementary mineralogical investigations. Cotsen Institute of Archaeology, Los Angeles, pp 15–36
54. Weigand PC, Harbottle G, Sayre E (1977) Turquoise sources and source analysis: mesoamerica and the southwestern U.S.A. In: Earle TK, Ericson JE (eds) Exchange systems in prehistory. Academic Press, New York, pp 15–35
55. Bishop RL, Rands RL, Holley GR (1982) Ceramic compositional analysis in archaeological perspective. *Adv Archeol Method Theory* 5:275–330
56. Roux V (2017) Ceramic Manufacture: the chaîne opératoire approach. In: Hunt A (ed) *The oxford handbook of archaeological ceramic analysis*. Oxford University Press, pp 100–113
57. Pareja D, Iñáñez J, Ben Amara A et al (2023) The Ychsma ceramic provenance from Armatambo, 1250–1532 CE (Lima, Peru). A local or imported production? *J Archaeol Sci Rep* 47:103772. <https://doi.org/10.1016/j.jasrep.2022.103772>
58. Makowski K, Ghezzi I, Neff H, Ore G (2015) Networks of pottery production and exchange in the late horizon: characterization of pottery styles and clays on the central coast of peru. In: Druc IC (ed) *Ceramic analysis in the andes*. Deep University Press, Madison, pp 139–155
59. Burger RL, Salazar LC, Glascock MD (2019) The analysis of Inca pottery from the Cuzco region: implications for the provisioning of ceramics for Machu Picchu and other Inca sites. In: Glascock MD, Neff H, Vaughn KJ (eds) *Ceramics of the indigenous cultures of south america: studies of production and exchange through compositional analysis*. University of New Mexico Press, Albuquerque, pp 97–111
60. Ixer R, Lunt S, Sillar B, Thompson P (2014) Microscopic rocks and expansive empires: investigating inca ceramics from Cuzco, Peru. *Archaeol Int* 17:122–136. <https://doi.org/10.5334/ai.1702>
61. Traslaviña A (2016) Nuevas perspectivas sobre el diseño del espacio colonial rural: el case de Nieve Nieve y Avillay en el valle de Lurín. In: Vargas Pacheco C (ed) *Primeros asentamientos urbanos en Iberoamérica (SS. XVI y XVII): investigación y gestión*. Universidad de Piura Facultad de Humanidades, Piura, pp 265–284

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Springer Nature or its licensor (e.g. a society or other partner) holds exclusive rights to this article under a publishing agreement with the author(s) or other rightsholder(s); author self-archiving of the accepted manuscript version of this article is solely governed by the terms of such publishing agreement and applicable law.