



Correction to: Evaluation of usability improvement of contactless human interface with visual, auditory, and tactile sensation for aerial display

Yasunori Terao¹ · Haruki Mizushina¹ · Kenji Yamamoto¹

Published online: 17 February 2024
© The Optical Society of Japan 2024

Correction to: Optical Review

<https://doi.org/10.1007/s10043-023-00853-5>

In Table 1 of this article the column heads are incorrectly published. The corrected Table 1 is given in this correction. The original publication has been corrected.

Table 1 Parameters to be compared for each feedback

Sensory feedback	Types of feedback				
	Reverse pressed number	Reverse non-pressed number	Delete non-pressed number	Pressed number is displayed above pressed number	No image change
Changing image					
Tactile (intensity)	6 V	7 V	8 V	9 V	
Tactile (duration)	200 ms	300 ms	500 ms	800 ms	
Touch tone duration	120 ms	220 ms	330 ms	650 ms	

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s10043-023-00853-5>.

✉ Yasunori Terao
c612336025@tokushima-u.ac.jp
Haruki Mizushina
mizushina.haruki@tokushima-u.ac.jp
Kenji Yamamoto
kenji.yamamoto@tokushima-u.ac.jp

¹ Dept. of Optical Science and Technology, Tokushima Univ,
2-1 Minamijosanjima, Tokushima 770-8506, Japan