Chapter 25 Application of IO Energy Analysis for CO₂ Emissions by the Portuguese Economy: The Case of Portugal

Luís M.G. Cruz

Introduction

Objectives

One of the main aims of this study is to explore the links between energy, economy and environment from different perspectives, but always with a policy-oriented focus. This will be done by implementing and developing an input-output model with satellite accounts, to analyze the links between the different economic sectors, energy production and use, and the 'corresponding' production of CO_2 emissions in Portugal.

For this, the paper is organized as follows. In Section "The Input-Output Framework", there will be presented a brief outline of the basic input-output model, and then succinctly discussed the core aspects of its extensions for the consideration of environmental and energy issues. In Section "CO₂ Emissions by the Portuguese Economy", there will be presented the data sets used for the Portuguese case, and then an extended input-output empirical application, from which is assessed the (sectoral and aggregate) production of CO₂ emissions (derived from fossil fuels use) by the Portuguese economy. There will be also offered a succinct reflection on the use of elasticities of CO₂ emissions with some of the model parameters, as measures of sensitivity analysis of the level of emissions. Accordingly, a summary of the key lessons learned and a discussion of their policy relevance will be offered in Section "Final Comments".

L.M.G. Cruz

GEMF; Faculty of Economics, University of Coimbra, Portugal e-mail: lmgcruz@fe.uc.pt

Historical Background

For analyzing possible energy futures and designing new policies it is useful to present some background information about the current state and recent trends of the Portuguese energy system. Accordingly, there will be presented a brief overview of the role and importance of energy in Portugal (contextualized within the European Union), and how it has been developing through the last decade,¹ as well on the importance of CO_2 emissions in the current political debate (in the context of the Kyoto Protocol).

To start with, it is crucial to note that since Portuguese accession to the European Union (in 1986), its environmental and energy policies reflect the principles, aims and actions of the corresponding European policies. Accordingly, it comes as no surprise that trade-offs among three objectives – energy security, environmental protection, and economic growth – have been dominant concerns in Portuguese energy policy making for the last 3 decades, though they have been pursued with changing emphasis, depending on the historical situation and emerging issues and constraints. For example, one can say that after the Portuguese accession to the European Union (1986), and increasingly over the 1990s, although energy security concerns has by no means disappeared, it has lost considerable weight to competitiveness, and at a slower rate to environmental concerns (mainly the climate change problem).

Concerning some of the 'progress' made in the energy area over the last decade, it can be emphasized that:

- Portugal has a small energy market, of around ten million inhabitants, and has the lowest per capita energy consumption in the European Union (EU-15) (thought it has been growing at considerably higher rates than GDP per capita).
- Primary and final energy intensities present a worrying upward trend. Moreover, concerning absolute energy intensity levels, Portugal presents a situation clearly unfavorable compared to the European Union (EU-15) average.
- Portugal does not have its own fossil energy resources but it has a structure of consumption that is based on oil products; therefore, the country imports most of the energy consumed.
- The limited domestic energy resources produced in Portugal are renewables, such as hydropower and biomass. Indeed, the hydroelectric component is significant in the Portuguese electricity system.

Moreover, it is also essential to take into consideration that, under the terms of the European Union allocation agreement (the 'burden sharing' system), Portugal may

¹ It is worth mentioning that the International Energy Agency releases annually a review analyzing energy policies and energy market developments in its Member Countries, which include the EU Member States (e.g. IEA/OECD 2000b). Furthermore, the European Environment Agency has produced several reports which generally contain detailed data and analysis concerning, among others, environmental and energy issues, for each of the European Union Member States (e.g. EEA 1998, 1999, 2000, 2002b). Concerning Portugal, reference can be made to DGE/ME (2002) and IEA/OECD (2000a). Thus, these works are recommended for those interested in a more exhaustive analysis.

fulfill its Kyoto commitments by limiting its increase of greenhouse gas (GHG) emissions to 27% above 1990 levels over the period 2008–2012. Concerning CO_2 emissions, the limit for its increase is 40%. This latter 'Kyoto target' is the focus of our interest, though restricted to the consideration of the CO_2 emissions that result from the combustion of fossil fuels. From some historic data concerning emissions it is relevant to call attention that:

- In the year 2000, CO₂ emissions contributed to 74.6% of total Portuguese GHG emissions. Moreover, from 1990 to 2000, CO₂ emissions increased 43.6%, which means that the limit of 40% increase for 2008–2012 was already passed in the year 2000.
- CO₂ emissions that result from fuel combustion represented 90–91% of the total CO₂ emissions produced in the 1990s, and from 1990 to 2000, CO₂ emissions from fossil fuel burning increased 44.5%.

From all this results that presently the 'Kyoto target' for Portuguese CO_2 emissions is not any more 'to control the growth', but rather to reverse the current trend and therefore 'to reduce' present CO_2 emissions. Thus, more than ever, it is manifest that CO_2 emissions are of foremost importance in the current political debate in Portugal. Accordingly, measures to reduce energy-related GHG emissions, and specially CO_2 emissions, are clearly one of the biggest challenges for energy policy makers.

The Input-Output Framework

In an input-output approach the economic structure is defined in terms of sectors. It can be said that the relative simplicity of such a systematic connection of a set of economic variables provides a modeling framework suitable for calculating economic impacts (over all of the economy) of several human activities.

The Basic Input-Output Model²

The basic principle of input–output analysis states that each sector's production process can be represented by a vector of structural coefficients that describe the relationship between the inputs it absorbs and the outputs it produces.³

 $^{^{2}}$ The basic concepts of input-output analysis were discussed in detail by Wassily Leontief in the 1960s (Leontief 1966), and more recently by Miller and Blair (1985), and Proops et al. (1993).

³ General assumptions of the basic input-output model are: homogeneity (i.e. each sector or industry produces a single product) and linear production functions (which implies proportionality of inputs with outputs in each sector and excludes both the possibility of economies or diseconomies of scale, and of substitution between production factors).

As the total output (production) of a sector $i(X_i)$ can be delivered for intermediate or for final demand, an output equation may be defined by:

$$X_i = \sum_j x_{ij} + Y_i \tag{25.1}$$

where the element x_{ij} represents the 'value' of input from sector *i* to sector *j* (where *i* represents the number of the row and *j* the number of the column), and Y_i represents the total final demand for sector *i* (which includes production for consumption (of households and governments), investment purposes (fixed capital formation, changes in stocks) or exports).

Considering constant returns to scale, the output (or supply) equation of one generic sector becomes:

$$X_i = \sum_j a_{ij} X_j + Y_i \tag{25.2}$$

where the coefficients a_{ij} , defined as the delivery from sector *i* to *j* per unit of sector's *j* output, are known as the 'technical' or 'technological coefficients'.

To represent the nation's productive system, we will have a system of n (linear) simultaneous equations, each one describing the distributions of one sector's product through the economy. As the algebraic manipulation of such a system is very complex, it is useful to use its representation in matrix (condensed) form⁴:

$$\mathbf{A}\mathbf{x} + \mathbf{y} = \mathbf{x} \tag{25.3}$$

where A is the matrix of the technological coefficients, y is the vector of final demand, and x is the vector of corresponding total outputs.

Using the basic concepts of matrix algebra, with I as the unit matrix, Equation (25.3) can be reorganized, to give:

$$\mathbf{x} = (\mathbf{I} - \mathbf{A})^{-1} \mathbf{y} \tag{25.4}$$

This expression is the fundamental matrix representation of input-output analysis, and the inverse matrix $(\mathbf{I} - \mathbf{A})^{-1}$ is known as the 'Leontief inverse matrix' (or also as the 'multiplier matrix').

By decomposing Equation (25.4) (which can be seen as the result of an iterative process that shows the progressive adjustments of output to final demand and input requirements), one can separate out the direct from the indirect requirements for production in the economy, which are necessary to satisfy a certain vector of final demand commodities (Gay and Proops 1993:115–116):

$$\mathbf{x} = \mathbf{y} + \mathbf{A}\mathbf{y} + \mathbf{A}^2\mathbf{y} + \dots + \mathbf{A}^t\mathbf{y} + \dots$$
(25.5)

⁴ Notational conventions: upper case bold letters are used to denote matrices, and lower case italic letters with subscript indices to denote its elements; lower case bold letters are used to denote vectors, and upper case italic letters with subscript indices to denote its elements; and lower case italic letters are used to denote scalars.

So, as Proops et al. (1993: 112) point out, we can decompose the total demand for the n goods produced in the economy as follows:

- Y is required for final demand. This is the direct effect.
- Ay is the production necessary to allow the production of a final demand vector, y. This is the 'first-round indirect effect'.
- $A^{t}y = A(A^{t-1}y)$ is needed to produce the goods $A^{t-1}y$. This is the 'tth-round indirect effect'.

Clearly, the total indirect effects (or intermediate demand) are the sum of the first-round, second-round, etc. (Gay and Proops 1993: 115–116).

Extensions of the Basic Model to Account for Energy–Economy–Environment Interactions

Having established the basic input-output framework, it is time to move on to discuss some extensions of this technique, in order to make particularly explicit the link between the level of economic activity in a country, its corresponding impact on the environment, and/or the corresponding energy interactions.

Extensions of the application of input-output models to the examination of interactions between economic activity and environmental issues date back to the late 1960s and early 1970s.⁵ These studies can be considered as benchmarks of an approach that would be further developed by some energy analysts during the 1970s and the 1980s, extending the use of input-output analysis to consider energy– economy interactions.⁶

But, over time, the modeling approaches have become more and more complex, to allow, for example, the consideration of global environmental issues such as the greenhouse effect and the 'resulting' climate change problem. This has led to the development of numerous theoretical models and empirical studies that combine both perspectives, making it hard to distinguish between environment and energy models, and therefore it become usual to talk about 'energy–economy–environment' models (Faucheaux and Levarlet 1999: 1123).

Thus, it is not surprising that also the input-output models have been extended to deal with both environmental and energy issues. Therefore, in this section, it is intended to illustrate some of the potentialities of the energy–economy–environment models, applying the input-output technique to the structural analysis of energy

⁵ Detailed surveys of environmental input-output models, with many references, including theoretical extensions and applications are provided, for example, by: Hawdon and Pearson (1995), Miller and Blair (1985: Chapter 7), Richardson (1972: Chapter 11), Victor (1972: Chapter 2). Cruz et al. (2004) offer an overview of how IO methods began to be adopted as a method of integrating economic activity with the environment, indicating the main strands of development over the past 40 years, and in particular noting the recent work in the literature.

⁶ Detailed surveys of energy input-output analysis are presented, for example, by Miller and Blair (1985: Chapter 6), and Casler and Wilbur (1984).

requirements and CO_2 emissions by economies, relating this pollution with the use of fuels. This will be done using an approach very similar to the one used by Gay and Proops (1993), Proops et al. (1993) and Cruz (2002c).⁷

To start, it is important to note that we need to introduce two kinds of distinctions into the analysis:

- 1. The division of the fossil fuel use, and the corresponding pollution emissions, into what concerns to energy directly demanded by household consumers (for lighting, cooking, heating/cooling, transport, etc.), and energy (directly and indirectly) demanded by industrial and agricultural producers of goods to 'power' the production process (Proops 1988: 202). The former will be designated as 'direct consumption demand' and the latter as (direct plus indirect) 'production demand'.
- 2. The distinction between various forms of primary (fossil) fuels,⁸ namely solid (coal), liquid (oil) and gaseous (natural gas), since they have different pollution emissions per unit mass, and per unit of energy delivered.

Accordingly, it is considered in this model that the total (primary) energy requirements by an economy (given by the 3-vector **f**) can be considered as the sum of the production energy requirements (given by the 3-vector $[\mathbf{f}_{ind} = \mathbf{C}(\mathbf{I} - \mathbf{A})^{-1}\mathbf{y}]$), and final demand energy requirements (given by the 3-vector $[\mathbf{f}_{dem} = \mathbf{PHy}]$), i.e.:

$$\mathbf{f} = \mathbf{C}(\mathbf{I} - \mathbf{A})^{-1}\mathbf{y} + \mathbf{PH}\mathbf{y}$$
(25.6)⁹

where: **C** is a $(3 \times n)$ matrix, whose generic element (c_{fi}) represents the (physical) quantity of fuel *f* used by sector *i* per unit of total output (i.e. the 'energy intensities corresponding to direct production demand'); **P** is a $(3 \times n)$ matrix, which has only three non-zero elements, one for each fuel type, expressing the (physical) quantity of fossil fuel use per unit of final demand (i.e. the 'energy intensities corresponding to direct consumption demand'); and **H** is a $(n \times n)$ diagonal matrix, with only three non-zero elements, which are the ratios of the sum of 'final consumption of households' and 'collective consumption', to total final demand, for the three fossil fuel sectors.¹⁰

⁷ The basic concepts and explanations of the method to apply here have been discussed in detail by Proops et al. (1993: Chapter 8) and Cruz (2002c: Chapter 7). Therefore, the main equations and explanation of its contents will just be restated briefly.

⁸ Applying an input-output approach to fuel use, as it is the case, "only primary fuels need be consider directly", since the use of secondary fuels is "dealt with automatically within the interindustry demand structure" (Gay and Proops 1993: 116). This means that the manufacture of secondary fuels (such as, e.g. electricity or gasoline) should be ignored in the main calculation of CO_2 emissions so that double counting is avoided (IPCC 1996).

⁹ This expression is also the result of some considerations, namely: n activity sectors; three types of fossil fuels: natural gas, coal and oil; and the assumption that the use of fossil fuels by any sector is proportional to the total output from that sector.

 $^{^{10}}$ The final demand for fossil fuels corresponding to investment is not used (burnt), and consequently do not correspond to CO₂ emissions. Furthermore, the final demand for fossil fuels

Correspondingly, it is considered in this study that the total CO₂ emissions by an economy (given by the scalar c) can be considered as the sum of the production CO₂ emissions $[\mathbf{c}_{ind} = \mathbf{e}'\mathbf{C}(\mathbf{I} - \mathbf{A})^{-1}\mathbf{y}]$ and final demand CO₂ emissions $[\mathbf{c}_{dem} = \mathbf{e}'\mathbf{PHy}]$,¹¹ that is:

$$c = \mathbf{e}' \mathbf{C} (\mathbf{I} - \mathbf{A})^{-1} \mathbf{y} + \mathbf{e}' \mathbf{P} \mathbf{H} \mathbf{y} \Leftrightarrow c = \left[\mathbf{e}' \mathbf{C} (\mathbf{I} - \mathbf{A})^{-1} + \mathbf{e}' \mathbf{P} \mathbf{H} \right] \mathbf{y} \qquad (25.7)^{12}$$

where \mathbf{e}' is the transpose of a 3-vector, \mathbf{e} , whose generic element (e_f) represents the amount of CO₂ emission per unit of fuel f.

Furthermore, we can decompose the total CO_2 emissions as the result of an iterative process that shows CO_2 emissions progressive adjustments to final demand and fossil fuel requirements:

$$c = [\mathbf{e}'\mathbf{P}\mathbf{H}\mathbf{y} + \mathbf{e}'\mathbf{C}\mathbf{y}] + [\mathbf{e}'\mathbf{C}\mathbf{A}\mathbf{y} + \mathbf{e}'\mathbf{C}\mathbf{A}^{2}\mathbf{y} + \dots + \mathbf{e}'\mathbf{C}\mathbf{A}^{t-1}\mathbf{y} + \dots]$$
(25.8)

where $(\mathbf{e'PHy})$ represents the CO₂ emissions attributable to direct consumption demand for fossil fuels, while $(\mathbf{e'Cy})$ represents the CO₂ emissions attributable to direct, and the sum of all the others $[\mathbf{e'}(\mathbf{CA} + \mathbf{CA}^2 + \cdots)\mathbf{y}]$ to indirect production demand.

The 'Attribution' of the Energy Requirements and CO₂ Emissions

Equations (25.6) and (25.7) make clear that both the energy requirements and the total CO_2 emissions produced by an economy can be attributed to total final demand for goods and services (represented by the final demand vector, **y**). This can be particularly useful for policy analysis purposes, as this ultimately imputes all fossil fuel use and CO_2 emissions to households' purchases.

corresponding to exports, as these fuels leave the country concerned, are used elsewhere and therefore does not corresponds to domestic CO_2 emissions. Thus, as interest is directed towards only those fuels which were burnt (Proops et al. 1993: 154), there is need to consider only the final consumption ('final consumption of households' plus 'collective consumption'). Accordingly, we can 'modify' the final demand vector (**y**) to 'exclude' the investment and export components, by premultiplying it by a suitable $(n \times n)$ scaling matrix, **H**, and therefore using a modified final demand vector (**Hy**).

¹¹ For reasons of completeness, other minor sources of CO_2 emissions – other then fossil-fuel burning – should have been included in the analysis. Proops et al. (1993) do this in their analysis. However, in this specific study, and because of a lack of detailed information for Portugal, the production of CO_2 emissions from non-fuel sources will not be covered, which can be considered as a shortcoming of this work.

¹² If we use $\hat{\mathbf{e}}$ (where $\hat{\mathbf{e}}$ is a (3 × 3) matrix, with the vector \mathbf{e} on the diagonal) instead of \mathbf{e}' , the fuel sources fundamentally responsible for CO₂ emissions are explicitly identified, since a vector of pollution intensities for each of the fuels combusted in the economy is estimated. If we use \mathbf{e}' , as is the case here, then the scalar of pollution obtained represents pollution intensities for the total fuels burnt.

Moreover, according to the 'components' of the final demand considered, it is possible to distinguish energy requirements and CO_2 emissions attributable to domestic consumption, from that attributable to exports, as well as to estimate the levels of energy and CO_2 emissions 'embodied' in the country's imports. It is then possible to estimate primary energy and CO_2 emissions 'embodied' in a country's international trade, as well as the country's 'responsibility' for CO_2 emissions (i.e. the CO_2 emissions attributable to consumption by a country's economy, whether arising from domestic or from foreign goods and services), and the CO_2 emissions produced by the country's economy (i.e. the CO_2 emissions attributable to the production made in the country's economy, whether demanded by national or by foreign final consumers and industries).¹³

Such an exhaustive analysis of the energy requirements and CO_2 emissions attributable to the different 'components' of the final demand was performed elsewhere for the Portuguese case (Cruz 2002a). Here, as the interest is on the analysis of the accomplishment of the Portuguese CO_2 emissions target established under the Kyoto Protocol, we shall concentrate on the appraisal of the CO_2 emissions attributable to the production made in the Portuguese economy (and therefore released on Portuguese territory).¹⁴

The Elasticities of CO₂ Emissions with the Model Parameters

According to the modeling framework presented above, the CO_2 emissions were seen to be dependent upon: the structure of final demand (i.e. the elements of vector **y**); the fuel use coefficients (i.e. the elements of matrices **C** and **P**); the structure of inter-industry relations (i.e. the elements of matrix **A**); etc. Moreover, it was assumed that these parameters are known and constant.

In this section, there will be analyzed the study of the sensitivity of the level of CO₂ emissions to changes in these parameters and variables, namely through the usual measure of sensitivity used by economists – elasticity.¹⁵ There are two main kinds of purpose behind the performance of this sensitivity analysis. On the one hand, as interest is in identifying policies that may reduce CO₂ emissions, one may

¹³ Also, it is important to recall that what is considered in the input-output table is the domestic output by sector (i.e., imports are excluded); therefore, the energy requirements and 'consequent' CO_2 emissions correspond to goods and services produced in the country.

¹⁴ Indeed, the Kyoto Protocol, as well as other international agreements, focuses on activity solely in the national boundary. This is so because, among other factors, as the Protocol is legally binding, no government can be held responsible for the actions that occur in another country.

¹⁵ Elasticity is the proportional (or percentage) change in one variable relative to the proportional change in another variable. In this particular case, it measures the percentage responsiveness of the level of CO_2 emissions to a 1% change in another variable. In order to calculate a particular elasticity, there is the need to know the partial derivative of one variable (in this case the level of CO_2 emissions) with respect to the other, as well as the values of the variable at the point at which the elasticity is required.

consider how changing these parameters may be effective in achieving this aim. On the other hand, as the data used is not perfectly known, this analysis can provide a guide to which components of the data set need to be collected most accurately.

However, the number of elasticities that may be calculated using this study's data set is colossal. As there is need to condense information, so that it can be comprehended and thus allow policy conclusions to be drawn, there will be considered 'only' the final demand, fuel use and intermediate trading elasticities of the CO_2 emissions produced by a country's economy. This will be done using an approach very similar to the one presented by Proops et al. (1993) and Cruz (2002c), which should be seen by those interested in deeper insights into the subject. Thus, what follows is no more than a brief restatement of the mathematical analysis presented in those works in order to make the calculation of the several elasticities more apparent.

Final Demand Elasticities of CO₂ Emissions

In this subsection, there will be derived the elasticity of the CO₂ emissions produced by the country's economy (c_{emis}) with respect to one component of total final demand (Y_i), whose formal definition is given by:

$$\boldsymbol{\varepsilon}_{Y_i}^{c_{emis}} = \frac{\frac{\partial c_{emis}}{c_{emis}}}{\frac{\partial Y_i}{Y_i}} \Leftrightarrow \boldsymbol{\varepsilon}_{Y_i}^{c_{emis}} = \frac{\frac{\partial c_{emis}}{\partial Y_i}}{\frac{c_{emis}}{Y_i}}$$
(25.9)

To calculate the partial derivative of the CO₂ emissions produced by the country's economy (c_{emis}) with respect to one component of total final demand (Y_i), we have to differentiate Equation (25.7) with respect to Y_i . Therefore, Equation (25.9) becomes:

$$\boldsymbol{\varepsilon}_{Y_{i}}^{c_{emis}} = \frac{\frac{\partial c_{emis}}}{c_{emis}/Y_{i}} = \frac{\left[\mathbf{e}^{\prime}\mathbf{C}(\mathbf{I}-\mathbf{A})^{-1} + \mathbf{e}^{\prime}\mathbf{P}\mathbf{H}\right]\frac{\partial\mathbf{y}}{\partial Y_{i}}}{c_{emis}/Y_{i}} = \frac{\left[\mathbf{e}^{\prime}\mathbf{C}(\mathbf{I}-\mathbf{A})^{-1} + \mathbf{e}^{\prime}\mathbf{P}\mathbf{H}\right]_{i}Y_{i}}{c_{emis}}$$
(25.10)

where $[\mathbf{e}'\mathbf{C}(\mathbf{I}-\mathbf{A})^{-1}+\mathbf{e}'\mathbf{P}\mathbf{H}]_i$ is the ith element of the vector $[\mathbf{e}'\mathbf{C}(\mathbf{I}-\mathbf{A})^{-1}+\mathbf{e}'\mathbf{P}\mathbf{H}]$.

Fuel Use Elasticities of CO₂ Emissions

Production Fuel Use Elasticities of CO2 Emissions

By similar reasoning to that used to derive the elasticity previously presented, one can obtain other elasticities, such as, e.g., the elasticity of the CO_2 emissions

produced by the country's economy (c_{emis}) with respect to the production fuel use coefficients (c_{fi}) as:

$$\boldsymbol{\varepsilon}_{c_{fi}}^{c_{emis}} = \frac{\frac{\partial c_{emis}}{\partial c_{fi}}}{\frac{c_{emis}}{c_{fi}}} = \frac{\mathbf{e}' \frac{\partial \mathbf{C}}{\partial c_{fi}} (\mathbf{I} - \mathbf{A})^{-1} \mathbf{y}}{\frac{c_{emis}}{c_{fi}}} = \frac{e_f \left[(\mathbf{I} - \mathbf{A})^{-1} \mathbf{y} \right]_i c_{fi}}{c_{emis}} = \frac{e_f X_i c_{fi}}{c_{emis}},$$
(25.11)

where f is, as usual, the type of primary fuel under consideration (i.e.: f = coal, oil, natural gas).

Final Demand Fuel Use Elasticities of CO₂ Emissions

The elasticity of the CO₂ emissions produced by the country's economy (c_{emis}) with respect to the final demand fuel use coefficients (p_{fi}) is given by:

$$\boldsymbol{\varepsilon}_{p_{fi}}^{c_{emis}} = \frac{\frac{\partial c_{emis}}}{c c_{emis}} \frac{e' \frac{\partial \mathbf{P}}{\partial p_{fi}}}{c_{emis}} = \frac{e' \frac{\partial \mathbf{P}}{\partial p_{fi}} \mathbf{H} \mathbf{y}}{c_{emis}} = \frac{e_f [\mathbf{H} \mathbf{y}]_i p_{fi}}{c_{emis}}$$
(25.12)

Of course, there are only three non-zero elasticities, one for each of the primary fuels directly used by final consumers.

Intermediate Trading Elasticities of CO₂ Emissions

The Technical Coefficients Elasticity of CO2 Emissions

The elasticity of the CO₂ emissions produced by the country's economy (c_{emis}) with respect to the technical coefficients (a_{ij}) is given by:

$$\boldsymbol{\varepsilon}_{a_{ij}}^{c_{emis}} = \frac{\frac{\partial c_{emis}}{\partial a_{ij}}}{\frac{c_{emis}}{a_{ij}}} = \frac{\mathbf{e}^{\prime} \mathbf{C} \frac{\frac{\partial [(\mathbf{I} - \mathbf{A})^{-1}]}{\partial a_{ij}}} \mathbf{y}}{\frac{c_{emis}}{a_{ij}}}.$$
(25.13)

To differentiate $(\mathbf{I} - \mathbf{A})^{-1}$ with respect to $a_{ij}\left(i.e., \frac{\partial [(\mathbf{I} - \mathbf{A})^{-1}]}{\partial a_{ij}}\right)$ we write:

$$(\mathbf{I} - \mathbf{A})^{-1} [(\mathbf{I} - \mathbf{A})^{-1}]^{-1} = \mathbf{I} \Leftrightarrow (\mathbf{I} - \mathbf{A})^{-1} (\mathbf{I} - \mathbf{A}) = \mathbf{I}.$$
 (25.14)

Differentiating both sides of Equation (25.14) with respect to a_{ij} gives:

$$\frac{\partial \left[(\mathbf{I} - \mathbf{A})^{-1} (\mathbf{I} - \mathbf{A}) \right]}{\partial a_{ij}} = 0 \Leftrightarrow \frac{\partial \left[(\mathbf{I} - \mathbf{A})^{-1} \right]}{\partial a_{ij}} (\mathbf{I} - \mathbf{A}) + (\mathbf{I} - \mathbf{A})^{-1} \frac{\partial (\mathbf{I} - \mathbf{A})}{\partial a_{ij}} = 0 \Leftrightarrow \frac{\partial \left[(\mathbf{I} - \mathbf{A})^{-1} \right]}{\partial a_{ij}} (\mathbf{I} - \mathbf{A}) = -(\mathbf{I} - \mathbf{A})^{-1} \frac{\partial (\mathbf{I} - \mathbf{A})}{\partial a_{ij}}.$$
(25.15)

Now, if we post-multiply both sides of Equation (25.15) by
$$(\mathbf{I} - \mathbf{A})^{-1}$$
 we get:

$$\frac{\partial \left[(\mathbf{I} - \mathbf{A})^{-1} \right]}{\partial a_{ij}} \mathbf{I} = -(\mathbf{I} - \mathbf{A})^{-1} \frac{\partial (\mathbf{I} - \mathbf{A})}{\partial a_{ij}} (\mathbf{I} - \mathbf{A})^{-1}.$$
 (25.16)

So now we need to differentiate (I-A) with respect to a_{ii} . One can write:

$$\frac{\partial (\mathbf{I} - \mathbf{A})}{\partial a_{ij}} = -\mathbf{F}^{ij},\tag{25.17}$$

where we define the matrix \mathbf{F}^{ij} as:

$$\mathbf{F}_{rs}^{ij} = \left\{ \begin{array}{l} 1, r = i, s = j\\ 0, \text{ otherwise} \end{array} \right\}.$$
 (25.18)

Therefore, substituting Equations (25.17) into (25.16) we obtain:

$$\frac{\partial \left[(\mathbf{I} - \mathbf{A})^{-1} \right]}{\partial a_{ij}} = -(\mathbf{I} - \mathbf{A})^{-1} \left(-\mathbf{F}^{ij} \right) (\mathbf{I} - \mathbf{A})^{-1} = (\mathbf{I} - \mathbf{A})^{-1} \mathbf{F}^{ij} (\mathbf{I} - \mathbf{A})^{-1}.$$
(25.19)

Thus, substituting Equation (25.19) into Equation (25.13), the elasticity of CO_2 emissions with respect to the technical coefficients (a_{ij}) will be given by:

$$\boldsymbol{\varepsilon}_{a_{ij}}^{c_{emis}} = \frac{\mathbf{e}^{\prime} \mathbf{C} \left[(\mathbf{I} - \mathbf{A})^{-1} \mathbf{F}^{ij} (\mathbf{I} - \mathbf{A})^{-1} \right] \mathbf{y}}{c_{emis} / a_{ij}}.$$
 (25.20)

Since the effect of the matrix \mathbf{F}^{ij} is to pick out the required elements of the other matrices (this matrix has a single element, the one which we are differentiating), Equation (25.20) becomes:

$$\boldsymbol{\varepsilon}_{a_{ij}}^{c_{emis}} = \frac{\left[\mathbf{e}'\mathbf{C}(\mathbf{I}-\mathbf{A})^{-1}\right]_{i}\left[(\mathbf{I}-\mathbf{A})^{-1}\mathbf{y}\right]_{j}a_{ij}}{c_{emis}} = \frac{\left[\mathbf{e}'\mathbf{C}(\mathbf{I}-\mathbf{A})^{-1}\right]_{i}X_{j}a_{ij}}{c_{emis}}.$$
(25.21)

As the input-output table which will be used is a (38×38) industry-by-industry table, this means that we can calculate $38 \times 38 = 1,444$ elasticities of the CO₂ emissions (c_{emis}) with respect to the technical coefficients (a_{ij}) . Of course, this means that it is problematic to deal with such an amount of data, particularly for policy purposes. Therefore, in order to 'condense' such information, as suggested by Proops et al. (1993: 145), there will be employed technology elasticities related to one sector at a time, namely calculating the elasticities corresponding to the technology of inputs to a sector, as well as the ones corresponding to the technology of outputs from a sector.

The Technology of Inputs to a Sector's Elasticity of CO₂ Emissions

The relationship of the technology of inputs to a sector may be summarized as the column sum of the technical coefficients, i.e.:

$$a_{.j} = \sum_{i=1}^{n} a_{ij}.$$
 (25.22)

Accordingly, the elasticity of the CO₂ emissions produced by the country's economy (c_{emis}) with respect to the column sum of the technical coefficients $(a_{.j})$ may be expressed as the weighted sum of the single coefficient elasticities, $\boldsymbol{e}_{dij}^{c_{emis}}$, i.e., it is given by:

$$\boldsymbol{\varepsilon}_{a,j}^{c_{emis}} = \frac{\partial c_{emis} / \partial a_{,j}}{c_{emis} / a_{,j}} = \frac{1}{\sum_{i=1}^{n} \frac{a_{ij}}{a_{,j}} \frac{1}{\boldsymbol{\varepsilon}_{a_{ij}}^{c_{emis}}}} = \sum_{i=1}^{n} \boldsymbol{\varepsilon}_{a_{ij}}^{c_{emis}}$$
(25.23)

The Technology of Outputs from a Sector's Elasticity of CO₂ Emissions

Similarly, the relationship of the technology of outputs from a sector may be summarized as the row sum of the technical coefficients, i.e.:

$$a_{i.} = \sum_{j=1}^{n} a_{ij} \tag{25.24}$$

Hence, the elasticity of the CO₂ emissions produced by the country's economy (c_{emis}) with respect to the row sum of the technical coefficients $(a_{i.})$ may also be expressed as the weighted sum of the single coefficient elasticities, $\boldsymbol{\varepsilon}_{d_{ij}}^{c_{emis}}$, i.e., it is given by:

$$\boldsymbol{\varepsilon}_{a_{i.}}^{c_{emis}} = \frac{\frac{\partial c_{emis}}}{c_{emis}/a_{i.}} = \frac{1}{\sum_{j=1}^{n} \frac{a_{ij}}{a_{i.}} \frac{1}{\boldsymbol{\varepsilon}_{a_{ij}}^{c_{emis}}}} = \sum_{j=1}^{n} \boldsymbol{\varepsilon}_{a_{ij}}^{c_{emis}}$$
(25.25)

CO₂ Emissions by the Portuguese Economy

In this section, there will be presented an input-output empirical application of the energy–economy–environment interactions for Portugal, especially concerning the energy intensities and CO_2 emissions derived from fossil fuels use, according to the modeling approach described above.

Data Preparation¹⁶

Portuguese National Accounts and the Input-Output Table

A number of adjustments needs to be made to the way figures are presented by the Portuguese system of economic accounts, published by the National Institute of Statistics (INE 1999), to achieve a valuation of the supply and use flows as consistently and homogenously as possible, and obtain the input-output tables that are the basis for the empirical analysis to be performed in this work. However, the estimation of such tables was only possible for 1992,¹⁷ because the 'auxiliary' data to perform the required treatments is only surveyed with a breakdown of all interindustry transactions (by industries and by products) and of final uses by product for the 1992 Portuguese national accounts.

It is also important to mention that in order to be able to explore alternative scenarios for electricity generation (see Cruz 2002b), the electricity sector was disaggregated into three 'sub-sectors'¹⁸: 6A – Fossil Fuel Electricity Generation, 6B – Hydroelectricity, and 6C – Electricity Distribution. To perform this disaggregation, following Gay and Proops (1993), and Proops et al. (1993), it is assumed that:

- The two generating sectors (6A and 6B) sell all of their output to the distribution sector (6C).¹⁹
- The fuel inputs to electricity are attributed entirely to fossil fuel generation,²⁰ and all other inputs are split between the two generating sectors in proportion to their total output.
- All purchases of electricity by the remaining sectors and by final demand are supplied by electricity distribution.

This resulted in the use of a (38×38) industry-by-industry input-output table, for Portugal, in 1992. From this table was derived the matrix **A**, by dividing interindustry flows by the total inputs (= total outputs) by industry at basic prices, as usual. It was also from this table that was derived matrix **H**, as well as the final demand vector **y**.

¹⁶ A detailed description of the adjustments made to the Portuguese national accounts, as well as the characteristics and the adjustments made in the Portuguese energy data used may be found in Cruz (2002c).

¹⁷ Of course, the absence of more up-to-date data may constitute a restriction to providing useful information for practical policy decisions. However, the basic economic structure of the economy changes relatively slowly over time and therefore, for many aspects, the table(s) will be relevant over a reasonable period of time (Miller and Blair 1985: 269). Nevertheless, the performance of the analysis for more recent years and the investigation of the reasons behind the changes which might have occurred (through structural decomposition analysis), should be explored as soon as the information becomes available, particularly concerning National Accounts.

 $^{^{18}}$ This was done because of the need to distinguish fossil-fuel electricity generation from other electricity generation, since electricity obtained, e.g., from hydro, wind, and solar sources, do not correspond to CO₂ emissions.

¹⁹ This means that the two electricity-generating sectors have zero final demand.

²⁰ Which means that hydroelectricity generation and the distribution side of electricity are recorded as using no fossil fuel at all, which is clearly an underestimate (Gay and Proops 1993: 123).

The Physical Quantities of Primary Fossil Fuels Used in the Portuguese Economy

To perform the study there is also the need to consider the (physical) quantities of primary fossil fuels used by each industry per unit of total output, as well as the quantities of fossil fuels used per unit of final demand. However, such data was generally not directly available in the appropriate, or consistent, form. Therefore, there was the need to make some assumptions and estimations in order to correlate the different data sources, namely the input-output tables (provided by the INE) and the energy balance statistics (supplied by the Portuguese Directorate General of Energy – DGE).

According to the 'Energy Balance' statistics for 1992 (DGE 1995), the Portuguese economy total consumption of coal and (crude) oil was of 2,949,576 and 13,148,058 t of oil equivalent (toe), respectively. These values were considered as credible totals of domestic energy use (by type of fuel) and it was from these that were derived the physical quantities of coal and oil used by each of the 38 sectors and by final consumers in 1992.²¹ Then, dividing these values by the corresponding element of the total input (= total output) vector or by the final demand vector, it was possible to determine the primary energy intensities (or requirements) per unit of total output by sector (the 2 × 38 matrix **C**) and per unit of final demand (the 2×38 matrix **P**).

The Carbon Content of Primary Fuels

 CO_2 emissions are produced when carbon-based fuels are burned. Therefore, after adjusting primary energy figures, it is possible to estimate CO_2 emissions from fuel combustion, by considering the carbon contents of each type of fuel. For this purpose, conversion factors from primary energy to CO_2 were applied. These conversion factors were calculated following the IPCC's default methodology to make countries' GHG emissions inventories (IPCC 1996), and were arranged in a vector of CO_2 emission per unit (toe) of fuel burnt (the 2-vector *e*). Accordingly, it is assumed that each toe of coal burnt generates 3.88 t of CO_2 , and that each toe of oil burnt generates 3.04 t of CO_2 . These figures clearly show that the amounts of CO_2 emitted directly depend on the fuel, with more CO_2 being emitted per unit of energy content for coal than for oil (and for natural gas²²).

 $^{^{21}}$ It is important to note that the use of natural gas was introduced in Portugal only in 1997. Thus, as the analysis done in this study is for 1992, only two primary energy sources were considered. Consequently, matrices **C** and **P** are of dimension (2 × 38), and vector **e** is a 2-vector.

 $^{^{22}}$ Likewise, it was also estimated that each toe of natural gas combusted generates 2.34 t of CO₂. This result was not used here, as in 1992 there was no use of natural gas in Portugal.

Box 25.1 Portuguese Input-Output Table

In Portugal, collecting and publishing national accounting data is a primary responsibility of the National Institute of Statistics – INE (www.ine.pt). As a European Union (EU) member, Portuguese system of economic accounts has recently converted its national definitions, classifications and accounting rules according to the European system of national and regional accounts in the EU, ESA 95 (European System of Accounts 1995) (see European Commission, 1996, Council Regulation of 25 June 1996 on the European system of national and regional accounts in the Community, Council Regulation 1996/2223/EC, JOL 310, 30/11/96, Office for Official Publications of the European Communities, Luxembourg). Therefore, supply and use tables are expected to be produced annually for the reporting year t-3 according to the regulations of ESA 95.

For the purposes of the modeling exercises performed in Chapters 25 and 28, a number of additional adjustments to the way figures are offered by the Portuguese system of economic accounts had been pursued to achieve a valuation of the supply and use flows as consistently and homogenously as possible. However, data to perform these essential adjustments was only surveyed with the required desegregation concerning 1992 Portuguese national accounts (which was yet organized under an old system of accounts, with a main breakdown of 49 products and 49 industries). Thus, the level of sectoral aggregation used in the input-output models presented in Chapters 25 and 28 of this handbook correspond to the authors proposal of a compromise between the 'old' and the 'new' classification (see the Appendix for a detailed list).

Recently, several working papers have been published by the Department of Prospective and Planning (DPP) of the Portuguese Government (www.dpp.pt), concerning input-output data specificities in the Portuguese national accounts. Accordingly, DPP has recently made available (under request) input-output tables for 1999, with a desegregation of 60 products and 60 industries, which are directly usable for modeling purposes.

The Input-Output Assessment of CO₂ Emissions

In this section there will first be determined the CO_2 intensities per unit of total output and per unit of final demand, in terms of tons of CO_2 per million Portuguese Escudos (PTE). Subsequently, there will be reported the total CO_2 emissions for a given structure of final consumption, both in aggregate and disaggregated to 38 sectors.

The CO₂ Intensities

As derived from Equation (25.8), the elements of the row-vector ($\mathbf{e'C}$) represent the tons of CO₂ emitted directly by each sector, per million PTE of final demand for

the output of that sector; and the elements of $[\mathbf{e}'\mathbf{C}(\mathbf{A} + \mathbf{A}^2 + ...)]$ represent tons of CO₂ emitted throughout the rest of the economy (i.e. indirectly) by each sector, per million PTE of final demand for the output of that sector. Moreover, the elements of the vector ($\mathbf{e}'\mathbf{P}$), containing only two non-zero elements (one for each type of fuel), represent tons of CO₂ emitted per million PTE of demand by consumers for fuels. Thus, the sum of CO₂ intensities corresponding to total production and to direct consumption demand, represents tons of CO₂ emitted per million PTE of final demand, for each sector. Table 25.1 contains the estimated corresponding figures.

Concerning total CO_2 intensities, the energy sectors (except Hydroelectricity) are unsurprisingly the ones that appear in the upper ranking, followed also predictably by the Land Transport sector (see Fig. 25.1).

The total CO_2 intensity of the two top sectors (Mining and Manufacture of Coal By-Products and Extraction of Crude Petroleum and Natural Gas; and Manufactured Refined Petroleum Products) is dominated (in 91.3% and 94.3%, respectively) by the intensities corresponding to direct consumption demand. For all the other sectors, the CO_2 intensities correspond only to production demand (on the clear majority of them mainly to indirect production demand).

CO₂ Emissions Produced by the Portuguese Economy

From Equation (25.8), multiplying the CO_2 intensities presented above by the final demand vector, one achieves the corresponding tons of CO_2 emitted by each sector, which are shown also in Table 25.1.

In 1992, according to the estimation made through the model, 51,413.8 kt of CO₂ were emitted on Portuguese territory, derived from the use of fossil fuels, in order to satisfy the domestic and foreign final demand for goods and services domestically produced.²³

The top five sectors 'responsible' for those CO_2 emissions are Extraction of Crude Petroleum, and Manufacture of Refined Petroleum Products (16.5%), Electricity Distribution (11.2%), Construction (9.9%), Land Transport and Transport Via Pipeline Services (9.9%), and Wholesale and Retail Trade (7%). This means that the former four sectors account for almost half of total CO_2 emissions attributable to production in the Portuguese economy (see Fig. 25.2). Moreover, as the CO_2 emissions by the Extraction of Crude Petroleum, and Manufacture of Refined Petroleum Products sector are mainly associated with the use of private cars, and as the production of CO_2 emissions by the Land Transport and Transport Via Pipeline Services is mainly connected with freight and passengers transport, one can say that (per-

 $^{^{23}}$ This figure is slightly higher than the 45,165.9 kt of CO₂ reported by EEA (2002a), which were estimated also following the IPCC Guidelines (IPCC 1996). It is important to remember that not only are some components of the data used in this work of poor quality, which implied the making of some assumptions, but also that only one coefficient was used for each fuel, which may have had some effect in this discrepancy.

conomy	
Portuguese E	2
the	
þγ	•
roduced	
IS P	
issior	
En	
co,	1
s and	
Intensities	
ç	1
Table 25.1	

		CO ₂ in	CO ₂ intensities (corresponding to:)	orrespondi	ing to:)			8	² emissions 1	produced	by the Portu	CO_2 emissions produced by the Portuguese economy (attributable to:)	ny (attr	ibutable to:)		
CO ₂ intensities and CO ₂ emissions produced by the Portuguese economy	Direct production demand	Indirect production demand	Direct Direct Indirect Total Production Production demand demand	Direct consump tion demand	Final demand		Direct production demand	+	Indirect production demand	Ш	Total production demand	Direct consumption demand		Final demand		
unit for CO_2 intensities: tomes of CO_2 /million PTE	e'C	e'C (A+A ² +)	$e^{t}C \\ (I-A)^{-1}$	e'P	Total CO ₂ Intensity	$Total CO_2$	e'Cy	(0)/(10)	$e^{iC} \\ (A{+}A^2{+})y$	(7)/(10)	$e^{i}C \\ (I\!\!-\!A)^{-1}y$	e'PZy	(9)/(10)	Total CO ₂ emissions		% Distrib of CO.
unit for CO_2 emissions: 10^7 t of CO_2	(1)	(2) = (3)-(1)	(3)	(4)	(5) = (3)+(4)	Intens. Rank.	(9)	%	(7) = (8)-(6)	%	(8)	(6)	%	(10) = (8)+(9)	Emis. Rank. t	Emis. ² by Ind
01 Agriculture, Hunting and Related Service Activities	1.12	1.89	3.01	0.00	3.01	17	394.0	37.1	668.2		1,062.2	0.0	0.0	1,062.2	12	2.1
02 Forestry, Logging and Related Service Activities	0.71	0.36	1.07	0.00	1.07	28	17.5	66.5	80.00 80.00		26.3	0.0	0.0	26.3	36	0.1
0.1 FISHING AND RELATED SERVICE ACTIVITIES	3.20	7.07	27.02	0.00	4.17	- 12	191.1	76.7	58.0	23.3	249.0	0.0 9.00	0.0	249.0	20	0.0
05 Extr. Crude Petrol, & Man. Refined Petroleum Prod.	7.67	1.87	9.54	158.85	168.39	- 7	844.7	0.0c	205.7	2.4	1.050.3	7.448.3		8.498.7	<u>,</u> –	16.5
6A Fossil Fuel Electricity Generation	73.74	1.00	74.75	0.00	74.75	Э	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	37	0.0
6B Hydroelectricity 6C Electricity Distribution	0.00	0.17	0.17	0.00	0.17	38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	37	0.0
07 Gas Production and Distribution	14.06	9.58	23.64	0.00	23.64	19	142.1	59.5	96.8	1	238.9	0.0	0.0	238.9	27	0.5
08 Water Supply	0.00	6.01	6.01	0.00	6.01	Ξ	0.0	0.0	161.8	-	161.8	0.0	0.0	-	29	0.3
09 Extr. & Man. of Ferrous & Non-Ferrous Ores & Metals	5.24	6.31	11.55	0.00	11.55	L.	327.9	0.0	394.7		722.6	0.0	0.0	722.6	19	1.4
10 Extraction and Manuf. of Non-Metallic Minerals	6.09	4.71	10.80	0.00	10.80	~ ~	865.2	56.4	668.3		1,533.5	0.0	0.0	1,533.5	0 0	3.0
11 Manut. of Chemicals and Chemical Products 12 Manufacture of Fabricated Metal Products	5.98 0.19	2.55	3.18	0.00	3.18	9	1,515.8	70.1	646.4 682.0	29.9 94.0	2,162.2 725.4	0.0	0.0	2,162.2 725.4	× ×	4 1
13 Man. of Electrical and Non-Electrical Machinery & Equipm.	0.06	1.26	1.32	0.00	1.32	25	35.6	4.9	694.1		729.7	0.0	0.0	729.7	17	1.4
14 Manufacture of Transport Equipment	0.15	1.11	1.26	0.00	1.26	27	57.9	11.7	437.4		495.3	0.0	0.0		21	1.0
15 Manufacture of Food Products and Beverages	0.36	1.97	2.34	0.00	2.34	22	431.8	15.6	2,336.6	84.4	2,768.4	0.0	0.0	2,768.4	2	5.4
16 Manufacture of Tobacco and Tobacco Products 17 Manufacture of Textiles and Clothing	0.19	0.29	0.48	0.00	0.48 2.78	37	27.9	39.2	7.405.1	60.8 86.5	71.2	0.0	0.0	71.2 7 00 2 0	32	0.1 5 6
18 Manufacture of Leather and Footwear	0.20	1.10	1.30	00.0	1.30	26	200.7 66.2	15.3	367.3		433.5	0.0			, 4	0.8
19 Other Manuf. Products (incl. Wood, Cork & Furniture)	0.68	1.97	2.65	0.00	2.65	21	202.9	25.7	587.7		790.6	0.0	0.0		16	1.5
20 Man. of Pulp, Paper, Paper Prod. & Printing Products 21 Manufacture of Rubber and Plastic Products	1.18	3.09	4.27	0.00	4.27	12	225.4	27.7	587.7	72.3	813.1	0.0	0.0	813.1	15	1.6
22 Construction	0.00	2.76	3.42	0.00	3.42	14	1.266	19.5	4.103.3		5.098.4	0.0		5	2 m	6.6
23 Recycling, Recovery and Repair services	0.20	0.34	0.53	0.00	0.53	36	48.5	36.6	84.0		132.6	0.0			31	0.3
24 Wholesale and Retail Trade	0.16	1.93	2.09	0.00	2.09	23	269.0	7.5	3,325.8		3,594.8	0.0	-	3,594.8	5	7.0
25 Hotel and Restaurant Services 26 Land Transport and Transport Via Pineline Serv.	21.0	2.56	2.67	0.00	2374	50	80.8 4 545 2	4.4 80.5	1,902.3	0.06 7.01	5 080 5	0.0	0.0	5 080 5	4 4	9.5
27 Water and Air Transport Services	4.91	1.52	6.43	0.00	6.43	10	726.5	76.4	224.5		951.0	0.0	0.0		. 4	1.8
28 Supporting and Auxiliary Transport Services	0.17	3.11	3.27	0.00	3.27	15	17.4	5.1	324.7		342.1	0.0	0.0	342.1	25	0.7
29 Post and Telecommunication Services 30 Financial Intermediation Services (except Insurance and)	0.03	1.01	1.04	0.00	1.04	30	4.4	32	132.5 37 8	96.8 00.8	136.9 37 8	0.0	0.0	37.8	35	0.3
31 Insurance and Pension Funding Services	0.06	1.54	1.59	0.00	1.59	24	1.4	3.5	38.8	1	40.2	0.0	0.0	40.2	34	0.1
32 Real Estate Services and Other Renting Services	0.01	0.99	1.00	0.00	1.00	31	14.3	1.5	954.4		968.7	0.0	0.0	-	13	1.9
33 Education and R & D Services	0.02	0.55	0.57	0.00	0.57	34	17.3	3.6	463.9		481.2	0.0	0.0	481.2	22	0.9
34 Health and Veterinary Market Services	0.01	0.82	0.83	0.00	0.83	33	7.6	1.6	464.5		472.1	0.0	0.0		33	0.9
35 Other Services (Market and Non-Market) 36 Public Administration Non-Market Services	0.09	0.97	0.98	0.00	0.98	23 29	39.6 100.7	0.8 8.6	542.3 1,070.4	95.2 91.4	9.185 1,171,1	0.0	0.0	1,171.1	11	23
]				12,676.8	24.7	31,258.9	60.8	43,935.7	7,478.1	14.5	51,413.8	ĺ	100
							1401 100		COUNTED .	2222	100000	******	. f .	2.2.4	_	_




Fig. 25.2 Distribution of CO₂ Emissions Produced by the Portuguese Economy by Sector

sonal and public) transport (of passengers and goods) was 'responsible' for almost one-quarter of all the emissions that occurred in Portugal in 1992.

9.9%

Relating these results with those concerning CO_2 intensities, one can notice that the sectors that are more highly CO_2 intensive are not necessarily the ones whose production generates more CO_2 emissions. This is explained by what might be called the 'scale effect' of the final demand (corresponding to the fact that the total CO_2 emissions of any sector are given by the product of the intensity per unit of final demand and the level of final demand).

Another key result is the significant importance of the indirect production demand for fuels in the production of CO_2 emissions (see Fig. 25.3). Indeed, more than half (60.8%) of the CO_2 emissions are attributable to indirect demand, while 24.7% of the emissions are attributable to direct demand for fossil fuels by industries; the remaining 14.5% are directly attributable to household demand for fossil fuels.




Fig. 25.3 CO₂ Emissions Attributable to ... for Fuels

The Elasticities of Total CO₂ Emissions Produced by the Portuguese Economy

In this section, there will be offered an examination of the impacts of changes in specific parameters at the level of Portuguese energy-related CO_2 emissions. This will be done by analyzing the elasticities of total CO_2 emissions produced by the Portuguese economy with respect to (some of) the parameters. The figures are presented in Table 25.2, corresponding to situations of *ceteris paribus*, and were obtained according to the details given in Section "The Elasticities of CO_2 Emissions with the Model Parameters".

Column (1) presents the elasticities of the CO_2 emissions produced by the Portuguese economy with respect to each component of total final demand. For example, the value of 0.17 for the elasticity of CO_2 emissions with respect to the final demand for the Extraction of Crude Petroleum and Natural Gas, and Manufacture of Refined Petroleum Products sector, indicates that if the final demand for this sector increases (decreases) by 1%, then total CO_2 emissions in the Portuguese economy will increase (diminish) by 0.17%. Additionally, one can say that the final demand for this sector's output is the one to which the Portuguese CO_2 emissions are most sensitive, followed by the final demand for the outputs of the following sectors: Electricity Distribution (0.11), Construction (0.10), Land Transport and Transport Via Pipeline Services (0.10), and Wholesale and Retail Trade (0.07).²⁴

Moreover, as results from the definition of these elasticities (Equation (25.10)), their sum is equal to one, which means that if the final demand of all the sectors in the economy increase (decrease) by 1%, then total CO_2 emissions will enlarge (decline) in 1%.

In columns (2) and (3) are shown the elasticities of the CO_2 emissions produced by the Portuguese economy with respect to production fuel use coefficients.

Concerning coal, by far the largest elasticity is the one corresponding to its use by the Fossil Fuel Electricity Generation sector. Indeed, the 0.17 figure is more than four times bigger than the next largest value, which is 0.04 for the Extraction and Manufacture of Non-Metallic Minerals sector. It is also noticeable that the great

 $^{^{24}}$ As there are 38 sectors, one would expect that all of these values would be considerably less than unity.

Table 25.2Elasticity of Total CO2 Emissions Produced by the Portuguese Economy

Elasticity of total CO ₂ emissions produced by the Particularese count $(c_{\rm emil})$	Final demand	nand	Production	fossil fue	Production fossil fuel use coefficients	cients	Final demai use coe	Final demand fossil fuel use coefficients	Column sum of the technological coefficients	n of the gical ents	Row sum of the technological coefficients	of the gical
with respect to the	${\cal E}_i^{t_{emis}}$		$\mathcal{E}_{c_{coal,i}}^{c_{emis}}$		${\cal E}_{c_{oil,i}}^{c_{emis}}$		$\boldsymbol{\mathcal{E}}_{p_{coal,i}}^{c_{emis}}$	${\cal E}_{p_{oil,i}}^{c_{emis}}$	$\mathcal{E}_{a_{.j}}^{c_{emis}}$		$\mathcal{E}_{a_{i}}^{c_{emis}}$	
unit: % change	(1)	ranking	(2)	ranking	(3)	ranking	(4)	(5)	(9)	ranking	(/)	ranking
01 Agriculture, Hunting and Related Service Activities	0.02	12	0.00	Γ	0.02	∞	0.00	0.00	0.03	6	0.03	7
02 Forestry, Logging and Related Service Activities	00.0	36 76	0.00		0.00	20	0.00	0.00	0.00	36	0.00	30
0.5 FISHING AND RELATED SERVICE ACUMUES 04 Mining and Manufacture of Coal Rv-Products	0.00	<u>5</u> 2	0.00	4	0.00	33	0.00	0.00	0.00	37	0.00	17
05 Extr. Crude Petrol, & Man. Refined Petroleum Prod.	0.17	, I	0.00	-	0.04	9,4	0.00	0.14	0.01	21	0.03	; »
6A Fossil Fuel Electricity Generation	0.00	37	0.17	-	0.18	- 2	0.00	0.00	0.00	30	0.35	- >
ob riyuroelectricity 6C Electricity Distribution	0.01	, c	0.00		0.00	36	0.00	0.00	0.00	oc –	0.00	oç (1
07 Gas Production and Distribution	0.00	27	0.00		0.01	15	0.00	0.00	00.0	31	0.00	25
08 Water Supply 00 Ever & Mon. of Economy & Non Economy Omer & Marcle	0.00	29 10	0.00	6	0.00	36 16	0.00	0.00	0.01	27	0.00	23
10 Extraction and Manuf. of Non-Metallic Minerals	0.03	10	0.04	0.01	0.02	5	0.00	0.00	0.05	9	0.07	4
11 Manuf. of Chemicals and Chemical Products	0.04	8	0.00	5	0.07	3	0.00	0.00	0.03	10	0.07	5
12 Manufacture of Fabricated Metal Products	0.01	18	0.00		0.00	22	0.00	0.00	0.02	12	0.01	16
13 Man. of Electrical and Non-Electrical Machinery & Equipm.	0.01	17	0.00		0.00	26	0.00	0.00	0.02	18	0.00	26
14 Manufacture of Food Products and Beverages	0.05	17	0.00	~	0.0	67	0.00	0.00	10.0	94	0.03	- 6
16 Manufacture of Tobacco and Tobacco Products	00.0	32	0.00		0.00	27	0.00	0.00	0.00	35	0.00	38
17 Manufacture of Textiles and Clothing	0.06	97	0.00		0.01	= ;	0.00	0.00	0.07	ŝ	0.02	21 2
10 Manuacture 01 Leatural and FOOtweat 19 Other Manuf Products (incl Wood Cork & Furniture)	10.0	16	0.00	9	0.01	13	0.00	0.00	0.02	91	0.00	70
20 Man. of Pulp, Paper, Paper Prod. & Printing Products	0.02	15	0.00	,	0.01	10	0.00	0.00	0.03	2 =	0.02	10
21 Manufacture of Rubber and Plastic Products	0.00	28	0.00		0.00	29	0.00	0.00	0.01	26	0.00	22
22 Construction	0.10	с г	0.00		0.02	9	0.00	0.00	0.09	ε	0.01	4 6
24 Wholesale and Retail Trade	0.07	5	0.00		0.01	12	0.00	0.00	0.10	10	0.04	6
25 Hotel and Restaurant Services	0.04	6	0.00		0.00	18	0.00	0.00	0.04	7	0.01	20
26 Land Transport and Transport Via Pipeline Serv.	0.10	4 7	0.00	7	0.17	01	0.00	0.00	0.02	4 %	0.10	~ <u>9</u>
28 Supporting and Auxiliary Transport Services	10.0	25	0.00		0.00	24	0.00	0.00	0.02	17	0.01	15
29 Post and Telecommunication Services	0.00	30	0.00		0.00	31	0.00	0.00	0.01	29	0.00	24
30 Financial Intermediation Services (except Insurance and)	0.00	35	0.00		0.00	35	0.00	0.00	0.01	24	0.01	19
	0.00	34	0.00		0.00	34	0.00	0.00	00.0	33	0.00	34
32 Real Estate Services and Other Kenting Services 33 Education and R & D Services	20.0 0.01	13 22	0.00		0.00	30 28	0.00	0.0	0.03	8 23	0.00	37
34 Health and Veterinary Market Services	0.01	23	0.00		0.00	32	0.00	0.00	0.01	22	0.00	35
35 Other Services (Market and Non-Market) 36 Dublic Administration Non-Market Services	0.01	20	0.00		0.00	25 17	0.00	0.00	0.01	19	0.00	33
	70.0	:	0.00]+	0.63	-	0.00	0.14	70.0	;	00.0	ŝ
	1 '00		77.0	-	000	-	0.00	001				
								2 A 1 A 1				

majority of the values in column (2) are zero, as there is no direct use of coal in the production of the corresponding sectors.

Regarding the use of oil, the largest elasticity is also for Fossil Fuel Electricity Generation (0.18), followed by Land Transport and Transport Via Pipeline Services (0.17), Manufacture of Chemicals and Chemical Products (0.07), Extraction of Crude Petroleum and Natural Gas, and Manufacture of Refined Petroleum Products (0.04), and Extraction and Manufacture of Non-Metallic Minerals (0.02).

From the analysis of the figures in columns (2) and (3), it can also be said that if all the sectors raise (reduce) the direct use of coal in their production by 1%, the overall augment (reduction) in CO_2 emissions would be of 0.22%, while the same percent change in the direct use of oil by all the sectors would imply a change of 0.63% in CO_2 emissions.

In the fourth and fifth columns, there are only two non-zero values. This is logical, as they represent the elasticities of the CO_2 emissions produced by the Portuguese economy with respect to the final demand fuel use coefficients (for coal and oil, respectively). Thus, the value of 0.001 in column (4) means that by changing the final demand for coal by 1%, the overall CO_2 emissions will vary by 0.001%; and the value of 0.14 in column (5) signifies that if the final demand for oil increases (decreases) by 1%, the total CO_2 emissions will increase (decrease) by 0.14%. Therefore, one can say that the CO_2 emissions are much more sensitive to the final demand for coal.

Therefore, the results of the elasticities of total CO_2 emissions with respect to the production (columns (2) and (3)) and to the final demand (columns (4) and (5)) fuel use coefficients, suggest that any policy to fight against CO_2 emissions by directly interfering with industries or households direct consumption of fuels, has better chances of reaching more significant effects in CO_2 emissions by marginally 'acting' on oil than on coal use,²⁵ as the reader would have already thought (whether based on the results presented on the previous sections, or only on the basis of a sensible perception of the way the Portuguese economy performs).

The sixth column contains the elasticities of the CO_2 emissions produced by the Portuguese economy with respect to the column sum of the technical coefficients $(a_{.j})$. For example, the value of 0.35 for the Electricity Distribution sector means that if this sector raises (reduces) the use of all its inputs by 1%, then the CO_2 emissions will increase (decline) by 0.35%. Thus, it is possible to say that, following the Electricity Distribution sector, the sectors whose contribution can be bigger to reduce CO_2 emissions in Portugal, by becoming more efficient in their use of inputs are: Wholesale and Retail Trade; Construction; Manufacture of Food Products and Beverages; and Manufacture of Textiles and Clothing.

²⁵ Moreover, as results from the definition of these elasticities (and obviously, first of all, from the fact that the total use of fuels in the economy is 'divided' in fuel use for production demand and fuel use for final demand, and the CO₂ emissions here estimated are only the ones that result from coal and oil combustion), the sum of the totals of columns (2), (3), (4) and (5) is equal to one. This means that if all the sectors raise (reduce) the direct use of coal and oil in their production by 1%, and simultaneously the final demand for coal and oil increase (decrease) also by 1%, then total CO₂ emissions will enlarge (decline) in 1%.

Column (7) shows the elasticities of the CO₂ emissions produced by the Portuguese economy with respect to the row sum of the technical coefficients (a_i .). As an example, the result of 0.35 in Fossil Fuel Electricity Generation means that if the use of the sector's output as an input to all the sectors increases (decreases) by 1%, the overall CO₂ emissions will increase (decrease) by 0.35%. Moreover, the other products whose more efficient use (as inputs) by all the sectors may lead to more significant reductions in CO₂ emissions are those from the following sectors: Electricity Distribution; Land Transport and Transport Via Pipeline Services; Extraction and Manufacture of Non-Metallic Minerals; and Manufacture of Chemicals and Chemical Products. This clearly indicates that the greatest reduction in CO₂ emissions is to be achieved if all the sectors become more efficient in the use of first electricity, and then transport.

Final Comments

The results obtained in this empirical application are clear evidence of the 'valueadded' that the input-output technique may bring to policy analysis, as an approach which takes economic interrelations into account when analyzing CO_2 production (Gay and Proops 1993).

Indeed, it appears that there is significant general awareness about the CO_2 emissions that occur from direct energy use in households and private cars, as well as about the CO_2 emitted directly in energy industries and by the transport sectors. But more significant is that it appears that there does not exist a general awareness about the major importance of industries' indirect production demand for fuels, and consequently of the fact that the great majority of direct consumption is 'responsible' for much more CO_2 production indirectly than directly.

Therefore, the analysis performed here may help policy-makers in dealing with the problem of CO_2 emissions as they are better informed about the root causes of some outcomes.

It may also help to make final consumers aware that the non-primary energy goods and services they purchase from industry sectors have entailed CO_2 emissions in their production. Indeed, through adequate sensitization campaigns it is possible to show to final consumers that they have much more 'responsibility' for CO_2 emissions than they usually assume. Then, it is possible to pass the 'message' to them that their individual action in terms of the goods and services they purchase (or not) may 'count' in the global struggle against climate change.

Concerning the sensitivity analysis of the CO_2 emissions produced by the Portuguese economy, is possible to say that two major kinds of conclusion can be made from it.

On the one hand, as the data we use is not perfectly known, this analysis can provide a guide to which components of the data set need to be determined most accurately. Actually, e.g., if the elasticity of total CO_2 emissions with respect to a specific item of data is large, the inaccuracy in such a particular item of data matters much more than if the elasticity is small.

On the other hand, such an analysis has a role to play in policy analysis and formulation. Indeed, it was here shown that its use allows, e.g., the identification of the potential for reducing CO_2 emissions through changes in the technologies used (through the analysis of the elasticities associated with the elements of the technological matrices **A**, **C** and **P**), as well as the examination of the changes in the structure of the final demand which would be most worthwhile for reducing CO_2 emissions (through the analysis of the elasticities associated with the specific elements of the final demand vector **y**). This is a particularly valuable feature, because as interest is in identifying policies that may reduce CO_2 emissions, one may consider how changing these parameters may be effective in achieving this aim.

Thus, it is possible to claim that one of the key accomplishments of the use of this type of modeling, which integrates economic, energy and environmental interactions in an input-output framework, is that it allows the analysis of how energy, and therefore CO₂ emissions, are related to industrial production, and ultimately to final demand, making it a tool particularly important for (*ex ante*²⁶ and/or *ex post*) policy analysis purposes.

Portuguese National Accounts Nomenclature (SEC-95, Base 95)
01 Agriculture, hunting and related service activities
02 Forestry, logging and related service activities
05 Fishing, operation of fish hatcheries and fish farms; service activities incidental to fishing
10 Mining of coal and lignite; extraction of peat
 11 Extraction of crude petroleum and natural gas; service activities incidental to oil and gas extraction excluding surveying 23 Manufacture of coke, refined petroleum products and nuclear fuel
40 Electricity, gas, steam and hot water supply
_

Appendix List of Sectors in Portuguese

(continued)

²⁶ Indeed, both the model and the database are formulated in terms of detailed technical parameters, on a multisectoral basis, that can be directly evaluated by technical experts and readily changed in order to explore the consequences of alternative scenarios (see Cruz 2002b, c).

Portuguese National Accounts Nomenclature
(SEC-95, Base 95)
41 Collection, purification and distribution of
water
12 Mining of uranium and thorium ores
13 Mining of metal ores
27 Manufacture of basic metals 14 Other mining and quarrying
14 Other mining and quarrying
26 Manufacture of other non-metallic mineral
products
24 Manufacture of chemicals and chemical
products
28 Manufacture of fabricated metal products,
except machinery and equipment
29 Manufacture of machinery and equipment
n.e.c
30 Manufacture of office machinery and
computers
31 Manufacture of electrical machinery and apparatus n.e.c.
32 Manufacture of radio, television and
communication equipment and apparatus
34 Manufacture of motor vehicles, trailers
and semi-trailers
35 Manufacture of other transport equipment
15 Manufacture of food products and
beverages
16 Manufacture of tobacco products
17 Manufacture of textiles
18 Manufacture of wearing apparel; dressing and dyeing of fur
19 Tanning and dressing of leather;
manufacture of luggage, handbags, saddlery,
harness and footwear
20 Manufacture of wood and of products of
wood and cork, except furniture; manufacture
of articles of straw and plaiting materials
33 Manufacture of medical, precision and
optical instruments, watches and clocks
36 Manufacture of furniture; manufacturing
n.e.c.
21 Manufacture of pulp, paper and paper
products 22 Publishing, printing and reproduction of
22 Publishing, printing and reproduction of recorded media

(continued)

<u> </u>	
Proposed designation adopted for the IOT used in Chapters 25 and 28	Portuguese National Accounts Nomenclature (SEC-95, Base 95)
21 Manufacture of rubber and plastic	25 Manufacture of rubber and plastic
products	products
22 Construction	45 Construction
23 Recycling, recovery and repair services	37 Recycling
	50 Sale, maintenance and repair of motor
	vehicles and motorcycles; retail sale of automotive fuel
24 Wholesale and retail trade	51Wholesale trade and commission trade
24 wholesale and retail trade	services, except of motor vehicles and
	motorcycles
	52 Retail trade services, except of motor
	vehicles and motorcycles; repair services of
	personal and household goods
25 Hotel and restaurant services	55 Hotel and restaurant services
26 Land transport and transport via pipeline services	60 Land transport and transport via pipeline services
27 Water and air transport services	61 Water transport services
_	62 Air transport services
28 Supporting and auxiliary transport	63 Supporting and auxiliary transport
services	services; travel agency services
29 Post and telecommunication services	64 Post and telecommunication services
30 Financial intermediation services (except	65 Financial intermediation services, except
insurance and pension funding services)	insurance and pension funding services
31 Insurance and pension funding services	66 Insurance and pension funding services,
	except compulsory social security services
	67 Services auxiliary to financial
	intermediation
32 Real estate services and other renting	70 Real estate services
services	
	71 Renting services of machinery and
	equipment without operator and of personal
	and household goods
33 Education and research and development services	73 Research and development services
	80 Education services
34 Health and veterinary market services	85 Health and social work services
35 Other services (market and non-market)	72 Computer and related services
	74 Other business services
	91 Membership organization services n.e.c.
	92 Recreational, cultural and sporting
	services
	93 Other services
	95 Private households with employed persons
36 Public administration non-market services	75 Public administration and defense
	services; compulsory social security services
	90 Sewage and refuse disposal services,
	sanitation and similar services

References

- Casler, S., & Wilbur, S. (1984). Energy input-output analysis: A simple guide. *Resources and Energy*, 6, 187–201.
- Cruz, L. (2002a). Energy-environment-economy interactions: An input-output approach applied to the Portuguese case. Proceedings of the 7th Biennial Conference of the International Society for Ecological Economics, 'Environment and Development: Globalisation & the Challenges for Local & International Governance', 6–9 March 2002, Sousse (Tunisia).
- Cruz, L. (2002b). Estimation of the production of CO₂ emissions by the Portuguese economy in an input-output framework. Proceedings of the 14th International Conference on Input-Output Techniques, "Ecological and Economic Sustainability in the New Economy", 10–15 October 2002, Montreal, Canada.
- Cruz, L. (2002c). A portuguese energy-economy-environment input-output model: Policy applications. Ph.D. thesis, December 2002, School of Politics, International Relations and the Environment (SPIRE), Keele University, UK.
- Cruz, L., Proops, J., & Safanov, P. (2004). Input-output models. In P. Safanov & J. Proops (Eds.), Modelling in ecological economics, Chapter 3. Cheltenham, UK: Edward Elgar.
- DGE (1995). *Balanço Energético 1992*, Direcção-Geral Energia, Ministério Indústria e Energia, Lisboa.
- DGE/ME (2002). Energia Portugal 2001, Direcção-Geral Energia/Ministério da Economia, Lisboa.
- EEA (1998). Europe's environment the second assessment, European Environment Agency.
- EEA (1999). Environment in the European Union at the turn of the century, Environmental Assessment Report No. 2, European Environment Agency.
- EEA (2000). Are we moving in the right direction? Indicators on transport and environment integration in the EU, Environmental Issue Series No. 12, European Environment Agency.
- EEA (2002a). Annual European Community greenhouse gas inventory 1990–2000 and Inventory Report 2002, Submission to the Secretariat of the UNFCCC, Technical Report No. 75, April, Copenhagen.
- EEA (2002b). *Environmental signals 2002*, Environmental Assessment Report No. 9, European Environment Agency.
- Faucheaux, S., & Levarlet, F. (1999). Energy-economy-environment models. In J. van den Bergh (Ed.), *Handbook of environmental and resource economics*. Cheltenham, UK: Edward Elgar.
- Gay, P., & Proops, J. (1993). Carbon-dioxide production by the UK economy: An input-output assessment. *Applied Energy*, 44, 113–130.
- Hawdon, D., & Pearson, P. (1995). Input-output simulations of energy, environment, economy interactions in the UK. *Energy Economics*, 17(1), 73–86.
- IEA/OECD (2000a). *Energy policies of IEA Countries Portugal 2000 review*, International Energy Agency/Organization for Economic Co-Operation and Development, IEA Publications, Paris.
- IEA/OECD (2000b). *Energy policies of IEA Countries 2000 review*, International Energy Agency/Organization for Economic Co-Operation and Development, IEA Publications, Paris.
- INE (1999). Contas Nacionais (1988 a 1995), Instituto Nacional de Estatística, Lisboa.
- IPCC (1996). *Revised 1996 IPCC guidelines for national greenhouse gas inventories*, IPCC/ OECD/IEA Inventory Programme, Paris.
- Leontief, W. (1966). Input-output economics. New York: Oxford University Press.
- Miller, R., & Blair, P. (1985). *Input-output analysis: Foundations and extensions*. Englewood Cliffs, NJ: Prentice Hall.
- Proops, J. (1988). Energy intensities, input-output analysis and economic development. In M. Ciaschini (Ed.), *Input-output Analysis – current developments*. London: Chapman & Hall.
- Proops, J., Faber, M., & Wagenhals, G. (1993). *Reducing CO₂ emissions a comparative inputoutput study for Germany and the UK*. Germany: Springer.
- Richardson, H. (1972). *Input-output and regional economics*. London: Weindenfeld & Nicolson. Victor, P. (1972). *Pollution: Economics and environment*. London: Allen & Unwin.