



Big Transfer (BiT): General Visual Representation Learning

Alexander Kolesnikov, Lucas Beyer, Xiaohua Zhai^(✉), Joan Puigcerver, Jessica Yung, Sylvain Gelly, and Neil Houlsby

Google Research, Brain Team, Zürich, Switzerland
akolesnikov@google.com, lbeyer@google.com, xzhai@google.com,
jpuigcerver@google.com, jessicayung@google.com, sylvaingelly@google.com,
neilhoulby@google.com

Abstract. Transfer of pre-trained representations improves sample efficiency and simplifies hyperparameter tuning when training deep neural networks for vision. We revisit the paradigm of pre-training on large supervised datasets and fine-tuning the model on a target task. We scale up pre-training, and propose a simple recipe that we call Big Transfer (BiT). By combining a few carefully selected components, and transferring using a simple heuristic, we achieve strong performance on over 20 datasets. BiT performs well across a surprisingly wide range of data regimes—from 1 example per class to 1M total examples. BiT achieves 87.5% top-1 accuracy on ILSVRC-2012, 99.4% on CIFAR-10, and 76.3% on the 19 task Visual Task Adaptation Benchmark (VTAB). On small datasets, BiT attains 76.8% on ILSVRC-2012 with 10 examples per class, and 97.0% on CIFAR-10 with 10 examples per class. We conduct detailed analysis of the main components that lead to high transfer performance.

1 Introduction

Strong performance using deep learning usually requires a large amount of task-specific data and compute. These per-task requirements can make new tasks prohibitively expensive. Transfer learning offers a solution: task-specific data and compute are replaced with a pre-training phase. A network is trained once on a large, generic dataset, and its weights are then used to initialize subsequent tasks which can be solved with fewer data points, and less compute [9, 34, 37].

We revisit a simple paradigm: pre-train on a large supervised source dataset, and fine-tune the weights on the target task. Numerous improvements to deep network training have recently been introduced, e.g. [1, 17, 21, 29, 46, 47, 52, 54, 56, 59]. We aim not to introduce a new component or complexity, but to provide a recipe that uses the minimal number of tricks yet attains excellent performance on many tasks. We call this recipe “Big Transfer” (BiT).

A. Kolesnikov, L. Beyer and X. Zhai—Equal contribution.

Electronic supplementary material The online version of this chapter (https://doi.org/10.1007/978-3-030-58558-7_29) contains supplementary material, which is available to authorized users.




Fig. 1. Transfer performance of our pre-trained model, BiT-L, the previous state-of-the-art (SOTA), and a ResNet-50 baseline pre-trained on ILSVRC-2012 to downstream tasks. Here we consider only methods that are pre-trained independently of the final task (generalist representations), like BiT. The bars show the accuracy when fine-tuning on the full downstream dataset. The curve on the left-hand side of each plot shows that BiT-L performs well even when transferred using only few images (1 to 100) per class.

We train networks on three different scales of datasets. The largest, BiT-L is trained on the JFT-300M dataset [43], which contains 300M noisily labelled images. We transfer BiT to many diverse tasks; with training set sizes ranging from 1 example per class to 1M total examples. These tasks include ImageNet’s ILSVRC-2012 [6], CIFAR-10/100 [22], Oxford-IIIT Pet [35], Oxford Flowers-102 [33] (including few-shot variants), and the 1000-sample VTAB-1k benchmark [58], which consists of 19 diverse datasets. BiT-L attains state-of-the-art performance on many of these tasks, and is surprisingly effective when very little downstream data is available (Fig. 1). We also train BiT-M on the public ImageNet-21k dataset, and attain marked improvements over the popular ILSVRC-2012 pre-training.

Importantly, BiT only needs to be pre-trained once and subsequent fine-tuning to downstream tasks is cheap. By contrast, other state-of-the-art methods require extensive training on support data conditioned on the task at hand [32, 53, 55]. Not only does BiT require a short fine-tuning protocol for each new task, but BiT also does not require extensive hyperparameter tuning on new tasks. Instead, we present a heuristic for setting the hyperparameters for transfer, which works well on our diverse evaluation suite.

We highlight the most important components that make Big Transfer effective, and provide insight into the interplay between scale, architecture, and training hyperparameters. For practitioners, we will release the performant BiT-M model trained on ImageNet-21k.

2 Big Transfer

We review the components that we found necessary to build an effective network for transfer. *Upstream* components are those used during pre-training, and *downstream* are those used during fine-tuning to a new task.

2.1 Upstream Pre-training

The first component is scale. It is well-known in deep learning that larger networks perform better on their respective tasks [10, 40]. Further, it is recognized that larger datasets require larger architectures to realize benefits, and vice versa [20, 38]. We study the effectiveness of scale (during pre-training) in the context of transfer learning, including transfer to tasks with very few datapoints. We investigate the interplay between computational budget (training time), architecture size, and dataset size. For this, we train three BiT models on three large datasets: ILSVRC-2012 [39] which contains 1.3M images (BiT-S), ImageNet-21k [6] which contains 14M images (BiT-M), and JFT [43] which contains 300M images (BiT-L).

The second component is Group Normalization (GN) [52] and Weight Standardization (WS) [28]. Batch Normalization (BN) [16] is used in most state-of-the-art vision models to stabilize training. However, we find that BN is detrimental to Big Transfer for two reasons. First, when training large models with small per-device batches, BN performs poorly or incurs inter-device synchronization cost. Second, due to the requirement to update running statistics, BN is detrimental for transfer. GN, when combined with WS, has been shown to improve performance on small-batch training for ImageNet and COCO [28]. Here, we show that the combination of GN and WS is useful for training with large batch sizes, and has a significant impact on transfer learning.

2.2 Transfer to Downstream Tasks

We propose a cheap fine-tuning protocol that applies to many diverse downstream tasks. Importantly, we avoid expensive hyperparameter search for every new task and dataset size; we try only one hyperparameter per task. We use a heuristic rule—which we call BiT-HyperRule—to select the most important hyperparameters for tuning as a simple function of the task’s intrinsic image resolution and number of datapoints. We found it important to set the following hyperparameters per-task: training schedule length, resolution, and whether to use MixUp regularization [59]. We use BiT-HyperRule for over 20 tasks in this paper, with training sets ranging from 1 example per class to over 1M total examples. The exact settings for BiT-HyperRule are presented in Sect. 3.3.

During fine-tuning, we use the following standard data pre-processing: we resize the image to a square, crop out a smaller random square, and randomly horizontally flip the image at training time. At test time, we only resize the image to a fixed size. In some tasks horizontal flipping or cropping destroys the label semantics, making the task impossible. An example is if the label requires predicting object orientation or coordinates in pixel space. In these cases we omit flipping or cropping when appropriate.

Recent work has shown that existing augmentation methods introduce inconsistency between training and test resolutions for CNNs [49]. Therefore, it is common to scale up the resolution by a small factor at test time. As an alternative, one can add a step at which the trained model is fine-tuned to the test

resolution [49]. The latter is well-suited for transfer learning; we include the resolution change during our fine-tuning step.

We found that MixUp [59] is not useful for pre-training BiT, likely due to the abundance of data. However, it is sometimes useful for transfer. Interestingly, it is most useful for mid-sized datasets, and not for few-shot transfer, see Sect. 3.3 for where we apply MixUp.

Surprisingly, we do not use any of the following forms of regularization during downstream tuning: weight decay to zero, weight decay to initial parameters [25], or dropout. Despite the fact that the network is very large—BiT has 928 million parameters—the performance is surprisingly good without these techniques and their respective hyperparameters, even when transferring to very small datasets. We find that setting an appropriate schedule length, i.e. training longer for larger datasets, provides sufficient regularization.

3 Experiments

We train three upstream models using three datasets at different scales: BiT-S, BiT-M, and BiT-L. We evaluate these models on many downstream tasks and attain very strong performance on high and low data regimes.

3.1 Data for Upstream Training

BiT-S is trained on the ILSVRC-2012 variant of ImageNet, which contains 1.28 million images and 1000 classes. Each image has a single label. BiT-M is trained on the full ImageNet-21k dataset [6], a public dataset containing 14.2 million images and 21k classes organized by the WordNet hierarchy. Images may contain multiple labels. BiT-L is trained on the JFT-300M dataset [32, 43, 53]. This dataset is a newer version of that used in [4, 13]. JFT-300M consists of around 300 million images with 1.26 labels per image on average. The labels are organized into a hierarchy of 18 291 classes. Annotation is performed using an automatic pipeline, and are therefore imperfect; approximately 20% of the labels are noisy. We remove all images present in downstream test sets from JFT-300M. We provide details in supplementary material. Note: the “-S/M/L” suffix refers to the pre-training datasets size and schedule, not architecture. We train BiT with several architecture sizes, the default (largest) being ResNet152x4.

3.2 Downstream Tasks

We evaluate BiT on long-standing benchmarks: ILSVRC-2012 [6], CIFAR-10/100 [22], Oxford-IIIT Pet [35] and Oxford Flowers-102 [33]. These datasets differ in the total number of images, input resolution and nature of their categories, from general object categories in ImageNet and CIFAR to fine-grained ones in Pets and Flowers. We fine-tune BiT on the official training split and report results on the official *test* split if publicly available. Otherwise, we use the *val* split.

Table 1. Top-1 accuracy for BiT-L on many datasets using a single model and single hyperparameter setting per task (BiT-HyperRule). The entries show median \pm standard deviation across 3 fine-tuning runs. Specialist models are those that condition pre-training on each task, while generalist models, including BiT, perform task-independent pre-training. (*Concurrent work.)

	BiT-L	Generalist SOTA	Specialist SOTA
ILSVRC-2012	87.54 \pm 0.02	86.4 [49]	88.4 [53]*
CIFAR-10	99.37 \pm 0.06	99.0 [14]	-
CIFAR-100	93.51 \pm 0.08	91.7 [47]	-
Pets	96.62 \pm 0.23	95.9 [14]	97.1 [32]
Flowers	99.63 \pm 0.03	98.8 [47]	97.7 [32]
VTAB (19 tasks)	76.29 \pm 1.70	70.5 [50]	-

To further assess the generality of representations learned by BiT, we evaluate on the Visual Task Adaptation Benchmark (VTAB) [58]. VTAB consists of 19 diverse visual tasks, each of which has 1000 training samples (VTAB-1k variant). The tasks are organized into three groups: *natural*, *specialized* and *structured*. The VTAB-1k score is top-1 recognition performance averaged over these 19 tasks. The *natural* group of tasks contains classical datasets of natural images captured using standard cameras. The *specialized* group also contains images captured in the real world, but through specialist equipment, such as satellite or medical images. Finally, the *structured* tasks assess understanding of the structure of a scene, and are mostly generated from synthetic environments. Example structured tasks include object counting and 3D depth estimation.

3.3 Hyperparameter Details

Upstream Pre-training. All of our BiT models use a vanilla ResNet-v2 architecture [11], except that we replace all Batch Normalization [16] layers with Group Normalization [52] and use Weight Standardization [36] in all convolutional layers. See Sect. 4.3 for analysis. We train ResNet-152 architectures in all datasets, with every hidden layer widened by a factor of four (ResNet152x4). We study different model sizes and the coupling with dataset size in Sect. 4.1.

We train all of our models upstream using SGD with momentum. We use an initial learning rate of 0.03, and momentum 0.9. During image preprocessing stage we use image cropping technique from [45] and random horizontal mirroring followed by 224×224 image resize. We train both BiT-S and BiT-M for 90 epochs and decay the learning rate by a factor of 10 at 30, 60 and 80 epochs. For BiT-L, we train for 40 epochs and decay the learning rate after 10, 23, 30 and 37 epochs. We use a global batch size of 4096 and train on a Cloud TPUv3-512 [19], resulting in 8 images per chip. We use linear learning rate warm-up for 5000 optimization steps and multiply the learning rate by $\frac{\text{batch size}}{256}$

Table 2. Improvement in accuracy when pre-training on the public ImageNet-21k dataset over the “standard” ILSVRC-2012. Both models are ResNet152x4.

	ILSVRC-2012	CIFAR-10	CIFAR-100	Pets	Flowers	VTAB-1k
BiT-S (ILSVRC-2012)	81.30	97.51	86.21	93.97	89.89	66.87
BiT-M (ImageNet-21k)	85.39	98.91	92.17	94.46	99.30	70.64
Improvement	+4.09	+1.40	+5.96	+0.49	+9.41	+3.77

following [7]. During pre-training we use a weight decay of 0.0001, but as discussed in Sect. 2, we do not use any weight decay during transfer.

Downstream Fine-Tuning. To attain a low per-task adaptation cost, we do not perform any hyperparameter sweeps downstream. Instead, we present BiT-HyperRule, a heuristic to determine all hyperparameters for fine-tuning. Most hyperparameters are fixed across all datasets, but schedule, resolution, and usage of MixUp depend on the task’s image resolution and training set size.

For all tasks, we use SGD with an initial learning rate of 0.003, momentum 0.9, and batch size 512. We resize input images with area smaller than 96×96 pixels to 160×160 pixels, and then take a random crop of 128×128 pixels. We resize larger images to 448×448 and take a 384×384 -sized crop.¹ We apply random crops and horizontal flips for all tasks, except those for which cropping or flipping destroys the label semantics, we provide details in supplementary material.

For schedule length, we define three scale regimes based on the number of examples: we call *small* tasks those with fewer than 20k labeled examples, *medium* those with fewer than 500k, and any larger dataset is a *large* task. We fine-tune BiT for 500 steps on small tasks, for 10k steps on medium tasks, and for 20k steps on large tasks. During fine-tuning, we decay the learning rate by a factor of 10 at 30%, 60% and 90% of the training steps. Finally, we use MixUp [59], with $\alpha = 0.1$, for medium and large tasks.

3.4 Standard Computer Vision Benchmarks

We evaluate BiT-L on standard benchmarks and compare its performance to the current state-of-the-art results (Table 1). We separate models that perform task-independent pre-training (“general” representations), from those that perform task-dependent auxiliary training (“specialist” representations). The specialist methods condition on a particular task, for example ILSVRC-2012, then train using a large support dataset, such as JFT-300M [32] or Instagram-1B [55]. See discussion in Sect. 5. Specialist representations are highly effective, but require a large training cost *per task*. By contrast, generalized representations require large-scale training *only once*, followed by a cheap adaptation phase.

¹ For our largest R152x4, we increase resolution to 512×512 and crop to 480×480 .




Fig. 2. Experiments in the low data regime. **Left:** Transfer performance of BiT-L. Each point represents the result after training on a balanced random subsample of the dataset (5 subsamples per dataset). The median across runs is highlighted by the curves. The variance across data samples is usually low, with the exception of 1-shot CIFAR-10, which contains only 10 images. **Right:** We summarize the state-of-the-art in semi-supervised learning as reference points. Note that a direct comparison is not meaningful; unlike BiT, semi-supervised methods have access to extra unlabelled data from the training distribution, but they do not make use of out-of-distribution labeled data.

BiT-L outperforms previously reported generalist SOTA models as well as, in many cases, the SOTA specialist models. Inspired by strong results of BiT-L trained on JFT-300M, we also train models on the public ImageNet-21k dataset. This dataset is more than 10 times bigger than ILSVRC-2012, but it is mostly overlooked by the research community. In Table 2 we demonstrate that BiT-M trained on ImageNet-21k leads to substantially improved visual representations compared to the same model trained on ILSVRC-2012 (BiT-S), as measured by all our benchmarks. In Sect. 4.2, we discuss pitfalls that may have hindered wide adoption of ImageNet-21k as a dataset model for pre-training and highlight crucial components of BiT that enabled success on this large dataset.

For completeness, we also report top-5 accuracy on ILSVRC-2012 with median \pm standard deviation format across 3 runs: $98.46\% \pm 0.02\%$ for BiT-L, $97.69\% \pm 0.02\%$ for BiT-M and $95.65\% \pm 0.03\%$ for BiT-S.

3.5 Tasks with Few Datapoints

We study the number of *downstream* labeled samples required to transfer BiT-L successfully. We transfer BiT-L using subsets of ILSVRC-2012, CIFAR-10, and CIFAR-100, down to 1 example per class. We also evaluate on a broader suite of 19 VTAB-1k tasks, each of which has 1000 training examples.

Figure 2 (left half) shows BiT-L using few-shots on ILSVRC-2012, CIFAR-10, and CIFAR-100. We run multiple random subsamples, and plot every trial. Surprisingly, even with very few samples per class, BiT-L demonstrates strong performance and quickly approaches performance of the full-data regime.




Fig. 3. Results on VTAB (19 tasks) with 1000 examples/task, and the current SOTA. It compares methods that sweep few hyperparameters per task: either four hyperparameters in previous work (“4 HPs”) or the single BiT-HyperRule.

In particular, with just 5 labeled samples per class it achieves top-1 accuracy of 72.0% on ILSVRC-2012 and with 100 samples the top-1 accuracy goes to 84.1%. On CIFAR-100, we achieve 82.6% with just 10 samples per class.

Semi-supervised learning also tackles learning with few labels. However, such approaches are not directly comparable to BiT. BiT uses extra labelled out-of-domain data, whereas semi-supervised learning uses extra unlabelled in-domain data. Nevertheless, it is interesting to observe the relative benefits of transfer from out-of-domain labelled data versus in-domain semi-supervised data. In Fig. 2 we show state-of-the-art results from the semi-supervised learning.

Figure 3 shows the performance of BiT-L on the 19 VTAB-1k tasks. BiT-L with BiT-HyperRule substantially outperforms the previously reported state-of-the-art. When looking into performance of VTAB-1k task subsets, BiT is the best on *natural*, *specialized* and *structured* tasks. The recently-proposed VIVI-Ex-100% [50] model that employs video data during upstream pre-training shows very similar performance on the *structured* tasks.

We investigate heavy per-task hyperparameter tuning in supplementary material and conclude that this further improves performance.

3.6 Object Detection

Finally, we evaluate BiT on object detection. We use the COCO-2017 dataset [28] and train a top-performing object detector, RetinaNet [27], using pre-trained BiT models as backbones. Due to memory constraints, we use the ResNet-101x3 architecture for all of our BiT models. We fine-tune the detection models on the COCO-2017 train split and report results on the validation split using the standard metric [28] in Table 3. Here, we do not use BiT-HyperRule, but stick to the standard RetinaNet training protocol, we provide details in supplementary material. Table 3 demonstrates that BiT models outperform standard ImageNet pre-trained models. We can see clear benefits of pre-training on large data beyond ILSVRC-2012: pre-training on ImageNet-21k

Table 3. Object detection performance on COCO-2017 [28] validation data of RetinaNet models with pre-trained BiT backbones and the literature baseline.

Model	Upstream data	AP
RetinaNet [27]	ILSVRC-2012	40.8
RetinaNet (BiT-S)	ILSVRC-2012	41.7
RetinaNet (BiT-M)	ImageNet-21k	43.2
RetinaNet (BiT-L)	JFT-300M	43.8

validation split using the standard metric [28] in Table 3. Here, we do not use BiT-HyperRule, but stick to the standard RetinaNet training protocol, we provide details in supplementary material. Table 3 demonstrates that BiT models outperform standard ImageNet pre-trained models. We can see clear benefits of pre-training on large data beyond ILSVRC-2012: pre-training on ImageNet-21k

results in a 1.5 point improvement in Average Precision (AP), while pre-training on JFT-300M further improves AP by 0.6 points.

4 Analysis

We analyse various components of BiT: we demonstrate the importance of model capacity, discuss practical optimization caveats and choice of normalization layer.

4.1 Scaling Models and Datasets

The general consensus is that larger neural networks result in better performance. We investigate the interplay between model capacity and upstream dataset size on downstream performance. We evaluate the BiT models of different sizes (ResNet-50x1, ResNet-50x3, ResNet-101x1, ResNet-101x3, and ResNet-152x4) trained on ILSVRC-2012, ImageNet-21k, and JFT-300M on various downstream benchmarks. These results are summarized in Fig. 4.

When pre-training on ILSVRC-2012, the benefit from larger models diminishes. However, the benefits of larger models are more pronounced on the larger two datasets. A similar effect is observed when training on Instagram hashtags [30] and in language modelling [20].

Not only is there limited benefit of training a large model size on a small dataset, but there is also limited (or even negative) benefit from training a small model on a larger dataset. Perhaps surprisingly, the ResNet-50x1 model trained on the JFT-300M dataset can even perform worse than the same architecture trained on the smaller ImageNet-21k. Thus, if one uses only a ResNet50x1, one may conclude that scaling up the dataset does not bring any additional benefits. However, with larger architectures, models pre-trained on JFT-300M significantly outperform those pre-trained on ILSVRC-2012 or ImageNet-21k.

Figure 2 shows that BiT-L attains strong results even on tiny downstream datasets. Figure 5 ablates few-shot performance across different pre-training datasets and architectures. In the extreme case of one example per class, larger architectures outperform smaller ones when pre-trained on large upstream data.




Fig. 4. Effect of upstream data (shown on the x-axis) and model size on downstream performance. Note that exclusively using more data or larger models may hurt performance; instead, both need to be increased in tandem.




Fig. 5. Performance of BiT models in the low-data regime. The x-axis corresponds to the architecture, where R is short for ResNet. We pre-train on the three upstream datasets and evaluate on two downstream datasets: ILSVRC-2012 (left) and CIFAR-10 (right) with 1 or 5 examples per class. For each scenario, we train 5 models on random data subsets, represented by the lighter dots. The line connects the medians of these five runs.

Interestingly, on ILSVRC-2012 with few shots, BiT-L trained on JFT-300M outperforms the models trained on the entire ILSVRC-2012 dataset itself. Note that for comparability, the classifier head is re-trained from scratch during fine-tuning, even when transferring ILSVRC-2012 full to ILSVRC-2012 few shot.

4.2 Optimization on Large Datasets

For standard computer vision datasets such as ILSVRC-2012, there are well-known training procedures that are robust and lead to good performance. Progress in high-performance computing has made it feasible to learn from much larger datasets, such as ImageNet-21k, which has 14.2M images compared to ILSVRC-2012’s 1.28M. However, there are no established procedures for training from such large datasets. In this section we provide some guidelines.

Sufficient computational budget is crucial for training performant models on large datasets. The standard ILSVRC-2012 training schedule processes roughly 100 million images (1.28M images \times 90 epochs). However, if the same computational budget is applied to ImageNet-21k, the resulting model performs worse on ILSVRC-2012, see Fig. 6, left. Nevertheless, as shown in the same figure, by increasing the computational budget, we not only recover ILSVRC-2012 performance, but significantly outperforms it. On JFT-300M the validation error may not improve over a long time—Fig. 6 middle plot, “8 GPU weeks” zoom-in—although the model is still improving as evidenced by the longer time window.

Another important aspect of pre-training with large datasets is the weight decay. Lower weight decay can result in an apparent acceleration of convergence, Fig. 6 rightmost plot. However, this setting eventually results in an underperforming final model. This counter-intuitive behavior stems from the interaction of weight decay and normalization layers [23, 26]. Low weight decay results in growing weight norms, which in turn results in a diminishing effective learning rate. Initially this effect creates an impression of faster convergence, but it




Fig. 6. Left: Applying the “standard” computational budget of ILSVRC-2012 to the larger ImageNet-21k seems detrimental. Only when we train longer (3x and 10x) do we see the benefits of training on the larger dataset. **Middle:** The learning progress of a ResNet-101x3 on JFT-300M seems to be flat even after 8 GPU-weeks, but after 8 GPU-months progress is clear. If one decays the learning rate too early (dashed curve), final performance is significantly worse. **Right:** Faster initial convergence with lower weight decay may trick the practitioner into selecting a sub-optimal value. Higher weight decay converges more slowly, but results in a better final model.

eventually prevents further progress. A sufficiently large weight decay is required to avoid this effect, and throughout we use 10^{-4} .

Finally, we note that in all of our experiments we use stochastic gradient descent with momentum without any modifications. In our preliminary experiments we did not observe benefits from more involved adaptive gradient methods.

4.3 Large Batches, Group Normalization, Weight Standardization

Currently, training on large datasets is only feasible using many hardware accelerators. Data parallelism is the most popular distribution strategy, and this naturally entails large batch sizes. Many known algorithms for training with large batch sizes use Batch Normalization (BN) [16] as a component [7] or even highlight it as the key instrument required for large batch training [5].

Our larger models have a high memory requirement for any single accelerator chip, which necessitates small per-device batch sizes. However, BN performs worse when the number of images on each accelerator is too low [15]. An alternative strategy is to accumulate BN statistics across all of the accelerators. However, this has two major drawbacks. First, computing BN statistics across large batches has been shown to harm generalization [5]. Second, using global BN requires many aggregations across accelerators which incurs significant latency.

We investigated Group Normalization (GN) [52] and Weight Standardization (WS) [36] as alternatives to BN. We tested large batch training using 128 accelerator chips and a batch size of 4096. We found that GN alone does not scale to large batches; we observe a performance drop of 5.4% on ILSVRC-2012 top-1 accuracy compared to using BN in a ResNet-50x1, and less stable training. The addition of WS enables GN to scale to such large batches, stabilizes training, and

Table 4. Top-1 accuracy of ResNet-50 trained from scratch on ILSVRC-2012 with a batch-size of 4096.

	Plain Conv	Weight Std.
Batch Norm.	75.6	75.8
Group Norm.	70.2	76.0

Table 5. Transfer performance of the corresponding models from Table 4 fine-tuned to the 19 VTAB-1k tasks.

	Plain Conv	Weight Std.
Batch Norm.	67.72	66.78
Group Norm.	68.77	70.39

even outperforms BN, see Table 4. We do not have theoretical understanding of this empirical finding.

We are not only interested in upstream performance, but also how models trained with GN and WS transfer. We thus transferred models with different combinations of BN, GN, and WS pre-trained on ILSVRC-2012 to the 19 tasks defined by VTAB. The results in Table 5 indicate that the GN/WS combination transfers better than BN, so we use GN/WS in all BiT models.

5 Related Work

Large-Scale Weakly Supervised Learning of Representations. A number of prior works use large supervised datasets for pre-training visual representations [18, 24, 30, 43]. In [18, 24] the authors use a dataset containing 100M Flickr images [48]. This dataset appears to transfer less well than JFT-300M. While studying the effect of dataset size, [43] show good transfer performance when training on JFT-300M, despite reporting a large degree of noise (20% precision errors) in the labels. An even larger, noisily labelled dataset of 3.5B Instagram images is used in [30]. This increase in dataset size and an improved model architecture [54] lead to better results when transferring to ILSVRC-2012. We show that we can attain even better performance with ResNet using JFT-300M with appropriate adjustments presented in Sect. 2. The aforementioned papers focus on transfer to ImageNet classification, and COCO or VOC detection and segmentation. We show that transfer is also highly effective in the low data regime, and works well on the broader set of 19 tasks in VTAB [58].

Specialized Representations. Rather than pre-train generic representations, recent works have shown strong performance by training task-specific representations [32, 53, 55]. These papers condition on a particular task when training on a large support dataset. [53, 55] train student networks on a large unlabelled support dataset using the predictions of a teacher network trained on the target task. [32] compute importance weights on the a labelled support dataset by conditioning on the target dataset. They then train the representations on the re-weighted source data. Even though these approaches may lead to superior results, they require knowing the downstream dataset in advance and substantial computational resources for each downstream dataset.




Fig. 7. Cases where BiT-L’s predictions (top word) do not match the ground-truth labels (bottom word), and hence are counted as top-1 errors. **Left:** All mistakes on CIFAR-10, colored by whether five human raters agreed with BiT-L’s prediction (green), with the ground-truth label (red) or were unsure or disagreed with both (yellow). **Right:** Selected representative mistakes of BiT-L on ILSVRC-2012. Top group: The model’s prediction is more representative of the primary object than the label. Middle group: According to top-1 accuracy the model is incorrect, but according to top-5 it is correct. Bottom group: The model’s top-10 predictions are incorrect. (Color figure online)

Unsupervised and Semi-Supervised Representation Learning. Self-supervised methods have shown the ability to leverage unsupervised datasets for downstream tasks. For example, [8] show that unsupervised representations trained on 1B unlabelled Instagram images transfer comparably or better than supervised ILSVRC-2012 features. Semi-supervised learning exploits unlabelled data drawn from the same domain as the labelled data. [2, 42] used semi-supervised learning to attain strong performance on CIFAR-10 and SVHN using only 40 or 250 labels. Recent works combine self-supervised and semi-supervised learning to attain good performance with fewer labels on ImageNet [12, 57]. [58] study many representation learning algorithms (unsupervised, semi-supervised, and supervised) and evaluate their representation’s ability to generalize to novel tasks, concluding that a combination of supervised and self-supervised signals works best. However, all models were trained on ILSVRC-2012. We show that supervised pre-training on larger datasets continues to be an effective strategy.

Few-Shot Learning. Many strategies have been proposed to attain good performance when faced with novel classes and only a few examples per class. Meta-learning or metric-learning techniques have been proposed to learn with few or no labels [41, 44, 51]. However, recent work has shown that a simple linear classifier on top of pre-trained representations or fine-tuning can attain similar or better performance [3, 31]. The upstream pre-training and downstream few-shot learning are usually performed on the same domain, with disjoint class labels. In contrast, our goal is to find a generalist representation which works well when transferring to many downstream tasks.

6 Discussion

We revisit classical transfer learning, where a large pre-trained generalist model is fine-tuned to downstream tasks of interest. We provide a simple recipe which exploits large scale pre-training to yield good performance on all of these tasks. BiT uses a clean training and fine-tuning setup, with a small number of carefully selected components, to balance complexity and performance.

In Fig. 7 and supplementary material, we take a closer look at the remaining mistakes that BiT-L makes. In many cases, we see that these label/prediction mismatches are not true ‘mistakes’: the prediction is valid, but it does not match the label. For example, the model may identify another prominent object when there are multiple objects in the image, or may provide a valid classification when the main entity has multiple attributes. There are also cases of label noise, where the model’s prediction is a better fit than the ground-truth label. In a quantitative study, we found that around half of the model’s mistakes on CIFAR-10 are due to ambiguity or label noise (see Fig. 7, left), and in only 19.21% of the ILSVRC-2012 mistakes do human raters clearly agree with the label over the prediction. Overall, by inspecting these mistakes, we observe that performance on the standard vision benchmarks seems to approach a saturation point.

We therefore explore the effectiveness of transfer to two classes of more challenging tasks: classical image recognition tasks, but with very few labelled examples to adapt to the new domain, and VTAB, which contains more diverse tasks, such as spatial localization in simulated environments, and medical and satellite imaging tasks. These benchmarks are much further from saturation; while BiT-L performs well on them, there is still substantial room for further progress.

References

1. Athiwaratkun, B., Finzi, M., Izmailov, P., Wilson, A.G.: There are many consistent explanations of unlabeled data: why you should average. In: ICLR (2019)
2. Berthelot, D., et al.: ReMixMatch: Semi-supervised learning with distribution alignment and augmentation anchoring. arXiv preprint [arXiv:1911.09785](https://arxiv.org/abs/1911.09785) (2019)
3. Chen, W., Liu, Y., Kira, Z., Wang, Y.F., Huang, J.: A closer look at few-shot classification. In: ICLR (2019)
4. Chollet, F.: Xception: deep learning with depthwise separable convolutions. In: CVPR (2017)

5. De, S., Smith, S.L.: Batch normalization has multiple benefits: an empirical study on residual networks (2020). <https://openreview.net/forum?id=BJeVklHtPr>
6. Deng, J., Dong, W., Socher, R., Li, L.J., Li, K., Fei-Fei, L.: Imagenet: a large-scale hierarchical image database. In: CVPR (2009)
7. Goyal, P., et al.: Accurate, large minibatch sgd: training imagenet in 1 h. arXiv preprint [arXiv:1706.02677](https://arxiv.org/abs/1706.02677) (2017)
8. He, K., Fan, H., Wu, Y., Xie, S., Girshick, R.: Momentum contrast for unsupervised visual representation learning. arXiv preprint [arXiv:1911.05722](https://arxiv.org/abs/1911.05722) (2019)
9. He, K., Girshick, R., Dollár, P.: Rethinking imagenet pre-training. In: ICCV (2019)
10. He, K., Zhang, X., Ren, S., Sun, J.: Deep residual learning for image recognition. In: CVPR (2016)
11. He, K., Zhang, X., Ren, S., Sun, J.: Identity mappings in deep residual networks. In: Leibe, B., Matas, J., Sebe, N., Welling, M. (eds.) ECCV 2016. LNCS, vol. 9908, pp. 630–645. Springer, Cham (2016). https://doi.org/10.1007/978-3-319-46493-0_38
12. Hénaff, O.J., Razavi, A., Doersch, C., Eslami, S., van den Oord, A.: Data-efficient image recognition with contrastive predictive coding. arXiv preprint [arXiv:1905.09272](https://arxiv.org/abs/1905.09272) (2019)
13. Hinton, G., Vinyals, O., Dean, J.: Distilling the knowledge in a neural network. arXiv preprint [arXiv:1503.02531](https://arxiv.org/abs/1503.02531) (2015)
14. Huang, Y., et al.: GPipe: Efficient training of giant neural networks using pipeline parallelism. arXiv preprint [arXiv:1811.06965](https://arxiv.org/abs/1811.06965) (2018)
15. Ioffe, S.: Batch renormalization: towards reducing minibatch dependence in batch-normalized models. In: Guyon, I., et al. (eds.) Advances in Neural Information Processing Systems 30, pp. 1945–1953. Curran Associates, Inc. (2017)
16. Ioffe, S., Szegedy, C.: Batch normalization: accelerating deep network training by reducing internal covariate shift. In: ICML (2015)
17. Izmailov, P., Podoprikin, D., Garipov, T., Vetrov, D., Wilson, A.G.: Averaging weights leads to wider optima and better generalization. arXiv preprint [arXiv:1803.05407](https://arxiv.org/abs/1803.05407) (2018)
18. Joulin, A., van der Maaten, L., Jabri, A., Vasilache, N.: Learning visual features from large weakly supervised data. In: Leibe, B., Matas, J., Sebe, N., Welling, M. (eds.) ECCV 2016. LNCS, vol. 9911, pp. 67–84. Springer, Cham (2016). https://doi.org/10.1007/978-3-319-46478-7_5
19. Jouppi, N.P., et al.: In-datacenter performance analysis of a tensor processing unit. In: International Symposium on Computer Architecture (ISCA) (2017)
20. Kaplan, J., et al.: Scaling laws for neural language models. arXiv preprint [arXiv:2001.08361](https://arxiv.org/abs/2001.08361) (2020)
21. Kingma, D.P., Ba, J.: Adam: A method for stochastic optimization. arXiv preprint [arXiv:1412.6980](https://arxiv.org/abs/1412.6980) (2014)
22. Krizhevsky, A.: Learning multiple layers of features from tiny images. University of Toronto, Technical report (2009)
23. van Laarhoven, T.: L2 regularization versus batch and weight normalization. CoRR (2017)
24. Li, A., Jabri, A., Joulin, A., van der Maaten, L.: Learning visual n-grams from web data. In: ICCV (2017)
25. Li, X., Grandvalet, Y., Davoine, F.: Explicit inductive bias for transfer learning with convolutional networks. In: ICML (2018)
26. Li, Z., Arora, S.: An exponential learning rate schedule for deep learning. arXiv preprint [arXiv:1910.07454](https://arxiv.org/abs/1910.07454) (2019)
27. Lin, T.Y., Goyal, P., Girshick, R., He, K., Dollár, P.: Focal loss for dense object detection. In: ICCV (2017)

28. Lin, T.-Y., et al.: Microsoft COCO: common objects in context. In: Fleet, D., Pajdla, T., Schiele, B., Tuytelaars, T. (eds.) ECCV 2014. LNCS, vol. 8693, pp. 740–755. Springer, Cham (2014). https://doi.org/10.1007/978-3-319-10602-1_48
29. Loshchilov, I., Hutter, F.: Sgdr: Stochastic gradient descent with warm restarts. arXiv preprint [arXiv:1608.03983](https://arxiv.org/abs/1608.03983) (2016)
30. Mahajan, D., et al.: Exploring the limits of weakly supervised pretraining. In: Ferrari, V., Hebert, M., Sminchisescu, C., Weiss, Y. (eds.) ECCV 2018. LNCS, vol. 11206, pp. 185–201. Springer, Cham (2018). https://doi.org/10.1007/978-3-030-01216-8_12
31. Nakamura, A., Harada, T.: Revisiting fine-tuning for few-shot learning. arXiv preprint [arXiv:1910.00216](https://arxiv.org/abs/1910.00216) (2019)
32. Ngiam, J., Peng, D., Vasudevan, V., Kornblith, S., Le, Q.V., Pang, R.: Domain adaptive transfer learning with specialist models. [arXiv:1811.07056](https://arxiv.org/abs/1811.07056) (2018)
33. Nilsback, M.E., Zisserman, A.: Automated flower classification over a large number of classes. In: Indian Conference on Computer Vision, Graphics and Image Processing (2008)
34. Pan, S.J., Yang, Q.: A survey on transfer learning. *IEEE Trans. Knowl. Data Eng.* (2009)
35. Parkhi, O.M., Vedaldi, A., Zisserman, A., Jawahar, C.V.: Cats and dogs. In: CVPR (2012)
36. Qiao, S., Wang, H., Liu, C., Shen, W., Yuille, A.: Weight standardization. arXiv preprint [arXiv:1903.10520](https://arxiv.org/abs/1903.10520) (2019)
37. Raghu, M., Zhang, C., Kleinberg, J., Bengio, S.: Transfusion: Understanding transfer learning with applications to medical imaging. [arXiv:1902.07208](https://arxiv.org/abs/1902.07208) (2019)
38. Rosenfeld, J.S., Rosenfeld, A., Belinkov, Y., Shavit, N.: A constructive prediction of the generalization error across scales. In: ICLR (2020)
39. Russakovsky, O., et al.: ImageNet large scale visual recognition challenge. *Int. J. Comput. Vis.* **115**(3), 211–252 (2015). <https://doi.org/10.1007/s11263-015-0816-y>
40. Simonyan, K., Zisserman, A.: Very deep convolutional networks for large-scale image recognition. arXiv preprint [arXiv:1409.1556](https://arxiv.org/abs/1409.1556) (2014)
41. Snell, J., Swersky, K., Zemel, R.: Prototypical networks for few-shot learning. In: NIPS (2017)
42. Sohn, K., et al.: Fixmatch: Simplifying semi-supervised learning with consistency and confidence. arXiv preprint [arXiv:2001.07685](https://arxiv.org/abs/2001.07685) (2020)
43. Sun, C., Shrivastava, A., Singh, S., Gupta, A.: Revisiting unreasonable effectiveness of data in deep learning era. In: ICCV (2017)
44. Sung, F., Yang, Y., Zhang, L., Xiang, T., Torr, P.H., Hospedales, T.M.: Learning to compare: Relation network for few-shot learning. In: CVPR (2018)
45. Szegedy, C., et al.: Going deeper with convolutions. In: CVPR (2015)
46. Szegedy, C., Vanhoucke, V., Ioffe, S., Shlens, J., Wojna, Z.: Rethinking the inception architecture for computer vision. In: CVPR (2016)
47. Tan, M., Le, Q.: Efficientnet: rethinking model scaling for convolutional neural networks. In: ICML (2019)
48. Thomee, B., et al.: Yfcc100m: The new data in multimedia research. arXiv preprint [arXiv:1503.01817](https://arxiv.org/abs/1503.01817) (2015)
49. Touvron, H., Vedaldi, A., Douze, M., Jégou, H.: Fixing the train-test resolution discrepancy. In: NeurIPS (2019)
50. Tschannen, M., et al.: Self-supervised learning of video-induced visual invariances. In: Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition (CVPR), June 2020

51. Vinyals, O., Blundell, C., Lillicrap, T., Wierstra, D., et al.: Matching networks for one shot learning. In: NIPS (2016)
52. Wu, Y., He, K.: Group normalization. In: Ferrari, V., Hebert, M., Sminchisescu, C., Weiss, Y. (eds.) ECCV 2018. LNCS, vol. 11217, pp. 3–19. Springer, Cham (2018). https://doi.org/10.1007/978-3-030-01261-8_1
53. Xie, Q., Hovy, E., Luong, M.T., Le, Q.V.: Self-training with noisy student improves imagenet classification. arXiv preprint [arXiv:1911.04252](https://arxiv.org/abs/1911.04252) (2019)
54. Xie, S., Girshick, R., Dollár, P., Tu, Z., He, K.: Aggregated residual transformations for deep neural networks. In: CVPR (2017)
55. Yalniz, I.Z., Jégou, H., Chen, K., Paluri, M., Mahajan, D.: Billion-scale semi-supervised learning for image classification. arXiv preprint [arXiv:1905.00546](https://arxiv.org/abs/1905.00546) (2019)
56. Yun, S., Han, D., Oh, S.J., Chun, S., Choe, J., Yoo, Y.: Cutmix: Regularization strategy to train strong classifiers with localizable features. arXiv preprint [arXiv:1905.04899](https://arxiv.org/abs/1905.04899) (2019)
57. Zhai, X., Oliver, A., Kolesnikov, A., Beyer, L.: S⁴L: self-supervised semi-supervised learning. In: ICCV (2019)
58. Zhai, X., et al.: A large-scale study of representation learning with the visual task adaptation benchmark. arXiv preprint [arXiv:1910.04867](https://arxiv.org/abs/1910.04867) (2019)
59. Zhang, H., Cisse, M., Dauphin, Y.N., Lopez-Paz, D.: mixup: Beyond empirical risk minimization. In: ICLR (2017)