

## Luffa operculata

Wild loofa(h) [Luffa operculata (L.) Cogn. (Momordica operculata L.)]

David S. Riley

Important Proving Symptoms and Themes Noted by the Investigators Internal discontent with irritability, impatience, brooding, and aversion to company. Loquacity and desiring to talk or to write. Dreams or delusions of war, fighting, killing or murdering, and death. Increased energy but also weakness and weariness. Motion ameliorates. Thirst for cold drinks. Nausea. Constriction under the sternum associated with fear, anxiety, or pain.

Mind Anger before menses. Anxiety with restlessness. Brooding. Aversion to company. Courageous behavior alternating with timidity. Delusions of being at war, of another person being in the next room. Discontented with self. Fear of insanity. Impatient and irritable. Cheerful talking and desiring to talk with someone. Memory weakness and mistakes with numbers. Thoughts too rapid to write. Desire for cursive writing. Tearful mood.

Vertigo Light-headed on lying down.

Head Head pain. Dull head pain over the left eye or at the temples. Fullness or heaviness. Flushes of heat to the head alternating with chills. Blinding head pain. Head pain aggravated by reading. Pain in the forehead that extends to the occiput or the sides; or pain in the forehead behind, above, or between the eyes. Pain on the sides about the ears or in spots. Pressing pain in the forehead that extends to the side of the head, or is behind the eyes. Lancinating head pain to the temples or sides.

Eye Moist discharges of clear mucus. Left-sided lacrimation in the morning. Styes, worse on the right side with swelling of the lower lid. Burning pain, especially at the canthi. Dryness of eyes. Itching in the canthi. Pain as from sand. Tired sensation.

Vision Sees spots during headaches.

Proving Director: David S. Riley

Ear Bloody discharge from the right ear after touching the ear.

**Nose** Coryza with bland, clear discharges. Discharges in the morning and evening. Sneezing. Congestion.

**Face** Itching and red discoloration, worse at night. Numbness around the lips during migraine headache.

**Throat** Scratchy sore throat. Raw sensation.

**Stomach** Nausea better after eating, after stool, with headache, or with abdominal pain. Increased appetite. Thirst for cold drinks.

**Abdomen** Abdominal pain. Cramping in the hypogastrium when walking. Pain from incarcerated gas. Shooting, stitching pain in the inguinal or liver area. Flatulence. Hard distention with rumbling. Anxiety in the abdomen. Constriction that extends to the chest.

**Rectum** Constipation associated with flatus or with straining or without urge. Itching from external hemorrhoids like grapes. Offensive flatus.

**Stool** Frequent, hard stools. Green stool. Offensive stools. Stools like balls.

**Bladder** Increased urge to urinate in the morning. Frequent urination.

**Female** Uterine cramps, worse before menses. Short, scanty menstrual flow or cycle appearing early.

Respiration Snoring.

**Chest** Painful constriction under the sternum with anxiety and fear. Palpitations when in bed at night. Painful pimples and eruptions in the left axilla area.

**Back** Spasmodic, aching and drawing pains in the lumbar area. Shivering down the spine. Back pain during stool.

**Extremities** Numbness of fingers with a migraine. Trembling of the hands and legs with excessive physical energy, better for motion. Twitching in the foot and leg while in bed on falling asleep. Deep aching in the joints.

**Sleep** Prefers to sleep on the left side. Difficulty falling asleep.

**Dreams** Many dreams. Dreams in vivid colors. Remembered dreams. Dreams of death, disease, killing, murdering one's father, or painful events.

159 47

Perspiration Pungent perspiration.

Skin Eruptions of hard, painful pimples. Sensitive in spots.

Generalities Motion ameliorates. Increased or decreased energy. Weakness and light-headedness with surges of energy or decreased physical energy. Fatigue in the afternoon. Desire for fried foods like potatoes or eggs. Chilliness. Desire for open air.