




Round-Optimal Byzantine Agreement

Diana Ghinea¹, Vipul Goyal², and Chen-Da Liu-Zhang³ 

¹ ETH Zurich, Zürich, Switzerland
ghinead@ethz.ch

² Carnegie Mellon University and NTT Research, Pittsburgh, USA
vipul@cmu.edu

³ Carnegie Mellon University, Pittsburgh, USA
cliuzhan@andrew.cmu.edu

Abstract. Byzantine agreement is a fundamental primitive in cryptography and distributed computing, and minimizing its round complexity is of paramount importance. It is long known that any randomized r -round protocol must fail with probability at least $(c \cdot r)^{-r}$, for some constant c , when the number of corruptions is linear in the number of parties, $t = \theta(n)$. On the other hand, current protocols fail with probability at least 2^{-r} . Whether we can match the lower bound agreement probability remains unknown.

In this work, we resolve this long-standing open question. We present a protocol that matches the lower bound up to constant factors. Our results hold under a (strongly rushing) adaptive adversary that can corrupt up to $t = (1 - \epsilon)n/2$ parties, and our protocols use a public-key infrastructure and a trusted setup for unique threshold signatures. This is the first protocol that decreases the failure probability (overall) by a *super-constant* factor per round.

1 Introduction

Byzantine agreement (BA) is an essential building block and an extensively studied problem in distributed protocols: it allows a set of n parties to achieve agreement on a common value even when up to t of the parties may arbitrarily deviate from the protocol. BA was first formalized in the seminal work of Lamport et al. [LSP82], and since then, it has been the subject of a huge line of work (e.g. [DS83, PW96, FM97, CL99, KK06]).

A crucial efficiency metric for distributed protocols is their round complexity. That is, the number of synchronous communication rounds that are needed for a protocol to terminate. As shown by Dolev and Strong [DS83], any deterministic protocol for BA requires at least $t + 1$ rounds. Fortunately, the seminal results of Ben-Or [Ben83] and Rabin [Rab83] show that such limitation can be

V. Goyal and C.-D. Liu-Zhang—Supported in part by the NSF award 1916939, DARPA SIEVE program, a gift from Ripple, a DoE NETL award, a JP Morgan Faculty Fellowship, a PNC center for financial services innovation award, and a Cylab seed funding award.

circumvented by the use of randomization. In this regime, there are protocols that achieve *expected constant* number of rounds [FM97, KK06].

It is also known that any r -round randomized protocol must fail with probability at least $(c \cdot r)^{-r}$, for some constant c , when the number of corruptions, $t = \theta(n)$, is linear in the number of parties [KY84, CMS89, CPS19].

The seminal work of Feldman and Micali (FM) [FM97] introduced an unconditional protocol, secure up to $t < n/3$ corruptions, that achieves agreement in $O(r)$ rounds except with probability 2^{-r} . Assuming an initial trusted setup and for the case of binary input domain, the protocol requires $2r$ rounds to achieve the same agreement probability. Despite the extensive line of works [FG03, KK06, CM19, MV17, ADD+19] improving different parameters of the original FM protocol, the agreement probability was not improved until the very recent work of Fitzi, Liu-Zhang and Loss [FLL21], which showed a binary BA protocol that uses a trusted setup and requires $r+1$ rounds to achieve agreement except with probability 2^{-r} .

To the best of our knowledge, up to date, there is no r -round protocol that fails with probability less than 2^{-r} after r rounds.

It is therefore natural to ask whether one can achieve a protocol that increases the agreement probability by more than a constant per round, hopefully matching the known lower bounds. Concretely, we ask whether one can achieve a round-optimal Byzantine agreement given a target probability of error; alternatively achieving the optimal probability within a fixed number of rounds r :

Is there an r -round BA protocol that achieves agreement except with probability $(c \cdot r)^{-r}$, for some constant c , and secure up to some $t = \theta(n)$ corruptions?

We answer this question in the affirmative. We show an optimal protocol up to constants. Concretely, our protocol achieves the optimal agreement probability and simultaneous termination¹ within $3r + 1$ rounds and is secure against a strongly rushing adaptive adversary that can corrupt any $t = (1 - \epsilon)n/2$ parties, for any constant $\epsilon > 0$, assuming a public-key infrastructure (PKI) setup and a trusted setup for unique threshold signatures.

Note that, to the best of our knowledge, this is the first protocol that decreases the failure probability (overall) by a **super-constant** factor per round. No previous r -round protocol achieved less than 2^{-r} failure probability, even for any setup assumptions, and even against a static adversary corrupting up to any fraction $t = \theta(n)$ of parties.

1.1 Technical Overview

We give an overview of the main techniques used in our protocol.

Expand-and-Extract. Our starting point is the recent work by Fitzi, Liu-Zhang and Loss [FLL21], where the authors provide a new elegant way to design round-efficient BA protocols, called Expand-and-Extract.

¹ All parties simultaneously terminate in the same round.

The Expand-and-Extract iteration paradigm consists of three steps. The first step is an expansion step, where an input bit is expanded into a value with range ℓ , via a so-called Proxcensus protocol. This protocol guarantees that the outputs of honest parties lie within two consecutive values (see Definition 2).

The second step is a multi-valued coin-flip, and the last step is an extraction technique, where the output bit is computed from the coin and the output of Proxcensus. The steps are designed such that parties are guaranteed to reach agreement except with probability $1/\ell$, assuming that the coin returns a common uniform ℓ -range value. See Sect. 3 for a recap.

Our main technical contribution is a new Proxcensus protocol that expands the input bit into $\ell = (c \cdot r)^r$ values in $3r$ rounds, for any $t = (1 - \epsilon)n/2$ corruptions, for some constant c that depends on ϵ . Combining this with a 1-round coin-flip protocol [CKS05, LJY14], which can be instantiated using a trusted setup for unique threshold signatures, the desired result follows.

Round-Optimal Proxcensus. The protocol starts by positioning the honest parties into one of the extremes of a large interval $[0, M]$ of natural values (for some large value M specified below). If the input of party P_i is $x_i = 0$, then P_i positions himself in value 0, and if the input is $x_i = 1$, then P_i positions himself in the value $v = M$.

The protocol then proceeds in iterations of 3 rounds each. At each iteration, each party P_i distributes its current value within the interval, and updates its value according to some deterministic function f . Importantly, each iteration guarantees that the values between any two honest parties get closer (overall) by a *super-constant* factor. Concretely, we achieve a protocol in which, after any sufficiently large number L of iterations, the distance between any two honest values is roughly at most L . By setting the initial range to $M \approx L^{L+1}$ values, we can group every L consecutive values into batches, to obtain a total of roughly L^L batches, which will constitute the output values for the Proxcensus protocol.

To handle this high number of values, we will need to devise two ingredients: a mechanism that limits the adversary’s cheating capabilities, and a function f that allows the iteration-outputs of the honest parties to get closer, even when the function is evaluated on sets of values that are different (in a limited way).

Cheating-Limitation Mechanism. We specify a mechanism that, for each party \tilde{P} , allows honest parties to decide at a specific iteration whether to take into account the value received from \tilde{P} or not. This mechanism provides two guarantees. First, if there is an honest party P_i that takes into account the value received from \tilde{P} , and another honest party P_j that does not, then \tilde{P} is necessarily corrupted and all honest parties will ignore \tilde{P} ’s values in all future iterations. Second, if all honest parties consider the value received by \tilde{P} , then \tilde{P} actually distributed the same consistent value to all honest parties.

These two guarantees have the effect that any corrupted party can cause differences between the values taken into consideration by honest parties **at most once**. That is, the amount of discrepancy between any two honest parties

depends on the actual number of corrupted parties that actively cheated in that iteration.

In order to implement such a mechanism, we introduce a modification of the well-known graded broadcast [FM97] primitive, which we denote *conditional graded broadcast*. In this primitive, the sender has an input to be distributed, and every recipient holds an input bit b_i . The primitive then achieves the same properties as graded broadcast, but with a few differences. When all honest parties have as input $b_i = 0$, then the output of all honest parties has grade 0 (we call this property “no honest participation”). Moreover, even when a subset of honest parties have $b_i = 0$, graded consistency is achieved. See Definition 3 for more details and Sect. 4 for a construction.

The mechanism can then be implemented as follows. Each party P_i keeps track of a set of corrupted parties \mathcal{C} that it identified as corrupted. At each iteration, P_i distributes its current value x_i via a conditional graded broadcast; P_i only considers those values that have grade 1 or 2 to update its value via the function f , and ignores the values with grade 0. On top of that, P_i updates its local set \mathcal{C} with those parties that sent grade 0 or 1 (these parties are guaranteed to be corrupted by the graded broadcast primitive). Moreover, P_i sets $b_i = 0$ in any future conditional graded broadcast from any sender in \mathcal{C} .

Observe that if a dishonest sender \tilde{P} distributes values such that an honest party P_i takes into account the value from \tilde{P} (P_i receives grade at least 1), and another honest party P_j does not consider \tilde{P} 's value (P_j gets grade 0), then necessarily \tilde{P} is corrupted, and all honest parties add \tilde{P} to their corrupted sets (this is because P_j got grade 0, so graded broadcast guarantees that no honest party gets grade 2). It follows by “no honest participation” that all values from \tilde{P} will be ignored in future iterations. Moreover, if all honest parties take into account the value from \tilde{P} , it means no honest party received grade 0, and therefore all parties obtain the same value (with grade 1 or 2). Note that in this case, \tilde{P} can still distribute values that are considered in further iterations; however it did not cause discrepancies in the current iteration.

Deterministic Function f . With the above mechanism, we reach a situation where at each iteration it , the set of values considered by different honest parties P_i and P_j differ in at most l_{it} values, where l_{it} is the number of corrupted parties that distributed grade 1 to a party and grade 0 to the other party.

In order to compute the updated value, P_i discards the lowest and the highest $t - c$ values from the set of considered values (those with grade at least 1), where c represents the number of values received with grade 0. Then, the new value is computed as the average of the remaining values.

Observe that because those c parties (that sent grade 0) are corrupted, then among the $n - c$ parties at most $t - c$ are corrupted. This implies that the updated value is always within the range of values from honest parties. Moreover, if the adversary doesn't distribute different values at an iteration, the honest parties' updated values will be the same, and will never diverge again.

With technical combinatorial lemmas (see Lemmas 6 and 7), we will show that with this deterministic update function, the distance between any two honest parties' updated values decreases by a factor proportional to the number of corrupted parties l_{it} . After L iterations, and bounding the sum of l_{it} terms by the corruption threshold t , we will show that the distance between honest values is bounded by $M \cdot (\frac{n-2t}{t} \cdot L)^{-L} + L$. Hence, by grouping every $2L$ consecutive values, we will be able to handle approximately $(\frac{n-2t}{t} \cdot L)^L = (\frac{2\epsilon}{1-\epsilon} \cdot L)^L$ values in Proxcensus within $3L$ rounds when $t = (1 - \epsilon)n/2$. See more details in Sect. 5.

1.2 Related Work

The literature on round complexity of Byzantine agreement is huge, and different protocols achieve different levels of efficiency depending on many aspects, including the setup assumptions, the corruption threshold, input domain, etc.

In the following, we focus on the round-complexity of binary BA protocols, noting that these can be extended to multivalued BA using standard techniques [TC84], at the cost of an additional 2 rounds in the $t < n/3$ case, and 3 rounds in the $t < n/2$ case. Some of the constructions also use an ideal 1-round coin-flip protocol with no error nor bias, which can be instantiated using a trusted setup for unique threshold signatures [CKS05,LJY14].

Feldman and Micali [FM97] gave an unconditional protocol for $t < n/3$ with expected constant number of rounds. This protocol achieves agreement in $O(r)$ rounds except with probability 2^{-r} . Assuming an ideal coin, the protocol achieves the same agreement probability within (the smaller number of) $2r$ rounds for binary inputs.

Fitzi and Garay [FG03] gave the first expected constant-round protocol for $t < n/2$ assuming a PKI, under specific number-theoretic assumptions. This result was later improved by Katz and Koo [KK06], where they gave a protocol relying solely on a PKI. Assuming threshold signatures, Abraham et al. [ADD+19] extended the above results to achieve the first expected constant-round BA with expected $O(n^2)$ communication complexity, improving the communication complexity by a linear factor. These protocols can be adapted to achieve in $O(r)$ rounds agreement except with probability 2^{-r} . The concrete efficiency was improved by Micali and Vaikuntanathan [MV17], where the authors achieve agreement in $2r$ rounds except with probability 2^{-r} , assuming an ideal coin for binary inputs.

Recently, Fitzi, Liu-Zhang and Loss [FLL21] generalized the Feldman and Micali iteration paradigm, and gave improvements in the concrete efficiency of fixed-round protocols, assuming an ideal coin. For binary inputs, the protocols incur a total of $r+1$ rounds for $t < n/3$, and $\frac{3}{2}r$ for $t < n/2$, to achieve agreement except with probability 2^{-r} .

A line of work focused on achieving round-efficient solutions for *broadcast*, the single-sender version of BA, in the dishonest majority setting [GKKO07, FN09, CPS20, WXSD20, WXDS20].

Karlin and Yao [KY84], and also Chor, Merritt and Shmoys [CMS89] showed that any r -round randomized protocol must fail with probability at least $(c \cdot r)^{-r}$,

for some constant c , when the number of corruptions, $t = \theta(n)$, is linear in the number of parties. This bound was extended to the asynchronous model by Attiya and Censor-Hillel [AC10].

Protocols with *expected* constant round complexity have probabilistic termination, where parties (possibly) terminate at different rounds. It is known that composing such protocols in a round-preserving fashion is non-trivial. Several works analyzed protocols with respect to parallel composition [Ben83, FG03], sequential composition [LLR06], and universal composition [CCGZ16, CCGZ17].

Cohen et al. [CHM+19] showed lower bounds for Byzantine agreement with probabilistic termination. The authors give bounds on the probability to terminate after one and two rounds. In particular, for a large class of protocols and a combinatorial conjecture, the halting probability after the second round is $o(1)$ (resp. $1/2 + o(1)$) for the case where there are up to $t < n/3$ (resp. $t < n/4$) corruptions.

2 Model and Definitions

We consider a setting with n parties $\mathcal{P} = \{P_1, P_2, \dots, P_n\}$.

2.1 Communication and Adversary Model

Parties have access to a complete network of point-to-point authenticated channels. The network is *synchronous*, meaning that any message sent by an honest party is delivered within a known amount of time. In this setting, protocols are typically described in rounds.

We consider an adaptive adversary that can corrupt up to t parties at any point in the protocol's execution, causing them to deviate arbitrarily from the protocol. Moreover, the adversary is strongly rushing: it can observe the messages sent by honest parties in a round before choosing its own messages for that round, and, when an honest party sends a message during some round, it can immediately corrupt that party and replace the message with another of its choice.

2.2 Cryptographic Primitives

Public-Key Infrastructure. We assume that all the parties have access to a public key infrastructure (PKI). That is, parties hold the same vector of public keys $(pk_1, pk_2, \dots, pk_n)$, and each honest party P_i holds the secret key sk_i associated with pk_i .²

A signature on a value v using secret key sk is computed as $\sigma \leftarrow \text{Sign}_{sk}(v)$; a signature is verified relative to public key pk by calling $\text{Ver}_{pk}(v, \sigma)$. For simplicity, we assume in our proofs that the signatures are perfectly unforgeable. When

² This is a *bulletin-board* PKI, where the keys from corrupted parties can be chosen adversarially. See [BCG21] for a nice discussion.

replacing the signatures with real-world instantiations, the results hold except with a negligible failure probability.

Coin-Flip. Parties have access to an ideal coin-flip protocol `CoinFlip` that gives the parties a common uniform random value (in some range depending on the protocol of choice). This value remains uniform from the adversary’s view until the first honest party has queried `CoinFlip`. Such a primitive can be achieved from a trusted setup of unique threshold signatures [CKS05,LJY14].

2.3 Agreement Primitives

Byzantine Agreement. We first recall the definition of Byzantine agreement.

Definition 1 (Byzantine Agreement). *A protocol Π where initially each party P_i holds an input value $x_i \in \{0, 1\}$ and terminates upon generating an output y_i is a Byzantine agreement protocol, resilient against t corruptions, if the following properties are satisfied whenever up to t parties are corrupted:*

- *Validity:* If all honest parties have as input x , then every honest party outputs $y_i = x$.
- *Consistency:* Any two honest parties P_i and P_j output the same value $y_i = y_j$.

Proxcensus. Relaxations of Byzantine agreement have been proposed in the past, where the output value is typically augmented with a *grade*, indicating the level of agreement achieved in the protocol (see e.g. [FM97]). Proxcensus [CFF+05,FLL21] can be seen as a generalization of these primitives, where the grade is an arbitrary but finite domain. We consider a simplified version of the definition of Proxcensus [FLL21], to the case where the input is binary.

Definition 2 (Binary Proxcensus). *Let $\ell \geq 2$ be a natural number. A protocol Π where initially each party P_i holds an input bit $x_i \in \{0, 1\}$ and terminates upon generating an output $y_i \in \{0, 1, \dots, \ell - 1\}$ is a binary Proxcensus protocol with ℓ slots, resilient against t corruptions, if the following properties are satisfied whenever up to t parties are corrupted:*

- *Validity:* If all honest parties input $x_i = 0$ (resp. $x_i = 1$), then every honest party outputs $y_i = 0$ (resp. $y_i = \ell - 1$).
- *Consistency:* The outputs of any two honest parties P_i and P_j lie within two consecutive slots. That is, there exists a value $v \in \{0, 1, \dots, \ell - 2\}$ such that each honest party P_i outputs $y_i \in \{v, v + 1\}$.

Conditional Graded Broadcast. Graded broadcast [FM97, KK06, Fit03] is a relaxed version of broadcast. The primitive allows a sender to distribute a value to n recipients, each with a grade of confidence.

In our protocols, it will be convenient to have a slightly modified version of graded broadcast, where each party P_i has an additional bit b_i , which intuitively indicates whether P_i will send any message during the protocol. There are two main differences with respect to the usual graded broadcast definition. First, if

all honest parties have $b_i = 0$ as input, then all honest parties output some value with grade 0. Second, we require the usual graded consistency property in the dishonest sender case even when any subset of honest parties have $b_i = 0$.

Definition 3. A protocol Π where initially a designated party P_s (called the sender) holds a value x , each party P_i holds a bit b_i , and each party P_i terminates upon generating an output pair (y_i, g_i) with $g_i \in \{0, 1, 2\}$, is a conditional graded broadcast protocol resilient against t corruptions if the following properties hold whenever up to t parties are corrupted:

1. *Conditional Validity:* If P_s is honest and each honest party has $b_i = 1$, then every honest party outputs $(x, 2)$.
2. *Conditional Graded Consistency:* For any two honest parties P_i and P_j :
 - $|g_i - g_j| \leq 1$.
 - If $g_i > 0$ and $g_j > 0$, then $y_i = y_j$.
3. *No Honest Participation:* If all honest parties input $b_i = 0$, then every honest party outputs $(\perp, 0)$.

Assuming a public-key infrastructure, conditional graded broadcast can be achieved up to $t < n/2$ corruptions in 3 rounds (see Sect. 4).

3 Expand-and-Extract Paradigm

In this section we briefly recap the Expand-and-Extract paradigm, introduced by Fitzi, Liu-Zhang and Loss [FLL21].

The Expand-and-Extract paradigm consists of three steps. The first step is an expansion step, where parties jointly execute an ℓ -slot binary Proxcensus protocol Prox_ℓ . That is, each party P_i has as input bit x_i , and obtains an output $z_i = \text{Prox}_\ell(x_i) \in \{0, 1, \dots, \ell - 1\}$. At this point, the outputs of honest parties satisfy validity and consistency of Proxcensus.

The second step is a multi-valued coin-flip. Let $c_i \in \{0, 1, \dots, \ell - 2\}$ denote the coin value that the parties obtain.

The last step is a cut, where the output bit is computed from the coin c_i and the output z_i of Proxcensus, simply as $y_i = 0$ if $z_i \leq c_i$, and $y_i = 1$ otherwise (Fig. 1).




Fig. 1. Party P_i outputs a slot-value in $\{0, \dots, \ell - 1\}$, and the coin can “cut” the array of slots in any of the $\ell - 2$ intermediate positions (indicated with dotted lines). If the obtained value lies on the left of the cut made by c_i (indicated with a red line), the output is $y_i = 0$. Otherwise, the output is $y_i = 1$.

Assuming that the coin is ideal (no error and no bias), i.e. returns a common uniform value in the range $\{0, 1, \dots, \ell - 2\}$, it is easy to see that parties reach agreement except with probability $1/(\ell - 1)$:

- If all honest parties have input $x_i = 0$, then after the first step the output of Proxcensus is $z_i = 0$, and the final output is $y_i = 0$ no matter what the coin value is. Similarly, if the input is $x_i = 1$, then $z_i = \ell - 1$ and the output is $y_i = 1$ because the largest coin value is $\ell - 2$.
- Moreover, since honest parties lie in two adjacent slots after the invocation of Prox_ℓ , there is only one possible coin value (out of $\ell - 1$) that lead to parties having different inputs.

We formally describe the protocol below.

Protocol $\Pi_{\text{EE}}^\ell(P_i)$

Let $\ell \geq 2$ be a natural number. The protocol is described from the point of view of party P_i , with input bit $x_i \in \{0, 1\}$.

- 1: $z_i = \text{Prox}_\ell(x_i)$
- 2: $c_i = \text{CoinFlip}$
- 3: **if** $z_i \leq c_i$ **then**
- 4: Output 0
- 5: **else**
- 6: Output 1
- 7: **end if**

Theorem 1 ([FLL21]). *Let $t < n$. Let Prox_ℓ be an ℓ -slot Proxcensus protocol, and CoinFlip be an $(\ell - 1)$ -valued ideal Coin-Flip protocol, secure up to t corruptions. Then, protocol Π_{EE}^ℓ achieves binary Byzantine Agreement against an adaptive, strongly rushing adversary with probability $1 - \frac{1}{\ell-1}$.*

4 Conditional Graded Broadcast

We describe our conditional graded broadcast protocol below, which is based on previous graded broadcast protocols [MV17, FLL21].

The protocol takes three rounds. The rounds are executed only if the input bit is $b_i = 1$. In the first round, the sender distributes its input signed. Then, when each party receives a value from the sender, it adds its own signature and echoes the pair of signatures along with the value to all parties. The third round consists of simply echoing all received pairs to every other party.

At the end of the third round, every party executes the output determination phase (this is executed irrespective of the value of b_i). A party outputs with grade 2 if it received from each of a total of $n - t$ parties a set of $n - t$ signatures on a value v , and no signature on any other value $v' \neq v$. Note that if an honest party outputs v with grade 2, then it is guaranteed that every honest party received at least one set of $n - t$ signatures on v , and no echo signature on any $v' \neq v$ in the second round. This constitutes exactly the condition to output grade 1. In any other case, the output is $(\perp, 0)$.

Protocol cGBC(P_s)

Code for sender P_s with input x

- 1: **if** $b_s = 1$ **then**
- 2: Round 1: Compute $\sigma = \text{Sign}_{sk_s}(x)$, and send (x, σ) to all the parties.
- 3: **end if**

Code for party P_i

- 1: **if** $b_i = 1$ **then**
- 2: Round 2: Upon receiving (x', σ_s) with valid signature from P_s , compute $\sigma_i = \text{Sign}_{sk_i}(x)$ and send (x, σ_s, σ_i) to all the parties.
- 3: Round 3: Forward all valid tuples received in the previous round to all parties. Let Σ_j be the set of valid signature tuples received from party P_j .
- 4: **end if**

Code for party P_i : Output Determination We say that a set of valid signatures Σ on v is consistent if it contains valid signatures on v from at least $n - t$ distinct parties.

- 1: **if** at least $n - t$ consistent signature sets Σ_j on v have been received from distinct parties, and no valid tuple (v', σ_s, σ_j) on any $v' \neq v$ was received at any previous round **then**
- 2: Output $(v, 2)$.
- 3: **else if** at least one consistent set Σ for v has been received, and no valid tuple (v', σ_s, σ) on $v' \neq v$ was received at round 2 **then**
- 4: Output $(v, 1)$.
- 5: **else**
- 6: Output $(\perp, 0)$.
- 7: **end if**

We show that $\text{cGBC}(P_s)$ is a conditional gradedcast protocol in a sequence of lemmas.

Theorem 2. *Assuming a PKI infrastructure, $\text{cGBC}(P_s)$ is a 3-round conditional graded broadcast protocol resilient against $t < n/2$ corruptions.*

Lemma 1. *$\text{cGBC}(P_s)$ satisfies conditional validity.*

Proof. Let x be the input of the sender. If the sender is honest and all honest parties have as input $b_i = 1$, then the sender sends its input to all parties, who then forward a signature on this value to everyone. Therefore, all parties collect a signature set on x of size at least $n - t$ and forward all these. At the end of round 3, they all collect at least $n - t$ consistent signature sets. Further note that since the sender is honest, no honest party can collect a tuple (x', σ_s, σ) containing a valid signature from the sender for any other value $x' \neq x$.

Lemma 2. *$\text{cGBC}(P_s)$ satisfies conditional graded consistency.*

Proof. We first show that if an honest party P_i outputs $(y_i, g_i) = (v, 2)$, then every honest party P_j outputs (y_j, g_j) with $y_j = y_i$ and $g_j \geq 1$.

Since $g_i = 2$, P_i received $n - t > t$ consistent signature sets Σ_k for the same value y_i . As at least one of these sets is sent by an honest party, P_j received at least one consistent Σ_k on y_i . Moreover, P_j does not receive any tuple (y', σ_s, σ) with valid signatures for any value $y' \neq y_i$ at round 2. This is because P_i did not receive any such tuple (y', σ_s, σ) on $y' \neq y_i$ at round 3.

It remains to show that there cannot be two honest parties P_i and P_j that output y_i and $y_j \neq y_i$, both with grade 1. In this case, P_i received a set of $n - t$ signatures on y_i . This implies that there was at least one honest party that sent a tuple (y_i, σ_s, σ) with valid signatures at round 2. Therefore, at the end of round 2, P_j received this tuple and could not have output y_j with grade 1.

Lemma 3. *cGBC(P_s) satisfies no honest participation.*

Proof. Assume that $b_i = 0$ for every honest party P_i . Since the honest parties do not send any messages at Round 1, and a consistent signature set Σ requires at least $n - t > t$ signatures, no party receives any consistent signature set. Therefore, every honest party outputs $(\perp, 0)$.

5 Round-Optimal Proxcensus

In this section, we introduce a round-optimal Proxcensus protocol, for any $t < (1 - \epsilon)n/2$, for constant $\epsilon > 0$. The protocol achieves a super-exponential number of slots with respect to the number of rounds.

5.1 Protocol Description

The protocol is deterministic and runs for L iterations of 3 rounds each.

At the start of the protocol, parties position themselves into a large set $[0, M]$ of integer values, which we denote as *mini-slots*. ($M = \left(\frac{n-2t}{t}\right)^L \cdot L^{L+1}$ to be exact.)

If the input of party P_i is $x_i = 0$, then P_i positions himself in the mini-slot $v = 0$, and if the input is $x_i = 1$, then P_i positions himself in the mini-slot $v = M$.

At each iteration, each party P_i invokes an instance of conditional graded broadcast (see Definition 3 and Sect. 4 for a construction) to distribute the current mini-slot value. Given the outputs of these graded broadcasts, each party deterministically updates its mini-slot value (within $[0, M]$). Each iteration guarantees that the mini-slot values between any two honest parties get closer. Our process guarantees that after any number $L \geq \frac{1-\epsilon}{\epsilon}$ of iterations, the honest mini-slot values differ in at most $2L$ positions. To achieve that the honest parties lie within two consecutive final slots, each final slot will group every $2L$ consecutive mini-slots. The final number of slots will then be $\ell = \frac{M}{2L} = \frac{1}{2} \left(\frac{n-2t}{t}\right)^L \cdot L^L$.

Cheating Limitation Mechanism. At the core of our efficient Proxcensus protocol lies a mechanism to limit the adversary's cheating capabilities.

Each party P_i (locally) keeps track of a set of parties \mathcal{C} that it identified as corrupted. The mechanism allows P_i to select parties from whom P_i should take into account their value, with two guarantees: For any corrupted party \tilde{P} , it holds that 1) if there are honest parties P_i and P_j such that P_i takes into account the value received from \tilde{P} but P_j does not, then all honest parties identify \tilde{P} as corrupted and no honest party will further consider the values from \tilde{P} in the rest of the protocol. And 2) if all honest parties consider their respective received values from \tilde{P} , then it is guaranteed that the received values are the same. These two properties heavily limit the adversary's capabilities in influencing the output value.

We show how to implement this mechanism. At each iteration it , parties distribute a value via conditional graded broadcast, and P_i takes into account values with grade 1 or 2, but does not take into account values with grade 0. On top of that, P_i updates its set \mathcal{C} adding all parties from whom it received a value with grade 0 or 1 (these are clearly corrupted, since Conditional Graded Validity ensures that honest parties distribute grade 2). Moreover, P_i does not participate in any conditional graded broadcast invocation where the sender is a party in \mathcal{C} .

The effect of this is as follows. Consider the case where a corrupted sender \tilde{P} distributes (possibly different values) to some honest parties P_i and P_j , such that P_i takes into account the value received from \tilde{P} , but P_j does not. In this case, P_i received grade 1 and P_j received grade 0, and both parties add \tilde{P} to their respective corrupted sets. This implies that no honest party will participate in any following conditional graded broadcast from \tilde{P} (this is because by Conditional Graded Consistency no honest party received grade 2), and therefore all parties obtain grade 0 by the No Honest Participation property of conditional graded broadcast in the following iterations. Moreover, if \tilde{P} 's value is taken into account by all honest parties, this implies that all honest parties receive grade at least 1, and therefore Graded Consistency ensures that all honest parties receive the same value.

It follows that any corrupted party can cause differences between the values taken into consideration by honest parties at most once.

Mini-Slot Update Function. In order to compute the updated mini-slot value, P_i discards the lowest and the highest $t - c$ values from the values received with grade at least 1, where c represents the number of values received with grade 0. Then, the new value is computed as the average of the remaining values. Note that all those c parties with grade 0 are actually corrupted, and among the $n - c$ parties there are at most $t - c$ corrupted. This implies that the updated value is always within the range of values from honest parties. In particular, if the adversary doesn't send different values at an iteration, the honest parties' updated values are exactly the same, and will never diverge again.

Let l_{it} be the number of corrupted parties that are identified for the first time by every honest party at iteration it . We will show that the distance between any two honest parties' updated values decreases essentially by a factor

of $\frac{l_{it}}{n-2t+\sum_{i=1}^{it} l_i}$. After L iterations, the values from honest parties will have distance at most $M \cdot \frac{t^L}{L^L} \cdot \frac{1}{(n-2t)^L} + L = 2L$. See Lemmas 6 and 7.

We formally describe the protocol below.

Protocol OptimalProx_L

Initialization

- 1: $\ell = \lfloor \frac{1}{2} \cdot \left(\frac{n-2t}{t}\right)^L \cdot L^L \rfloor$ // Protocol achieves $\ell + 1$ slots in Proxcensus
- 2: $M = \lceil \left(\frac{n-2t}{t}\right)^L \cdot L^{L+1} \rceil$ // Auxiliari number of minislots

Code for party P_i with input $x_i \in \{0, 1\}$

$v_0 = x_i \cdot M$

$\mathcal{C}_0 = \emptyset$ (the set of parties P has identified as corrupted)

- 1: **for** $it = 1 \dots L$ **do**
- 2: Participate in $\text{cGBC}(P_i)$ as the sender with input v_{it-1} and $b_i = 1$. Moreover, participate in all instances of $\text{cGBC}(P_j)$ as a receiver as well, with input $b_i = 0$ if $P_j \in \mathcal{C}_{it-1}$, and otherwise with input $b_i = 1$.
- 3: Let (v^j, g^j) be the output obtained in the instance of graded broadcast $\text{cGBC}(P_j)$ where P_j is the sender.
- 4: $\mathcal{C}_{it}^0 = \{P_j \mid g^j = 0\}$; $\mathcal{C}_{it}^1 = \{P_j \mid g^j = 1\}$
- 5: Let V_{it} be the multiset containing the values v^j with grade $g^j \geq 1$.
- 6: Let T_{it} be the multiset obtained by discarding the lowest and highest $t - |\mathcal{C}_{it}^0|$ values of V_{it} .
- 7: $v_{it} = \lfloor \frac{\sum_{v \in T_{it}} v}{|T_{it}|} \rfloor$
- 8: $\mathcal{C}_{it} = \mathcal{C}_{it-1} \cup \mathcal{C}_{it}^0 \cup \mathcal{C}_{it}^1$
- 9: **end for**
- 10: Output $\lfloor \frac{v_L \cdot \ell}{M} \rfloor$

We now prove that OptimalProx is an optimal Proxcensus for any $t = (1 - \epsilon)\frac{n}{2}$ in a sequence of lemmas. The claim on the round complexity follows from the fact that the protocol runs for L iterations, and each iteration involves an instance of parallel graded conditional broadcast, which takes 3 rounds.

Theorem 3. *Let $\epsilon > 0$ be a constant, and let $L \geq \frac{1-\epsilon}{\epsilon}$ and $\ell = \lfloor \frac{1}{2} \left(\frac{2\epsilon}{1-\epsilon}\right)^L L^L \rfloor$ be natural numbers. Assuming a PKI infrastructure, OptimalProx_L is a $3L$ -round Proxcensus protocol with $\ell + 1$ slots, resilient against $t = (1 - \epsilon)\frac{n}{2}$ corruptions.*

Let us denote by $\mathcal{C}_{it,P}$ the (local) set of parties that P identified as corrupted at iteration it . We denote $\mathcal{C}_{it}^\cap = \bigcap_{P \text{ honest}} \mathcal{C}_{it,P}$ to be the set of corrupted parties discovered by all honest parties up to iteration it . Then, $l_{it} = |\mathcal{C}_{it}^\cap \setminus \mathcal{C}_{it-1}^\cap|$ represents the number of corrupted parties that are newly discovered by every honest party exactly at iteration it . These contain the parties that can cause differences in the updated mini-slot values obtained by honest parties.

Let us denote by U_{it} the set of updated mini-slot values v_{it} computed by honest parties at iteration $it \geq 1$. Additionally, let $U_0 = \{0, M\}$.

Lemma 4. *At every iteration it , $T_{\text{it}} \subseteq [\min U_{\text{it}-1}, \max U_{\text{it}-1}]$ for every honest party.*

Proof. Let P_i be an honest party. Note that its local set $\mathcal{C}_{\text{it}}^0$ only contains parties from whom P_i obtained grade 0. Conditional Graded Validity implies that these parties are corrupted (all instances with honest senders output grade 2 at all iterations, and no honest party stops participating in any of these instances).

Therefore, $c = |\mathcal{C}_{\text{it}}^0| \leq t$. The values in V_{it} are sent by the parties in $\mathcal{P} \setminus \mathcal{C}_{\text{it}}^0$, and hence $|V_{\text{it}}| = n - c$. These values contain all values in $U_{\text{it}-1}$ sent by the (at least) $n - t$ honest parties, and the values from at most $t - c$ corrupted parties.

Therefore, the multiset T_{it} , obtained by discarding the highest and the lowest $t - c$ values within V_{it} , contains only values within $[\min U_{\text{it}-1}, \max U_{\text{it}-1}]$.

Lemma 5. *OptimalProx_L achieves Validity.*

Proof. We assume that every honest party starts with input b . Then, $U_0 = \{b \cdot M\}$, and from Lemma 4 we obtain that $U_L \subseteq U_0$ and hence the set containing the value v_L computed by every honest party is $U_L = \{b \cdot M\}$. Therefore, each honest party outputs $\frac{v_L \cdot \ell}{M} = \frac{b \cdot M \cdot \ell}{M} = b \cdot \ell$.

Lemma 6. *Let P and P' denote two honest parties, and let v_{it} and v'_{it} be their respective updated mini-slot values (computed in line 7 of the protocol) at iteration it . Then,*

$$|v_{\text{it}} - v'_{\text{it}}| \leq \frac{l_{\text{it}}}{n - 2t + \sum_{i=1}^{\text{it}} l_i} \cdot (\max U_{\text{it}-1} - \min U_{\text{it}-1}) + 1.$$

Proof. Since $v_{\text{it}} = \lfloor \text{avg } T_{\text{it}} \rfloor$, where $\text{avg } T_{\text{it}} = \frac{\sum_{v \in T_{\text{it}}} v}{|T_{\text{it}}|}$, it is enough to show:

$$|\text{avg } T_{\text{it}} - \text{avg } T'_{\text{it}}| \leq \frac{l_{\text{it}}}{n - 2t + \sum_{i=1}^{\text{it}} l_i} \cdot (\max U_{\text{it}-1} - \min U_{\text{it}-1}).$$

(The last additive term “+1” in the theorem statement accounts for the floor operation.)

Fix iteration it . Consider the values that are received with grade at least 1 by P or P' . It will be convenient to arrange these values in an increasing order in an array A . The array contains exactly $k = n - c$ values, where $c = |\mathcal{C}_{\text{it}}^0 \cap \mathcal{C}'_{\text{it}}{}^0|$ is the number of values that both P and P' discard (they both receive grade 0).

Within this array of values, we denote by I_1 (resp. I_2) the set of indices containing the values that were received with grade 0 by P (resp. P') and grade 1 by P' (resp. P).

We then denote the resulting array T^1 (resp. T^2) created by 1) substituting the values at indices in I_1 (resp. I_2) in A by the special symbol \perp and afterwards 2) further substituting the lowest and highest $(t - c) + |I_1|$ (resp. $(t - c) + |I_2|$) values also by \perp .

It is easy to see that T^1 (resp. T^2) was created using the exact same process as in the protocol and contains exactly the same values as the multiset T_{it} (resp. T'_{it}), but conveniently arranged in an array.

Let $s = t - c$. Assuming that $|I_1| \geq |I_2|$ (the argument holds symmetrically when $|I_2| \geq |I_1|$), the technical combinatorial Lemma 8 and Lemma 4 imply that:

$$\begin{aligned} |\text{avg } T^1 - \text{avg } T^2| &= |\text{avg } T_{it} - \text{avg } T'_{it}| \\ &\leq \frac{|I_1|}{k - 2s + |I_1|} \cdot (\max U_{it-1} - \min U_{it-1}) \\ &\leq \frac{l_{it}}{k - 2s + l_{it}} \cdot (\max U_{it-1} - \min U_{it-1}) \\ &\leq \frac{l_{it}}{n - 2t + \sum_{i=1}^{it} l_i} \cdot (\max U_{it-1} - \min U_{it-1}), \end{aligned}$$

where in the second inequality we used that $|I_1| \leq l_{it}$ ³, and in the last inequality we used that $k - 2s + l_{it} = n - 2t + c + l_{it}$, and the fact that $c \geq |C_{it-1}^\cap| = \sum_{i=1}^{it-1} l_i$ (any corrupted party in C_{it-1}^\cap that is identified as corrupted by all honest parties distributes a grade 0 to all honest parties by the No Honest Participation property of conditional graded broadcast).

Lemma 7. *OptimalProx_L achieves Consistency.*

Proof. Lemma 4 implies that the honest parties' outputs are within $[\frac{\ell}{M} \min U_L]$ and $[\frac{\ell}{M} \max U_L]$. Then, to prove that the honest parties' outputs lie within two consecutive slots, it is enough to show that $\frac{\ell}{M} (\max U_L - \min U_L) \leq 1$.

By iteratively applying Lemma 6, and using the fact that $U_0 = \{0, M\}$ and $\frac{l_{it}}{n - 2t + \sum_{i=1}^{it} l_i} < 1$ for any $it \leq L$, we obtain:

$$\begin{aligned} \max U_L - \min U_L &\leq M \cdot \prod_{it=1}^L \frac{l_{it}}{n - 2t + \sum_{i=1}^{it} l_i} + L \\ &\leq M \cdot \prod_{it=1}^L l_{it} \cdot \frac{1}{(n - 2t)^L} + L \\ &\leq M \cdot \frac{t^L}{L^L} \cdot \frac{1}{(n - 2t)^L} + L, \end{aligned}$$

where the last step follows from inequality of arithmetic and geometric means, and the fact that the sum of identified corrupted parties is at most t :

$$\left(\prod_{it=1}^L l_{it} \right)^{\frac{1}{L}} \leq \frac{l_1 + l_2 + \dots + l_L}{L} \leq \frac{t}{L} \implies \prod_{it=1}^L l_{it} \leq \frac{t^L}{L^L}$$

³ Note that $\frac{x}{x+a} \leq \frac{x+b}{x+a+b}$ for any positive real numbers x , a and b .

Then, we bound $\frac{\ell}{M} (\max U_L - \min U_L)$ as follows:

$$\begin{aligned}
 \frac{\ell}{M} (\max U_L - \min U_L) &\leq \ell \cdot \frac{1}{L^L} \left(\frac{t}{n-2t} \right)^L + \frac{\ell}{M} \cdot L \\
 &\leq \ell \cdot \frac{1}{L^L} \left(\frac{t}{n-2t} \right)^L + \frac{\ell}{\left(\frac{n-2t}{t} \right)^L \cdot L^{L+1}} \cdot L \\
 &\leq \ell \cdot \frac{1}{L^L} \left(\frac{t}{n-2t} \right)^L + \ell \cdot \frac{1}{L^L} \cdot \left(\frac{t}{n-2t} \right)^L \\
 &= 2\ell \cdot \frac{1}{L^L} \left(\frac{t}{n-2t} \right)^L \leq \ell \cdot \ell^{-1} = 1,
 \end{aligned}$$

where in the last inequality we used that $\ell \geq 1$, which follows from the fact that $t = (1 - \epsilon) \cdot \frac{n}{2}$ and $L \geq \frac{1-\epsilon}{\epsilon}$.

6 Technical Combinatorial Lemma

In this section we prove the technical combinatorial lemma that allows to prove that the updated mini-slot values from honest parties get closer by the required amount, as stated in Lemma 6.

Consider an array A of k values sorted by increasing order and a number $s < k/2$. Further consider the array T^1 created as follows: T^1 has some of the values missing in indices from a fixed set I_1 and then the lowest and highest $s - |I_1|$ values are removed. Similarly, consider the array T^2 created in the same way, but with indices in I_2 . See Fig. 2 for an example.

Let b be the maximum value among those remaining in array T^1 or T^2 , and let a be the minimum value. Then, the following combinatorial lemma states that the averages of the remaining values in T^1 and T^2 differ in at most a fraction $\frac{\max(|I_1|, |I_2|)}{k - 2s + \max(|I_1|, |I_2|)}$ of $b - a$.

A :	A_0	A_1	A_2	A_3	A_4	A_5	A_6	A_7	A_8	A_9
T^1 :	\perp	A_1	\perp	A_3	A_4	\perp	A_6	\perp	A_8	\perp
T^2 :	\perp	\perp	\perp	A_3	A_4	A_5	\perp	\perp	\perp	\perp

Fig. 2. An example of A , T^1 , and T^2 , for $k = 10$, $s = 4$, $I^1 = \{2, 5, 7\}$, and $I^2 = \{6\}$.

Lemma 8. *Let $A = [A_0, A_1, \dots, A_{k-1}]$ denote an array where $A_0 \leq A_1 \leq \dots \leq A_{k-1}$. Let $s < k/2$ and let $I_1, I_2 \subseteq \{0, 1, \dots, k-1\}$ denote two sets of indices such that $|I_1 \cup I_2| \leq s$. Consider the arrays $T^1 = [T_0^1, T_1^1, \dots, T_{k-1}^1]$ and $T^2 = [T_0^2, T_1^2, \dots, T_{k-1}^2]$ constructed as follows: for $j \in \{1, 2\}$, we first set T_i^j to*

A_i if $i \notin I_j$ and otherwise to \perp , and afterwards we replace the lowest and the highest non- \perp ($s - |I_j|$) values in T^j by \perp . Then,

$$\begin{aligned} & |\text{avg} \{T_i^1 \neq \perp\}_{i \in [0, k-1]} - \text{avg} \{T_i^2 \neq \perp\}_{i \in [0, k-1]}| \\ & \leq \frac{\max(|I_1|, |I_2|)}{k - 2s + \max(|I_1|, |I_2|)}(b - a), \end{aligned}$$

where $b = \max\{T_i^j \neq \perp\}_{j \in \{1, 2\}, i \in [0, k-1]}$ and $a = \min\{T_i^j \neq \perp\}_{j \in \{1, 2\}, i \in [0, k-1]}$.

Proof. Let $m_1 := |I_1|$ and $m_2 := |I_2|$. Without loss of generality, we assume that $m_1 \geq m_2$, meaning that T^1 contains at least as many non- \perp values as T^2 .

Let

$$\begin{aligned} v_1 & := \text{avg} \{T_i^1 \neq \perp\}_{i \in [0, k-1]} = \frac{1}{|\{T_i^1 \neq \perp\}|} \sum_{\{i: T_i^1 \neq \perp\}} T_i^1, \\ v_2 & := \text{avg} \{T_i^2 \neq \perp\}_{i \in [0, k-1]} = \frac{1}{|\{T_i^2 \neq \perp\}|} \sum_{\{i: T_i^2 \neq \perp\}} T_i^2. \end{aligned}$$

We first note that the number of non- \perp values in T^1 is:

$$|\{T_i^1 \neq \perp\}| = k - 2(s - m_1) - m_1 = k - 2s + m_1.$$

Similarly, $|\{T_i^2 \neq \perp\}| = k - 2s + m_2$.

We then obtain the following:

$$\begin{aligned} v_1 - v_2 & = \frac{\sum_{\{i: T_i^1 \neq \perp\}} T_i^1}{k - 2s + m_1} - v_2 = \frac{\sum_{\{i: T_i^1 \neq \perp\}} T_i^1 - (k - 2s + m_1) \cdot v_2}{k - 2s + m_1} \\ & = \frac{\sum_{\{i: T_i^1 \neq \perp\}} T_i^1 - (k - 2s + m_2) \cdot v_2 - (m_1 - m_2) \cdot v_2}{k - 2s + m_1} \\ & = \frac{\sum_{\{i: T_i^1 \neq \perp\}} T_i^1 - \sum_{\{i: T_i^2 \neq \perp\}} T_i^2 - (m_1 - m_2) \cdot v_2}{k - 2s + m_1}. \end{aligned} \tag{1}$$

Analyzing the Term $\sum_{\{i: T_i^1 \neq \perp\}} T_i^1$. In order to analyze this sum, it will be convenient to look at the values in T_i^1 within three regions, separated by the indices **start** = $s - m_2$ and **end** = $k - (s - m_2) - 1$. Note that by construction, at least the lowest and the highest $s - m_2$ indices in T^2 contain \perp as its value.

- Indices $i < \mathbf{start}$. In this region, $T_i^2 = \perp$. Moreover, since the values are ordered increasingly and $\{T_i^2 \neq \perp\} \neq \emptyset$, we can bound any non- \perp value $T_i^1 = A_i \leq A_{\mathbf{start}} \leq \min\{T_j^2 \neq \perp\}$.
- Indices $i > \mathbf{end}$. Similarly as above, $T_i^2 = \perp$. Moreover, any non- \perp value $T_i^1 = A_i \geq A_{\mathbf{end}} \geq \max\{T_j^2 \neq \perp\}$.

- Indices $\mathbf{start} \leq i \leq \mathbf{end}$. Here non- \perp values in T^1 and T^2 are within the values $A_{\mathbf{start}}$ and $A_{\mathbf{end}}$. In this region, we define the sets of subindices where exactly either T^1 or T^2 contain non- \perp values. That is, $M^1 := \{\mathbf{start} \leq i \leq \mathbf{end} : T_i^1 = \perp \text{ and } T_i^2 \neq \perp\}$ and $M^2 := \{\mathbf{start} \leq i \leq \mathbf{end} : T_i^1 \neq \perp \text{ and } T_i^2 = \perp\}$.

We can then express the sum of values in T^1 as:

$$\begin{aligned} \sum_{\{i:T_i^1 \neq \perp\}} T_i^1 &= \sum_{\{i < \mathbf{start} : T_i^1 \neq \perp\}} T_i^1 + \sum_{\{\mathbf{start} \leq i \leq \mathbf{end} : T_i^1 \neq \perp\}} T_i^1 + \sum_{\{\mathbf{end} < i : T_i^1 \neq \perp\}} T_i^1 \\ &= \sum_{\{i < \mathbf{start} : T_i^1 \neq \perp\}} T_i^1 + \sum_{\{\mathbf{end} < i : T_i^1 \neq \perp\}} T_i^1 + \sum_{\{i:T_i^2 \neq \perp\}} T_i^2 - \sum_{i \in M^1} T_i^2 + \sum_{i \in M^2} T_i^1, \end{aligned}$$

since $\sum_{\{\mathbf{start} \leq i \leq \mathbf{end} : T_i^1 \neq \perp\}} T_i^1 = \sum_{\{i:T_i^2 \neq \perp\}} T_i^2 - \sum_{i \in M^1} T_i^2 + \sum_{i \in M^2} T_i^1$ (Fig. 3).

$A :$	A_0	A_1	A_2	A_3	A_4	A_5	A_6	A_7	A_8	A_9
$T^1 :$	$[\perp$	A_1	$\perp]$	$[A_3$	A_4	\perp	$A_6]$	$[\perp$	A_8	$\perp]$
$T^2 :$	\perp	\perp	\perp	$[A_3$	A_4	A_5	$\perp]$	\perp	\perp	\perp
			\mathbf{start}				\mathbf{end}			

Fig. 3. In the example from Fig. 2, $\mathbf{start} = 3$ and $\mathbf{end} = 6$. The brackets show how we split the indices of T^1 and T^2 .

Using Eq. (1), we have:

$$|v_1 - v_2| = \frac{1}{k - 2s + m_1} \cdot |d|,$$

where

$$d = \sum_{\{i < \mathbf{start} : T_i^1 \neq \perp\}} T_i^1 - \sum_{i \in M^1} T_i^2 + \sum_{\{\mathbf{end} < i : T_i^1 \neq \perp\}} T_i^1 + \sum_{i \in M^2} T_i^1 - (m_1 - m_2) \cdot v_2. \quad (2)$$

In order to upper bound $|d|$, we find bounds for each of the summands.

Bounds for $\sum_{\{i < \mathbf{start} : T_i^1 \neq \perp\}} T_i^1$. In this region, any summand T_i^1 satisfies: $a = \min\{T_i^j \neq \perp\}_{j \in \{1,2\}} \leq T_i^1 \leq A_{\mathbf{start}}$.

Within this region of indices, the first $s - m_1$ indices have \perp as their value (by construction of T^1). Therefore, the number of summands is

$$|\{i < \mathbf{start} : T_i^1 \neq \perp\}| = \mathbf{start} - (s - m_1) - l = (m_1 - m_2 - l),$$

where $l = |\{s - m_1 \leq i < \mathbf{start} : T_i^1 = \perp\}|$.

Therefore, we have:

$$(m_1 - m_2 - l) \cdot a \leq \sum_{\{i < \text{start} : T_i^1 \neq \perp\}} T_i^1 \leq (m_1 - m_2 - l) \cdot A_{\text{start}}. \quad (3)$$

Bounds for $\sum_{\{\text{end} < i : T_i^1 \neq \perp\}} T_i^1$. Similarly, in this region, any summand T_i^1 satisfies $A_{\text{end}} \leq T_i^1 \leq \max\{T_i^j \neq \perp\}_{j \in \{1,2\}} = b$. Since the last $s - m_1$ indices have \perp as their value:

$$|\{\text{end} < i : T_i^1 \neq \perp\}| = k - (s - m_1) - 1 - \text{end} - h = m_1 - m_2 - h,$$

where $h = |\{\text{end} < i \leq k - (s - m_1) - 1 : T_i^1 = \perp\}|$.

Therefore, we have:

$$(m_1 - m_2 - h) \cdot A_{\text{end}} \leq \sum_{\{\text{end} < i : T_i^1 \neq \perp\}} T_i^1 \leq (m_1 - m_2 - h) \cdot b. \quad (4)$$

Bounds for $\sum_{i \in M^1} T_i^2$. From the definition of M^1 , any index $i \in M^1$ satisfies $\text{start} \leq i \leq \text{end}$. Moreover, any summand T_i^2 , $i \in M^1$, satisfies that $A_{\text{start}} \leq T_i^2 \leq A_{\text{end}}$.

By construction of T_i^1 , we have that $|\{T_i^1 = \perp : s - m_1 \leq i \leq k - (s - m_1) - 1\}| = m_1$. This is because T^1 has $2(s - m_1) + m_1$ indices with \perp in total, including the lowest and highest $s - m_1$ indices.

It follows that $|\{\text{start} \leq i \leq \text{end} : T_i^1 = \perp\}| = m_1 - l - h$.

Then, $|M^1| = |\{\text{start} \leq i \leq \text{end} : T_i^1 = \perp\}| - c = m_1 - l - h - c$, where c is the number of indices $\text{start} \leq i \leq \text{end}$ such that $T_i^1 = T_i^2 = \perp$. We obtain that

$$(m_1 - l - h - c) \cdot A_{\text{start}} \leq \sum_{i \in M^1} T_i^2 \leq (m_1 - l - h - c) \cdot A_{\text{end}}. \quad (5)$$

Bounds for $\sum_{i \in M^2} T_i^1$. The bounds are derived similarly as in the previous case. Any index $i \in M^2$ satisfies $\text{start} \leq i \leq \text{end}$, and any summand T_i^1 , $i \in M^2$, satisfies that $A_{\text{start}} \leq T_i^1 \leq A_{\text{end}}$.

By construction of T_i^2 , we have that $|\{T_i^2 = \perp : \text{start} \leq i \leq \text{end}\}| = m_2$.

Then, $|M^2| = |\{\text{start} \leq i \leq \text{end} : T_i^2 = \perp\}| - c = m_2 - c$, where c is the number of indices $\text{start} \leq i \leq \text{end}$ such that $T_i^1 = T_i^2 = \perp$. We obtain that

$$(m_2 - c) \cdot A_{\text{start}} \leq \sum_{i \in M^2} T_i^1 \leq (m_2 - c) \cdot A_{\text{end}}. \quad (6)$$

Bounds for $(m_1 - m_2) \cdot v_2$. Since v_2 is the average of the non- \perp values in T^2 , $A_{\text{start}} \leq \min\{T_i^2 \neq \perp\} \leq v_2 \leq \max\{T_i^2 \neq \perp\} \leq A_{\text{end}}$. Then, we have

$$(m_1 - m_2) \cdot A_{\text{start}} \leq (m_1 - m_2) \cdot v_2 \leq (m_1 - m_2) \cdot A_{\text{end}}. \quad (7)$$

Upper Bounding $|d|$. In order to upper bound $|d|$, we distinguish two cases.

- $v_1 \geq v_2$. Here, $|d| = d$. By using the inequalities (3) to (7) in Eq. (2) and simplifying the terms, we obtain that:

$$|d| \leq c \cdot (A_{\text{start}} - A_{\text{end}}) + m_2 \cdot (A_{\text{end}} - b) \\ + h \cdot (A_{\text{start}} - b) + m_1 \cdot (b - A_{\text{start}}) \leq m_1 \cdot (b - a),$$

where in the last inequality we used that $c, h, m_1, m_2 \geq 0$ and $a \leq A_{\text{start}} \leq A_{\text{end}} \leq b$.

- $v_1 \leq v_2$. In this case, $|d| = -d$. By using the inequalities (3) to (7) in Eq. (2) and simplifying the terms, we obtain that:

$$|d| \leq c \cdot (A_{\text{start}} - A_{\text{end}}) + l \cdot (a - A_{\text{end}}) + \\ m_2 \cdot (a - A_{\text{start}}) + m_1 \cdot (A_{\text{end}} - a) \leq m_1 \cdot (b - a),$$

where in the last inequality we used that $c, l, m_1, m_2 \geq 0$ and $a \leq A_{\text{start}} \leq A_{\text{end}} \leq b$.

It follows that $|d| \leq m_1 \cdot (b - a)$, and therefore $|v_1 - v_2| \leq \frac{m_1}{k-2s+m_1} \cdot (b - a)$, which concludes the proof.

7 Putting It All Together

By instantiating the Proxcensus protocol from Theorem 3 in the Expand-and-Extract iteration paradigm from Theorem 1, we achieve the desired result.


Theorem 4. *Let $\epsilon > 0$ be a constant. Assuming a PKI infrastructure and an ideal 1-round Coin-Flip protocol, there is a $(3r + 1)$ -round Byzantine agreement protocol that achieves agreement except with probability at most $\left[\frac{1}{2} \left(\frac{2\epsilon}{1-\epsilon} r \right)^r \right]^{-1}$ and is resilient against $t = (1 - \epsilon)n/2$ corruptions, for any $r \geq \frac{1-\epsilon}{\epsilon}$.*

Note that one can instantiate the 1-round ideal coin-flip from a trusted setup of unique threshold signatures (see [CKS05,LJY14]).


7.1 Comparison to Previous Protocols

We add a comparison to previous protocols in Fig. 4 for our setting with an ideal 1-round Coin-Flip. Our protocol achieves a lower failure probability when the number of honest parties is high. We therefore depict how the failure probability decreases with the number of rounds in three regimes: $t < n/10$, $t < n/3$ and $t = 0.49n$. In each of the regimes, we compare our protocol with the two more efficient known protocols.


Our figures show that in the regimes $t < n/10$ and $t < n/3$, our protocol achieves a lower failure probability than the previous protocols [FM97] and [FLL21] after a few tens of rounds. Concretely, after 6 (resp. 27) rounds compared to [FLL21], and 4 (resp. 13) rounds compared to [FM97]. On the other hand, when $t = 0.49n$, our protocol achieves a lower failure probability only after more than 200 rounds, compared to previous solutions [MV17,FLL21].



(a) $t < n/10$: The failure probability of our protocol becomes lower than that of [FM97] after 4 rounds, and lower than that of [FLL21] after 6 rounds.



(b) $t < n/3$: The failure probability of our protocol becomes lower than that of [FM97] after 13 rounds, and lower than that of [FLL21] after 27 rounds.



(c) $t = 0.49n$: The failure probability of our protocol becomes lower than that of [MV17] after 212 rounds, and lower than that of [FLL21] after 299 rounds.

Fig. 4. Comparison to previous protocols.

7.2 Open Problems

Our results leave a number of very exciting open problems.

Improving Constants. We leave open whether one can get similar results for the optimal threshold $t < n/2$. In a similar direction, our protocol is optimal *up to constants*, i.e. it achieves the optimal agreement probability for an r -round protocol within $c \cdot r$ rounds for some constant c . It would be interesting to see whether one can match the exact constants obtained from the known lower bounds.

Setup Assumptions. Another exciting direction would be to see whether similar results can be achieved from weaker setup assumptions. In particular, it would be interesting to see whether one can instantiate an ideal common-coin from plain PKI, or even with specific number-theoretic assumptions, within a constant (or even linear in r) number of rounds.

Early Termination. Finally, another interesting open question is to investigate whether one can leverage our protocols to achieve *early termination*. That is, a protocol that in expectation terminates in a constant number of rounds, but in the worst case it still achieves the optimal agreement probability.

Communication Complexity. Our protocol incurs a communication complexity of $O(n^4(\kappa + r \log(r)))$ bits, where κ is the size of a signature and r is the number of rounds. Using threshold signatures for the (conditional) graded broadcast primitive, we can save a linear factor n . It remains open to explore solutions with improved communication.

References

- [AC10] Attiya, H., Censor-Hillel, K.: Lower bounds for randomized consensus under a weak adversary. *SIAM J. Comput.* **39**(8), 3885–3904 (2010)
- [ADD+19] Abraham, I., Devadas, S., Dolev, D., Nayak, K., Ren, L.: Synchronous byzantine agreement with expected $O(1)$ rounds, expected $O(n^2)$ communication, and optimal resilience. In: Goldberg, I., Moore, T. (eds.) *FC 2019*. LNCS, vol. 11598, pp. 320–334. Springer, Cham (2019). https://doi.org/10.1007/978-3-030-32101-7_20
- [BCG21] Boyle, E., Cohen, R., Goel, A.: Breaking the $O(\sqrt{n})$ -bit barrier: Byzantine agreement with polylog bits per party. In: *Proceedings of the 2021 ACM Symposium on Principles of Distributed Computing, PODC 2021*, pp. 319–330. Association for Computing Machinery, New York (2021)
- [Ben83] Ben-Or, M.: Another advantage of free choice: completely asynchronous agreement protocols (extended abstract). In: Probert, R.L., Lynch, N.A., Santoro, N. (eds.) *2nd ACM PODC*, pp. 27–30. ACM, August 1983
- [CCGZ16] Cohen, R., Coretti, S., Garay, J., Zikas, V.: Probabilistic termination and composability of cryptographic protocols. In: Robshaw, M., Katz, J. (eds.) *CRYPTO 2016, Part III*. LNCS, vol. 9816, pp. 240–269. Springer, Heidelberg (2016). https://doi.org/10.1007/978-3-662-53015-3_9
- [CCGZ17] Cohen, R., Coretti, S., Garay, J.A., Zikas, V.: Round-preserving parallel composition of probabilistic-termination cryptographic protocols. In: Chatzigiannakis, I., Indyk, P., Kuhn, F., Muscholl, A. (eds.) *ICALP 2017*. LIPIcs, vol. 80, pp. 37:1–37:15. Schloss Dagstuhl, July 2017
- [CFF+05] Considine, J., Fitzi, M., Franklin, M.K., Levin, L.A., Maurer, U.M., Metcalf, D.: Byzantine agreement given partial broadcast. *J. Cryptol.* **18**(3), 191–217 (2005)

- [CHM+19] Cohen, R., Haitner, I., Makriyannis, N., Orland, M., Samorodnitsky, A.: On the round complexity of randomized Byzantine agreement. In: Suomela, J. (ed.) 33rd International Symposium on Distributed Computing (DISC 2019). Leibniz International Proceedings in Informatics (LIPIcs), vol. 146, pp. 12:1–12:17. Schloss Dagstuhl-Leibniz-Zentrum fuer Informatik, Dagstuhl, Germany (2019)
- [CKS05] Cachin, C., Kursawe, K., Shoup, V.: Random oracles in constantinople: practical asynchronous Byzantine agreement using cryptography. *J. Cryptol.* **18**(3), 219–246 (2005)
- [CL99] Castro, M., Liskov, B.: Practical Byzantine fault tolerance. In: OSDI, vol. 99, pp. 173–186 (1999)
- [CM19] Chen, J., Micali, S.: Algorand: a secure and efficient distributed ledger. *Theoret. Comput. Sci.* **777**, 155–183 (2019)
- [CMS89] Chor, B., Merritt, M., Shmoys, D.B.: Simple constant-time consensus protocols in realistic failure models. *J. ACM (JACM)* **36**(3), 591–614 (1989)
- [CPS19] Hubert Chan, T.-H., Pass, R., Shi, E.: Round complexity of Byzantine agreement, revisited. Cryptology ePrint Archive, Report 2019/886 (2019). <https://ia.cr/2019/886>
- [CPS20] Chan, T.-H.H., Pass, R., Shi, E.: Sublinear-round Byzantine agreement under corrupt majority. In: Kiayias, A., Kohlweiss, M., Wallden, P., Zikas, V. (eds.) PKC 2020, Part II. LNCS, vol. 12111, pp. 246–265. Springer, Cham (2020). https://doi.org/10.1007/978-3-030-45388-6_9
- [DS83] Dolev, D., Raymond Strong, H.: Authenticated algorithms for Byzantine agreement. *SIAM J. Comput.* **12**(4), 656–666 (1983)
- [FG03] Fitzi, M., Garay, J.A.: Efficient player-optimal protocols for strong and differential consensus. In: Borowsky, E., Rajsbaum, S. (eds.) 22nd ACM PODC, pp. 211–220. ACM, July 2003
- [Fit03] Fitzi, M.: Generalized Communication and Security Models in Byzantine Agreement. Ph.D. thesis, ETH Zurich, 3 2003. Reprint as, vol. 4 of ETH Series in Information Security and Cryptography, ISBN 3-89649-853-3, Hartung-Gorre Verlag, Konstanz (2003)
- [FLL21] Fitzi, M., Liu-Zhang, C.-D., Loss, J.: A new way to achieve round-efficient Byzantine agreement. In: Proceedings of the 2021 ACM Symposium on Principles of Distributed Computing, PODC 2021, pp. 355–362. Association for Computing Machinery, New York (2021)
- [FM97] Feldman, P., Micali, S.: An optimal probabilistic protocol for synchronous Byzantine agreement. *SIAM J. Comput.* **26**(4), 873–933 (1997)
- [FN09] Fitzi, M., Nielsen, J.B.: On the number of synchronous rounds sufficient for authenticated byzantine agreement. In: Keidar, I. (ed.) DISC 2009. LNCS, vol. 5805, pp. 449–463. Springer, Heidelberg (2009). https://doi.org/10.1007/978-3-642-04355-0_46
- [GKKO07] Garay, J.A., Katz, J., Koo, C.-Y., Ostrovsky, R.: Round complexity of authenticated broadcast with a dishonest majority. In: 48th FOCS, pp. 658–668. IEEE Computer Society Press, October 2007
- [KK06] Katz, J., Koo, C.-Y.: On expected constant-round protocols for Byzantine agreement. In: Dwork, C. (ed.) CRYPTO 2006. LNCS, vol. 4117, pp. 445–462. Springer, Heidelberg (2006). https://doi.org/10.1007/11818175_27

- [KY84] Karlin, A.R., Yao, A.C.: Probabilistic lower bounds for Byzantine agreement and clock synchronization (1984)
- [LJY14] Libert, B., Joye, M., Yung, M.: Born and raised distributively: fully distributed non-interactive adaptively-secure threshold signatures with short shares. In: Halldórsson, M.M., Dolev, S. (eds.) 33rd ACM PODC, pp. 303–312. ACM, July 2014
- [LLR06] Lindell, Y., Lysyanskaya, A., Rabin, T.: On the composition of authenticated Byzantine agreement. *J. ACM (JACM)* **53**(6), 881–917 (2006)
- [LSP82] Lamport, L., Shostak, R., Pease, M.: The Byzantine generals problem. *ACM Trans. Program. Lang. Syst.* **4**(3), 382–401 (1982)
- [MV17] Micali, S., Vaikuntanathan, V.: Optimal and player-replaceable consensus with an honest majority (2017)
- [PW96] Pfitzmann, B., Waidner, M.: Information-theoretic pseudo signatures and Byzantine agreement for $t \geq n/3$. IBM (1996)
- [Rab83] Rabin, M.O.: Randomized Byzantine generals. In: 24th FOCS, pp. 403–409. IEEE Computer Society Press, November 1983
- [TC84] Turpin, R., Coan, B.A.: Extending binary Byzantine agreement to multivalued Byzantine agreement. *Inf. Process. Lett.* **18**(2), 73–76 (1984)
- [WXDS20] Wan, J., Xiao, H., Devadas, S., Shi, E.: Round-efficient byzantine broadcast under strongly adaptive and majority corruptions. In: Pass, R., Pietrzak, K. (eds.) TCC 2020, Part I. LNCS, vol. 12550, pp. 412–456. Springer, Cham (2020). https://doi.org/10.1007/978-3-030-64375-1_15
- [WXSD20] Wan, J., Xiao, H., Shi, E., Devadas, S.: Expected constant round byzantine broadcast under dishonest majority. In: Pass, R., Pietrzak, K. (eds.) TCC 2020, Part I. LNCS, vol. 12550, pp. 381–411. Springer, Cham (2020). https://doi.org/10.1007/978-3-030-64375-1_14