

Approximation Algorithm for Directed Multicuts

Yana Kortsarts¹, Guy Kortsarz², and Zeev Nutov³

¹ Department of computer Science, Widener University Chester, PA, USA
yanako@cs.widener.edu

² Department of Computer Science, Rutgers, Camden, USA
guyk@crab.rutgers.edu.

³ Computer Science department, The Open University, Tel Aviv, Israel
nutov@shaked.openu.ac.il

Abstract. The Directed Multicut (DM) problem is: given a simple directed graph $G = (V, E)$ with positive capacities u_e on the edges, and a set $K \subseteq V \times V$ of ordered pairs of nodes of G , find a minimum capacity K -multicut; $C \subseteq E$ is a K -multicut if in $G - C$ there is no (s, t) -path for every $(s, t) \in K$. In the uncapacitated case (UDM) the goal is to find a minimum size K -multicut. The best approximation ratio known for DM is $\min\{O(\sqrt{n}), \text{opt}\}$ by Anupam Gupta [5], where $n = |V|$, and opt is the optimal solution value. All known non-trivial approximation algorithms for the problem solve large linear programs. We give the first combinatorial approximation algorithms for the problem. Our main result is a $\tilde{O}(n^{2/3}/\text{opt}^{1/3})$ -approximation algorithm for UDM, which improves the \sqrt{n} -approximation for $\text{opt} = \Omega(n^{1/2+\varepsilon})$. Combined with the paper of Gupta [5], we get that UDM can be approximated within better than $O(\sqrt{n})$, unless $\text{opt} = \tilde{\Theta}(\sqrt{n})$. We also give a simple and fast $O(n^{2/3})$ -approximation algorithm for DM.

1 Introduction and Preliminaries

Problem formulation: An instance to the *Directed Multicut* (DM) problem consists of a *simple* directed graph $G = (V, E)$ with integral capacities u_e on the edges and a set $K \subseteq V \times V$ of ordered pairs of nodes of G . The goal is to find a minimum K -multicut, that is, a minimum capacity edge set C so that in $G - C$ there is no (s, t) -paths for every $(s, t) \in K$. In the *uncapacitated case* (UDM), all edges have capacities 1.

Related work: The case $|K| = 1$ is polynomially solvable based on the fundamental Max-Flow Min-Cut Theorem. For $|K| > 1$ the min-cut max-flow equality breaks down even on undirected graphs. In fact, the undirected multicut problem is MAXSNP-hard even on stars [6]. [6] gives a 2-approximation algorithm for the undirected multicut problem on trees. The best approximation ratio for the minimum multicut problem on general undirected graphs is $O(\log |K|)$ [7].

In [8], a related problem is studied. The input is as in the DM problem, except that the pairs in K are unordered. The goal is to remove a min-cost edge set C so that in $G - C$ no cycle contains a pair from K . This problem seems easier than the DM problem. In particular, divide and conquer methods similar to the ones in [3, 7, 9] give an $O(\log^2 |K|)$ -approximation for this variant [8]. In [3] a relatively general scheme is presented handling many problems that are “decomposable”, but DM does not seem to lend itself in any way to the divide and conquer approach. Given this fact, it may be that the directed multicut problem is harder to approximate than the undirected one. In particular, a (poly)logarithmic approximation is not known for DM, nor for UDM. However, so far, an exact proof separating the approximability of the undirected and directed problems does not exist. In fact, the only approximation threshold known for the directed case is the one derived from the undirected case: namely, that the problem is MAXSNP-hard.

The first nontrivial approximation ratio $O(\sqrt{n \lg n})$ for DM is due to Cheriyan, Karloff, and Rabani [1]. This was slightly improved by Anupam Gupta [5] to $O(\sqrt{n})$. Gupta’s analysis also gives an $O(\text{opt}^2)$ cost solution with opt the optimal multicut capacity. This can be considered as an opt -approximation algorithm and is useful in the case the value of opt is “small”. Both algorithms [1] and [5] require solving large linear programs.

Our results: We design *combinatorial* approximation algorithms for DM. Let n and m be the number of nodes and of edges, respectively, in the input graph. Our main result is:

Theorem 1. *For UDM there exists an algorithm with running time $\tilde{O}(n^2m)$ that finds a multicut C of size $O\left((n \lg n \cdot \text{opt})^{2/3}\right) = \tilde{O}\left((n \cdot \text{opt})^{2/3}\right)$.*

The approximation ratio is $\tilde{O}(n^{2/3}/\text{opt}^{1/3})$. Therefore, Theorem 1 implies that for UDM the \sqrt{n} -approximation can be improved if opt is large (e.g., $\text{opt} = \Omega(n^{1/2+\varepsilon})$ for some $\varepsilon > 0$). This is the first algorithm whose approximation ratio *improves* as opt gets larger. Combined with the results of [5] that provides an $O(\text{opt})$ -approximation, we get approximation ratio better than $\tilde{O}(\sqrt{n})$, unless $\text{opt} = \tilde{\Theta}(\sqrt{n})$.

Our additional result is:

Theorem 2. *DM admits an $O(n^{2/3})$ -approximation algorithm with running time $\tilde{O}(nm^2)$.*

The approximation ratio in [5, 1] is better than the one in Theorem 2. However, our algorithm is very simple and runs faster than the algorithms in [5, 1]; the later can be implemented in $O(n^2m^2)$ time using the algorithm of Fleisher [4] for finding an approximate solution of multicommodity-flow type linear programs.

We prove Theorems 1 and 1 in Sections 2 and 3, respectively.

Notation: Let $G = (V, E)$ be a directed graph. For $s, t \in V$ the *distance* $d_G(s, t)$ from s to t in G is the minimum number of edges in an (s, t) -path; $d_G(s, t) = \infty$ if no (s, t) -path exists in G . For disjoint subsets $S, T \subseteq V$ of V let $\delta_G(S, T) = \{st \in E : s \in S, t \in T\}$.

We often omit the subscript G if it is clear from the context. An edge set $C \subseteq E$ is an (s, t) -cut if $C = \delta(S)$ for some $S \subseteq V - t$ with $s \in S$. Let $u(C) = \sum\{u_e : e \in C\}$ be the capacity of C ; $u(C) = |C|$ if no capacities are given. For simplicity of the exposition, we ignore that some numbers are not integral. The adaptation using floors and ceilings is immediate.

Preliminaries: Our algorithms run with certain parameters, which should get appropriate values that depend on n and opt to achieve the claimed approximation ratios. Specifically, for UDM we show an algorithm that for any integer ℓ computes a multicut of size $\ell \cdot opt + O((n \lg n)^2 / \ell^2)$. Setting $\ell = (n \lg n)^{2/3} / opt^{1/3}$ gives the claimed approximation ratio. Since opt is not known, we execute the algorithm for $\ell = 1, \dots, (n \lg n)^{2/3}$, and among the multicuts computed output one of minimum size. For DM we show an algorithm that for any integers ℓ, μ with $1 \leq \ell \leq n - 1$ and $\mu \geq opt$ computes a K -multicut of capacity $\leq \mu \cdot (2\ell + n^2 / \ell^2)$. Setting $\ell = n^{2/3}$ and $\mu = opt$ gives the claimed approximation ratio. Since opt is not known, we apply binary search to find the minimum integer μ so that a multicut of capacity $\leq \mu \cdot (2\ell + n^2 / \ell^2)$ is returned. Note that if $\mu \geq opt$, a multicut C of capacity $\leq \mu(2\ell + n^2 / \ell^2)$ is returned. If $\mu < opt$, then either the returned multicut C is of capacity $\leq \mu(2\ell + n^2 / \ell^2) < 3optn^{2/3}$ which is fine or we know that $\mu < opt$ as the above inequality fails.

Remark: Recently we became aware of the [10] paper, which gives an $\tilde{O}(n^{2/3})$ -approximation algorithm for the related Edge-Disjoint Paths problem. Our result for UDM, which was derived independently, and the main result in [10] rely on the same combinatorial statement (Corollary 1 in our paper, Theorem 1.1 in [10]), but the proofs are different.

2 The Uncapacitated Case

Definition 1. For $X, Y \subseteq V$, let $R_G(X, Y) = |\{(x, y) \subseteq X \times Y : x \neq y, d_G(x, y) < \infty\}|$ denote the number of pairs $(x, y) \subseteq X \times Y$, so that an (x, y) -path exists; let $R(G) = R_G(V, V)$.

We say that $G = (V, E)$ is a p -layered graph if V can be partitioned into p layers L_1, \dots, L_p so that every $e \in E$ belongs to $\delta_G(L_i, L_{i+1})$ for some $i \in \{1, \dots, p - 1\}$.

Lemma 1. Let $G = (V, E)$ be a 4-layered graph containing k edge-disjoint (L_1, L_4) -paths such that $G - \delta_G(L_2, L_3)$ is a simple graph. Then $R(L_1, L_3) + R(L_2, L_4) \geq k$.

Remark: Observe that the graph induced by $L_2 \cup L_3$ may contain parallel edges.

Proof. We will prove the statement by induction on k . The case $k = 0$ is obvious. Assume $k \geq 1$, and that E is a union of k edge-disjoint paths. Let $st \in \delta_G(L_2, L_3)$, let $G' = G - \{s, t\}$, and let $S = \{v \in L_1 : vs \in E\}$, $T = \{v \in L_4 : tv \in E\}$. Then G' contains at least $k - (|S| + |T|)$ edge-disjoint (L_1, L_4) -paths. Also, $R_{G'}(L_1, L_3) \leq R_G(L_1, L_3) - |S|$ and $R_{G'}(L_2, L_4) \leq R_G(L_2, L_4) - |T|$. This follows because of the removal of $\{s, t\}$. By the induction hypothesis, $R_{G'}(L_1, L_3) + R_{G'}(L_2, L_4) \geq k - (|S| + |T|)$. Combining, we get the statement.

Lemma 2. *Let G be a simple ℓ -layered graph containing k -edge disjoint paths from the first layer to the last layer, and let S and T be the union of $p_S \geq 2$ first and $p_T \geq 2$ last layers, respectively, so that $S \cap T = \emptyset$. Then $R(S, T) = \Omega(k p_S p_T)$.*

Proof. By Lemma 1, $R(L_i, L_j) + R(L_{i+1}, L_{j+1}) \geq k$ for every two pairs $L_i, L_{i+1} \subseteq S$ and $L_j, L_{j+1} \subseteq T$. The statement follows by summing the contribution of all such pairs.

Lemma 3. *Let s, t be a pair of nodes in a simple graph G with $d_G(s, t) \geq 2p \lg n$. Then there exists an (s, t) -cut C so that $R(G) - R(G - C) = \Omega(|C|p^2)$.*

Proof. Consider the corresponding $d_G(s, t)$ BFS layers from s to t , where nodes that cannot reach t are deleted. Let X_i be the layer at distance i from s , and let Y_i be the layer at distance i to t . Let k_j be the maximum number of edge-disjoint $(X_{j \cdot p}, Y_{j \cdot p})$ -paths in the graph G_j induced by all the layers starting with $X_{j \cdot p}$ and ending at $Y_{j \cdot \ell}$, $j = 1, \dots, 2 \lg n$.

We claim that there exists an index j with $k_j \leq 2 \cdot k_{j-1}$. Otherwise, since $k_0 \geq 1$, we have $k_j \geq 2^j$. For $j = \log n$ we get $k_j \geq n^2$, which is not possible in a simple graph.

Let j be such an index with $k_j \leq 2 \cdot k_{j-1}$, and let C be a minimum $(X_{j \cdot p}, Y_{j \cdot p})$ -cut, so $|C| = k_j$. We now apply Lemma 2 on the graph G_{j-1} . Note that G_{j-1} contains $|C|/2$ edge-disjoint paths between its first layer $X_{(j-1) \cdot \ell}$ and its last layer $Y_{(j-1) \cdot \ell}$; this is since $k_j = |C|$ by Menger's Theorem, and $k_{j-1} \geq k_j/2$ by the choice of j . Since C separates the first and the last p layers of G_{j-1} , the statement follows from Lemma 2.

Corollary 1. *For UDM there exists an algorithm that for any integer ℓ finds in $\tilde{O}(mn^2/\ell^2)$ time a K -multicut B with $|B| = O\left((n \lg n)^2/\ell^2\right)$, where $K = \{(u, v) : d(u, v) \geq \ell\}$.*

Proof. Let $p = \ell/(2 \lg n)$. The algorithm starts with $B = \emptyset$. While there is an (s, t) -path for some $(s, t) \in K$ it computes an (s, t) -cut $C = C_{st}$ as in Lemma 3, and sets $B \leftarrow B \cup C$, $G \leftarrow G - C$. We claim that at the end of the algorithm $|B| = O(R(G)/p^2) = O(n^2/p^2)$; we get that $|B| = O\left((n \lg n)^2/\ell^2\right)$ by substituting $p = \ell/(2 \lg n)$. Lemma 2 implies that there exists a constant $\alpha > 0$ so that each time C_{st} is deleted, $R(G)$ is reduced by at least $\alpha |C_{st}| p^2$. Thus we get:

$$\alpha p^2 \cdot |B| \leq \alpha p^2 \cdot \sum_{(s,t) \in K} |C_{st}| \leq R(G) \leq n^2.$$

The dominating time at each iteration is spent for computing a cut as in Lemma 3. This can be done using $O(\lg n)$ max-flow computations, thus in $\tilde{O}(m|C_{st}|)$ time using the Ford-Fulkerson algorithm. Thus the total time required is $\tilde{O}(m|B|) = \tilde{O}(mn^2/\ell^2)$.

Given an integer ℓ , apply the following algorithm starting with $A, B = \emptyset$:

While there is an (s, t) -path P with $|P| \leq \ell$ for some $(s, t) \in K$ do:

$A \leftarrow A + P, G \leftarrow G - P.$

End While

Find in $G - A$ a K -multicut B as in Corollary 1.

For any integer ℓ , the algorithm computes a K -multicut $C = A \cup B$ of size $\ell \cdot \text{opt} + O((n \lg n)^2/\ell^2)$; $|A| \leq \ell \cdot \text{opt}$ since any K -multicut contains at least one edge of each path removed, and $|B| = O((n \lg n)^2/\ell^2)$ by Corollary 1. As was explained in the introduction, we execute the algorithm for $\ell = 1, \dots, (n \lg n)^{2/3}$, and among the multicuts computed output one of minimum size. For $\ell = (n \lg n)^{2/3}/\text{opt}^{1/3}$ we get the claimed approximation ratio.

Let us now discuss the implementation of the algorithm. After executing Procedure 1 at iteration ℓ , the graph $G - A$ is used as an input for iteration $\ell + 1$. As the total length of the paths removed is at most n^2 , the total time of Phase 1 executions is $O(mn^2)$. The total time of Phase 2 executions is $\tilde{O}\left(\sum_{\ell=1}^{n^{2/3}} mn^2/\ell^2\right) = \tilde{O}(mn^2)$. Thus the time complexity is as claimed, and the proof of Theorem 1 is complete.

3 An $O(n^{2/3})$ -Approximation Algorithm for DM

The algorithm: Consider the following algorithm:

Input: An instance (G, u, K) of DM, and integers ℓ, μ .

Initialization: $C \leftarrow \emptyset$.

While in G there is an (s, t) -path P for some $(s, t) \in K$ do:

(a) Let P' is the union of the first and the last ℓ edges of P ($P' = P$ if $|P| < 2\ell$);

(b) Among the (s, t) -cuts in G disjoint to P' compute one C' of minimum capacity $(u(C') = \infty$ if $P' = P)$;

(c) If $u(C') > \mu$ then: $u_e \leftarrow u_e - \min\{u_e : e \in P'\}$ for every $e \in P'$;
 $C \leftarrow C \cup P'_0, G \leftarrow G - P'_0$, where $P'_0 = \{e \in P' : u_e = 0\}$.

Else ($u(C') \leq \mu$) $C \leftarrow C \cup C', G \leftarrow G - C'.$

End While

Theorem 3. *At the end of the algorithm C is a K -multicut. If $\mu \geq \text{opt}$ then $u(C) \leq \mu \cdot (2\ell + n^2/\ell^2)$.*

Proof. Assume that $\mu \geq \text{opt}$. Consider a specific iteration of the main loop, and the edge sets P', C' found. There are two possible cases.

If $u(C') > \mu$ then $u(C') > \mu \geq \text{opt}$. This implies that *any* minimum K -multicut contains at least one edge from P' . Hence, after setting $u_e \leftarrow u_e -$

$\min\{u_e : e \in P'\}$ for every $e \in P'$ the optimum decreased by at least $\min\{u_e : e \in P'\}$. Since $|P'| = 2\ell$, the total capacity of the edges in all sets P'_0 added into C during the algorithm is at most $2\ell opt \leq 2\ell\mu$.

Otherwise, if $u(C') \leq \mu$ then $R(G) - R(G - C') \geq \ell^2$. Thus the total number of cuts C' removed during the algorithm $\leq n^2/\ell^2$, and their total capacity $\leq \mu n^2/\ell^2$.

To see that $R(G) - R(G - C') \geq \ell^2$, let P'_F and P'_L be the first and the last ℓ nodes in P , respectively. We claim that $R_G(P'_F, P'_L) = |P'_F| \cdot |P'_L| = \ell^2$ and $R_{G-C'}(P'_F, P'_L) = 0$. The first statement follows from the simple observation that P'_F, P'_L belong to the same path P of G , and thus $d_G(u, v) < \infty$ for every pair u, v with $u \in P'_F, v \in P'_L$. To see the second statement, note that in $d_{G-C'}(u, v) = \infty$ for every such pair u, v , as otherwise there would be an (s, t) -path in $G - C'$, contradicting that C' is an (s, t) -cut in G .

As was mentioned in the introduction, for $\ell = n^{2/3}$ we use binary search to find the minimum integer μ so that a multicut of capacity $\leq \mu \cdot (2\ell + n^2/\ell^2)$ is returned. Theorem 3 implies that $\mu \leq opt$, and the required ratio follows.

Implementation: We can assume that $u_e \in \{1, \dots, n^4\}$ or $u_e = \infty$ for every $e \in E$. In this case binary search for appropriate μ requires $O(\lg(n^6)) = O(\lg n)$ iterations. Indeed, let c be the least integer so that $\{e \in E : u_e \leq c\}$ is a K -multicut. Edges of capacity $\geq cn^2$ do not belong to any optimal solution, and their capacity is set to ∞ . Edges of capacity $\leq c/n^2$ are removed, as adding all of them to the solution affects only the constant in the approximation ratio. This gives an instance with $u_{\max}/u_{\min} \leq n^4$, where u_{\max} and u_{\min} denote the maximum finite and the minimum nonzero capacity of an edge in E , respectively. Further, for every $e \in E$ set $u_e \leftarrow \lceil u_e/u_{\min} \rceil$. It is easy to see that the loss incurred in the approximation ratio is only a constant, which is negligible in our context.

The dominating time is spent for computing $O(m)$ minimum cuts at step (b); each such computation leads to a removal of an edge, since reducing the capacities along P' by $\min\{u_e : e \in P'\}$ guarantees that at least one edge gets capacity zero. As a max-flow/min-cut computation can be done in $\tilde{O}(nm)$ time (c.f., [2]), the total running time is $\tilde{O}(nm^2)$. This finishes the proof of Theorem 2.

Acknowledgment. The second author thanks Joseph Cheriyan for suggesting the problem and for helpful discussions, and Howard Karloff and Aravind Srinivasan for useful discussions.

References

1. J. Cheriyan, H. Karloff, and Y. Rabani. Approximating directed multicuts *Combinatorica*, to appear.
2. T. H. Cormen, C. E. Leiserson, R. L. Rivest and C. Stein, Introduction to Algorithms, Second Edition, MIT press, 1998.

3. G. Even, S. Naor, B. Schieber, and S. Rao, Divide-and-Conquer Approximation Algorithms Via Spreading Metrics, *Journal of the ACM* 47(4):585 - 616, 2000.
4. L. Fleisher Approximating Fractional Multicommodity Flows Independent of the Number of Commodities , *SIAM J. Discrete Math.* 13 (2000), no. 4, 505-520
5. Anupam Gupta, Improved approximation algorithm for directed multicut In *SODA 2003*, pages 454-455.
6. N. Garg, V. Vazirani and M. Yannakakis Primal-Dual Approximation Algorithms for Integral Flow and Multicut in Trees. *Algorithmica*, 18(1):3-20, 1997.
7. N. Garg, V. Vazirani and M. Yannakakis Approximate max-flow min-(multi)cut theorems and their applications, *SIAM Journal on Computing*, 25(2):235-251, 1996.
8. P. N. Klein, S. A. Plotkin, S. Rao, and E. Tardos", *Approximation Algorithms for Steiner and Directed Multicuts*, *J. Algorithms*, 22(2):241-269, 1997.
9. P. D. Seymour, Packing Directed Circuits Fractionally, *Combinatorica* 15(2): 281-288 1995.
10. K. Varadarajan and G. Venkataraman, Graph Decomposition and a Greedy Algorithm for Edge-disjoint Paths, *Symposium on Discrete Algorithms (SODA) 2004*, Pages 379-380 .