

Intelligent Agents in Distributed Fault Tolerant Systems

Arnulfo Alanis Garza, Juan José Serrano, Rafael Ors Carot, José Mario García Valdez

¹Dpto. de Sistemas Computacionales, Instituto Tecnológico de Tijuana (México) Calzada Tecnológico S/N, Unidad Tomas Aquino, {alanis,ocastillo,mario}@tectijuana.mx

²D. Inf. de Sistemas y Computadoras, Camí de Vera, s/n, 46022 VALÈNCIA, ESPAÑA, 00+34 96387, Universidad Politècnica de Valencia (España) {jserrano,rors}@disca.upv.es

Abstract. Intelligent Agents have originated a lot of discussion about what they are, and how they are different from general programs. We describe in this paper a new paradigm for intelligent agents. This paradigm helped us deal with failures in an independent and efficient way. We proposed three types of agents to treat the system in a hierarchic way. A new way to visualize fault tolerant systems (FTS) is proposed, in this paper with the incorporation of intelligent agents, which as they grow and specialized create the Multi-Agent System (MAS). The MAS contains a diversified range of agents, which depending on the perspective will be specialized or evolutionary (from our initially proposal) they will be specialized for the detection and possible solution of errors that appear in an FTS). The initial structure of the agent is proposed in [1] and it is called a reflected agent with an internal state and in the Method MeCSMA [2].

1 Introduction

At the moment, the approach using agents for real applications, has worked with movable agents, which work at the level of the client-server architecture. However, in systems where the requirements are higher, as in the field of the architecture of embedded industrial systems, the idea is to innovate in this area by working with the paradigm of intelligent agents. Also, it is a good idea in embedded fault tolerant systems, where it is a new and good strategy for the detection and resolution of errors.

The main goals of the present research work were the following:

- To create a new visualization tool of the application of intelligent agents, in the fault tolerant systems for embedded systems.
- To create a model, that will help the programmers to create profiles in embedded circuits, according to utility, by means of, Intelligent Agents

The reflected agent with an internal state sets out the general structure of the recovery Intelligent Agent for Fault tolerant Systems in Distributed Systems, whit three types of intention agents.

1.1 Where do Agents Come From?

Agents have their origins in four different research areas: robotics, artificial intelligence, distributed systems, and computer graphics.

Agents working in robotics and artificial intelligence were originally strongly interrelated. Robots such as SHAKEY were programmed to exhibit autonomous behavior in well-defined environments, and laid the groundwork for AI planning systems to this day. The first software agent was probably ELIZA [12], a program which could engage in a conversation with a user. Another influential program, SHRDLU [13], allowed a person to have a conversation with a simulated robot.

The notion of multi-agent systems was brought to the fore-front by Marvin Minsky in his work on the “Society of Mind” [14]. His vision was that a complex system such as the human mind should be understood as a collection of relatively simple agents, each of which was a specialist in a certain narrow domain. Through structures called K-lines, agents would activate each other whenever their context became relevant.

The work of Minsky showed remarkable vision, but was ahead of its time since software complexity had not yet reached the level where the advantages of such structures would have a practical impact.

However, the idea of decomposing a complex system into simple agents found willing takers in robotics. Frustrated with the complexity of robots built around general and thus large homogeneous software systems, Rodney Brooks [18] proposed a radically different design. In his view, intelligent and complex behavior would be emergent in the interplay of many simple behaviors. Each behavior is a simple agent whose activation is decided by a control architecture. Complex general vision systems were replaced by simple detectors specialized in particular situations, and actions were taken based on very simple rules. Brooks showed that using this approach, one could very easily build robust autonomous robots, which had not been possible otherwise [9] [10] [11].

1.2 Agents

Let's first deal with the notion of intelligent agents. These are generally defined as "software entities", which assist their users and act on their behalf. Agents make your life easier, save you time, and simplify the growing complexity of the world, acting like a personal secretary, assistant, or personal advisor, who learns what you like and can anticipate what you want or need. The principle of such intelligence is practically the same of human intelligence. Through a relation of collaboration-interaction with its user, the agent is able to learn from himself, from the external world and even from other agents, and consequently act autonomously from the user, adapt itself to the multiplicity of experiences and change its behavior according to them. The possibilities offered for humans, in a world whose complexity is growing exponentially, are enormous [1][4][5][6].

2 Distributed Artificial Intelligence

Distributed Artificial Intelligence (DAI) systems can be defined as cooperative systems where a set of agents act together to solve a given problem. These agents are often heterogeneous (e.g., in Decision Support System, the interaction takes place between a human and an artificial problem solver).

Its metaphor of intelligence is based upon social behavior (as opposed to the metaphor of individual human behavior in classical AI) and its emphasis is on actions and interactions, complementing knowledge representation and inference methods in classical AI.

This approach is well suited to face and solve large and complex problems, characterized by physically distributed reasoning, knowledge and data managing. In DAI, there is no universal definition of agent, but Ferber's definition is quite appropriate for drawing a clear image of an agent: "An agent is a real or virtual entity, which is emerged in an environment where it can take some actions, which is able to perceive and represent partially this environment, which is able to communicate with the other agents and which possesses an autonomous behaviour that is a consequence of its observations, its knowledge and its interactions with the other agents".

DAI systems are based on different technologies like, e.g., distributed expert systems, planning systems or blackboard systems. What is now new in the DAI community is the need for methodology for helping in the development and the maintenance of DAI systems. Part of the solution relies on the use of more abstract formalisms for representing essential DAI

properties (in fact, in the software engineering community, the same problem led to the definition of specification languages) [7][8].

3 FIPA (The Foundation of Intelligence Physical Agents)

FIPA specifications represent a collection of standards, which are intended to promote the interoperation of heterogeneous agents and the services that they can represent.

The life cycle [9] of specifications details what stages a specification can attain while it is part of the FIPA standards process. Each specification is assigned a specification identifier [10] as it enters the FIPA specification life cycle. The specifications themselves can be found in the Repository [11].

The Foundation of Intelligent Physical Agents (FIPA) is now an official IEEE Standards Committee.

4 FIPA ACL Message

A FIPA ACL message contains a set of one or more message elements. Precisely which elements are needed for effective agent communication will vary according to the situation; the only element that is mandatory in all ACL messages is the performative, although it is expected that most ACL messages will also contain sender, receiver and content elements.

If an agent does not recognize or is unable to process one or more of the elements or element values, it can reply with the appropriate not-understood message.

Specific implementations are free to include user-defined message elements other than the FIPA ACL message elements specified in Table 1. The semantics of these user-defined elements is not defined by FIPA, and FIPA compliance does not require any particular interpretation of these elements.

Some elements of the message might be omitted when their value can be deduced by the context of the conversation. However, FIPA does not specify any mechanism to handle such conditions, therefore those implementations that omit some message elements are not guaranteed to interoperate with each other

The full set of FIPA ACL message elements is shown in Table 1 without regard to their specific encodings in an implementation. FIPA-approved encodings and element orderings for ACL messages are given in

other specifications. Each ACL message representation specification contains precise syntax descriptions for ACL message encodings based on XML, text strings and several other schemes.

A FIPA ACL message corresponds to the abstract element message payload identified in the [15]

Table 1. FIPA ACL Message Elements

Element	Category of Elements
performative	Type of communicative acts
sender	Participant in communication
receiver	Participant in communication
reply-to	Participant in communication
content	Content of message
language	Description of Content
encoding	Description of Content
ontology	Description of Content
protocol	Control of conversation
conversation-id	Control of conversation
reply-with	Control of conversation
in-reply-to	Control of conversation
reply-by	Control of conversation

The following terms are used to define the ontology and the abstract syntax of the FIPA ACL message structure:

Frame. This is the mandatory name of this entity, that must be used to represent each instance of this class.

Ontology. This is the name of the ontology, whose domain of discourse includes their elements described in the table.

Element. This identifies each component within the frame. The type of the element is defined relative to a particular encoding. Encoding specifications for ACL messages are given in their respective specifications.

Description. This is a natural language description of the semantics of each element. Notes are included to clarify typical usage.

Reserved Values. This is a list of FIPA-defined constants associated with each element. This list is typically defined in the specification referenced.

All of the FIPA message elements share the frame and ontology shown in Table 2.

Table 2. FIPA ACL Message Frame and Ontology

Frame	FIPA-ACL-Message
Ontology	FIPA-ACL

5 Proposed Method

Let DS denote a distributed system made up of a set of Nodes $N = \{ N_i \}$, where each N_i can be formed by several Devices (De) $[D_i, z]$. On the other hand, a DS also contains a set of Tasks to execute, $T = \{ T_j \}$.

Definition 1: $N = \{ N_i \}$, where i is the number of nodes of the distributed system.

Definition 2: $T = \{ T_j \}$, where j is the number of tasks that are executed in the system.

Definition 3: $De = [D_i, z]$, where z is the number of devices that will be monitored by N_i from these definitions, it can be made the following one:

Definition 4: Let a distributed system DS be pair $\langle N, T \rangle$

This is where we equipped this DS with certain characteristics of failure tolerance.

This is where the use of the DAI paradigm, applied to the Fault Tolerant System (FTS) as a DS can represent a new approach with the implementation of Intelligent Agents.

$IAFT = \{AN_i, AT_j, AS\}$ will now define the Fault tolerant Agents, that work a DS.

The Node Agent ($AN_i \in N_i$), whose mission is related to the tolerance to failures at node level (What works and what not within the node).

The Task Agent ($AT_j \in AT_j$), whose mission is related to the tolerance to failures at task level (like recovering the tasks of the possible errors that can suffer)

System Agent ($AS \in DS$), whose mission is the related to the tolerance to failures at the system level (what tasks must be executed in the system and on what nodes)

With it a fault tolerant DS is defined as:

Definition 5: A Distributed Fault Tolerant System DFTS is the pair $\langle DS, IAFT \rangle$, DSTF is defined as $\{DS, IAFT\}$

6 Control of Conversation

In this section we describe the control of conversation between agents. In table 3 we show the protocol. In this table 4 we show the conversation identifier of the node agent. In table 5 we show the reply of an agent.

Table 3. Protocol

Element	Description	Reserved Values
Protocol	Denotes the interaction protocol that the	See [16]
TCP/IP	sending agent is employing with this ACL message	

Table 4. Conversation Identifier of Node Agent (ANi)

Element	Description	Reserved Values
<ul style="list-style-type: none"> • (ANi).Phase.Detectio n y (ANi).{Input- Error (i,j).Error} • (ANi).Phase.Location y (ANi).Input- Error(i,j).Error • (ANi).Phase.Isolation y (ANi).Device[Di,m].I ncorrect • (ANi).Phase.Recunfig uration • (ANi).Phase.Recunfig uration y ANiTj. Re- covered 	<p>Introduces an ex- pression (a conversa- tion identifier) which is used to identify the ongoing se- quence of communi- cative acts that to- gether form a conversation.</p>	

Table 5. Reply With

Element	Description	Reserved Values
<ul style="list-style-type: none"> • (ANi).State.Suspect • (ANi).{Test[Di k]} • (ANi).{Device[Di,m]. Incorrect} • (ANi).{Test [Di,l]} (ANiS). low y (ANi).State.low • (ANi).Actions- Isolation-Device(m) • ANiTj.A-to Recover y (ANi).Phase. recovery • (ANi).Phase.Detection y (ANi).State.Correcto. 	<p>Introduces an expres- sion that will be used by the responding agent to identify this message.</p>	

7 Considerations

The agent counts on a AID, which is "intelligent Agents as a new paradigm of Distributed Fault tolerant Systems for industrial control" to as Architecture of Reference fipa/Data minimum of an agent is specified in the norms of Fipa (, says: Aid- the agent must have a unique name globally).

The agent contains descriptions of transport in the development of his documentation, which fulfills the specifications of fipa (Architecture of Reference fipa/Data minimum of an agent, says: Localizer one or but descriptions of the transport that as well, contains the type of transport by ej. Protocol), but does not specify the protocol that uses like type of transport, this in phase of analysis.

It concerns the communication and cooperation between agents, the document "intelligent Agents as New Paradigm of Distributed Fault tolerant Systems for Industrial Control" says to us that the communication between the agents occurs of ascending or descendent form depending on the type of agent. A little superficial explanation occurs, without specifying for example that type of language of communication between agents uses, or KQML or the Fipa-acl.

8 Conclusions

We described in this paper our approach for building multi-agents system for achieving fault tolerant control system in industry. The use of the paradigm of intelligent agents has enabled the profile generation of each of the possible failures in an embedded industrial system. In our approach, each of the intelligent agents is able to deal with a failure and stabilize the system in an independent way, and that the system has a behavior that is transparent for the use application as well as for the user.

Reference

1. Stuart Russell and Peter Norvig, Artificial Intelligence to Modern Approach, Pretence artificial Hall series in intelligence, Chapter Intelligent Agent, pages. 31-52.
2. A.Alanis, Of Architectures for Systems Multi-Agentes, (Master Degree thesis in computer sciences), Tijuana Institute of Technology, November, 1996.
3. Michael J. woodridge, Nicholas R. Jennings. (Eds.), Intelligence Agents, Artificial Lecture Notes in 890 Subseries of Lectures Notes in Computer Science, Amsterdam, Ecai-94 Workshop on Agent Theories, Architectures, and languages, The Netherland, Agust 1994 Proceedings, ed. Springer-Verlag, págs. 2-21.
4. P.R. Cohen ET al.?An Open Agent Architecture, working Notes of the AAAI Spring symp.: Software Agent, AAAI Press, Cambridge, Mass., 1994 págs. 1-8.
5. Bratko I. Prolog for Programming Artificial Intelligence, Reding, Ma. Addison-Wesley, 1986.

6. Or Etzioni, N. Lesh, and R. Segal: Building for Softbots UNIX? (preliminary report). Tech. Report 93-09-01. Univ. of Washington, Seattle, 1993.
7. Elaine Rich, Kevin Knight, Artificial intelligence, Second Edition, Ed. Mc Graw-Hill, págs. 476-478.
8. N. Jennings, M. Wooldridge: Intelligent agents: Theory and practice. The Knowledge Engineering Review 10, 2 (1995), 115– [10] Durfee et al. 89.
9. E. H. Durfee, V. R. Lesser, D. D. Corkill: Trends in cooperative distributed problem solving. IEEE Transactions on Knowledge and Data Engineering KDE-1, 1(March 1989), 63–83.
10. <http://www.fipa.org/specifications/lifecycle.html>
11. <http://www.fipa.org/specifications/identifiers.html>
12. <http://www.fipa.org/specifications/index.html>
13. M. Yokoo, T. Ishida, K. Kuwabara: Distributed constraint satisfaction for DAI problems. In Proceedings of the 1990 Distributed AI Workshop (Bandara, TX, Oct. 1990).
14. J. Weizenbaum: ELIZA – a computer program for the study of natural language communication between man and machine. Communications of the Association for Computing Machinery 9, 1(Jan. 1965), 36–45.
15. T. Winograd: A procedural model of language understanding. In Computer Models of Thought and Language, R.Schank and K. Colby, Eds. W.H.Freeman, New York, 1973, pp. 152–186.
16. FIPA Abstract Architecture Specification. Foundation for Intelligent Physical Agents, 2000. <http://www.fipa.org/specs/fipa00001/>
17. FIPA Interaction Protocol Library Specification. Foundation for Intelligent Physical Agents, 2000. <http://www.fipa.org/specs/fipa00025/>