

# Term-Graph Rewriting Via Explicit Paths

Emilie Balland and Pierre-Etienne Moreau

UHP & LORIA, and INRIA & LORIA,  
BP 101, 54602 Villers-lès-Nancy Cedex France  
{Emilie.Balland,Pierre-Etienne.Moreau}@loria.fr

**Abstract.** The notion of path is classical in graph theory but not directly used in the term rewriting community. The main idea of this work is to raise the notion of path to the level of first-order terms, i.e. paths become *part* of the terms and not just meta-information about them. These paths are represented by words of integers (positive or negative) and are interpreted as relative addresses in terms. In this way, paths can also be seen as a generalization of the classical notion of position for the first-order terms and are inspired by de Bruijn indexes.

In this paper, we define an original framework called Referenced Term Rewriting where paths are used to represent pointers between subterms. Using this approach, any term-graph rewriting systems can be simulated using a term rewrite-based environment.

## 1 Introduction

The notion of position is of course central as soon as one deals with data structures. Absolute as well as relative positions are at the heart of algorithms manipulating data structures and their appropriate use and representation can lead to very important differences in the complexity behavior and more generally in the expression of the algorithms themselves. A typical example is the notion of de Bruijn indexes for lambda-terms [10] that not only allows for an easier expression of data-structure manipulations, typically substitution, but also completely changes the way the algorithm is designed, because in this case alpha-conversion is useless.

The main idea of this paper is to make the notion of path first-class, i.e. paths become *part* of the terms and not just meta-information about them. Paths are defined as a generalization of positions and denote a relation from a source position to a target one. A main difference with classical positions that specify a subterm with respect to a global term is that the source position is not necessarily the root.

The first contribution of the paper is to introduce the notion of referenced terms to ground an extension of term rewriting where paths are used to express references and thus to provide a natural way to add pointers in classical terms. For instance, the term  $f(a, g(a))$  where we want to make explicit the fact that the subterm  $a$  is shared, will be represented as the referenced term  $f(a, g(-1.-2.1))$ , where -1 and -2 denote backward move from respectively the first subterm of  $g$

and the second subterm of  $f$ . The rational term  $g(g(g(\dots)))$  (a rational term is a possibly infinite term with finitely many subterms, see [9]) is represented by the referenced term  $g(-1)$ .

Based on the formalization of paths and a notion of rewrite relation for referenced terms, a strong contribution of this paper is to establish a simulation of term-graph rewriting by referenced term rewriting. Since this simulation is completely based on standard first-order terms, another main interest of the approach is to provide a safe and efficient way to represent and transform term-graphs in a purely term-rewriting based language. Beside the theoretical interest, this is very useful to implement program analysis tools where the representation, the analysis, and the transformation of control-flow and data-flow graphs are crucial. This new representation of terms generalizes standard first-order terms. It requires us to carefully design this new notion of terms and its use to get syntactic correctness. For instance,  $g(-1.-1)$  makes no sense as such. Completeness with respect to the standard notions of term and term-graph rewritings have also to be established. This leads to an original and clean way for representing and transforming graphs in a maximally shared rewrite-based environment, making in particular possible the use of term rewriting strategies [15] for term-graph rewriting.

The paper is organized as follows. In Section 2, we formalize the notion of paths and referenced terms where paths are interpreted as pointers. Section 3 shows the relation between referenced terms and cyclic term-graphs as well as the implementation that has been done in the TOM system. Section 4 presents related work and Section 5 concludes. We refer to the long version of the paper [5] for the omitted proofs.

## 2 Paths and Referenced Terms

We assume the reader to be familiar with the basic definitions of first-order terms given, in particular, in [3]. We briefly recall or introduce notations for a few concepts that will be used throughout this paper.

A signature  $\mathcal{F}$  is a set of function symbols, each one associated to a natural number by an arity function.  $\mathcal{T}(\mathcal{F}, \mathcal{X})$  is the set of *terms* built from a given finite set  $\mathcal{F}$  of function symbols and a denumerable set  $\mathcal{X}$  of variables.  $\mathbf{symb}(t)$  is a partial function from  $\mathcal{T}(\mathcal{F}, \mathcal{X})$  to  $\mathcal{F}$ , which associates to each term  $t$  its top-symbol  $f \in \mathcal{F}$ . The set of variables occurring in a term  $t$  is denoted by  $\mathit{Var}(t)$ . If  $\mathit{Var}(t)$  is empty,  $t$  is called a *ground term* and we note  $\mathcal{T}(\mathcal{F}) = \mathcal{T}(\mathcal{F}, \emptyset)$  the set of ground terms. Given a set of terms  $\mathcal{T}(\mathcal{F}, \mathcal{X})$ , a *substitution*  $\sigma$  is a function from  $\mathcal{X}$  to  $\mathcal{T}(\mathcal{F})$ , denoted  $\sigma = \{x_1 \mapsto t_1, \dots, x_k \mapsto t_k\}$  when its domain is finite.  $\mathit{Ran}(\sigma)$  denotes its codomain. By abuse of notation, we mix up the term  $a \in \mathcal{T}(\mathcal{F})$  and the function symbol  $a \in \mathcal{F}$  when the arity of  $a$  is 0.

In term rewriting, the concept of positions is used to denote a subterm in a global term (i.e. the path from the root to this subterm). In this section, we define the notion of *path*, which generalizes the notion of position by denoting a path from a subterm to another one, and not only the path from the root to a given subterm. Negative numbers designate bottom-up displacements

**Definition 1 (Path).** We denote  $\mathcal{P}$  the set of words on  $\mathbb{Z} \setminus \{0\}$ . We denote  $\epsilon$  the empty word,  $p_1 \cdot p_2$  the concatenation of two words  $p_1$  and  $p_2$  and  $|p|$  the length of a word  $p$ . We denote  $\mathcal{P}^*$  the set  $\mathcal{P} \setminus \{\epsilon\}$ .

*Example 1.*  $\epsilon$ ,  $1 \cdot 3$ , and  $-2 \cdot 1 \cdot 3$  are paths, elements of  $\mathcal{P}$ .

The notion of path is oriented and corresponds to the route from a subterm to another one. For example, considering the term  $f(a, b)$ , the path  $-1 \cdot 2$  describes how to reach the subterm  $b$  starting from  $a$ . The negative integer  $-1$  denotes a backward move from  $a$  to  $f$ , whereas  $2$  goes from  $f$  to  $b$ . The *inverse* of a path  $p$  is denoted by  $\overline{p}$  and can be calculated using the equations  $\overline{\overline{\epsilon}} = \epsilon$  and  $\overline{i \cdot p} = \overline{p} \cdot -i$ . For example,  $\overline{-1 \cdot 2} = 2 \cdot 1$ .

Note that positions are a subset of paths (paths only composed of positive integers). In the rest of the paper, they will be denoted by Greek letters  $\omega, \delta$ . The empty word  $\epsilon$  is also a position and is generally called the top-position because in term-rewriting, positions are only interpreted from the root of the term. Given two positions, we will denote by  $\sqsubseteq$  the classical relation of prefixation between two words ( $\omega_1 \sqsubseteq \omega_2$  if there exists a position  $p$  such that  $\omega_1 \cdot p = \omega_2$ ). The subterm of  $t$  at position  $\omega$  is denoted  $t|_\omega$ . The replacement at position  $\omega$  of the subterm  $t|_\omega$  by  $t'$  is written  $t[t']_\omega$ . The set of positions of  $t$  is denoted  $\text{Pos}(t)$ . Given two positions  $\omega_{src}$  and  $\omega_{dest}$  (for *source* and *destination*), note that the path  $\overline{\omega_{src}} \cdot \omega_{dest}$  corresponds to a path connecting  $t|_{\omega_{src}}$  to  $t|_{\omega_{dest}}$ . We denote  $<_{\mathcal{P}}$  the lexicographic order on positions. For example  $\epsilon <_{\mathcal{P}} 1$  and  $1 \cdot 2 <_{\mathcal{P}} 1 \cdot 3$ .

If we want to use these paths to define term-graphs, it is necessary to consider equivalence classes. Informally, two paths are equivalent if for every source position, their target positions are equal. For example, paths  $1 \cdot 2 \cdot -2$  and  $1$  are equivalent.

In the following we define the notion of *canonical form* as the smallest path of this equivalence class. Moreover, when interpreting a negative integer as a backward move from the  $i$ -th child to the father, we must ensure that if the previous move in the word is positive, it leads to the same  $i$ -th child. For example, the path  $1 \cdot -2$  cannot be considered as valid because a move downward to its first child is followed by a move backward from its second child. These observations lead us to introduce the notion of well-formed paths, as well as a constant  $\perp$  for representing ill-formed paths.

**Definition 2 (Canonical path and path equivalence).** The *canonical form* of a path  $p \in \mathcal{P}$ , denoted  $\langle p \rangle$ , is obtained by maximal application of the rule  $i \cdot -i \rightarrow \epsilon$  if  $i \in \mathbb{Z}^*$ . Two paths  $p_1$  and  $p_2$  are said *equivalent* if  $\langle p_1 \rangle = \langle p_2 \rangle$ .

It is easy to show that the rule using to obtain canonical paths is confluent and terminating.

**Definition 3 (Well-formed path).** We introduce a constant  $\perp$  for denoting *ill-formed paths*. A path  $p \in \mathcal{P}$  is *well-formed* if  $\langle p \rangle \not\rightarrow_R^* \perp$  with  $R$  is defined by the rule  $p \cdot i \cdot -j \cdot p' \rightarrow \perp$  if  $i > 0$ ,  $j > 0$  and  $i \neq j$

*Example 2.*  $1 \cdot 2 \cdot -2$  and  $2 \cdot 3 \cdot -3 \cdot -2 \cdot 1$  are well-formed paths, but  $1 \cdot -2$  is not.

Note that positions can be seen as a subset of well-formed paths because they correspond to paths only composed of positive integers. Note also that the inverse preserves the well-formedness. On the other hand, the concatenation of two well-formed paths does not always lead to a well-formed path:  $1$  is well-formed,  $-2$  is well-formed, but  $1 \cdot -2$  is not.

From these definitions, we show how the notion of paths can be used to extend an algebraic signature in order to represent referenced terms.

## 2.1 Referenced Terms

A referenced term is a term whose leaves may be a path, which denotes a reference to another subterm.

**Definition 4 (Referenced terms).** *Given a set of symbols  $\mathcal{F}$  and a set of variables  $\mathcal{X}$  such that  $\mathcal{F}$ ,  $\mathcal{X}$ ,  $\mathcal{P}$  are disjoint, we denote by  $\mathcal{T}_r(\mathcal{F}, \mathcal{X})$  the set of referenced terms  $\mathcal{T}(\mathcal{F} \cup \mathcal{P}, \mathcal{X})$ , where the elements of  $\mathcal{P}$  are symbols of arity 0.*

*Example 3.* For  $\mathcal{F} = \{f, g, a\}$ ,  $a$ ,  $g(-1)$ , and  $g(f(a, -2 \cdot 1))$  are referenced terms, elements of  $\mathcal{T}_r(\mathcal{F})$ . For any  $\mathcal{F}$  and  $\mathcal{X}$ , we have  $\mathcal{T}(\mathcal{F}, \mathcal{X}) \subset \mathcal{T}_r(\mathcal{F}, \mathcal{X})$ .

**Definition 5 (Dereferencing).** *Given  $t \in \mathcal{T}_r(\mathcal{F}, \mathcal{X})$  and  $\omega \in \mathcal{Pos}(t)$ :*

$$\mathit{deref}(t, \omega) = \begin{cases} (\omega \cdot \mathit{ymb}(t_{|\omega})) & \text{if } \mathit{ymb}(t_{|\omega}) \in \mathcal{P} \\ \omega & \text{otherwise.} \end{cases}$$

We recall that  $\mathit{ymb}(t)$  is a partial function from  $\mathcal{T}(\mathcal{F}, \mathcal{X})$  to  $\mathcal{F}$ , which associates to each term  $t$  its top-symbol  $f \in \mathcal{F}$ . The operation  $\mathit{deref}(t, \omega)$  returns the position pointed by  $t_{|\omega}$  when  $\mathit{ymb}(t_{|\omega}) \in \mathcal{P}$ , and  $\omega$  otherwise. For example,  $\mathit{deref}(g(-1), 1) = \epsilon$ , but  $\mathit{deref}(g(a), 1) = 1$ . Note that when  $\omega \cdot \mathit{ymb}(t_{|\omega})$  is ill-formed, the result of  $\mathit{deref}(t, \omega)$  is meaningless.

We now introduce a notion of *valid referenced terms*. The first condition ensures that the value returned by  $\mathit{deref}(t, \omega)$  is a position of  $\mathcal{Pos}(t)$ , and thus is a well-formed path. For example,  $\mathit{deref}(g(-2), 1)$  is not a valid term. The second condition forbids pointers of pointers like in  $f(-1 \cdot 2, -2 \cdot 1)$ . This last requirement is introduced only for simplicity but is not mandatory in term-graph simulation. Indeed, it could be interesting to consider such terms for modeling imperative languages for example.

**Definition 6 (Valid referenced terms).** *A term  $t \in \mathcal{T}_r(\mathcal{F}, \mathcal{X})$  is a valid referenced term if  $\forall \omega \in \mathcal{Pos}(t)$  such that  $\mathit{ymb}(t_{|\omega}) \in \mathcal{P}$  we have:*

- $\mathit{deref}(t, \omega) \in \mathcal{Pos}(t)$ ,
- $\mathit{ymb}(t_{|\mathit{deref}(t, \omega)}) \notin \mathcal{P}^*$ .

We denote by  $\mathcal{T}_{vr}(\mathcal{F}, \mathcal{X})$  the set of valid referenced terms and  $\mathcal{T}_{vr}(\mathcal{F})$  the set of ground valid referenced terms.

Empty paths (denoted  $\epsilon$ ) are allowed in valid referenced terms in order to deal with degenerated cycles that can appear when applying a collapsing rule, e.g. a rule of the form  $I(x) \rightarrow x$ . In the term-graph rewriting formalism, a fresh constant called *black hole* and denoted by  $\bullet$  is generally introduced [2]. In our context, it is not necessary since  $\epsilon$  corresponds intuitively to this constant.


*Example 4.* The terms  $\epsilon$ ,  $g(-1)$ ,  $f(-1 \cdot 2, a)$  and  $f(-1 \cdot 2, \epsilon)$  are valid, but  $g(3)$  and  $f(-1 \cdot 2, -2)$  are not. Terms corresponding to non-empty paths (1,  $-1 \cdot 2$ , etc.) are elements of  $\mathcal{T}_r(\mathcal{F}, \mathcal{X})$  but are not valid (i.e.  $\notin \mathcal{T}_{vr}(\mathcal{F}, \mathcal{X})$ ). The term  $t = f(-1 \cdot 1 \cdot -1, -2 \cdot 3)$  is invalid because  $\text{deref}(t, 2) = (2 \cdot -2 \cdot 3) = 3$  which is not in  $\mathcal{Pos}(t) = \{\epsilon, 1, 2\}$ .

### 3 Term-Graph Rewriting

There exist different formalisations of term-graph rewriting, category-theory oriented [14], equationally oriented [2,17] or implementation oriented [6]. The difference between terms and term-graphs is the notion of horizontal and vertical sharing. In this section, we base our work on the equational framework introduced in [2]. This well established framework allows the definition of possibly cyclic term-graphs, using systems of recursion equations.

**Definition 7 (System of recursion equations from [2]).** *Given a finite set  $\mathcal{F}$  of function symbols and a denumerable set  $\mathcal{X}$  of variables, a system of recursion equations is of the form  $\{\alpha_1 \mid \alpha_1 = t_1, \dots, \alpha_n = t_n\}$ ,  $\forall i, j \in [1, n] \alpha_i \in \mathcal{X}$ ,  $\alpha_i \neq \alpha_j$ ,  $t_i \in \mathcal{T}(\mathcal{F}, \mathcal{X})$  is of the form  $f(\beta_1, \dots, \beta_m)$ ,  $f \in \mathcal{F}$ ,  $\forall j \in [1, m] \beta_j \in \mathcal{X}$ . Moreover,  $\forall i \in [1, n] \alpha_i$  must be reachable from  $\alpha_1$ .*


Given a system of recursion equations  $L$ , the root is denoted  $\text{root}(L)$  and corresponds to the recursion variable  $\alpha_1$ . The set of equations is denoted  $\text{set}(L)$ . A variable  $\alpha$  is said *bound* when it appears in the left-hand side of an equation. Otherwise,  $\alpha$  is *free*. Note that systems of recursion equations are considered modulo renaming of the recursion variables. In Definition 7, the systems of recursion equations have been presented in *flattened form* ( $t_i$  of the form  $f(\beta_1, \dots, \beta_m)$ ) which ensures the unicity of the representation of a term-graph (modulo renaming of recursion variables). An example of term-graph is given in Figure 1.



**Fig. 1.** This cyclic term-graph corresponds to the system of recursion equations  $\{\alpha \mid \alpha = f(\beta, \gamma), \beta = g(\alpha), \gamma = f(\beta, \alpha)\}$ . It contains horizontal sharing:  $\alpha$  and  $\gamma$  share the same subterm  $\beta$ ; as well as vertical sharing:  $\alpha$  is a subterm of both  $\beta$  and  $\gamma$ .

**Definition 8 (Equational term-graph rewriting [2]).** Given a rewrite rule composed of two systems of recursion equations  $L_1$  and  $L_2$  with the same root ( $L_1$  and  $L_2$  are not necessarily in flattened form) and where the free variables of  $L_2$  are included in the set of free variables of  $L_1$ , a system of recursion equations  $L$  is rewritten into  $L'$  by the rule  $L_1 \rightarrow L_2$  if there exists a variable substitution  $\sigma$  (Definition 4.1 of [2]) and a recursion equation  $\alpha = t$  in  $L$  such that  $\text{set}(\sigma(L_1)) \subseteq \text{set}(L)$  and  $\alpha = \text{root}(\sigma(L_1))$ .  $\text{root}(L') = \text{root}(L)$  and  $\text{set}(L') = \text{set}(L) \setminus \{\alpha = t\} \cup \text{set}(\sigma'(L_2))$  where  $\sigma'(L_2)$  denotes  $\sigma(L_2)$  in which every bound variable (except the root) has been renamed using a fresh name. To obtain from  $L'$  a system as defined in Definition 7, equations corresponding to unreachable bound recursion variables are removed and equations are flattened (see [2] for more details). Degenerated cycles, i.e. equations of the form  $\alpha = \alpha$  are replaced by  $\alpha = \bullet$ . In case of equations of type  $\alpha = \beta$ , each occurrence of  $\alpha$  is substituted by  $\beta$  and the equation  $\alpha = \beta$  is removed.

*Example 5.* Suppose we want to apply the rule  $\{\beta_1 \mid \beta_1 = f(\beta_2, \beta_3)\} \rightarrow \{\beta_1 \mid \beta_1 = \beta_2\}$ , which corresponds to  $f(x, y) \rightarrow x$ , on the following term-graph:



The initial term-graph is  $L = \{\alpha_1 \mid \alpha_1 = f(\alpha_2, \alpha_3), \alpha_2 = f(\alpha_4, \alpha_5), \alpha_3 = f(\alpha_6, \alpha_4), \alpha_4 = a, \alpha_5 = g(\alpha_6), \alpha_6 = b\}$ . When applying the rule at position 1 (i.e. on  $\alpha_2$ ), we have  $\sigma = \{\beta_1 \mapsto \alpha_2, \beta_2 \mapsto \alpha_4, \beta_3 \mapsto \alpha_5\}$  and  $\alpha_2$  is the selected bound variable.  $\sigma(L_2) = \{\alpha_2 = \alpha_4\}$  (note that renaming with fresh variables is not necessary in this case) and we get  $L' = L \setminus \{\alpha_2 = f(\alpha_4, \alpha_5)\} \cup \sigma(L_2)$  as final result. This corresponds to the system  $\{\alpha_1 \mid \alpha_1 = f(\alpha_4, \alpha_3), \alpha_3 = f(\alpha_6, \alpha_4), \alpha_4 = a, \alpha_6 = b\}$  after cleanup.

### 3.1 Referenced Term Equivalence


In order to simulate term-graphs with referenced terms, we need to establish equivalence classes between valid referenced terms. For example,  $f(-1.2, a)$  and  $f(a, -2.1)$  should be equivalent. They both correspond to the term-graph rooted by  $f$  whose two children correspond to the shared subterm  $a$ . To define the equivalence, we introduce three intermediate functions that characterize relocation, expansion and sharing.

The first one, called *subterm relocation*, is essential in the following. Given a term  $t$  and two positions  $\omega_1, \omega_2$ , as illustrated in Figure 2, the relocation in  $t$

from  $\omega_1$  to  $\omega_2$ , denoted  $t_{[\omega_1 \rightarrow \omega_2]}$ , returns the subterm  $t_{|\omega_1}$  where the references contained in  $t_{|\omega_1}$  that point outside  $t_{|\omega_1}$  have been updated as if  $t_{|\omega_1}$  was moved to the position  $\omega_2$ .

**Definition 9 (Subterm relocation).** *Given  $t \in \mathcal{T}_{vr}(\mathcal{F}, \mathcal{X})$  and two positions  $\omega_1, \omega_2$ , we consider the subterm relocation  $t_{[\omega_1 \rightarrow \omega_2]}$  defined such that  $\text{Pos}(t_{[\omega_1 \rightarrow \omega_2]}) = \text{Pos}(t_{|\omega_1})$  and  $\forall \delta \in \text{Pos}(t_{|\omega_1})$ :*

$$\text{ symb}(t_{[\omega_1 \rightarrow \omega_2]}|_{\delta}) = \begin{cases} (\overline{|\omega_2 \cdot \delta \cdot \text{deref}(t, \omega_1 \cdot \delta)}) & \text{if } \text{ symb}(t_{|\omega_1 \cdot \delta}) \in \mathcal{P}^* \\ & \text{and } \omega_1 \not\sqsubseteq \text{deref}(t, \omega_1 \cdot \delta) \\ \text{ symb}(t_{|\omega_1 \cdot \delta}) & \text{otherwise.} \end{cases}$$



**Fig. 2.** Given  $t$  and  $\omega_1$ , let us suppose that at position  $\omega$  the subterm  $t_{|\omega}$  contains a reference to the subterm  $d$  (i.e.  $d = \text{deref}(t, \omega)$ ). The relocation from  $\omega_1$  to  $\omega_2$  corresponds to an update of  $t_{|\omega_1}$  as if it was moved to  $\omega_2$ . To maintain the pointers to the referenced terms, the paths stored in  $t_{|\omega_1}$  are updated. The result of this operation is the updated subterm  $t_{|\omega_1}$ . For example,  $f(g(-1 \cdot -1), a)_{[1 \rightarrow 2]} = g(-1 \cdot -2)$ .

The operation *expansion* noted **exp** consists in replacing all the sharing by duplication. Given a set of function symbols  $\mathcal{F}$ , **exp** is a function from  $\mathcal{T}_{vr}(\mathcal{F})$  to  $\mathcal{T}^\infty(\mathcal{F} \cup \{\epsilon\})$  where  $\mathcal{T}^\infty(\mathcal{F} \cup \{\epsilon\})$  is the set of infinite terms over  $\mathcal{F} \cup \{\epsilon\}$  defined as partial functions from the infinite set of positions to  $\mathcal{F} \cup \{\epsilon\}$ . We denote  $\perp$  the undefined term represented by the empty function  $\emptyset \rightarrow \mathcal{F} \cup \{\epsilon\}$ . See [8] for more details.

**Definition 10 (Expansion).** *Given  $t \in \mathcal{T}_{vr}(\mathcal{F})$ , we consider the chain  $\{t_i\}_{i \in \mathbb{N}}$  of terms of  $\mathcal{T}^\infty(\mathcal{F} \cup \mathcal{P})$  defined as follows:*

- $t_0 = t$
- $t_{n+1} = t_n[t_n[\text{deref}(t_n, \omega) \rightarrow \omega]]_{|\omega}$   
*where  $\omega$  is the smallest position of  $\text{Pos}(t_n)$  such that  $\text{ symb}(t_n|_{\omega}) \in \mathcal{P}^*$   
for the order defined as  $\omega < \omega'$  if  $|\omega| < |\omega'| \vee (|\omega| = |\omega'| \wedge \omega <_{\mathcal{P}} \omega')$ .*

$\text{exp}(t) \in \mathcal{T}^\infty(\mathcal{F})$  is defined as  $\bigcup_{i=0}^\infty t'_i$  where  $t'_i$  corresponds to  $t_i$  where every path  $p \in \mathcal{P}^*$  has been replaced by  $\perp$ .

**Proposition 1.** *Given  $t \in \mathcal{T}_{vr}(\mathcal{F})$ ,  $\text{exp}(t)$  is a total function (i.e. total w.r.t. to the arities, not totally defined over of the set of all positions). See [8] for details.*

*Proof.* By definition of the chain  $\{t_i\}_{i \in \mathbb{N}}$ ,  $\mathbf{exp}(t)$  is a function. Moreover, as every path is replaced by a subterm,  $\mathbf{exp}(t)$  does not contain  $\perp$  and the symbol arities are respected.  $\square$

*Example 6.* The function  $\mathbf{exp}$  replaces in a valid referenced term every reference by the corresponding expanded subterm.  $\mathbf{exp}(f(-1 \cdot 2, a)) = \mathbf{exp}(f(a, -2 \cdot 1)) = f(a, a)$  and  $\mathbf{exp}(g(-1)) = g(g(g(\dots)))$ . Note that in case of a cycle, the expanded term corresponds to an infinite term. A non-trivial example is  $f(g(-1 \cdot -1 \cdot 2), h(-1 \cdot -2 \cdot 1))$ . In this case, we need to update paths at every application of the rule. As the shared subterms are dependent, the result is infinite. We finally obtain  $f(g(h(g(h(\dots))))), h(g(h(g(\dots))))$ .

Thus two equivalent referenced terms have the same expansion. However, this condition is necessary but not sufficient because the two terms to compare must also have a similar sharing. For example,  $f(a, a)$  is not equivalent to  $f(a, -2 \cdot 1)$  because  $a$  is not explicitly shared in the first one. For this, we introduce a third relation called *sharing* which computes the set of shared positions.

**Definition 11 (Sharing).** Given  $t \in \mathcal{T}_{vr}(\mathcal{F})$ , we consider:

- $\mathbf{share}_0(t) = \{\{\omega, \mathbf{deref}(t, \omega)\} \mid \omega \in \mathcal{Pos}(t) \text{ and } \mathbf{ymb}(t|_\omega) \in \mathcal{P}^*\}$
- $\mathbf{share}_{n+1}(t) = \{\{\omega' \cdot q, q'\} \mid \{\omega, \omega'\}, \{\omega \cdot q, q'\} \in \mathbf{share}_n(t)\}$

The function  $\mathbf{share}(t)$  is defined as  $\bigcup_{n=0}^{\infty} \mathbf{share}_n(t)$ .

*Example 7.* The function  $\mathbf{share}$  computes the set of unordered pairs of positions. For example,  $\mathbf{share}(f(-1 \cdot 2, a)) = \{\{1, 2\}\}$  and  $\mathbf{share}(g(-1)) = \{\{1, \epsilon\}\}$ . A non-trivial example is  $f(g(-1 \cdot -1 \cdot 2), h(-1 \cdot -2 \cdot 1))$ . At the first step,  $\mathbf{share}_0(t) = \{\{1, 2 \cdot 1\}, \{2, 1 \cdot 1\}\}$ . In this case, it is necessary to close the relation of sharing with prefixes. We finally obtain the infinite set of related positions  $\mathbf{share}(t) = \{\{1, 2 \cdot 1\}, \{2, 1 \cdot 1\}, \dots, \{1 \cdot (1 \cdot 1)^*, 2 \cdot 1 \cdot (1 \cdot 1)^*\}, \{2 \cdot (1 \cdot 1)^*, 1 \cdot 1 \cdot (1 \cdot 1)^*\}\}$  (\* denotes the sublist repetition). This infinite result is due to the inter-dependency of the two references.

**Definition 12 (Equivalence).** Two valid referenced terms  $t_1, t_2$  are equivalent (denoted by  $t_1 \sim t_2$ ) if  $\mathbf{share}(t_1) = \mathbf{share}(t_2)$  and  $\mathbf{exp}(t_1) = \mathbf{exp}(t_2)$ .

### 3.2 Canonical Referenced Terms

For every equivalence class, we define a canonical form using  $<_{\mathcal{P}}$ , the lexicographic order on positions.

**Definition 13 (Canonical referenced terms).** A valid referenced term  $t \in \mathcal{T}_{vr}(\mathcal{F}, \mathcal{X})$  is canonical if for every position  $\omega \in \mathcal{Pos}(t)$  such that  $\mathbf{ymb}(t|_\omega) \in \mathcal{P}^*$ ,  $\mathbf{ymb}(t|_\omega)$  is a canonical path and  $\mathbf{deref}(t, \omega) <_{\mathcal{P}} \omega$ .

We denote by  $\mathcal{T}_g(\mathcal{F}, \mathcal{X})$  the set of canonical referenced terms and  $\mathcal{T}_g(\mathcal{F})$  the set of ground canonical referenced terms.



*Example 8.* The term  $f(a, -2 \cdot 1)$  is canonical but  $f(-1 \cdot 2, a)$  is not because  $\text{deref}(f(-1 \cdot 2, a), 1) = 2$  (the position of the pointed subterm  $a$ ) is not smaller than 1.

To define the normalization function that returns the canonical form of any valid referenced term, we introduce a swapping function that permutes two subterms and updates all the paths contained in the global term in order to preserve the sharing. First, we translate the two subterms. This relocation updates the pointers from the subterms to the external context. To obtain a valid referenced term, we still have to update every pointer from the outside to the subterms.

**Definition 14 (Swapping).** *Given  $t \in \mathcal{T}_{vr}(\mathcal{F}, \mathcal{X})$  and two disjoint positions  $\omega_1, \omega_2$  ( $\omega_1 \not\sqsubseteq \omega_2$  and  $\omega_2 \not\sqsubseteq \omega_1$ ), we consider  $u = t_{[\omega_1 \rightarrow \omega_2]}$ ,  $v = t_{[\omega_2 \rightarrow \omega_1]}$ ,  $t' = t[v]_{\omega_1}[u]_{\omega_2}$ . The swapping in  $t$  of the subterms at position  $\omega_1$  and  $\omega_2$  is denoted by  $t_{[\omega_1 \leftrightarrow \omega_2]}$ , and is defined such that  $\forall \omega \in \text{Pos}(t')$ , we have:*

$$\text{symp}(t_{[\omega_1 \leftrightarrow \omega_2]}|_{\omega}) = \begin{cases} (\overline{\omega} \cdot \omega_2 \cdot \delta) \text{ if } \text{symp}(t'|_{\omega}) \in \mathcal{P}^*, \omega \not\sqsubseteq \omega_1 \\ \quad \text{and } \exists \delta \text{ s.t. } \text{deref}(t', \omega) = \omega_1 \cdot \delta \\ (\overline{\omega} \cdot \omega_1 \cdot \delta) \text{ if } \text{symp}(t'|_{\omega}) \in \mathcal{P}^*, \omega \not\sqsubseteq \omega_2 \\ \quad \text{and } \exists \delta \text{ s.t. } \text{deref}(t', \omega) = \omega_2 \cdot \delta \\ \text{symp}(t'|_{\omega}) \text{ otherwise.} \end{cases}$$

*Example 9.*  $f(a, b)_{[1 \leftrightarrow 2]} = f(b, a)$ ,  $f(g(-1 \cdot -1 \cdot 2), h(-1 \cdot -2 \cdot 1))_{[1 \leftrightarrow 2]} = f(h(-1 \cdot -1 \cdot 2), g(-1 \cdot -2 \cdot 1))$ . A more complex example is the swap of  $a$  and  $b$  in  $t = f(f(a, b), -2 \cdot 1 \cdot 2)$ . In this case, the reference  $-2 \cdot 1 \cdot 2$  has to be updated because it has to reference  $b$ . Thus, the result is  $f(f(b, a), -2 \cdot 1 \cdot 1)$ .

The swapping function preserves the notion of validity (Definition 6). Its complexity is linear on the size of the term since in the worst case, all the references in the term must be updated. In the following, we introduce a *normalization function* that associates to every valid referenced term its canonical form.

**Definition 15 (Normalization).** *We define  $\llbracket \cdot \rrbracket : \mathcal{T}_{vr}(\mathcal{F}, \mathcal{X}) \rightarrow \mathcal{T}_g(\mathcal{F}, \mathcal{X})$  such that given  $t \in \mathcal{T}_{vr}(\mathcal{F}, \mathcal{X})$ ,  $\llbracket t \rrbracket$  is the normal form of  $t'$  ( $t$  where every path is in canonical form) with respect to the conditional rule:  $t' \rightarrow t'_{[\omega \leftrightarrow \text{deref}(t', \omega)]}$  if  $\omega <_{\mathcal{P}} \text{deref}(t', \omega)$ . The proof of this rule convergence can be found in [5].*

*Example 10.*  $\llbracket a \rrbracket = a$ ,  $\llbracket f(-1 \cdot 2, a) \rrbracket = f(a, -2 \cdot 1)$ , and  $\llbracket f(g(-1 \cdot -1 \cdot 2), h(-1 \cdot -2 \cdot 1)) \rrbracket = f(g(h(-1 \cdot -1)), -2 \cdot 1 \cdot 1)$

Note that the normalization is linear in the size of the term when the swapping is applied in a leftmost-innermost way.

**Proposition 2.**  $\forall t \in \mathcal{T}_{vr}(\mathcal{F}, \mathcal{X})$ , we have  $t \sim \llbracket t \rrbracket$ .

*Proof.* Given  $t \in \mathcal{T}_{vr}(\mathcal{F}, \mathcal{X})$ ,  $t'$  is trivially equivalent to  $t$  and every rewriting step of normalization preserves the two functions  $\text{share}(t)$  and  $\text{exp}(t)$ . In fact, the swapping between a pointer and its corresponding pointed subterm preserves the sharing and as only references are updated, the expansion is the same.  $\square$

**Proposition 3.**  $\forall t_1, t_2 \in \mathcal{T}_{vr}(\mathcal{F}, \mathcal{X})$ , we have:  $\llbracket t_1 \rrbracket \sim \llbracket t_2 \rrbracket \Leftrightarrow \llbracket t_1 \rrbracket = \llbracket t_2 \rrbracket$ .

*Proof.* First, the proof that  $\llbracket t_1 \rrbracket = \llbracket t_2 \rrbracket \Rightarrow \llbracket t_1 \rrbracket \sim \llbracket t_2 \rrbracket$  is trivial because  $\sim$  is an equivalence relation and thus is reflexive. Secondly, we prove that  $\llbracket t_1 \rrbracket \sim \llbracket t_2 \rrbracket \Rightarrow \llbracket t_1 \rrbracket = \llbracket t_2 \rrbracket$ . Suppose they are not equal, it means that there exists a shared subterm at a position  $\omega$  referenced at a position  $\omega'$  in  $\llbracket t_1 \rrbracket$  and the contrary in  $\llbracket t_2 \rrbracket$ . As  $\llbracket t_1 \rrbracket, \llbracket t_2 \rrbracket$  are canonical, it implies that  $\omega <_{\mathcal{P}} \omega'$  and  $\omega' <_{\mathcal{P}} \omega$  which is impossible due to the total order on positions. So  $\llbracket t_1 \rrbracket = \llbracket t_2 \rrbracket$ .  $\square$

**Theorem 1.**  $\forall t_1, t_2 \in \mathcal{T}_{vr}(\mathcal{F}, \mathcal{X})$ , we have:  $t_1 \sim t_2 \Leftrightarrow \llbracket t_1 \rrbracket = \llbracket t_2 \rrbracket$

*Proof.* Direct consequence of the propositions 2 and 3.  $\square$

In practice, to verify that two terms are equivalent we compare their canonical forms. It is simpler and more realistic than computing  $\text{exp}(t)$  and  $\text{share}(t)$ , which can be infinite.

### 3.3 Term-Graph Rewriting Using Canonical Referenced Terms

We introduce an original algorithm for implementing term-graph rewriting using canonical referenced terms. By manipulating only canonical referenced terms, we obtain a mapping one-to-one with term-graphs which makes easier the encoding of matching and rewriting. In Figure 3 we present a set of rules ( $\mathcal{T}_g$ -Matching), which is a specialization of the syntactic pattern matching algorithm presented in [16].

Decompose	$E \wedge f(p_1, \dots, p_n) \ll_{\delta}^{s, \omega} f(t_1, \dots, t_n) \parallel \Delta \mapsto E \wedge \bigwedge_{i=1}^n p_i \ll_{\delta, i}^{s, \omega \cdot i} t_i \parallel \Delta \cup \{(\delta, \omega)\}$
Variable	$E \wedge x \ll_{\delta}^{s, \omega} t \parallel \Delta \mapsto E \parallel \Delta \cup \{(\delta, \omega)\}$
Stability	$E \wedge \pi \ll_{\delta}^{s, \omega} f(t_1, \dots, t_n) \parallel \Delta \mapsto E \parallel \Delta \cup \{(\delta, \omega)\}$ if $(\llbracket \delta \cdot \text{symb}(\pi) \rrbracket, \omega) \in \Delta$
Dereferencing	$E \wedge p \ll_{\delta}^{s, \omega} \pi \parallel \Delta \mapsto E \wedge p \ll_{\delta}^{s, \omega'} s_{ \omega} \parallel \Delta \cup \{(\delta, \omega)\}$ where $\omega' = \llbracket \omega \cdot \text{symb}(\pi) \rrbracket$

**Fig. 3.** We consider the set of rules  $\mathcal{T}_g$ -Matching where  $E$  is a conjunction of constraints,  $\Delta$  is a set of pairs,  $x$  is a variable ( $\in \mathcal{X}$ ),  $f$  is a symbol, element of  $\in \mathcal{F} \cup \{\epsilon\}$ , (remember that  $\epsilon$  corresponds to  $\bullet$ ),  $s, t, t_1, \dots, t_n$  are ground referenced term ( $\in \mathcal{T}_g(\mathcal{F})$ ),  $\pi$  is a non-empty path ( $\text{symb}(\pi) \in \mathcal{P}^*$ ),  $p$  is a pattern not reduced to a variable ( $\in \mathcal{T}_g(\mathcal{F}, \mathcal{X}) \setminus \mathcal{X}$ ),  $p_i$  are patterns ( $\in \mathcal{T}_g(\mathcal{F}, \mathcal{X})$ ),  $\wedge$  is the classical boolean connector, which is associative and commutative. Starting from a constraint  $l \ll_{\epsilon}^{s, \omega} s_{|\omega} \parallel \emptyset$ , the reduction leads either to  $\top$  (the neutral element of  $\wedge$ ) or a conjunction of matching constraints of the form  $p \ll_{\delta}^{s, \omega} t$ , where  $\delta$  and  $\omega$  correspond to the positions of  $p$  and  $t$  with respect to  $l$  and  $s$  (i.e.  $p = l_{|\delta}$  and  $t = s_{|\omega}$ ). The context  $\Delta$  corresponds to the set of positions already visited. This set is necessary to correctly handle the case of cyclic terms.

**Definition 16 (Rule application).** Given  $s \in \mathcal{T}_g(\mathcal{F})$  and  $l, r \in \mathcal{T}_g(\mathcal{F}, \mathcal{X})$ , the rule  $l \rightarrow r$  can be applied to subject  $s$  at position  $\omega$  if  $l \ll_{\epsilon}^{s, \omega} s|_{\omega} \parallel \emptyset$  reduces to  $\top \parallel \Delta$  by application of  $\mathcal{T}_g$ -Matching.

Note that the algorithm given Figure 3 does not compute a substitution. Moreover, contrary to syntactic term matching algorithms, there is no rule for handling variables that have multiple occurrences. The notion of non-linearity in *term rewriting* should not be confused with the notion of non-linearity in *term-graph rewriting*. The latter one corresponds to subterms sharing. For example,  $\{\alpha \mid \alpha = f(\beta, \beta)\}$  denotes a term-graph where the two subterms of  $f$  are *shared*. This does not match  $\{\alpha \mid \alpha = f(\beta, \gamma), \beta = a, \gamma = a\}$ . In our formalism, *linear* term-rewriting is sufficient to simulate *non-linear* term-graph rewriting. For example, the system of recursion equations  $\{\alpha \mid \alpha = f(\beta, \beta)\}$  can be encoded by  $f(x, -2 \cdot 1)$ , where  $x$  appears only once.

**Proposition 4.** Given a subject  $s \in \mathcal{T}_g(\mathcal{F})$ , a pattern  $l \in \mathcal{T}_g(\mathcal{F}, \mathcal{X})$ , a position  $\omega \in \mathcal{Pos}(s)$ , the reduction of  $l \ll_{\epsilon}^{s, \omega} s|_{\omega} \parallel \emptyset$  by  $\mathcal{T}_g$ -Matching is convergent.

*Proof.* First, we prove the termination. We consider the lexicographic combination of prefix ordering on positions ( $\sqsubset$ ) and  $<_{\mathcal{P}}$ . This strict order is well-founded because  $\mathcal{Pos}(l) \times \mathcal{Pos}(s)$  is finite. Its multiset extension to  $\biguplus_{(p \ll_{\delta}^{s, \omega} t) \in E} (\delta, \omega)$  decreases at each application of  $\mathcal{T}_g$ -Matching rules.

Secondly, proving the local confluence is trivial because there is no interference between the rules. When two rules  $r_1$  and  $r_2$  can be applied on a subject  $t$ , we obtain the same result  $t'$  when applying  $r_1$  followed by  $r_2$  or  $r_2$  followed by  $r_1$ . As  $\mathcal{T}_g$ -Matching terminates, local confluence implies convergence.  $\square$

**Definition 17 (Rewriting algorithm).** Given  $t \in \mathcal{T}_g(\mathcal{F})$  and  $l, r \in \mathcal{T}_g(\mathcal{F}, \mathcal{X})$ :

- $l$  and  $r$  are both linear.
- we denote by  $\omega_{x_l}$  the position of the variable  $x$  in  $l$ .
- $t$  is rewritten into  $t'$  by the rule  $l \rightarrow r$  if:
  1. there exists a position  $\omega$  such that the rule can be applied to  $t$  (following the Definition 16),
  2.  $t' = \llbracket \langle \dot{t}, \dot{r} \rangle_{[1, \omega \leftrightarrow 2]} \rrbracket_{[1]}$ , where
    - $\langle \_, \_ \rangle$  is a fresh binary symbol,
    - $\dot{t}$  corresponds to  $t$  where every path towards the position  $1 \cdot \omega$  has been replaced by a path towards the position 2,
    - $\dot{r}$  is the ground term corresponding to  $r$  in which the occurrence of a variable  $x$  (whose position is denoted by  $\omega_{x_r}$ ) is replaced by the path  $(\overline{\omega_{x_r}} \cdot -2 \cdot \mathit{deref}(\langle \dot{t}, \dot{r} \rangle, 1 \cdot \omega \cdot \omega_{x_l}))$ .

In this algorithm, no substitution is explicitly computed. Instead, the right-hand side of the rule is instantiated by replacing every variable by paths to their corresponding subterm in  $t|_{\omega}$ . The binary symbol  $\langle \_, \_ \rangle$  enables to connect it with the global subject in a valid referenced term  $\langle \dot{t}, \dot{r} \rangle$ . By swapping the redex and the right-hand side of the rule in  $\langle \dot{t}, \dot{r} \rangle_{[1, \omega \leftrightarrow 2]}$ , the substitution is automatically


applied. The main subtlety of the algorithm is to rebalance the whole term using normalization. All the shared subterms in  $t|_{\omega}$  that must be conserved are moved to the term and the unused part is left in the right part of  $\langle \dot{t}, \dot{r} \rangle_{[1, \omega \leftrightarrow 2]}$ . At the end, the result of the rewrite step corresponds exactly to the left child of  $\llbracket \langle \dot{t}, \dot{r} \rangle_{[1, \omega \leftrightarrow 2]} \rrbracket$ .

The complexity of the rewriting step is linear in the size of the global subject because the complexity of the swapping and the normalization are linear.

*Example 11.* Suppose we want to apply the rule  $f(x, y) \rightarrow f(y, x)$  on the subject  $t = f(a, b)$ . The rule is applied at top-position, therefore we have  $\omega_{xl} = 1$ ,  $\omega_{yl} = 2$ ,  $\omega_{xr} = 2$ ,  $\omega_{yr} = 1$ ,  $\dot{t} = f(a, b)$  and  $\dot{r} = f(\langle \langle \overline{\omega_{yr}} \cdot -2 \cdot (1 \cdot \epsilon \cdot \omega_{yl}) \rangle \rangle, \langle \overline{\omega_{xr}} \cdot -2 \cdot (1 \cdot \epsilon \cdot \omega_{xl}) \rangle \rangle) = f(-1 \cdot -2 \cdot 1 \cdot 2, -2 \cdot -2 \cdot 1 \cdot 1)$ . Starting from  $\langle f(a, b), \dot{r} \rangle$ , we get  $\langle f(a, b), \dot{r} \rangle_{[1 \leftrightarrow 2]} = \langle f(-1 \cdot -1 \cdot 2 \cdot 2, -2 \cdot -1 \cdot 2 \cdot 1), f(a, b) \rangle$ . When computing the canonical form, we obtain  $\llbracket \langle f(a, b), \dot{r} \rangle_{[1 \leftrightarrow 2]} \rrbracket = \langle f(b, a), f(-1 \cdot -2 \cdot 1 \cdot 1, -2 \cdot -2 \cdot 1 \cdot 2) \rangle$ . Finally, the result is  $\llbracket \langle f(a, b), \dot{r} \rangle_{[1 \leftrightarrow 2]} \rrbracket_{|1} = f(b, a)$  as expected.

The following example illustrates how collapsing rules are handled. Suppose we want to apply the rule  $f(x) \rightarrow x$  to the subject  $t = f(-1)$ . Since  $-1$  is a path to the top of the redex, we have  $\dot{t} = f(-1 \cdot -1 \cdot 2)$ . In a second step  $\dot{r}$  is evaluated to  $\dot{r} = \langle -2 \cdot \text{deref}(\langle f(-1 \cdot -1 \cdot 2), x \rangle, 1 \cdot 1) \rangle = \langle -2 \cdot 2 \rangle = \epsilon$  and we get  $\langle f(-1 \cdot -1 \cdot 2), \epsilon \rangle_{[1 \leftrightarrow 2]} = \langle \epsilon, f(-1 \cdot -2 \cdot 1) \rangle$  which is already normalized. The result of the rewrite step is  $\langle \epsilon, f(-1 \cdot -2 \cdot 1) \rangle_{|1} = \epsilon$  in accordance with [2].

By applying the rule  $f(x, y) \rightarrow x$  to the first subterm, this last example shows what happens to pointers to subterms that disappear:



In this example, the subterm  $g(b)$  is not preserved by the rule, therefore the reference to  $b$  is replaced by a copy of the subterm.

**Theorem 2.** *The set of ground canonical terms  $\mathcal{T}_g(\mathcal{F})$  is closed under rewriting.*

The proof of the Theorem 2 can be found in [5]. As the main result of the paper we show in the next section that every term-graph can be represented by a canonical referenced term and that term-graph rewriting (Definition 8) can be simulated by the algorithm introduced in Definition 17.

### 3.4 Simulation of Term-Graph Rewriting

We introduce a function  $\phi$  that translates any valid referenced term in  $\mathcal{T}_{vr}(\mathcal{F}, \mathcal{X})$  into a system of recursion equations (under the same set  $\mathcal{F}$  and  $\mathcal{X}$ ). For this

purpose, we associate to every term  $t \in \mathcal{T}_{vr}(\mathcal{F}, \mathcal{X})$  a total function  $\psi_t$  from  $\mathcal{P}os(t)$  to  $\mathcal{X}$  defined as follows:

$$\psi_t(\omega) = \begin{cases} x & \text{if } \mathbf{sy mb}(t|_{\omega}) \in \mathcal{F} \cup \{\epsilon\} \\ & \text{where } x \text{ is a fresh variable} \\ t|_{\omega} & \text{if } t|_{\omega} \in \mathcal{X} \\ \psi_t(\omega') & \text{if } t|_{\omega} \in \mathcal{P}^* \\ & \text{where } \omega' = \mathbf{deref}(t, \omega) \end{cases}$$

**Definition 18.** *Given a valid referenced term  $t \in \mathcal{T}_{vr}(\mathcal{F}, \mathcal{X})$ , we define its representation in systems of recursion equations by  $\phi(t) = \{\alpha \mid \Delta\}$  where  $\alpha = \psi_t(\epsilon)$  is the root, and  $\Delta$  is a set of equation defined by:*

$$\begin{aligned} \Delta = \{ & \beta = f(\beta_1, \dots, \beta_n) \mid \omega \in \mathcal{P}os(t), \beta = \psi_t(\omega), \beta_i = \psi_t(\omega \cdot i), \\ & \mathbf{sy mb}(t|_{\omega}) = f \in \mathcal{F}, \mathbf{arity}(f) = n\} \\ \cup \{ & \gamma = \bullet \mid \omega \in \mathcal{P}os(t), \gamma = \psi_t(\omega), \mathbf{sy mb}(t|_{\omega}) = \epsilon \} \end{aligned}$$

$\phi$  can be naturally extended to rules:  $\phi(l \rightarrow r) = \phi(l) \rightarrow \phi(r)$ .

Note that the equational representations of two equivalent valid referenced terms are equal modulo renaming. Moreover, the  $\phi$  function is surjective so every system of recursion equations has an unique representation in  $\mathcal{T}_g(\mathcal{F}, \mathcal{X})$ .

**Theorem 3 (Rewrite step simulation).** *Given a canonical referenced term  $t \in \mathcal{T}_g(\mathcal{F})$  and a rule  $R$ , we can show that  $t \rightarrow_R t' \Leftrightarrow \phi(t) \rightarrow_{\phi(R)} \phi(t')$ .*

Theorem 3 shows how to simulate term-graph rewriting using term-rewriting and provides a technique for easily extending rule-based languages with term-graphs and more generally with a notion of pointers. The proof can be found in [5].

Acyclic term graphs are widely used to obtain efficient term rewriting implementation [13]. On the contrary, our goal is not to improve the efficiency of term-rewriting engines but to offer a support for graph structure manipulation. The main objective of such extensions is to perform static analysis by rewriting control flow graphs or data-structures with pointers.

### 3.5 Integration in the Tom Language

As canonical referenced terms are terms, it is possible to extend in a non-intrusive way any rule-based language in order to support term-graph rewriting. The presented formalism is implemented in TOM<sup>1</sup>. For now, it is possible to automatically generate from a signature the extended version for referenced terms where the normalization is integrated. As the TOM terms are implemented with maximal sharing, so are the term-graphs. This part of the implementation is presented in [4]. All the operations on paths have been also implemented. Thus users can define a system of term-graph rules and it is automatically compiled in a basic

<sup>1</sup> Available at <http://tom.loria.fr>

TOM strategy based on the rewriting algorithm (Definition 17). These term-graph rewriting rules can then be integrated in a more complex strategy using TOM strategy combinators. As a consequence, all TOM features are available for term-graphs.

## 4 Related Work

The notion of term graph has been intensively studied in the literature, in particular in [6], where a restricted form of *acyclic* term-graph has been used to represent terms with sharing. There is also a rich literature on modeling functional languages [7,1]. This approach leads to efficient implementations of functional languages or term rewriting engines, as in Clean, Elan, or Maude.

We are in a dual situation: we already have a very efficient term rewriting engine. This implementation is based on the notion of *maximally shared terms*, internally represented by acyclic graphs. Such a representation is purely functional and does not allow any side effect. This constraint makes the implementation of graphs and term-graphs difficult. The contribution of the paper is to provide a solution to represent and transform graphs in a functional environment. In addition to reuse efficient term structures, a main advantage of using a classical underlying term representation is to make possible the reuse of the notion of term rewriting strategy [15] which allows control over how rules are applied.

The extension to cyclic term-graph rewriting has been studied and in particular linked up with rational term rewriting [9]. Especially, a mapping from cyclic term-graph rewriting to rational parallel term rewriting can be defined. In this context, it is often difficult to deal with graph homomorphism. In this work, we choose to simulate term-graph rewriting as defined in [2] and to favor practical aspects. In this formalism, the matching corresponds to functional bisimulation. As a consequence, the pattern  $g(-1)$  cannot be matched with the subject  $g(g(-1 \cdot -1))$  at the root position even if they both represent the same infinite term  $g(g(g(\dots)))$ .

Moreover, the set of valid referenced terms where references are not interpreted as sharing but as oriented pointers (Definition 6) is to our knowledge a new approach that can be interesting to study and simulate object-oriented languages [11,12]. For example, it could be used to model garbage collection algorithms. In the context of term-graph rewriting, an original approach is the formalism presented in [12] where the right-hand side of the rules consists in a set of actions on the pointers. The work presented in this paper is a first step towards an implementation of such a formalism.

## 5 Conclusion

We have generalized the notion of term positions with *term paths* that are closely related to the notion of path in graphs and to the concept of de Bruijn indices [10]. By extending a signature with paths we obtained a new kind of terms

called *referenced terms* which can contain pointers. This representation of pointers can be useful to model the semantics of imperative programming languages for instance. In the second part of the paper, we introduced *canonical referenced terms* to represent term-graphs. As in the case of de Bruijn indices, the interest of this representation is to avoid problems of alpha conversion, compared to representations with labels or variables. Another advantage is that contrary to a recursion equation, the hierarchical structure of the term-graph is explicit because of its term representation. The last contribution of the paper is an original algorithm that simulates cyclic term-graph rewriting using canonical referenced terms. Thanks to pointers, the substitution can be applied in an unusual way, using swapping between the redex and the right-hand side of the rule.

To conclude, this formalism opens promising perspectives in terms of program transformation and code analysis. To the best of our knowledge, the integration in the TOM language constitutes actually one of the most active and maintained implementation of term-graph rewriting and thus provides a solid platform to experiment graph transformations in a concise and expressive way.

**Acknowledgments.** We are extremely grateful to Claude Kirchner who has been strongly involved in this work. He greatly contributed to the foundations of the paper. We also sincerely thank Rachid Echahed and Joe Wells for fruitful exchanges and remarks about preliminary versions of this work. We also kindly thank the anonymous reviewers for their valuable and helpful comments.

## References

1. Ariola, Z.M., Blom, S.: Cyclic lambda calculi. In: Ito, T., Abadi, M. (eds.) TACS 1997. LNCS, vol. 1281, pp. 77–106. Springer, Heidelberg (1997)
2. Ariola, Z.M., Klop, J.W.: Equational term graph rewriting. *Fundamenta Informaticae* 26(3/4), 207–240 (1996)
3. Baader, F., Nipkow, T.: *Term Rewriting and all That*. Cambridge University Press, Cambridge (1998)
4. Balland, E., Brauner, P.: Term-graph rewriting in tom using relative positions. In: *TermGraph 2007: International Workshop on Computing with Terms and Graphs (2007)*
5. Balland, E., Moreau, P.-E.: Term-graph rewriting via explicit paths. Technical report (2008), <http://hal.inria.fr/inria-00173535/fr/>
6. Barendregt, H.P., van Eekelen, M., Glauert, J., Kennaway, J., Plasmeijer, M., Sleep, M.: Term graph rewriting. In: de Bakker, J.W., Nijman, A.J., Treleaven, P.C. (eds.) *PARLE 1987*. LNCS, vol. 259, pp. 141–158. Springer, Heidelberg (1987)
7. Benaïssa, Z.-E.-A., Lescanne, P., Rose, K.H.: Modeling sharing and recursion for weak reduction strategies using explicit substitution. In: Kuchen, H., Swierstra, S.D. (eds.) *PLILP 1996*. LNCS, vol. 1140, pp. 393–407. Springer, Heidelberg (1996)
8. Corradini, A., Gadducci, F.: Cpo models for infinite term rewriting. In: Alagar, V.S., Nivat, M. (eds.) *AMAST 1995*. LNCS, vol. 936, pp. 368–384. Springer, Heidelberg (1995)
9. Corradini, A., Gadducci, F.: Rational term rewriting. In: Nivat, M. (ed.) *ETAPS 1998 and FOSSACS 1998*. LNCS, vol. 1378, pp. 156–171. Springer, Heidelberg (1998)

10. de Bruijn, N.G.: Lambda calculus notation with nameless dummies. a tool for automatic formula manipulation with application to the church-rosser theorem. *Indagationes Mathematicae* 34, 381–392 (1972)
11. Dougherty, D.J., Lescanne, P., Liquori, L.: Addressed term rewriting systems: Application to a typed object calculus. *Mathematical Structures in Computer Science* 16, 667–709 (2006)
12. Echahed, R., Peltier, N.: Narrowing data-structures with pointers. In: Corradini, A., Ehrig, H., Montanari, U., Ribeiro, L., Rozenberg, G. (eds.) *ICGT 2006*. LNCS, vol. 4178, pp. 92–106. Springer, Heidelberg (2006)
13. Hoffmann, B., Plump, D.: Implementing term rewriting by jungle evaluation. *RAIRO: Theoretical Informatics and Applications* 25 (1991)
14. Kennaway, R.: On graph rewritings. *TCS* 52(1-2), 37–58 (1987)
15. Kirchner, C.: Strategic rewriting. In: *International Workshop on Reduction Strategies in Rewriting and Programming - WRS*. ENTCS, vol. 124 (2004)
16. Kirchner, C., Kirchner, H.: Rewriting, solving, proving. A preliminary version of a book (1999), [www.loria.fr/~ckirchne/=rsp/rsp.pdf](http://www.loria.fr/~ckirchne/=rsp/rsp.pdf)
17. Plump, D.: Term graph rewriting. In: *Handbook of Graph Grammars and Computing by Graph Transformation*, pp. 3–61. World Scientific Publishing, Singapore (1999)