




Dakin oxidation


Oxidation of aryl aldehydes or aryl ketones to phenols using basic hydrogen peroxide conditions. Cf. A variant of Baeyer–Villiger oxidation.




Example 1⁶




Example 2⁷



Example 3, Improved solvent-free Dakin oxidation protocol⁹



Example 4¹⁰

References:

1. Dakin, H. D. *Am. Chem. J.* **1909**, *42*, 477–498. Henry D. Dakin (1880–1952) was born in London, England. During WWI, he invented his hypochlorite solution (Dakin's solution), which became a popular antiseptic for the treatment of wounds. After the Great War, he emigrated to New York, where he investigated the B vitamins.
2. Hocking, M. B.; Bhandari, K.; Shell, B.; Smyth, T. A. *J. Org. Chem.* **1982**, *47*, 4208–4215.
3. Matsumoto, M.; Kobayashi, H.; Hotta, Y. *J. Org. Chem.* **1984**, *49*, 4740–4741.
4. Zhu, J.; Beugelmans, R.; Bigot, A.; Singh, G. P.; Bois-Choussy, M. *Tetrahedron Lett.* **1993**, *34*, 7401–7404.
5. Guzmán, J. A.; Mendoza, V.; García, E.; Garibay, C. F.; Olivares, L. Z.; Maldonado, L. A. *Synth. Commun.* **1995**, *25*, 2121–2133.
6. Jung, M. E.; Lazarova, T. I. *J. Org. Chem.* **1997**, *62*, 1553–1555.
7. Varma, R. S.; Naicker, K. P. *Org. Lett.* **1999**, *1*, 189–191.
8. Lawrence, N. J.; Rennison, D.; Woo, M.; McGown, A. T.; Hadfield, J. A. *Bioorg. Med. Chem. Lett.* **2001**, *11*, 51–54.
9. Teixeira da Silva, E.; Camara, C. A.; Antunes, O. A. C.; Barreiro, E. J.; Fraga, C. A. M. *Synth. Commun.* **2008**, *38*, 784–788.
10. Alamgir, M.; Mitchell, P. S. R.; Bowyer, P. K.; Kumar, N.; Black, D. St. C. *Tetrahedron* **2008**, *64*, 7136–7142.