

Position Criticality in Chess Endgames

Guy M^cC. Haworth¹ and Á. Ruzs²

¹ School of Systems Engineering, University of Reading,
guy.haworth@bnc.oxon.org

² Budapest, Hungary

Abstract. Some 50,000 Win Studies in Chess challenge White to find an effectively unique route to a win. Judging the impact of less than absolute uniqueness requires both technical analysis and artistic judgment. Here, for the first time, an algorithm is defined to help analyse uniqueness in endgame positions objectively. The key idea is to examine how critical certain positions are to White in achieving the win. The algorithm uses sub- n -man endgame tables (EGTs) for both Chess and relevant, adjacent variants of Chess. It challenges authors of EGT generators to generalise them to create EGTs for these chess variants. It has already proved efficient and effective in an implementation for Starchess, itself a variant of chess. The approach also addresses a number of similar questions arising in endgame theory, games, and compositions.

1 Introduction

A Win Study in Chess is a composition in which White is challenged to win against Black's best defence. White's choice of move at each stage should be *effectively unique* even if not absolutely unique as in Sudoku or a crossword. Where there is more than one goal-compatible move, questions arise about the technical integrity and artistic quality of the study. The incidence of sub-7-man (s7m) mainline DTM-equioptimal and DTM-sub-optimal moves in the HHDBIV corpus of over 76,000 studies [13] has been profiled [10] using Nalimov EGTs [3,18]. The comments of leading solvers, editors, and judges of studies make it clear that the *effective uniqueness question* is arguably the Grand Challenge for the study community. Beasley: "the detection of blind alleys in general is notoriously difficult." Roycroft: "When the depth difference is greater than two or three, one tends to shrug and move on to something else." Nunn: "detecting cycling moves can be easy in the case of a simple repetition or can be essentially impossible to do by hand in very complex cases."

Chess is a second-generation variant of a germinal board game and has inspired its own large family of variants [21,22]. However, it is still necessary to note that the Nalimov EGTs are in fact made for a variant of chess without castling.¹ The primary goal of chess variants is to provide an entertaining new challenge but the less radical variants also inform about chess itself. The creation of EGTs with restrictions on underpromotions [4,14,15,16] has, when compared with the standard EGTs, revealed

¹ Creating supplementary EGTs for positions with castling rights is in fact a small task.

spectacular and essential underpromotions: see the positions UP_i in Table 1, Figure 1, and the Appendix. The impact of the 50-move draw-claim rule has been noted [5] after computing EGTs for the chess variant $Chess_{50}$ in which phases with more than 50 winner's moves were deemed drawn.² Looking at the effect of giving the defender the null move has been proposed [9] and similarly, one might consider the effect of removing the ability either to capture or to mate in the current phase of play.³

The proposal here is to address the study community's *effective uniqueness* question algorithmically using EGTs. This is to be done by defining appropriate chess variants $Chess(SP)$: SP is a set of positions, each won for White in Chess but defined to be a draw in $Chess(SP)$. The impact of these changes on the values of positions in another set TP of White wins is a measure of the criticality or importance of the positions in SP to those in TP . It may be determined from the difference, $\Delta(EGT, EGT_{SP})$, between Chess' EGT and $Chess(SP)$'s EGT.

Section 2 defines a set of scenarios where the questions about position criticality may be addressed using the $Chess(SP)$ approach: Section 3 defines the response to each scenario. Section 4 details the algorithm, considers available efficiencies, and estimates the workload in the context of Chess' Win Studies [13]. Section 5 reviews the first implementation and production use of the approach by the second author in the game of Starchess.

Table 1. The cited exemplar positions

Id	Date	HHdbIV	Force	Position	move	Val.	DTM	Notes	
UP1	2000	---	KQKQKQP	wKg4,Qg8,h8/bKf1,Qb4,Pd2	w	1-0	60	Karrer: DTM=20 if d1=N is not possible	
UP2	2009	75917	KQPKQ	wKe8,Qf4,Pg7/bKh5,Qh1	w	1-0	13	Konoval and Bourzutschky: P=R and =N	
UP3	2010	---	KRRPKQ	wKc2,Rb5,d5,Pg5/bKh5,Qf8	w	1-0	36	Konoval and Bourzutschky: P=R, =B and =N	
S1	1895	3477	KPKR	wKb6,Pc6/bKa1,Rd5	w	1-0	26	Saavedra and Barbier: most documented study	
S2	2009	75649	KPPPKPPP	wKf1,Pa4,d5,g5/bKk8,Pa5,d6,g7	w	1-0	83	Hornecker study	
S2'	2009	75649	KQPKQP	wKc6,Qf1,Pd5/bKg5,Qd4,Pd6	w	17	1-0	64	Hornecker study: sideline after 16. Qf1+
S3	1924	9797	KRNKNN	wKc6,Ne5,Rg5/bKd8,Nf8,h6	w	1-0	26	Rinck study: 7 winning moves at pos. 1w	
S4	1924	9686	KNPKPP	wKf1,Ne2,Pg2/bKe3,Pf4,g3	w	1-0	36	Reti and Mandler study: p3w is a B1-M zug	
PH	1777	956	KQKR	wKc6,Qa5/bKb8,Rb7	w	1-0	10	Philidor: B1 zug	
KH	1851	1822	KBBKN	wKd5,Ba4,f8/bKb6,Nb7	w	1-0	57	Pseudo-fortress long thought to be drawn	
B1Z	2011	---	KPPKPP	wKg5,Pe6,f7/bKg7,Pe7,g6	w	1-0	18	Elkies: a vital B1 zug needing B1Z/btm to win	
B1Z'	2011	---	KPPKP	wKg5,Pe6,f7/bKg7,Pe7	w	1-0	13	Elkies: not a vital B1 zug	




Fig. 1. Wins UP_{1-3} requiring underpromotions, found using Chess variant EGTs

² 50.15% of wtm and 70.98% of btm wins in KBBKNN are '50-move draws' [11].

³ i.e., before the next Pawn-push, capture and/or mate, when the move-count is zeroed.

2 Scenarios and Questions to Be Considered

The scenarios are constrained to that part of Chess for which the perfect information of EGTs is available. As is the convention in Chess Win Studies, White has a win throughout the line $\{P_1, \dots, P_n\}$ and plays move $m_c: P_c \rightarrow P_{c+1}$ from the ‘current’ position. However, there may be alternative value-preserving moves $m_{c,j}: P_c \rightarrow P_{c,j}$. The moves which are suboptimal in any available metric⁴ are $m_{c,1}$ to $m_{c,j1}$ while those optimal in some available metric are $m_{c,j1+1}$ to $m_{c,j2}$. SP and TP are two sets of positions theoretically won for White. $Chess(SP)$ is a variant of chess only in that the positions in SP are deemed to be drawn, perhaps creating further draws in Chess(SP).⁵ The question is ‘What are TP ’s positions’ values in Chess(SP)?’ This notation is used:

- $S_i \equiv$ a reference to Table 1, $! \equiv$ a move which seems clearly the best,
- $\rightarrow \equiv$ a move, $pn(w/b) \equiv$ (wtm/btm) as at position n , $tw \equiv$ time-wasting move,
- ' and " \equiv DTx-optimal, DTx being DTM here,
- ^(o) \equiv all DTx-suboptimal moves are time-wasting moves,
- " \equiv the unique value-preserving move, $^{\circ} \equiv$ the only move available,
- $(v)z \equiv$ (vital) zugzwang, $(\pm n) \equiv$ a concession of n moves in DTx terms,
- $\circ \equiv$ White to move (wtm) position, $\bullet \equiv$ Black to move (btm) position.

2.1 The Main Scenario: The Win Study

In the main scenario, a Win Study challenges White to win. At position P_c , White plays move m_c but the dual winning moves $m_{c,j}: P_c \rightarrow P_{c,j}$ are also available. The study community’s Grand Challenge question then, as discussed, is ‘to what extent is move m_c unique: how significant are the dual moves?’ Metric suboptimal moves $m_{c,j}$, $j=1, j1$ which allow Black to force White’s win either to return to one of P_1-P_c or to arrive at P_{c+1} more slowly are *time wasters* and clearly inferior to a move from P_c which actually makes progress. The technical challenge addressed here is to discover which moves can be classified as time wasters, as a prelude to re-evaluating the essential uniqueness of the move m_c . HHDBIV has some 70,000 such s7m scenarios.

In many cases, White can *switchback*, retracting and repeating its last move, thereby wasting four plies. Move $m_{c,j}$ may simply be to some previous mainline position P_i , $i < c$, or to a position one Black move off the played line. However, $m_{c,j}$ can be the start of a large tree of alternative lines leaving the reader asking whether all options have been considered, given that neither side has to play metric-optimally. Larger move trees are less comprehensible, less easily verified, and may even fall short of a complete proof that a move is merely wasting time.

Some examples show that a generally-applicable method is required to address all situations and, regardless of their complexity, to produce uniformly and easily comprehensible, verifiable proofs about time-wasting moves. Studies $S1-S4$, see Figures 2-5, will suffice to indicate the main issues and open-ended range of complexity.

⁴ e.g., DTC \equiv Depth to Conversion (of force), DTZ \equiv Depth to (move-count) Zeroing move.

⁵ As is easily proved, existing draws or Black wins in Chess remain so in Chess(SP).




Fig. 2. Studies with ignorable time-wasting moves: *S1* (Saavedra and Barbier), *S2* (Hornecker) and *S3* (Rinck)

The 1895 study *S1* by Saavedra and Barbier is justly famous for its underpromotion and colorful history [8]: its economy and brevity are also laudable. The solution is **1. c7^w p1b Rd6+⁺ 2. Kb5^w Rd5+^w p3w 3. Kb4^w(^o) Rd4+ 4. Kb3^w p4b Rd3+^w 5. Kc2^w Rd4!** inviting the instinctive **6. c8=Q** which only draws after **6. ... Rc4+^w 7. Qxc4^w** stalemate. **6. c8=R^w** ignores White's seductive Queen by the board. After **6. ... Ra4^w 7. Kb3^w** wins by threatening both Rook and King.

However, White has alternative wins, see Figure 3, at moves 3, 4, and 6 which potentially undermine the uniqueness of the solution. 3. Kb6 and 6. Kb3 regress immediately to respectively *p1b* and *p4b*. 4. Kb5 allows **4. ... Rd5+^w p3w**. The increased depth of win shows that two moves have been wasted in each case. The time-wasting is easy to see as the cycle is completed with at most one line and one sideline move: the solution [13] does not even acknowledge these moves. If clearly inferior moves invalidated studies on technicalities, much would be lost and the delights of such as the study by Saavedra and Barbier would be denied to a potential audience.

White also has the *dual* **4. Kc3^w Rd1^w 5. Kc2^w Rd4 p6w** so it is clear that Black can force White back to the mainline downstream. A further question then about dual moves is whether they allow Black to force White's win back to the mainline and how quickly this can be done.




Fig. 3. A graph of the Saavedra study

Rusz [25] recently described his more challenging demonstration of a time-wasting move which rescued Hornecker's 2009 study *S2*. The solution is **1. g6^w Kg8^o 2. Ke2^w Kf8^w 3. Kd3^w Ke7^w 4. Kc4^w Kf6^w 5. Kb5^w Kxg6^w 6. Kxa5^w {KPPKPP, DTM = -77} Kf5^w 7. Kb5^w g5^w 8. a5^w g4^w 9. a6^w g3^w 10. a7^w g2^w 11. a8=Q^w g1=Q^w 12. Qa3^w Ke4^w 13. Kc6^w Qd4^w p14w 14. Qa5^w Kf5^w p15w 15. Qb5^w(^o) (15. Qa3 tw Ke4^w 16. Qa5^w p14b) 15. ... Kf6 p16w 16. Qb6^w(^o) p16b Qxb6+ 17. Kxb6^w Kf5^w 18. Kc7^w Ke5^w 19. Kc6^w**, a type A3 Trébuchet zugzwang or zug lost for Black.




Fig. 4. A graph of the Hornecker study from position *p14w*

Position *p16w* is the focus: here, 20 sideline moves are required to show that White’s moves 16. *Qa5* and 16. *Qf1+* are no more than time-wasters. 16. *Qf1+* is ultimately shown to progress no further than the mainline move 16. *Qb6*⁽⁶⁾.

16. *Qa5* another example of a *switchback*, move-reversing move 16...*Kf5*'' *p15w*.

16. *Qf1+ Kg5 q.v. S2'* 17. *Qc1+*

(17. *Qb5*'' reversing move 16w 17...*Kf6* *p16w*; 17. *Qg2+ Kf6*'' 18. *Qf1+'' Kg5 S2'*)
17...*Kf5* 18. *Qb1+*

(18. *Qf1+ Kg5 S2'*; 18. *Qa3 Ke4*'' *p14w*) 18...*Kf6* 19. *Qb6*'' *p16b* (19. *Qf1+ Kg5 S2'*).

Although White has had no more than three winning options at any time, it is becoming clear that chess annotation and graphs reflect rather than reduce the complexity of proofs that moves are mere time-wasters. They redundantly detail White’s unavailing attempts to make alternative progress rather than just stating that this is impossible. Further, manual proofs may not be complete and correct.




Fig. 5. *S4* (Reti and Mandler), *PH* (Philidor) and *KH* (Kling & Horwitz)

The Rinck KRNKNN study *S3* of 1924 presents an even greater challenge which is not accepted here. Rinck’s solution is **1. *Rh5*'' *Ng8*'' 2. *Rh8*'' *Ne7+*'' 3. *Kb5*'' *Ke8*'' 4. *Kc5*'' *Nf5*''/*Nc8* 5. *Ng6*'' *Kf7*!'' 6. *Nxf8*''' *Kg7* 7. *Rh5*/*Rh1*'**. However 1. *Rg7*, *Kd5*, *Rg1*, *Rg2*, *Nc4*, and *Rg3* also win.⁶ It is clear that these moves are not what Rinck had in mind but unclear which of them if any allow Black to force a return to the initial position. White has alternatives for all moves except the key 6. *Nxf8*'''.

⁶ Conceding 30, 39, 88, 101, 132 and 170 moves in DTM terms, and 32, 41, 90, 103, 133 and 170 moves in DTC/DTZ terms.

It is equally impractical to show via explored lines that the alternative moves in the 1924 study *S4* by Reti and Mandler [1] are time-wasters. The solution begins **1. Ng1" Kd2" 2. Nf3+" Kd3"**, a type B1-M zug [2,9], that is, a won position that would be won more quickly in DTM terms if White could *pass*. White aims to return to this physical position but with Black to move. The solution continues **3. Ke1" Ke3" 4. Ne5" Ke4" 5. Nc4" Kd3" 6. Nd2" Ke3" 7. Nf3" Kd3" 8. Kf1"**. At position $p2w$, 2. Ne2 is an obvious time-waster (2. ... Ke3" $p1w$) but 2. Nh3 is less easily discounted. The initial depth-concession is again only two moves but the Knight may explore the board further; similar opportunities are on offer down the main line. The analysis of these explorations in the study solution would scarcely be enlightening and the proof of time-wasting has to be in higher-order chessic terms. It would be better to use mathematical rather than chessic logic to show that 2. Nh3 is merely a time-wasting move. White wins after **8. ... Ke3" 9. Ne1" Kd2" 10. Nc2" Kd1 11. Nb4" Kd2" 12. Nd5"**.

2.2 Supplementary Scenarios

In scenario 2, White is to move from a type B1- x zug. Three examples are positions *BIZ*, *BIZ'*, and the Reti-Mandler study's $p3w$ as noted above. This suggests this question 'Is the B1- x zug a *vital* B1 (*VBI*) zug, that is one from which White's win can be forced to include the btm side of the zug?' There are many more B1-M zugs in chess than value-critical zugs, and over 6,000 B1-M zugs in HHDBIV [9].

Scenario 3 sees White, a computer program, winning a game but seeking to avoid a 50-move draw-claim [7, Article 9.3] from a fallible opponent as $DTR > 50$ [12].⁷ White's strategy is to avoid repetition⁸ [7, Article 5.2d] by considering past positions to be 'drawn', temporize and hope the opponent reduces DTR.

Scenario 4 focuses on positions highlighted as significant in endgame theory. Examples, see Figure 5, include Philidor's KQKR position *PH* [20, Ch.3] and the Kling and Horwitz pseudo-fortress position *KH* [19, Ch.5]. The question here is 'What related positions are not wins if these positions are not wins for White?'




Fig. 6. Sets $IP1$ and $IP2$ show the impact of set SP , particularly on TP 's positions

⁷ $DTR \equiv$ Depth by the (draw-claim) rule: $DTR \equiv$ smallest k giving a win under a k -move-rule.

⁸ Historic Dominguez-Perez/Polgar (World Cup, 2011): the unnoticed $p95b=p105b=p107b!$ Rusz asks if J. Polgar can win without revisiting $p105b$ after regressing with $105...Bf5$.

3 The Algorithm: A Generic Response to the Scenarios

The thematic question of the scenarios is ‘Given that the set SP of white wins are defined to be draws, which of the White wins in set TP become draws?’ Figure 6 shows the set SP , TP and the ‘upstream’ sets $IP1$ and $IP2$ of positions of which the theoretical values or DTx depths are different in Chess(SP). The generic algorithmic response then is to:

- define the set SP of White-win positions, and thus the variant game $Chess(SP)$,
- define the set TP of White-win positions whose Chess(SP) values are sought,
- compute the relevant EGT_{SP} Chess(SP) EGT until set TP is accounted for, Chess(SP) like Chess has a lattice of endgame phases; therefore, its EGTs are computable as are those of Chess,
- examine, for positions in set TP , the EGT-difference $\Delta(EGT, EGT_{SP})$ the differences are caused only by SP ’s positions being draws not wins, $P \in TP \cap IP1 \Leftrightarrow P \in TP$ is a win in Chess but a draw in Chess(SP).
In more efficient codes, this may be seen during the computation.
This allows the computation to be aborted without generating EGT_{SP} fully.

In scenario 1 at position P_c , SP is a combination of $\{P_1, \dots, P_{c-1}\}$, $\{P_c\}$ and $\{P_{c+1}\}$; $TP \equiv \{P_{c,j}\}$, the set of P_c ’s successor positions, other than P_{c+1} , won for White. If and only if $P_{c,j}$ is in set $IP1$, i.e., a Chess(SP) draw, the win in Chess from $P_{i,j}$ can be forced to pass through a position in SP . This means move $m_{c,j}$ is a time-waster, the precise reason being determined by the Chess(SP) drawing line(s) from $P_{c,j}$.

In scenario 2, P_w is a wtm type B1- x zug and P_b is its btm equivalent; $SP \equiv \{P_b\}$ and $TP \equiv \{P_w\}$. P_b is essential to White’s win from P_w in Chess if and only if P_w is a draw in Chess(SP).

In scenario 3, White has a win, may play suboptimally with regard to all metrics, but does not wish to repeat position. $SP \equiv \{P_1, \dots, P_c\}$. Time-wasting moves to positions in $IP1$ are avoided as are overlong phase continuations.

In scenario 4, $SP \equiv \{significant\ position\}$, e.g., position PH or KH , is considered a near-refuge for Black. By making it an actual drawing sanctuary in Chess(SP), it is possible to assess its importance to White’s winning chances in Chess.

Other scenarios involve deep wins or downstream-convergence in Win Studies, Draw Studies and value-critical zugzwangs. For clarity, these are not included in this first exposition of the Chess(SP) approach.

Table 2. HHdbIV Endgame study s7m mainline positions to be evaluated⁹

n	wtm positions with alternative moves		EGT creation at ‘Konoval tempo’ (hrs)	
	#pos, n men	#pos., n pieces	DTC/MEGTs	DTZ EGTs
2	0	5,057	0.00E+00	3.22E-03
3	299	9,911	1.22E-02	4.03E-01
4	5,868	28,890	1.53E+01	7.52E+01
5	34,401	21,864	5.73E+03	3.64E+03
6	30,231	5,077	3.22E+05	5.42E+04
Totals	70,799	70,799	3.28E+05	5.79E+04

⁹ Chess *men* are *pieces* or *Pawns*: the pawns need not be moved in creating the EGT_{SP} .

4 Generating *Chess(SP)* EGTs: Examples and Efficiencies

Figure 3 and a ‘manual’ implementation of the *Chess(SP)* algorithm for the study *SI*, position *3w*, indicate the rapidity of the ‘*Chess(SP)* test’. The question is whether move 3. Kb6 is a time-waster or not. $SP \equiv \{\text{pos. } 3w\}$ and $TP \equiv \{\text{pos. } 1b\}$. Mainline positions *2b*, *2w* and *1b* immediately revert to *draw*: Black takes any drawing option and White is denied its only winning move. However, position *1b* was in the mainline of the study anyway so the generation of EGT_{SP} was unnecessary. Showing that 4. Kb5 is a time-waster requires the creation of the full EGT_{SP} if $SP \equiv \{\text{pos. } 4w\}$. However, this is rapidly obvious if $SP \equiv \{\text{positions } 1w-3b\}$ when ‘*3b draw*’ implies the position after 4. Kb5 is a draw. The reader may care to show by similar means that 6. Kb3 is a time-waster and that the line starting 4. Kc3 can be forced to position *6w*.

If thousands of EGT_{SP} designer-EGTs are to be created, it is appropriate to consider the work involved and how it might be reduced. This will depend on which EGT-generator is evolved to create EGTs for *Chess(SP)*. For example, Nalimov’s code [18] is slower than Konoval’s single-threading code which computed the KQBNKQB EGT in 3.5 weeks [27] and can compute the KQPKQ EGT in 10 minutes.

There are efficiencies which apply to creating any EGT and efficiencies which are specific to generating EGTs for *Chess(SP)*. Konoval has used PENTIUM Assembler in the inner loops of his program and a relatively simple position-indexing scheme which facilitates the fully retrograde production of EGTs.¹⁰

EGT generation may be speeded up considerably if a trusted EGT for the same endgame is already available, especially if this is a WDL EGT.¹¹ It is unnecessary to evaluate a position expensively as a potential loss if it is already known to be a draw or a win. This economy is in principle available when creating EGT_{SP} .

When generating EGT_{SP} , it is worth noting that:

- Chess draws and Black wins are unaffected by deeming SP ’s positions drawn,
- ‘downstream’ $Q \notin SP$ with $DT_x(Q) \leq \min DT_x(P \in SP)$ are also unaffected,
- the EGT_{SP} need only be for positions with Pawns in relevant positions,
- a WDL EGT_{SP} is sufficient to determine set $IP1$,
- the creation of EGT_{SP} may be halted when set $IP1$ has clearly been identified or the *Chess(SP)* values of the positions in set TP are known,
- iterative steps in creating EGT_{SP} can identify draws as well as wins,
- a larger SP does not slow the evaluation of TP ’s positions in *Chess(SP)*,
- if $SP2 \supset SP1$, e.g. $\{P_1 \dots P_c\}$ and $\{P_c\}$, EGT_{SP2} may be derived from EGT_{SP1} .

Based on ‘Konoval performance’, Table 2 estimates the computer time needed to identify systematically all time-wasting moves from the *s7m* mainline positions in HHDBIV’s studies. The estimates do not include any *Chess(SP)*-specific efficiencies even though 50-fold efficiencies have been seen in Rusz’ production work below. Given a suitable infrastructure to manage thousands of independent tasks, the elapsed time may be greatly reduced by the use of multi-core computers, networks of computers and crowd-sourcing. Parallelism is also possible within the set-manipulating EGT-generation algorithm for the largest EGTs for *Chess(SP)*.

¹⁰ i.e., unmoving from positions of depth d plies to discover positions of depth $d+1$ plies.

¹¹ WDL EGTs merely hold 2-bit information about wins, draws and losses but not about depths.

5 The First Implementation of the Algorithm: Starchess

As this proposal, to generate EGTs for the chess variant *Chess(SP)*, has not been widely promulgated, no existing generator of Chess EGTs has yet been generalized to do so. However, the second author, a leading authority and world champion in the game Starchess [26], has generalized his EGT generator. Starchess was invented by László Polgár in 2002 and it is only necessary here to mention the star-shaped board of just 37 hexagons¹², the Knight’s move, e.g., 19-2/3/9/16, and the humbled Rook which can only move vertically. There are many short, combative Starchess games: openings tend to be more tactical than in Chess but endgames are of similar length.

After generating the sub-6-man (s6m) Starchess EGTs, Rusz identified 9,967,573 type B1-M zugs. As in Chess itself, B1-M zugs with *zug depth*¹³ $zd < 3$ predominate: 9,852,307 have $zd=1$ and many merely call for a waiting move; 78,001 have $zd=2$.¹⁴ As in scenario 2, the question then arises as to which are *vital* type B1 zugs. A motivation is that if White can be forced to visit the btm side of the B1 zug in *tl* (transit




Fig. 7. Sub-6-man Starchess positions SC1-9 on the Vital B1 zug theme

¹² The hexagons are numbered in columns, left to right, and bottom to top: ‘37’ is on the right.

¹³ The zug-depth zd of a B1-M zug is the difference between the wtm and btm DTM depths.

¹⁴ Of 1,626,168,997 s6m positions, 0.61% are B1-M zugs: 0.0023% also have $zd > 2$.

length) moves, it is likely that a study-like scenario will be found. The technique, as in Section 3, is to see if, with the btm side of the B1 zug *drawn*, the B1 zug itself becomes a draw. If and only if it does, Black can force White's win to visit the btm position. The forced transits, wtm to btm position, may have different lengths.

Two observations speeded the identification of the vital s6m B1-M zugs, the first by Rusz and Starchess-specific. Vital B1 zugs in pawnful positions must have $z_d > 2$: both sides must play at least two moves in going from the wtm to the btm position as there are no moves which preserve symmetry across the single vertical axis of symmetry. This meant that 7,168,489 B1-M zugs could be ignored, a splendid economy. Secondly, as in any game, if the B1-M zug in set *TP* is seen to be a win despite the btm position being defined as drawn, the generation of the Starchess(SP) EGT may be discontinued. Thus, over 50 B1-M zugs were examined in the time taken to generate an EGT. Fourteen of the 910 VB1 zugs found (30 4-man, 128 5-man pawnless) and one instructive non-VB1 zug, *SC5*, feature in Figures 7-8 and here.

KPPKP VB1 zug *SC1* is analogous to Lasker's chess study¹⁵ HHDBIV#14482 [1, 23-25]. The *max_tl* line **1. K31'''** (1. K20? K32''' 2. K21' K25''' 3. K16' K20' 4. K9' K14''' $z =$) **1. ... K27' 2. K24'''(6) K34'' 3. K19'''(6) K33'' 4. K25''' $z p1$ K34'' 5. K20'''(6) K27'' 6. P33+'''(6) K33' 7. K21''' K32' 8. K16''' K26'' 9. K9''' K21'' 10. K10° K20' 11. K16'''(6) 1-0.** A marginally quicker force with *min_tl=3* is **2. ... K33 3. K25'''(6) $z p1$.**

KQKB VB1 zug *SC2* illustrates an important Q-triangulation. **1. Q20+''' K3'' 2. Q21+'''(6) K7° 3. Q15'''(6) $z p1$ 1-0.**

KBKPP VB1 zug *SC3*, *max_tl=6*: **1. B17'''(6) K3' 2. B37'''(6) K2'' 3. B26'''(6) K7'' 4. B33'' K8'' 5. B27+'''(6) K7 (-4) 6. B1'''(6) $z p1$.** Black may also play the *min_tl=4* line **2. ... K8 (-3) 3. B21+'''(6) K7 (-3) 4. B1'''(6)** illustrating the 'B-diamond' manoeuvre.

KNKRP VB1 zug *SC4*, *tl=3*, three VB1 zugs: *vz1* **1. K9'''(6) K33'' 2. K16'''(6) K27' 3. K15'''(6) $z p1$ K33'' 4. K21'''(6) K34° $vz2$, 9/4, $z_d=tl=5$ 5. K20'''(6) K33'' $vz3$, 8/5, $z_d=tl=3$ 6. N15+'''(6) K27'' 7. N2'''(6) K33'' 8. N18'''(6) $z p6$ N-triangle K34'' 9. K21'''(6) $z p5$ K33° 10. N15+'''(6) K34° 11. K26'''(6) P18° 12. N33''' P17=(Q/R/B/N)° 13. N16#'' 1-0.**

KQKR position *SC5* just fails to be a Vital B1 zug. The wK triangulates from/to the zug: **1. K33'' K24'' 2. K27'' K31' 3. K26'' $z p1$.** However, setting *p3b* to *draw* neatly reveals the dual win from *p1w* (annotation in *Chess(SP)* terms): **1. K21'''(6) R28'' 2. K15'''(6) distant wK/bR opposition! 2. ... R29'' 3. K20' R30'' 4. K14'''(6) R28'' 5. K19'''(6) R30'' 6. K13'''(6) R28'' 7. K12'''(6) R30'' 8. K18'''(6) R29'' 9. K17'''(6) R30'' 10. K22'''(6).**

KBPKN VB1 zug *SC6*, *tl=3*: *vz1* **1. B34''' K16'' $vz2$, 15/12, $z_d=3$ 2. B8'''(6) K9'' 3. B1'''(6) $z p1$ (3.P3? K16''' z) 3. ... K16'' 4. B34'''(6) K9' 5. P3'''(6) z K16'' 6. B8'' z K9'' 7. K25'''(6) z K16'' 8. K26'''(6) z K9'' 9. K21'''(6) 1-0.**

KNPKN VB1 zug *SC7*, *tl=3*: one of three positions with a record $z_d=25$. **1. K19''' N3'' 2. K14'''(6) N10 (-22) 3. K13'''(6) $z p1$.** If **2. ... K18''** then **3. N20''' N19'' 4. P10N'''** reaches an interesting KNNKN endgame, a general win.

KQRKB VB1 zug *SC8*, *max_tl=12*, the second-longest known transit: **1. Q26+'''(6) K31° 2. R21'''(6) B24'' 3. Q20+'''(6) K36'' 4. Q25'''(6) B31'' 5. Q23'''(6) B35'' 6. Q26+'''(6) K31° 7. Q32+'''(6) K24° 8. Q19+'''(6) K23'' 9. Q17+''' K24'' 10. Q18+'''(6) K25 (-6) 11. Q36'''(6) B30'' 12. R20'''(6) $z p1$ 1-0. A *min_tl=7* line diverges **2. ... B35 (-4) 3. Q32+'''(6) K24° 4. Q19+'''(6) K31 (-1) 5. Q18+'''(6) K25 (-6) 6. Q36'''(6) B30'' 7. R20'''(6) $z p1$.****

¹⁵ wKc5,Pa5,c6/bKc7,Pa6: 1. Kd5''' Kc8'' 2. Kd4' Kd8' 3. Kc4'''(6) Kc7 (-1) 4. Kc5'''(6) $z p1$.

KQPKQ VB1 zug *SC9*, *max_tl=17*: 1. Q15^{''(o)} K33^{''} 2. Q14+^{''(o)} K34^{''} 3. K8^{''(o)} K27^{''} 4. Q19^{''(o)} K26^{''} 5. K3^{''(o)} K27^{''} 6. Q20^{''(o)} Q29^{''} 7. Q17^{''(o)} K26^{''} *vz2 54/50*, *zd=4*, *tl=4* 8. K2^{''(o)} Q34^{''} 9. Q19^{''''} Q28+^{''} 10. K3^{''''} Q29^{''} 11. Q17^{''''} *z p8* K27^{''} 12. K8^{''''} Q31^{''} 13. K14^{''''} Q24+^{''} 14. K15^{''''} Q25+^{''} 15. Q20^{''''} Q13+ (-1) the only suboptimal move in the line (instead of 15. ... Q24^{''}) 16. K8^{''''} Q23^{''} 17. K9^{''''} *z p1* 1-0. There is a *min_tl=3* line diverging 2. ... K27 (-15) 3.Q20^{''''} *z p1* 1-0: *max_tl - min_tl = 14*.




Fig. 8. The six *s6m* reflected VB1 zugs and three studies featuring VB1 zugs

The VB1 zugs of Figure 8 are the six *s6m reflected* ones: *SC10-13* are reflected in the horizontal axis and *SC14-15* in the vertical axis. *SC10-11* have *zd=1* and *SC12* uniquely has *zd=2*. From *SC13*, Black has the choice to *reflect* the vital zug or not. *SC14* is the only reflected VB1 zug featuring a *Limping Pawn*, a pawn which appears to be able to move two squares but in fact cannot as it has already captured a man. The opening position and the dance of the Knights makes *SC15* visually remarkable.

KRNKN VB1 zug *SC10*, *tl=1*: 1. R34^{''''} *z p1*-reflected (denoted *p1-r*) 1-0.

KRBKN VB1 zug *SC11*, *tl=1*: 1. R26^{''''} *z p1-r* 1-0.

KQNKQ VB1 zug *SC12*, *tl=2*: 1. Q21+^{''''(o)} K35^{''} 2. K3^{''''} *z p1-r* 1-0.

KNNKN VB1 zug *SC13*, *max_tl=5*: 1. N31^{''''(o)} N35 (-1) 2. N26-13^{''''(o)} N19^{''} 3. N14^{''''(o)}. Now Black has 3...K36^{''} 4. N26^{''''(o)} K37^{''} 5. N17^{''''(o)} *z p1* or 3...K35^{''} 4. N23^{''''(o)} K37^{''} 5. N21^{''''(o)} *z p1-r*. *min_tl=3*: 1. ... K36 (-3) 2.N14^{''''(o)} K37^{''} 3.N17^{''''(o)} *z p1* 1-0.

KPLK VB1 *SCI4*, $tl=3$: 1. **K19**''' **K27**'' 2. **K24**'^(g) **K21**'' 3. **K25**''' $z p1-r$ 1-0. White has the option, with the same tempo, not to reflect this VB1 zug. If the Limping Pawn were not limping, the position would be a non-vital type B1 zug (DTM 14/13): 1. **K19**'' **K16**' 2. **P21**=Q' **K21** z 3. **K14**' **K26** z 4. **K15**'^(g) **K25** 5. **P20**'^(g) 1-0.

KNPKN VB1 *SCI5*, $tl=5$: 1. **N9**''' **N17**'' 2. **K19**''' **N31**'' 3. **N26**'^(g) **N27**' 4. **K25**''' **N31**'' 5. **N35**'^(g) $z p1-r$ 1-0.

The identification of the 910 s6m Vital B1 zugs has revealed about 250 study scenarios and many positions of pedagogic value. Here are three of them.

SCI6, with a positional draw in line A and Knight sacrifices in both lines: 1. **P20**'''

a) 1...**K30** 2. **N25**'''! (2. **K26**? **K23**''' 3. **N25** **N24**''' 4. **K27** **K22**''' 5. **N37** **N7**''' 6. **K26** **K23**''' 7. **N25** **N24**''' positional draw) 2. ...**N24** 3. **N16**'' **K23**'' 4. **N19**'' **K18** 5. **N11**'''!, or

b) 1...**K32**'' $vz z d=tl=9$ 2. **N29**'' **N24**'' 3. **N19**'^(g) **K25**'' 4. **N36**'^(g) **N7**'' 5. **N34**''' **K32**'' 6. **N16**'''! **N24**'' 7. **N3**'^(g) **K25**' 8. **N12**''' **K32**'' 9. **N29**'^(g) **N7**'' 10. **N37**'^(g)! $p2$ **K31**'' 11. **K26**'^(g) **K30**'' 12. **N33**'^(g) **K23**'' 13. **N19**'^(g) **K17**'' Black defends against the **N11**! sacrifice 14. **N29**'' **N24** 15. **N37**'''! **N7** 16. **N25**'' 1-0.

SCI7: 1. **N18**'''! (1.**N19**?) 1...**P19**' 2. **K23**''' **K16**' 3. **K30**''' **R20**' 4. **K31**''' **K21** 5. **K25**'''

a) 5...**K27**' 6. **K20**''' **K33**'' $vz z d=tl=3$ 7. **N15**'^(g) **K27**'' 8. **N2**'^(g)! **K33**'' 9. **N18**'^(g) $p7w$ **K34**'' 10. **K21**'^(g) **K33**° 11. **N15**'^(g) **K34**° 12. **K26**'^(g) **P18**° 13. **N33**''' **P17**=Q' 14. **N16**'''#.

b) 5...**K16**' 6. **K20**'^(g) **K9**'' $vz-r z d=tl=3$ 7. **N26**+''^(g) **K16**'' 8. **N35**'^(g)! **K9**'' 9. **N18**'^(g) $p7w$ **K10**'' 10. **K21**'^(g) **K9**° 11. **N26**'^(g) **K10**° 12. **K15**'^(g) **P18**° 13. **N9**''' **P=17Q**' 14. **N27**'''#. Two echo variations with N-triangulation.

SCI8: 1. **N7**+''' (1. **K20**? **P15**''=) 1...**K15**'' $vz z d=tl=3$ 2. **N24**''' **K8**'' 3. **N11**'^(g)! **K15**'' 4. **N7**'^(g) $p2$ **K8**'' 5. **N24**'^(g) **K3**° 6. **N11**'^(g)! an interesting, original N-manoeuvre **K8**' 7. **K20**'^(g) **K3**° 8. **K14**'^(g) **K1**' 9. **N19**'^(g) **P8**+'' 10. **K15**'' **P7**° 11. **K8**'' **P6**° 12. **N9**'''#.

6 Summary

There is a clear need to identify all s7m time-wasting moves in the mainlines of studies in HHDBIV. This is a precursor to refining the study community's artistic judgment of that corpus [23] and would add considerable value to both. Proof statements should be derived by algorithm, reliable, economical, irredundant, comprehensible, and verifiable: this is not the case at present. The approach using *Chess(SP)* EGTs in principle yields proofs of moves' time-wasting status meeting the requirements stated. Further, it provides a tool to identify time-wasting moves in the future. This paper implicitly challenges the authors of EGT generator software to generalize that software to include variant games where some of White's won positions are deemed to be draws.

Similar questions of interest to endgame theoreticians, including those concerning lines from the deepest positions, zugzwang effects, 'downstream convergence' and Draw Studies, may be addressed using the same *Chess(SP)* approach. Other sources of endgame play, e.g., [19] [20], and studies' sidelines are worth inspection.

The authors particularly thank CESC [11], Rafael Andrist, John Beasley, Ian Bland, Eiko Bleicher, Marc Bourzutschky, Noam Elkies, Harold van der Heijden, Harm Müller, John Nunn, John Roycroft, John Tamplin, and the three anonymous referees for their interest in and contributions to this paper.

References

1. Beasley, J.: *Depth and Beauty, the chess endgame studies of Artur Mandler* (2003)
2. Bleicher, E., Haworth, G.M^cC: 6-Man Chess and Zugzwangs. In: van den Herik, H.J., Spronck, P. (eds.) *ACG 2009. LNCS*, vol. 6048, pp. 123–135. Springer, Heidelberg (2010)
3. Bleicher, E.: DTM EGT query facility (2007),
<http://www.k4it.de/index.php?topic=egtb&lang=en>
4. Bourzutschky, M., Konoval, Y.: News in Endgame Databases. *EG 17-185*, 220–229 (2011)
5. Bourzutschky, M.S., Tamplin, J.A., Haworth, G.M^cC: Chess endgames: 6-man data and strategy. *Theoretical Computer Science* 349(2), 140–157 (2005) ISSN 0304-3975
6. Fahrni, H.: *Das Endspiel im Schach*, Leipzig (1917)
7. FIDE: *The Laws of Chess. FIDE Handbook E.1.01A* (2009),
<http://www.fide.com/component/-handbook/?id=124&view=article>
8. Grondijs, H.: *No Rook Unturned. A Tour around the Saavedra Study* (2004)
9. Haworth, G.M^cC, van der Heijden, H.M.J.F., Bleicher, E.: Zugzwangs in Chess Studies. *ICGA Journal* 34(2), 82–88 (2011)
10. Haworth, G.M^cC, Bleicher, E., van der Heijden, H.M.J.F.: Uniqueness in chess studies. *ICGA Journal* 34(1), 22–24 (2011)
11. Haworth, G.M^cC: *The Scorched Earth Algorithm. Presentation to the UK Chess Endgame Study Circle. Pushkin House, London* (2009)
12. Haworth, G.M^cC: Strategies for Constrained Optimisation. *ICGA J.* 23(1), 9–20 (2000)
13. van der Heijden, H.M.J.F.: *HHDBIV, HvdH's ENDGAME STUDY DATABASE IV* (2010),
<http://www.hhdbiv.nl/>
14. Karrer, P.: KQQKQP and KQPKQP. *ICCA Journal* 23(2), 75–84 (2000)
15. Konoval, Y., Bourzutschky, M.: First 6-man study requiring all three underpromotions. *British Chess Magazine* 130(1) (2010)
16. Konoval, Y., Bourzutschky, M.: Malyutka requiring P=R and P=N. 64 *Shakhmatnoe Obozrenie* 7 (2009)
17. Lasker, E.: *Common Sense in Chess* (1896)
18. Nalimov, E.V., Haworth, G.M^cC, Heinz, E.: Space-Efficient Indexing of Endgame Databases for Chess. In: van den Herik, H.J., Monien, B. (eds.) *Advances in Computer Games* 9, vol. 1, pp. 93–113. Institute for Knowledge and Agent Technology (IKAT), Maastricht (2001) ISBN 9-0621-6576-1
19. Nunn, J.: *Secrets of Minor-Piece Endings*. B.T. Batsford, London (1995)
20. Nunn, J.: *Secrets of Pawnless Endings*. B.T. Batsford, London. ISBN 0-7134-7508-0. Expanded Edition 2 including 6-man endgames (2002). *Gambit*. ISBN 1-9019-8365-X (1994)
21. Pritchard, D.B.: *Popular Chess Variants*. Batsford (2000) ISBN 978-0713485783
22. Pritchard, D.B.: *The Classified Encyclopedia of Chess Variants*. 2nd revised edition, edited and published by J.D.Beasley.
23. Roycroft, A.J.: *Test tube chess: a comprehensive introduction to the endgame study* (1972)
24. Roycroft, A.J.: Expert against the Oracle. In: Hayes, J.E., Michie, D., Richards, J. (eds.) *Machine Intelligence* 11, pp. 347–373 (1988)
25. Ruz, A.: A technical discussion of the Hornecker study *HHdbIV#75649* (2011),
<http://kirill-kryukov.com/chess/discussion-board-/viewtopic.php?f=6&t=6036#p64616>
26. *Starchess rules* (2011), <http://polgarstarchess.com/Rules.doc>
27. Vlasak, E.: *Endgame database news* (2005),
<http://www.vlasak.biz/tablebase.htm>
28. Winter, E.: *Chess Notes #5814* (2011),
<http://www.chesshistory.com/winter/winter51.html>

Appendix: Further Details of Some Positions in Table 1

UP1, Karrer [7]. wKg4,Qg8,h8/bKf1,Qb4,Pd2 wtm:

This position is DTM=60 but a mate in 20 if Pawn-promotion is to Queen only.

1. Kf5''' Qc5+' 2. Ke4''' Qe7+' 3. Kf4'' Qb4+' [Qc7+, Qd6+]
4. Ke3''' Qc5+' [Qb6+, Qe7+] as d1=N is not available 5. Kxd2'' {DTM=15}

With the P=N option, a DTM-minimaxing line starts:

1. Kf5''' Qc5+' 2. Ke4''' Qe7+' 3. Kf4'' Qb4+' 4. Ke3''' d1=N+' {KQQKQN}
5. Kf3''' Qa3+' 6. Kf4''' Qe3+' 7. Kf5''' Qd3+' 8. Ke5'' Qc3+' 9. Kd5'' Qa5+' 10. Ke6' Qb6+' 11. Ke5' Qc7+' 12. Ke4'' Qc2+'.

UP2, Konoval and Bourzutschky [8-9], wKc8,Qf4,Pg7/bKh5,Qh1 wtm, requiring Pawn-conversion in different lines to respectively Queen, Rook and Knight:

1. Kc7''' Qh3'
(1. ... Qg1 2. Qf7+' Kh6' 3. g8=N+' Kg5'' 4. Qg7+' Kf4' 5. Qxg1'')
- (1. ... (Qa8/Qd5)'' 2. Qh2+' Kg6 3. Qg2+' Qxg2'' 4. g8=Q+'')
2. Qe5''' Kh6 3. g8=R'''.

UP3, Konoval and Bourzutschky [8], [10]. wKc2,Rb5,d5,Pg5/bKh5,Qf8 wtm, the first s7m study synthesising all three Rook, Bishop and Knight underpromotions:

1. g6''' Kh6'' 2. g7''' Qf2+' 3. Rd2''' (DTM = 34) and now
3. ... Qf3 4. g8=R''' Qc6+' 5. Kd1''' Qh1'' 6. Ke2'' (6. Kc2 Qc6'' 7. Kd1''' Qh1''),
3. ... Qf4'' 4. g8=B'''', or
3. ... Qf1 4. g8=N''' Kh7' 5. Rb7+' Kh8'' 6. Ne7'''.

PH, the Philidor position (1777). wKc6,Qa5/bKb8,Rb7 wtm/btm, a B1 zug:

- btm: 1. ... Rb1'' 2. Qd8+' Ka7° 3. Qd4+' (Ka8/b8)'' 4. Qh8+' Ka7'' 5. Qh7+'.
- wtm: 1. Qe5+' Ka8'' 2. Qa1+' Kb8'' 3. Qa5'' arriving at the btm line above.

KH, the Kling and Horwitz position (1851). wKd5,Ba4,f8/bKb6,Nb7 wtm.

This position was long thought to be drawn: in fact, DTC = 45m and DTM = 57m.

White has to force Black from the pseudo-fortress [28] and prevent a similar pseudo-fortress being set up. This DTC-minimaxing line shows the difficulty involved.

1. Bb4'' Kc7' 2. Bd2' Kb6'' 3. Be3+' Kc7'' 4. Bf2' Nd8' 5. Kc4' Nb7''
6. Bg3+' Kb6'' 7. Kb4'' Nd8'' 8. Bf2+' Kc7'' 9. Kb5'' Ne6'' 10. Bg3+' Kd7''
11. Bd1'' Nd4+' 12. Kc5'' Nf5'' 13. Be5' Kd6'' 14. Bc3'' Ne3'' 15. Bf3'' Kf5''
16. Bc6'' Nf1' 17. Kd5'' Ng3'' 18. Bd7+' Kf4'' 19. Bd2+' Kf3° 20. Bh6' Nf1'
21. Kd4'' Ng3' 22. Bc6+' Kg4'' 23. Ke5'' Ne2' 24. Be3' Ng3' 25. Bc5' Nh5'
26. Bb6' Ng3'' 27. Ba4'' Nf1' 28. Bd1+' Kg3'' 29. Kd4' Kf2' 30. Kd3+' Kg3''
31. Ke2'' Nh2'' 32. Bc7+' Kh3'' 33. Ba4' Ng4'' 34. Bc6'' Kh4'' 35. Kf3'' Kh5''
36. Kf4'' Nf6'' 37. Kf5'' Ng8'' 38. Bf3+' Kh6'' 39. Bd6'' Kg7'' 40. Kg5'' Kf7''
41. Bd5+' Kg7'' 42. Bc4' Kh7 43. Bf8'' Kh8'' 44. Bd3'' Ne7' 45. Bxe7''

BIZ, Elkies' pedagogic example (2011). wKg5,Pe6,f7/bKg7,Pe7,g6 wtm.

The wK cannot capture bPe7 first: with the bK on f8, the g-Pawn just advances.

Therefore the triangulation is necessary and the win must visit *BIZ* with btm.

1. Kf4' Kf8'' 2. Kg4'' Kg7'' 3. Kg5'''⁽ⁱ⁾ *BIZ*-btm Kf8'' 4. Kh6'''⁽ⁱ⁾ g5° 5. Kxg5'' Kg7° the type B1 zug *BIZ'*: the win need not visit *BIZ'* with btm. 6. Kf5'' Kf8''.