

Deductive Verification of State-Space Algorithms

Frédéric Gava, Jean Fortin, and Michael Guedj

Laboratory of Algorithms, Complexity and Logic (LACL), University of Paris-East
{frederic.gava,jean.fortin,michael.guedj}@univ-paris-est.fr

Abstract. As any software, model-checkers are subject to bugs. They can thus report false negatives or validate a model that they should not. Different methods, such as theorem provers or Proof-Carrying Code, have been used to gain more confidence in the results of model-checkers. In this paper, we focus on using a verification condition generator that takes annotated algorithms and ensures their termination and correctness. We study four algorithms (three sequential and one distributed) of state-space construction as a first step towards mechanically-assisted deductive verification of model-checkers.

Keywords: BSP, Model-checking, Deductive verification, State-space.

1 Introduction

Motivation. Model-checkers (MCs for short) are often used to verify safety-critical systems. The correctness of their answers is thus vital: many MCs produce the answer “yes” or generate a counterexample computation (if a property of the model fails), which forces, in the two cases, to assume that the algorithm and its implementation are both correct.

But MCs, like any software are subject to bugs and there exist surprisingly few attempts to prove them correct. Three main reasons can explain this fact [13]: (1) MCs involve complicated logics, algorithms and sophisticated state reduction techniques; (2) because efficiency is essential, MCs are often highly optimised, which implies that they may not be designed to be proved correct; (3) MCs are often updated. But there is a more and more pressing need from the industrial community, as well as from national authorities, to get not just a boolean answer, but also a formal proof — which could be checked by an established tool such as the theorem prover Coq. This is required in Common Criteria certification of computer products at the highest assurance level EAL 7 — <http://www.commoncriteriaportal.org/>. And hand proofs are not sufficient for EAL 7, mechanical proofs are needed. The author of [18] resumes the problem: *Quis custodiet ipsos custodes ?* (Who will watch the watchmen? that is, who will verify the verifier?). We want to be able to trust the results of model-checkers with a high degree of confidence.

Different Solutions for Verifying Model-Checkers. For verifying model-checkers, different solutions have been proposed. The first one is to prove MCs

inside theorem provers and use the extraction facilities to get pure functional machine-checked programs such as in the works of [20] and [6]. The second and more common approach, in the spirit of Proof-Carrying Code [14] (PCC for short), is to generate a “certificate” during the execution of the MC that can be checked later or on-the-fly by a dedicated tool or a theorem prover. This is the so-called “certifying model-checking” [13]. In this way, users can re-execute the certificate/trace and have some safety guarantees because even if the MC is buggy, its results can be checked by a trustworthy tool.

But, any explicit MC may enumerate a very large state-spaces (the famous state-space explosion problem), and mimicking this enumeration with proof rules inside any theorem prover (or with PCCs) would be foolish even if specific techniques and optimisations of the abstract machine of theorem provers [1] are used. Note that this problem does not arise when finding a refutation of the logical formula (the trace is generally short) but when the answer is “yes” since the entire explicit state-space (or at least a symbolic representation) needs to verify the checked properties. In this way, certificate generation could also hamstring both the functionality and the efficiency of the automation that can be built from theorem provers (functional programs can be too memory consuming) and PCC tools (too big certificates) [18]. Only efficient, imperative and distributed programs can override the state-space explosion problem.

Another solution, proposed in [22] for a MC call PAT, is to use coding assumptions directly in the source code. They indeed use `Spec#` and a check of the object invariants (the contracts) is generated. Nevertheless, they cannot completely verify the correctness of PAT and they thus focus on some safety properties (as no overflows, no deadlocks) of the underlying data structures of PAT (which can run on a multi-core architecture) and check if some options may conflict with each other.

The Proposed Solution and Outline. Our contribution follows the approach of [22] but by using the “verification condition generator” (VCG for short) *WHY* [7] and by extending the verification to the correctness of the final result: has the full state-space been well computed without adding unknown states?

Since the language of *WHY* is not immediately executable but a higher-level algorithmic language, we only focus on algorithms. We can thus focus on which formal properties need to be preserved and not be obstructed by problems specific to a particular programming language. Even if most of the bugs in MCs will not be due to wrong algorithms but rather due to subtle errors in the implementation of some complex data structures and bad interactions between these structures and compression aspects, we must first check the algorithms to get an idea of the amount of work necessary to verify a true model-checker.

Our goal is then a mechanically-assisted proof that these annotated algorithms terminate and indeed compute the expected finite state-space. This is an interesting first step before verifying MCs themselves: it allows to test if this approach is doable or not. This is also challenging due to the nature of model-checking (critical system) and to the algorithmic complexity. The main contribution of

this paper is to demonstrate the ability of a VCG such as *WHY* to tackle the wide range of verification issues involved in the proof of correctness of imperative codes of MCs.

The remainder of this paper is structured as follows. The VCG *WHY* is presented in Section 2.1, then the full state-space is formally defined in Section 2.2; we consider also verifying different algorithms formally: three sequential ones (which correspond to those mainly used in explicit MCs; described in Section 2.3; verified in Section 2.4) and one distributed — mainly used in explicit distributed MCs; described in Section 3.3; verified in Section 3.4. The first three are relatively simple to prove correct: it is thus a good basis for correctness of MCs. For the last, we use our own extension of *WHY* called *BSP-WHY* [9], which is presented in Section 3.2. Section 4 discusses some related work and finally, Section 5 concludes the paper and gives a brief outlook to future work.

2 Verification of Sequential State-Space Algorithms

We now introduce the VCG *WHY*, describe how we model the state space, and present the verification of 3 well-known algorithms. The annotated source codes are available at <http://laci.fr/gava/cert-mc.tar.gz>.

2.1 Deductive Verification of Algorithms Using *WHY*

WHY [7] is a framework for the verification of algorithms. Basically, it is composed of two parts: a logical language with an infrastructure to translate it to existing theorem provers; and an intermediate verification programming language called *WhyML* with a VCG for deductive verification. The logic of *WHY* is a polymorphic first-order logic with logical declarations: definitions and axioms. The examples of the standard library propose finite sets of data and several operations with their axiomatisation (which can be proved using Coq): a constant empty set; functions `add`, `remove`, `union`, `inter`, `diff`, `cardinal`; a predicate for emptiness, equality, subset, extensionality, *etc.* In the logical formula, $x@$ is the notation for the value of x in the pre-state, *i.e.* at the precondition point and $x@label$ for the value of x at a certain point (marked by a label) of the algorithm.

WhyML is a first-order language with an ML flavored syntax and it provides the usual constructs of imperative programming. All symbols from the logic can be used in the algorithms. Mutable data types can be introduced, by means of polymorphic references: a reference r to a value of type σ has type **ref** σ , is created with the function **ref**, is accessed with `!r`, and assigned with `r ← e`. Algorithms are annotated using pre- and post-conditions, loop invariants, and variants to ensure termination. Verification conditions are computed using a weakest precondition (wp) calculus and then passed to the back-end of *Why* to be sent to provers. Notice that in *WHY*, sets are immutable (manipulated only with purely functional routines) and thus only a reference on a set can be modified and assigned to another set.

<pre> 1 let normal () = 2 let known = ref {} in 3 let todo = ref {s0} in 4 while todo ≠ {} do 5 let s = pick todo in 6 known ← !known ⊕ s; 7 todo ← !todo ∪ (succ(s) \ !known) 8 done; 9 !known </pre>	<pre> 1 let main_dfs () = 2 let known = ref {} in 3 let rec dfs (s:state) : unit = 4 known ← !known ⊕ s; 5 let current = ref (succ(s) \ !known) in 6 while current ≠ {} do 7 let new_s = pick current in 8 if (new_s ∉ known) then dfs(new_s) 9 done; 10 in dfs(s0); !known </pre>
--	---

Fig. 1. Sequential WhyML algorithms

2.2 Definition of the Finite State-Space

Let us recall that the finite state-space construction problem is computing the explicit graph representation (also known as *Kripke structure*) of a given model from the implicit one. This graph is constructed by exploring all the states reachable through a successor function `succ` (which returns a set of states) from an initial state s_0 . Generally, during this operation, all the explored states must be kept in memory in order to avoid multiple explorations of a same state.

In this paper, all algorithms only compute the state-space, noted `StSpace`. This is done without loss of generality and it is a trivial extension to compute the full Kripke structure — usually preferred for checking temporal logic formulas. To represent `StSpace` in the logic of *WHY*, we used the following axiom `contain_state_space` (for consistency, it has been proved in Coq using an inductive definition of the state-space, also available in the source code):

```

1 logic s0: state      logic succ: state → state set    logic StSpace: state set
2 axiom contain_state_space: ∀ss:state set. StSpace ⊆ ss ↔
3                               (s0 ∈ ss and (∀ s:state. s ∈ ss → s ∈ StSpace → succ(s) ⊆ ss))

```

i.e. defines which sets can contain the state-space. Now `ss` is the state-space (`ss=StSpace`) if and only if, the two following properties holds: (A) `ss ⊆ StSpace` and (B) `StSpace ⊆ ss`; that is equality of sets using extensionality. Note that using this first-order definition makes the automatic (mainly SMT) solvers prove more proof obligations than using an inductive definition for the state-space.

2.3 Sequential Algorithms for State-Space Construction

Fig. 1 gives two common algorithms in WhyML using an appropriate syntax for set operations — a “Breadth-first” algorithm is also fully available in the source code but not presented here due to lack of space. All computations in these programs are set operations where a set call `known` contains all the states that have been processed and would finally contain `StSpace`.

The first one, called “Normal”, corresponds to the usual sequential construction of a state-space — random walk. It involves a set of states `todo` that is used to hold all the states whose successors have not been constructed yet; each state `s` from `todo` is processed in turn (lines 4 – 5) and added to `known` (line 6) while its successors are added to `todo` unless they are known already — line 7.

The second one is the standard recursive algorithm “Dfs”. At each call of `dfs(s)`, the state `s` is added (side-effect) to `known` (line 3) and `dfs` is then

recursively called (lines 5 – 8) for all the successors of s unless they are already known — which is an optimization since these states would anyway be filtered out later on. Note the use of a conditional (line 8) within this loop: this is due to the fact that during the exploration of the successors of s , **known** can be increased and thus this prevents the re-exploration of these states

Note that the “Normal” algorithm can be made strictly depth-first by choosing the most-recently discovered state (*i.e.* **todo** as a stack), and breadth-first by choosing the least-recently discovered state. This has not been studied here.

2.4 Verification of These Algorithms

For correctness, the previously presented codes need three properties: (1) they do not fail (no rule of reduction); (2) they indeed compute the state-space; (3) and they terminate. The first property is immediate since the only operation that could fail is **pick** (where the precondition is “not take any element from an empty set”) and this is assured by the guard of the **while** loop. Let us now focus on the specification of the above algorithms.

Annotations. Fig. 2 gives the full annotated code of the “Dfs” algorithm and “Normal” needs only adding the following invariants in the loop (and final post-condition $\{\text{result}=\text{StSpace}\}$):

```

1 invariant (1) (known  $\cup$  todo)  $\subseteq$  StSpace
2   and (2) (known  $\cap$  todo) =  $\emptyset$ 
3   and (3) s0  $\in$  (known  $\cup$  todo)
4   and (4) ( $\forall e:\text{state}. e \in \text{known} \rightarrow \text{succ}(e) \subseteq (\text{known} \cup \text{todo})$ )
5 variant |StSpace  $\setminus$  known|

```

These four invariants are: (1) **known** and **todo** are subsets of **StSpace**; at the end, (3) and (4) **known** is a subset of **StSpace** and has the “same” inductive property; and when **todo** will be empty, then **known** contains **StSpace** — property (B).

“Dfs” is more subtle. We need to introduce ghost codes¹, notably a set **nofinish** (line 3) which has the following rule: each state s in **nofinish** has been processed by the **dfs** function but not completely that is, s is in **known** and not all its direct successors have been processed by **dfs** — in the loop. It is used in the pre-condition (lines 8-9) and post-condition (lines 31-34) of **dfs** since not all the direct successors have been processed since it is a depth-first algorithm.

Also **nofinish** is a subset of **known** since all the time, each state s will be finally completely processed. That also forces us to add this fact in pre- and post-conditions. The post-conditions (1) and (2) are used for (A) and (B). Note the use of **nofinish** since some states can not be fully processed but **nofinish** is empty at the end of the computation, ensuring (B). The two post-conditions (5) and (7) say that **nofinish** is the same before and after **dfs** (thus empty when **s0** is fully processed) but **known** was able to increase.

Now the invariants (lines 18–22) of the loop are the following: (1) and (2) as in “Normal”, the set **known** is a subset of **StSpace** (**current** is the set **succ(s)**–**known**

¹ Additional codes not participating in the computation but accessing the program data and allowing the verification of the original code.

```

1  let main_dfs () =
2  let known = ref ∅ in
3  let nofinish = ref ∅ in (* ghost *)
4  let rec dfs (s:state) : unit
5  variant |Stspace \ known|
6  =
7  {
8      (1) s ∈ StSpace and (2) known ⊆ StSpace and (3) s ∉ known and (4) s ∉ nofinish
9      and (5) (∀ e:state. e ∈ known → ¬(e ∈ nofinish) → succ(e) ⊆ known) and (6) nofinish ⊆ known
10 }
11 known ← !known ⊕ s;
12 nofinish ← !nofinish ⊕ s;
13 let current = ref (succ(s) \ !known) in
14 let ghost_diff = ref ∅ in
15   L: while current ≠ ∅ do
16   {
17     invariant
18     (1) (known ∪ current) ⊆ StSpace
19   and (2) (∀ e:state. e ∈ known → ¬(e ∈ nofinish) → succ(e) ⊆ known)
20   and (3) succ(s) ⊆ (known ∪ current) and (4) known@L ⊆ known
21   and (5) current@L = (ghost_diff ∪ current) and (6) (ghost_diff ∩ current) = ∅
22   and (7) nofinish = nofinish@L and (8) nofinish ⊆ known
23   variant |current|
24   }
25   let new_s = pick current in
26   ghost_diff ← !ghost_diff ⊕ new_s;
27   if (new_s ∉ known) then dfs(new_s)
28   done;
29   nofinish ← !nofinish ⊖ s
30   {
31     (1) known ⊆ StSpace
32     and (2) (∀ e:state. e ∈ known → ¬(e ∈ nofinish) → succ(e) ⊆ known)
33     and (3) s ∈ known and (4) s ∉ nofinish and (5) nofinish = nofinish@
34     and (6) known@ ⊆ known and (7) nofinish ⊆ known
35   }
36   in dfs(s0); !known {result = StSpace}

```

Fig. 2. “Dfs” sequential annotated algorithm

used in the foreach statement) and `known` works as `StSpace`; (3) all the direct successors of `s` are in `known` or are currently processed; (4) `known` can increase; (5–6) `current` works well as an iteration over a set using a ghost set which ensures that no elements are lost during the iteration; (7) `nofinish` is not modified by the loop but before the loop (and the post-condition ensures that it returns as in the beginning of `dfs`); (8) `nofinish` remains a subset of `known`.

Termination. For all the algorithms, termination is ensured by the following variants: `|StSpace \ known|` and by `|current|` when an iteration on each state of a set is performed. Each algorithm ensures this first variant at every step using the following properties:

- “Normal” only adds a new state `s` since $(\text{known} \cap \text{todo}) = \emptyset$;
- “Dfs” only recursively adds a new state (line 29) since the pre-condition of the function is $s \notin \text{known}$ (line 8) and the boolean condition of the conditional is $\text{new_s} \notin \text{known}$ in the loop for the successors;

Mechanical Proof. All the obligations produced by the VCG of *WHY* are automatically discharged by a combination of automatic provers: CVC3, Z3, Simplify, Alt-Ergo, Yices and Vampire. For each prover, we give a timeout of 10 seconds — otherwise some obligations are not proved. In the following table, for each algorithm, we give the number of generated obligations (column Total) and then how many are discharged by the provers:

algo/Solvers	Total	Alt-Ergo	Simplify	Z3	CVC3	Yices	Vampire
Normal	11	2	10	11	7	3	3
Breadth	31	9	31	28	21	10	10
Dfs	49	22	48	47	40	23	26

One could notice that the SMT solvers Simplify and Z3 give the best results. In practice, we mostly used them. Simplify is the faster and Z3 sometime verified some obligations that had not be discharged by Simplify. We also have worked with the provers as black-boxes and we have thus no explanation for this fact. It also took few days for the first author to annotate all the algorithms. Proof obligations are as usual when working with a VCG such as *WHY*.

3 Verification of a Distributed State-Space Algorithm

Parallelize the construction of the state-space on several machines is a standard method [2,11]. In this section, we give an example of how to verify a parallel algorithm and show that it is more challenging but feasible. We first present our model of parallel computation called BSP then our own extension of *WHY* for BSP algorithms and finally the verification of a BSP state-space algorithm.

3.1 The Bulk-Synchronous Parallel (BSP) Model

In the BSP model, a computer is a set of uniform processor-memory pairs and a communication network allowing the inter-processor delivery of messages [19,4].

A BSP program is executed as a sequence of *super-steps*, each one divided into three successive disjoint phases: each processor only uses its local data to perform sequential computations and to request data transfers to other nodes; the network delivers the requested data; a global synchronisation barrier occurs, making the transferred data available for the next super-step. The BSP model considers communications *en masse* — as MPI’s collective operations, Message Passing Interface <http://www.mpi-forum.org/>. This is less flexible than asynchronous messages, but easier to debug and prove since interactions of simultaneous communication actions are typically complex.

3.2 Deductive Verification of BSP Algorithms

Our tool BSP-*WHY* extends the syntax of *WhyML* with BSP primitives (message passing and synchronisation) and definitions of collective operations. BSP-*WhyML* codes are written in a Single Program Multiple Data (SPMD) fashion. We used the *WhyML* language as a back-end of our own BSP-*WhyML* language.




Fig. 3. Example of the BSP-*WHY*'s block decomposition of a BSP code

In this way, BSP-*WhyML* programs are transformed into *WhyML* ones and then the VCG of *WHY* is used to generate the appropriate conditions for the deductive verification of the BSP algorithm.

A special constant **nprocs** (equal to **p** the number of processors) and a special variable **bsp_pid** (with range $0, \dots, \mathbf{p}-1$) were also added to *WhyML* expressions. A special syntax for BSP annotations is also provided which is simple to use and seems sufficient to express conditions in most practical programs: we add the construct $t < i >$ which denotes the value of a term t at processor id i , and $\langle x \rangle$ denotes a **p**-value x (represented by *farray*, purely applicative arrays of constant size **p**) that is a value on each processor as opposed to the simple notation x which means the value of x on the current processor.

The transformation of BSP-*WhyML* codes into *WhyML* ones is based on the fact that, for each super-step, if we execute sequentially the code for each processor and then perform the simulation of the communications by copying the data, we have the same results as in really truly doing it in parallel.

The first step of the transformation is a decomposition of the program into blocks of sequential instructions — Fig. 3. Once that is done for each code block, we create a “for” loop to execute sequentially the block. That is the block is executed **p** times, once for each processor. Finally, we generate invariants to keep track of which variables are modified: since we are using arrays to represent the variables local to every processor and programs are run in a SPMD fashion, it is necessary to say that we only modify a variable on the current processor and that the rest of the array stays unchanged. Also, when transforming a **if** or **while** structure, there is a risk that a global synchronous instruction (a collective operation) might be executed on a processor and not on the other. We generate an assertion to forbid this case, ensuring that the condition associated with the instruction will always be true on every processor at the same time — thus forbidding deadlocks. The details and some examples are available in [9]. The trustworthiness of this tool is discussed in the conclusion.

3.3 BSP State-Space Construction

Algorithm “Normal” can be easily parallelised using a partition function **cpu** that returns for each state a processor id, *i.e.*, the processor numbered **cpu(s)** is the owner of s : **logic** $\text{cpu: state} \rightarrow \text{int}$ **axiom** $\text{cpu_range: } \forall s:\text{state. } 0 \leq \text{cpu}(s) < \mathbf{nprocs}$


```

1 let naive_state_space () =
2 let total = ref 1 in
3 let known = ref [] in
4 let todo = ref [] in
5 let pastsend = ref [] in
6 if cpu(s0) = bsp_pid then
7   todo ← !todo ⊕ s0;
8   while total > 0 do
9     let tosend = (local_successors
10      known todo pastsend) in
11     exchange todo total !known
12      pastsend !tosend
13   done;
14   !known

```

```

1 let local_successors (...) =
2 let tosend = ref (init_send []) in
3 while todo ≠ [] do
4   let s = pick todo in
5   known ← !known ⊕ s;
6   let new_states = ref ((succ s) \ !known \ !pastsend) in
7   while new_states ≠ [] do
8     let new_s = pick new_states in
9     let tgt = cpu(new_s) in
10    if tgt = bsp_pid
11    then todo ← !todo ⊕ new_s
12    else tosend < tgt > ← tosend < tgt > ⊕ new_s
13  done
14 done;
15 !tosend

```

Fig. 4. Parallel (distributed) BSP-*WhyML* algorithm for state-space construction

The idea is that each process computes the successors for only the states it owns. This is rendered as the BSP algorithm of Fig. 4. Sets `known` and `todo` are still used but become local to each processor and thus provide only a partial view on the ongoing computation.

Function `local_successors` computes the successors of the states in `todo` where each computed state that is not owned by the local processor is recorded in a set `tosend` together with its owner number. The set `pastsend` contains all the states that have been sent during the past super-steps — the past exchanges. This prevents returning a state already sent by the processor: this feature is not necessary for correctness and consumes more memory but it is generally more efficient mostly when the state-space contains many cycles.

Function `exchange` is responsible for performing the actual communications: it returns the set of received states that are not yet known locally together with the new value of `total` — it is essentially the MPI’s `alltoall` primitive.

To ensure termination of the algorithm, we use the additional variable `total` in which we count the total number of sent states. We have thus not used any complicated methods as the ones presented in [2]. It can be noted that the value of `total` may be greater than the intended count of states in `todo` sets. Indeed, it may happen that two processors compute a same state owned by a third processor, in which case two states are exchanged but then only one is kept upon reception. In the worst case, the termination requires one more super-step during which all the processors will process an empty `todo`, resulting in an empty exchange and thus `total` = 0 on every processor, yielding the termination.

3.4 Verification of the Parallel Algorithm

For lack of space, we only present the verification of the parallel part of this algorithm and not the sequential `local_successors` (similar to “Normal” but with many additional invariants on states to send) nor `exchange` — which is more technical and without really interesting properties and still available in the source code: the exchange procedure is only a permutation of the states that is, from a global point of view, only states in arrays have moved and there is no loss of

states and a state has not magically appeared during the communications. Fig. 5 gives the annotated parallel algorithm. We also use the following predicates:

- `isproc(i)` is defined what is a valid processor's id that is $0 \leq i < \text{nprocs}$;
- $\bigcup(\langle \text{p_set} \rangle)$ is the union of the sets of the `p`-value `p_set` that is $\bigcup_{i=0}^{\text{P}} \text{p_set} \langle i \rangle$;
- `GoodPart`($\langle \text{p_set} \rangle$) is used to indicate that each processor only contains the states it owns that is $\forall i:\text{int}. \text{isproc}(i) \rightarrow \forall s:\text{state}. s \in \text{p_set} \langle i \rangle \rightarrow \text{cpu}(s)=i$;
- `comm_send_i(s,j)` is the set of sent states from processor `i` to processor `j`.

As before, we need to prove that (1) the code does not fail; (2) indeed computes the entire state-space and (3) terminates. The first property follows immediately since only the routine `pick` is used as before; and to also prove that the code is deadlock free (the loop contains `exchange` which implies a global synchronisation of all the processors), we can easily maintain that `total` (which gives the condition for termination) has the same value on all the processors during the entire execution of the algorithm. Let us now focus on the two other properties.

Correctness of the Parallel Loop (Fig. 5). The invariants (lines 9 – 18) of the main parallel loop work as follows: (1) as in “Normal”, we need to maintain that `known` (even distributed) is a subset of `StSpace` which finally ensures (A) when `todo` is empty; (2) as usual, the states to be treated are not already known; (3) our sets are well distributed (there is no duplicate state that is, each state is only kept in a unique processor); (4) `total` is a global variable, we thus ensure that it has the same value on each processor; (5) ensures that no state remains in `todo` (to be treated) when leaving the loop since `total` is at least as big as the cardinality of `todo`, `total` is an over-approximation of the number of sent states; (6–8), as usual, ensure property (B); (9) past sending states are in the state-space; (10) `pastsend` only contains states that are not owned by the processor and (11) all these states, that were sent, are finally received and stored by a processor.

In the post-condition (line 26), we can also ensure that the result is well distributed: the state-space is complete and each processor only contains the states it owns according to the function “`cpu`”.

Termination (Fig. 5). For the local computations, the termination is ensured as in the “Normal” algorithm since `known` can only grow when entering the loop.

The main loop is more subtle: `total` is an over-approximation and thus could be greater to 0 whereas `todo` is empty. This happens when all the received states are already in `known`. The termination has thus two cases: (a) in general the set `known` globally (that is, from a global point of view, of all processors) grows and we have thus the cardinality of `StSpace` minus `known` which is strictly decreasing; (b) if there is no state in any `todo` of a processor (case of the last super-step), no new states would be computed and thus `total` would be equal to 0 in the last stage of the main loop.

We thus used a lexicographic order (this is well-founded ensuring termination) on the two values: sum of `known` across all processors; and `total` (which is the same on all processors) when no new states are computed and thus when no state

```

1 let naive_state_space () =
2   let known = ref  $\emptyset$  in let todo = ref  $\emptyset$  in
3   let pastsend = ref  $\emptyset$  in let total = ref 1 in
4   if cpu(s0) = bsp_pid then
5     todo  $\leftarrow$  s0  $\oplus$  !todo;
6     while total > 0 do
7       {
8         invariant
9         (1)  $\bigcup(\langle \text{known} \rangle) \cup \bigcup(\langle \text{todo} \rangle) \subseteq \text{StSpace}$ 
10        and (2)  $(\bigcup(\langle \text{known} \rangle) \cap \bigcup(\langle \text{todo} \rangle)) = \emptyset$ 
11        and (3) GoodPart( $\langle \text{known} \rangle$ ) and GoodPart( $\langle \text{todo} \rangle$ )
12        and (4)  $(\forall i, j: \text{int}. \text{isproc}(i) \rightarrow \text{isproc}(j) \rightarrow \text{total}\langle i \rangle = \text{total}\langle j \rangle)$ 
13        and (5)  $\text{total}\langle 0 \rangle \geq |\bigcup(\langle \text{todo} \rangle)|$ 
14        and (6)  $s0 \in (\bigcup(\langle \text{known} \rangle) \cup \bigcup(\langle \text{todo} \rangle))$ 
15        and (7)  $(\forall e: \text{state}. e \in \bigcup(\langle \text{known} \rangle) \rightarrow \text{succ}(e) \subseteq (\bigcup(\langle \text{known} \rangle) \cup \bigcup(\langle \text{todo} \rangle)))$ 
16        and (8)  $(\forall e: \text{state}. \forall i: \text{int}. \text{isproc}(i) \rightarrow e \in \text{known}\langle i \rangle \rightarrow \text{succ}(e) \subseteq (\text{known}\langle i \rangle \cup \text{pastsend}\langle i \rangle))$ 
17        and (9)  $\bigcup(\langle \text{pastsend} \rangle) \subseteq \text{StSpace}$ 
18        and (10)  $(\forall i: \text{int}. \text{isproc}(i) \rightarrow \forall e: \text{state}. e \in \text{pastsend}\langle i \rangle \rightarrow \text{cpu}(e) \neq i)$ 
19        and (11)  $\bigcup(\langle \text{pastsend} \rangle) \subseteq (\bigcup(\langle \text{known} \rangle) \cup \bigcup(\langle \text{todo} \rangle))$ 
20        variant pair(total<0>, | S \setminus \bigcup(\text{known}) |) for lexico_order
21      }
22      let tosend = (local_successors known todo pastsend) in
23      exchange todo total !known !tosend
24    done;
25    !known
26    {StSpace =  $\bigcup(\langle \text{result} \rangle)$  and GoodPart( $\langle \text{result} \rangle$ )}

```

Fig. 5. Parallel annotated algorithm

would be sent during the next super-step. At least, one processor cannot receive any state during a super-step. We thus need an invariant in the `local_successors` for maintaining the fact that the set `known` potentially grows with at least the states of `todo`. We also maintain that if `todo` is empty then no state would be sent (in `local_successors`) and received, making `total` equal to 0 — in exchange.

Mechanical Proof. With some obvious axioms on the above predicates (such as $\bigcup\langle \emptyset, \dots, \emptyset \rangle = \emptyset$) so that solvers can handle the predicates, all the produced obligations are automatically discharged by a combination of the solvers. In the following table, for each part of the parallel algorithm, we give the number of obligations and how many are discharged by the provers (some proof obligations require long timeouts *e.g.* 10 mins):

part/Solvers	Total	Alt-Ergo	Simplify	Z3	CVC3	Yices	Vampire
main	106	74	98	101	0	54	78
successor	46	16	42	41	24	14	32
exchange	24	20	22	23	0	16	15

Now the combination of all provers is needed since none of them is able to prove all the obligations. This is certainly due to their different heuristics. We also note that Simplify and Z3 remain the most efficient. Some obligations are hard to follow due to the parallel computations. But reading them carefully, we can find the good annotations. An interesting point is that the first author with the help of an undergraduate student was able to perform the job (annotate this parallel algorithm) in three months. Based on this fact, it seems conceivable that




Fig. 6. Different ways for proving model-checking algorithms

a more seasoned team in formal methods can tackle more substantial algorithms (of model-checking) in a real programming language.

4 Related Work

Other Methods for Proving the Correctness of Model-Checkers. Fig. 6 summarises different methods that have been used for verifying MCs where each arrow corresponds to a proof of correctness (using a theorem prover or a PCC approach) and the papers related to the work.

The state-space explosion can be a problem for MCs extracted from theorem provers. They are pure functional programs such as the ones of [20,6]. They certainly would be too slow for big models even if there work on obtaining imperative programs from extracted (pure) functional programs.

The “certifying model-checking” is an established research field [15,23]. But, the performance issue of PCC is discussed in [26] and [16] where the authors present developments (and model-checking benchmarks) of BDDs and tree automata using theorem provers: BDDs are common data-structures used by MCs and tree automata is an approach for having a formal successor function. PCC only focuses on the generation of independently-checkable evidences as the compiled code satisfies a simple behavioural specification such as memory safety; the evidence can then be checked efficiently. Using PCC for state-space is the same as computing it a “second time”. In fact, the drawback of proof certificates is that verification tools have to be instrumented to generate them, and the size of fully expanded proofs may be too large. Authors of [26,16] conclude that PCCs are here inadequate and we can conclude that MCs themselves need to be proved. It is also the conclusion of [8] where the authors note that “to avoid the inefficiency of fully expansive proof generations, a number of researchers have advocated the verification of decision procedures”.

Using annotations in source codes (programs or algorithms) and a VCG has the advantage that realistic and efficient codes (mainly imperative ones) may be verified which could be difficult using theorem provers. And it will not be worth checking all the execution results of the MCs (which can take time) as in the PCC approach because the results will be guaranteed.

In our work, we also only use automatic solvers for proving the generated goals of the VCG *WHY* and thus we do not use any “elaborate” theorem prover such as Coq. The correctness of our results depends on the correctness of (1) the *WHY* tool (correct generation of goals) and (2) the results of the solvers. Relying on modules like SMT solvers has the advantage that these tools would certainly be verified in a close future. The work of [12] is a first approach for (1) and the work of [5] is a PCC approach for (2). Moreover, a SMT solver has been proved using a theorem prover [21]. In a close future, we can hope to achieve the same confidence in our codes as the MCs extracted from [20,6], as well as better performances since our codes are realistic imperative codes — and not functional ones from theorem provers. Finally, we think that using annotations (and a VCG tool) has the advantage of being “easy”. And we can prove the correctness of programs or limit the work to some safety properties if the full correctness is too difficult to obtain. And it extends to parallel programs which is not easy using PCCs or theorem provers.

Other Various Works. There are also interesting examples of verified algorithms on *WHY*'s web page: Dijkstra shortest path, sorting, Knuth-Morris-Pratt string searching, *etc.* A mechanically assisted proof using Isabelle of how LTL formulae can be transformed into Büchi automata is presented in [17]. CTL* temporal logic is also available in Coq [24]. All these works are interesting since logical theories may be axiomatised in *WHY*.

Model compilation is one of the numerous techniques to speedup model-checking: it relies on generating source code (then compiled into machine code) to produce a high-performance implementation of the state-space exploration primitives, mainly the successor function. In [10], authors propose a way to prove the correctness of such an approach. More precisely, they focus on generated Low-Level Virtual Machine (LLVM) code from high-level Petri nets and manually prove that the object computed by its execution is a representation of the compiled model. If such a work can be redone using a theorem prover, we will have a machine-checked successor function which is currently axiomatised in *WHY*.

5 Conclusion

Model checkers are specialised software, using sophisticated algorithms, whose correctness is vital. In this work, we focus on correctness of well-known sequential algorithms for finite state-space construction (which is the basis for explicit model-checking) and on a distributed one designed by the authors. We annotated the algorithms for finite sets operations (available in Coq) and used the VCG *WHY* (certifying in Coq [12]) to obtain goals that were entirely checked by automatic solvers. These goals ensure the termination of the algorithms as well as their correctness for any successor function — assumed correct and generating a finite state-space. We thus gained more confidence in the code. We also hope to have convinced the reader that this approach is humanly feasible and applicable to real (parallel or sequential) model-checking algorithms.

Future goals are clear. First, adapt this work for true MC algorithms — as those for LTL/CTL* mostly Tarjan/NDFS like algorithms. This is challenging in general but using an appropriate VCG, we believe that a team can “quickly” do it. Second, we are currently proving algorithms and not real codes. Regarding the code structure, this is not really an issue and translating the resulting proof into a verification tool for true programs should be straightforward, mostly if high level data-structures are used: the *WHY* framework allows a user to generate WhyML code from Java using a tool call Krakatoa. Third, the successor function (computation of the transitions of the state-space) is currently an abstract function. We think to prove (mechanically) the work of [10] to compensate for this deficiency. Fourth, compressions aspects (symmetry, partial order, *etc.*) must be studied. The work of [25] which uses the B method could be a good basis. And to finish, the transformation of BSP-*WhyML* into *WhyML* is potentially not correct. The second author is working on this. The effort for all these works and thus verifying the whole stack of Fig. 6 is not at all within the reach of a single team. But our guess is that each of these stages is largely feasible. Also, machine-checked MCs would certainly be less efficient than traditional ones. But they could be used in addition when it comes to giving greater confidence in the results. We also believe that another interesting application of a verified tool (such as we are envisioning) would be to serve as a reference implementation that is used to compare the results of an efficient implementation over a set of benchmark problems.

References

1. Armand, M., Grégoire, B., Spiwack, A., Théry, L.: Extending Coq with imperative features and its application to SAT verification. In: Kaufmann, M., Paulson, L.C. (eds.) ITP 2010. LNCS, vol. 6172, pp. 83–98. Springer, Heidelberg (2010)
2. Barnat, J.: Distributed Memory LTL Model Checking. PhD thesis, Faculty of Informatics Masaryk University Brno (2004)
3. Barras, B., Werner, B.: Coq in Coq. Technical report, INRIA (1997)
4. Bisseling, R.H.: Parallel scientific computation. A structured approach using BSP and MPI. Oxford University Press (2004)
5. Böhme, S., Weber, T.: Fast LCF-style proof reconstruction for Z3. In: Kaufmann, M., Paulson, L.C. (eds.) ITP 2010. LNCS, vol. 6172, pp. 179–194. Springer, Heidelberg (2010)
6. Esparza, J., Lammich, P., Neumann, R., Nipkow, T., Schimpf, A., Smaus, J.-G.: A fully verified executable LTL model checker. In: Computer Aided Verification, CAV (to appear, 2013)
7. Filliâtre, J.-C.: Verifying two lines of C with why3: An exercise in program verification. In: Joshi, R., Müller, P., Podelski, A. (eds.) VSTTE 2012. LNCS, vol. 7152, pp. 83–97. Springer, Heidelberg (2012)
8. Ford, J., Shankar, N.: Formal verification of a combination decision procedure. In: Voronkov, A. (ed.) CADE 2002. LNCS (LNAI), vol. 2392, pp. 347–362. Springer, Heidelberg (2002)
9. Fortin, J., Gava, F.: BSP-WHY: an intermediate language for deductive verification of BSP programs. In: High-Level Parallel Programming and Applications (HLPP), pp. 35–44. ACM (2010)

10. Fronc, L., Pommereau, F.: Towards a certified Petri net model-checker. In: Yang, H. (ed.) APLAS 2011. LNCS, vol. 7078, pp. 322–336. Springer, Heidelberg (2011)
11. Garavel, H., Mateescu, R., Smarandache, I.M.: Parallel state space construction for model-checking. In: Dwyer, M.B. (ed.) SPIN 2001. LNCS, vol. 2057, pp. 217–234. Springer, Heidelberg (2001)
12. Herms, P.: Certification of a chain for deductive program verification. In: Bertot, Y. (ed.) 2nd Coq Workshop, Satellite of ITP 2010 (2010)
13. Namjoshi, K.S.: Certifying model checkers. In: Berry, G., Comon, H., Finkel, A. (eds.) CAV 2001. LNCS, vol. 2102, pp. 2–13. Springer, Heidelberg (2001)
14. Necula, G.C.: Proof-carrying code. In: Principles of Programming Languages (POPL), pp. 106–119. ACM (1997)
15. Peled, D., Pnueli, A., Zuck, L.D.: From falsification to verification. In: Hariharan, R., Mukund, M., Vinay, V. (eds.) FSTTCS 2001. LNCS, vol. 2245, pp. 292–304. Springer, Heidelberg (2001)
16. Rival, X., Goubault-Larrecq, J.: Experiments with finite tree automata in Coq. In: Boulton, R.J., Jackson, P.B. (eds.) TPHOLs 2001. LNCS, vol. 2152, pp. 362–377. Springer, Heidelberg (2001)
17. Schimpf, A., Merz, S., Smaus, J.-G.: Construction of Büchi Automata for LTL Model Checking Verified in Isabelle/HOL. In: Berghofer, S., Nipkow, T., Urban, C., Wenzel, M. (eds.) TPHOLs 2009. LNCS, vol. 5674, pp. 424–439. Springer, Heidelberg (2009)
18. Shankar, N.: Trust and automation in verification tools. In: Cha, S.(S.), Choi, J.-Y., Kim, M., Lee, I., Viswanathan, M. (eds.) ATVA 2008. LNCS, vol. 5311, pp. 4–17. Springer, Heidelberg (2008)
19. Skillicorn, D.B., Hill, J.M.D., McColl, W.F.: Questions and answers about BSP. *Scientific Programming* 6(3), 249–274 (1997)
20. Sprenger, C.: A verified model checker for the modal μ -calculus in coq. In: Steffen, B. (ed.) TACAS 1998. LNCS, vol. 1384, pp. 167–183. Springer, Heidelberg (1998)
21. Stump, A., Oe, D., Reynolds, A., Hadarean, L., Tinelli, C.: SMT proof checking using a logical framework. *Formal Methods in System Design* 42(1), 91–118 (2013)
22. Sun, J., Liu, Y., Cheng, B.: Model checking a model checker: A code contract combined approach. In: Dong, J.S., Zhu, H. (eds.) ICFEM 2010. LNCS, vol. 6447, pp. 518–533. Springer, Heidelberg (2010)
23. Tan, L., Cleaveland, W.R.: Evidence-based model checking. In: Brinksma, E., Larsen, K.G. (eds.) CAV 2002. LNCS, vol. 2404, pp. 455–470. Springer, Heidelberg (2002)
24. Tsai, M.-H., Wang, B.-Y.: Formalization of cTL* in calculus of inductive constructions. In: Okada, M., Satoh, I. (eds.) ASIAN 2006. LNCS, vol. 4435, pp. 316–330. Springer, Heidelberg (2008)
25. Turner, E., Butler, M., Leuschel, M.: A refinement-based correctness proof of symmetry reduced model checking. In: Frappier, M., Glässer, U., Khurshid, S., Laleau, R., Reeves, S. (eds.) ABZ 2010. LNCS, vol. 5977, pp. 231–244. Springer, Heidelberg (2010)
26. Verma, K.N., Goubault-Larrecq, J., Prasad, S., Arun-Kumar, S.: Reflecting BDDs in Coq. In: Kleinberg, R.D., Sato, M. (eds.) ASIAN 2000. LNCS, vol. 1961, pp. 162–181. Springer, Heidelberg (2000)