

Network Bargaining with General Capacities

Linda Farczadi, Konstantinos Georgiou, and Jochen Könemann

University of Waterloo, Waterloo, Canada

Abstract. We study *balanced solutions* for *network bargaining games* with general capacities, where agents can participate in a fixed but arbitrary number of contracts. We provide the first polynomial time algorithm for computing balanced solutions for these games. In addition, we prove that an instance has a balanced solution if and only if it has a stable one. Our methods use a new idea of reducing an instance with general capacities to a network bargaining game with unit capacities defined on an auxiliary graph. This represents a departure from previous approaches, which rely on computing an allocation in the intersection of the *core* and *prekernel* of a corresponding *cooperative game*, and then proving that the solution corresponding to this allocation is balanced. In fact, we show that such cooperative game methods do not extend to general capacity games, since contrary to the case of unit capacities, there exist allocations in the intersection of the core and prekernel with no corresponding balanced solution. Finally, we identify two sufficient conditions under which the set of balanced solutions corresponds to the intersection of the *core* and *prekernel*, thereby extending the class of games for which this result was previously known.

1 Introduction

Exchanges in networks have been studied for a long time in both sociology and economics. In sociology, they appear under the name of *network exchange theory*, a field which studies the behaviour of agents who interact across a network to form bilateral relationships of mutual benefit. The goal is to determine how an agent's location in the network influences its ability to negotiate for resources [1992]. In economics, they are known as *cooperative games* and have been used for studying the distribution of resources across a network, for example in the case of two-sided markets [1971] [1984].

From a theoretical perspective the most commonly used framework for studying such exchanges is that of *network bargaining games*. The model consists of an undirected graph $G = (V, E)$ with edge weights $w : E(G) \rightarrow \mathbb{R}_+$ and vertex capacities $c : V(G) \rightarrow \mathbb{Z}_+$. The vertices represent the agents, and the edges represent possible pairwise contracts that the agents can form. The weight of each edge represents the value of the corresponding contract. If a contract is formed between two vertices, its value is divided between them, whereas if the contract is not formed neither vertex receives any profit from this specific contract. The capacity of each agent limits the number of contracts it can form. This constraint, together with an agent's position in the network determine its bargaining power.

A *solution* for the network bargaining model specifies the set of contracts which are formed, and how each contract is divided. Specifically, a solution consists of a pair (M, z) , where M is a c -matching of the underlying graph G , and z is a vector which assigns each edge uv two values $z_{uv}, z_{vu} \geq 0$ corresponding to the profit that agent u , respectively agent v , earn from the contract uv . To be a valid solution, the two values z_{uv} and z_{vu} must add up to the value of the contract whenever the edge uv belongs to the c -matching M , and must be zero otherwise.

Solutions to network bargaining games are classified according to two main concepts: *stability* and *balance*. A solution is stable if the profit an agent earns from any formed contract is at least as much as its outside option. An agent's *outside option*, in this context, refers to the maximum profit that the agent can rationally receive by forming a new contract with one of its neighbours, under the condition that the newly formed contract would benefit both parties. The notion of balance, first introduced in [1983], [1984], is a generalization of the Nash bargaining solution to the network setting. Specifically, in a balanced solution the value of each contract is split according to the following rule: both endpoints must earn their outside options, and any surplus is to be divided equally among them. Balanced solutions have been shown to agree with experimental evidence, even to the point of picking up on subtle differences in bargaining power among agents [1999]. This is an affirmation of the fact that these solutions are natural and represent an important area of study.

Our Contribution and Results. Our main result is providing the first polynomial time algorithm for computing balanced solutions for network bargaining games with general capacities and fully characterizing the existence of balanced solutions for these games. Specifically we show the following results in sections 4.3 and 4.4 respectively:

RESULT 1. *There exists a polynomial time algorithm which given an instance of a network bargaining game with general capacities and a maximum weight c -matching M , computes a balanced solution (M, z) whenever one exists.*

RESULT 2. *A network bargaining game with general capacities has a balanced solution if and only if it has a stable one.*

Our method relies on a new approach of reducing a general capacity instance to a network bargaining game with unit capacities defined on an auxiliary graph. This allows us to use existing algorithms for obtaining balanced solutions for unit capacities games, which we can then transform to balanced solutions of our original instance. This represents a departure from previous approaches of [2010] which relied on proving an equivalence between the set of balanced solutions and the intersection of the core and prekernel of the corresponding matching game. In section 3.1 we show that such an approach cannot work for our case, since this equivalence does not extend to all instances of general capacity games:

RESULT 3. *There exists an instance of a network bargaining game with general capacities for which we can find an allocation in the intersection of the core and prekernel such that there is no corresponding balanced solution for this allocation.*

Despite this result, we provide two necessary conditions which ensure that the correspondence between the set of balanced solutions and allocations in the intersection of the core and prekernel is maintained. Using the definition of *gadgets* from section 3.2 we have the following result given in section 3.3:

RESULT 4. *If the network bargaining game has no gadgets and the maximum c -matching M is acyclic, the set of balanced solutions corresponds to the intersection of the core and prekernel.*

Related Work. Kleinberg and Tardos [2008] studied network bargaining games with unit capacities and developed a polynomial time algorithm for computing the entire set of balanced solutions. They also show that such games have a balanced solution whenever they have a stable one and that a stable solution exists if and only if the linear program for the maximum weight matching of the underlying graph has an integral optimal solution.

Bateni et al. [2010] consider network bargaining games with unit capacities, as well as the special case of network bargaining games on bipartite graphs where one side of the partition has all unit capacities. They approach the problem of computing balanced solutions from the perspective of cooperative games. In particular they use the matching game of Shapley and Shubik [1971] and show that the set of stable solutions corresponds to the core, and the set of balanced solutions corresponds to the intersection of the core and prekernel.

Like we do here, Kanoria et al. [2009] also study network bargaining games with general capacities. They show that a stable solution exists for these games if and only if the linear program for the maximum weight c -matching of the underlying graph has an integral optimal solution. They are also able to obtain a partial characterization of the existence of balanced solutions by proving that if this integral optimum is unique, then a balanced solution is guaranteed to exist. They provide an algorithm for computing balanced solutions in this case which uses local dynamics but whose running time is not polynomial.

2 Preliminaries and Definitions

An instance of the *network bargaining game* is a triple (G, w, c) where G is a undirected graph, $w \in \mathbb{R}_+^{|E(G)|}$ is a vector of edge weights, and $c \in \mathbb{Z}_+^{|V(G)|}$ is a vector of vertex capacities. A set of edges $M \subseteq E(G)$ is a c -matching of G if $|\{v : uv \in M\}| \leq c_u$ for all $u \in V(G)$. Given a c -matching M , we let d_u denote the degree of vertex u in M . We say that vertex u is *saturated* in M if $d_u = c_u$.

A *solution* to the network bargaining game (G, w, c) is a pair (M, z) where M is a c -matching of G and $z \in \mathbb{R}_+^{2|E(G)|}$ assigns each edge uv a pair of values z_{uv}, z_{vu} such that $z_{uv} + z_{vu} = w_{uv}$ if $uv \in M$ and $z_{uv} = z_{vu} = 0$ otherwise.

The *allocation* associated with the solution (M, z) is the vector $x \in \mathbb{R}^{|V(G)|}$ where x_u represents the total payoff of vertex u , that is for all $u \in V(G)$ we have $x_u = \sum_{v:uv \in M} z_{uv}$. The *outside option* of vertex u with respect to a solution (M, z) is defined as

$$\alpha_u(M, z) := \max \left(0, \max_{v:uv \in E(G) \setminus M} \left(w_{uv} - \mathbf{1}_{[d_v=c_v]} \min_{vw \in M} z_{vw} \right) \right),$$

where $\mathbf{1}_E$ is the indicator function for the event E , which takes value one whenever the event holds, and zero otherwise. If $\{v : uv \in E(G) \setminus M\} = \emptyset$ then we set $\alpha_u(M, z) = 0$. We write α_u instead of $\alpha_u(M, z)$ whenever the context is clear.

A solution (M, z) is *stable* if for all $uv \in M$ we have $z_{uv} \geq \alpha_u(M, z)$, and for all unsaturated vertices u we have $\alpha_u(M, z) = 0$.

A solution (M, z) is *balanced* if it is stable and in addition for all $uv \in M$ we have $z_{uv} - \alpha_u(M, z) = z_{vu} - \alpha_v(M, z)$.

2.1 Special Case: Unit Capacities

The definitions from the previous section simplify in the case where all vertices have unit capacities. Specifically a *solution* to the unit capacity game (G, w) is a pair (M, x) where M is now a matching of G and $x \in \mathbb{R}_+^{|V(G)|}$ assigns a value to each vertex such that for all edges $uv \in M$ we have $x_u + x_v = w_{uv}$ and for all $u \in V(G)$ not covered by M we have $x_u = 0$. Since each vertex has at most one unique contract, the vector x from the solution (M, x) is also the allocation vector in this case.

The *outside option* of vertex u can now be expressed as

$$\alpha_u(M, x) := \max_{v:uv \in E(G) \setminus M} (w_{uv} - x_v),$$

where as before we set $\alpha_u(M, x) = 0$ whenever $\{v : uv \in E(G) \setminus M\} = \emptyset$.

A solution (M, x) is *stable* if for all $u \in V(G)$ we have $x_u \geq \alpha_u(M, x)$ and *balanced* if it is stable and in addition $x_u - \alpha_u(M, x) = x_v - \alpha_v(M, x)$ for all $uv \in M$.

2.2 Cooperative Games

Given an instance (G, w, c) of the network bargaining game we let $N = V(G)$ and define the *value* $\nu(S)$ of a set of vertices $S \subseteq N$ as

$$\nu(S) := \max_{M \text{ } c\text{-matching of } G[S]} w(M).$$

Then the pair (N, ν) denotes an instance of the *matching game* of Shapley and Shubik [1971]. We will refer to this as the matching game associated with the instance (G, w, c) .

Given $x \in \mathbb{R}_+^{|N|}$ and two vertices $u, v \in V(G)$ we define the *power* of vertex u over vertex v with respect to the vector x as

$$s_{uv}(x) := \max_{S \subseteq N: u \in S, v \notin S} \nu(S) - x(S),$$

where $x(S) = \sum_{u \in S} x_u$. We write s_{uv} instead of $s_{uv}(x)$ whenever the context is clear. The *core* of the game is defined as the set

$$\mathcal{C} := \left\{ x \in \mathbb{R}_+^{|N|} : x(S) \geq \nu(S), \forall S \subset N, x(N) = \nu(N) \right\}.$$

The *prekernel* of the game is the set

$$\mathcal{K} := \left\{ x \in \mathbb{R}_+^{|N|} : s_{uv}(x) = s_{vu}(x) \quad \forall u, v \in N \right\}.$$

3 Balanced Solutions via Cooperative Games


The first attempt towards computing balanced solutions for the network bargaining game with general capacities is to use the connection to cooperative games presented in [2010]. For the special class of unit capacity and constrained bipartite games, Bateni et al. show that the set of stable solutions corresponds to the core, and the set of balanced solutions corresponds to the intersection of the core and prekernel of the associated matching game. This implies that efficient algorithms, such as the one of [1998], can be used to compute points in the intersection of the core and prekernel from which a balanced solution can be uniquely obtained.

3.1 Allocations in $\mathcal{C} \cap \mathcal{K}$ with No Corresponding Balanced Solutions

The first question of interest is whether this equivalence between balanced solutions and the intersection of the core and prekernel extends to network bargaining games with arbitrary capacities. The following lemma proves that this is not always the case.

Lemma 1. *There exists an instance (G, w, c) of the network bargaining game and a vector $x \in \mathcal{C} \cap \mathcal{K}$ such that there exists no balanced solution (M, z) satisfying $x_u = \sum_{v: uv \in M} z_{uv}$ for all $u \in V(G)$.*

Proof. Consider the following graph where every vertex has capacity 2 and the edge weights are given above each edge



Consider the vector x defined as $x_u = 20$ for all $u \in V(G)$. We claim that the vector x is in the intersection of the core and prekernel and there exists no balanced solution (M, z) corresponding to x . The proof is deferred to the full version of this paper [2013]. \square

In view of Lemma 1, we cannot hope to extend the correspondence between balanced solutions and allocations in the intersection of the core and prekernel to all network bargaining games. However we can generalize the results of [2010] by characterizing a larger class of network bargaining games, including unit capacity and constrained bipartite games, for which this correspondence holds. We achieve this by defining a certain gadget whose absence, together with the fact that the c -matching M is acyclic, will be sufficient for the correspondence to hold.

3.2 Gadgets


Let (G, w, c) be an instance of the network bargaining game and (M, z) a solution. Consider a vertex $u \in V(G)$ with $\alpha_u(M, z) > 0$ and let v be a neighbour of u in M . Let v' be vertex u 's best outside option and if v' is saturated in M , let u' be its weakest contract. Using these definitions we have

$$\alpha_u(M, z) = w_{uv'} - \mathbf{1}_{[d_{v'}=c_{v'}]}z_{v'u'}.$$

We say that u is a *bad* vertex in the solution (M, z) if at least one of the following two conditions holds:

1. There is a $v - v'$ path in M ,
2. There is a $u - u'$ path in M , that does not pass through vertex v' .

We refer to such $v - v'$ or $u - u'$ paths as *gadgets* of the solution (M, z) . The following figure depicts these two types of gadgets, solid lines denote edges in M and dashed lines denote edges in $E \setminus M$.



3.3 Sufficient Conditions for Correspondence between Set of Balanced Solutions and $\mathcal{C} \cap \mathcal{K}$

We can now state our main theorem of this section.

Theorem 1. *Let (G, w, c) be an instance of the network bargaining game. Let $x \in \mathcal{C}$ and (M, z) be a corresponding stable solution so that $x_u = \sum_{v:uv \in M} z_{uv}$ for all $u \in V(G)$. If the following two conditions are satisfied*

1. M is acyclic,
2. there are no bad vertices in the solution (M, z) ,

then, the following statement holds

(M, z) is a balanced solution if and only if $x \in \mathcal{K}$.

Proof. Fix $uv \in M$. Note that it suffices to show $s_{uv} = -z_{uv} + \alpha_u$, since this would imply that $s_{uv} = s_{vu}$ if and only if $z_{uv} - \alpha_u = z_{vu} - \alpha_v$. Our strategy is to first show that s_{uv} is upper bounded $-z_{uv} + \alpha_u$, after which it will be sufficient to find a set T for which $\nu(T) - x(T)$ achieves this upper bound. We start with the following lemma whose proof is deferred to the full version [2013].

Lemma 2. $s_{uv} \leq -z_{uv} + \alpha_u$.

Hence it suffices to find a set $T \subseteq V(G)$ such that $u \in T, v \notin T$ and show that $\nu(T) - x(T) \geq -z_{uv} + \alpha_u$. Given a set of vertices S we let M_S denote the edges of M which have both endpoints in S . Note that for any set of vertices S we have

$$w(M_S) - x(S) = - \sum_{ab \in M: a \in S, b \notin S} z_{ab}. \tag{1}$$

We define \mathcal{C} to be the set of components of G induced by the edges in M . Since u and v are neighbours in M they will be in the same component, call it C . Now suppose we remove the edge uv from C . Since M is acyclic, this disconnects C into two components C_u and C_v , containing vertices u and v respectively. Now M_{C_u} is a valid c -matching of C_u hence applying equation (1) to the vertex set the component C_u we obtain

$$\nu(C_u) - x(C_u) \geq w(M_{C_u}) - x(C_u) = -z_{uv}.$$

If $\alpha_u = 0$ then setting T to be the vertex set of component C_u completes the proof for this case. Hence it remains to consider the case where $\alpha_u > 0$. Then by stability of the solution (M, z) vertex u must be saturated in M . Let v' be vertex u 's best outside option. We split the analysis into four cases. Figure 3.3 shows an example of the first two cases.

Case 1: $v' \in C_u$ and v' is not saturated in M . Since $uv \notin C_u$ and v' is not saturated in M the set of edges $M_{C_u} \cup \{uv'\}$ is a valid c -matching of C_u and therefore

$$\begin{aligned} \nu(C_u) - x(C_u) &\geq w(M_{C_u} \cup \{uv'\}) - x(C_u) \\ &= w(M_{C_u}) - x(C_u) + w_{uv'} \\ &= -z_{uv} + w_{uv'} \end{aligned} \qquad \text{by applying (1) to } C_u.$$

Case 2: $v' \in C_u$ and v' is saturated in M . Let u' be the weakest contract of v' and suppose we remove the edge $v'u'$ from C_u . Since M is acyclic, this disconnects C_u into two components. From condition (2) we know that u' is not

on the $u-v'$ path in M . Hence u and v' are in the same component of $C_u \setminus \{v'u'\}$. Denote this component by D_u . Now $M_{D_u} \cup \{uv'\}$ is a c -matching of D_u and thus

$$\begin{aligned}
 \nu(D_u) - x(D_u) &\geq w(M_{D_u} \cup \{uv'\}) - x(D_u) \\
 &= w(M_{D_u}) - x(D_u) + w_{uv'} \\
 &= -z_{uv} - z_{v'u'} + w_{uv'} && \text{by applying (1) to } D_u \\
 &= -z_{uv} + \alpha_u && \text{by choice of } v' \text{ and } u'.
 \end{aligned}$$




Fig. 1. Cases 1 and 2 in the proof Theorem 1

It remains to consider the following two cases whose proof is deferred to the full version [2013]:

Case 3: $v' \notin C_u$ and v' is not saturated in M .

Case 4: $v' \notin C_u$ and v' is saturated in M . □

We note that all network bargaining games studied in [2010] satisfy conditions (1) and (2) of Theorem 1. In addition to these, Theorem 1 also covers the case of network bargaining games where the underlying graph is a tree, but the vertices are allowed to have arbitrary capacities. Hence starting with a maximum weight c -matching M we can use the polynomial time algorithm of [1998] to compute a point in the intersection of the core and prekernel for these games, from which we can obtain a corresponding solution (M, z) . Then using Theorem 1 we know that (M, z) will be balanced.

4 Balanced Solutions via Reduction to the Unit Capacity Games

While we were able to generalize the class of network bargaining games for which balanced solutions can be obtained by computing a point in the intersection of the core and prekernel, we were not able to apply this technique to all network bargaining games. In this section we show that balanced solutions can be obtained to any network bargaining game (G, w, c) by a reduction to a unit capacity game defined on an auxiliary graph.


4.1 Construction of the Instance (G', w') and Matching M'

Suppose we are given an instance (G, w, c) of the network bargaining game together with a c -matching M of G . We describe below how to obtain an instance (G', w') of the unit capacity game together with a matching M' of G .

Construction: $[(G, w, c), M] \rightarrow [(G', w'), M']$

1. for each $u \in V(G)$: fix a labelling $\sigma_u : \{v : uv \in M\} \rightarrow \{1, \dots, d(u)\}$ and create c_u copies u_1, \dots, u_{c_u} in $V(G')$.
2. for each uv in $E(G) \cap M$: add the edge $u_{\sigma_v(u)}v_{\sigma_u(v)}$ to $E(G') \cap M'$ and set its weight to w_{uv} .
3. for each edge $uv \in E(G) \setminus M$: add all edges $u_i v_j$ to $E(G')$ for all $i \in [c_u]$ and $j \in [c_v]$, and set all their weights to w_{uv} .

Example 1: Consider the instance depicted on the left hand side of the figure below. The solid edges are in the c -matching M and the dotted edges are in $E \setminus M$. Node u has capacity four, nodes x and y have capacity two and all other nodes have capacity one. All edges have unit weight.



We make four copies of u in G' , two copies of x and y , and one copy of every other node. Each edge in M corresponds to a unique edge in M' . For the edges uv and uw which are not in M , we connect every copy of u to every copy of v and w with edges in $E(G') \setminus M'$. The resulting graph is on the right.

4.2 Mapping between the Two Solution Sets

Suppose we are given an instance of the network bargaining game (G, w, c) with a c -matching M . Let $[(G', w'), M']$ be obtained using the construction given in section 4.1. Note that M and M' have the same number of edges and each edge $uv \in M$ is mapped to the unique edge $u_i v_j \in M'$ where $i = \sigma_v(u)$ and $j = \sigma_u(v)$.

This allows us to go back and forth between solutions on M and M' by dividing the weight of each edge in the same way as its corresponding pair.

We define the two solution sets:

$$\begin{aligned} \mathcal{X} &:= \left\{ x \in \mathbb{R}^{|V(G')|} : (M', x) \text{ is a solution to } (G', w') \right\} \\ \mathcal{Z} &:= \left\{ z \in \mathbb{R}^{2|E(G)|} : (M, z) \text{ is a solution to } (G, w, c) \right\}. \end{aligned}$$

And the two mappings:

1. $\phi : \mathcal{X} \rightarrow \mathcal{Z}$

For all $uv \in E$ define

$$(\phi(x))_{uv}, (\phi(x))_{vu} := \begin{cases} (x_{u\sigma_v(u)}, x_{v\sigma_u(v)}) & \text{if } uv \in M, \\ (0, 0) & \text{otherwise.} \end{cases}$$

2. $\phi^{-1} : \mathcal{Z} \rightarrow \mathcal{X}$.

For all $u_i \in V(G')$ define

$$\phi^{-1}(z)_{u_i} := \begin{cases} z_{uv} & \text{if } i = \sigma_u(v), \\ 0 & \text{otherwise.} \end{cases}$$

Note that $z = \phi(x)$ if and only if $x = \phi^{-1}(z)$. The following lemma, whose proof is deferred to the full version [2013], shows that the mapping given by the function ϕ and its inverse ϕ^{-1} defines a bijection between the \mathcal{X} and \mathcal{Z}

Lemma 3. *1. If $x \in \mathcal{X}$ and $z = \phi(x)$, then $z \in \mathcal{Z}$.*

2. If $z \in \mathcal{Z}$ and $x = \phi^{-1}(z)$ then $x \in \mathcal{X}$.

From now on we write $(M, z) \sim (M', x)$ whenever $z = \phi(x)$ or equivalently $x = \phi^{-1}(z)$. The next lemma is the key step in showing that certain properties of a solution are preserved under our mapping.

Lemma 4. *Let (G, w, c) be an instance of the network bargaining game and M a c -matching on G . Suppose the auxiliary instance (G', w') and the matching M' were obtained using the construction given in section 4.1. Let (M, z) be a solution to (G, w, c) and (M', x') a solution to (G', w') such that $(M, z) \sim (M', x')$. Then for any $u \in V(G)$ and any $i \in [d_u]$ we have*

$$\alpha_u(M, z) = \alpha_{u_i}(M', x').$$

The proof is deferred to the full version [2013]. Using Lemma 4 we can now prove that stability and balance are preserved when mapping between solutions of the network bargaining game and the corresponding unit capacity game of the auxiliary instance.

Theorem 2. *Let (G, w, c) be an instance of the network bargaining game and M a c -matching on G . Suppose the auxiliary instance (G', w') and the matching M' were obtained using the construction given in section 4.1. Let (M, z) be a solution to (G, w, c) and (M', x') a solution to (G', w') such that $(M, z) \sim (M', x')$. Then:*

1. (M, z) is stable if and only if (M', x) is stable.
2. (M, z) is balanced if and only if (M', x) is balanced.

Proof. Let $uv \in M$. Suppose that $i = \sigma_v(u)$. Then $z_{uv} = x_{u_i}$ and using Lemma 4 we have

$$z_{uv} \geq \alpha_u(M, z) \quad \text{if and only if} \quad x_{u_i} \geq \alpha_{u_{\sigma_v(u)}}(M', x).$$

It remains to show that if (M', x) is stable then $\alpha_u(M, z) = 0$ for any unsaturated vertices u of G . Suppose u is such a vertex. Then the vertex u_{d_u+1} is not covered in M' and therefore $x'_{d_u+1} = 0$. If (M', x) is stable then $\alpha_{u_{d_u+1}} = 0$ and by Lemma 4 we have $\alpha_u(M, z) = 0$ as desired. This completes the proof of the first statement. To prove the second statement let $uv \in M$ and suppose that $i = \sigma_v(u)$ and $j = \sigma_u(v)$. Then $z_{uv} = x_{u_i}$, $z_{vu} = x_{v_j}$ and by Lemma 4 we have:

$$z_{uv} - \alpha_u(M, z) = z_{vu} - \alpha_v(M, z) \quad \Leftrightarrow \quad x_{u_i} - \alpha_{u_i}(M', x) = x_{v_j} - \alpha_{v_j}(M', x).$$

This completes the proof. □

4.3 Algorithm for Computing Balanced Solutions

Using Theorem 2 we have the following algorithm for finding a balanced solution to the network bargaining game (G, w, c) :

1. Find a maximum c -matching M in G .
2. Obtain unit capacity game (G', w') with matching M' using the construction from section 4.1.
3. Find a balanced solution x on the matching M' in G' .
4. Set $z = \phi(x)$ and return (M, z) .

We note that step 3 of the algorithm can be implemented using the existing polynomial time algorithm of Kleinberg and Tardos [2008]. Given any instance of a network bargaining game with unit capacities together with a maximum weight matching, their algorithm returns a balanced solution on the given matching, whenever one exists.

4.4 Existence of Balanced Solutions

Using Theorem 2 we know that stable solutions of the original problem map to stable solutions of the matching problem and viceversa. Since any stable solution must occur on a c -matching, respectively matching, of maximum weight we have the following corollary

Corollary 1. *Let (G, w, c) be an instance of the network bargaining game and M a c -matching on G . Suppose the auxiliary instance (G', w') and the matching M' were obtained using the given construction. Then*

1. M is a maximum weight c -matching for (G, w, c) if and only if M' is a maximum weight matching for (G', w') .

2. *There exists a balanced solution for (G, w, c) on the c -matching M if and only if there exists a balanced solution for (G', w') on the matching M' .*

It was previously shown in [2008] that a unit capacity game possesses a balanced solution if and only if it has a stable solution, which in turn happens if and only if the linear program for the maximum weight matching of the underlying graph has an integral optimal solution. For the case of network bargaining game with general capacities, [2009] have shown that a stable solution exists if and only if the linear program for the maximum weight c -matching of the underlying graph has an integral optimal solution. In terms of existence of balanced solutions, they only obtain a partial characterization by proving that if this integral optimum is unique, then a balanced solution is guaranteed to exist. Our results imply the following full characterization for the existence of balanced solutions, thus extending the results of [2009]:

Theorem 3. *An instance (G, w, c) of the network bargaining game has a balanced solution if and only if it has a stable one.*

References

- [2008] Kleinberg, J., Tardos, É.: Balanced outcomes in social exchange networks. In: Proceedings of the 40th Annual ACM Symposium on Theory of Computing, pp. 295–304. ACM (2008)
- [2010] Azar, Y., Devanur, N., Jain, K., Rabani, Y.: Monotonicity in bargaining networks. In: Proceedings of the Twenty-First Annual ACM-SIAM Symposium on Discrete Algorithms. Society for Industrial and Applied Mathematics, pp. 817–826 (2010)
- [2010] Bateni, M., Hajiaghayi, M., Immorlica, N., Mahini, H.: The cooperative game theory foundations of network bargaining games. *Automata, Languages and Programming*, 67–78 (2010)
- [1983] Cook, K., Emerson, R., Gillmore, M., Yamagishi, T.: The distribution of power in exchange networks: Theory and experimental results. *American Journal of Sociology*, 275–305 (1983)
- [1992] Cook, K., Yamagishi, T.: Power in exchange networks: A power-dependence formulation. *Social Networks* 14(3), 245–265 (1992)
- [1998] Faigle, U., Kern, W., Kuipers, J.: An efficient algorithm for nucleolus and prekernel computation in some classes of tu-games (1998)
- [2009] Kanoria, Y., Bayati, M., Borgs, C., Chayes, J., Montanari, A.: A natural dynamics for bargaining on exchange networks. arXiv preprint arXiv:0911.1767 (2009)
- [1950] Nash Jr., J.: The bargaining problem. *Econometrica: Journal of the Econometric Society*, 155–162 (1950)
- [1984] Rochford, S.: Symmetrically pairwise-bargained allocations in an assignment market. *Journal of Economic Theory* 34(2), 262–281 (1984)
- [1971] Shapley, L., Shubik, M.: The assignment game i: The core. *International Journal of Game Theory* 1(1), 111–130 (1971)
- [1999] Willer, D.: *Network exchange theory*. Praeger Publishers (1999)
- [2013] Farczadi, L., Georgiou, K., Könemann, J.: Network bargaining with general capacities. arXiv preprint arXiv:1306.4302 (2013)