

International Handbooks on Information Systems

Jan vom Brocke
Michael Rosemann *Editors*

Handbook on Business Process Management 1

Introduction, Methods,
and Information Systems

2nd Edition

 Springer

International Handbooks on Information Systems

Series Editors

Peter Bernus, Jacek Błazewicz, Günter J. Schmidt, Michael J. Shaw

For further volumes:
<http://www.springer.com/series/3795>

Titles in the Series

M. Shaw, R. Blanning, T. Strader and
A. Whinston (Eds.)
Handbook on Electronic Commerce
ISBN 978-3-540-65882-1

J. Błażewicz, K. Ecker, B. Plateau and
D. Trystram (Eds.)
**Handbook on Parallel and
Distributed Processing**
ISBN 978-3-540-66441-3

H.H. Adelsberger, Kinshuk,
J.M. Pawlowski and D. Sampson (Eds.)
**Handbook on Information Technologies
for Education and Training**
ISBN 978-3-540-74154-1, 2nd Edition

C.W. Holsapple (Ed.)
**Handbook on Knowledge Management 1
Knowledge Matters**
ISBN 978-3-540-43527-3

C.W. Holsapple (Ed.)
**Handbook on Knowledge Management 2
Knowledge Directions**
ISBN 978-3-540-43848-9

J. Błażewicz, W. Kubiak, I. Morzy and
M. Rusinkiewicz (Eds.)
**Handbook on Data Management in
Information Systems**
ISBN 978-3-540-43893-9

P. Bernus, P. Nemes and G. Schmidt (Eds.)
Handbook on Enterprise Architecture
ISBN 978-3-540-00343-4

S. Staab and R. Studer (Eds.)
Handbook on Ontologies
ISBN 978-3-540-70999-2, 2nd Edition

S.O. Kimbrough and D.J. Wu (Eds.)
**Formal Modelling in Electronic
Commerce**
ISBN 978-3-540-21431-1

P. Bernus, K. Merlins and G.Schmidt (Eds.)
**Handbook on Architectures
of Information Systems**
ISBN 978-3-540-25472-0, 2nd Edition

S. Kirn, O. Herzog, P. Lockemann
and O. Spaniol (Eds.)
Multiagent Engineering
ISBN 978-3-540-31406-6

J. Błażewicz, K. Ecker, E. Pesch,
G. Schmidt and J. Weglarz (Eds.)
Handbook on Scheduling
ISBN978-3-540-28046-0

F. Burstein and C.W. Holsapple (Eds.)
Handbook on Decision Support Systems 1
ISBN 978-3-540-48712-8

F. Burstein and C.W. Holsapple (Eds.)
Handbook on Decision Support Systems 2
ISBN 978-3-540-48715-9

D. Seese, Ch. Weinhardt
and F. Schlottmann (Eds.)
**Handbook on Information Technology
in Finance**
ISBN 978-3-540-49486-7

T.C. Edwin Cheng
and Tsan-Ming Choi (Eds.)
**Innovative Quick Response Programs in
Logistics and Supply Chain Management**
ISBN 978-3-642-04312-3

J. vom Brocke and M. Rosemann (Eds.)
**Handbook on Business Process
Management 1**
ISBN 978-3-642-45099-0, 2nd Edition

J. vom Brocke and M. Rosemann (Eds.)
**Handbook on Business Process
Management 2**
ISBN 978-3-642-45102-7, 2nd Edition

Jan vom Brocke • Michael Rosemann
Editors

Handbook on Business Process Management 1

Introduction, Methods,
and Information Systems

Second Edition



Springer

Editors

Prof. Dr. Jan vom Brocke
University of Liechtenstein
Institute of Information Systems
Vaduz, Principality of Liechtenstein
jan.vom.brocke@uni.li

Prof. Dr. Michael Rosemann
Queensland University of Technology
School of Information Systems
Brisbane, Queensland, Australia
m.rosemann@qut.edu.au

ISBN 978-3-642-45099-0 ISBN 978-3-642-45100-3 (eBook)
DOI 10.1007/978-3-642-45100-3
Springer Heidelberg New York Dordrecht London

Library of Congress Control Number: 2014947230

© Springer-Verlag Berlin Heidelberg 2010, 2015

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed. Exempted from this legal reservation are brief excerpts in connection with reviews or scholarly analysis or material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work. Duplication of this publication or parts thereof is permitted only under the provisions of the Copyright Law of the Publisher's location, in its current version, and permission for use must always be obtained from Springer. Permissions for use may be obtained through RightsLink at the Copyright Clearance Center. Violations are liable to prosecution under the respective Copyright Law.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

While the advice and information in this book are believed to be true and accurate at the date of publication, neither the authors nor the editors nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Printed on acid-free paper

Springer is part of Springer Science+Business Media (www.springer.com)

*to my wonderful wife Christina and our lovely
kids Moritz and Marieke*

from Jan

to Louise, Noah and Sophie – with love

from Michael

Foreword to the 2nd Edition

The *BPM Handbook* brings the thought leaders around the globe together to present the comprehensive body of knowledge in Business Process Management (BPM). The first edition summarized the work of more than 100 of the world's leading experts in the field in 50 chapters and two volumes. Following the structure of BPM's six well-established core elements—strategic alignment, governance, methods, information systems, people, and culture—the *BPM Handbook* provides a comprehensive view of the management of processes using an enterprise-wide scope. After more than 5,000 hard copies sold and more than 60,000 single chapters downloaded, we are overwhelmed by and grateful for the positive reception of this book by BPM professionals and academics. Today, the BPM handbook ranges among the top 25 % most downloaded eBooks in the Springer eBook Collection.

Since the first edition was published in 2010, BPM has further developed and matured. New technologies provide new process design options. For example, in-memory databases afford new opportunities in the form of real-time and context-aware process execution, monitoring, and mining, and social media plays a vital role in embedding business processes in corporate and wider communities. At the same time, new challenges, such as increased demand in process innovation, process analytics, and process agility, have emerged. These and other organizational developments have expanded the status and the possibilities of BPM and motivated us to conduct a detailed review, update, and extension of the *BPM Handbook*, the second edition.

The structure of this second edition still centers on the six core elements of BPM while incorporating new topics and providing substantial revisions in the areas of theoretical foundations of BPM, practical applications to real-life scenarios, and a number of updates in order to reflect the most current progress in the field.

The new chapters address recent developments, such as in-memory technology and social media, as well as cases that show how BPM can be applied to master the contemporary challenges of process innovation, agility, and sustainability. We learned from our readers that introductory chapters to the six core elements of BPM are useful, as are advanced chapters that build on rigorous BPM research.

Therefore, we added a number of chapters to provide such introductions to the work on process frameworks, process simulation, process value, process culture, and process technologies. In the process, we welcomed a number of BPM experts to our team of authors, including Anna Sidorova, Jerry Luftman, and Hasso Plattner and their respected co-authors.

Some parts of the Handbook remain untouched, such as the contributions from Michael Hammer and Geary A. Rummier, who both passed away in 2008. Their thoughts remain and will always be inspirational for the BPM community.

We are grateful to the many people who worked enthusiastically on making the second edition of the *BPM Handbook* possible. In particular, we thank Christian Sonnenberg, from the Institute of Information Systems of the University of Liechtenstein, who brought order and discipline to the first edition and who has again been instrumental in the editorial process of the second edition. His strong commitment to this Handbook has been a critical factor in its success. We also thank Christian Rauscher from Springer for his strong support of this second edition and all of the authors for the significant time and effort they invested in writing and revising their chapters.

We trust that this consolidated work will find a wide audience and that this updated and extended edition will further contribute to shaping the BPM field as a management discipline.

May 2014
Vaduz, Liechtenstein/Brisbane, Australia

Jan vom Brocke
Michael Rosemann

Foreword to the 1st Edition

Business Process Management (BPM) has emerged as a comprehensive consolidation of disciplines sharing the belief that a process-centered approach leads to substantial improvements in both performance and compliance of a system. Apart from productivity gains, BPM has the power to innovate and continuously transform businesses and entire cross-organizational value chains. The paradigm of “process thinking” is by no means an invention of the last two decades but had already been postulated by early economists such as Adam Smith or engineers such as Frederick Taylor.

A wide uptake of the process paradigm began at an early stage in the manufacturing sector, either as a central principle in planning approaches such as MRP II or as a factory layout principle. Yet, it took an amazingly long period of time before the service industries actually recognized the significance of processes as an important organizational variable. The ever increasing pressure in the ultimate journey for corporate excellence and innovation went along with the conception of a “process” as a unit of analysis and increasingly appeared in various disciplines.

As part of quality management, the critical role of process quality led to a plethora of process analysis techniques that culminated in the rigorous set of Six Sigma methods. In the information technology discipline, the process became an integral part of Enterprise Architectures and conceptual modeling frameworks. Processes became a “first class citizen” in process-aware software solutions and, in particular, in dedicated BPM-systems, formerly known as workflow management systems. Reference models such as ITIL or SCOR postulated the idea of best (process) practices, and the accounting discipline started to consider processes as a controlling object (Activity-Based Costing). Universities are now slowly starting to build Business Process Management courses into their curricula, while positions such as business process analysts or chief process officers are increasingly appearing in organizational charts.

However, while the role of processes has been widely recognized, an all-encompassing discipline promoting the importance of process and providing integrated BPM methodologies has been lacking for a long time. This may be a

major reason why process thinking is still not as common as cost awareness, employee focus, or ethical considerations.

BPM is now proposed as the spanning discipline that largely integrates and completes what previous disciplines have achieved. As such, it consolidates how to best manage the (re-)design of individual business processes and how to develop a foundational Business Process Management capability in organizations catering for a variety of purposes and contexts.

The high demand for BPM has encouraged a number of authors to contribute and capture different facets in the form of textbooks. Despite a substantial list of references, the BPM community is still short of a publication that provides a consolidated understanding of the true scope and contents of a comprehensively defined Business Process Management.

It has been our motivation to fill the gap for a point of reference that reflects the holistic nature of BPM without compromising the detail. In order to structure this Handbook, we defined BPM as consisting of six core factors, i.e., Strategic Alignment, Governance, Methods, Information Systems, People, and Culture. These six factors had been derived as part of a multiyear global research study on the essential factors of BPM maturity.

We now present a Handbook that covers these six factors in two volumes comprising more than 1,500 pages from over 100 authors including the world's leading experts in the field. Different approaches of BPM are presented reflecting the diversity of the field. At the same time, we tried to provide some guidance, i.e., by means of the six core elements, to make it easy to open up the various facets of BPM according to individual preferences. We give further comment on that in the "how to read this book" section.

Both volumes together reflect the scope of BPM. Each volume has been organized to have its own focus. The first volume includes the introduction to BPM and concentrates on its Methods and Process-Aware Information Systems. The second volume captures in three sections: Strategic Alignment, Governance, and People, and Culture. Both volumes combine the latest outcomes of high standing BPM research with the practical experiences gained in global BPM projects.

This first volume is clustered in three sections.

1. A set of five introductory chapters provides an overview about the current understanding of the aims, boundaries, and essence of BPM. We are particularly proud that we were able to secure the contributions of the global BPM thought leaders for this critical section.
2. The second section is dedicated to the heavily researched area of BPM Methods covering, in particular, process lifecycle methods such as Six Sigma and the essential role of process modeling in 12 chapters. Further, complementary chapters discuss process simulation, process variant management, and BPM tool selection.
3. The third section covers Process-Aware Information Systems and elaborates in nine chapters on the foundational role of workflow management, the agility that results from service-enabled business processes and the new potential related to the uptake of recommender systems or collaborative networking tools.

We are very grateful to the outstanding, carefully crafted, and responsibly revised contributions of the authors of this Handbook. All contributions have undergone a rigorous review process, involving two independent experts in two to three rounds of review. The unconditional commitment to a high quality Handbook required, unfortunately, in some cases, rejections or substantial revisions. In any case, all authors have been very responsive in the way they addressed the requested changes. We are very much aware of the sum of the work that went into this book and cannot appropriately express our gratitude in the brevity of such a foreword.

While producing this Handbook, the authors' enthusiasm was truly interrupted as we in the community were confronted with and saddened by the tragic loss of two of the most inspirational BPM thought leaders the world has seen. Michael Hammer, founder of the Business Process Reengineering discipline and maybe the most successful promoter of the process paradigm, passed away in September 2008. Shortly after, Geary A. Rummler, a pioneer in terms of the role of business process as part of the corporate search for organizational performance, died in October 2008. We are honored that this Handbook features some of the last inspirations of these two admirable individuals; we also recognize that the BPM community will be a poorer place without them.

A special expression of our gratefulness goes to Karin-Theresia Federl and Christian Sonnenberg, Institute of Information Systems, University Liechtenstein, who brought order and discipline to the myriad of activities that were required as part of the compilation of this Handbook. We hope that this Handbook on Business Process Management will provide a much appreciated, sustainable summary of the state of the art of this truly exciting discipline and that it will have the much desired positive impact for its future development and uptake.

June 2010
Vaduz, Liechtenstein/Brisbane, Australia

Jan vom Brocke
Michael Rosemann

How to Read this Handbook

This book brings together input from BPM experts worldwide. It incorporates a rich set of viewpoints all leading towards an holistic picture of BPM. Compiling this Handbook, we did not intend to force all authors to go under one unique doctrine. On the contrary, we felt that it is rather the richness of approaches and viewpoints covered that makes this book a unique contribution. While keeping the original nature of each piece, we provide support in navigating through the various chapters.

- *BPM Core Elements:* We identified six core elements of BPM that all authors are using as a framework to position their contribution. You will find an introductory chapter in volume 1 of this Handbook explaining these elements in detail.
- *BPM Cross-References:* We asked each author to thoroughly read corresponding chapters and to include cross-references to related sections of the BPM Handbook. In addition, further cross-references have been included by the editors.
- *BPM Index:* Both volumes have a detailed index. In order to support a maximum of integration in each volume the keywords of the other volume are also incorporated.
- *BPM Who-is-Who:* We added an extended author index to each volume serving as a who-is-who. This section illustrates the individual background of each author that might be helpful in contextualizing the various contributions to the BPM Handbook.

We truly hope that these mechanisms help you in choosing the very the chapters of this BPM Handbook most suitable for your individual interest.

Contents

Part I Introduction

What is Business Process Management?	3
Michael Hammer	
Process Management for Knowledge Work	17
Thomas H. Davenport	
The Scope and Evolution of Business Process Management	37
Paul Harmon	
A Framework for Defining and Designing the Structure of Work	81
Geary A. Rummler and Alan J. Ramias	
The Six Core Elements of Business Process Management	105
Michael Rosemann and Jan vom Brocke	

Part II Methods

Six Sigma and Business Process Management	127
Sue Conger	
Business Process Model Abstraction	147
Artem Polyvyanyy, Sergey Smirnov, and Mathias Weske	
Business Process Quality Management	167
Hajo A. Reijers, Jan Mendling, and Jan Recker	

Semantic Business Process Modelling and Analysis 187
 Jörg Becker, Daniel Pfeiffer, Michael Räckers, Thorsten Falk,
 and Matthias Czerwonka

BPMN 2.0 for Modeling Business Processes 219
 Gustav Aagesen and John Krogstie

Lifecycle Management of Business Process Variants 251
 Manfred Reichert, Alena Hallerbach, and Thomas Bauer

Process Choreography Modelling 279
 Alistair Barros

**Collaborative Process Modeling and Design: The Intersport
 Case Study** 301
 Mikael Lind and Ulf Seigerroth

Recommendation-Based Business Processes Design 323
 Agnes Koschmider and Andreas Oberweis

Business Process Simulation Survival Guide 337
 Wil M.P. van der Aalst

BPM Tool Selection: The Case of the Queensland Court of Justice 371
 Islay Davies and Micheal Reeves

**Implementing Six Sigma for Improving Business Processes
 at an Automotive Bank** 393
 Florian Johannsen, Susanne Leist, and Gregor Zellner

Part III Information Technology

**The Role of Information Technology in Business Process
 Management** 421
 Anna Sidorova, Russell Torres, and Alaa Al Beayeyz

In-Memory Data and Process Management 445
 Hasso Plattner and Jens Krüger

Business Process Management and the Social Enterprise 463
 Sandy Kemsley

Contents	xvii
Workflow Management	475
Chun Ouyang, Michael Adams, Moe Thandar Wynn, and Arthur H.M. ter Hofstede	
A Framework for Resource-Based Workflow Management	507
Akhil Kumar and Jianrui Wang	
BPM Meets SOA: A New Era in Business Design	531
Fred A. Cummins	
From Business Process Models to Service Interfaces	557
Marlon Dumas and Thomas Kohlborn	
Integrated Business Process and Service Management	579
Thomas Gullede	
Business Process Management Standards	595
Frank Leymann, Dimka Karastoyanova, and Michael P. Papazoglou	
The UN/CEFACT Modeling Methodology UMM 2.0: Choreographing Business Document Exchanges	625
Marco Zapletal, Rainer Schuster, Philipp Liegl, Christian Huemer, and Birgit Hofreiter	
Who Is Who	649
Index	709

Part I

Introduction

The past 20 years have brought increasing interest in the domain of Business Process Management (BPM) by an ever-growing community of managers, end users, analysts, consultants, vendors, and academics. This growing interest is visible in a substantial body of knowledge, an expanding scope, and a plethora of methodologies, tools, and techniques. While the demand for BPM increases and BPM capabilities mature, the challenge to provide concise and widely accepted definitions, taxonomies, and overall frameworks for BPM has grown.

Being able to attract the world's leading minds from within the BPM community behind the ambitions of this Handbook has been a great honor for us. This introductory section features the contemporary views of global thought leaders who have shaped the understanding, development, and uptake of BPM.

In the opening chapter Michael Hammer seeks to answer the essential question, "What Is Business Process Management?" Hammer characterizes BPM as the first fundamental set of new ideas on organizational performance since the Industrial Revolution, discussing the origins of BPM, the process management cycle, and its benefits, enablers, and necessary capabilities. All these lead to an extended set of BPM principles and the role of enterprise process models.

In the next chapter, Thomas Davenport correlates BPM with knowledge management to explore the challenges of process design for knowledge-intensive processes. In this context Davenport discusses the creation, distribution, and application of knowledge, contrasts the processes and the practice in knowledge work, and lists process interventions. The chapter raises awareness of the challenges of BPM that emerge once the transactional processes are covered.

Critics often describe BPM as a concept with a limited lifespan, but Paul Harmon argues convincingly in the third chapter that BPM is the culmination of a series of mature concepts sharing a passion for process. Harmon outlines the concepts and outcomes of three important process traditions—quality management, business management, and information technology—and reflects on the thought leaders for each of the three traditions and the "today and tomorrow" of BPM. Harmon's differentiation between the enterprise level and process level is picked up in a number of contributions in this handbook.

One of the earliest contributors to the field of process-based management, Geary Rummler provides thoughts on the structure of work. Co-authored with Alan Ramias, Rummler's chapter focuses on the business layer in an enterprise architecture and discusses the importance of a sound understanding of value creation and a corresponding management system. Rummler and Ramias stress that business (process) architectures cannot stand in isolation but must be linked to other architectural frameworks in order to form a complete value creation architecture.

The fifth chapter, by Michael Rosemann and Jan vom Brocke, introduces the underlying structure for both volumes of the *BPM Handbook*. Six complementary core elements of BPM, which provide a framework for BPM, must be addressed as part of enterprise-wide, effective BPM initiatives. This chapter describes the essence of these factors, which are explored in more detail in the various sections of this handbook.

1. What is Business Process Management?
by Michael Hammer
2. Process Management for Knowledge Work
by Thomas Davenport
3. The Scope and Evolution of Business Process Management
by Paul Harmon
4. A Framework for Defining and Designing the Structure of Work
by Geary Rummler and Alan Ramias
5. The Six Core Elements of Business Process Management
by Michael Rosemann and Jan vom Brocke

What is Business Process Management?

Michael Hammer†

Abstract Googling the term “Business Process Management” in May 2008 yields some 6.4 million hits, the great majority of which (based on sampling) seem to concern the so-called BPM software systems. This is ironic and unfortunate, because in fact IT in general, and such BPM systems in particular, is at most a peripheral aspect of Business Process Management. In fact, Business Process Management (BPM) is a comprehensive system for managing and transforming organizational operations, based on what is arguably the first set of new ideas about organizational performance since the Industrial Revolution.

1 The Origins of BPM

BPM has two primary intellectual antecedents. The first is the work of Shewhart and Deming (Shewhart 1986; Deming 1953) on statistical process control, which led to the modern quality movement and its contemporary avatar, Six Sigma. This work sought to reduce variation in the performance of work by carefully measuring outcomes and using statistical techniques to isolate the “root causes” of performance problems – causes that could then be addressed. Much more important than the details of upper and lower control limits or the myriad of other analytic tools that are part of quality’s armamentarium are the conceptual principles that underlie this work: the core assumption that operations are of critical importance and deserve serious attention and management; the use of performance metrics to determine whether work is being performed satisfactorily or not; the focus on hard data rather than opinion to isolate the root causes of performance difficulties; the concept of blaming the process not the people, that performance shortcomings are rooted in objective problems that can be identified and dealt with; and the notion

M. Hammer

Hammer and Company, Inc., One Cambridge Center, Cambridge, MA 02141, USA

of never-ending improvement, that solving one set of problems merely buys an organization a ticket to solve the next round.

The quality approach suffered from two limitations, however. The first was its definition of process as essentially any sequence of work activities. With this perspective, an organization would have hundreds or even thousands of processes, from putting a parts box on a shelf to checking customer credit status, and the machinery of quality improvement could be applied to any and all of these. Focusing on such narrow-bore processes, however, is unlikely to have strategic significance for the enterprise as a whole; on the other hand, it is likely to result in a massive number of small-scale projects that can be difficult to manage in a coherent fashion. Even more seriously, the quality school took as its goal the elimination of variation and the achievement of consistent performance. However, consistent is not a synonym for good. A process can operate consistently, without execution flaws, and still not achieve the level of performance required by customers and the enterprise.

The other primary antecedent of BPM, my own work on Business Process Reengineering (Hammer 1990; Hammer and Champy 1993), had complementary strengths and weaknesses. On the one hand, at least in its early days, reengineering was positioned as an episodic rather than an ongoing effort; it lacked the continuous dimension of quality improvement. It also did not have as disciplined an approach to metrics. On the other hand, it brought two new wrinkles to the process world. The first was its refined definition of process: end-to-end work across an enterprise that creates customer value. Here, putting a box on a shelf would not qualify as a meaningful process; it would merely be a small part of an enterprise process such as order fulfillment or procurement. Addressing large-scale, truly end-to-end processes means focusing on high-leverage aspects of the organization's operations and so leads to far greater results and impacts. In particular, by dealing with processes that cross functional boundaries, reengineering was able to attack the evils of fragmentation: the delays, nonvalue-adding overhead, errors, and complexity that inevitably result when work transcends different organizations that have different priorities, different information sources, and different metrics. The other new theme introduced by reengineering was a focus on process design as opposed to process execution. The design of a process, the way in which its constituent tasks are woven together into a whole, was not of much concern to the founders of the quality school; they made a tacit assumption that process designs were sound, and that performance difficulties resulted from defects in execution. Reengineering recognized that the design of a process in fact created an envelope for its performance, that a process could not perform on a sustained basis better than its design would allow. Should performance requirements exceed what the design was capable of, the old design would have to be discarded and a new one substituted in its place.

2 The Process Management Cycle

Over the last decade, these two approaches to process performance improvement have gradually merged, yielding modern Business Process Management – an integrated system for managing business performance by managing end-to-end




Fig. 1 The essential process management cycle

business processes. Figure 1 depicts the essential process management cycle. It begins at the bottom, with the creation of a formal process. This is not a minor, purely formal step. Many organizations find that certain aspects of their operations are characterized by wild variation, because they lack any well-defined end-to-end process whatsoever. This is particularly true of low-volume, creative processes such as product development or customer relationship management. In essence, they treat each situation as a one-off, with heroics and improvisation substituting for the discipline of a well-defined process. Such heroics are of course unreliable and unsustainable.

Once a process is in place, it needs to be managed on an ongoing basis. Its performance, in terms of critical metrics that relate to customer needs and company requirements, needs to be compared to the targets for these metrics. Such targets can be based on customer expectations, competitor benchmarks, enterprise needs, and other sources. If performance does not meet targets, the reason for this shortcoming must be determined. Broadly speaking, processes fail to meet performance requirements either because of faulty *design* or faulty *execution*; which one is the culprit can generally be determined by examining the pattern of performance inadequacy. (Pervasive performance shortcomings generally indicate a design flaw; occasional ones are usually the result of execution difficulties.) If the fault lies in execution, then the particular root cause (such as inadequate training, or insufficient resources, or faulty equipment, or any of a host of other possibilities) must be determined. Doing so is a challenging undertaking, because of the large number of possible root causes; as a rule, however, once the root cause has been found, it is easy to fix. The opposite is true of design problems: they are easy to find (being indicated by consistently inadequate performance) but hard to fix (requiring a

wholesale rethinking of the structure of the process). Once the appropriate intervention has been chosen and implemented, the results are assessed, and the entire cycle begins again.

This cycle is derived from Deming's PDCA cycle (Plan Do Check Act) (Deming 1986), with the addition of the attention to process design. Although this picture is quite simple, it represents a revolutionary departure for how enterprises are managed. It is based on the premise that the way to manage an organization's performance is not by trial and error, not by pushing people harder, and not through financial manipulation, but through the deliberate management of the end-to-end business processes through which all customer value is created. Indeed, BPM is a customer-centered approach to organizational management. Customers neither know nor care about the many issues that typically are at the center of most executives' attention: strategies, organizational designs, capital structures, succession plans, and all the rest. Customers care about one thing and one thing only: results. Such results are not acts of God or the consequence of managerial genius; they are the outputs of business processes, of sequences of activities working together. Customers, results, and processes form an iron triangle; an organization cannot be serious about anyone without being equally serious about the other two.

To illustrate the process management cycle in action, consider the claims handling process at an auto insurance company. The old process consisted of the claimant reporting an accident to an agent, who passed it on to a customer service representative at the insurer, who passed it on to a claims manager, who assigned it with a batch of other claims to an adjustor, who then contacted the claimant and scheduled a time to inspect the vehicle. Because of the handoffs in this process, and the associated inevitable misunderstandings, it typically took 7–10 days before the adjustor arrived to see the vehicle. While this was no worse than others in the industry, the insurer's CEO recognized that this represented an opportunity to improve customer satisfaction at a "moment of truth," and insisted that this cycle time be reduced to 9 hours. No amount of productivity improvement in the individual activities would have approached this target, since the total actual work time was very little – the problem was in the process, not in the tasks. Accordingly, the company created a completely new process, in which claimants called a toll-free phone number and were connected directly to an adjustor, who took responsibility for the case and dispatched a teammate driving a mobile claims van in the field to the vehicle; upon arriving, the teammate would not only estimate the amount of damage but try to settle the claim on the spot. This new process was both much more convenient for customers and less expensive for the company, and was key to the company increasing revenue by 130% while increasing headcount by only 5%.

However, this was the beginning, not the end, for the process. Just having a good design does not guarantee continued good results, because problems are inevitable in the real world. Computers break, people do not absorb their training, data gets corrupted, and so on and so forth, and as a result a process does not achieve the performance of which it is capable. The company used process management to monitor the performance of the process and recognize and correct such performance problems. It also stayed alert to opportunities to modify the process design to

make it perform even better. At one point, the company realized that the process as designed was not necessarily sending the most appropriate adjustor to the scene of the accident but just the next available one; a change to the design was made to address this. Of late, the company's management has gone further. They recognized flaws in the process design – for instance, that it required adjustors to make damage estimates “at midnight in the rain”. Accordingly, they have come up with an even newer process, in which the claimant brings the damaged car to a company facility and picks up a loaner car; the adjustor estimates the damage at this facility and then arranges for the repair to be done by a garage. When the car is fixed, the claimant comes back and exchanges the loaner for his own car. This is much easier for the customer, and much more accurate and less costly for the company.

3 The Payoffs of Process Management

Through process management, an enterprise can create high-performance processes, which operate with much lower costs, faster speeds, greater accuracy, reduced assets, and enhanced flexibility. By focusing on and designing end-to-end processes that transcend organizational boundaries, companies can drive out the nonvalue-adding overhead that accumulates at these boundaries. Through process management, an enterprise can assure that its processes deliver on their promise and operate consistently at the level of which they are capable. Through process management, an enterprise can determine when a process no longer meets its needs and those of its customers and so needs to be replaced.

These operational benefits of consistency, cost, speed, quality, and service translate into lower operating costs and improved customer satisfaction, which in turn drive improved enterprise performance. Process management also offers a variety of strategic benefits. For one, process management enables companies to respond better to periods of rapid change (such as ours). Conventional organizations often do not even recognize that change is happening until it is reflected in financial performance, by which time it is too late; even should they recognize that change has occurred, they have no mechanism for responding to it in a disciplined fashion. Under a process management regime, by contrast, change is reflected in the decline of operational performance metrics, which are noted by the process management system; the design of the process is then the tool through which the organization can respond to this change. Process management also provides an umbrella for a wide range of other performance improvement initiatives, from globalization and merger integration to ERP implementation and e-business. Too many enterprises treat each of these phenomena as independent, which leads to a proliferation of uncoordinated and conflicting change initiatives. In fact, they are all either mechanisms for supporting high-performance processes or goals that can be achieved through them. Linking all of a company's improvement efforts under the common umbrella of process management, and managing them in an integrated

fashion, leverages a wide range of tools and deploys the right tool to the right problem.

Thousands of organizations, large and small, private and public, are reaping extraordinary benefits by managing their end-to-end business processes. A handful of recent examples:

- A consumer goods manufacturer redesigned its product deployment process, by means of which it manufactures goods and delivers them to its distribution centers; inventory was reduced by 25% while out-of-stock situations declined by 50%.
- A computer maker created a new product development process, which reduced time to market by 75%, reduced development costs by 45%, and increased customer satisfaction with new products by 25%.
- A capital goods manufacturer increased by 500% the accuracy of the availability dates on new products that it gave customers and reduced its supply chain costs by up to 50%.
- A health insurer created a new process for engaging with its customers and reduced costs by hundreds of millions of dollars while improving customer satisfaction.

Something to note in these and many other cases is the simultaneous achievement of apparently incompatible goals: reducing inventory, say, while also reducing out-of-stocks. Traditional organizations view these as conflicting goals and trade one off against another; process-managed organizations recognize that they can be improved by creating a new process design.

4 The Enablers of Process

Despite its elegance and power, many organizations have experienced difficulties implementing processes and process management. For instance, an electronics company designed a new product development process that was based on cross-functional product teams, but they were unable to successfully install it and get it operating. The reason, as they put it, is that “you can’t overlay high performance processes on a functional organization”. Traditional organizations and their systems are unfriendly to processes, and unless these are realigned to support processes, the effort will fail.

There are five critical enablers for a high-performance process; without them, a process will be unable to operate on a sustained basis (Hammer 2007).

Process design. This is the most fundamental aspect of a process: the specification of what tasks are to be performed, by whom, when, in what locations, under what circumstances, to what degree of precision, with what information, and the like. The design is the specification of the process; without a design, there is only uncoordinated individual activity and organizational chaos.

Process metrics. Most enterprises use functional performance metrics, which create misalignment, suboptimization, and confusion. Processes need end-to-end metrics that are derived from customer needs and enterprise goals. Targets need to be set in terms of these metrics and performance monitored against them. A balanced set of process metrics (such as cost, speed, and quality) must be deployed, so that improvements in one area do not mask declines in another.

Process performers. People who work in processes need a different set of skills and behaviors from those who work in conventional functions and departments. They need an understanding of the overall process and its goals, the ability to work in teams, and the capacity to manage themselves. Without these characteristics, they will be unable to realize the potential of end-to-end work.

Process infrastructure. Performers need to be supported by IT and HR systems if they are to discharge process responsibilities. Functionally fragmented information systems do not support integrated processes, and conventional HR systems (training, compensation, and career, etc.) reinforce fragmented job perspectives. Integrated systems (such as ERP systems and results-based compensation systems) are needed for integrated processes.

Process owner. In a conventional organization, no one is responsible for an end-to-end process, and so no one will be in a position to manage it on an end-to-end basis (i.e., carry out the process management cycle). An organization serious about its processes must have process owners: senior managers with authority and responsibility for a process across the organization as a whole. They are the ones who perform the work illustrated in Fig. 1.

Having some but not all of these enablers for a process is of little or no value. For instance, a well-designed process targeted at the right metrics will not succeed if performers are not capable of carrying it out or if the systems do not support them in doing so. Implementing a process in effect means putting in place these five enablers. Without them, a process may be able to operate successfully for a short term but will certainly fail in the long run.

5 BPM Capability for Process

The experiences of hundreds of companies show that not all are equally able to install these enablers and so succeed with processes and process management. Some do so effectively, while others do not. The root cause of this discrepancy lies in whether or not an enterprise possesses four critical capabilities that are prerequisites to its summoning the resources, determination, and skills needed to succeed with processes (Hammer 2007).

Leadership. The absolute sine qua non for effective deployment of process management is engaged, knowledgeable, and passionate senior executive leadership of the effort. Introducing processes means introducing enormous change – realigning systems, authority, modes of operation, and more. There is no change

that most organizations have experienced that can compare to the disruption that the transition to process brings. Unless a very senior executive makes it his or her personal mission, process will run aground on the shoals of inertia and resistance. Moreover, only a topmost executive can authorize the significant resources and changes that process implementation requires. Without such leadership, the effort is doomed; with it, all other problems can be overcome.

Culture. A Chief Operating Officer once remarked to me, “When one of my people says he doesn’t like process, he really means that he doesn’t want to share power”. Process, with its focus on customers, outcomes, and transcending boundaries is anathema to those who are focused on defending their narrow bit of turf. Process demands that people at all levels of the organization put the customer first, be comfortable working in teams, accept personal responsibility for outcomes, and be willing to accept change. Unless the organization’s culture values these principles, processes will just roll off people’s backs. If the enterprise culture is not aligned with these values, leadership must change the culture so that it does.

Governance. Moving to process management, and institutionalizing it over the long run, requires a set of governance mechanisms that assign appropriate responsibilities and ensure that processes integrate with one another (and do not turn into a new generation of horizontal silos). In addition to process owners, enterprises need a process office (headed by a Chief Process Officer) that plans and oversees the program as a whole and coordinates process efforts, as well as a Process Council. This is a body consisting of the process owners, the executive leader, and other senior managers, which serves as a strategic oversight body, setting direction and priorities, addressing cross-process issues, and translating enterprise concerns into process issues. These mechanisms need to be put in place to manage the transition to process, but continue on as the essential management superstructure for a process-managed enterprise.

Expertise. Implementing and managing processes is a complex and high stakes endeavor, not for the inexperienced or the amateur. Companies need cadres of people with deep expertise in process design and implementation, metrics, change management, program management, process improvement, and other relevant techniques. These people must have formal methodologies to follow and must be sustained with appropriate career paths and management support. While not an insuperable barrier, many organizations fail to develop and institutionalize this capability, and then unsurprisingly find themselves unable to carry out their ambitious programs.

Organizations without these four capabilities will be unable to make process management work, and must undertake urgent efforts to put them in place. Developing leadership is the most challenging of these; it typically requires the intervention of a catalyst, a passionate advocate of process with the ear of a potential leader, who must patiently familiarize the candidate with the concepts of process and their payoffs. Reshaping culture is not, despite myths to the contrary, impossible, but it does take time and energy. The other two are less difficult, but are often overlooked.

6 The Principles of Process Management

It can be helpful to summarize the concepts of process management in terms of a handful of axiomatic principles, some obvious, some not, that together express its key themes.

All work is process work. Sometimes the assumption is made that the concepts of process and process management only apply to highly structured, transactional work, such as order fulfillment, procurement, customer service, and the like. Nothing could be further from the truth. The virtues of process also adhere to developmental processes, which center on highly creative tasks, such as product development, demand creation, and so on. Process should not be misinterpreted as a synonym for routinization or automation, reducing creative work to simplistic procedures. Process means positioning individual work activities – routine or creative – in the larger context of the other activities with which it combines to create results. Both transactional and development processes are what is known as *core* processes – processes that create value for external customers and so are essential to the business. Organizations also have *enabling* (or support) processes, which create value for internal customers; these include hire to retire, information systems development, and financial reporting. Such processes have customers and create value for them (as must any process, by definition), but those customers are internal. The third category is *governing* processes, the management processes by means of which the company is run (such as strategic planning, risk management, and performance management). (Process management is itself a governing process!) All processes need to be managed as such and so benefit from the power of process management.

Any process is better than no process. Absent a well-defined process design, chaos reigns. Individual heroics, capriciousness, and improvisation rule the day – and results are inconsistent and unsustainable. A well-defined process will at the least deliver predictable, repeatable results, and can serve as the staging ground for improvement.

A good process is better than a bad process. This statement is not as tautological as it seems. It expresses the criticality of process design, that the caliber of a process design is a critical determinant of its performance, and that some processes are better designed than others. If a company is burdened with a bad process design, it needs to replace it with a better one.

One process version is better than many. Standardizing processes across all parts of an enterprise presents a single face to customers and suppliers, yields profound economies in support services such as training and IT systems, allows the redeployment of people from one business unit to another, and yields a host of other benefits. These payoffs must be balanced against the intrinsically different needs of different units and their customers, but our bias should be in favor of standardization.

Even a good process must be performed effectively. A good process design is a necessary but insufficient prerequisite for high performance; it needs to be

combined with carefully managed execution, so that the capabilities of the design are realized in practice.

Even a good process can be made better. The process owner needs to stay constantly vigilant, looking for opportunities to make modifications to the process design in order to further enhance its performance.

Every good process eventually becomes a bad process. No process stays effective forever in the face of change. Customer needs change, technologies change, competition changes, and what used to be a high level of performance becomes a poor one – and it is time to replace the formerly good process with a new one.

7 The EPM as a Management Tool and BPMS

The foundation of process management is the Enterprise Process Model (EPM). This is a graphical representation of the enterprise's processes (core, enabling, and governing), showing their interconnections and inputs and outputs. Figure 1 is an example of such an EPM, from a large distributor of industrial products. An effective EPM should be simple and clear, fitting on one page, and typically including no more than 5–10 core processes. Such a high-level representation is then decomposed to provide additional detail, breaking each top-level process into a number of subprocesses, which are further decomposed into activities. There is as yet no standard (nor even near-standard) notation or architecture for process representation or for how many levels of detail are appropriate.

The EPM does more than just provide a vocabulary for a process program. It offers something few companies have, a coherent and comprehensible description of the company's operations. It is remarkable to note that conventional representations of an enterprise – the organization chart, the P&L and the balance sheet, the mission and value statements, the product catalog and customer list – say nothing about the actual work of the company and what people do on a regular basis. The EPM provides such an operational perspective on the enterprise and as such should be used as the basis for managing those operations.

In particular, the EPM offers a way of dealing with the projects and programs that constantly changing times raise, since ultimately every business issue must be translated into its impacts on and implications for operating processes. The following is a representative set of such issues that companies have recently needed to address:

- A risk management group has identified areas of high risk to the company. The processes that impact these risks need to be identified and redesigned in ways to help mitigate them.
- A new company has been acquired and there is a need to perform comparisons between the processes of the acquiring company and those of the acquired one, to help produce a roadmap for integrating the two companies by moving from the old processes to the new ones (Fig. 2).




Fig. 2 Example of an enterprise process model (EPM)

- A new corporate strategy or initiative is announced, which entails changing the definitions of some of the company’s key performance indicators (KPIs). The company needs to determine those process metrics that are drivers of these KPIs and update them appropriately.
- A change is made to some modules of an enterprise software system, and managers of different processes need to be made aware of the impact of the change on them.
- An activity that is used in several processes is modified in one of them, and these changes need to be reflected in all other occurrences of that activity.
- When a change is made to a business policy, it is necessary to make appropriate corresponding changes to all those processes in which it is embedded.

The EPM needs to be used as an active management tool for situations like these. More than that, companies focused on their processes need automated tools to help them actively manage their processes, for purposes like these and others. Such tools could legitimately be called Business Process Management Systems (BPMS), a term used at the opening of this chapter.

As of this writing, BPMS is a notoriously, broadly, and vaguely defined product area. Vendors with very different offerings, providing different features and supporting different needs, all claim the mantle of BPMS. However, to oversimplify, but slightly, contemporary BPMS software is principally used for two kinds of purposes: to create descriptions of processes (in terms of their constituent activities), which can be used to support process analysis, simulation, and design efforts; and to generate executable code that supports the performance of a process, by automating certain process steps, integrating systems and databases used by the process, and managing the workflow of documents and other forms passing through the process. While (as is often the case in the software industry) vendor claims and market research forecasts for these systems are somewhat exaggerated, they nonetheless do provide value and have been successfully deployed by many companies. Unfortunately, despite the name, contemporary BPM systems do little to support the management of processes (rather than their analysis and implementation).

A software system designed to support true process management would build on the capabilities that contemporary BPMS products provide (to define and model processes), but go far beyond them. It would embed these processes in a rich multidimensional model of the enterprise that captures at least these facets of the enterprise and the relationships among them:

- Definitions of processes and their activities, and their designs
- Interconnections and interrelationships between processes, including definitions of inputs and outputs and mutual expectations
- Metrics, both enterprise KPIs and process-level metrics, including current and target performance levels
- Projects and activities associated with process implementation and improvement
- Business organizations that are engaged in implementing and executing processes
- Process versions and variations
- Information systems that support processes
- Data elements created by, used by, and owned by processes
- Enterprise programs and initiatives and their connections to processes
- Control points and risk factors
- Roles in the organization involved in performing the process, including their organizational position, skill requirements, and decision-making authorities
- Management personnel associated with the process (such as the process owner)
- Enterprise strategies and programs that are impacted by processes.

Such a system would need to know the “semantics” of organizations and of these facets, so that instead of operating as merely a passive repository, it could act as an intelligent model of an enterprise and its processes. As such, it could serve as a powerful tool to support management decision-making and action in a complex, fast-changing environment. Such a model would not be populated by data created by operational systems but by a rich representation of the enterprise. It would be a tool for managing processes and not for executing them.

Some companies are using existing BPMS systems for these purposes, but they report that these tools offer little or no active support for these purposes, other than providing a relational database and a graphical front-end. There are no built-in semantics in contemporary systems that capture the characteristics of organizations and their many dimensions, nor do they have an embedded model of process management.

8 The Frontiers of BPM

Despite its widespread adoption and impressive results, BPM is still in its infancy. Even companies that have implemented it are far from finished and many companies – indeed many industries – have yet really to begin. Unsurprisingly, there are a host of issues with which we have yet to come to grips, issues that relate to truly managing an enterprise around its processes and to the impacts of Business Process Management on people, organizations, and economies. The following is a sampler of such issues, some of which are being actively investigated, some of which define challenges for the future.

Management structure and responsibility. As more power and authority get vested in process owners, other management roles and responsibilities change dramatically. Functional managers become managers of resource pools; business unit heads become agents of customers, representing their needs to process owners. These are radical shifts, and are still being worked out. Some companies are experimenting with moving many standard processes (not just support ones) from multiple business units into what amounts to shared service organizations. Others are outsourcing whole processes. The shape of the process-managed enterprise is still emerging.

IT support. How do developments in new information technologies impact processes and process management? ERP systems (somewhat belatedly) have come to be recognized as process software systems, since their cross-functional architecture enables them to address work on an end-to-end basis. What implications will SOA (service-oriented architecture) have on process design and implementation? How will process management impact data management? For instance, some companies are starting to give process owners responsibilities for master data management.

Interenterprise processes. Most organizations focus on processes that run end-to-end within their companies; however, in many cases, the real ends of these processes reside in different companies altogether. Supply chain processes, for instance, typically begin in the raw material supplier's operations and end with the final customer; product development processes are collaborative and must encompass suppliers' efforts. Some companies have been working on these processes, but we lack models for their governance and management. Who is the process owner? How should benefits be allocated? What are the right metrics?

Standards. Are there standard EPMs for companies in the same industry? Are there standard sets of enabling and governing processes that all companies should deploy? Will we see the emergence of best-in-class process designs for certain widely occurring processes, which many different companies will implement? What would these developments imply for enterprise differentiation?

Processes and strategy. Processes are, on the one hand, the means by which enterprise strategies are realized. On the other, they can also be determinants of such strategies. A company that has a world-class process can deploy it in new markets and in support of new products and services. At the same time, companies may decide that processes that do not offer competitive advantage should conform to industry standards or be outsourced.

Industry structure. How will process management affect the structure of industries? As companies recognize that certain processes represent their core capabilities, while others are peripheral, will we see greater outsourcing of the latter – perhaps to organizations that will provide processes on a service basis? Will customer and supplier organizations intertwine their processes to create what are in effect operational (rather than financial) *keiretsus*?

Beyond these macro questions, even the basic aspects of process management – designing processes, developing metrics, training performers, and all the rest – are far from settled issues. There is much work to be done. But even absent solutions to these challenges, it is clear that process management has moved from the wave of the future to the wave of the present, and that we are indeed in the Age of Process.

References

- Deming WE (1953) Statistical techniques in industry. *Adv Manage* 18(11):8–12
 Deming WE (1986) *Out of the crisis*. MIT Center for Advanced Engineering
 Hammer M, Champy J (1993) *Reengineering the corporation: A manifesto for business revolution*. Harper Collins Publishers
 Hammer M (1990) Reengineering work: Don't automate, obliterate. *Harv Bus Rev* 68:104–112
 Hammer M (2007) The process audit. *Harv Bus Rev* 85:111–123
 Shewhart W (1986) *Statistical method from the viewpoint of quality control*. Dover Publications, NY

Process Management for Knowledge Work

Thomas H. Davenport

Abstract In this chapter, the topic of using process improvement approaches to improve knowledge work is addressed. The effective performance of knowledge work is critical to contemporary sophisticated economies. It is suggested that traditional, engineering-based approaches to knowledge work are incompatible with the autonomy and work approaches of many knowledge workers. Therefore, a variety of alternative process-oriented approaches to knowledge work are described. Emphasis is placed on differentiating among different types of knowledge work and applying process interventions that are more behaviorally sensitive.

1 Introduction

Knowledge workers are the key to innovation and growth in today's organization.¹ They invent products and services, design marketing programs, and create strategies. In sophisticated economies, they are the horses that pull the plow of economic progress. If our companies are going to be more profitable, if our strategies are going to be successful, if our societies and economies are going to become more advanced – it will be because knowledge workers did their work in a more productive and effective manner.

In the early twenty-first century, it is likely that a quarter to a half of the workers in advanced economies are knowledge workers whose primary tasks involve the manipulation of knowledge and information. Even if they are not a majority of all workers, they have the most influence on their companies and economies. They

¹This chapter draws from several published sources, including Chaps. 1–3 of Davenport (2005) and Davenport and Iyer (2009).

T.H. Davenport (✉)
Babson College, Wellesley, MA, USA
e-mail: tdavenport@babson.edu

are paid the most, they add the most economic value, and they are the greatest determinant of the worth of their companies. Companies with a high proportion of knowledge workers – let’s call them knowledge-intensive – are the fastest-growing and most successful in the US and other leading economies, and have generated most of their growth in the past couple of decades. The market values of many knowledge-intensive companies – which include the market’s perception of the value of knowledge and knowledge workers – dwarf their book values, which include only tangible assets (and the ratio of market to book value in US companies has doubled over the past 20 years, suggesting a great acceleration of knowledge asset value). Even in the so-called “industrial” companies, knowledge is increasingly used to differentiate physical goods and to diversify them into product-related services. As James Brian Quinn has pointed out, high proportions of workers in manufacturing firms (roughly 90% in semiconductors, for example) never touch the manufacturing process, but instead provide knowledge-based services such as marketing, distribution, or customer service (Quinn 1992).

It is already apparent that the firms with the highest degree and quality of knowledge work tend to be the fastest-growing and the most profitable ones. Leading IT firms, which are almost exclusively knowledge-based, are among the most profitable organizations in the history of the planet. Pharmaceutical firms not only save peoples’ lives with their drug treatments but also tend to have high profit margins. “Growth industries” generally tend to be those with a high proportion of knowledge workers.

Within organizations, knowledge workers tend to be closely aligned with the organization’s growth prospects. Knowledge workers in management roles come up with new strategies. Knowledge workers in R&D and engineering create new products. Knowledge workers in marketing package up products and services in ways that appeal to customers. Without knowledge workers, there would be no new products and services, and no growth.

Yet, despite the importance of knowledge workers to the economic success of countries, companies, and other groups, they have not received sufficient attention. We know little about how to improve knowledge workers’ performances, which is very unfortunate, because no less an authority than Peter Drucker has said that improving knowledge worker performance is the most important economic issue of the age (Drucker 1968). In this chapter, I will describe how business process management – not in its traditional formulation, but using several modified variants of the idea – can contribute to better performance of knowledge work.

2 Improving Knowledge Work Through Process Management

A time-honored way of improving any form of work is to treat it as a process. To treat something as a process is to impose a formal structure on it – to identify its beginning, end, and intermediate steps, to clarify who the customer is for it, to measure it, to take stock of how well it is currently being performed, and ultimately to improve it. This process-based approach to improving performance is very

familiar (and is described in various forms in the rest of this Handbook) and is an obvious candidate for improving knowledge work activities.

But knowledge work and knowledge workers have not often been subject to this sort of analysis. In some cases, they have actively avoided it, and in others, it escaped application to them by happenstance. Knowledge workers often have the power to resist being told what to do, and process analysis is usually a sophisticated approach to having someone else tell you how to do your job. It is not easy to view knowledge work in terms of processes, because much of it involves thinking, and it is often collaborative and iterative, which makes it difficult to structure.

When I had interviewed knowledge workers about their jobs, they had often said that they did not think that their workdays were consistent and repeatable enough to be viewed as processes. This does not mean, of course, that a process perspective could not be applied, or that there could not be more structure to knowledge work jobs – only that there has not been thus far.

Given the historical antipathy of knowledge workers to formalized processes, it is an obvious question to ask how a process orientation is in their interest. Many knowledge workers will view a formal process approach as a bureaucratic, procedural annoyance. A much more appealing possibility is that a process orientation is beneficial to knowledge workers – that they would benefit from the discipline and structure that a process brings, while remaining free to be creative and improvisational when necessary and desirable. In other words, a process can be viewed as art rather than science (Hall and Johnson 2009). Whether this is true, of course, varies by the process involved, by the way a process is implemented and managed, and by the particular individuals involved.

There is some case for optimism in this regard, however. Several researchers studied the issue of what happens to one type of knowledge workers – software developers – as a process orientation increases (Adler et al. 2003). In that particular process domain, there is a widely used measure of process orientation, the Software Engineering Institute’s Capability Maturity Model (CMM), which allows analysis of different levels of process maturity. The researchers looked at two groups within a company that were at CMM Level 5, the highest level of process maturity, and two other groups in the same firm at Level 3.

They found that, for the most part, software developers experienced the increased process orientation as positive. He noted, for example, that

“...the more routine tasks in software development were rendered more efficient by standardization and formalization, leaving the non-routine tasks relatively unstructured to allow more creativity in their performance.”

“...process maturity was experienced by many developers as enabling and empowering rather than coercive and alienating.”

“The key to ensuring a positive response to process discipline was extensive participation...” “People support what they help create.”

This is good news for anyone interested in taking a process perspective on knowledge work. Of course, the findings do not necessarily generalize to all knowledge work, and much more research is needed. But it is a signal that a process

orientation can make knowledge work more productive as well as “enabling and empowering” if managed correctly, i.e., with extensive participation.

There will probably also be cases in which knowledge workers will actively resist or ignore a process orientation. In these cases, imposing it becomes a power struggle. The outcome of such struggles will vary across situations, but adopting more effective and productive processes in many industries may sometimes conflict with knowledge worker autonomy. As one expert in the health care industry, for example, puts it, “Less discretion for doctors would improve public safety.” (Swidey 2004). Other industries are likely to face similar tradeoffs.

3 Processes and Knowledge Work Segments

Of course, all knowledge workers are not alike, and there are some key differences in process orientations among different types of knowledge work and workers. In the matrix shown in Fig. 1, there are four key types of knowledge work based on the degree of expertise and the level of coordination in the work. “Transaction” work is generally more easily structured in process terms than any other, because the work is normally repeatable, and because the people who do the work have less discretion to do it the way they like. At the opposite extreme are “Collaboration” workers, who present a challenge for process-oriented managers. These workers typically have a more iterative, collaborative approach to work for which patterns are more difficult to discern. They may deny that their work has any structure at all – “every day is different,” they have often said to me. And if a process analyst should figure out a process to recommend to these workers, they have the power and the independence to be able to successfully resist it.




Fig. 1 Four approaches to knowledge work

“Integration” and “Expert” workers are somewhere in the middle in this process-orientation continuum. Integration work is often fairly structured, although higher levels of collaboration often lead to more process complexity. Integration-oriented workers are relatively likely to adopt process interventions. Expert work can be made more process-oriented, but experts themselves often resist an imposed process. Typically, one has to give them the ability to override or step out of the process, and they are often wary of “cookbook” approaches to their work.

Of course, it is not a binary question whether a process orientation is relevant to a particular type of knowledge work. For each of these types, there are rules of thumb about how best to move in a more process-oriented direction:

Transaction workers. These workers need to understand the flow of their work and the knowledge needed to perform it, but they rarely have time to consult external guidelines or knowledge sources. Fortunately, it is often relatively easy to embed a process flow into some form of computer-based application. These typically involve structured workflows or scripts. Such systems usually bring the work – and all information and knowledge required to perform it – to the worker, and they measure the process and worker productivity at the same time.

Integration workers. With this type of work, it is possible to articulate the process to be followed in documents, and workers typically have enough time and discretion to consult the documents. There is nothing new about describing a process, but the practice continues across many industries. Medical technicians, for example, often follow health care protocols in administering tests and treatments. Salespeople at the electronics retailer Best Buy follow a series of “standard operating procedures” for working with customers and making a sale. Even the US Army describes in detail its “doctrine” for how work is done – and with new technologies and war fighting methods, that work is increasingly knowledge-oriented.

Expert workers. These workers have high autonomy and discretion in their work, but there are some examples of organizations, such as several leading health care providers, which have applied technology to key aspects of the process (in their cases, ordering medications, tests, referrals, and other medical actions) (Davenport and Glaser 2002). But unless there is a way to embed a computer into the middle of the work process, experts will be a challenge from the standpoint of structuring work. Instead of specifying detailed aspects of the workflow, those who attempt to improve expert knowledge work should provide templates, sample outputs, and high-level guidelines. It is unlikely that expert workers will pay much attention to detailed process flows anyway.

Collaboration workers. As I have noted, this is the most difficult category to address in traditional process terms. The cautions above for experts also apply to collaborators – a gentle process touch is desirable. Rather than issuing process flow charts, specifying and measuring outputs, instilling a customer orientation, and fostering a sense of urgency are likely intervention approaches. If external knowledge and information are necessary to do the job, they must generally be made available through repositories and documents – it is very unusual for work in this category to be fully mediated and structured by a computer. Of course, this means that it is relatively less likely that the knowledge and information will be used.

4 Knowledge Creation, Distribution, and Application

But the four types of knowledge work I have discussed above are not the only way to segment it in terms of processes. Perhaps a more obvious segmentation approach is to think about processes in terms of the knowledge activity involved. That is, the process orientation differs by whether workers create knowledge, distribute it, or apply it.² This simple three-step model – a process in itself – is a useful way to think about how different knowledge activities require different process interventions.

4.1 Creation

The bugaboo of process management is knowledge *creation*. This is widely viewed as a creative, idiosyncratic, “black box” activity that is difficult to manage as a process but not impossible. Perhaps there are circumstances in which knowledge creation is totally unstructured, unmeasured, and unrepeatable – but in most situations, progress can still be made in this direction.

One common approach to knowledge creation processes is simply to decompose them into several pieces or stages. Many companies in the 1980s and 1990s, for example, divided their new product development processes into a series of stages or phases. The objective was to allow evaluation of the new knowledge created at the transition from one stage to another – stage gates. A new drug compound, a new car design, or a new toy model would move through a stage gate if it met the criteria for moving ahead – typically a combination of technical and market feasibility factors. If this approach is employed in a disciplined fashion, it has the virtue of freeing up resources from unproductive projects without imposing too heavy a process burden on new product developers. However, this approach does not really address the activities within the stages, or treat the new product development activity as an end-to-end process (Holmes and Campbell 2003).

Another challenge to the use of process thinking in new product development is that the early stages of the process are often called the “fuzzy front end.” At this stage it is not clear what the customer requirements are, what the new product should do, or how it will work. There are things that can be done to make the fuzzy front end somewhat less fuzzy (Quality Function Deployment, for example, is a method for clearly articulating customer requirements; Conjoint Analysis is a statistical technique used to calculate the relative value of different product attributes to customers). However, no amount of technique or process management is going to make the fuzzy front end as clear and well-structured as the final stages of new product development, e.g., manufacturing or market testing. A process orientation may be less relevant to the beginning of the process than to the end based on the inherent degree of structure in each stage.

²I first employed this distinction in an article with Sirikka Jarvenpaa and Michael Beers, “Improving Knowledge Work Processes” (Davenport et al. 1996).

Other knowledge creation processes have been the subject of alternative approaches, but still with a relatively low degree of process orientation. Scientific research, for example, is the prototypical example of an unstructured knowledge creation process. While there are valid aspects of scientific research that are difficult to structure, there are plenty of approaches and tactics for bringing more process discipline to research. One is simply to measure outputs – number of patents or compounds or published papers per researcher per year, for example. Another is to assess quality – the number of citations a researcher receives per year, for example, is a widely used measure of scientific influence. A third approach is to involve customers of the research (either internal or external to the organization) in the creation process so that their influence is more directly felt. A number of corporate research laboratories – including IBM’s Watson Labs and GE’s Corporate Research organization – have adopted this approach over the past several years as they attempt to become more productive and profitable. If an organization is creative – and does not automatically resort to process flowcharts – there are a number of ways to make knowledge creation processes more effective and efficient.

Another knowledge creation process is oil exploration. Geologists and geological engineers create seismological knowledge of a targeted drilling area and try to progressively lower the risk of a dry hole with more knowledge over time. At Amerada Hess, a medium-sized oil firm with many exploration projects scattered around the globe, an attempt was made to document the process of oil exploration – the “Exploration Decision-Making Process.” This was a cultural stretch for Hess, in that exploration had historically been a highly unstructured and iterative activity, and the people who did it enjoyed a free-thinking, “maverick” culture. Certainly, there were benefits from the exercise; depicting the Exploration Decision-Making Process in a visual format greatly enhanced the ability of participants to understand their roles, responsibilities, and interactions throughout the process. But the creation of a document was perhaps of greater value than the process map, which had strong support from some exploration managers and less from others. A “Prospect Evaluation Sheet” reviewed the story and history of how the lead progressed to its current prospect level. This documentation served to encourage open discussions among peers of alternative interpretations and enabled them to make sense of ambiguities. Even more important was the insistence that peer reviews and peer assists (carried out by peers within other parts of the Hess organization) take place prior to prospects qualifying to pass through decision gates. The Prospect Evaluation Sheet was just a way of recording how the prospect field was maturing through the process.

In general, it seems that workers engaged in knowledge creation should be given some structure, but not too much. IDEO, the highly successful new product design firm, for example, provides its employees with a structured brainstorming process, but few other processes have much if any structure or formality. Corning’s R&D lab, like many scientific research organizations, employs a “stage gate” model of the innovation process, but there is substantial freedom within stages. Alessi, the Italian design studio, allows considerable creativity and intuition from designers in the early stages, and imposes more structure and evaluation on designs later in the

process. More structure than these organizations provide would begin to seem heavy-handed, and indeed some organizations have had difficulty in applying process-oriented disciplines such as Six Sigma to innovation (Hindo 2007; Conger 2014). Some observers feel that Six Sigma enforces too much structure and process-based discipline for traditionally creative activities such as innovation.

4.2 *Distribution*

As for knowledge *distribution* – sharing or transfer are other words for this activity – it is also difficult to structure. Some professions, such as customer service, journalism, and library workers, are only about distribution. For most knowledge workers, however, this is a part of the job, but not all of it. The lawyer or consultant is primarily responsible for generating solutions for clients, but also for sharing that solution with colleagues, and for searching out whether existing knowledge is already available that would help the client. This sharing is difficult to enforce, since we do not know what any person knows, or how diligently they have searched for available knowledge. Yet, there is a substantial body of research suggesting that knowledge worker groups that share knowledge perform better than those that do not.³

The most viable approach to managing knowledge distribution or sharing is not to manage the process itself, but rather the external circumstances in which knowledge distribution is undertaken. This typically involves changing where and with whom people work. Chrysler, for example, formed “platform teams” to improve the circulation of new car development knowledge across all the functions involved in building a car. Managers specified a process for the platform teams to follow, but they got much more knowledge sharing from the fact that platform teams were put together in the same sections of the Auburn Hills, MI Technical Center than from a process that instructed them to share at various points.

4.3 *Application*

Then there is the application of knowledge, which is filtered through the human brain and applied to job tasks. Examples of this type of work include sales, computer programming, accounting, medicine, engineering, and most professions. All of these jobs involve a degree of knowledge creation, but that is not the primary objective. In such cases, we generally want these knowledge workers not to invent new knowledge but to apply existing knowledge to familiar or unfamiliar situations. We do not want computer programmers to create new programming languages, but rather use existing ones to program applications. At best we want “small ideas” from these individuals – not reinvention of their jobs and companies.

³For an example of the relationship between knowledge sharing and performance, see Cummings (2004).

How do we make knowledge application better? In many cases, the goal is to reuse knowledge more effectively. We can greatly improve performance by having a lawyer reuse knowledge created in another case, or having a programmer employ a subroutine that someone else created.

Knowledge asset reuse is a frequently stated objective for organizations, but it is hard to achieve. Many organizational and professional cultures reward – sometimes unconsciously – knowledge creation over knowledge reuse. Furthermore, effective knowledge asset reuse requires investment in making knowledge reusable: documentation, libraries, catalogs, modular structures for knowledge objects. Many organizations and managers just do not take a sufficiently long view of reuse processes to make those investments.

When some colleagues and I researched knowledge asset reuse processes across several types of organizations (Davenport et al. 2003), there were several factors explaining whether organizations were successful with reuse. Leadership was one of the factors – having an executive in charge who understood the value of reuse and was willing to manage so as to make reuse a reality. Another factor was asset visibility, or the ability to easily find and employ the knowledge asset when there was a desire to do so. The third and final factor was asset control, or the activities designed to ensure that the quality of knowledge assets was maintained over time. Therefore, if you are interested in knowledge reuse as a means of improving knowledge use processes, you should try to put these three factors in place.

There are other factors that can be employed to improve use. Computers, of course, can oversee the process of reuse. At General Motors, for example, the Vehicle Engineering Centers want new car designers to reuse knowledge and engineering designs when possible, rather than create new ones. So they ensure that the desirable dimensions of new vehicles, and the parameters of existing component designs, are programmed into the computer-aided design systems that the engineers use, and it becomes difficult not to use them. One GM executive told me that you cannot force the engineers to reuse designs and components – you just have to make it much easier for them to do that than to create new ones.

Today, in most organizations, reuse is only addressed at the institutional level if at all. But it stands to reason that the most effective knowledge workers reuse their own knowledge all the time. A productive lawyer, for example, would index and rapidly find all the opinions and briefs he has ever written and reuse them all the time for new clients. But while we know this is true, organizations have yet to help knowledge workers do this sort of reuse. If they were smart, they would make it easier – and provide taxonomies, training, role models, and encouragement.

5 Process Versus Practice in Knowledge Work

In addition to taking a process perspective on knowledge work, it is important to remember that there is also a *practice* side to this type of work, which has to be balanced with the process perspective. This balance, first defined by Brown and

Duguid (1991), is an important consideration for anyone attempting to address knowledge work.⁴

Every effort to change how work is done needs a dose of both *process* – the design for how work is to be done – and *practice*, an understanding of how individual workers respond to the real world of work and accomplish their assigned tasks. Process work is a designing, modeling, and engineering activity, sometimes created by teams of analysts or consultants who do not actually do the work in question and often have only a dim understanding of how it is being done today. A process design is fundamentally an abstraction of how work should be done in the future. Process analysts may superficially address the “as is” process, but generally only as a quick preamble to the “to be” environment.

Practice analysis is a well-informed description of how work is done today by those who actually do it. Some analyses of work practice are done by anthropologists (ethnographers), who observe workers carefully over months, either through participant observation or through video. To really understand work practice, it requires detailed observation and a philosophical acceptance that there are usually good reasons for why work gets done by workers in a particular way. Just the acceptance of the practice idea suggests a respect for workers and their work, and an acknowledgement that they know what they are doing much of the time.

A pure focus on process in knowledge work means that a new design is unlikely to be implemented successfully; it probably would not be realistic. On the other hand, a pure focus on practice is not very helpful either – it leads to a detailed description of today’s work activities, but it may not improve them much. Some anthropologists go just as far in the practice direction as some consultants go in the process direction. They argue that you have to observe work for a year or so in order to have any chance of understanding it at all, which is clearly unrealistic in a business context.

It is certainly true that some processes can be designed by others and implemented successfully – because they are relatively straightforward to begin with or because it is easy to use people or systems to structure and monitor their performance. Other jobs – particularly those involving knowledge and experts – are very difficult for outsiders to understand and design, and require a high proportion of practice orientation.

What does it mean to combine a process and practice orientation? Here are some obvious implications:

- Involve the knowledge workers in the design of the new process. Ask them what they would like to see changed and what is stopping them from being more effective and efficient.
- Watch them do their work (not for a year, but a few weeks is not unreasonable). Talk to them about why they do the things they do. Do not automatically assume that you know a better way.

⁴Brown and Duguid have elaborated on the process–practice distinction in their book “The Social Life of Information” (Brown and Duguid 2000, p. 91–116).

- Enlist analysts who have actually done the work in question before. If you are trying to improve health care processes, for example, use doctors and nurses to design the new process.
- Take your time. Devote as much attention to the “as is” as the “to be.” Knowledge work is invisible, and it takes a while to understand the flow, rationale, and variations for the work process.
- Exercise some deference. Treat experienced workers as real experts (they probably are!). Get them on your side with credible assurances that your goal is to make their lives better.
- Use the Golden Rule of Process Management. Ask yourself, “Would I want to have my job analyzed and redesigned in the fashion that I’m doing it to others?”

6 Types of Process Interventions

There are many different types of process-oriented interventions that we can make with knowledge work. Some, such as process improvement, measurement, and outsourcing, have long been used with other types of business processes. Others, such as agile methods and positive deviance, are only present in particular knowledge work domains, but could be generalized.

6.1 *Process Improvement Approaches for Knowledge Work*

There are many ways to improve processes. Which work best with knowledge work? Process improvement can be radical or incremental, participative or top-down, one-time or continuous, focused on large, cross-functional processes or small ones at the work group level, and oriented to process flows or other attributes of processes. There is no single right answer to the question of which variant makes sense – it obviously depends on the organization’s strategy, the degree of improvement necessary, and the type of work.

However, as I have noted, with knowledge work it is a good idea to make the improvement process as participative as possible. Knowledge workers are much more likely to agree with and adopt any process changes if they have been a party to designing them. This begins to restrict the change options somewhat. It is very difficult to have thousands of people participate in a highly participative change approach, so that largely dictates a focus on small processes. Participative change also typically yields more incremental change results, in that it is somewhat difficult for large numbers of people who are highly conversant with a process to develop a radical new approach to performing it. Participative, incremental change processes are often also continuous in their orientation, as opposed to one-time. It does not make sense to make one-time incremental changes if the organization is not going to follow them up with more improvements over time.

Based on this logic, the most desirable forms of process improvement for knowledge work are participative, incremental, and continuous. An example of this type of

approach would be Six Sigma, which has been adapted and adopted for knowledge work by a variety of firms (although, as I noted above, some firms have found it burdensome for innovation-oriented processes). General Electric, for example, has employed the approach extensively within its Global Research organization. It applies Six Sigma in research and design processes using its “Design for Six Sigma” (DFSS) methodology, which is about understanding the effects of variation on product performance before it is manufactured. Many of its researchers and engineers have Six Sigma green or black belts, and are experts in the application of statistical analysis to research and engineering processes. GE is perhaps the most advanced of all organizations in applying process management techniques to research. Even at GE, however, managers I have recently interviewed have suggested that the influence of Six Sigma over innovation-oriented processes is waning.⁵

The other key aspect of selecting a process-oriented intervention is the particular attribute of process management an organization addresses. As I have mentioned, it is all too common for organizations to interpret “process” as “flow diagram.” It specifies “first you do this, and then you do this. . .” Such an engineering orientation to processes breaks down work into a series of sequential steps, and it is the aspect of process management that knowledge workers like least. Similar forms of this orientation are found when organizations attempt to create detailed methodologies for knowledge work, such as a system development methodology. It may be necessary in some cases to engineer the process flow, but it should not be the centerpiece of a knowledge work improvement initiative.

A simpler form of a highly detailed process flow is a straightforward checklist of what activities a knowledge worker needs to perform. This may seem obvious and simplistic, but there are some industries in which knowledge workers are benefiting from it. Medical workers such as doctors and nurses, for example, are increasingly using checklists to ensure that all major steps in a surgical operation are performed. One study found that a 19-item surgery checklist improved communication between surgical team members and reduced death rates by almost half (Haynes et al. 2009).

6.2 *Agile Methods*

Another alternative to highly engineered processes might be called “agile” methods. They are less focused on the specific steps to be followed in a process, and more oriented to the managerial and cultural context surrounding the process. Instead of detailed process flows, for example, agile methods might emphasize the size and composition of process teams, a highly iterative workflow, and a culture of urgency. This is the case, for example, in the agile method known as “extreme programming.”

⁵For more on the relationship between Six Sigma and process management in general, see Conger (2014).

Martin Fowler, an expert on agile methods, describes the contrast between engineered methodologies and agile approaches in common-sense language on his web site:

- *Agile methods are adaptive rather than predictive.* Engineering methods tend to try to plan out a large part of the software process in great detail for a long span of time, this works well until things change. So their nature is to resist change. The agile methods, however, welcome change. They try to be processes that adapt and thrive on change, even to the point of changing themselves.
- *Agile methods are people-oriented rather than process-oriented.* The goal of engineering methods is to define a process that will work well whoever happens to be using it. Agile methods assert that no process will ever make up for the skill of the development team, so the role of a process is to support the development team in their work (Fowler 2005).⁶

As of now, agile methods are only established within software development, but over time they may migrate to other knowledge work processes.

It is not hard to imagine that before long we will see, for example, “extreme product development” or “extreme marketing.”

6.3 Measurement

A key component of process management has always been to measure the performance of workers. In the industrial age, this was a relatively easy task; an individual worker’s performance could be assessed through outputs – work actually produced – or visible inputs, including hours worked or apparent effort expended. Output measures over input measures, of course, are typically described as “productivity.” The appeal of measuring productivity for knowledge workers is that it is a universal measure. Productivity-oriented approaches convert the value of outputs to currency. It is very appealing to look across an entire corporation or even a country and argue that we have increased productivity by an exact percentage – and economists often do so.

In the world of knowledge work, evaluating productivity and performance is much more difficult. How can a manager determine whether enough of a knowledge worker’s brain cells are being devoted to a task? What is the formula for assessing the creativity and innovation of an idea? Given the difficulty of such evaluations, managers of knowledge workers have traditionally fallen back on measuring visible inputs, e.g., hours worked. Hence the long hours put in by attorneys, investment bankers, and consultants. However, the increasing movement of knowledge work out of the office and into homes, airplanes, and client sites makes it difficult to use hours worked as a measure, and that criterion never had much to do with the quality of knowledge produced.

⁶The use of Business Process Management approaches in collaborative work settings is explored in Kemsley (2014).

Quality is perhaps the greatest problem in measuring knowledge work. Why is one research paper, one advertising slogan, or one new chemical compound better than another? If you cannot easily measure the quality of knowledge work, it makes it difficult to determine who does it well, and to what degree interventions have improved it. Many organizations tend to fall back on measuring the volume of knowledge outputs produced – lines of programming code, for example – simply because it is possible to measure them. But without some measure of quality, the improvement of knowledge work is unlikely to succeed.

It is possible to measure the quality of knowledge work, albeit with a subjective method. It involves determining who is a relevant peer group for the particular work involved, and asking them what they think of it. This technique has often been used, for example, in evaluating professors for promotion and tenure. A jury of peers – usually from within and outside the professor's school – is consulted, and the quality of their published work assessed. Similarly, student evaluations are used to assess the quality of teaching. Any problems with lack of objectivity are remedied in the volume and diversity of responses. In the same fashion, a few organizations ask for multiple peer evaluations in annual performance reviews and promotion decisions. Some knowledge management applications ask each user of the system to rate the quality of the knowledge found. Thus, there are means of assessing quality, although the peer group and the assessment approach will vary by the context.

There does not seem to be, however, a universal measure for the quality or quantity of knowledge work outputs. What matters is high-quality outputs per unit of time and cost, and the specific outputs vary widely across knowledge worker types. A computer programmer produces lines of code; a physician produces well people; a scientist produces discoveries and research. The only way we can determine whether a particular intervention improves knowledge work performance is to assess the quantity and quality of the outputs produced by those workers. Universal measures are pretty much useless for this purpose.

Therefore, the appropriate output (and sometimes input) measures for knowledge work will vary by the industry, process, and job. In improving knowledge worker performance, it is important to determine what measures make sense for the particular type of work being addressed. Organizations need to begin to employ a broad array of inputs and outputs, some of which are internal to the knowledge worker's mind. One input might involve the information and knowledge that a knowledge worker consulted in making a decision or taking an action (a particularly important criterion for managers). ABB, the global electrical and engineering firm, uses this factor as one of many in assessing managerial performance. Another input could be the process that a knowledge worker follows in producing knowledge work. The self-reported allocation of the knowledge worker's time and attention is a third possible input.⁷

⁷For an example of how to assess self-reported attention allocation, see Davenport and Beck (2002).

Outputs could include the volume of knowledge produced, the quality of the decisions or actions taken on the basis of knowledge, and the impact of the knowledge produced (as judged by others). In the consulting industry, some consultants are already evaluated in part on the knowledge they bring to the firm and the impact it has on clients – in addition to the usual measures of chargeability and consulting projects sold.

Some knowledge work processes already employ well-defined measures. IT is certainly one of the more measured knowledge work domains. IT measurement is relatively advanced in both programming and in IT processes and capabilities. In programming, some organizations have measured for decades the production of either lines of code or function points, and various researchers have analyzed the considerable variance in productivity. These measures are not perfect, but they have allowed IT organizations to begin to understand differences across groups and individuals – something that lawyers, doctors, and managers cannot measure nearly as well.

The other primary domain of measurement is the assessment of IT processes, particularly software engineering (but also software acquisition, people management, and the development of software-intensive products). Thanks to the Software Engineering Institute and researcher Watts Humphrey, we have an international standard for the quality of software engineering: the Capability Maturity Models (Software Engineering Institute 1995). Thousands of organizations have been assessed along these five-level models. The Software Engineering Institute has developed a more general approach to assessing capability maturity (called CMMI – Capability Maturity Model Integration), but thus far it has largely been applied to software-related processes only (Crissis et al. 2003). Unfortunately, there is no similar global standard for other forms of knowledge work, other than perhaps the ISO 9000 family of standards for manufacturing quality.

6.4 *Positive Deviance*

Once measures have been developed for knowledge work, there are other approaches that can take advantage of them. One is called positive deviance, defined by Wikipedia as:

Positive Deviance (PD) is an approach to personal, organizational and cultural change based on the idea that every community or group of people performing a similar function has certain individuals (the “Positive Deviants”) whose special attitudes, practices/strategies/behaviors enable them to function more effectively than others with the exact same resources and conditions. Because Positive Deviants derive their extraordinary capabilities from the identical environmental conditions as those around them, but are not constrained by conventional wisdoms, Positive Deviants standards for attitudes, thinking and behavior are readily accepted as the foundation for profound organizational and cultural change (Wikipedia 2009).

Positive deviance-based approaches have been employed in health care (for example, to reduce infection from antibiotic-resistant bacteria) and international development. To use it for knowledge work improvement, different knowledge

workers within an organization would be measured on key metrics. Those individuals or groups that score relatively well are publicized, and their approaches investigated. They would become examples for less successful knowledge workers. Because humans are often competitive and want to improve, they often adopt the approaches used by their most successful peers.

6.5 Knowledge Management-Based Interventions

Since knowledge workers employ knowledge as a primary aspect of their jobs, it is natural that organizations would try to improve the work with knowledge management, or systematic attempts to improve the distribution and utilization of knowledge. However, most implementations of knowledge management within organizations do not employ a process-based approach. Instead, they typically involve adding knowledge management activities on top of existing work activity.

In a few cases, however, organizations have attempted to use knowledge management approaches to make knowledge available at the time of need in the context of the work process. This is similar to the idea of “performance support,” which specified that learning would be delivered in real time as task performance required it (Gery 1991). One successful example of applying knowledge to the work process is at healthcare provider Partners HealthCare, where knowledge of appropriate therapies is made available to physicians as they input online orders for patients (Davenport and Glaser 2002). The system and the process have led to many benefits, including a 55% reduction in adverse drug events.

In such situations knowledge management can be a very effective way to improve knowledge work processes, but it is more difficult to implement than “traditional” knowledge management. It requires focusing on and supporting a particular work process, as opposed to an entire organization. It also may require considerable customization and integration of information technology tools. This is presumably the reason why more organizations do not implement knowledge management in a process context.

6.6 Outsourcing Knowledge Work

Outsourcing of business processes began for most organizations with structured, repetitive activities with high labor content, such as routine IT development, a call center, or an accounting back office. But today, many more intellectual and less structured activities are being outsourced. Back-office work is being supplanted by “knowledge process outsourcing” (KPO) of various types.

This transition began quietly more than a decade ago at GE’s captive offshore center in India. GE Capital set up the center to do back-office work. But managers began to notice that they could get help with decision algorithms from their Indian employees. Soon the Indian operation was the primary provider of analytical tools

for credit and risk analysis. When GE spun out its captive offshore group in 2005, the resulting company, Genpact, began to take on KPO work for other clients in addition to GE. And GE eventually established a captive (offshore but not outsourced) R&D center in India that takes on the thorniest problems it encounters in its global operations.

Today, several offshore firms in addition to Genpact specialize in various forms of decision analysis. Organizations such as E-Valueserve, Mu Sigma, and MarketRX (now owned by Cognizant) are helping some of the largest US-based firms with their knowledge-based processes. They are helping a major retailer, for example, determine where to build their next stores. They are helping a major pharmaceutical firm decide which salespeople are most effective, and which drugs are passing their clinical trials. They are helping a major insurance company decide what price to charge different customers for automobile insurance. They are helping a major office products firm decide which promotions and products to offer to which customers. They are taking on a wide variety of product development activities for IT and other firms. Even larger offshore outsourcers that previously specialized in IT – such as Wipro, Infosys, and Satyam – have decided that KPO is a future growth area. With their scale and marketing budgets, as well as their orientation to process improvement, we will undoubtedly see substantial offshore KPO in the future.

Companies working with offshore decision outsourcers report great success in improving their decision processes and results, but they warn that the structure of the projects is critical. The result of a decision analysis is not useful unless it is implemented, and offshore analysts cannot easily influence executives to adopt the results. Therefore, the clients say, it is important to have at least one of their own employees on the analysis team. It is that person's job to ensure that the analysis is consistent with the decisions the organization wants to make, and to communicate the results to responsible executives. They also report that it is valuable to have at least one representative of the offshore firm working onshore at the client site. That person typically has responsibility for communicating and coordinating between the offshore team and the client.

With the shortage of knowledge workers in the US and Western Europe, and the ready supply of them in India, Eastern Europe, and China, it is perhaps not surprising that organizations are now outsourcing not only hands, but also brains. Outsourcing knowledge work can be just as effective an intervention as improving a process internally, for example.

7 Summary

This chapter has addressed process-oriented approaches to improving knowledge work. The different process techniques include:

- Segmentation of knowledge work into its more and less structured components;
- Differentiation by types of knowledge workers by level of integration and expertise, with different process-oriented interventions for each type;

- Different process interventions for knowledge creation, distribution, and application;
- Distinction between a process orientation and a practice orientation;
- The application of participative, incremental, and continuous process management approaches;
- The use of “agile” process methods;
- Process measurement as a tool for improvement;
- “Positive deviance” approaches to improvement;
- Knowledge management applied in a process context;
- Outsourcing of knowledge work processes.

The breadth of potential approaches to knowledge work improvement confirms that taking a traditional, engineering-oriented process approach is not the only or even the best way to improve a knowledge worker’s performance. Any engineering perspective on processes has to be balanced against the day-to-day practice of knowledge workers, and the “softer” means of intervening into knowledge work.

In an ideal situation, knowledge work processes can create a climate in which innovation and discipline coexist. Knowledge workers are often passionate about their ideas, and would not abandon them easily. Yet, it is sometimes necessary to kill some knowledge work initiatives in order to free up resources for new ones. Managers in pharmaceutical firms, for example, have noted that a key aspect of a strong drug development program is the ability to cancel projects that do not meet success criteria. But cancellation should be the result of a process, not a matter of an individual’s taste.

Kao Corporation, Japan’s largest consumer products firm, is an example of an organization with both a strong orientation to knowledge and learning, and a sense of process-oriented discipline when necessary. Kao’s CEO describes the company as an “educational institution,” and it was one of the earliest adopters of knowledge management in Japan. Kao’s researchers have a high degree of autonomy in the research they pursue, at least for Japanese firms. But Kao also has discipline. It has well-structured continuous process improvement programs, even in the R&D function. It also kills undesirable products and projects when necessary. The company had entered the floppy disk business and had become the world’s second largest producer, but by the late 1990s it became clear that the business was fully commoditized. Most large Japanese firms are slow to restructure, but Kao first closed down half and then all of the business. 1998 was the first year in seventeen that Kao had not grown profits, but it was already back on the profit growth track by 1999 – and it is continued on that track since then.

Organizations like Kao take a process approach to knowledge work because it is one of the most successful and time-honored approaches to business improvement – dating back at least as far as Frederick Taylor at the dawn of the twentieth century. But a process orientation would not be successful without modifications and supplementary approaches that equip it for the unique attributes of knowledge work and workers.

References

- Adler PS, McGarry FE, Talbot WB, Binney DJ (2003) Enabling process discipline: lessons from Computer Sciences Corporation on Capability Maturity Model Level 5, working paper, University of Southern California, May 26, 2003
- Brown JS, Duguid P (1991) Organizational learning and communities-of-practice: toward a unified view of working, learning, and innovation. *Organisation Science* 2:40–57
- Brown JS, Duguid P (2000) The social life of information. Harvard Business School Press, Boston
- Conger S (2014) Six sigma and business process management. In: vom Brocke J, Rosemann M (eds) *Handbook on business management*, vol 1, 2nd edn. Springer, Heidelberg, pp 127–146
- Crisiss MB, Conrad M, Shrum S (2003) CMMI: guidelines for process integration and product improvement. Reading, MA, USA
- Cummings JN (2004) Work groups, structural diversity, and knowledge sharing in a global organization. *Manage Sci* 50(3):352–364
- Davenport TH (2005) *Thinking for a living: how to get better performance and results from knowledge workers*. Harvard Business School Publishing, Boston
- Davenport TH, Beck JC (2002) *The attention economy*. Harvard Business School Press, Boston
- Davenport TH, Glaser J (2002) Just in time delivery comes to knowledge management. *Harvard Business Review* 80:107–111
- Davenport TH, Iyer B (2009) Should you outsource your brain? *Harv Bus Rev*, Feb 2009
- Davenport TH, Jarvenpaa SL, Beers MC (1996) Improving knowledge work processes. In: *Sloan Management Review*, pp 53–65
- Davenport TH, Thomas RI, Desouza KC (2003) Reusing intellectual assets. *Industrial Management*, 45(3):12–18
- Drucker PF (1968) *The age of discontinuity*. Harper & Row, New York
- Fowler M (2005) The new methodology. <http://www.martinfowler.com/articles/newMethodology.html#N400058>
- Gery G (1991) *Electronic performance support systems*. Ziff Institute, Cambridge, MA
- Hall JM, Johnson ME (2009) When should a process be art, not science? *Harv Bus Rev*, March 2009
- Haynes AB, Weiser TG, Berry WR et al. (2009) A surgical safety checklist to reduce morbidity and mortality in a global population. *N Engl J Med* 360(5):491–499
- Hindo B (2007) At 3M, a struggle between efficiency and creativity. *Bus Week*. http://www.businessweek.com/magazine/content/07_24/b4038406.htm
- Holmes MF, Campbell Jr. RB (2003) Product Development processes: three vectors of improvement. MIT Center for Innovation in Product Development working paper. <http://hdl.handle.net/1721.1/3819>
- Kemsley S (2014) Business process management and the social enterprise. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 1, 2nd edn. Springer, Heidelberg, pp 463–474
- Quinn JB (1992) *Intelligent enterprise: a knowledge and service-based paradigm for industry*. Free Press, New York
- Software Engineering Institute (1995) *The capability maturity model: guidelines for improving the software process*. Reading, MA, USA
- Swidey (2004) *The Revolutionary*, *The Boston Globe*, http://www.boston.com/news/globe/reprints/010404_the_revolutionary/, Mai 1, 2010
- Wikipedia (2009) Positive deviance. http://en.wikipedia.org/wiki/Positive_Deviance. Accessed 22 Feb 2009

The Scope and Evolution of Business Process Management

Paul Harmon

Abstract Business Process Management describes a broad movement toward improving how business people think about and manage their businesses. There are many different approaches to business process change and this article explores the three most important approaches. The oldest tradition is work simplification and quality control which is currently represented by Six Sigma and Lean. A second tradition is a management tradition driven by teachers and consultants like Porter, Rummler and Hammer. The third tradition is driven by Information Technologists and focuses on process automation of all kinds. Each tradition has its heroes and its own vocabulary and each emphasizes some practices over others. There is a growing emphasis on combining the various traditions in a comprehensive approach.

1 Introduction

Business Process Management or BPM, broadly speaking, is part of a tradition that is now several decades old that aims at improving the way business people think about and manage their businesses. Its particular manifestations, whether they are termed “work simplification,” “six sigma,” “business process reengineering,” or “business process management,” may come and go, but the underlying impulse, to shift the way managers and employees think about the organization of business, will continue to grow and prosper.

This paper will provide a very broad survey of the business process movement. Anyone who tries to promote business process change in an actual organization will soon realize that there are many different business process traditions and that individuals from the different traditions propose different approaches to business process change. If we are to move beyond a narrow focus

P. Harmon (✉)
Business Process Trends, San Francisco, CA, USA
e-mail: pharmon@bptrends.com

on one tradition or technology, we need a comprehensive understanding of where we have been and where we are today, and we need a vision of how we might move forward.

We will begin with a brief overview of the past and of the three business process traditions that have created the context for today's interest in BPM. Then we will turn to a brief survey of some of the major concerns that process practitioners are focused on today and that will probably impact most corporate BPM efforts in the near future.

2 The Three Business Process Traditions

The place to begin is with an overview of the world of business process change technologies and methodologies. In essence, there are three major process traditions: the management tradition, the quality control tradition, and the IT tradition. Too often individuals who come from one tradition are inclined to ignore or depreciate the other approaches, feeling that their approach is sufficient or superior. Today, however, the tendency is for three traditions to merging into a more comprehensive BPM tradition.

One could easily argue that each of the three traditions has roots that go right back to ancient times. Managers have always tried to make workers more productive, there have always been efforts to simplify processes and to control the quality of outputs, and, if IT is regarded as an instance of technology, then people have been trying to use technologies of one kind or another ever since the first human picked up a stick to use as a spear or a lever. All three traditions got a huge boost from the Industrial Revolution which started to change manufacturing at the end of the eighteenth century. Our concern here, however, is not with the ancient roots of these traditions but the recent developments in each field and the fact that practitioners in one field often choose to ignore the efforts of those working in other traditions.

We'll begin by considering each of the traditions pictured in Fig. 1 in isolation, and then consider how companies are using and integrating the various business process change technologies today.

3 The Work Simplification\Industrial Engineering\Quality Control Tradition

In Fig. 1 we pictured the Quality Control tradition as a continuation of the Work Simplification and the Industrial Engineering traditions. The modern roots of quality control and process improvement, in the United States, at least, date from the publication, by Frederick Winslow Taylor, of *Principles of Scientific*




Fig. 1 An overview of approaches to business process change (BPTrends Associates. © 2013)

Management, in 1911 (Taylor 1911). Taylor described a set of key ideas he believed good managers should use to improve their businesses. He argued for work simplification, for time studies, for systematic experimentation to identify the best way of performing a task, and for control systems that measured and rewarded output. Taylor’s book became an international best-seller and has influenced many in the process movement. Shigeo Shingo, one of the co-developers of the Toyota Production System, describes how he first read a Japanese translation of Taylor in 1924 and the book itself in 1931 and credits it for setting the course of his work life (Shingo 1983).

One must keep in mind, of course, the Taylor wrote immediately after Henry Ford introduced his moving production line and revolutionized how managers thought about production. The first internal-combustion automobiles were produced by Karl Benz and Gottlieb Daimler in Germany in 1885. In the decades that followed, some 50 entrepreneurs in Europe and North America set up companies to build cars. In each case, the companies built cars by hand, incorporating improvements with each model. Henry Ford was one among many who tried his hand at building cars in this manner (McGraw 1997).

In 1903, however, Henry Ford started his third company, the Ford Motor Company, and tried a new approach to automobile manufacturing. First, he designed a car that would be of high quality, not too expensive, and easy to manufacture. Next he organized a moving production line. In essence, workmen began assembling a new automobile at one end of the factory building and completed the assembly as it reached the far end of the plant. Workers at each point along the production line had one specific task to do. One group moved the chassis into place, another welded on the side panels, and still another group lowered the engine into place when each car reached their station. In other words, Henry Ford conceptualized the development of an automobile as a single process and designed and sequenced each activity in the process to assure that the entire process ran smoothly and efficiently. Clearly Ford had thought deeply about the way cars were

assembled in his earlier plants and had a very clear idea of how he could improve the process.

By organizing the process as he did, Henry Ford was able to significantly reduce the price of building automobiles. As a result, he was able to sell cars for such a modest price that he made it possible for every middle-class American to own a car. At the same time, as a direct result of the increased productivity of the assembly process, Ford was able to pay his workers more than any other auto assembly workers. Within a few years, Ford's new approach had revolutionized the auto industry, and it soon led to changes in almost every other manufacturing process as well. This success had managers throughout the world scrambling to learn about Ford's innovations and set the stage for the tremendous popularity of Taylor's book which seemed to explain what lay behind Ford's achievement.

Throughout the first half of the twentieth century, engineers worked to apply Taylor's ideas, analyzing processes, measuring and applying statistical checks whenever they could. Ben Graham, in his book on *Detail Process Charting*, describes the Work Simplification movement during those years, and the annual Work Simplification conferences, sponsored by the American Society of Mechanical Engineers (ASME), that were held in Lake Placid, New York (Graham 2004). These conferences, that lasted into 1960s, were initially stimulated by a 1911 conference at on Scientific Management, held at Dartmouth College, and attended by Taylor and the various individuals who were to dominate process work in North America during the first half of the twentieth century.

The American Society for Quality (ASQ) was established in 1946 and the Work Simplification movement gradually transitioned into the Quality Control movement. The Institute of Industrial Engineers (IIE) was founded in 1948. In 1951, *Juran's Quality Control Handbook* appeared for the first time and this magisterial book has become established at the encyclopedic source of information about both the quality control and the industrial engineering movements (Juran 1951)

In the 1980s, when US auto companies began to lose significant market share to the Japanese, many began to ask what the Japanese were doing better. The popular answer was that the Japanese had embraced an emphasis on Quality Control that they learned, ironically, from Edwards Deming, a quality guru sent to Japan by the US government in the aftermath of World War II. (Deming's classic book is *Out of the Crisis*, published in 1982.) In fact, of course the story is more complex, and includes the work of native Japanese quality experts, like Shigeo Shingo and Taiichi Ohno, who were working to improve production quality well before World War II, and who joined, in the post-war period to create the *Toyota Production System*, and thereby became the fathers of Lean (Shingo 1983; Ohno 1978). (The work of Shingo and Ohno work was popularized in the US by James Womack, Daniel Jones and Daniel Roos in their book *The Machine That Changed the World: The story of Lean Production*, 1991. This book was a commissioned study of what Japanese auto manufacturing companies were doing and introduced "lean" into the process vocabulary.)

3.1 TQM, Lean and Six Sigma

In the 1970s the most popular quality control methodology was termed Total Quality Management (TQM), but in the late-1980s it began to be superseded by Six Sigma – an approach developed at Motorola (Ramias 2005; Barney and McCarty 2003). Six Sigma combined process analysis with statistical quality control techniques, and a program of organizational rewards and emerged as a popular approach to continuous process improvement. In 2001 the ASQ established a SIG for Six Sigma and began training black belts. Since then the quality movement has gradually been superseded, at least in the US, by the current focus on Lean and Six Sigma.

Many readers may associate Six Sigma and Lean with specific techniques, like DMAIC, Just-In-Time (JIT) delivery, or the Seven Types of Waste, but, in fact, they are just as well known for their emphasis on company-wide training efforts designed to make every employee responsible for process quality. One of the most popular executives in the US, Jack Welch, who was CEO of General Electric when his company embraced Six Sigma, not only mandated a company-wide Six Sigma effort, but made 40 % of every executive's bonus dependent on Six Sigma results. Welch went on to claim it was the most important thing he did while he was CEO of GE. In a similar way, Lean, in its original implementation as the Toyota Production System, is a company-wide program embraced with an almost religious zeal by the CEO and by all Toyota's managers and employees. Of all the approaches to process improvement, Lean and Six Sigma come closest, at their best, in implementing an organizational transformation that embraces process throughout the organization.

An overview of the recent history of the quality control tradition is illustrated in Fig. 2. Throughout most of the 1990s, Lean and Six Sigma were offered as independent methodologies, but starting in this decade, companies have begun to combine the two methodologies and tend, increasingly, to refer to the approach as Lean Six Sigma.

3.2 Capability Maturity Model

An interesting example of a more specialized development in the Quality Control tradition is the development of the Capability Maturity Model (CMM) at the Software Engineering Institute (SEI) at Carnegie Mellon University. In the early 1990s, the US Defense of Department (DoD) was concerned about the quality of the software applications being delivered, and the fact that, in many cases, the software applications were incomplete and way over budget. In essence, the DoD asked Watts Humphrey and SEI to develop a way of evaluating software organizations to determine which were likely to deliver what they promised on time and within




Fig. 2 The quality control tradition (BPTrends Associates. © 2013)

budget. Humphrey's and his colleagues at SEI developed a model that assumed that organizations that didn't understand their processes and that had no data about what succeeded or failed were unlikely to deliver as promised (Paulk et al. 1995). They studied software shops and defined a series of steps organizations went through as they become more sophisticated in managing the software process. In essence, the five steps or levels are:

1. **Initial** – Processes aren't defined.
2. **Repeatable** – Basic departmental processes are defined and are repeated more or less consistently.
3. **Defined** – The organization, as a whole, knows how all their processes work together and can perform them consistently.
4. **Managed** – Managers consistently capture data on their processes and use that data to keep processes on track.
5. **Optimizing** – Managers and team members continuously work to improve their processes.

Level 5, as described by CMM, is nothing less than the company-wide embrace of process quality that we see at Toyota and at GE.

Once CMM was established, SEI proceeded to gather large amounts of information on software organizations and begin to certify organizations as being level 1, 2, etc. and the DoD began to require level 3, 4 or 5 for their software contracts. The fact that several Indian software firms were able to establish themselves as CMM Level 5 organizations is often credited with the recent, widespread movement to outsource software development to Indian companies.

Since the original SEI CMM approach was defined in 1995, it has gone through many changes. At some point there were several different models, and, recently, SEI has made an effort to pull all of the different approaches back together and have called the new version CMMI – Capability Maturity Model Integrated. At the same time, SEI has generalized the model so that CMMI extends beyond software development and can be used to describe entire companies and their overall process maturity (Chrissis et al. 2007). We will consider some new developments in this approach, later, but suffice to say here that CMMI is very much in the Quality

Control tradition with its emphasis on output standards and statistical measures of quality.

If one considers all of the individuals working in companies who are focused on quality control, in all its variations like Lean and Six Sigma, they surely constitute the largest body of practitioners working for process improvement today.

4 The Management Tradition

At this point, we'll leave the Quality Control tradition, whose practitioners have mostly been engineers and quality control specialists, and turn to the management tradition. As with the quality control tradition, it would be easy to trace the Management Tradition to Ford and Taylor. And, as we have already suggested, there have always been executives who have been concerned with improving how their organizations functioned. By the mid-twentieth century however, most US managers were trained at business schools that didn't emphasize a process approach. Most business schools are organized along functional lines, and consider Marketing, Strategy, Finance, and Operations as separate disciplines. More important, operations have not enjoyed as much attention at business schools in the past few decades as disciplines like finance and marketing..

Joseph M. Juran, in an article on the United States in his *Quality Control Handbook*, argues that the US emerged from World War II with its production capacity in good condition while the rest of the world was in dire need of manufactured goods of all kinds (Juran 1951). Thus, during the 1950s and 1960s US companies focused on producing large quantities of goods to fulfill the demand of consumers who weren't very concerned about quality. Having a CEO who knew about finance or marketing was often considered more important than having a CEO who knew about operations. It was only in the 1980s, when the rest of the world had caught up with the US and began to offer superior products for less cost that things began to change. As the US automakers began to lose market share to quality European and Japanese cars in the 1980s, US managers began to refocus on operations and began to search for ways to reduce prices and improve production quality. At that point, they rediscovered, in Japan, the emphasis on process and quality that had been created in the US in the first half of the twentieth century.

Unlike the quality control tradition, however, that focuses on the quality and the production of products; the management tradition has focused on the overall performance of the firm. The emphasis is on aligning strategy with the means of realizing that strategy, and on organizing and managing employees to achieve corporate goals. Equally, the management tradition stresses the use of innovation to radically change the nature of the business or to give the business a significant competitive advantage.

4.1 Geary Rummler

The most important figure in the management tradition in the years since World War II, has been Geary Rummler, who began his career at the University of Michigan, at the very center of the US auto industry. Rummler derives his methodology from both a concern with organizations as systems and combines that with a focus on how we train, manage, and motivate employee performance. He began teaching courses at the University of Michigan in the 1960s where he emphasized the use of organization diagrams, process flowcharts to model business processes, and task analysis of jobs to determine why some employees perform better than others. Later, Rummler joined with Alan Brache to create Rummler-Brache, a company that trained large numbers of process practitioners in the 1980s and early 1990s and co-authored, with Alan Brache, one of the real classics of our field – *Improving Performance: How to Manage the White Space on the Organization Chart* (Rummler and Brache 1990). Rummler always emphasized the need to improve corporate performance, and argued that process redesign was the best way to do that. He then proceeded to argue that improving managerial and employee job performance was the key to improved processes.

Figure 3 illustrates Rummler’s approach which integrates three levels of analysis and concerns with measures, design and implementation and management. This diagram suggests the broader concerns that the management tradition in process has always embraced. The focus is on process and on all the elements in the business environment that support or impede good process performance.

A good example of this is illustrated in Fig. 4, another diagram that Rummler frequently uses, that illustrates the role of the process manager. Where someone in the work simplification tradition might be inclined to look at the steps in a procedure and at how employees perform, Rummler is just as likely to examine the performance of the process manager and ask if the manager has provided the needed resources, is monitoring the process, and is providing the feedback and incentives needed to motivate superior employee performance.

	Goals & Measures	Design & Implementation	Management
Organizational Level	Organizational Goals and Measures of Organizational Success	Organizational Design and Implementation	Organizational Management
Process Level	Process Goals and Measures of Process Success	Process Design and Implementation	Process Management
Activity or Performance Level	Activity Goals and Measures of Activity Success	Activity Design and Implementation	Activity Management

Fig. 3 A performance framework (Modified after a figure in Rummler and Brache, *Improving Performance*.)




Fig. 4 Each process or activity must be managed (Modified after a figure in Rummler and Brache, *Improving Performance*)

Unlike the work simplification and quality control literature that was primarily read by engineers and quality control experts, Rummler’s work has always been read by business managers and human resource experts.

4.2 Michael Porter

The second important guru in the Management tradition is Harvard Business School professor Michael Porter. Porter was already established as a leading business strategy theorist, but in his 1985 book, *Competitive Advantage*, he moved beyond strategic concepts, as they had been described until then, and argued that strategy was intimately linked with how companies organized their activities into value chains, which were, in turn, the basis for a company’s competitive advantage (Porter 1985).

Figure 5 provides an overview of a value chain as described Michael Porter described it in *Competitive Advantage*.

A Value Chain supports a product line, a market, and its customers. If your company produces jeeps, then you have a Value Chain for jeeps. If you company makes loans, then you have a Value Chain for loans. A single company can have more than one value chain. Large international organizations typically have from 5 to 10 value chains. In essence, value chains are the ultimate processes that define a company. All other processes are defined by relating them to the value chain.




Fig. 5 Michael Porter’s value chain

Put another way, a single value chain can be decomposed into major operational process like Market, Sell, Produce, and Deliver and associated management support processes like Plan, Finance, HR and IT. In fact, it was Porter’s value chain concept that emphasized the distinction between core and support processes. The value chain has been the organizing principle that has let organizations define and arrange their processes and structure their process change efforts during the past two decades.

As Porter defines it, a competitive advantage refers to a situation in which one company manages to dominate an industry for a sustained period of time. An obvious example, in our time, is Wal-Mart, a company that completely dominates retail sales in the US and seems likely to continue to do so for the foreseeable future. “Ultimately,” Porter concludes, “all differences between companies in cost or price derive from the hundreds of activities required to create, produce, sell, and deliver their products or services such as calling on customers, assembling final products, and training employees...” In other words, “activities... are the basic units of competitive advantage.” This conclusion is closely related to Porter’s analysis of a value chain. A value chain consists of all the activities necessary to produce and sell a product or service. Today we would probably use the word “processes” rather than “activity,” but the point remains the same. Companies succeed because they understand what their customers will buy and proceed to generate the product or service their customers want by means of a set of activities that create, produce, sell and deliver the product or service.

So far the conclusion seems like a rather obvious conclusion, but Porter goes further. He suggests that companies rely on one of two approaches when they seek to organize and improve their activities or processes. They either rely on an approach which Porter terms “operational effectiveness” or they rely on “strategic positioning.” “Operational effectiveness,” as Porter uses the term, means performing similar activities better than rivals perform them. In essence, this is

the “best practices” approach we hear so much about. Every company looks about, determines what appears to be the best way of accomplishing a given task and then seeks to implement that process in their organization. Unfortunately, according to Porter, this isn’t an effective strategy. The problem is that everyone else is also trying to implement the same best practices. Thus, everyone involved in this approach gets stuck on a treadmill, moving faster all the time, while barely managing to keep up with their competitors. Best practices don’t give a company a competitive edge – they are too easy to copy. Everyone who has observed companies investing in software systems that don’t improve productivity or price but just maintain parity with one’s competitors understands this. Worse, this approach drives profits down because more and more money is consumed in the effort to copy the best practices of competitors. If every company is relying on the same processes then no individual company is in a position to offer customers something special for which they can charge a premium. Everyone is simply engaged in an increasingly desperate struggle to be the low cost producer, and everyone is trying to get there by copying each others best practices while their margins continue to shrink. As Porter sums it up: “Few companies have competed successfully on the basis of operational effectiveness over an extended period, and staying ahead of rivals gets harder every day.”

The alternative is to focus on evolving a unique strategic position and then tailoring the company’s value chain to execute that unique strategy. “Strategic positioning,” Porter explains, “means performing different activities from rivals’ or performing similar activities in different ways.” He goes on to say that “While operational effectiveness is about achieving excellence in individual activities, or functions, strategy is about combining activities.” Indeed, Porter insists that those who take strategy seriously need to have lots of discipline, because they have to reject all kinds of options to stay focused on their strategy.

Rounding out his argument, Porter concludes “Competitive advantage grows out of the entire system of activities. The fit among activities substantially reduces cost or increases differentiation.” He goes on to warn that “Achieving fit is difficult because it requires the integration of decisions and actions across many independent subunits.” Obviously we are just providing the barest summary of Porter’s argument. In essence, however, it is a very strong argument for defining a goal and then shaping and integrating a value chain to assure that all the processes in the value chain work together to achieve the goal.

The importance of this approach, according to Porter, is derived from the fact that “Positions built on systems of activities are far more sustainable than those built on individual activities.” In other words, while rivals can usually see when you have improved a specific activity, and duplicate it, they will have a much harder time figuring out exactly how you have integrated all your processes. They will have an even harder time duplicating the management discipline required to keep the integrated whole functioning smoothly.

Porter’s work on strategy and value chains assured that most modern discussion of business strategy are also discussions of how value chains or processes will be organized. This, in turn, has led to a major concern with how a company aligns its




Fig. 6 The management tradition

strategic goals with its specific processes and many of the current concerns we discuss in the following pages represent efforts to address this issue.

Figure 6 pictures Rummler, Porter and some of the other major trends in the management tradition.

4.3 *Balanced Scorecard*

One methodology very much in the management tradition is the Balanced Scorecard methodology developed by Robert S. Kaplan and David P. Norton (1996). Kaplan and Norton began by developing an approach to performance measurement that emphasized a scorecard that considers a variety of different metrics of success. At the same time, the Scorecard methodology proposed a way of aligning departmental measures and managerial performance evaluations in hierarchies that could systemize all of the measures undertaken in an organization. Later they linked the scorecard with a model of the firm that stressed that people make processes work, that processes generated happy customers, and that happy customers generated financial results (Kaplan and Norton 2004). In other words, Kaplan and Norton have created a model that begins with strategy, links that to process and people, and then, in turn, links that to measures that determine if the operations are successfully implementing the strategy.

In its initial use, the Balanced Scorecard methodology was often used by functional organizations, but there are now a number of new approaches that tie the scorecard measures directly to value chains and business processes, and process people are increasingly finding the scorecard approach a systematic way to align process measures from specific activities to strategic goals.

4.4 *Business Process Reengineering*

One can argue about where the Business Process Reengineering (BPR) movement should be placed. Some would place it in the management tradition because it motivated lots of senior executives to rethink their business strategies.

The emphasis in BPR on value chains certainly derives from Porter. Others would place it in the IT tradition because it emphasized using IT to redefine work processes and automate them wherever possible. It probably sits on line between the two traditions, and we'll consider in more detail under the IT tradition.

5 The Information Technology Tradition

The third tradition involves the use of computers and software applications to automate work processes. This movement began in the late 1960s and grew rapidly in the 1970s with an emphasis on automating back office operations like book keeping and record keeping and has progressed to the automation of a wide variety of jobs, either by doing the work with computers, or by providing desktop computers to assist humans in performing their work.

When your author began to work on process redesign with Geary Rummler, in the late 1960s, we never considered automation. It was simply too specialized. Instead, all of our engagements involved straightening out the flow of the process and then working to improve how the managers and employees actually implemented the process. That continued to be the case through the early part of the 1970s, but began to change in the late 1970s as more and more processes, at production facilities and in document processing operations, began to be automated. By the early 1980s we were working nearly full time on expert system problems and focused on how we could automate the decision making tasks of human experts, and had realized that, eventually, nearly every process in every organization would either be automated, or performed by human's who relied on access to computers and information systems.

We will not attempt to review the rapid evolution of IT systems, from mainframes to minis to PCs, or the way IT moved from the back office to the front office. Suffice to say that, for those of us who lived through it, computers seemed to come from nowhere and within two short decades, completely changed the way we think about the work and the nature of business. Today, it is hard to remember what the world was like without computer systems. And that it all happened in about 40 years. Perhaps the most important change, to date, occurred in 1995 when the Internet and the Web began to radically alter the way customers interacted with companies. In about 2 years we transitioned from thinking about computers as tools for automating internal business processes to thinking of them as a communication media that facilitated radically new business models. The Internet spread computer literacy throughout the entire population of developed countries and has forced every company to reconsider how its business works. And it is now driving the rapid and extensive outsourcing of processes and the worldwide integration of business activities.

Figure 7 provides an overview of the IT Tradition. It is the youngest, and also the most complex tradition to describe in a brief way. Prior to the beginning of the 1990s, there was lots of work that focused on automating processes, but it was




Fig. 7 The information technology tradition

rarely described as process work, but was instead referred to as software automation. As it proceeded jobs were changed or eliminated and companies became more dependent on processes, but in spite of lots of arguments about how IT supported business, IT largely operated independently of the main business and conceptualized itself as a service.

5.1 Business Process Reengineering

That changed at the beginning of the 1990s with Business Process Reengineering (BPR), which was kicked off, more or less simultaneously, in 1990, by two articles: Michael Hammer's "Reengineering Work: Don't Automate, Obliterate" (*Harvard Business Review*, July/August 1990) and Thomas Davenport and James Short's "The New Industrial Engineering: Information Technology and Business Process Redesign" (*Sloan Management Review*, Summer 1990). Later, in 1993, Davenport wrote a book, *Process Innovation: Reengineering Work through Information Technology*, and Michael Hammer joined with James Champy to write *Reengineering the Corporation: A Manifesto for Business Revolution* (Davenport 1993; Hammer and Champy 1993).

Champy, Davenport, and Hammer insisted that companies must think in terms of comprehensive processes, similar to Porter's value chains and Rummler's Organization Level. If a company focused only on new product development, for example, the company might improve the new product development subprocess, but it might not improve the overall value chain. Worse, one might improve new product development process at the expense of the overall value chain. If, for example, new process development instituted a system of checks to assure higher-quality documents, it might produce superior reports, but take longer to produce them,

delaying marketing and manufacturing's ability to respond to sudden changes in the marketplace. Or the new reports might be organized in such a way that they made better sense to the new process development engineers, but became much harder for marketing or manufacturing readers to understand. In this sense, Champy, Davenport, and Hammer were very much in the Management Tradition.

At the same time, however, these BPR gurus argued that the major force driving changes in business was IT. They provided numerous examples of companies that had changing business processes in an incremental manner, adding automation to a process in a way that only contributed an insignificant improvement. Then they considered examples in which companies had entirely reconceptualized their processes, using the latest IT techniques to allow the process to function in a radically new way. In hindsight, BPR began our current era, and starting at that point, business people began to accept that IT was not simply a support process that managed data, but a radical way of transforming the way processes were done, and henceforth, an integral part of every business process.

BPR has received mixed reviews. Hammer, especially, often urged companies to attempt more than they reasonably could. Thus, for example, several companies tried to use existing technologies to pass information about their organizations and ended up with costly failures. Keep in mind these experiments were taking place in 1990–1995, before most people knew anything about the Internet. Applications that were costly and unlikely to succeed in that period, when infrastructures and communication networks were all proprietary became simple to install once companies adopted the Internet and learned to use email and web browsers. Today, even though many might suggest that BPR was a failure, its prescriptions have largely been implemented. Whole industries, like book and music retailers and newspapers are rapidly going out of business while customers now use online services to identify and acquire books, download music and provide the daily news. Many organizations have eliminated sales organizations and retail stores and interface with their customers online. And processes that were formerly organized separately are now all available online, allowing customers to rapidly move from information gathering, to pricing, to purchasing.

Much more important, for our purposes, is the change in attitude on the part of today's business executives. Almost every executive today uses a computer and is familiar with the rapidity with which software is changing what can be done. Video stores have been largely replaced by services that deliver movies via mail, directly to customers. But the very companies that have been created to deliver movies by mail are aware that in only a few years movies will be downloaded from servers and their existing business model will be obsolete. In other words, today's executives realize that there is no sharp line between the company's business model and what the latest information technology will facilitate. IT is no longer a service – it has become the essence of the company's strategy. Companies no longer worry about reengineering major processes and are more likely to consider getting out of an entire line of business and jumping into an entirely new line of business to take advantage of an emerging development in information or communication technology.

5.2 *Enterprise Resource Planning Applications*

By the late 1990s, most process practitioners would have claimed to have abandoned BPR, and were focusing, instead on more modest process redesign projects. Davenport wrote *Mission Critical*, a book that suggested that Enterprise Resource Planning (ERP) applications could solve lots of process problems, and by the end of the decade most large companies had major ERP installation projects underway (Davenport 2000). ERP solved some problems and created others. Meanwhile, workflow applications also came into the own in the late 1990s, helping to automate lots of document processing operations (van der Aalst and van Hee 2000).

5.3 *CASE and Process Modeling Tools*

The interest in Computer Aided Software Engineering (CASE) tools, originally created in the 1980s to help software engineers create software from the diagrams created by software developers using structured methodologies, declined, rapidly in the early 1990s as companies embraced minis, PCs and a variety of non-COBOL development languages and new object-oriented development methodologies (McClure 1989). The CASE vendors survived, however, by redesigning their tools and repositioning themselves as business process modeling tools. Thus, as companies embraced BPR in the mid-1990s they did it, in part, by teaching business people to use modeling tools to better understand their processes (Scheer 1994).

5.4 *Expert Systems and Business Rules*

In a similar way, software developed to support Expert Systems development in the 1980s morphed into business rule tools in the 1990s. The expert systems movement failed, not because it was impossible to capture the rules that human experts used to analyze and solve complex problems, but because it was impossible to maintain the expert systems once they were developed. To capture the rules used by a physician to diagnose a complex problem required tens of thousands of rules. Moreover the knowledge kept changing and physicians needed to keep reading and attending conferences to stay up-to-date (Harmon and King 1985; Harmon and Hall 1993). As the interest in expert systems faded, however, others noticed that small systems designed to help mid-level employees perform tasks were much more successful. Even more successful were systems designed to see that policies were accurately implemented throughout the organizations (Ross 2003). Gradually, companies in industries like insurance and banking established business rule groups to develop and maintain systems that enforced policies implemented in their business processes. Processes analysis and business rule analysis have not yet fully merged, but

everyone now realizes that they are two sides of the same coin. As a process is executed, decisions are made. Many of those decisions can be described in terms of business rules. By the same token, no one wants to deal with huge rule bases, and process models provide an ideal way to structure where and how business rules will be used.

In the near future business rules will be reconceptualized as one type of decision, and the emphasis will shift to analyzing and managing decisions that occur in processes. The OMG is working on a Decision Management Notation (DMN), and the rules field increasingly reflects ideas derived from David Taylor (Taylor and Raden 2007) and from Barbara von Halle and Larry Goldberg (2010). At the same time Decision Management and the use of Analytics seems likely to be combined (Davenport et al. 2010).

5.5 Process and the Interface Between Business and IT

Stepping back from all the specific software initiatives, there is a new spirit in IT. Executives are more aware than ever of the strategic value of computer and software technologies and seek to create ways to assure that their organizations remain current. IT is aware that business executives often perceive that IT is focused on technologies rather than on business solutions. Both executives and IT managers hope that a focus on process will provide a common meeting ground. Business executives can focus on creating business models and processes that take advantage of the emerging opportunities in the market. At the same time, IT architects can focus on business processes and explain their new initiatives in terms of improvements they can make in specific processes. If business process management platforms can be created to facilitate this discussion, that will be very useful. But even without software platforms, process seems destined to play a growing role in future discussions between business and IT managers.

One key to assuring that the process-focused discussions that business and IT managers engage in are useful is to assure that both business and IT managers begin with a common, comprehensive understanding of process. A discussion of only those processes that can be automated with today's techniques is too limited to facilitate discussions that can help business executives. Business executives are just as concerned with customer and employee issues as they are with automation issues. While it is impossible, today, to think of undertaking a major business process redesign project without considering what information technology can do to improve the process, it is equally impossible to think about a major redesign that doesn't call for major changes in how employees perform their jobs. Employees and the management of employees are just as important as information technology and business managers need, more than ever, an integrated, holistic approach to the management of process change.

6 Business Process Change Today and Tomorrow

While many individuals continue to work largely within one of the three traditions we just described, a growing number are struggling to create a new synthesis, which is increasingly referred to as Business Process Management (BPM) and which, at its best, embraces all three traditions.

To organize our discussion of some of the more important efforts under way today, it is useful to have some general framework. The one we are most familiar with describes corporate business process change efforts in terms of levels. Some organizations are only focused on one level. Organizations with a CMM maturity of 2.5 are focused mainly on the Business Process Level. Increasingly, however, as organizations become more mature in managing their processes, they are working on all levels, simultaneously. At the Enterprise Level organizations seek to organize their processes across the entire enterprise, aligning processes with strategies and defining process governance and measurement systems for the entire organization. At the Process Level, organizations are exploring a wide variety of new approaches to process analysis and redesign, and at the Implementation level, new technologies are evolving to support process work. Some of the initiatives at each level can be associated with specific traditions, but, increasingly, as companies seek an integrated approach to process, we are witnessing the evolution of approaches at each level that combine elements of more than one tradition. We will organize the discussion that follows around the current initiatives on these three levels. (See Fig. 8.)




Fig. 8 The business process trends pyramid

7 Enterprise Level Initiatives

Enterprise Level initiatives are focused on strategy, architecture, process governance and on process measurement systems. As companies become more mature in their use of processes and increasingly try to integrate around business processes they continue to place more emphasis on enterprise level initiatives.

7.1 Business Architecture

Enterprise Architecture has always been a concern of those in IT. The focus has traditionally been on identifying how all of the software technologies, applications and infrastructure elements fit together. The leading IT approach to enterprise architecture development was defined by John Zachman (1987), and is usually termed the Zachman Framework. It's an approach that is very oriented towards classifying elements and storing them in a database. The Zachman Framework mentions processes, but process concerns are simply not a major focus of the Zachman Framework.

Beginning in the early years of this decade, however, Enterprise Architecture began to take on a different meaning, and was increasingly used to not only define IT elements, but to show how the IT elements supported business processes. In effect, senior IT managers have begun to redefine their jobs and consider that they are not so much service providers as business managers who are responsible for using new technology to improve the companies business processes. IT managers who used to try to sell new technologies are now more likely to work with other business managers to see how business processes can be improved. This reflects the fact that IT no longer consists of applications running on mainframes in a special location, but, with the advent of the PC, the Internet, and email, is now integrated throughout every process in the organization. This, in turn, has led those involved in architectural efforts to embrace a broader, more process-oriented view of an enterprise architecture. In fact, the tendency has been to shift from speaking of enterprise to either speaking of Business Architecture or of Business Process Architecture. In essence, the Business Architecture defines how the business is organized to achieve its goals. Then, IT and other groups align their architectures to support the business architecture. At the same time, processes are increasingly aligned with corporate strategies and performance measures to generate architectural models that emphasize alignment and facilitate the rapid identification of related elements when strategic and process change is required (Harmon 2007).

In the US, Enterprise Architecture work has been strongly influenced by recent government laws that require government departments to have and use Enterprise Architectures to justify new initiatives. Although some of these architectures are more traditional IT architectures, increasingly they are modeled on the US




Fig. 9 An overview of the US government’s Federal Enterprise Architecture Framework

government’s Federal Enterprise Architecture Framework (FEAF) and rely on a layered, hierarchical model that emphasizes the alignment of strategy, missions and customer results, and business processes with human and IT resources. (See Fig. 9.) (www.gov.cio/Documents/fedarch1.pdf)

The emphasis on process-focused ways of conceptualizing an enterprise architecture have, in turn, led architects to explore ways of representing value chains and high level processes. Today, there is a lot of emphasis on creating a Business Process Architecture and not too much agreement on exactly how to do it.

7.2 Value Chains and Value Networks

For the last 20 years the organizing principle that most business process architects have relied upon has been the Value Chain. Michael Hammer relied heavily on the concept in *Reengineering the Corporation* which he published in 1993. He urged companies to begin their process work by identifying their value chains and then, as needed, to reengineer each value chain.

In the last decade, however, the value chain has come under attack in academic circles. Those who dislike the value chain approach argue that it is too rigid; that is

was developed when most companies emphasized manufacturing operations and focused on making large-scale processes as efficient as possible. In other words, they argue that the idea of the value chain is another artifact of the over emphasis on mass production. As companies become more agile and respond to customers in more creative ways, they argue, companies need a more flexible way of representing the relationships among their business processes.

Value Nets. Most of those who oppose the Value Chain approach support an alternative model that is usually termed a Value Net. There have been several books published on Value Nets. The book that is most cited is David Bovet and Joseph Martha's *Value Nets: Breaking the Supply Chain to Unlock Hidden Profits* (Wiley 2000). Recently, IBM's Global Services group has begun to suggest that companies develop Component Business Models (CBM), which IBM claims it derives from a Value Nets approach. IBM's Component Business Models offer a very specific and practical approach to organizing a Business Process Architecture, and thus they move the discussion of whether one should emphasize a Value Chain or a Value Net out of the academic arena and make it an issue that business process architects and practitioners will need to consider.

Clearly IBM has thought quite a bit about its Component Business Model approach. Two IBM publications trace the evolution of CBM. The first is a paper by Luba Cherbakov, George Galambos, Ray Harishankar, Shankar Kalyana and Guy Rockham entitled "Impact of Service Orientation at the Business Level." This appeared in the *IBM Systems Journal* in April 2005. It clearly lays out the Component Business Model, but seems to suggest that the CBM can be derived from the Value Chain, which seems to come first. The method has apparently evolved since then. In a white paper, *Component Business models: Making Specialization Real*, issued by IBM Institute for Business Value in August 2005, and authored by George Pohle, Peter Korsten and Shanker Ramamurthy, IBM suggests that a CBM can be developed without reference to a value chain. Recent practice seems to rely grouping similar processes based on interviews and statistics. In either case, the result on an IBM CBM effort is a diagram like the one pictured in Fig. 10.

An IBM CBM architecture starts by grouping processes into broad categories, which it terms Business Competency Domains. The domains vary from company to company and seem to be an informal way to organize the specific company's large-scale processes. Typical domains include Managing Customers, Supply Chain and Administration. IBM subdivides those categories into three fixed Accountability Levels: Strategy, Tactics, and Operations to form the basic CBM matrix. Both Strategy and Tactics level processes tend to be management processes. Operations level processes include both core and support processes.

No explicit relationships between the Business Components placed within the matrix are indicated. In other words, if we imagine a company with two value chains, each of which had an inventory process, both inventory processes would be merged here into a single generic Inventory process. Thus, an IBM CBM classifies a set of business processes (i.e. components) but does not suggest how they combine to provide specific value to particular customers. The whole point of the IBM CBM




Fig. 10 IBM’s Component Business Model

is to avoid showing specific chains of business processes in order to emphasize common, standard processes that are independent of any specific chain.

Reading the Value Net literature, one could easily conclude that Value Nets are primarily being used by consulting companies that are primarily focused on how to assemble unique processes to support one-of-a-kind engagements. The Value Net is just the shelf they keep their skill and knowledge on before they will assemble it in any way necessary to satisfy a given client.

On the other hand, we have encountered clients who increasingly focus on their management competencies and put less emphasis on their core or operational processes. This is often the case when companies outsource manufacturing to China and rely on distributors to market to customers. The traditional core capabilities of these companies have become commodities. Increasingly their new core competencies consist of designing new products and assembling the capital and organizing the overall supply chain needed to bring new products or services to market. In other words, the core competencies of virtual companies are tactical and strategic management processes. For these companies, value nets seem to place more emphasis on the management processes and less on the traditional operational processes.

In a similar way, many companies are focused on building Service Oriented Architectures and want to have a way of thinking of alternative services that can be used in any given process. Other companies are interested in simplifying their ERP systems, and want to standardize similar processes throughout the company to facilitate shifting to a single instance of ERP. And, finally, value net approaches often seem to provide a better way of describing business process frameworks like SCOR and VRM. Suffice to say there are lots of groups that are deemphasizing

value chains and focusing, instead, on sets of business processes that can be integrated on an ad hoc basis.

Tight Integration and Efficiency versus Flexibility. Recall that Michael Porter argued that a company should work hard to integrate a value chain. Porter (1996) his primary concern was not efficiency, as such, but the fact that a tightly integrated value chain that focused on executing a specific strategy was much more difficult for a competitor to copy. In other words, you optimize a value chain to not only assure efficiency but to implement a strategy in a manner that gives you a competitive advantage that competitors find it difficult to duplicate. The alternative, which Porter terms “operational effectiveness,” tries to make each individual process as efficient as possible, while ignoring the integration of the processes.



The Value Net theorists and IBM’s CBM approach argue that few companies, today, have the time to integrate and refine their value chains. New technologies and new customer demands keep coming faster and product lifecycles keep getting shorter. Thus, they argue, that companies should conceptualize their organizations as a set of competencies, and to refine the business processes that embody each of the competencies. Then, as specific and unique challenges arise the companies are well positioned to combine these competency-based processes, as needed, to create the large-scale processes they need to satisfy ad hoc customer needs. Obviously IBM’s approach is very much in the spirit of the Service Oriented Architecture (SOA) that increasingly thinks of processes as assemblages created as needed. It’s also very much in line with efforts underway at companies that seek to standardize business processes throughout the company in order to support a single instance (or at least a few instances) of ERP throughout the company.

A tightly integrated value chain can usually produce outputs for the minimum price in the fastest possible time. A flexible value net, assembled quickly, probably can’t produce outputs as efficiently or as cheaply. On the other hand, it can be hard to change a tightly integrated value chain, although it can be done if one designs variation in from the start. In either case efficiency and success will depend on anticipating the right scope and size of the business components one creates. Too large and they won’t snap together to handle the various and changing demands one faces. Too small and one faces too many hassles when one seeks to assemble them for a specific purpose.

Table 1 pictures the two approaches and compares some of the obvious advantages and disadvantages of the two approaches.

The authors who have written about Value Nets have tended to be both defensive and over enthusiastic. They suggest that there is a sharp either-or difference between the two approaches and that everyone will want to shift to the “more modern” value net approach. In reality, we suspect, most large companies will want both. Most large companies have at least some large-scale processes that are done over-and-over. Success in these operations requires efficiency and tight integration. It makes sense to model those processes as value chains and to work hard to make those processes as efficient as possible. In these cases, competitive advantage will clearly reside with tightly integrated processes that support a high quality, low cost strategy. At the same time, most large companies also have large-scale processes

Table 1 Advantages and disadvantages of value chains and value nets

Value chain	Value net (CBM)
 <p>The diagram shows an 'Organization' box containing two 'Value Chain' boxes. 'Value Chain 1' and 'Value Chain 2' each consist of a sequence of interconnected rectangular boxes representing processes, leading to a final output box on the right.</p>	 <p>The diagram shows an 'Organization' box containing a grid of eight rectangular boxes representing processes: Plan, Control, Design, Market, Assemble, Sell, Provide IT, and Provide HR. Below the grid is the text: '(Process that can be grouped into various Networks as required.)'</p>
<p>Advantages</p> <ul style="list-style-type: none"> • Defines an actual process undertaken by the organization • Identifies customer • Shows specific relationships between internal sub-processes • Allows you to measure results of chain and use that measure to evaluate the results of the internal processes that make up the value chain <p>Disadvantages</p> <ul style="list-style-type: none"> • Defines a specific way in which processes fit together • May use similar processes in more than one value chain without identifying that fact 	<p>Advantages</p> <ul style="list-style-type: none"> • Defines all processes company has that could be used to assemble a new value chain • Identifies all processes that company supports that have competencies and that take similar inputs and make similar outputs. <p>Disadvantages</p> <ul style="list-style-type: none"> • Does not identify specific process • Does not identify customer • Does not show relationships between business processes

that change rapidly and that generate highly tailored outputs. It may not make sense to model those processes as value chains, or to spend too much time trying to integrate all the subprocesses. In these cases competitive advantage will lie with a strategy that emphasizes flexibility.

Overall, however, the business process architects job is not becoming easier. Companies will increasingly need to rely on a variety of different approaches to organize their business process architectures.

7.3 Business Process Frameworks

Business Process Frameworks (also called Operation Reference Frameworks) are one of the most exciting developments in process work in the past decade. Frameworks provide a quick way for a company to establish a high-level process architecture, complete with core, management and support processes, and with measures to use in evaluating performance. The use of process frameworks were driven, initially, by the growing interdependency of company supply chains, by




Fig. 11 The three levels of a SCOR architecture

outsourcing, and by a heightened need for a standard vocabulary to facilitate communication between companies that are trying to coordinate how their respective processes can work together. As more companies have decided to create formal business process architectures, however, frameworks have become popular as templates that can be used to help a company quickly create a business architecture.

7.3.1 The Supply Chain Council’s SCOR Framework

The Supply Chain Council’s SCOR Framework is undoubtedly the best known example of a business process framework. The Supply Chain Council (SCC) was established as a nonprofit consortium in 1996. Today, it is a worldwide organization with over 700 members. The Council conducts meetings that allow companies to gather together to discuss supply chain problems and opportunities. In addition, it has been working on a standard supply chain framework or reference model (Bolstorff and Rosenbaum 2007; Poluha 2007).

SCOR is comprised of three levels, as illustrated in Fig. 11. The SCOR Reference Manual defines each level 2 and level 3 subprocess and also indicates what




Fig. 12 The Value-Chain Group’s VRM framework

planning and support processes are typically linked to each of process or subprocess. The SCC does not define a fourth level, leaving the specification of level four activities to individual companies. In other words, SCOR defines a supply chain architecture and all of the high-level processes and leaves the technical implementation of the level 3 processes to the individual members.

In a similar way, the SCOR Reference Manual defines metrics for each of the processes in the SCOR framework. Thus, using SCOR a company can quickly characterize its supply chain architecture and choose metrics appropriate to their industry and strategy. Several organizations that track benchmarks are working with the Supply Chain Council and can provide generic benchmarks for SCOR measures for specific industries. Thus a company cannot only create an architecture but also obtain information to determine where their existing processes are superior or deficient.

7.3.2 Other Business Frameworks

The Value-Chain Group has created its own model, the Value Reference Model or VRM, which is similar to SCOR, but more comprehensive and, in some ways, better integrated. Figure 12 illustrates the VRM architecture.

Although Fig. 12 does not show any details, VRM defines an extensive set of Planning and Managing processes. If we wanted to analyze *B4:Verify Product* in some detail we would not only want to look at the relationships between B3-B4-B5, but we would also look at relationships between B4 and other core processes but also with a variety of planning and managing processes. Consider Fig. 13 which shows some of the basic Level 3 processes that link to B4. Then imagine that each of those processes had four or five inputs and four or five outputs. Thus, the high




Fig. 13 Processes linked to B4 in the VRM framework

level processes we find in Frameworks and Business Process Architectures, in general, are often simply nodes in a complex network of relationships and hard to represent in traditional flow diagrams. We'll consider the implementations of this in a moment.

Another effort to define a complete value chain framework was undertaken by the TeleManagement Forum, a consortium of telecom companies. Their framework is highly tailored to the needs of telecom companies. Thus, it can't be used by non-telecoms, but it does provide a comprehensive approach for telecom companies.

In addition to SCOR, VRM and eTOM, there are a number of other initiatives underway to create business process frameworks. AQPC offers a framework that incorporates elements of SCOR. ITIL and COBIT are more specialized frameworks that can be used by IT departments. The insurance industry consortium, ACORD, is working on a framework for the insurance industry, the OMG's Finance Task Force is working on a framework for finance companies and there are probably others we haven't heard of yet.

All of these framework efforts not only provide companies with an easy way to create a process architecture, but they focus everyone on the various issues involved in the creation and maintenance of a process architecture. There is already talk about how to best model frameworks and there are software tools being developed to help companies use the various frameworks. ISSSP has a SIG focused on how to integrate SCOR models with Six Sigma development efforts and similar initiatives will undoubtedly appear in the next few years. Once companies accept the idea that they don't need to create their own process architecture from scratch, many different aspects of process work will gradually change.

7.4 Roger Burlton, Process Scope, and Value Chain Diagrams

Roger Burlton, a well-known process consultant, is also very much in the management tradition and his book, *Business Process Management*, published in 2001, is, as far as we know, the first book to use the term *BPM* in its modern sense




Fig. 14 Burlton's Process Scope Diagram

(Burlton 2001). As with all those working in the management tradition, Burlton emphasizes the need to align organizations from the top, down, to assure that processes are measured and can be shown to support customers and strategic goals. Similarly, he puts as much emphasis on the management and the way employees implement the processes as on the formal organization of the processes themselves.

Just as Rummler is associated with process flow diagrams (Rummler-Brache Diagrams) that include swimlanes and a top line for the customers of the process, Burlton is associated with Process Scope Diagrams or IGOEs (Inputs, Guides, Outputs and Enablers). (See Fig. 14.)

Scope diagrams represent an extension of an earlier type of diagram found in a US Air Force methodology – IDEF – but extended by Burlton and others to support high-level process analysis work. IGOE diagrams are particularly useful for analyzing the problems associated with the types of processes you find in process architectures and in frameworks like SCOR and VRM – processes that linked, in complex ways, to a variety of other core, management, and support processes. They are also useful for emphasizing the role of policies and rules and management and employee issues that are largely ignored in traditional flow diagrams.

The process-in-scope is placed in the middle box. Inputs and outputs are then examined. The sources of the inputs and those who receive the outputs are also identified. Then, in addition, one looks at Guides – information that controls the execution of the process, including business rules and management policies – and

we look at what Enables the process, including employees, data from IT applications and the physical layout of the work environment. As we define the flows into and out of the process-in-scope, we look for problems and we also begin to define how we will measure the effectiveness of the process and where the problems seem to reside.

As companies begin to work with process architectures, they will need ways to focus on specific processes and examine all of the relationships between a given high level processes and all of the other processes associated with it. Rummler-Brache process flow diagrams have evolved into BPMN diagrams. We wouldn't be surprised to find that Burlton's IGOE diagrams, or something very similar, will evolve into a new standard type of diagram that those interested in process architectures and frameworks will use to document, analyze and model high level business processes. Some authors have begun to refer to this type of diagram as a value chain diagram.

7.5 *Process Maturity Models*

CMM, and CMMI remain the most popular descriptions of process maturity, but they are increasingly seen as too oriented towards the concerns of groups like the US Department of Defense, that uses this approach to evaluate contractors. In the past few years we have seen several effort aimed at producing maturity models that are more aligned with the concerns of business process architects.

One effort, the Business Process Maturity Model was developed by Bill Curtis and Charles Weber, researchers who had formerly worked with SEI. Their effort resulted in a process-oriented maturity standard, BPMM, that has been adopted by the OMG. (www.omg.org Search BPMM)

Another effort has been led by Dr. Michael Rosemann and Tonia de Bruin at the Business Process Management Research Group at Queensland University of Technology, in Australia has been undertaken in conjunction with a related effort which is being led by Tom Davenport and Brad Powers at Babson College (Rosemann 2007). This group has been developing a Holistic Model for BPM Maturity. In essence, this work has extended the CMM model to three dimensions and seeks to coordinate a wider range of variables in their characterizations of maturity. This model has been derived from a comprehensive study of related literature in the areas of maturity models and critical success factors of Business Process Management. The model has been applied in a number of case studies and the findings from these case studies motivated further revisions. Rather than simply analyze existing process efforts, the maturity model developed by Rosemann and others has proven useful in helping companies develop their BPM strategies and create roadmaps to guide their ongoing process efforts.

All of these efforts, and undoubtedly others we don't know about, seek to provide tools that companies can use to characterize how they currently manage processes and suggestions about what steps companies can take to improve their

performance. The costs for the user range from a few thousand dollars for a “quickie” evaluation by an individual consultant, to over \$100,000 for a very detailed assessment by a certified team. Maturity modeling isn’t the right approach for everyone, but many companies have found these assessments can serve as a way to rally their organization and focus everyone’s attention on a specific process management improvement effort. Others use assessments to establish milestones and then re-evaluate in subsequent years to determine their improvement and maintain their focus. It’s a tool that many companies have found very useful and we will undoubtedly witness more work in this domain in the near future.

7.6 Integrated Process Measurement Systems

Most business process practitioners have struggled to define systematic process measurement systems. It’s relatively easy to define measures that can be used to determine if a specific process is functioning efficiently. It’s much harder to determine if a given process is contributed to customer happiness or company success. What’s needed is a way of systematically aligning company goals with process goals. At the moment the approach that is attracting the most attention is a variation on the Balanced Scorecard system popularized by Kaplan and Norton. Today there are a variety of scorecards, including Six Sigma Scorecards and SCORcards (Gupta 2004; Bolstorff and Rosenbaum 2007; Poluha 2007). The real challenge, however, is not to come up with a scorecard on which to record a variety of measures, but to create a system that aligns the measures from the top to the bottom of the organization.

Most scorecards developed by those working in the Balanced Scorecard tradition have tended to align functional or departmental measures rather than process measures. Using such a system, one begins by creating an Organization Scorecard. Then each division or department creates its own variation on the Organization Scorecard, showing how the division or department will measure its contribution the organizational effort. Similarly, each department or group in each division creates its own scorecard to show how it will support the divisional effort. Once the scorecards are complete and aligned, the scorecards are used to evaluate the divisional, departmental and group managers responsible for the respective business units. A wide variety of organizations currently use some slight variation on this approach.

Imagine tailoring the scorecard approach for a company that is serious about measuring the performance of its processes. In effect we begin with an organizational scorecard, then create scorecards for each value chain, and then for each major process and each subprocess, etc. A few organizations have experimented with this approach.

Most organizations that embrace process management in a significant way, however, also maintain a functional structure and end up with a matrix pattern, with some managers responsible for processes and others for functional units. This




Fig. 15 A dual scorecard system for a company with both functional and process managers

requires a dual set of scorecards, as illustrated in Fig. 15. In this case one divides the organizational goals between goals that will be the responsibility of a functional manager and others that will be the responsibility of a value chain manager and then proceed to decompose each independently. Done with care this can provide an organization with interesting insights into which of its goals are really dependent on processes and which are independent of process considerations.

Aligning process measurement systems via scorecard hierarchies is relatively new and there is a lot of experimentation going on to determine the most efficient ways to create and manage these systems (Gupta 2004; Smith 2007).

7.7 *Managing Culture Change and Organizational Transformations*

In addition to the more or less technical concerns, companies are very interested in tools and techniques that facilitate large scale changes in their organizations. Many companies have launched programs to make managers and employees more conscious of the importance of quality or of processes. Many others have launched programs to achieve some more strategic culture change – sometimes called organization transformation – as when a company tries to change from a technical to a customer focused orientation, or from being manufacturing-oriented to being service-oriented.




Fig. 16 Tools and techniques versus culture change activities

Anyone who wants a trivial example of this need only look at the HP-Compaq merger. HP was well known as an engineering oriented company that toward operational excellence and wasn't very good at marketing. Compaq was very much a marketing company. In the heady early days of the merger executives speculated that the new HP would be able to combine the best of both. When the merger initially took place the executive team was balanced between Compaq and HP executives. Two years later there were only one or two Compaq executives still on the executive team. To those who observed the merger at close range it was obvious that the old HP engineering culture had rejected the marketing positioning that was represented by Compaq.

Figure 16 suggests some of the culture change activities that occur and contrasts culture change with concerns about more traditional process methodologies, tools and techniques. Popular books on organizational transformation or culture change often offer platitudes. Undoubtedly it is important to communicate with everyone and meet together and maybe even share a rock climbing experience. Beyond that, however, anyone who has really tried to transform a company knows that it requires a major top-down effort and a very forceful senior executive to drive the changes and a well-structured plan to drive the effort. Organization transformation is about politics and motivation, as well as communication.

We've visited several companies and been told by senior executives that they intend to reorient their companies, to make them more process centric. If all they mean is that they intend to analyze their processes more effectively and begin to gather data on their processes that will support better decisions, then we are usually reasonably confident they can succeed. If, on the other hand they are really talking about a major organizational transformation and they want to create a company, like Toyota's automotive business, in which every manager and employee obsesses about process and quality, then we are usually much less sanguine about their prospects. Put a little differently, organizational transformation is very hard.

The best cultural change stories we know of come from the Six Sigma community. Six Sigma has often been introduced and strongly supported by the CEO of the company. One thinks of Jack Welch, at GE, who made a significant portion of every senior executive's bonus dependent on getting results with Six Sigma. Under those circumstances organizational transformation is much more likely.

Consider, however, the situation discussed by *BusinessWeek* in its June 11, 2007 issue. The cover story was on 3M and described how 3M hired James McNerney as CEO in 2000. McNerney had previously worked for Jack Welch at GE and promised, when hired, to use Six Sigma at 3M to make the organization for process focused. 3M's stock was down – it had stayed nearly flat during the hyperactive late 1990s – and most outside analysts thought that 3M was overstaffed. McNerney introduced Six Sigma after laying off 11 % of the workforce (8,000 people). Thousands of 3M staffers were trained as Black Belts and many more received Green Belt training. The company embraced both DMAIC and Design for Six Sigma and began to improve its processes with a vengeance.

McNerney slashed capital expenditures by 22 % from \$980 million to \$763 million in his first year and was down to \$677 by 2003. Operating margins went from 17 % in 2001 to 23 % in 2005. As a percentage of sales, capital expenditures dropped from 6.1 % in 2001 to 3.7 % in 2003. Profits under McNerney grew by 22 % a year.

After four and a half years McNerney left 3M to become the new CEO of Boeing. Given the training and the good results, one might have thought that 3M, a company previously famous for its product innovation focus, might have transitioned to a more process or operationally oriented culture. In fact, according to *BusinessWeek*, McNerney's successor at 3M, George Buckley, immediately began to dial back the Six Sigma effort. The major complaint among the 3M people, was that "innovation" was down. 3M had always been a company that promoted innovation. It's where Thinsulate and Post-Its were invented. The company had historically prided itself on the fact that, at any one time, at least 33 % of its products sales came from products released in the past 5 years. By the time McNerney left the percentage of sales from products released during the past 5 years was down to 25 %. Those who complained argued that Six Sigma is somehow incompatible with innovation. Given growth of 22 % a year and operating margins that grew from 17 % to 23 %, one might have thought that 3M had made a reasonable transition to be better balanced culture. At this point, however, it seems likely that 3M will reject the effort at organizational transformation and shift back to the norms of its earlier product focused, innovation-oriented culture.

As we suggested: culture change is hard. It takes a massive, sustained effort, and even then it often fails. Clearly anyone interested in process change is going to want to pay close attention to developments in this area in the years ahead.

8 Process Level Initiatives

Process Level Initiatives focus on projects that seek to create, redesign or improve specific business processes. At this level, companies are interested in methodologies and tools that they can use to undertake business change projects.

8.1 *The Emphasis on Innovation*

Suddenly *Innovation* is a very hot term. It's recently replaced *Agile* and *Excellence* as the accolade of choice in the business press. It might even replace *BPM* as a popular way to describe process initiatives. *Merriam Webster's Collegiate Dictionary* suggests that *Innovation* involves: (1) introducing something new, which can be (2) an idea, a method, or a device. The *Oxford English Dictionary* suggests the word is derived from Latin, where it referred to the introduction of novelty and that it was first used in English, in something like its current meaning, in 1,297. Clearly we are not talking about a new concept here. Equally clearly, businesses have always tried to be innovative. An entrepreneur creates something new when he starts a new business and a manager is innovative when he introduces a new process. Marketing is innovative when they introduce a new ad campaign that gets a lot of attention and New Product Development innovates when they use new technology to create a new product or service.

If we focus more narrowly on innovation in the context of process change, we can divide the recent literature, very roughly, into three broad piles. One school stresses creativity and focuses on brainstorming and a variety of related techniques that can help teams of people think of alternative ways of accomplishing a task. This school might be summed up as the creative thinking school.

A second school derives from the work of Genrich Altshuller, a Russian theorist who has created a systematic or "engineering" approach – called TRIZ – which can be used to examine problems and generate new possibilities. TRIZ is a Russian acronym that means something like the theory of inventive problem solving, and it was originally developed in conjunction with work on patent analysis (Altshuller 1984). Most of the early interest in TRIZ, in the US, was generated by Six Sigma practitioners who adopted TRIZ for use with Six Sigma improvement efforts (Silverstein et al. 2005). Recently, Howard Smith has written a wonderful series of columns for BPTrends in which he has shown how TRIZ can be used in conjunction with process redesign (Smith 2007).

The third major use of the term *Innovation* is being driven by Michael Hammer, who has written on the importance of innovation (Hammer 2004). Hammer contrasts *Innovation* with *Improvement* and suggests that there are times when you simply want to improve existing processes and then there are other times when you want to innovate and completely change the way you do business. In other words, Hammer is simply using *Innovation* as a synonym for *reengineering*.




Fig. 17 The O’Reilly-Tushman innovation continuum

We’ve heard people argue that innovation distinguishes between process improvement and process redesign. Hammer seems to suggest that innovation distinguishes between reengineering and either redesign or improvement. We don’t think either distinction is very useful. Let’s face it: almost everyone is engaged in introducing new ideas, new methods, and new devices. Some are “newer” than others, no doubt, but everyone is looking for new ways to get things done. Clearly if we are going to make sense out of *Innovation* we are going to need a continuum. The best continuum that we have found is provided by Charles A. O’Reilly III and Michael L. Tushman. O’Reilly and Tushman review a wide variety of different examples of innovation and end up proposing the continuum pictured in Fig. 17 (O’Reilly and Tushman 2004).

In the area above the bold arrow in Fig. 18 we describe the three categories that O’Reilly and Tushman use to map the various examples of innovation they studied. Below the bold arrow we have listed the three general approaches to process change. Obviously Fig. 17 is a continuum and there are all kinds of instances that would lie on the line between Incremental Innovations and Discontinuous Innovations, but at least this figure suggests why all kinds of people will be using the term *Innovation* to mean different things. Once you realize that innovation is usually just a synonym for process or product change and accept that there is a whole continuum of possibilities, then the trick, for a given company, becomes a matter of getting the mix right.




Fig. 18 A process complexity continuum

Everyone is going to hear a lot more about innovation in the years ahead (Seidel and Rosemann 2008). Getting a good idea of what's involved, and focusing on what's important, and what can be used at your company today is important. Similarly, every reader should understand that there will be a lot of nonsense peddled in the name of innovation and should try to avoid getting carried away by either narrow definitions or by the spurious correlations that always seem to accompany any hot new business jargon. The bottomline, however, is that if management wants to talk about innovation, then processes practitioners should be prepared to say, we can make innovation happen.

8.2 Analyzing and Modeling Complex Processes

Another area of process work that is receiving a lot of attention involves the analysis and modeling of complex processes. There are different ways of describing complex processes. Some emphasize that they are unique – as when an engineering firm creates a process to create a unique product. Some industries refer to them as Cases. Keith Harrison-Broninski has written extensively about them and has emphasized that collaborative processes that require people to network to find unique solutions (Harrison-Broninski 2005). We sometimes think of them as expert systems – processes that would require tens of thousands of rules if one were to try to describe the decision processes involved. The OMG has recently issued a request for information about what it terms Dynamic Business Processes. However you describe them, we all recognize that there are processes and activities that are very difficult to analyze or describe.

It's easy enough to describe complex processes a very high level, of course, you simply create a box called "Design Software Architecture," "Manage Marketing," or "Write Business Plan." As you begin to drill down, however, you realize just how little we know about how these activities are actually done. These are processes that – given current technologies – are impossible to automate in a cost-effective manner. In other words, complex processes challenge our ability to define the specific procedures involved.

Figure 18 suggests a continuum from simple to very complex processes. Manufacturing production line processes were easy because they involved watching what people do. Many service processes are more complex, but can still be define without too much difficulty. At the other extreme from procedures, however, there are complex or dynamic processes. Most companies don't focus on defining the jobs, but concentrate, instead, on hiring people who have already proven they can perform the activities.

As we already suggested, expert systems developers were focused on this type of process in the late 1980s. The expert systems effort failed to create useful applications, in even narrowly prescribed domains (e.g. Meningitis Analysis), not because they couldn't capture the thousands of rules a human expert used, but because they

couldn't maintain the rule bases. A human expert is always learning and changing his or her rules as the environment changes and knowledge evolves. Using existing techniques, an expert system is out of date the day after its completed.

We recently looked at a BPMS tool, the EMC Documentum BPM Suite, that has introduced a way of dealing, indirectly, with some of the more complex collaborative activities process modelers encounter. In essence, a developer creates a special type of activity, which the EMC product calls an "e-room." When an input is made to an instance of the activity when the process is being executed, several employees associated with the activity are notified and can create a web dialog which focuses on creating the desired output. If we were to define some of the activities that make up an e-room process, we would find activities like: Name project, identify who should be involved, send emails inviting people to e-meeting, define steps in project, define roles for team members in project, etc. In effect, the BPMS product avoids the problem of analyzing the activity and simply recognizes that people will need to collaborate to arrive at a solution, and then provides groupware to facilitate their collaboration.

Another approach to complex process analysis is termed Cognitive Task Analysis (Crandall et al. 2006). When we first started analyzing human performance problems, in the late 1960s, the techniques we used were generally termed "behavioral task analysis." This term reflected the dominant trend in psychology in the late 1960s – behaviorism – which stressed observation of overt activity. By the late 1970s, however, most academic psychologists had returned to the study of cognition. Using new techniques, derived primarily from work with computers, psychologists began to conceptualize human performers as information processing systems, and ask questions about the nature of human cognitive processing. The new cognitive psychology put its emphasis on observation and was at least as rigorous as behaviorism. An early classic of cognitive task analysis was Allen Newell and Herbert A. Simon's *Human Problem Solving*. In *Human Problem Solving* Newell and Simon analyzed a variety of human cognitive tasks, including cryptarithmic, logic, and chess playing and reached a variety of interesting conclusions that formed the basis for several decades of work in both cognitive psychology and artificial intelligence (Newell and Simon 1972). Indeed, it could be argued that their work led directly to expert systems and, more recently to Cognitive Task Analysis. The key point to make here, however, is that psychologists and computer scientists spent several years, in the early 1980s developing techniques to capture human expertise and embed expert knowledge in software systems.

The work in cognitive psychology led to the development of expert systems. They have not provide very useful, but the same techniques are now being used in business rules analysis efforts and in cognitive task analysis, which relies on many of the techniques used in expert systems design. Object models are constructed to describe the concepts and knowledge structures used by the human decision makers and rules are written to describe specific decisions.

The emphasis today, however, is on avoiding expert activities and focusing on the tasks undertaken by knowledge workers. While a true expert, an engineer who could design an M1 Battle Tank, might have models with many hundreds of objects

and use ten or twenty thousand rules, the soldiers who diagnose M1 Battle Tank problems in the field might only require a hundred objects and a thousand rules.

The trend, in other words, is to ignore true expertise, which is too hard to analyze or maintain – given our current techniques – and to focus on analyzing the knowledge that knowledge workers bring to bear on their more circumscribed but still demanding tasks. The work of knowledge workers is, of course, very important and valuable, and if we can capture significant portions of it, we can share it, and use it to design processes that can contribute significantly to the value of our organizations. To date, cognitive task analysis has proven very expensive, and is largely confined to complex tasks required by institutions, like military organizations, that need to train large numbers of new recruits to operate very complex equipment in a very short period of time. As more is learned, however, we can hope that new tools and techniques will make it easier to analyze and then automate the more complex tasks in most organizations.

The line between what can be analyzed and automated will keep moving in the decade ahead. The successful process practitioner will want to stay abreast of where the line is at any point in time to assure that the processes he or she chooses to analyze and automate are within the means available at that point in time.

9 Implementation Level Initiatives

The development of specific solutions to business process problems usually occurs on the implementation level. If a process is changed it usually implies that software will have to be developed or changed. Similarly, job descriptions and training programs require changes. In extreme cases, offices will need to be changed to different locations in different countries to support the new processes. Just as there are challenges, methodologies and techniques that are used at the process level, there are other methodologies and techniques that are appropriate to the implementation level.

9.1 Business Process Management Systems (BPMS)

A major change has occurred in this decade. Business people have realized that IT is no longer a support service but an integral element in the company's strategy. IT managers, for their part, have decided to stop focusing on technology and support, as such, and to focus, instead, on how they help implement business processes. In essence, the description of the goals and workings of business processes has emerged as the common language that both business executives and IT managers speak. This reorientation, has, in turn, led to a sweeping reconsideration of how IT supports business managers and to the development of integrated packages of business process management software suites. Software tools that, a decade ago,

would have been described as workflow, business intelligence, rules engines, or enterprise application integration tools and now being integrated together and spoken of as BPMS products (Khan 2004).

No one, today, is exactly sure what BPMS means or how BPMS products will evolve. It's a complex software market, made up, as it is of vendors who would formerly have said they were in different niches (BI, EAI, Rules, Modeling, CASE), and who are now trying to determine exactly how they work with others to generate a common Business Process Management Software platform. Many users don't discriminate between modeling tools, like ARIS and Casewise, and BPMS suites like webMethods or webSphere and applications suites with some BPMS capabilities, like BizTalk and NetWeaver. Perhaps its not important to do so at this time, as all are rapidly evolving and each will change as the functionality desired by users, after they have had a change to experiment with the various products, becomes clearer.

In 2003, Howard Smith and Peter Fingar wrote *Business Process Management* as a clarion call for companies to develop and use BPMS products to automate and manage their business processes. Smith and Fingar envisioned a world in which business managers would be able to glance at computer screens and see how their business processes were performing, and then, as needed, modify their processes to respond better to the evolving business situation. In other words, BPMS was to be a new type of software – a layer of software that sat on top of other software and managed all the people and software elements required to control major business processes. It is worth stepping back and asking to what degree that vision has been realized.

With a few exceptions, the BPMS software market has not evolved from scratch. Instead, the BPMS vendors were already in existence, offering workflow, documentation, rules engines, enterprise application integration (EAI), business intelligence (BI), or even ERP applications. Vendors from each of these older software domains have rushed to modify and expand their software products to incorporate capabilities associated with an evolving idea of what a BPMS product might include. Thus, workflow vendors have added EAI and vice versa. Most vendors have added a rule capability and incorporated BI (zur Muehlen 2004).

There has been a lot of consolidation as the various vendors have acquired each other to assemble the right set of capabilities. For all that effort, there is still, as of 2008, a very vigorous BPMS market with at least 15 vendors fighting for market share. At this point the platform vendors – like IBM, Oracle, SAP, and Software AG – seem to be doing best with process automation projects that are essentially EAI projects. The smaller vendors who are more focused on workflow, however, taken together, still constitute about half the market. And this, in turn, suggests the current immaturity of the 2008 BPMS market. In part, vendors have focused on what they know best. Vendors from an EAI background have focused on automating processes that primarily involve software systems. Vendors from a workflow background have focused on automating processes with lots of human interaction. And that, in turn, means that both are working on relatively small scale processes, or only working on one part of larger business processes.

We are still looking for good case studies that describe large-scale business processes whose managers now monitor and control those processes using BPMS suites. Most “BPMS” products, to date, are, in fact, workflow or EAI projects that could have been done in 2000. They are done by IT and IT manages them. This isn’t to say that they aren’t important automation projects and that business managers aren’t happy to have them in place, but we are only beginning to realize the goal proposed by Smith and Fingar – to create overarching process management systems that business managers can own and control (Smith and Fingar 2003).

If there is a major difference between today’s “BPMS” applications and EAI or workflow applications that would have been build in 2000, it lays in the fact that today’s EAI and workflow systems are built to take advantage of the Internet and, increasingly, a Service Oriented Architecture (SOA). Elementary SOA projects can be done without reference to BPM, but sophisticated SOA projects, to be of value to the company, must be integrated with a deep understanding of the organization’s business processes. Indeed, it is the emphasis on SOA, and the role that SOA infrastructure plays in the thinking of the leading platform vendors, that explains their growing support for BPM and BPMS.

The new emphasis on BPMS and SOA, as the two sides of the same coin, is a mixed blessing for the BPM community. It has attracted the interest of the platform vendors and driven their commitment. At the same time, it has led them to emphasize the more technical aspects of BPMS and make discussions of BPMS sound more and more like discussions of enterprise integration. BPM and BPMS need not get lost when the discussion turns to SOA, but they often do (Inaganti 2007). Or, more correctly, they get relegated to a very secondary role. Like too many IT discussions in the past, SOA developers are inclined to simply ask the business people for “their requirements” and then move on to the serious and complex work involved in creating the infrastructure environment.

None of this is final, of course. We are at an early stage in the development of the BPMS market. Some vendors will go off track and focus too much on SOA and thereby confine themselves to selling products to IT developers. Others, however, still have the vision that motivated Smith and Fingar and others of us and will continue to work on BPMS products that subsume technology to an interface that can support business managers as they interact with the business processes that do the work in their organizations. Large-scale business processes invariably involve a mix of software systems and people and true BPMS products must evolve to support both if they are to really help business managers to manage the processes and their companies.

9.2 Standards and Certification

Because BPMS is dependent on the Internet and various Internet protocols (e.g. UDDI, XML) there have been a variety of efforts to generate software standards that would support BPMS development. BPEL, being standardized by Oasis and BPMN, an OMG standard are good examples.

At the same time, a variety of different organizations are working to formalize the knowledge and the competencies needed by business process professionals. There is a certification program at ASQ. The ABPMP has just released a draft Body of Knowledge (BOK) for BPM. The OMG is working on a set of certification exams for the various process standards it supports, and the IIBA has just released an updated BOK for Process Analysts that incorporates more business process ideas.

Certification and standards always take time to develop and are hard to do when a body of practice is evolving as rapidly as BPM is today, but these efforts will undoubtedly bear fruit at some point in the future.

9.3 Other Implementation Concerns

The other major area of implementation activity concerns techniques for redesign jobs and training and motivating employees and managers to implement and support changing processes. We won't consider human performance change further at this point, having already discussed Haskett's work when we considered the process level. Suffice to say that automation and employee empowerment continue to evolve together and each needs the attention of anyone seeking to change processes within an organization.

10 Towards a Comprehensive BPM

We have tried to give readers a feel for the breadth and scope of today's Business Process Management efforts. In reviewing so many different domains and techniques we have undoubtedly misrepresented some of the details. Our goal, however, was not a definitive history, but, instead, a survey that would suggest how much needs to be integrated and coordinated by any company that would organize and manage a comprehensive BPM effort.

This survey has undoubtedly missed a number of important concerns. We have, however, highlighted some of the key issues that we think will increasingly concern business process practitioners in the near future. These concerns include:

Enterprise Level Concerns

- Enterprise Architecture
- Value Chains and Value Networks
- Business Process Frameworks
- Value Chain Diagrams
- Process Maturity Models
- Integrated Process Measurement Systems
- Managing Culture Change

Process Level Concerns

- Innovation
- Analyzing and Modeling Service Processes
- Analyzing and Modeling Complex Processes

Implementation Level Concerns

- Business Process Management Systems (BPMS)
- Standards and Certification

One could easily argue that any one of these topics could be repositioned at a different level. Similarly, though some topics seem more the concern of one tradition than another, all are being discussed by practitioners from each tradition and some already benefit from efforts that draw on practitioners from each of the major process traditions. In other words, they are emerging as the common concerns of Business Process Management.

While our list may be incomplete and while the names may change, we are confident, that the idea of process, and technologies and methodologies to manage and improve processes, will continue to grow in importance. We even expect to see process courses showing up at the better business schools in the course of the next decade.

What we want to urge, here, is the creation of a Business Process Management discipline that embraces all of the various approaches we have discussed. The world is changing very fast and will change even faster in the near future. The very nature of business models and processes will continue to change rapidly as outsourcing and information systems continue to change the way we organize to create value for customers. Change and business process are two sides of the same coin. Process concepts and technologies are the best way to organize businesses to adopt to change. But the use of process concepts and techniques won't be nearly as effective if different groups continue to approach process problems from their respective silos. We need an integrated, comprehensive process discipline and process managers and practitioners who can integrate all of the concepts we have considered, and others besides. It isn't sufficient to provide process monitoring technology and not concern yourself with what employees must do to help the organization succeed. It isn't sufficient to focus on managing day-to-day processes without concerning yourself with technologies that will soon render your current approach inadequate. It isn't sufficient to improve specific processes without a clear idea of how the specific process contributes to other processes, or supports the goals of the value chain or results in a great customer experience.

Ultimately, process practitioners must not be so concerned with decomposing and analyzing, although those skills are very important, but the process practitioner must be a holist who works to synthesize and assure that the performance of the whole organization is optimized to achieve its strategic goals.

There are too many commonplace organizations in the world today. There is an oversupply of productive capacity. And, at the same time there are people who are

not being served well, or at all. We need to create the next generation of global organizations that will draw on resources and people from throughout the world to produce products they can tailor and deliver anywhere in the world at prices everyone can afford. At the same time we need to create the techniques and technologies that will allow individuals and small companies to flourish in the niches in between the corporate giants. These are the challenges we face and they will call for a new generation of more sophisticated process practitioners who can integrate everything we know to accomplish these tasks.

References

- Altshuller G (1984) Creativity as an exact science. Gordon & Breach, New York
 American Society of Quality (ASQ) www.asq.org
 Baldrige National Quality Award www.quality.rist.gov
 Barney M, McCarty T (2003) The new six sigma. Prentice Hall, Upper Saddle River
 Bolstorff P, Rosenbaum R (2007) Supply chain excellence: a handbook for dramatic improvement using the SCOR model, 2nd edn. Amacom, New York
 Bovet D, Martha J (2000) Value nets: breaking the supply chain to unlock hidden profits. Wiley, New York
 Burlton R (2001) Business process management. Profiting from process. Sams, Indianapolis
 Cherbakov L, Galambos G, Harishankar R, Kalyana S, Rockham G (2005) Impact of service orientation at the business level. IBM Syst J 44(1):81–107
 Chrissis MB, Konrad M, Shrum S (2007) CMMI second edition: guidelines for process integration and product improvement. Addison-Wesley, New York
 Crandall B, Klein G, Hoffman RR (2006) Working minds: a practitioner's guide to cognitive task analysis. MIT Press, Cambridge, MA
 Davenport TH (1993) Process innovation: reengineering work through information technology. Harvard Business School Press, Boston
 Davenport TH (2000) Mission critical. Harvard Business School Press, Boston
 Davenport TH, Short JE (1990) The new industrial engineering: information technology and business process redesign. Sloan Manage Rev 31(4):11–27
 Davenport TH, Harris JG, Morison R (2010) Analytics at work: smarter decisions, better results. Harvard Business School Press, Boston
 Deming WE (1982) Out of the crisis. MIT Press, Cambridge, MA
 Federal Enterprise Architecture Framework (FEAF) US Government. www.gov.cio/Documents/fedarch1.pdf
 Graham B (2004) Detail process charting. Wiley, New York
 Gupta P (2004) Six sigma business scorecard: ensuring performance for profit. McGraw-Hill, New York
 Hammer M (1990) Reengineering work: don't automate, obliterate. Harv Bus Rev 68(4):104–113
 Hammer M (2004) Deep change: how operational innovation can transform your company. Harv Bus Rev 82(4):84–96
 Hammer M, Champy J (1993) Reengineering the corporation: a manifesto for business revolution. Harper Business, New York
 Harmon P (2007) Business process change. A guide for business managers and BPM and six sigma professionals, 2nd edn. Morghan Kaufman, San Francisco
 Harmon P, Hall C (1993) Intelligent systems. Wiley, New York
 Harmon P, King D (1985) Expert systems: artificial intelligence in business. Wiley, New York
 Harrison-Broninski K (2005) Human interactions. Meghan-Kiffer, Tampa

- Inaganti S (2007) SOA maturity model scenarios. BPTrends. www.bptrends.com
- International Society for Performance Improvement (ISPI). www.ispi.org
- International Society for Six Sigma Professionals (ISSSP). www.isspp.org
- Juran JM (1951) Quality control handbook. McGraw-Hill, New York
- Kaplan RS, Norton DP (1996) The balanced scorecard: translating strategy into action. Harvard Business School Press, Boston
- Kaplan RS, Norton DP (2004) Strategy maps. Harvard Business School Press, Boston
- Khan RN (2004) Business process management: a practical guide. Meghan-Kiffer, Tampa
- McClure C (1989) CASE is software automation. Prentice Hall, Englewood Cliffs
- McGraw T (1997) Creating modern capitalism: how entrepreneurs, companies, and countries triumphed in three industrial revolutions. Harvard University Press, Cambridge, MA
- Newell A, Simon HA (1972) Human problem solving. Prentice-Hall, Englewood Cliffs
- O'Reilly CA, Tushman ML (2004) The ambidextrous organization. Harv Bus Rev 82(4):74–82
- Ohno T (1978) Toyota production system: beyond large-scale production. Productivity Press, Portland
- Paulk MC et al (1995) The capability maturity model: guidelines for improving the software process. Addison-Wesley, Boston
- Pohle G, Korsten P, Ramamurthy S (2005) Component business models: making specialization real. Whitepaper issued by IBM institute for business value. IBM Global Services. Somers, New York
- Poluha RG (2007) Application of the SCOR model in supply chain management. Cambria Press, Amherst
- Porter ME (1985) Competitive advantage. Free Press, New York
- Porter ME (1996) What is strategy? Harv Bus Rev 74(6):61–78
- Ramias A (2005) The mists of six sigma. BPTrends. www.bptrends.com
- Rosemann M (2007) Application of a holistic model for determining BPM maturity. Feb. 1, 2005. www.bptrends.com
- Ross RG (2003) Principles of the business rule approach. Addison-Wesley, Boston
- Rummler GA, Brache A (1990) Improving performance. How to improve the white space in the organization chart. Jossey-Bass, San Francisco
- Scheer AW (1994) Business process reengineering, 2nd edn. Springer
- Seidel S, Rosemann M (2008) Creativity management – the new challenge for BPM. BPTrends. www.bptrends.com
- Shingo S (1983) A revolution in manufacturing. The SMED system. Productivity Press, Portland
- Silverstein D, DeCarlo N, Slocum M (2005) INsourcing innovation. How to achieve competitive excellence using TRIZ. Auerbach Publications, New York
- Smith RF (2007) Business process management and the balanced scorecard. Using processes as strategic drivers. Wiley, New York
- Smith H, Fingar P (2003) Business process management. Meghan-Kiffer Press, Tampa
- Supply Chain Council. www.supply-chain.org
- Taylor FW (1911) Principles of scientific management. Harper & Brothers, New York
- Taylor J, Raden N (2007) Smart (enough) systems: how to deliver competitive advantage by automating hidden decisions. Prentice Hall, Upper Saddle River
- TeleManagement Forum. www.tmforum.org
- Value Chain Group. www.value-chain.org
- van der Aalst W, van Hee K (2000) Workflow management. Models, methods and systems. MIT Press, Cambridge, MA
- von Halle B, Goldberg L (2010) The decision model: a business logic framework linking business and technology. CRC Press, New York
- Womack JP, Jones DT, Roos D (1991) The machine that changed the world: the story of lean production. Simon & Schuster, New York
- Zachman JA (1987) A framework for information systems architecture. IBM Syst J 26(3):276–292
- zur Muehlen M (2004) Workflow-based process controlling. Foundation, design, and application of workflow-driven process information systems. Logos Verlag, Berlin

A Framework for Defining and Designing the Structure of Work

Geary A. Rummler† and Alan J. Ramias

Abstract This chapter describes a framework for modeling the business architecture layer of enterprise architecture. We subscribe to the definition of enterprise architecture provided by Ken Orr, who identifies business architecture as the top layer of four linked architectures in an enterprise architecture. This chapter describes a value creation architecture consisting of the business architecture, the management system architecture, the technology performance architecture, and the human performance architecture.

1 Introduction


We do not need to belabor the potential value to an organization of modeling its business and technologies in an enterprise architecture (EA) framework (see Fig. 1 for typical EA framework layers), but here are a couple of expert opinions on the subject.

Paul Harmon, founder and executive editor of BPTrends, has written, “Most people who use the term ‘enterprise architecture’ today, are probably from the IT world, and they tend to use the term as (an overview of how all the various IT models and resources in the organization work together). Depending on the individual, they might insist that their concept of an enterprise architecture includes business process elements and even strategy elements, but if you look at their actual models and their practices, you will see that they chiefly look at processes as a source of system requirements that can drive software development” (Harmon 2004, 2014).

Dave Ritter, co-founder and vice president of Proforma, said, “Enterprise Architecture is often touted as one of the tools needed to bridge the gap between the business and IT [...]. Successful alignment of business and IT will maximize enterprise performance. This will only be achieved by organizations that understand

G.A. Rummler
Performance Design Lab, Tucson, AZ, USA

Fig. 1 Typical layers of an enterprise architecture



how to develop and maintain an accurate model of their companies' business and strategy architectures and provide value to the business through their introduction of automation solutions." (Ritter 2004).

However, even though there is value to organizations in having a complete, accurate EA, problems abound. Ritter points out, "Despite the fact that Enterprise Architecture concepts have been around since the early 1980s, their critical mission of defining and linking Business, Systems, and Technology Architectures is rarely achieved. Enterprise Architecture projects are all too often reduced to nothing more than elaborate exercises to inventory systems and technologies, with little or no effort put into documenting and analyzing their companies' strategic direction and business processes – the very strategic direction and business processes which should be the driving force for IT initiatives".

In our view, these problems with EA exist for several reasons:

First, EAs are typically built by IT people. IT is disadvantaged in its efforts to depict the business aspects of an EA without the participation of other members of the organization. The result is inevitably an EA model skewed to IT interests.

Second, there is not enough structure available in any of the models of EA we have seen that would aid someone interested in building a sufficiently complete picture of the BA layer. While business processes are typically identified as the contents of the BA layer, the labeling, organizing, and relating of the processes are done in a rudimentary fashion, leading some business people to say, "So what?" Besides, there is more to the BA view than processes.

Third, there is insufficient recognition in the EA models we have reviewed that the purpose of all this modeling is to show how work is (or should be) performed. The emphasis is on linkages between systems and applications, and sometimes to processes, but without enough clarity about who does the work, and how the work is actually being performed. The critical focus of an EA should be on how work gets done, who (both human and technology) is performing the work, and how performance is managed. If an EA does not make accomplishment and management of work quite clear, it ends up being little more than, in Harmon's words, "processes as a source of system requirements that can drive software development".

Fourth, EA models need to (but generally do not) recognize the basic premises of the organization as a system, namely that:

- All organizations are systems that exist to produce valued outputs (desired products or services to customers and economic returns to stakeholders);
- All organizations need to be adaptive systems existing inside a larger Super-System, and in order to succeed over the long term, organizations need to continuously adapt to the changes in their Super-System. The Super-System is the ultimate reality and performance context for every organization. Bluntly put, any organization must adapt to its Super-System or die.

Any EA model that does not recognize or provide clarity about the organization as a system will fall short in providing clarity or direction. So our approach is based upon the concept of the organization as a system, starting from the outside (i.e., the Super-System) and then drilling into the organization level by level.

2 The Value Creation Hierarchy

Our view starts via a view we call the Value Creation Hierarchy (VCH). Every organization exists in order to create something (goods, services) of value to a market, and in order to create and deliver that value, it needs an internal system of processes and resources to make good on its promises.

Fig. 2 shows a Hierarchy consisting of five levels. The VCH is a top-to-bottom framework for organizing work in a way that meets the following criteria:

- Value is created and delivered to the market
- The work of value creation and delivery can be effectively and efficiently performed
- The work can be effectively managed
- Whenever practical, the work is organized in a way that gives the business a competitive advantage

2.1 *Enterprise Level*

At the top level is the entire organization as a system, with the organization's business units operating as the engines that create, sell, and deliver value, and generate revenue for the enterprise. The enterprise is depicted in the context of its marketplace, its resources and competitors, and the general environment in which the organization must operate. Most of the time, people are not referring to this topmost level when they talk about processes, but what this model suggests is that every organization is in fact a giant processing system, and all of its individual processes are contained somewhere in this system.

2.2 *Value Creation Level*

The next level is a depiction of the organization's Value Creation System (VCS), which is the means by which the organization creates, sells, and delivers products




Fig. 2 Value creation hierarchy

and services of value to the marketplace. The value-creation level is kind of a mega-process view, and in a large, complex company, there may be a different VCS for different products and services. Sometimes people who talk about process do mean the entire Value Creation System, and quite often, improvement is needed at this level, when parts of the VCS are misaligned or missing.

2.3 Processing Sub-Systems Level

The third level then divides the components of the VCS into three general types of processes, what we call the Launched, Sold, and Delivered processing sub-systems. Launched includes those processes – such as research, product development, and product extensions – whose purpose is to create and make available new products and services. Sold includes those processes that are aimed at marketing and selling the goods and services. Delivered includes those many processes that get the products and services to customers and provide ongoing support. At this level, we are still talking about multiple sets, or bundles, of processes, which we call Processing Sub-Systems.

2.4 Process Level

It is at the fourth level that we reach the individual process level, and it may be one of those processes contained inside Launched, Sold, or Delivered. Often, this is the level of process that people mean when they talk about “end-to-end” processes, because these processes typically begin with a market or customer input (e.g., an order, a product idea) and end with an output that either goes to the customer or becomes an input to another stage of the value chain. For example, the output of the product development process in Launched is a new product that now can be marketed and sold by those employees who participate in the Sold processes. The other processes to be found at this level are management processes and supporting processes (for example, the hiring process or the information system development process).

2.5 Subprocess/Task/Subtask Level

The fifth level then decomposes a given process into subprocesses and tasks. It is at this level that the performer (whether human or technology or a combination) becomes visible. The final level goes into even greater detail, delving into substeps and procedures. Sometimes, people who use the word “process” are actually talking about this level, because from their vantage point, what they do is a whole process, although from the VCH view, they are well down in the weeds within a single subprocess or even a single task.

3 Business Architecture

The VCH can be used to derive the Business Architecture (BA) for a given organization. Corresponding to each level of the Hierarchy are one or more diagrams that depict elements of that level and their interrelationships. Fig. 3 depicts a generic BA.

3.1 *Super-System Map*

Corresponding to the super-system level of the VCH is a Super-System Map (Fig. 4), which displays specific information about a given organization. There is information about the external variables that affect the organization (i.e., the markets and customers, competitors, resources, and general environmental factors). Inside the organizational box is a high-level depiction of the organization's lines and major organizational units. Outputs from the organization (i.e., its products and services) are depicted.

3.2 *Cross-Functional Value Creation System Map*

Corresponding to the value chain level of the VCH is a Cross-Functional Value Creation System Map (Fig. 5), which depicts the organization's value-creation processes and the organizational players who participate in those processes. This level is a very high-level view of the organization way of doing business (i.e., its business model) and delivering value to its customers.

3.3 *Business Process Architecture Framework*


The tool for displaying the Primary Processing Systems of an organization is called a Business Process Architecture (BPA) framework (Fig. 6). This diagram shows all of the significant processes (i.e., value creation processes, management processes, and supporting processes) of the organization and their systematic interrelationships.

The BPA Framework provides executives and employees with a common view of all the major processes of the business – on one page. The document is a concise summary of the value-adding work that must be performed and managed to provide value to customers – the operative word being *work*. The picture is a work-centric picture and does not reflect who does the work – so the primary focus of dialog, troubleshooting, and decision making stays on the work and on the creation and delivery of value.

3.4 *BPA Detail Chart*

The BPA Detail Chart (Fig. 7) is a tool that bridges the multiple processes shown in a BPA and the details required to depict a single cross-functional process.

Fig. 3 Business architecture






Fig. 4 Super-system map template

The BPA Detail Map is a device for identifying all processes in a given VCS, participants in those processes, and enabling technologies in a given section of an organization’s BPA (such as in its Launched processes) or it may be applied to identify only certain processes (and corresponding participants and technologies) relevant to a given business issue or proposed change (for example, a new way to go to market, which would affect multiple processes in the Sold area of the BPA). The processes included in a given BPA Detail Chart can include not only primary, value-adding processes but also support and management processes.

3.5 Cross-Functional Business Process Map

Below the level of the BPA are the individual processes, which are captured using the classic “swimlane” format popularized by Geary Rummler and used today by virtually all process flowcharting practitioners and imbedded in BPM software (Fig. 8). The format enables the process map to provide rich detail about the tasks performed in a given process and who participates in the process. The map can also show how technology is employed in executing the tasks, and may show how various systems and applications interact with each other in performing various subtasks. In addition, maps may contain other information such as time consumption, metrics, resources, etc.




Fig. 5 Cross-functional value creation system map




Fig. 6 Business process architecture framework

Corresponding to the cross-functional process map is a cross-functional Role-Responsibility Matrix, which provides even more detail about how the tasks contained in the process are being performed.

3.6 Subprocess Maps

If it is useful to delve into even greater process detail, a subprocess map can be used to decompose a single task and, using the same swimlane format, show the subtasks, performers, technologies, and sequence.

Below this level are any number of other tools that could be applied in either analyzing existing processes or designing new ones. For example, if the purpose is to identify where controls exist in a process in order to meet the compliance requirements of the Sarbanes–Oxley Act, subprocess maps can be applied to this purpose, providing a picture of exactly where various controls exist in a given process.

In summary, the BA is derived from the Value Creation Hierarchy. As shown in Fig. 9, each component of the BA corresponds to a level of the VCH. In our view, a complete BA constitutes a completely mapped set of all of these components, whether it is intended as a BA of the current state or it is a future-state BA.

This then constitutes our view of one important dimension that should be contained in a complete BA: a vertical depiction of how a business creates and delivers value through its complex hierarchy of processes.

4 Value Creation Management System

An EA model should show not only how work gets done in an organization but also how performance is managed. At the Performance Design Lab (PDL), we have long argued that to be effective any organization needs to have a well-designed




Fig. 7 BPA detail chart




Fig. 8 Cross functional process map

management system. We have a framework for reviewing the management system of an organization.

We know that desired performance/results are a function of the three components shown in Fig. 10:

1. *Performance planned* – goals and plans (including necessary resources and processes to achieve the goals) are set and communicated to the “performer”.
2. *Performance executed* – the “performer” (which can be an individual, a process, or an organization entity – e.g., a company division, plant, or department) delivers the desired performance/results prescribed in the goals and plans.
3. *Performance managed* – actual performance is monitored against the goals and plans and if a negative deviation is detected, there may be a “change” signal sent to the performer. The bottom-line of Performance Managed is closing any gaps between Plan and actual.
 - (a) The “performer” to change their execution in some way (e.g., better scheduling of staff) and/or
 - (b) The Performance Planned component to do some combination of the following:
 - Alter the Goals
 - Modify the Strategy to achieve those Goals




Fig. 9 Value creation hierarchy and corresponding business architecture




Fig. 10 Management model

- Modify the Operating Plan and Budget to better support the Strategy including: (a) The allocation of resources, (b) The Organization design, (c) Process requirements, and (d) Policies

Put another way,

- Performance Planned = (equals) “Plan”
- Performance Executed = “Actual”
- Performance Managed = Action to close the gap between “plan” and “actual”.

“Performance Executed” (PE), the individual, process, or entity that performs the work, is always a very visible component of this fundamental performance system. On the other hand, the “Performance Planned” (PP) and “Performance Managed” (PM) components, which constitute the “brains” or intelligence of the performance system tend to be invisible and flawed. This PP/PM combination (which we refer to as the Performance Planned and Managed System [PPMS]) is what makes it possible for the performance system to adapt to external changes and react to execution failures. It is the mechanism whereby the performance system is both an effective processing system and an adaptive (learning) system.

Figure 11 provides more details about the functioning of the Performance Planned and Performance Managed components. An extra detail from the earlier diagram to point out is that in addition to providing Goals (direction) and Plans to Performance Executed, the Performance Planned component also makes available the necessary structure, processes, policies, and resources (financial and other) to achieve said goals.

You might think of the PPMS as a sophisticated guidance/control mechanism – a “management chip,” if you will – whose goal it is to optimize the Performance Executed component and produce the desired results. A *management system* for an organization is a collection of these “management chips,” inserted at key junctures in the organization, and *linked* as shown in Fig. 12.




Fig. 11 Management model details

The diagram in Fig. 12 (a variation of Fig. 11, the preceding diagram) is a powerful template for both “troubleshooting” an existing management system and designing a new management system.

5 Management System Architecture

Corresponding to the Management System Hierarchy is a set of tools that collectively can be used to design and organize the management system (see Fig. 13). Just as with the BA, these tools can be used to define and analyze an organization’s current state (“is”) or future state (“should”). The Management System components




Fig. 12 Performance planned and managed hierarchy




Fig. 13 Management system architecture

are anchored by the processes to be managed. Starting from the bottom, the components are arranged in rough order of their development when building a management system.

5.1 Measures Chain

For each process in the BA, a Measures Chain identifies what critical dimensions of performance and measures are applicable, and where in the process the performance data should be monitored. The way a Measures Chain is developed is to start at the right, with the requirements of customers and stakeholders and translate them into dimensions of performance such as timeliness, quality, and price, and applied to the process. For example, if the timeliness requirement is to deliver a product within 30 days, the requirements on the whole process might be 25 days (assuming 5 days for shipping), and then those 25 days are allocated appropriately to the subprocesses based on the worked required. The result is a set of measures for a given process. When Measures Chains are created for all the key processes in an organization's BPA, the management team has a powerful means of monitoring and controlling process performance across the organization.

5.2 Performance Trackers

Performance Trackers are tools for collecting and displaying performance data. The trackers are derived from the performance measures required by the Measures Chains. Typically, a tracker shows the trends in performance for a given measure, such as cost, timeliness, or quality. A hierarchy of trackers corresponding to the management levels contained in the Management Domain Matrix and covering all the key processes in the BPA results in a comprehensive "dashboard" for viewing and management organization-wide performance.

5.3 Troubleshooting Logic Diagrams

Much of the management work required to manage the organization as a system is diagnosing and acting upon performance feedback with the appropriate corrective action, which might be to provide coaching, better training or feedback, different tools or methods, etc. Troubleshooting tools are intended to help managers assess data, make the right conclusions, and choose the right actions.

5.4 Management Calendar

The central tool is the Management Calendar, which provides a road map and timeline for a total Performance Planned and Managed System (PPMS) for any organization. It prescribes the key points of interaction between key management roles (the vertical axis) at specific points in time (across the top of the chart, from Annual to Weekly/Daily). As the Management Architecture shows, the metrics used by management are derived from Measures Chains for each key process, and the levels of management are defined in the Management Domain Matrix.

5.5 Management Domain Matrix

This tool identifies each level of management, specifies the mission and value of each role, and the responsibilities for performance management of each role. How these responsibilities are carried out can be seen in the Management Calendar, where each manager participates in planning and management activities appropriate to their level.

5.6 Meeting Agendas

In most organizations, the best arena for managing the organization as a system are in those regular meetings where management teams plan and make decisions. The Management Calendar is typically built according to the schedule of management meetings. This final tool is a set of meeting agendas that aid management teams in optimizing and leading the organization.

For example, the Management Calendar for our fictitious organization includes a monthly Performance Managed meeting to emphasize that Functions exist to support Primary processes, which in turn meet customer and organization requirements. It works like this.

The executive team of the president and all vice-presidents meets every month for a review of operations and performance against goals. It is usually a 4-h meeting, chaired by the president. The first 30 min of the meeting is a quick briefing on performance against corporate goals for the month and year-to-date, including financials, sales performance, and customer satisfaction data. The next segment of the meeting, usually an hour and a half, is a review of Process performance against goals. The Process Management Team Chair (also a functional VP on the executive team) for each Primary Process reports on how their Process has performed against the goals for the period. The Chair/VP is also expected to comment on any issues regarding “suboptimization” of their process by any function. On a rotational basis, each month the performance of one of the Support Processes is reviewed in a similar manner. The president is a big advocate of “functions exist to

support processes” and listens carefully during this segment of the meeting for indications that this is not the case.

In the final hour-and-a-half segment of the meeting, the focus shifts to a review of each major function in the company. Each VP gives a brief summary of their function’s performance against their monthly goals and raises any issues they are having or anticipate having supporting any of the Primary Processes. The president is quick to ask questions if he senses a function is failing to support one of the Processes as required. If such a problem is identified, the president leads a positive “problem-solving” discussion of “why” the problem exists and what must be done (by all VP’s, not just that function VP) to correct the problem, prevent the problem happening again, and recover from the problem.

The whole idea of the Management System is to make complex organizations more manageable. A company has hundreds of individuals in hundreds of jobs performing thousands of more or less related activities aimed at meeting ever changing customer requirements or expectations. It is a major management challenge to provide direction for such a complex organism. The alternative is to view the company as a processing system that delivers valued products to customers through a handful of critical processes – basically three Primary Processes and several Support Processes. With this processing system view of organizations, the primary management task for executives and managers becomes twofold:

- First, assure that the internal processing system is aligned with the external “Super-System” requirements and reality. For example, if customers expect to receive their orders in 5 days (because that is what your competition does), then you need to be sure that “5 days” is the standard for delivery of the Order Fulfillment Process. Likewise with expectations for new product development, customer service, etc.
- Secondly, assure that the internal processing system is efficient and effective in meeting organization goals and customer requirements. That is, if you set an order fulfillment standard of 5 days, your job as a management team is to see that the Order Fulfillment Process can meet that standard. You must see that the process is appropriately designed and resourced to consistently meet that customer-driven performance goal.

6 Bridge to Enabling Architectures

Now we are in position to bridge between the BA and other architectures. We want to specify performance and performers. We will define the “performer” as:

- A human being executing tasks with no use of an enabling information technology (i.e., the human performer performs a manual task without any use of a computer);
- Or a human using a supporting technology (e.g., the human performer uses a computer to process information, access data, perform analysis, etc.);

- Or a technology acting as a performer (e.g., a system sends information to another system)

Each of the above options describes a performance situation in which the task is executed in a particular manner, and our process maps should make clear which performance situations are required in the process. In turn the maps become the basis for defining what kinds of technologies are needed and what knowledge and skills the human performers must possess in order to perform the processes as they have been designed.

6.1 Technology Performance Architecture

The jumping off point for defining the enabling technologies are the process maps described earlier in the BA. Taken together, the maps for all the affected processes contain the specifications for what technologies are going to be needed. Figure 14 shows the elements of the Technology Performance Architecture.

One key element of the Technology Performance Architecture is the Use Case. A Use Case is developed for each instance in each process where a human performer uses technology to execute a task. For a change of significant magnitude, affecting multiple processes, there may be dozens of Use Cases developed. Each Use Case is a specific requirement for a specific item of technology to be designed, purchased, or modified to meet process needs.

At times, the use of a technology may be so complex that it cannot be adequately captured in a process map or use case document. What may be more revealing are “drilldowns” that show how the performance will happen. For example, a process may require very different actions depending on whether a customer is new; existing; existing but with a late-payment history; existing but with no credit, etc. Such complicated algorithms might be diagramed using tools such as if-then scenarios or other techniques that work better than process maps.

Another element of the Technology Performance Architecture is the Technology Enabler Chart, which is a compilation of all the technologies embedded in the various processes identified in the BA. When developed in the context of an improvement effort, the Technology Enabler Chart also specifies the current state of each required technology, some of which may be existing and others brand-new. This list amounts to “marching orders” for the IT organization, as it lists all of the requirements of all the processes needed to support the business.

From the Technology Enabler Chart, all of the requirements can be and appropriately distributed into three categories of IT technologies that link to the three classic IT architectures (data architecture, applications architecture, and technical architecture) listed in most EA models.

In addition, the Technology Performance Architecture contains some other elements not generally found in EA models:




Fig. 14 The technology performance architecture

- We have included the IT organization's own processes, since these are the processes that produce the technologies needed by the business. How well these processes are designed, executed, and managed are key to success.
- We have also included the IT function's management system, which should be a mirror of the enterprise management system and driven by it. The goals and needs of the enterprise should be received by this system and then translated into specific objectives and projects for the IT function's processes.

6.2 *Human Performance Architecture*

This architecture is derived from the BA as well, with a focus on the human performers who execute the processes (see Fig. 15 for the Human Performance Architecture). The tools in this architecture specify what the human performers will have to be able to do to execute the BA processes as intended. The path down from the BA leads to two tools that provide more details and insight into human performance of the targeted processes.

The function role–responsibility matrices identify each job that participates in the affected processes and how the performers in those jobs will do their work.

Then for each affected job we develop a complete Job Model that specifies the job accomplishments, measures, performance goals, and knowledge/skill requirements.

With the Job Models completed, we can check them against the Use Cases to see if they match, and make appropriate adjustments if they do not. For example, perhaps the use cases specify that order entry clerks are going to be using supply chain analytics software, yet the Job Models make no reference to the skills it would take to use such software.

Then, as we did with the Technology Performance Architecture, we now distribute the requirements into several buckets (knowledge and skills, staffing, and performance management) and link them to the HR function's processes that deal with those areas. For example, in order to execute some of the processes in the BA, we may have to train people, or maybe we will hire from outside, which impacts the staffing process.

7 The Complete VCA

Now, with these enabling architectures defined, we have produced what we would consider to be a complete EA, or what we prefer to call a Value Creation Architecture (VCA). It consists of the Business Architecture, the Management System Architecture, the Technology Performance Architecture, and the Human Performance Architecture.




Fig. 15 The human performance architecture




Fig. 16 Whole value creation architecture

This unifying architecture (see Fig. 16) will be constantly affected by changes large and small, but an organization that has developed a complete and accurate VCA like this one is capable of accommodating even large changes much more rapidly than an organization that has not defined its VCA.

References

Harmon P (2004) Enterprise architectures. BPTrends: www.bptrends.com, Jan 2004
Harmon P (2014) The scope and evolution of business process management. In: vom Brocke J, Rosemann M (eds) Handbook on business process management, vol 1, 2nd edn. Springer, Heidelberg, pp 37–80
Ritter D (2004) Successful enterprise architecture: aligning business and IT to maximize performance. Proforma White Paper

The Six Core Elements of Business Process Management

Michael Rosemann and Jan vom Brocke

Abstract The previous chapters gave an insightful introduction into the various facets of Business Process Management. We now share a rich understanding of the essential ideas behind designing, managing and changing processes for a variety of organizational purposes. We have also learned about the streams of research and development that have influenced contemporary BPM. As a result of more than two decades of inter-disciplinary research and a plethora of diverse BPM initiatives in corporations of all sizes and across all industries, BPM has become a holistic management discipline. Consequently, it requires that a number of complementary elements needs to be addressed for its successful und sustainable deployment. This chapter introduces a consolidating framework that provides structure and decomposes BPM into six essential elements. Drawing from research in the field of maturity models and its application in a number of organizations all over the globe, we suggest the following six core elements of BPM: strategic alignment, governance, methods, information technology, people, and culture. These six elements serve as the core structure for this BPM Handbook.

1 Why Looking for BPM Core Elements?

Despite the fact that BPM has disappeared as the top issue for CIOs (Gartner 2010), the interest in process-aware management and supporting methods and technologies remains very high (Gartner 2013). BPM is nowadays seen as being beyond the stage of inflated hype and the related expectations have become more realistic. Overall there is a much more matured understanding of how to approach BPM as a program of work or on a project-by-project base (vom Brocke et al. 2014). Nevertheless, new expectations are continuously being fuelled with emerging BPM

M. Rosemann (✉)

Information Systems School, Queensland University of Technology, Brisbane, QLD, Australia
e-mail: m.rosemann@qut.edu.au

solutions such as process mining, social BPM or cloud BPM. In this regard, BPM has increasingly been recognized a driver for innovation in a digital world (vom Brocke and Schmiedel 2014).

This context demands a robust frame of reference that helps decomposing the complexity of a holistic approach such as Business Process Management and allows accommodating new BPM capabilities. A framework highlighting essential building blocks of BPM can particularly serve the following purposes:

- *Project and Program Management:* How can all relevant issues within a BPM approach be safeguarded? When implementing a BPM initiative, either as a project or as a program, is it essential to individually adjust the scope and have different BPM flavors in different areas of the organization? What competencies are relevant? What approach fits best with the culture and strategic imperatives of the organization? How can BPM be best tailored to the specific corporate context? Michael Hammer has pointed in his previous chapter to the significance of appropriately motivated and skilled employees for the overall success of BPM. What might be further BPM elements of significance? In order to find answers to these questions, a framework articulating the core elements of BPM provides invaluable advice.
- *Vendor Management:* How can service and product offerings in the field of BPM be evaluated in terms of their overall contribution to successful BPM? What portfolio of solutions is required to address the key issues of BPM, and to what extent do these solutions need to be sourced from outside the organization? There is, for example, a large list of providers of process-aware information systems, process change experts, BPM training providers, and a variety of BPM consulting services. How can it be guaranteed that these offerings cover the required capabilities? In fact, the vast number of BPM offerings does not meet the requirements as distilled in this Handbook; see for example, Hammer (2014), Davenport (2014), Harmon (2014), and Rummler and Ramias (2014). It is also for the purpose of BPM make-or-buy decisions and the overall management of vendors and advisors that a framework structuring core elements of BPM is highly needed.
- *Complexity Management:* How can the complexity that results from the holistic and comprehensive nature of BPM be decomposed so that it becomes manageable? How can a number of coexisting BPM initiatives within one organization be synchronized? An overarching picture of BPM is needed in order to provide orientation for these initiatives. Following a “divide-and-conquer” approach, a shared understanding of the core elements can help to focus on special factors of BPM. For each element, a specific analysis could be carried out involving experts from the various fields. Such an assessment should be conducted by experts with the required technical, business and socio-cultural skills and knowledge.
- *Standards Management:* What elements of BPM need to be standardized across the organization? What BPM elements need to be mandated for every BPM initiative? What BPM elements can be configured individually within each

initiative? A comprehensive framework allows an element-by-element decision for the degrees of standardization that are required. For example, it might be decided that a company-wide process model repository will be “enforced” on all BPM initiatives, while performance management and cultural change will be decentralized activities.

- *Strategy Management*: What is the BPM strategy of the organization? How does this strategy materialize in a BPM roadmap? How will the naturally limited attention of all involved stakeholders be distributed across the various BPM elements? How do we measure progression in a BPM initiative (“BPM audit”)?

A BPM framework that clearly outlines the different elements of BPM has the potential to become an essential tool for such strategy and road-mapping challenges as it facilitates the task of allocating priorities and timeframes to the progression of the various BPM elements.

Based on this demand for a BPM framework that can be used for project and program management, vendor management, complexity management, standards management, and strategy management, we propose a framework that can guide BPM decision makers in all of these challenges. In the following section, we outline how we identified these elements. We then introduce the six core elements by first giving an overview and second presenting each element and its subcomponents in more detail.

2 How to Identify Core Elements of BPM?

The framework to be identified has to comprehensively structure those elements of BPM that need to be addressed when following a holistic understanding of BPM, i. e., BPM as an organizational capability and not just as the execution of the tasks along an individual process lifecycle (identify, model, analyze, improve, implement, execute, monitor, and change). This requires an organization-wide perspective and the identification of the core capability areas that are relevant for successful BPM. We, thus, base our work on BPM maturity models that have been subject to former research (Roeglinger et al. 2012; van Looy 2014).

Recently, a number of models to decompose and measure the maturity of Business Process Management have been proposed as shown in Fig. 1.

The basis for the greater part of these maturity models has been the *Capability Maturity Model* (CMM) developed by the Software Engineering Institute at Carnegie Mellon University, Pittsburgh, PA. This model was originally developed in order to assess the maturity of software development processes and is based on the concept of immature and mature software organizations. The basis for applying the model is confirmed by Paulk et al. (1993) who stated that improved maturity results “in an increase in the process capability of the organization”. CMM introduces the concept of five maturity levels defined by special requirements that are cumulative.

Model	Subject	Source
Process Condition Model	Effectiveness and efficiency measurement to rate a process' condition	DeToro and McCabe (1997)
Strategic Alignment Maturity Model	Maturity of strategic alignment	Luftman (2003)
BPR Maturity Model	Business Process Re-engineering Programmes	Mauil et al. (2003)
Harmon's BPM Maturity Model	BPM maturity model based on the CMM	Harmon (2003, 2004)
Rummler-Brache Group's Process Maturity Model	Success factors for managing key business processes	Rummler-Brache (2004)
OMG's BPM Maturity Model	Practices applied to the management of discrete processes	Curtis et al., (2004); OMG (2008)
Rosemann and de Bruin's BPM Maturity Model	Maturity of Business Process Management capabilities	Rosemann; de Bruin (2005); de Bruin (2009)
Capability Maturity Model Integration (CMMI)	Maturity of software development processes	SEI (2006a, 2006b)
Hammer's BPM Maturity Model (Process Audit)	Defining process and enterprise competencies	Hammer (2007)

Fig. 1 Selected maturity models in BPM

Among others, Harmon (2004) developed a BPM maturity model based on the CMM (Harmon 2003). In a similar way, Fisher (2004) combines five “levels of change” with five states of maturity. Smith and Fingar (2004) argue that a CMM-based maturity model, which postulates well-organized and repeatable processes, cannot capture the need for business process innovation. Further, BPM maturity models have been designed by the Business Process Management Group (BPMG) and the TeraQuest/Borland Software (Curtis et al. 2004) that is now supported by the OMG (2008).

Curtis and Alden (2006) take a prescriptive approach to process management. This model combines a number of process areas by either applying a staged or a continuous approach. Progress through the stages is dependent on all requirements of preceding and completed stages. Some discretion is allowed at lower stages using the continuous approach but it largely evolves around the order in which the process areas are addressed. Hammer (2007), likewise, adopts a prescriptive approach (the “Process Audit”) defining a number of process and enterprise competencies. Hammer also demands that all aspects of a stage are to be completed before progressing to higher stages of maturity.

One shortcoming of the universalistic approaches adopted by Curtis and Alden (2006) and Hammer (2007) is that they seem to be more appropriate for relatively narrow domains and do not capture various aspects of an organization sufficiently (Sabherwal et al. 2001). A further critique of these BPM maturity models has been the simplifying focus, the limited reliability in the assessment, and the lack of actual (and documented) applications of these models leading to limited empirical validations.

A proposal to divide organizations into groups with regard to their grade and progression of BPM implementation was made by Pritchard and Armistead (1999). The Rummeler–Brache Group commissioned a study, which used ten success factors gaging how well an organization manages its key business processes (Rummeler-Brache Group 2004). The results have been consolidated in a Process Performance Index. Pritchard and Armistead (1999) provide a proposal for how to divide organizations into groups depending on their grade and progression of BPM implementation.

In an attempt to define maturity of BPR programs, Maull et al. (2003) encountered problems in that they could not use objective measures. They define BPM by using two dimensions, an objective measure (time, team size, etc.) and a “weighting for readiness to change” (Maull et al. 2003). This approach, however, turned out to be too complex for measurement. Therefore, they chose a phenomenological approach assessing the organization’s perception of their maturity, using objective measures as a guideline. Another example of how to define maturity (or in their case “process condition”) is provided by DeToro and McCabe (1997), who used two dimensions (effectiveness and efficiency) to rate a process’ condition. These models show that a clear distinction should be made between process maturity models (“How advanced are our processes?”) and Business Process Management maturity models (“How advanced is the organization in managing its business processes?”).

In addition to these dedicated process and BPM maturity models, a number of models have been proposed that study and structure the maturity of single elements of BPM. An example is Luftman’s (2003) maturity model for strategic alignment which serves as a foundation of Strategic Alignment in BPM (Luftman 2014).

As our base for identifying the core elements of BPM, we have used Rosemann and de Bruin’s (2005) BPM maturity model (de Bruin 2009). This BPM maturity model was selected for a number of reasons:

- First, it was developed on the contemporary understanding of BPM as a holistic management approach.
- Second, it is based on a sound academic development process. Starting with an in-depth and comprehensive literature review, the experiences and preliminary versions of three previous BPM maturity models have been consolidated. The model has been validated, refined, and specified through a series of international

Delphi studies involving global BPM thought leaders (de Bruin and Rosemann 2007). A number of detailed case studies in various industries further contributed to the validation and deeper understanding of the model (de Bruin 2009).

- Third, the model distinguishes factors and capability areas on two levels of abstraction. This hierarchical structure allows different types of granularity in the analysis. As a result, definitions of the factors and capability areas are available and provide a basis for consistent interpretation (Rosemann et al. 2006; de Bruin 2009).
- Fourth and finally, the model has been applied within a number of organizations by means of documented case studies including embedded surveys and workshops (Rosemann and de Bruin 2004; Rosemann et al. 2004; de Bruin and Rosemann 2006; de Bruin 2009). Hence, the core elements have been validated and proven to be of practical relevance in real life projects.

Using this maturity model to identify the six core elements of BPM, we do not explicitly elaborate on the maturity assessment process and the various maturity stages of this model. Rather we take a static view and discuss the six capability areas as core elements of BPM.

3 Introducing the Six Core Elements of BPM

3.1 Overview

The consolidation of related literature, the merger of three existing BPM maturity models, the subsequent international Delphi studies and the case studies led to a set of well-defined factors that together constitute a holistic understanding of BPM (de Bruin 2009). Each of the six core elements represents a critical success factor for Business Process Management. Therefore, each element, sooner or later, needs to be considered by organizations striving for success with BPM. For each of these six factors, the consensus finding Delphi studies (de Bruin and Rosemann 2007) provided a further level of detail, the so called *Capability Areas*. Both factors and capability areas are displayed in Fig. 2.

Our model distinguishes six core elements critical to BPM. These are strategic alignment, governance, methods, information technology, people, and culture.

- *Strategic Alignment*: BPM needs to be aligned with the overall strategy of an organization. Strategic alignment (or synchronization) is defined as the tight linkage of organizational priorities and enterprise processes enabling continual and effective action to improve business performance. Processes have to be designed, executed, managed, and measured according to strategic priorities and specific strategic situations (e.g., stage of a product lifecycle, position in a

Strategic Alignment	Governance	Methods	Information Technology	People	Culture	Factors
Process Improvement Planning	Process Management Decision Making	Process Design & Modelling	Process Design & Modelling	Process Skills & Expertise	Responsiveness to Process Change	Capability Areas
Strategy & Process Capability Linkage	Process Roles and Responsibilities	Process Implementation & Execution	Process Implementation & Execution	Process Management Knowledge	Process Values & Beliefs	
Enterprise Process Architecture	Process Metrics & Performance Linkage	Process Monitoring & Control	Process Monitoring & Control	Process Education	Process Attitudes & Behaviors	
Process Measures	Process Related Standards	Process Improvement & Innovation	Process Improvement & Innovation	Process Collaboration	Leadership Attention to Process	
Process Customers & Stakeholders	Process Management Compliance	Process Program & Project Management	Process Program & Project Management	Process Management Leaders	Process Management Social Networks	

Fig. 2 The six core elements of BPM

strategic portfolio; Burlton 2014). In return, specific process capabilities (e.g., competitive advantage in terms of time to execute or change a process) may offer opportunities to inform the strategy design leading to process-enabled strategies.

- *Governance*: BPM governance establishes appropriate and transparent accountability in terms of roles and responsibilities for different levels of BPM, including portfolio, program, project, and operations (Spanyi 2014). A further focus is on the design of decision-making and reward processes to guide process-related actions.
- *Methods*: Methods in the context of BPM are defined as the set of tools and techniques that support and enable activities along the process lifecycle and within enterprise-wide BPM initiatives. Examples are methods that facilitate process modeling or process analysis and process improvement techniques (Dumas et al. 2013). Six Sigma is an example for a BPM approach that has at its core a set of integrated BPM methods (Conger 2014).
- *Information Technology*: IT-based solutions are of significance for BPM initiatives. With a traditional focus on process analysis (e.g., statistical process control) and process modeling support, BPM-related IT solutions increasingly manifest themselves in the form of process-aware information systems (PAIS) (Dumas et al. 2005). Process-awareness means that the software has an explicit understanding of the process that needs to be executed. Such process awareness could be the result of input in the form of process models or could be more implicitly embedded in the form of hard-coded processes (like in traditional banking or insurance applications).
- *People*: People as a core element of BPM is defined as individuals and groups who continually enhance and apply their process and process management skills

and knowledge in order to improve business performance. Consequently, this factor captures the BPM capabilities that are reflected in the human capital of an organization and its ecosystem.

- **Culture:** Culture incorporates the collective values of a group of people (Schein 2004) and comparative case studies clearly demonstrate the strong impact of culture on the success of BPM (de Bruin 2009). Culture is about creating a facilitating environment that complements the various BPM initiatives. Research has identified specific organizational values supportive for BPM as well as methods to measure and further develop a BPM-supportive organizational culture (Schmiedel et al. 2013). However, it needs to be recognized that the impact of culture-related activities tends to have a much longer time horizon than activities related to any of the other five factors.

The six identified factors in this BPM maturity model are heavily grounded in literature. A sample summary of literature supporting these factors is shown in Fig. 3.

In the following, we will elaborate on the capability areas that further decompose each of these six factors. Here, we particularly draw from the results of a set of international Delphi Studies that involved BPM experts from the US, Australasia, and Europe (de Bruin and Rosemann 2007). We can only provide a brief overview about each of the six factors in the following sections and refer to the chapters in this Handbook for deeper insights per factor.

Factor	Source
Strategic Alignment	Elzinga et al., 1995; Hammer, 2001; Hung, 2006; Jarrar et al., 2000; Pritchard and Armistead, 1999; Puah K.Y. and Tang K.H, 2000; Zairi, 1997; Zairi and Sinclair, 1995
Government	Braganza and Lambert, 2000; Gulledge and Sommer, 2002; Harmon, 2005; Jarrar et al., 2000; Pritchard and Armistead, 1999
Methods	Adesola and Baines, 2005; Harrington, 1991; Kettinger et al. 1997; Pritchard and Armistead, 1999; Zairi, 1997
Information Technology	Gulledge and Sommer, 2002; Hammer and Champy, 1993; McDaniel, 2001
People	Elzinga et al., 1995; Hung, 2006; Llewellyn and Armistead, 2000; Pritchard and Armistead, 1999; Zairi and Sinclair, 1995; Zairi, 1997
Culture	Elzinga et al., 1995; Llewellyn and Armistead, 2000; Pritchard and Armistead, 1999; Spanyi, 2003, Zairi, 1997; Zairi and Sinclair, 1995

Fig. 3 The six BPM core elements in the literature

3.2 *Strategic Alignment*

Strategic alignment is defined as the tight linkage of organizational priorities and enterprise processes enabling continual and effective action to improve business performance. Five distinct capability areas have been identified as part of an assessment of strategic alignment in BPM.

- A strategy-driven *process improvement plan* captures the organization's overall approach towards BPM. The process improvement plan should be directly derived from the organization's strategy, and outline how process improvement initiatives are going to meet strategically prioritized goals. This allows a clear articulation of the corporate benefits of BPM initiatives. The process improvement plan also provides information related to how the BPM initiative relates to underlying projects such as the implementation of an Enterprise System.
- A core element of strategic alignment, in the context of BPM, is the *bidirectional linkage between strategy and business processes*. Do the business processes directly contribute to the strategy? Do organizational strategies explicitly incorporate process capabilities? By way of example, do we know which processes are impacted by a change of the strategy? Which processes could become a bottleneck in the execution of the strategy? Is the strategy designed and continually reviewed in light of current and emerging process capabilities? How should scarce resources be allocated to competing processes? Which processes are core to the organization and should be executed in-house (core competency)? Which processes are candidates for process outsourcing or off-shoring (Bhat et al. 2014)? Common methodologies such as Strategy Maps (Kaplan and Norton 2004) play an important role in linking strategy and process design.
- An *enterprise process architecture* is the highest level abstraction of the actual hierarchy of value-driven and enabling business processes (Aitken et al. 2014; Spanyi 2014). A well-defined enterprise process architecture clearly depicts which major business processes exist, describes the industry-/company-specific value chain, and captures the enabling processes that support this value chain, for example, finance, human capital management, or IT services. A well-designed process architecture provides a high level visualization from a process view and complements, and not replicates, organizational structures. In addition, it serves as the main process landscape and provides a starting point for more detailed process analyses and models. Reference models (vom Brocke 2006) can provide domain-oriented knowledge for deriving a company-specific process architecture (Houy 2014).
- In order to be able to evaluate actual process performance, it is important to have a clear and shared understanding of *process outputs* and related key performance indicators (KPIs). A hierarchy of cascading, process-oriented, and cost-effectively measured KPIs provides a valuable source for the translation of strategic objectives to process-specific goals and facilitates effective process control. Relevant KPIs can differ in their nature, including financial, quantitative, qualitative, or time-based data, and will be dependent on the strategic

drivers for the specific enterprise process (vom Brocke et al. 2014; Franz et al. 2011). As far as possible, such KPIs should be standardized across the various processes and in particular across the different process variants (e.g., in different countries). Only such a process performance standardization allows consistent cross-process performance analysis (e.g., what processes can explain a drop in the overall customer satisfaction?). Often equally important, but more difficult to measure, are those KPIs related to characteristics of an entire process, such as flexibility, reliability or compliance.

- Strategies are typically closely linked to individuals and influential stakeholder groups. Thus, a strategic assessment of BPM has to evaluate the actual priorities of *key customers and other stakeholders such as senior management, shareholders, government bodies, etc.* For example, it can be observed that a change of a CEO often will have significant impact on the popularity (or not) of BPM even if the official strategy remains the same. The consideration of stakeholders also includes an investigation of how well processes with touch-points (“moments of truth”) to external parties are managed, how well external view-points have been considered in the process design, and what influence external stakeholders have on the process design. Such a view can go so far that organizations consciously design processes the way they are perceived by their business partners, and then start to position their services in these processes.

3.3 Governance

BPM governance is dedicated to appropriate and transparent accountability in terms of roles and responsibilities for different levels of BPM (portfolio, program, project, and operations). Furthermore, it is tasked with the design of decision-making and reward processes to guide process-related actions.

- The clear definition and consistent execution of related BPM *decision-making processes* that guide actions in both anticipated and unanticipated circumstances is a critical challenge for BPM governance (Markus and Jacobson 2014). In addition to *who* can make *which* decision, the speed of decision-making and the ability to influence resource allocation and organizational responses to process change is important. This requires alignment with related governance processes such as IT change management or Business Continuity Management.
- A core element of BPM governance is the definition of *process roles and responsibilities*. This covers the entire range of BPM-related roles, from business process analysts to process owners up to potential chief process officers (CPO). It also encompasses all related committees and involved decision boards, such as Process Councils and Process Steering Committees (Spanyi 2014). The duties and responsibilities of each role need to be clearly specified, and precise reporting structures must be defined.

- Processes must exist to ensure the direct linkage of process performance with strategic goals. While the actual process output is measured and evaluated as part of the factor strategic alignment, accountabilities and the process for *collecting the required metrics* and linking them to performance criteria is regarded as being a part of BPM governance (Scheer and Hoffmann 2014).
- *Process management standards* must be well-defined and documented. This includes among others the coordination of process management initiatives across the organization, and guidelines for the establishment and management process measures, issue resolution, reward, and remuneration structures.
- *Process management controls* as part of BPM governance cover regular review cycles to maintain the quality and currency of process management principles (e. g., “process reuse before process development; “exception-based process execution”). Finding the right level of standardizing these principles is a major success factor of BPM initiatives (Tregear 2014). Appropriate compliance management forms another key component of process management controls (Spanyi 2014).

3.4 Methods

Methods, in the context of BPM, have been defined as the tools and techniques that support and enable consistent activities on all levels of BPM (portfolio, program, project, and operations). Distinct methods can be applied to major, discrete stages of the process lifecycle. This characteristic, which is unique to the “methods” and “information technology” factors, has resulted in capability areas that reflect the process lifecycle stages rather than specific capabilities of BPM methods or information technology. An advantage of associating the method capability with a specific process lifecycle stage is that a method can be assessed with regards to a specific purpose. For example, it is possible to assess the specific methods used for designing processes as distinct from those used for improving processes. Therefore, the methods dimension focuses on the specific needs of each process lifecycle, and considers elements such as the integration of process lifecycle methods with each other and with other management methods, the support for methods provided by information technology, and the sophistication, suitability, accessibility, and actual usage of methods within each stage.

- *Process design and modeling* is related to the methods used to identify and conceptualize current (as-is) business processes and future (to-be) processes. The core of such methods is not only to process modeling techniques but also to process analysis methods (Dumas et al. 2013; Sharp and McDermott 2009).
- *Process implementation and execution* covers the next stages in the lifecycle. Related methods help to transform process models into executable business process specifications. Methods related to the communication of these models and escalation methods facilitate the process execution.

- The *process control and measurement* stage of the process lifecycle is related to methods that provide guidance for the collection and consolidation of process-related data. These data can be related to process control (e.g., risks), or could be process performance measures (e.g., time, cost, and quality).
- The *process improvement and innovation* stage includes all methods which facilitate the development of improved business processes. This includes approaches that support the activities of process enhancement (e.g., re-sequencing steps in a process), process innovation (e.g., design-led process innovation techniques), process utilization (better use of existing resources such as people, data, or systems), and process derivation (reference models, benchmarking, etc.).
- The assessment component *process project management and program management* evaluates the methods that are used for the overall enterprise-wide management of BPM and for specific BPM projects. The latter requires a sound integration of BPM methods with specific project management approaches (e.g., PMBOK, PRINCE 2).

3.5 Information Technology

Information technology (IT) refers to the software, hardware, and information systems that enable and support process activities. As indicated, the assessment of IT as one of the BPM core elements is structured in a similar way to that of BPM methods, and also refers to the process lifecycle stages. Similar to the methods dimension, the IT components focus on the specific needs of each process lifecycle stage and are evaluated from viewpoints such as customizability, appropriateness of automation, and integration with complementary IT solutions (e.g., social computing, mobile application, cloud computing, business rules engines). An overview of IT solutions for BPM is provided by Sidorova et al. (2014). Further evaluation criteria capture the sophistication, suitability, accessibility, and usage of such IT within each stage.

- *IT solutions for process design and modeling* cover the (semi-)automated support that enables derivation of process models from log files (process mining) (van der Aalst 2011), and tool-support for business process modeling and analysis (e.g., process animation, process simulation) (van der Aalst 2014).
- *IT-enabled process implementation and execution* focuses on the automated transformation of process models into executable specifications and the subsequent workflow-based process execution, (Ouyang et al. 2014). This also includes related solutions such as business rules engines or case management systems. This entire category of software is often labeled “process-aware information systems” (Dumas et al. 2005). Recent increases in the information processing capacity of PAIS, for example through in-memory-databases

(Plattner and Krüger 2014), enable new principles of process design, including context-aware and real-time process management (vom Brocke et al. 2013).

- *Process control and measurement* solutions facilitate (semi-)automated process escalation management, exception handling, performance visualization (e.g., dashboards), and process controlling. There is a high demand for these type of solutions to be integrated in the corporate landscape (e.g., via Balanced Scorecard systems).
- Tools for *process improvement and innovation* provide (semi-)automated support for the generation of improved business processes. These could be solutions that provide agile (i.e., self-learning) tools that continuously adjust business processes based on contextual changes.
- *Process project management and program management* tools facilitate the overall management of different types of BPM initiatives. They provide among others decision support systems for process owners.

3.6 People

While the information technology factor covered IT-related resources, the factor “people” comprises human resources. This factor is defined as the individuals and groups who continually enhance and apply their process and process management skills and knowledge to improve business performance.

- *Process skills and expertise* is concentrated on the comprehensiveness and depth of the capabilities of the involved stakeholders in light of the specific requirements of a process. This is an important capability area for process owners and all stakeholders involved in the management and operations of a process. Apart from technical and methodological skills, social and communicative skills are key to the skillset of successful BPM professionals (Bergener et al. 2012).
- *Process management knowledge* consolidates the explicit and tacit knowledge about BPM principles and practices. It evaluates the level of understanding of BPM, including the knowledge of process management methods and information technology, and the impact these have on business process outcomes (Karagiannis and Woitsch 2014). In particular, business process analysts and the extent to which they can apply their process management knowledge to a variety of processes are assessed within this capability area.
- *Process education and learning* measures the commitment of the organization to the ongoing development and maintenance of the relevant process and process management skills and knowledge. The assessment covers the existence, extent, appropriateness, scope of roll-out, and actual success (as measured by the level of learning) of BPM education programs. Further items are devoted to the qualification of the BPM educators and BPM certification programs.
- *Process collaboration and communication* considers the ways in which individuals and groups work together in order to achieve desired process outcomes.

This includes the related evaluation of the communication patterns between process stakeholders, and the manner in which related process knowledge is discovered, explored, and disseminated.

- The final “people” capability area is dedicated to *process management leaders*. The assessment according to this element evaluates the willingness to lead, take responsibility, and be accountable for business processes. Among others, this capability area also captures the degree to which desired process leadership skills and management styles are actually practiced.

3.7 Culture

Culture, the sixth and final BPM core element, refers to the collective values and beliefs that shape process-related attitudes and behavior to improve business performance. Despite its proven relevance, culture has been under-researched in BPM over years (vom Brocke and Sinnl 2011). Only more recently, significant progress has been made in understanding the role of culture in BPM. Specific values have been identified, that are essential for meeting BPM objectives, namely the CERT values customer-orientation, excellence, responsibility and teamwork (Schmiedel et al. 2013). Measurement instruments are available to evaluate an organization’s cultural fitness according to these values and measures have been studied to further develop an organization’s culture accordingly (Schmiedel et al. 2014). Based on the maturity model, the following related capabilities have been identified:

- *Responsiveness to process change* is about the overall receptiveness of the organization to process change, the propensity of the organization to accept process change, and adaptation. It also includes the ability for process change to cross-functional boundaries seamlessly and for people to act in the best interest of the process.
- *Process values and beliefs* investigates the broad process thinking within the organization. For example, do members of the organization naturally see processes as the way things get done? Do “processes” play a prominent role in the corporate vision, mission, value statements? (vom Brocke et al. 2010). Furthermore, this capability area concentrates on the commonly held beliefs and values of the key BPM stakeholders. Among them is the longevity of BPM, expressed by the depth and breadth of the ongoing commitment to BPM.
- The *process attitudes and behavior* of those who are involved in and those who are affected by BPM form a further assessment item in the “culture” factor. This includes, among others, the willingness to question existing BPM practices in the light of potential process improvements. It also captures actual process-related behavior (e.g., willingness to comply with the process design or extent to which processes get priority over resources).

- *Leadership attention to process management* covers the level of commitment and attention to processes and process management shown by senior executives, the degree of attention paid to process on all levels, and the quality of process leadership. For example, do “processes” regularly appear as a term in presentations of the senior executives of the organization?
- Finally, *process management social networks* comprise the existence and influence of BPM communities of practice, the usage of social network techniques (e. g., Yammer), and the recognition and use of informal BPM networks.

4 Conclusion and Outlook

This chapter aimed at providing a brief overview of a framework for BPM comprising of six core elements. Each element represents a key success factor for implementing BPM in practice. We referred to a well-established and empirically validated BPM maturity model in order to identify the six core elements of BPM: strategic alignment, governance, methods, information technology, people, and culture.

These grounded elements provide the primary structure of the BPM Handbook at hand. The following chapters present contributions to each of these elements and have been provided by the most recognized thought leaders in these areas. While focusing on a specific element each contribution also considers relations to the other elements. We are presenting contributions from academics as well as case studies from practitioners. Some are more technical in nature, some more business oriented. Some look more at the behavioral side of BPM while others study the conceptual details of advanced methodologies. By proposing this structure, the reader may grasp what they consider most appropriate for their individual background. We trust that the discussion of these six core elements and the corresponding capability areas helps to make the holistic view on Business Process Management more tangible.

References

- Aitken C, Stephenson C, Brinkworth R (2014) Process classification frameworks. In: vom Brocke J, Rosemann M (eds) Handbook on business process management, vol 2, 2nd edn. Springer, Heidelberg, pp 177–202
- Bergener K, vom Brocke J, Hofmann S, Stein A, vom Brocke C (2012) On the importance of agile communication skills in BPM education: design principles for international seminars. *Knowl Manag E-Learn: Int J* 4(4):415–434
- Bhat JM, Fernandez J, Kumar M, Goel S (2014) Business process outsourcing. In: vom Brocke J, Rosemann M (eds) Handbook on business process management, vol 2, 2nd edn. Springer, Heidelberg, pp 443–470

- Burlton RT (2014) Delivering business strategy through process management. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 2, 2nd edn. Springer, Heidelberg, pp 45–77
- Conger S (2014) Six sigma and business process management. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 1, 2nd edn. Springer, Heidelberg, pp 127–146
- Curtis B, Alden J (2006) *BPM and organizational maturity*. BPTrends
- Curtis B, Alden J, Weber CV (2004) *The use of process maturity models in business process management*. Borland Software Corporation, Austin, White Paper
- Davenport TH (2014) Process management for knowledge work. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 1, 2nd edn. Springer, Heidelberg, pp 17–35
- de Bruin T (2009) *Business process management: theory on progression and maturity*. Ph.D. Thesis, Queensland University of Technology, Brisbane
- de Bruin T, Rosemann M (2006) Towards understanding strategic alignment of business process management. In: *Proceedings of the 17th Australasian conference on information systems*, Adelaide, 6–8 Dec 2006
- de Bruin T, Rosemann M (2007) Using the Delphi technique to identify BPM capability areas. In: *Proceedings of the 18th Australasian conference on information systems*, Toowoomba, 5–7 Dec 2007
- DeToro I, McCabe T (1997) How to stay flexible and elude fads. *Qual Progr* 30(3):55–60
- Dumas M, van der Aalst WM, ter Hofstede AH (2005) *Process-aware information systems: bridging people and software through process technology*. Wiley, New York
- Dumas M, La Rosa M, Mendling J, Reijers HA (2013) *Fundamentals of business process management*. Springer, Berlin
- Fisher DM (2004) The business process maturity model. A practical approach for identifying opportunities for optimization. BPTrends. http://www.bptrends.com/resources_publications.cfm. Accessed 26 Aug 2009
- Franz PH, Kirchmer M, Rosemann M (2011) *Value-driven business process management. Which values matter for BPM*. Accenture report. London, Philadelphia
- Gartner (2010) *Leading in times of transition. The 2010 CIO Agenda*. Stamford
- Gartner (2013) *Hunting and harvesting in a digital world: the 2013 CIO Agenda*. Stamford
- Hammer M (2007) The process audit. *Harv Bus Rev* 85:111–143
- Hammer M (2014) What is business process management? In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 1, 2nd edn. Springer, Heidelberg, pp 3–16
- Harmon P (2003) *Business process change: a manager's guide to improving, redesigning, and automating processes*. Morgan Kaufmann, Amsterdam/Boston
- Harmon P (2004) Evaluating an organization's business process maturity. http://www.bptrends.com/resources_publications.cfm. Accessed 26 Aug 2009
- Harmon P (2014) The scope and evolution of business process management. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 1, 2nd edn. Springer, Heidelberg, pp 37–80
- Houy C, Fettke P, Loos P (2014) *Business process frameworks*. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 2, 2nd edn. Springer, Heidelberg, pp 153–176
- Kaplan RS, Norton DP (2004) *Strategy maps: converting intangible assets into tangible outcomes*. Harvard Business Press, Boston
- Karagiannis D, Woitsch R (2014) Knowledge engineering in business process management. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 2, 2nd edn. Springer, Heidelberg, pp 623–648
- Luftman JN (2003) Assessing strategic alignment maturity. In: Luftman JN (ed) *Competing in the information age: align in the sand*, 2nd edn. Oxford University Press, Oxford, pp 15–48

- Luftman JN (2014) Strategic alignment maturity. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 2, 2nd edn. Springer, Heidelberg, pp 5–44
- Markus ML, Jacobson D (2014) The governance of business processes. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 2, 2nd edn. Springer, Heidelberg, pp 311–332
- Maull RS, Tranfield DR, Maull W (2003) Factors characterising the maturity of BPR programmes. *Int J Oper Prod Manag* 23(6):596–624
- OMG (2008) Business process maturity model (BPMM), Version 1.0, Standard document. <http://www.omg.org/spec/BPMM/1.0/PDF>. Accessed 28 May 2013
- Ouyang C, Adams M, Wynn MT, ter Hofstede AHM (2014) Workflow management. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 1, 2nd edn. Springer, Heidelberg, pp 475–506
- Paulk MC, Curtis B, Chrissis MB, Weber CV (1993) The capability maturity model for software, Version 1.1 (No. CMU/SEI-93-TR-24). Software Engineering Institute, Pittsburgh
- Plattner H, Krüger J (2014) In-memory data management. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 1, 2nd edn. Springer, Heidelberg, pp 445–461
- Pritchard J-P, Armistead C (1999) Business process management – lessons from European business. *Bus Process Manag J* 5(1):10–32
- Roeglinger M, Poepplbuss J, Becker J (2012) Maturity models in business process management. *Bus Process Manag J* 18(2):328–346
- Rosemann M, de Bruin T (2004) Application of a holistic model for determining BPM maturity. In: Akoka J, Comyn-Wattiau I, Favier M (eds) *Proceedings of the AIM Pre-ICIS workshop on process management and information systems*, pp 46–60. (Actes du 3e colloque Pre-ICIS de l'AIM), Washington, DC, 12 Dec 2004
- Rosemann M, de Bruin T (2005) Towards a business process management maturity model. In: *Proceedings of the 13th European conference on information systems*, Regensburg, May 2005
- Rosemann M, de Bruin T, Hueffner T (2004) Testing a model for business process management maturity with two case studies. In: *Proceedings of the 15th Australasian conference on information systems*, Hobart, 1–3 Dec 2004
- Rosemann M, de Bruin T, Power B (2006) A model to measure business process management and improve performance. In: Jeston J, Nelis J (eds) *Business process management*. Butterworth-Heinemann, London, Chapter 27
- Rummler-Brache Group (2004) *Business process management in US firms today*. A study commissioned by Rummler-Brache Group, Mar 2004
- Rummler GA, Ramias AJ (2014) A framework for defining and designing the structure of work. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 1, 2nd edn. Springer, Heidelberg, pp 81–104
- Sabherwal R, Hirschheim R, Goles T (2001) The dynamics of alignment: insights from a punctuated equilibrium model. *Org Sci* 12(2):179–197
- Scheer A-W, Hoffmann M (2014) The process of business process management. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 2, 2nd edn. Springer, Heidelberg, pp 351–398
- Schein EH (2004) *Organizational culture and leadership*, 3rd edn. Jossey-Bass, San Francisco
- Schmiedel T, vom Brocke J, Recker J (2013) Which cultural values matter to business process management? Results from a global Delphi study. *Bus Process Manag J* 19(2):292–317
- Schmiedel T, vom Brocke J, Recker J (2014) Culture in business process management. How cultural values determine BPM success. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 2, 2nd edn. Springer, Heidelberg, pp 649–665
- Sharp A, McDermott P (2009) *Workflow modeling. Tools for process improvement and application development*, 2nd edn. Artech House, Norwood
- Sidorova A, Torres R, Beayez AA (2014) The role of information and ICT in business process management. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 1, 2nd edn. Springer, Heidelberg, pp 333–350

- Smith H, Fingar P (2004) Process management maturity models. BPTrends. http://www.bptrends.com/resources_publications.cfm. Accessed 26 Aug 2009
- Spanyi A (2014) Business process management governance. In: vom Brocke J, Rosemann M (eds) Handbook on business process management, vol 2, 2nd edn. Springer, Heidelberg, pp 333–350
- Tregear R (2014) Business process standardization. In: vom Brocke J, Rosemann M (eds) Handbook on business process management, vol 2, 2nd edn. Springer, Heidelberg, pp 421–442
- van der Aalst WMP (2011) Process mining. Discovery, conformance and enhancement of business processes. Springer, Heidelberg
- van der Aalst WMP (2014) Business process simulation survival guide. In: vom Brocke J, Rosemann M (eds) Handbook on business process management, vol 1, 2nd edn. Springer, Heidelberg, pp 337–370
- van Looy A (2014) Business process management maturity models, Springerbriefs in business process management. Springer, Heidelberg
- vom Brocke J (2006) Design principles for reference modelling. Reusing information models by means of aggregation, specialisation, instantiation, and analogy. In: Fettke P, Loos P (eds) Reference modelling for business systems analysis. Idea Group Publishing, Hershey, pp 47–75
- vom Brocke J, Schmiedel T (eds) (2014) Business process management. Driving innovation in a digital world. Springer, Heidelberg
- vom Brocke J, Sinnl T (2011) Culture in business process management. A literature review. *Bus Process Manag J* 17(2):357–377
- vom Brocke J, Recker J, Mendling J (2010) Value-oriented process modeling: integrating financial perspectives into business process re-design. *Bus Process Manag J* 16(2):333–356
- vom Brocke J, Debortoli S, Müller O, Reuter N (2013) How in-memory technology can create business value: insights from the Hilti case. *Commun AIS*, (Forthcoming)
- vom Brocke J, Schmiedel T, Recker J, Trkman P, Mertens W, Viaene S (2014) Ten principles of good business process management. *Bus Process Manage J (BPMJ)* 20(4)
- vom Brocke J, Petry M, Schmiedel T, Sonnenberg C (2014) How organizational culture facilitates a global BPM project: the case of Hilti. In: vom Brocke J, Rosemann M (eds) Handbook on business process management, vol 2, 2nd edn. Springer, Heidelberg, pp 693–714

Part II

Methods

In the tradition of BPM, the design of methods, tools, and process modeling methodologies has attracted a substantial amount of interest in the BPM community. This section covers the comprehensive set of rules and guidelines on how to proceed in the various stages of BPM, methods that often form the most tangible knowledge asset in BPM.

At least three levels of methods can be differentiated. First, process-specific individual techniques provide guidance for modeling, analyzing, animating, simulating, improving, or automating a process. A second class of methods covers the entire business process lifecycle, though often with differing levels of emphasis on the single lifecycle phases. Six Sigma and Lean Management are prominent representatives of this class of methodologies. Third, and most comprehensive in their scope, are the methods that guide the enterprise-wide roll-out of BPM as a corporate capability. It is characteristic of the current status of BPM that the body of knowledge on the first type of methods is rich, that a number of the second type of methods are widely used, though usually incomplete, and that representatives of the third type of BPM methodologies are still in their infancy. For all of these methodologies it is particularly important to consider the diverse contexts of BPM initiatives since any one-size-fits-all solution is likely to fail. The comprehensiveness of this section is a clear indicator of the large amount of activity and interest in this area, as well as the ongoing requirement to develop and consolidate BPM methodologies.

In the first chapter in this section, Sue Conger describes Six Sigma, one of the most popular business process lifecycle management methodologies, explains key techniques, gives examples, and positions Six Sigma in BPM. A core capability in the analysis and redesign of business processes is abstraction. In the second chapter in this section, Artem Polyvyanyy, Sergey Smirnov, and Mathias Weske present a process-model abstraction methodology that includes process-transformation rules helping users focus on the most significant parts of a process model in a specific modeling situation.

While there is no shortage of recommendations for modeling business processes, the discipline of process-model assessment has not matured to the same extent.

Hajo Reijers, Jan Mendling, and Jan Recker address this challenge in the third chapter of this section by proposing a framework for the holistic evaluation of business process models. One way to improve the quality of process models and subsequent process analyses is to use semantic building blocks. In the fourth chapter, Jörg Becker, Daniel Pfeiffer, Michael Räckers, Thorsten Falk, and Matthias Czerwonka introduce and apply PICTURE, a comparatively simple cost-effective process-modeling approach that reduces complexity. As part of the plethora of process-modeling techniques, first attempts toward standardization have emerged, the most prominent candidate among which is the business process modeling notation (BPMN). The fifth chapter, by Gustav Aagesen and John Krogstie, gives an overview of BPMN 2.0 and discusses its fitness for process analysis, including reports of practical experiences. A particular challenge in process modeling is the management of business-process variants, an issue that emerges in large-scale distributed modeling initiatives. The sixth chapter, by Manfred Reichert, Alena Hallerbach, and Thomas Bauer, discusses how such process variants can be configured and managed over the life-cycle of process models. The authors build on experience from a number of case studies in the automotive, healthcare, and public sector domains.

While an intra-organizational approach toward process modeling remains dominant, there is an increasing demand for inter-organizational modeling activities that appropriately conceptualize entire value networks. Two chapters are dedicated to this domain. The chapter by Alistair Barros introduces a process choreography modeling technique for various levels of abstraction, including the required refinement steps. In a comprehensive case study, Mikael Lind and Ulf Seigerroth use Intersport in the subsequent chapter to illustrate the real-world requirements of inter-organizational process design. Focusing on strategic alignment, the authors describe collaborative process modeling in this specific case.

Two chapters concentrate on advanced solutions that facilitate the design and analysis of business processes. Agnes Koschmider and Andreas Oberweis propose a recommendation-based editor for process modeling. Already widely used in many web-based applications, recommender systems have only just entered the world of business process modeling. In the tenth chapter, Wil van der Aalst discusses process simulation as one of the key quantitative process analysis techniques, providing a unique introduction to process simulation. Apart from the fundamentals of the topic, the chapter lists 15 risks (or potential pitfalls) of using simulation that will strongly influence future BPM research and practice.

This section closes with two case studies: Islay Davies and Michael Reeves report on the experiences of the Queensland Court of Justice as part of their process-management tool selection process, and Florian Johannsen, Susanne Leist, and Gregor Zellner report on their experience with implementation of Six Sigma at an automotive bank.

1. Six Sigma and Business Process Management by Sue Conger

2. Business Process Model Abstraction
by Artem Polyvyanyy, Sergey Smirnov and Mathias Weske
3. Business Process Quality Management
by Hajo A. Reijers, Jan Mendling and Jan Recker
4. Semantic Business Process Modelling and Analysis
by Jörg Becker, Daniel Pfeiffer, Michael Räckers, Thorsten Falk, Matthias Czerwonka
5. BPMN 2.0 for Modeling Business Processes
by Gustav Aagesen and John Krogstie
6. Lifecycle Management of Business Process Variants
by Manfred Reichert, Alena Hallerbach, Thomas Bauer
7. Process Choreography Modelling
by Alistair Barros
8. Collaborative Process Modeling and Design: The Intersport Case Study
by Mikael Lind and Ulf Seigerroth
9. Recommendation-Based Business Processes Design
by Agnes Koschmider and Andreas Oberweis
10. Business Process Simulation Survival Guide
by Wil M. P. van der Aalst
11. BPM Tool Selection. The Case of the Queensland Court of Justice
by Islay Davies and Micheal Reeves
12. Implementing Six Sigma for Improving Business Processes at an Automotive Bank
by Florian Johannsen, Susanne Leist and Gregor Zellner

Six Sigma and Business Process Management

Sue Conger

Abstract Business process management lacks an integrated set of analysis methods for removing unneeded process steps, identifying inefficient or ineffective process steps, or simply determining which process steps to focus on for improvement. Often, tools and techniques from Six Sigma, an orientation to error-proofing that originated in the quality movement of the 1980s, are borrowed for those tasks. This chapter defines several Six Sigma techniques and shows through a case study how they can be used to improve deficient processes. Six Sigma combined with lean waste removal techniques can add significant value to a process improvement project.

1 Introduction

Organizations should constantly improve their functioning to remain competitive. Yet, problems develop in the translation of strategy to actual business processes, which accomplish some work (Kaplan and Norton 2001). Further, by improving business processes, the intellectual capital of workers increases through added understanding of their role in the organization and through removal of resource gaps (Herremans and Isaac 2004).

Business organizations are comprised of people who conduct daily business through process enactment. Organizations that do not manage their processes are less effective than those that do (Rummler and Brache 1995). Further, organizations that allocate information technologies to processes, but do not manage the process, are mostly wasting their money.

S. Conger (✉)

Satish and Yasmin Gupta College of Business, University of Dallas, Irving, TX, USA

MIS Department, Rhodes University, Grahamstown, South Africa

College of Computing, University of South Africa, Johannesburg, South Africa

e-mail: sconger@udallas.edu

As Dorgan and Dowdy (2004) demonstrated in their study of the intensity of IT deployment versus the intensity of process management, companies that neither actively manage processes nor invest in technology to support work return 0 % on any investments in either. Companies that invest in technology but do not manage their processes, in essence who throw technology at a situation, can return as much as 2 % on their investments. Companies that actively manage their business processes but have a low intensity of technology for supporting work can experience as much as 8 % gain from their investment. That is, simply managing business processes improves return on investment over blindly using technology. And, companies that both actively manage business processes and have a high intensity of technology support for work can experience as much as 20 % gain from their investment. Thus, the maximum gain accrues from intelligent process design followed by strategic, intelligent technology deployment to support those processes.

The first step in process management is to understand the processes, the work those processes accomplish, and how that work relates to the organization strategy (Rummler and Brache 1995). Any process, process step, or process product (e.g., document, email, data, or other product of a process step) that does not contribute to the organization strategy or its ability to meet its strategy is waste. Process value accrues to the extent that it fulfills some aspect of the organization's customer value proposition (Kaplan and Norton 2001). Thus, the overall goal of business process management (BPM) is to improve processes in optimizing customer value fulfillment (Hassan et al. 2012; Martinez et al. 2012; Rummler and Brache 1995).

BPM uses techniques to measure, analyze and improve processes, however, there is no single body of knowledge or techniques that apply to BPM. Lean Six Sigma provides useful techniques for BPM analysis and improvement (See also chapter by Paul Harmon).

1.1 Six Sigma

Modern quality programs have their roots in the 1950s in the U.S. and in Japan where Walter Shewhart and W. Edwards Deming popularized continuous process improvement as leading to quality production. Six Sigma is the practice of continuous improvement that follows methods developed at Motorola and is based on the notion that no more than 3.4 defects per million are acceptable (Motorola 2009). This means that a company fulfilling one million orders per year, and having only one error opportunity per order with 3-sigma correctness (99.95 %) will experience 66,738 errors versus a 6-sigma (99.9997 %) company, which would experience 3.4 errors. As engineered product complexity has increased (in telecommunications, for instance, the potential for over 50,000 errors per product are possible), without the type of quality management provided through Six Sigma tenets, virtually every product would experience defects.

The purpose of Six Sigma is to improve predictable quality of developed products and services through the removal of normally distributed errors. If error outcomes of a process are normally distributed, errors vary from the mean, or

Fig. 1 Six sigma errors and error rates (iSixSigma Staff (2002))

1 σ	690,000 per million opportunities (69% error rate)
2 σ	308,000 per million opportunities (30.8%)
3 σ	66,800 per million opportunities (6.7%)
4 σ	6,210 per million opportunities (.62%)
5 σ	230 per million opportunities (.02%)
6 σ	3.4 per million opportunities (.00003%)

average. A standard deviation, or sigma, is a measure of variance from the mean with equal areas on either side of the mean line. The error rates for sigma levels one through six are listed in Fig. 1 (σ is the Greek symbol for sigma). Six Sigma practice strives for 99.9997 % accuracy in the process.

Six Sigma can be combined with lean manufacturing tenets to error-proof and remove waste from processes (Martinez et al. 2012). The guiding principles of lean are not to make defects, accept defects, create variation, repeat mistakes, or build in defects (Ohno 1988). Lean Six Sigma combines lean manufacturing waste removal discipline with Six Sigma's defect prevention goal.

Six Sigma project life cycles are named DMAIC and DMADV, which translate to define – measure – analyze – improve – control and define – measure – analyze – design –verify, respectively. In general, DMAIC is the approach recommended for improving an existing process and DMADV is the approach recommended for new process design. But, these sets of methods are more similar than different and all activities tend to be done for all projects (Linderman et al. 2006). This paper focuses on the analyze-improve parts of the DMAIC life cycle. When applied to business processes and combined with lean tenets, Six Sigma is useful for eliminating unnecessary or inefficient steps from a process through the application of techniques such as process mapping, SIPOC, value-added analysis, root cause analysis, Pareto analysis, brainstorming, bureaucracy reduction, simple English, and so on (Johannsen et al. 2014; Rasmusson 2006). These are only a few of the hundreds of techniques useful for identifying, prioritizing, analyzing, and fixing errors or inefficiencies in processes.

1.2 Process Management

Process management and improvement requires leaning – that is removal of unneeded steps for improvement, cleaning – that is the simplification and improvement of remaining steps, and greening – that is the potential use of outsourcing, co-production, or automation (Conger 2011). The application of several techniques to each process improvement step is demonstrated through the analysis of a service desk. A typical process improvement initiative undergoes the following steps:

- Map the target business process
- Identify and remove wastes

- Identify problems
- Prioritize problems
- Identify problem root causes and remediations
- Analyze alternatives
- Redesign the process

Within these steps, techniques from lean and six sigma are applied to tasks as appropriate. Techniques included in this chapter are process mapping, identification of input, outputs, and contributors via SIPOC, value-added analysis, root cause analysis, outsourcing, co-production, and automation analyses, and process redesign. These techniques are commonly applied to a wide range of problems or process types and are representative of the reasoning used for process improvement. This chapter focuses on the description and exemplification of these techniques rather than on actually measuring their effect in terms of six sigma performance. In this sense the process improvement techniques presented in this chapter generally contribute to detect and remove errors and waste production within processes. Each of these methods is demonstrated in the FLCo process improvement case.

2 Service Desk Process and Problem Analysis

The purpose of a service desk is to take requests that may be outages, service, or access requests, and satisfy them according to type and priority. Service desk processes can be formalized following the IT Infrastructure Library, (ITIL®, Rudd and Loyd 2007). In the case, the current process is known to be error prone with lost requests, many open requests that are known to have been resolved, overlap of work, and other issues. The case process and its analysis are discussed in this section.

2.1 Process Map

To enable an analysis of the process, a process map is developed. Process maps depict the activities and interactions of all participants in a process. Participants might include people, roles, departments, computer applications, and external organizations. If the focus is the information technology support for a process, more granular analysis showing individual databases accessed and/or updated by a process might also be shown. The case from which the examples were developed is below.

FL Company (FLCo) is a 4-year Company with both at-work and at-home workers in five lines of business. The company has about 40,000 staff in total spread over six geographic locations with as many as 18,000 staff working at-home at any one time. Ann E. is the newly appointed manager of support responsible for the Computing Services Service Desk function (CSSD). There is at least one CSSD employee at each site; the headquarters has seven permanent employees and many people who are considered local gurus. In addition, work is outsourced to Guardian Help Desk Services (hereafter Guardian).

There are three levels of tech support: Tier 1 (T1), Tier 2 (T2), and Tier 3 (T3). All requests start at T1, the lowest level of support. Guardian is expected to handle 95 % of the 1,000 daily contacts but is handling about 750 calls per day. The other 5 % of contacts and any overflow from Guardian begin at CSSD T1. About 1 % of contacts are sent for T2 resolution. T3, vendors account for about two contacts per week.

Telephone, email, and web forms are the prevalent methods used to initiate contact for the service desk. In-person contacts are rare and are handled by CSSD T1. Typically, the method of contact back to a client is chosen to match the method used to make the request unless some other media is specifically requested. In addition, the IMS ticket management system should be updated with status but it does not always happen.

The general process is that a user initiates contact with an outage, request, or question. The caller is validated as staff and, if needed, the Staff Contact Database (SCDB) of email and phone information is updated. The contact is logged into Information Management System (IMS), a home-grown incident tracking application to which both the Company and the outsourcer have access. A known errors database (KEDB) is checked to determine if there is a known problem with resolution readily available. If an entry is in the KEDB, either a solution or workaround is passed to the user to try to fix the problem. If possible, the request is serviced in the first phone call and the logged request is closed by the individual logging the contact. About 75 % of all calls are resolved in the first contact.

If the request is not serviced in the initial contact, Guardian is supposed to perform some troubleshooting to see if they can fix all problems not in the KEDB; however, they pass on problems when no KEDB entry is found. If troubleshooting is performed, the actions tried should be documented in the IMS software. Guardian transfers calls via an automated call director (ACD) to CSSD T1. Transfers from Guardian usually go to T1 CSSD support which retries the KEDB and troubleshooting, documenting the steps taken. If the individual cannot find a solution, the problem is transferred to T2 support. Only T2 CSSD can escalate to T3, vendor support.

Transfers of responsibility through IMS are automatic. As a service contact is saved, the software checks to see if transfer to another organization is checked. If so, the item is placed on a queue for automated delivery to the next available person in that area (this areas to which electronic delivery is done include CSSD staff (T1 internal) and Technical Services (T2)). If T2 escalates to a vendor (T3), the individual managing the contact also manages all interactions with the vendor(s). Any vendor interactions are supposed to be documented in the IMS but there is no requirement or coercion available to ensure that this is done.

All forms of interaction (phone, email, Internet, or none) can be used for contacts after the first, depending on the nature of the problem (e.g., an item that is on FAQs on the web site is routed there via the initial contact method or email).

IMS is a package for request ticket tracking and routing between tiers. In addition, it is the basis for the web application that provides status, resolution information, and so on via the company web site. Interactions after the first are all supposed to be logged into the IMS software but there is no mandatory entry nor is there automated escalation (e.g., to a high level of support or manager based on time from request to expected resolution or type of request). As a result some requests are lost and others are never closed.

There is no formal classification of users or requests to facilitate resolution or tracking. Thus, when forwarding is done, a request is generically sent to the next level. Items sent to vendors for resolution are not tracked for timely resolution unless the outage affects many users. The last person touching a request *should* be the person who monitors a request and closes it; however, Guardian closes only phone calls resolved during the call. CSSD is responsible for closing requests that are passed to them but there is no clear policy for tracking responsibility. Similarly, vendors do not close requests. Thus, many requests go unclosed with an unknown resolution.

Known problems with the CSSD service desk include duplication of process steps after hand off of work from Guardian to CSSD T1. Status, including resolution is not




Fig. 2 Current CSSD process

tracked and therefore, is prone to error. There is no reminder system, automatic escalation, and no assigned responsibility for ticket closing. Therefore, lost and unclosed tickets are common. Web forms are used but there is no self-help capability beyond frequently asked questions and no automated help actions. Other problems will become visible through the analyses. Figures 2, 3, and 4 depict the process described above.

2.2 Process Elaboration

Complex processes may require more elaborate information. One such Six Sigma technique is SIPOC process analysis. SIPOC stands for Suppliers, Inputs, Process, Outputs, Customers (Rasmusson 2006) and a SIPOC analysis is a tabular summary of all related information to each process step (see Fig. 5). Suppliers and Customers are shown on the process map as roles with interactions, but the SIPOC details the actual documents, files, data-bases, and actual data affected by or used in the process.

Obvious as the problems may be, formal review and analysis is needed to avoid missed problems. The first action is to determine required and other process steps using a technique such as value added analysis.

2.3 Remove Waste via Value Added Analysis (VAA)

The first step is to remove waste from the process. Some types of waste, e.g., waiting for automated actions to complete, are not able to be removed but might be redesigned to reduce their impact on the process. Value-added analysis (VAA) is a




Fig. 3 Current CSSD process – continued

technique that highlights process steps to be evaluated for elimination. VAA is not strictly part of the Six Sigma training but is often used in leaning waste and is a useful complement to Six Sigma analysis. There are four types of event-driven processes: Management, customer affecting, primary (relate to customer affecting, e.g., design engineering), and support (e.g., HR, legal, IT). A single process can have elements of more than one process type within it and, when conducting analysis, part of the task is to tease out each step's type.




Fig. 4 Current CSSD process – continued

Suppliers	Inputs	Process	Outputs	Customer
Customer	Issue, or request	Initiate request	Open ticket, Updated personal information	T1 Support Staff
T1 Support	Request Information	Receive Request	Request	Customer
T1 Support	If known	Validate cust information	Updated SCDB, as needed	FLCo
T1 Support	Request Information	Log Request	Created request ticket	All support levels, FLCo
T1 Support	Request information	Enter KEDB search	Possible KEDB solution	Customer ... to end

Fig. 5 FLCo help desk partial SIPOC Diagram

To conduct value added analysis the following steps are conducted (Conger 2011):

1. Map the process
2. List all process steps and place them in a table with columns for duration, value adding activities (VA), non-value-adding activities that are required (NVA), and non-value adding activities that are unnecessary (NVAU, can be combined with NBVA), and the type of waste for NVA and NVAU activities.
3. Review each process step, asking the questions:
 - (a) Does an end Customer require this activity, and will the Customer pay for this activity? If yes, then it is value adding (VA).
 - (b) Could a customer-facing activity be eliminated if another activity were done differently or correctly? Is this activity required to support or manage the value adding activities, e.g., legal, HR, etc.? If yes to either, then it is non-value-adding (NVA).
 - (c) Could this activity be eliminated without impacting the form, fit, or function of the Customer's "product?" If yes, then it is non-value adding and unnecessary (NVAU).
4. For each NVA and NVAU activity, analyze which of the DOWNTIME wastes is identified. DOWNTIME is the acronym for D-effects, O-ver production, W-aiting, N-on-utilized talent or resources, T-ransportation, I-nventory, M-otion, e-xcess processing. This allows discussion with management to determine their ultimate disposition.
5. With key stakeholders, evaluate all NVA and NVAU activities for elimination.
6. Evaluate activities remaining as needed for automation, outsourcing, or co-production

NVA and NVAU activities that don't appear able to be automated or eliminated are marked for further analysis for streamlining, outsourcing, or some other replacement with VA activities. Notice that several steps have both VA and NVA

designations. These are because the time is not wasted if a solution is found, but when an escalation is needed, the time spent trying to resolve the issue can be thought of as wasted and therefore, something to minimize or eliminate. Also, the DOWNTIME designations need some explanation. First, DOWNTIME designations are decided from the perspective of the person performing the task, not the customer. This is because the customer may not be aware of the activity nor would they care. Customers 'pay' for an answer, not the time leading to getting an answer. From the company's and help desk staff perspective, the time getting to a correct resolution would be VA, but the time to no resolution would be an NVA. Also, DOWNTIME assignments might have alternate answers or more than one designation. As long as the assignment is defensible, it is acceptable; however, the more accurate, and complete the better as clues to how to minimize the effect of the step if it is required can be gotten from the DOWNTIME assignment.

Figure 6 reveals a significant number of NVA and NVAU activities. The goal of analyzing this information is to completely eliminate as many of these activities as possible or minimize their impact on the process if elimination is not feasible. The times associated with each step establish a baseline against which to measure changes for improvement. As Fig. 6 shows, a successful resolution on first call (steps up to 'Stop') would take from 2.3 to 5.3 min but only 35 s of that time is designated as value adding. The challenge to the process improvement team is to either eliminate or minimize the effects of the activities in the NVA/NVAU column.

By close analysis of every request type and a determination of which might be redesigned in some way much of the impact of the NVA/NVAU time can be removed. This topic is continued in the next sections.

2.4 Process Cleaning

During the 'cleaning' phase of process improvement, each VA process step remaining after the VAA analysis is evaluated to ensure that it is as efficient and effective as possible. Often the types of analyses performed on NVA/NVAU activities overlap this one as many of those steps also remain. In addition to other 'cleaning' activities, such as brainstorming, streamlining, bureaucracy reduction, and simple English, each known process problem is also analyzed to determine all of its possible root causes and evaluate each of them for improvement. This technique, root cause analysis (RCA) is the topic of this section. Then, the Pareto method for easily prioritizing problems for resolution is discussed.

2.4.1 Root Cause Analysis

The purpose of RCA is to find all potential causes for some problem then ensure that sufficient changes are made to prevent the problem from recurring (Martinez et al. 2012). RCA starts with a problem identified from, for instance, a client brainstorming session, to probe further into the root causes of problems and to ensure that all aspects are evaluated and mitigated.

Process Step	Duration	Evaluation		
	In Ms	VA	NVA/NVAU	DOWNTIME
Initiate request	3000		NVA	N
Walk-in or overflow?	.5		NVA	N
Route to FL Tier 1	1.5		NVA	M
Receive request	1.5		NVA	O
Validate staff type	4000		NVAU	e
Update needed?	2000		NVAU	e
Update SCDB	10000		NVAU	e
Log Request	10000		NVA	N
Create ticket	5000		NVA	e
Enter KEDB search	10000		NVA	M
Match to KEDB	5000	VA	NVA	W
Match known err?	5000	VA		
Customer available?	2000		NVA	W, N
Initiate contact	20000		NVA	N, M
Give solution	20000	VA		N, M
Get solution	2000		NVA	O, W
Try solution	20000 – 200000		NVA	W
Give result	2000	VA		
Get result	1000	VA		
Fixed?	2000	VA		
Enter close request	5000		NVA	N, M
Close ticket	10000		NVA	W, N
Stop... Continue to end	50	VA		
Total Time each activity (shown)	2.3--5.3 Min	35 Sec	NVA: 1.5 -- 4.6 Min	NVAU – 16 Sec

Fig. 6 Partial value added analysis

The RCA process is used to identify the true root (most fundamental) cause and the ways to prevent recurrence for significant issues for which outcomes can be affected (Martinez et al. 2012). This technique also called “why-why chart” or “five whys.” Attention in each level of analysis is drawn to all possible contributing factors through repeatedly asking questions that build on answers to prior questions. The steps to RCA are:

1. *Immediate action*: If the problem is still active, it should be resolved so that a normal operational state is achieved before anything is done.
2. *Identify the problem*: At this stage the problem should be completely, clearly articulated. The author should attempt to answer questions relating to Who? What? Why? When? How? and How many? each relating to the problem to be analyzed.
3. *Identify the RCA team*: The team should include 4–10 subject matter and RCA experts to ensure analysis addresses all issues. The team should be given authority to correct the problems and empowered to define process changes as required.

4. *Root Cause analysis*: The method is applied to ask progressively more detailed levels of probing to determine the root cause. Although called the 5-whys, there is no number of levels that is correct; rather, the probing continues until one or more root causes for each problem are found.
5. *Action Plan*: The corrective action plan should eliminate the problem while maintaining or improving customer satisfaction. In addition to the plan, metrics to determine the effectiveness of the change are also developed. Once complete, the action plan is implemented.
6. *Follow Up Plan*: The follow-up plan determines who will take and who will evaluate the measures of the revised process, how often the metrics will be taken, and the criteria that will be applied to determine that the problem is resolved. The follow-up plan can be created while the action plan is being implemented; follow-up begins immediately upon action plan implementation.

The RCA for the “inadequate training” problem that caused requests to be lost is evaluated here. The RCA would be conducted for each of the problems with appropriate mitigations developed.

1. *Identify the problem* – On December 15, 2012 at a company town meeting, numerous internal customers complained to the CIO about lost and unsatisfied requests. Upon inspection, the CSSD was found to be operating with no written processes. The problem was highlighted by the short tenure of most of the Help Desk staff; 75 % of staff members had been on the job less than 6 months. Neither Guardian nor CSSD took ownership for the lost requests problem so the cause was unknown. No one in CSSD had attended any formal job training. CSSD staff learned problem resolutions on the job from each other. All CSSD staff members were affected by this problem. Further, no Guardian staff had had any FLCo training since the original contract was signed 2 years ago.
2. *Identify the RCA team*: The team consisted of two RCA specialists, two T1 and two T2 CSSD staff, one operations and one application support staff.
3. *Immediate action*: The immediate action was to identify and resolve the lost problems. The CSSD Manager sent an email to all users identifying the loss of service requests and asking anyone with outstanding requests to call, verifying their requests. Two CSSD staff manned phones for 3 days to verify requests and add them to the ticket database, as needed. As a result of this action, 400 requests were identified as outstanding; 100 of those requests had not been in the ticketing system.
4. *Action plan*: Training, turnover, and lack of multi-user software were key issues. A partial root cause analysis of training issues is shown in Fig. 7. In addition, the team devised a plan to identify and resolve the lost ticket problems.
5. *Action Plan* – The RCA resulted in many issues being identified. The recommendations for those issues are below.
 - Require the CSSD Manager to remain in the position a minimum of 1 year.
 - Create a process for the CSSD so that there is accountability for all requests with metrics to verify that all requests are logged as received and monitored for daily completion.

Fig. 7 Partial root cause analysis

<p>Root Cause Analysis: Why are CSSD tickets lost? A. There is no requirement for ticket logging and no follow-up to ensure logging. Q. Why is no requirement for ticket logging? A. There is no CSSD written process and high supervisor turnover Q. Why is there no written CSSD process? A. High supervisor turnover and lack of interest Q. Why has there been high supervisor turnover? A.</p>
--

- Develop in-house training for CSSD staff that the Manager also attends. In the development of training, use the CSSD process as the basis for the training.
- Create a career path for staff to stay in the CSSD area, if desired, to reduce constant staff change.
- Provide for senior Level-1 staff to mentor junior staff.
- Change job descriptions of the Manager and CSSD staff to provide merit pay for single-call request completion, short times from open to close of requests, etc.
- Create measures to monitor CSSD operation that become the responsibility of the CSSD Manager.

6. Follow Up Plan

- The CSSD Manager should be tasked with monitoring training effectiveness as evidenced through measures to be defined. Metrics and an analysis of them should be in the monthly report (or dashboard if created) to the CIO and Manager of Operations.

As can be seen from the partial RCA of CSSD problems, the technique is useful but requires significant analysis and takes time. It assumes skilled staff is conducting the analysis who minimize opinion and maximize the potential for complete problem mitigation. In addition, the technique focuses on only one aspect of a problem, rather than a whole problem. Thus, many such analyses are required to fully analyze all issues relating to a complex process and all recommendations must be integrated. Next, Pareto analysis can be used to determine priorities for remediation of problems.

2.4.2 Pareto Analysis

A Pareto distribution is a special form of distribution named for Vilfredo Pareto who discovered its 80–20 rule properties (Conger 2011). The Pareto distribution has since been recognized to apply to a wide range of social, geophysical, and scientific situations such as sales revenue from number of customers, error rates in software modules, and manufacturing defects in a process.

A Pareto diagram, in this case, represents problems to be prioritized for further action. Items to be compared are sorted from highest to lowest frequency and placed across the x-axis of the histogram. Item frequencies are on the Y-axis. A cumulative percentage line shows where the 80 % point is found.



Fig. 8 Pareto analysis of help desk problems

According to classic Pareto analysis, the breakdown is 80–20. However, in reality, many problems show a clear break point at some other distribution such as, 60–40 or 70–30. Variations of Pareto analysis, called ABC and XYZ, look at different distributions for errors or management. ABC concentrates on consumption value of raw materials in different combinations while XYZ analysis evaluates classes of finished goods in terms of their demand qualities as high, medium, low or sporadic (Bhattacharya et al. 2007; Canen and Galvio 1980; Katz 2007; Kumar et al. 2007).

The Pareto diagram for the service desk (Fig. 8) can be interpreted in two ways. The first two categories represent 69 % of the total problems counted; however by adding the third category, 87 % of the problems are presented. Either analysis could be defended, but regardless, the highest priorities would be the focus of immediate remediation. The other items would be considered at a future date. One would not redesign the process without analyzing all of the problems in any case.

The next phase of analysis focuses on the removing or minimizing the impact of process steps on the process. Three kinds of ‘greening’ analysis for this are discussed in the next section.

2.5 Process Greening

All of the techniques in this section are oriented toward removing or minimizing CSSD responsibility for and the carbon footprint of the process tasks at the case organization FLCo. The techniques – outsourcing, co-production, automation, and environmental greening are each discussed in this section.

2.5.1 Outsourcing

Outsourcing is the movement of a function or its related automated support to another company (Conger 2011). Benefits can relate to increased innovation, upgraded technology, reduced operating costs, and increased work quality (Hassan et al. 2012; Martinez et al. 2012). Since FLCo is already outsourcing T1 support for its Service Desk, the service as provided should be evaluated here.

FLCo has about 25 % of tickets either originating or being passed to its internal T1 service. About 5 % of T1 tickets were planned while the others are overflow that cannot be handled by Guardian. When the tickets are escalated to T1 because Guardian cannot find a solution, duplication of activities in the form of checking the KEDB for a solution takes place. As a result there is wasted effort in that duplication. Some analysis should be performed to determine the reasons why tickets are passed to FLCo T1 and their frequency. If most tickets are passed because the solution cannot be found, further training should be given to Guardian staff to ensure that they search for terms correctly and imaginatively. If that effort fails, further analysis of the whether sought after benefits from Guardian are being gained and, if not, their services should be severed.

The reasons for peak periods should be evaluated to determine if Guardian should add more people to the FLCo account. Escalations to FLCo T1 should be investigated to determine how many are actually solved by FLCo T1 staff and how many are passed to T2. If most are solved by FLCo T1 staff, Guardian staff may need training to improve their resolution and solution finding skills. If most are escalated to T2, one might ask why FLCo T1 is not bypassed to speed the overall resolution process. If there are patterns to the problems, other recommendations might include improving search terms for the KEDB or expanding the KEDB. If an unacceptable number of escalations from Guardian to FLCo T1 occur, e.g., over 40 %, perhaps Guardian is not performing as expected and service level agreements or contracts should be rewritten to establish a threshold and penalize Guardian when performance is unacceptable. In addition, if the number of escalations is not acceptable, perhaps in-sourcing and ending the Guardian contract might be in the company's best interest.

2.5.2 Co-Production

Co-production is collaboration to produce some outcome. In business, co-production typically means off-loading work to customers, vendors, or outsourcers ideally, with no pay for the activity. In the case of a help desk, pushing as much of the help desk process to the user constituted co-production. Off-loading in the form of providing self-service to CSSD customers is the most obvious method of co-production. Allowing read-only access to the KEDB so users might find their own solutions to problems thus, reducing the number of requests that reach CSSD. Self-service ticket creation and entry of contact information removes those steps from the CSSD process.

Every service desk request should be analyzed to determine how human interaction might be removed. Since this also results in automation of CSSD, this analysis is discussed further in the next section.

2.5.3 Automation

Activities remaining after co-production decisions should be considered for further or improved automation. Legacy applications support much of large organizations' work and could often benefit from redesign of databases, screens, or even some of the process steps. In addition, any steps not automated should be evaluated for automation. With process automation software now affordable for even small-sized companies, providing all paper-work movement digitally with automated follow-up, feedback, and escalations can improve processes radically.

For CSSD work, every type of request should be analyzed to determine if an automated solution might be created to add to co-production in the form of self-service. For instance, password resets could easily be automated. Requests for access to applications and data with automatic emails to request and receive authorizations, storage of authorizations for audit purposes, and automated emails to notify access approval or denial all can be automated. Automating such activities could reduce the number of requests that reach CSSD by as much as 30 %. Outcomes of such automation have side effects that also need analysis, for instance, by eliminating all automatable or co-produced CSSD requests, could require a higher level of company knowledge for Guardian and CSSD employees, thus, altering the burden of knowledge needed by the outsourcer or mitigating the outsourcer need altogether.

Specific automation (and co-production) recommendations for the case include:

- Type of requests should be defined for automation
- Web forms and the programs behind them should be expanded to identify type of request and automatically route to automated services and to the most knowledgeable staff.
- Ticket creation, ticket priority, SCDB updates, password resets, and access requests should be fully automated.
- All FLCo staff should be provided with access to the KEDB so they can try to resolve their own problems. Incentives might be considered for the 'solution of the month' to encourage self-resolution.
- As the CSSD ticket is created, the user should be presented with current location and contact information and requested to update it before continuing.
- The IMS ticket system should be updated to automatically escalate any ticket in a queue for longer than 15 min without resolution or comments or a change to 'wait' status (which may also be needed).
- IMS escalation should include a dashboard that shows year to date, month to date and day to date information that can be traced to individuals regardless of company (i.e., both Guardian and FLCo staff) to show first call resolution, average times of resolution, phone wait times, number of contacts per ticket, tickets by priority, self-service usage statistics, and so on.

2.5.4 Environmental Greening

Sustainability, in the sense of reducing a process's carbon footprint, is the focus of environmental greening activities. Before this is performed, all of the recommendations from all prior tasks are listed, grouped by similarity or function, and reduced as needed to remove duplication or inconsistencies. The list and rough process redesign are evaluated to determine opportunities for recycling, use of environmentally favorable technologies, or other aspects of the process that might result in savings to the organization and the environment. These suggestions are then discussed with the project sponsors, along with the other recommended changes to arrive at the accepted set of changes for process redesign.

For the FLCo case, the recommendation would be that the computing operations organization evaluate technology replacement to reduce ventilation and air conditioning, electrical, costs, and space requirements.

3 Process Redesign

Recommendations are summarized then used to develop an ideal process considering different perspectives, for instance values, costs, benefits, current and future customers, and so on (Conger 2011; Linderman et al. 2006; vom Brocke et al. 2010). The final process is derived after discussion with customers to determine what is actually feasible in the target environment.

The case recommendations are:

- Enhance the web applications to expand their capabilities
- Implement automation and co-production recommendations (See recommendations for automation and co-production above)
- Implement incentive programs to encourage staff to self-resolve issues
- Implement a CSSD ticket dashboard
- Remove T1 duplication of effort by passing some Guardian escalations directly to T2 staff
- Evaluate the need vs. cost for Guardian based on percent and type of escalations; tighten the contracts if Guardian support is to be continued
- Require CSSD managers to stay in the position at least 1 year
- Create a process for all CSSD activities, including a requirement that all tickets be closed by the last Guardian or CSSD staff to 'touch' the ticket
- Implement training programs for all Guardian and CSSD staff and managers
- Create a CSSD career path plan
- Alter CSSD job descriptions such that some number of unclosed tickets would constitute a fireable offense
- Initiate a metrics program with drill-down dashboard for CSSD activities

An ideal process would include all of the recommendations but constraints in terms of resources and political realities often intrude to make the ideal infeasible.




Fig. 9 Recommended FLCo process

Therefore, discussion with clients is done to develop compromises that will work in the target environment.

From that discussion the recommended process is developed. The FLCo recommended process summarized, incorporates the changes that directly affect the process is shown in Figs. 9 and 10.




Fig. 10 Recommended FLCo process – continued

4 Discussion

This chapter presents only a few of many techniques available for problem analysis and, while they provide adequate expert guidance to obtain an efficient process redesign, often such simple tools are not adequate.

BPM is critical to organizational success. Six Sigma is a proven, globally accepted technique that facilitates the analysis and improvement of processes (Antony 2006). As demonstrated through the FLCo case, application of numerous techniques is needed to fully analyze a process and determine the importance, priority, causes, and possible solutions to a process's problems. As process areas are more complex, the tools like-wise become more robust and complex. One such technique is failure mode event analysis (FMEA) through which all possible errors for every possible eventuality and stage of a process, usually manufacturing, are analyzed for breadth and depth of impact, expected frequency, and cost (Casey 2008). Thus, many RCAs might be performed to define all possible problems for a single product or process. Then, FMEA analysis would design mitigations based on prioritizing based on potential damage to the organization. Thus, the more complex the problem, the more elaborate the tools and techniques to remove and manage the process and its risks.

There are two main drawbacks to Six Sigma practice. The first drawback is organizational and the second relates to the techniques. Six Sigma can develop its own bureaucracy that risks overpowering the importance of 'getting product out the door.' This is not unique to Six Sigma; the tendency of organizations is to grow or wither. However, companies need to guard against becoming cultist about following Six Sigma and remember that producing products or services for their customers must always come first in importance.

The second issue relates to the techniques. Without Six Sigma, business process management is a set of concepts without an organizing core. However, even with Six Sigma as an organizing theme, there are hundreds of Six Sigma techniques that can be applied to aspects of areas under study (Johannsen et al. 2014). There is little organization of techniques into a cohesive body of knowledge. The various Six Sigma certification levels – yellow, green, brown, black – discuss toolkits from which technique selection is made at the discretion of the user (Andersen 1999). Yet, there is no fixed set of techniques with variation of what is taught from one person to another (Antony 2008).

Within a process improvement project, there are about four key thought processes relating to problem recognition, analysis, redesign, and metrics definition yet Six Sigma is unclear about which methods are best in any given phase or situation. And, occasionally, a method that might be used, such as cause and effect diagrams, is overwhelmed by the complexity of the situation and proves unusable (Conger and Landry 2009). Six Sigma also offers little guidance on how to customize or improvise tools to make them usable in such situations.

Finally, while Lean Six Sigma is useful for removing errors and waste from a process, the techniques do not assist in developing recommendations for change or for designing new processes. Recommendations and design still rely on the skill and

insight of the people conducting the analysis. Thus, Six Sigma is a useful way of focusing attention on elimination of waste and the reduction of errors but it can be an overwhelming toolkit without much guidance for developing project outcomes (Johannsen et al. 2014).

5 Conclusion

Process management is a management imperative that is not done once. Either on-going or periodic assessment of processes with improvement analysis is required for businesses to stay competitive. Analysis techniques from Six Sigma complement process management by introducing rigor to waste reduction and quality improvement. This chapter demonstrates how Six Sigma techniques can be applied to process analysis to improve its operation.

References

- Andersen B (1999) Business process improvement toolbox. ASQ Quality Press, New York
- Antony J (2006) Six sigma for service processes. *Bus Process Manag* 12(2):234–248
- Antony J (2008) What is the role of academic institutions for the future development of six sigma? *Int J Prod Perform Manag* 57(1):107–110
- Bhattacharya A, Bijan S, Sanat M (2007) Distance-based consensus method for ABC analysis. *Int J Prod Res* 45(15):3405–3420
- Canen A, Galvao R (1980) An application of ABC analysis to control imported material. *Interfaces* 10(4):2–24
- Casey J (2008) Strategic error-proofing: achieving success every time with smarter FMEAs. Productivity Press, New York
- Conger S (2011) Process mapping and management. Business Expert Press, New York
- Conger S, Landry B (2009) Problem analysis: when established techniques don't work. In: Proceedings of the 2nd annual conf-IRM conference, Dubai, 19–24 May
- Dorgan S, Dowdy J (2004) When IT raises productivity. McKinsey & Company. www.mckinsey.com
- Hassan D, Reza Z, Hassan C, Mohsen Z (2012) Investigating the impact of lean six sigma tenets implementation on competitiveness. *J Basic Appl Sci Res* 2(10):10019–10024
- Herremans I, Isaac R (2004) The intellectual capital realization process (ICRP): an application of the resource-based view of the firm. *J Manag Issues* 61:217–231
- iSixSigma Staff (2002) Sigma performance levels – one to six sigma. iSixSigma.com. <http://www.isixsigma.com/library/content/c020813a.asp>. Accessed 16 Aug 2002
- Johannsen F, Leist S, Zellner G (2014) Implementing six sigma for improving business processes at an automotive bank. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 1, 2nd edn. Springer, Heidelberg, pp 393–419
- Kaplan R, Norton D (2001) The strategy focused organization. Harvard Business School Press, Boston
- Katz N (2007) The weakest link: understanding and detecting supply-chain fraud. *Fraud Magazine*
- Kumar S, Nottestad D, Macklin J (2007) A profit and loss analysis for make-to-order versus make-to-stock policy – a supply chain case. *Engineering Economist*, 22 June, pp 1–30
- Linderman K, Schroeder R, Choo A (2006) Six sigma: the role of goals in improvement teams. *J Oper Manag* 24(6):779–790

- Martinez S, Errasti A, Alberto J (2012) Lean-six sigma approach put into practice in an empirical study. In: Proceedings of the 6th international conference on industrial engineering and industrial management, XVI Congreso de Ingeniería de Organización, Vigo, 18–20 July
- Motorola (2009) About Motorola University: the inventors of six sigma. Motorola Corporation. <http://www.motorola.com/content.jsp?globalObjectId=3079>
- Ohno T (1988) Toyota production system: beyond large-scale production. Productivity Press, New York
- Rasmusson D (2006) The SIPOC picture book: a visual guide to the SIPOC/DMAIC relationship. Oriel Incorporated, Madison
- Rudd C, Loyd V (2007) ITIL v3 book 2: service design, The Stationery Office of the General Commerce. TSO, London
- Rummler G, Brache A (1995) Improving performance: how to manage the white space in the organization Chart, Jossey Bass business and management series. Jossey Bass, San Francisco
- vom Brocke J, Recker J, Mendling J (2010) Value-oriented process modeling: integrating financial perspectives into business process re-design. Bus Process Manag J 16(2):333–356

Business Process Model Abstraction

Artem Polyvyanyy, Sergey Smirnov, and Mathias Weske

Abstract In order to execute, study, or improve operational processes, companies document them as business process models. Often, business process analysts capture every single exception handling or alternative task handling scenario within a model. Such a tendency results in large process specifications. The core process logic becomes hidden in numerous modeling constructs. To fulfill different tasks, companies develop several model variants of the same business process at different abstraction levels. Afterwards, maintenance of such model groups involves a lot of synchronization effort and is erroneous.

We propose an abstraction methodology that allows generalization of process models. Business process model abstraction assumes a detailed model of a process to be available and derives coarse-grained models from it. The task of abstraction is to tell significant model elements from insignificant ones and to reduce the latter. We propose to learn insignificant process elements from supplementary model information, e.g., task execution time or frequency of task occurrence. Finally, we discuss a mechanism for user control of the model abstraction level – an abstraction slider.

1 Introduction

Business process modeling is crucial when it comes to design of how companies provide services and products to customers or how they organize internal operational processes. To improve the understanding of processes and to enable their analysis, business processes are represented by models (Davenport 1993; Hammer and Champy 1994; Weske 2012). Process models are used for different purposes: to communicate a message, to share knowledge or vision, as a starting point for redesigning or optimizing processes, or as precise instructions for executing

A. Polyvyanyy (✉)
Business Process Management Discipline, Queensland University of Technology, Brisbane,
Australia
e-mail: artem.polyvyanyy@qut.edu.au

business tasks. In such conditions, the goal of a process model is to capture working procedures at a level of detail appropriate to fulfill its envisioned tasks. Often, achievement of such a goal results in complex, “wallpaper-like” models, which tend to capture every minor detail and exceptional case that might occur during process execution.

The desired level of model granularity also depends on a stakeholder working with a model and a current task. Top level company management appreciates coarse-grained process descriptions that allow fast and correct business decisions. At the same time, employees who directly execute processes value fine granular specifications of their daily job. Thus, it might be often the case that a company ends up with maintaining several models of one business process.

Abstraction is generalization that reduces undesired details in order to retain only essential information about an entity or a phenomenon. Business process model abstraction goal is to produce a model containing significant information based on the detailed model specification. Significant information is the information required by a certain stakeholder to fulfill his/her tasks.

We propose a business process model abstraction methodology that can be summarized as follows. As input, we assume to possess a complex process model (a detailed process specification). Afterwards, a number of abstractions are performed on the initial model. Conceptually, each abstraction is a function that takes a process model as input and produces a process model as output. In the resulting model, initial process fragment gets replaced with its generalized version. Thus, each individual abstraction hides process details and brings the model to a higher abstraction level.

When applied separately, process model abstractions do not provide much value to an end user. Rather, it is of interest to study how individual abstractions can be combined together and afterwards controlled in order to deliver the desired abstraction level. As a solution, we propose an abstraction slider – a mechanism providing a user control over process model abstraction.

The rest of the chapter is organized as follows. In the next section, we discuss several application scenarios of process model abstraction. Section 3 introduces a slider and explains how it is employed for the control of process model abstraction. Transformation rules and their composition aimed to allow process model graph generalization are discussed in Section 4. Section 5 presents results of a case study on abstraction efficiency and usefulness conducted together with an industry partner. The chapter concludes with a survey on related work and summarizing remarks.

2 Process Model Abstraction Scenarios

Abstraction generalizes insignificant model elements. Abstraction scenarios have direct implication on the identification of insignificant elements. In this section we clarify the concept of process model abstraction and discuss its common use cases.

We then extract abstraction criterion from the proposed use cases. Abstraction criteria are properties of process model elements that enable their partial ordering. Afterwards, obtained partial ordering is used when differentiating significant model elements from the insignificant ones. It is not claimed for the proposed list of scenarios to be complete. It should be extended once there is a demand for new abstraction scenarios.

Essentially, business process model abstraction deals with finding answers to two questions of *what* and *how*:

- What parts of a process model are of low significance?
- How to transform a process model so that insignificant parts are removed?

Answers to both questions should address the current abstraction use case. The choice of an abstraction criterion helps in answering the *what* question, whereas an answer to the *how* question allows deriving models where insignificant elements are generalized.

Considering aforesaid, business process model abstraction is a function for which it holds that:

- A detailed process model and an *abstraction criterion* are the input of this function; an abstraction criterion helps to differentiate significant model elements from the insignificant.
- The function output is an abstracted process model.
- From the structural perspective abstraction reduces the number of model elements.
- From the semantic perspective abstraction generalizes the initial model.

When studying a business process model, analysts might be interested in tasks which are executed frequently. One can presume that frequent tasks capture main process logic while nonfrequent ones constitute seldom alternative scenarios or exception flow. Preservation of only frequent process tasks might allow faster understanding of the core process logic by an end user. In order to fulfill the described use case, one might classify significant process elements as those that occur often during execution. Thus, the abstraction criterion is the mean occurrence number of a process task.

Mean occurrence number of a process task (m_i) is the mean number that the process task i occurs in a process instance.

Alternatively, analysts might be interested in process tasks that consume most of the process execution time (*execution effort*). These tasks are natural candidates for being studied during the task of process improvement. Once such tasks are optimized, the overall process execution time might drop considerably. Also, in many cases, cost required to execute process tasks is proportional to the execution time. Process task effort is another process model abstraction criterion.

Relative effort of a process task (e_r) is the time required to execute the task.

Absolute effort of a process task (e_a) is the mean effort contributed to the execution of the process task in a process instance. Absolute effort can be obtained

as the product of the relative effort and the mean occurrence number of the process task.

As proposed, the effort of a process task is measured in time units (e.g., minutes or hours) and quantitatively coincides with the duration. However, semantically the effort concept resembles the concept of cost. For instance, if two process tasks run in parallel, their total effort is the sum of efforts of each task.

The cost of process tasks and the overall process execution cost are important properties of business processes. Similar to *process task effort* one might define a process model abstraction criterion of *process task cost*.

Process model abstraction criteria can be defined on process fragments. For example, one might be interested in “typical” executions of a business process model. A typical business process execution means that among all possible ways of a process completion, it is the one that is executed most often. Applying such an abstraction to a process model should result in a new model that reflects only most common process scenarios, where a process scenario is a minimal part of a process model that covers certain instance execution.

Probability of a process scenario (P_i) is the probability of the process scenario i to happen when executing the model.


Similarly, process scenarios with the highest duration or cost may be in the focus of process abstraction. As a result of the abstraction, one should obtain a model representing either the most time consuming or the most “expensive” process execution paths.

Effort of a process scenario (E_i) is the effort to be invested in the execution of a process scenario i and can be found as the sum of efforts of all the tasks executed within this scenario.

Figure 1 shows process model fragment, modeled using EPC notation (Keller et al. 1992; Scheer et al. 2005). In the figure, all the outgoing connections of the only exclusive OR split (XOR) are supplied with transition probabilities that sum up to one, i.e., are always progressed upon if reached during execution. All the other connections are assumed to have the transition probability of one. Each function is enriched with relative and absolute (visualized in italic type) efforts given by the time interval in minutes that a worker needs to perform a function. For instance, the function “Contact a representative” has the relative effort of 1 min, meaning that it is expected to take 1 min of worker’s time once reached in a process instance. On average, this function requires $1 \times 0.92 = 0.92$ min in every process instance, which constitutes the absolute effort of the function. Note that the absolute effort is obtained under the assumption that the process fragment is executed exactly once in every process instance.

Often, abstraction criteria require models to be annotated with additional information like statistical data on average time required in order to perform process tasks, probabilities of reaching tasks in a process, etc. In many cases, incorporation of such information requires extension of modeling notation.

Fig. 1 Example of the EPC fragment enriched with probabilities and efforts



3 Abstraction Slider

In this section, we focus on the *what* question of process abstraction. We present a *slider metaphor* (Polyvyanyy et al. 2008a) as a tool for enabling flexible control over the process model abstraction level. We explain how the slider can be employed for distinguishing significant process model elements from insignificant ones. We provide an example of applying the abstraction slider.

When a user selects suitable abstraction criterion, the desired level of abstraction should be specified. Abstraction level cannot be predicted without a priori knowledge about the abstraction context. In the best case, the user should be able to change abstraction level smoothly from an initial detailed process model to a process model that contains only one task. This single process task semantically corresponds to the abstraction of the whole original process model.

A slider is an object that operates on a slider interval $[S_{min}, S_{max}]$. The interval is constrained by the minimum and maximum values of the abstraction criterion. The slider specifies single criterion value using a slider state $se \in [S_{min}, S_{max}]$ and allows a slider state change operation.

All of the discussed abstraction criteria (see Sect. 2) have quantitative measurement. Therefore, criterion values for a particular criterion type are in a partial order relation. Correspondingly, the partial order relation can be transferred on process model elements by arranging them according to the values of some particular criterion. For example, if a criterion is *task relative effort*, then a 2 min task precedes a 4 min task. The partial order relation enables element classification. It is possible to split model elements into two classes: those with the criterion value




Fig. 2 Process model abstraction slider (function names unreadability intended). (a) Initial process model (b) Abstracted process model with the slider state set to 0.37

less than and those with the value greater than some designed separation point. Elements that are the members of the first class are assumed to be insignificant and have to be omitted in the abstracted model. Members of the other class are significant and should be preserved in the abstracted model. We refer to the separation point according to which the element classes are constructed as *abstraction threshold*. Assuming an abstraction threshold of 3 min in the example discussed above, the 2 min task is insignificant and has to be reduced. On the opposite, the 4 min task is significant and should be preserved in the abstracted model.

Thus, a *process model abstraction slider* is a slider, which, for a given process model fragment and a specified abstraction threshold, classifies the fragment as significant or insignificant. The abstraction slider interval is defined on an interval of abstraction criterion values, and the slider state is associated with the abstraction threshold.

A slider control regulates the amount of elements preserved in an abstracted process model. In the simplest case, a user specifies an arbitrary value used as a threshold (which means that the slider interval is $[-\infty, +\infty]$). The challenge for a user in this approach is to inspect a process model in order to choose a meaningful threshold value. A threshold value which is too low makes all the process model elements to be treated as significant, i.e., no nodes or edges are reduced. On the other hand, a threshold that is too high may result in a one task process model. To avoid such confusing situations, the user should be supported by suggesting an interval in which all the “useful” values of abstraction criterion lie. Alternatively, the abstraction slider can control a share of nodes to be preserved in a model. In this case, abstraction mechanism has to estimate the threshold value which results in the reduction of the specified share of the process model.

Figure 2 exemplifies the work of process model abstraction slider. It provides a comparison of the initial process model (a) and its abstracted version (b). The

business process is captured in EPC notation. In the example, we have used the abstraction criterion of absolute effort of a process task. EPC functions with a higher absolute effort are considered to be more significant. Figure 2a shows the business process model that corresponds to the abstraction slider state of 0.00 – the original process model. The model visualized in Fig. 2b is obtained by changing the abstraction threshold to 0.37. In the proposed example, more than 50 % of the model nodes get reduced. Observe that the process model shrinks to one function when the slider state is set to 1.00.

4 Process Model Transformation

In this section, we address the *how* question of the process model abstraction task. We base our solution on process model transformation rules. In this section, two classes of abstraction rules are introduced: elimination and aggregation. Afterwards, requirements for abstraction and their influence on the transformation rules are discussed. Finally, an example of transformation rules is presented.

4.1 *Elimination Versus Aggregation*

When the insignificant process model elements are identified, they have to be abstracted. Several techniques can be proposed to reduce insignificant elements. We focus on the two methods: elimination and aggregation.

Elimination means that a process model element is omitted in the abstracted process model. The main feature of elimination is that the resulting model does not contain any information about the eliminated element. Elimination has to assure that the resulting process model is well-formed and that the ordering constraints of the initial model are preserved.

Aggregation implies that insignificant elements of a process model are grouped with other elements. Aggregation preserves information about the abstracted elements in the resulting model. When two sequential tasks are aggregated into one, properties of the aggregating task are derived from the properties of the aggregated tasks, e.g., the execution cost of an aggregating task is the sum of execution costs of aggregated tasks.

In general case, the rules of elimination are simpler than the aggregation rules. Aggregation requires more sophisticated specification of how the properties of the aggregated elements influence properties of aggregating elements. In many cases, elimination is insufficient, since it leads to the loss of important information. If an abstraction cannot tolerate information loss, aggregation should be used.

4.2 Transformation Requirements

Preservation of the process execution logic is an essential abstraction requirement. This means that process model abstraction should neither introduce new ordering constraints, nor change the existing ones. For instance, if an original process model specifies to execute either activity *A* or *B*, it should not be the case that in the abstracted model these activities appear in a sequence. One can employ the notion of *isotactics* (Polyvyanyy et al. 2012) as a requirement for preserving the process execution logic. Isotactics is a behavioral relation on process models that is capable of representing elimination and aggregation of process execution logic and, hence, is advised to be used for describing the behavioral relation of abstraction on process models.

Another essential abstraction requirement is that well-formed process models should be produced, i.e., every model should obey the syntax of the language that it is described with. Thus, transformation rules should take into account features of modeling notations. Consequently, we can expect different rules to be used, e.g., for EPC and for BPMN.

Furthermore, extra requirements on abstraction rules can be imposed. For instance, a company may use process models for estimation of the workforce required to execute business processes. In this case, information about the overall effort of process execution should be preserved. Process model abstractions that preserve process properties are called *property preserving abstractions*. Elimination can be used in a property preserving abstraction with restrictions, since once a model element is omitted all the information about its properties is lost. Therefore, elimination can be applied only to those elements that do not influence the property being preserved.

Every new requirement imposed on an abstraction restricts transformation rules and makes the design of these rules more complex. It is important to learn which class of process models can be abstracted to one task by a given set of rules and abstraction requirements. An abstraction that is not capable of reducing a process model to one task is called *best effort abstraction*. Such an abstraction *tries* to assure that a given process model is abstracted to the requested level using the given set of rules.

4.3 Transformation Rules

A process model abstraction approach is proposed in Polyvyanyy et al. (2008b). Its cornerstone is a set of abstraction rules. Next, we use these rules as an illustration of the concepts discussed earlier and demonstrate how these rules can function together with the abstraction slider and task absolute effort abstraction criterion.

The approach presented in Polyvyanyy et al. (2008b) is capable of abstracting process models captured in EPC notation. Two requirements are imposed on business process model abstractions:

1. Ordering constraints of a process model should be preserved.
2. Absolute process effort should be preserved.

The approach is based on the set of transformation rules called *elementary abstractions*. Four elementary abstractions are proposed: sequential, block, loop, and dead end abstraction. Every elementary abstraction defines how a certain type of a process fragment is generalized. The order of elementary abstractions can vary. Application of an elementary abstraction may succeed once there is a suitable process fragment in a process model.


4.3.1 Sequential Abstraction

Business process models of high fidelity often contain sequences of tasks. In EPCs, such sequences turn into sequences of functions. *Sequential abstraction* replaces a sequence of functions and events by one aggregating function. This function is more coarse-grained and brings a process model to a higher abstraction level.

Definition 1. An EPC process fragment is a *sequence* if it is formed by a function, followed by an event, followed by a function.

The mechanism of sequential abstraction is sketched in Fig. 3. Functions f_1, f_2 , and event e_1 constitute a sequence. Aggregating function f_s replaces this sequence. Semantically, the aggregating function corresponds to execution of functions f_1 and f_2 .

Fig. 3 Sequential abstraction



4.3.2 Block Abstraction


To model parallelism or a decision point in a process, modelers use split connectors with outgoing branches. Depending on the desired semantics, an appropriate connector type is selected: AND, OR, or XOR. In the subsequent parts of a process model, these branches are synchronized with the corresponding join connectors. A process fragment enclosed between connectors usually has a self-contained business semantics. Therefore, the fragment can be replaced by one function of coarse granularity. *Block abstraction* enables this generalization. To define block abstraction, we use a notion of a path in EPC – a sequence of nodes such that for each node there exists a connection to the next node in the sequence.

Definition 2. An EPC process fragment is a *block* if:

- It starts with a split and ends with a join connector of the same type.
- All paths from the split connector lead to the join connector.
- There is at most one function on each path.
- Each path between the split and the join contains only events and functions.
- The number of the outgoing connections of the split connector equals the number of the incoming connections of the join connector.
- The split connector has one incoming connection and the join connector – one outgoing.

Figure 4 describes the mechanism of block abstraction. Block abstraction replaces an initial process fragment by a sequence of event, aggregating function, and another event. Events assure that a new EPC is well-formed. Semantics of the

Fig. 4 Block abstraction



aggregating function corresponds to the semantics of the abstracted block and conforms to the block type. For instance, if a XOR block is considered, the aggregating function states that only one function of the abstracted fragment is executed.

4.3.3 Loop Abstraction


Often, tasks (or sets of tasks) are iterated for successful process completion. In a process model, the fragment to be repeated is enclosed into a loop construct. In EPC notation, control flow enables loop modeling. Wide application of loops by modelers makes support of loop abstraction an essential part of the abstraction approach. Therefore, one more elementary abstraction – *loop abstraction* – is introduced. Following, we define the process fragment considered to be a loop.

Definition 3. An EPC process fragment is a *loop* if:

- It starts with a XOR join connector and ends with a XOR split connector.
- The process fragment does not contain any other connectors.
- The XOR join has exactly one outgoing and two incoming connections.
- The XOR split has exactly one incoming and two outgoing connections.
- There is exactly one path from the split to the join and exactly one path from the join to the split.
- There is at least one function in the process fragment.

As shown in Fig. 5, aggregating function f_L replaces the whole process fragment corresponding to a loop. Event e_0 is inserted between functions f_0 and f_L in order to

Fig. 5 Loop abstraction



obtain a well-formed EPC model. An aggregating function states that functions f_1 and f_2 are executed iteratively.

4.3.4 Dead End Abstraction

Exception and alternative control flow results in “spaghetti-like” process models with lots of control flow branches leading to multiple end events. Abstraction aims to reduce excessive process details. Thus, abstraction mechanism should be capable of eliminating these flows. *Dead end abstraction* addresses this problem. First, the term *dead end* should be specified.

Definition 4. An EPC process fragment is a *dead end* if it consists of a function, followed by a XOR split connector, followed by an event, followed by a function, followed by an end event. The XOR split connector has only one incoming connection.

Figure 6 visualizes the dead end abstraction mechanism. The initial process fragment is provided on the left side of the figure. The dead end is formed by functions f_0 and f_k , events e_k and e_{k+1} , and the XOR split connector. The XOR split has k outgoing branches, and abstraction removes the k -th branch. The abstracted process is presented on the right side of Fig. 6. Rectangles with dotted borders enclose the dead end fragment and its replacement.

Dead end abstraction completely removes a XOR split branch that belongs to a dead end. Aggregating function f_D replaces function f_0 . An aggregating function in dead end abstraction has the following semantics: upon an occurrence of function f_D in a process, function f_0 is executed. Afterwards, function f_k may be executed. Upon execution of function f_k , the branch is terminated and f_D is not left. Otherwise, the execution of the branch is continued. When an XOR split has two outgoing connections in the initial process model, the XOR split in the abstracted process




Fig. 6 Dead end abstraction

model can be omitted. A new connection from the aggregating function to the event, following the omitted XOR split, should be added to the EPC.

4.3.5 Abstraction Strategy

A single application of an elementary abstraction is not of great value for the task of process abstraction. Therefore, elementary abstractions can be invoked according to an *abstraction strategy* – a rule of composition of elementary abstractions. An abstraction strategy is a sequence of elementary abstraction steps. Every step aims to simplify a process model. At each abstraction step, one elementary abstraction is applied. Since elementary abstractions are atomic, i.e., they do not depend on the previous ones, one might come up with various abstraction strategies. In general case, different strategies lead to different resulting process models.

We propose to organize the abstraction strategy in compliance with the slider concept. Hence, first we aim to abstract from functions of low significance. Once the function with the lowest significance is identified, it is tested to which type of process fragment it belongs. If a process fragment is recognized, appropriate abstraction transformation rules are applied. Otherwise, another elementary abstraction is tested. The next elementary abstraction to test is selected according to the predefined priority. Abstraction is continued until either no more elementary abstraction process fragments are recognized, or the lowest element significance in the process has reached the preset threshold.

An abstraction strategy using only one type of elementary abstraction can be seen as a basic abstraction strategy. Basic abstraction strategy result in process models where only sequential, dead end, block, or loop process fragments are reduced. For instance, in case of the basic sequential abstraction strategy, sequences of an arbitrary length can be reduced.

Advanced abstraction strategy combine several elementary abstractions and define their priority. The priority dictates the application order of elementary abstractions. One possible strategy is the precedence of sequential, dead end, block, and then loop abstraction.

5 Case Study

In this section, we conduct an in-depth analysis of the proposed mechanisms. We evaluate the results of process model abstractions conducted in a joint project with an industry partner. The project objective was to derive process model abstraction mechanisms and to apply them on a process model repository composed of around 4,000 models captured in EPC notation. The additional requirement for abstraction was to preserve overall process effort, i.e., the overall process effort before and after abstraction should stay unchanged. We evaluate the developed abstraction mechanisms in terms of efficiency and usefulness. An estimation of abstraction

efficiency is based on the analysis of the number of model nodes reduced by abstractions. Obviously, this measure does not witness the usefulness of the abstraction. In order to learn the usefulness of abstractions, we appeal to the project partner's expertise.

Following, we provide the results of performing abstraction on a subset of models from the repository composed of 1,195 models; process models with less than 10 nodes are not considered. Three abstraction strategies take part in the case study. Each strategy uses one or several elementary abstractions and applies them iteratively (see Sect. 4.3). The following abstraction strategies are used:

1. Basic sequential abstraction (strategy 1)
2. Sequential then block abstraction (strategy 2)
3. Sequential, dead end, block, and then loop abstraction (strategy 3)

Abstraction strategies are applied with a threshold level equal to the overall process effort. This guarantees that an abstraction tries to reduce all the nodes in a model to the point when no more abstractions are applicable.

Table 1 presents results of applying abstraction strategies, i.e., correspondence between intervals of number of nodes in a model and the number of models that fall into the interval, provided for original as well as abstracted models. The table illustrates how different abstraction strategies reduce the amount of nodes in models.

Additionally, we use the notion of abstraction compression coefficient – a ratio between the number of nodes in abstracted and original models. Each line in Fig. 7 corresponds to the probability density function of the compression coefficient for a certain abstraction strategy. The line for strategy 1 hints on the fact that most of the models were reduced by 40 % or less, whereas in the case of strategy 3, the number of nodes in most models were reduced by 70 % or more. This clearly witnesses that strategy 3 excels its evaluated competitors.

In order to evaluate the usefulness of the abstraction approach, we refer to project partner's experts. Abstractions capable of aggregating more model elements are considered as most valuable. Therefore, in general case, strategy 3 can be seen as the superior one over the other two. The ability to perform more aggregations leads to more combinations of aggregations that contribute to a smoother abstraction experience when performed in the combination with the slider control. Furthermore, the project partners argued that the choice of an abstraction method depends on the structure of a particular process model. For instance, strategy 1 can be seen as useful for a particular process model if it allows the same generalization as strategy 3.

Table 1 Comparison of node reduction caused by various abstraction strategies

Number of nodes	Original	Strategy 1	Strategy 2	Strategy 3
1–10	0	274	511	871
11–20	464	359	306	156
21–30	225	182	137	82
31–40	130	150	81	54
41–50	118	69	56	20
51–60	65	36	38	2
61–70	47	33	29	4
71–80	31	29	18	4
81–90	22	15	5	0
91–100	22	14	2	0
>100	71	34	12	2




Fig. 7 Comparison of compression ratio for various abstraction strategies

6 Related Work

The problem of managing large complex process models emerges as BPM technologies penetrate modern enterprises. This challenging situation is addressed by various approaches. The authors of several process modeling notations, like Business Process Model and Notation (BPMN) (OMG 2011) or Yet Another Workflow Language (YAWL) (van der Aalst and ter Hofstede 2003) envisioned this problem. These notations allow hierarchical structuring of models. The goal of the

hierarchical model organization is to distribute information describing a process among several levels with the general process flow on the highest level of hierarchy and the process details on the lowest one. Unfortunately, such a mechanism is not sufficient to cope with the problem, since it assumes that the hierarchy is designed and maintained manually. Zerguini (2004) proposed an algorithm for identifying special kind of regions called *reducible subflows* in workflow nets. Once such regions are found, a process model can be decomposed into their hierarchy.

A number of studies focused on creation of process views from available process models. The purpose of a process view is to hide certain fragments of a process model. For instance, one can imagine an actor-specific process view or a process view reflecting parts of a process instance to be executed (the last case corresponds to a process view on an instance level). Therefore, the goal of a process view creation differs from the goal of process model abstraction and can be seen as a more generic task. On the other hand, process view creation focuses on the *how* question, but does not discuss the *what* of abstraction, i.e., it does not say how to identify significant model elements. Bobrik et al. (2007) propose an approach capable of creating customized process views on model level and on instance level. The approach relies on graph reduction rules. Eshuis and Grefen (2008) propose a method for constructing views aiming to ease communication between partners by adapting internal process descriptions into ones suitable for external usage. As an input, the approach takes a process model captured in UML activity diagram notation and a user requirement to hide certain process elements. Liu and Shen (2003) propose an order preserving approach for creation of process views. An important issue is that the mentioned approaches do not incorporate the notion of nonfunctional properties of a process and, thus, do not define how nonfunctional properties of a process (e.g., execution effort and execution cost) can be preserved during transformations.

Günther and van der Aalst (2007) proposed a framework allowing to judge about significance of model elements basing on their nonfunctional properties. The framework bases on various metrics evaluating significance of process model nodes and edges. The proposed technique can be employed to answer the *what* question of abstraction, i.e., to derive reasonable significance values for process model elements.

The abstraction mechanism proposed in this chapter makes use of the set of elementary abstraction rules. Each rule has the goal of model simplification and defines how a process model fragment is transformed. Polyvyanyy et al. (2008b) have shown how these rules can be extended for evaluation of nonfunctional properties of model elements. In particular, it is described how properties of aggregating elements are derived from the properties of aggregated. Graph transformation rules are widely used for analysis of process model soundness and are well studied in literature (van Dongen et al. 2007; Liu and Shen 2003; Mendling et al. 2008; Sadiq and Orłowska 2000; Vanhatalo et al. 2007). An approach proposed by Sadiq and Orłowska (2000) presents rules facilitating soundness analysis of process models captured in the notation proposed by Workflow Management Coalition. van Dongen et al. (2007) and Mendling et al. (2008) focus on

the rules facilitating analysis of EPC models soundness. Cardoso et al. (2002) propose a method for the evaluation of workflow properties (e.g., execution cost, execution time, and reliability) based on the properties of workflow tasks. However, the approach is restricted to block-structured process models free of OR blocks. One can evaluate the rules proposed in the works mentioned above for their ability to reflect elimination and/or aggregation of process execution related information and, consequently, adopt those ones appropriate for abstraction purposes.

The presented outlook of the related work witnesses: there is no comprehensive approach, which addresses all the aspects of the business process model abstraction task. Several approaches provide a solid basis of reduction rules, capable of handling sophisticated graph-structured processes. However, these approaches do not allow estimating process properties, such as effort or cost. On the other hand, there is an approach (see Cardoso et al. 2002) supporting process properties estimation, but it is limited to block-structured processes excluding OR block constructs. Finally, to the best of our knowledge, there is no means for controlling process abstraction. Therefore, in this chapter, we have shown how process model abstraction can be conceptually realized. We have introduced the slider concept – a mean for the user to control the abstraction. The approach uses transformation rules proposed by Polyvyanyy et al. (2008b). The rules prescribe how the process nonfunctional properties can be estimated.

7 Conclusions

In this chapter, we presented a business process model abstraction technique – an approach to derive process models of high abstraction level from the detailed ones. We argued that the abstraction task can be decomposed into two independent subtasks: learning process model elements, which are insignificant (abstraction *what*), and abstracting from those elements (abstraction *how*). The proposed technique can be applied for abstraction of an arbitrary graph-structured process model.

Several abstraction scenarios were provided to motivate the task of business process model abstraction. These scenarios were used to extract abstraction criteria. Afterwards, we proposed to adopt a slider concept in order to achieve control over abstraction process. Finally, we discussed process model transformation rules, which can be employed together with the slider for abstraction of insignificant model elements.

We proposed a concrete scenario of applying graph transformation rules for the purpose of model abstraction. Elementary abstractions: sequential, block, loop, and dead end abstraction were presented. For every elementary abstraction, it was defined to which type of process fragment it can be applied and in which model transformation it results. It was explained how these individual abstractions can be combined into abstraction strategies. Derived abstraction methodology preserves function ordering constraints of the initial model. To the limitation of the approach, one can count the fact that not an arbitrary model can be abstracted to one function,

if such a behavior is desired. We conducted a case study on abstraction efficiency and usefulness with the industry project partner and presented obtained statistical results. The technique of process model abstraction can be extended by other transformation rules that assume process graph generalization, e.g., rules proposed by Liu and Shen (2003) and Sadiq and Orłowska (2000).

In (Polyvyanyy et al. 2009), we presented the triconnected abstraction technique that is based on one generic aggregation rule of generalizing a single-entry-single-exit (SESE) fragment of a process model into a single task. This technique can always simplify a given process model into a single task. However, the triconnected abstraction faces the risk of encountering a large SESE fragment that leads to the aggregation of a substantial amount of process information in a single abstraction step. This deficiency can be partially addressed by *structuring* (Polyvyanyy 2012), i.e., transforming every large SESE fragment into an equivalent fragment composed of several small SESE fragments. Finally, the triconnected abstraction can be practiced as a property preserving abstraction if combined with the approach for property aggregation discussed in (Yang et al. 2012).

References

- Bobrik R, Reichert M, Bauer T (2007) View-based process visualization. In: BPM, volume 4714 of LNCS. Springer, Berlin/Heidelberg, pp 88–95
- Cardoso J, Miller J, Sheth A, Arnold J (2002) Modeling quality of service for workflows and web service processes. Technical report, University of Georgia, Web Services. <http://lsdis.cs.uga.edu/lib/download/CMSA-TM02-002-v2-Dec02.pdf>
- Davenport T (1993) Process innovation: reengineering work through information technology. Harvard Business School Press, Boston
- Eshuis R, Grefen P (2008) Constructing customized process views. *Data Knowl Eng* 64(2):419–438
- Günther C, van der Aalst WMP (2007) Fuzzy mining – adaptive process simplification based on multi-perspective metrics. In: BPM 2007, volume 4714 of LNCS. Springer, Berlin/Heidelberg, pp 328–343
- Hammer M, Champy J (1994) Reengineering the corporation: a manifesto for business revolution. HarperBusiness, New York
- Keller G, Nüttgens M, Scheer A (1992) Semantische Prozessmodellierung auf der Grundlage “Ereignisgesteuerter Prozessketten (EPK)”. Technical Report Heft 89, Veröffentlichungen des Instituts für Wirtschaftsinformatik, University of Saarland
- Liu D, Shen M (2003) Workflow modeling for virtual processes: an order-preserving process-view approach. *Inf Syst* 28(6):505–532
- Mendling J, Verbeek H, van Dongen B, van der Aalst WMP, Neumann G (2008) Detection and prediction of errors in EPCs of the SAP reference model. *Data Knowl Eng* 64(1):312–329
- Object Management Group (OMG) (2011) Business process model and notation (BPMN) 2.0
- Polyvyanyy A (2012) Structuring process models. Ph.D. thesis, University of Potsdam, Potsdam
- Polyvyanyy A, Smirnov S, Weske M (2008a) Process model abstraction: a slider approach. In: EDOC’08: proceedings of the 12th IEEE international enterprise distributed object computing conference, IEEE Computer Society, München, Sept 2008
- Polyvyanyy A, Smirnov S, Weske M (2008b) Reducing complexity of large EPCs. In: EPK’08 GI-Workshop, Saarbrücken, Nov 2008

- Polyvyanyy A, Smirnov S, Weske M (2009) The triconnected abstraction of process models. In: BPM'09: proceedings of the 7th international conference on business process management, Ulm, Sept 2009
- Polyvyanyy A, Weidlich M, Weske M (2012) Isotactics as a foundation for alignment and abstraction of behavioral models. In: BPM'12: proceedings of the 10th international conference on business process management, Tallinn, Sept 2012
- Sadiq W, Orłowska M (2000) Analyzing process models using graph reduction techniques. *Inf Syst* 25(2):117–134
- Scheer A, Thomas O, Adam O (2005) Process aware information systems: bridging people and software through process technology, chapter process modeling using event-driven process chains. Wiley, Hoboken, pp 119–145
- van der Aalst WMP, ter Hofstede AHM (2003) YAWL: yet another workflow language (Revised version). Technical report FIT-TR-2003-04, Queensland University of Technology, Brisbane
- van Dongen B, Jansen-Vullers M, Verbeek H, van der Aalst WMP (2007) Verification of the SAP reference models using EPC reduction, state-space analysis, and invariants. *Comput Ind* 58(6):578–601
- Vanhatalo J, Völzer H, Leymann F (2007) Faster and more focused control-flow analysis for business process models through SESE decomposition. In: ICSOC 2007, volume 4749 of LNCS. Springer, Berlin/Heidelberg, pp 43–55
- Weske M (2012) *Business process management: concepts, languages, architectures*, 2nd edn. Springer, Berlin/Heidelberg
- Yang Y, Dumas M, García-Bañuelos L, Polyvyanyy A, Zhang L (2012) Generalized aggregate quality of service computation for composite services. *J Syst Softw* 85(8):1818–1830
- Zerguini L (2004) A novel hierarchical method for decomposition and design of workflow models, vol 8. IOS Press, Amsterdam, pp 65–74

Business Process Quality Management

Hajo A. Reijers, Jan Mendling, and Jan Recker

Abstract Process modeling is a central element in any approach to Business Process Management (BPM). However, what hinders both practitioners and academics is the lack of support for *assessing* the quality of process models – let alone *realizing* high quality process models. Existing frameworks are highly conceptual or too general. At the same time, various techniques, tools, and research results are available that cover fragments of the issue at hand. This chapter presents the SIQ framework that on the one hand integrates concepts and guidelines from existing ones and on the other links these concepts to current research in the BPM domain. Three different types of quality are distinguished and for each of these levels concrete metrics, available tools, and guidelines will be provided. While the basis of the SIQ framework is thought to be rather robust, its external pointers can be updated with newer insights as they emerge.

1 Introduction

Just now, you started to read a chapter about another “framework” with a funny name. It did not deter you so far and we are glad it did not. If you have an interest in process modeling and agree with us that process modeling is an important activity in many contexts, keep on reading. What we want to present to you is an integrated view on many concepts and ideas – most of which, admittedly, are *not* our own – that are related in some way to the *quality* of process models. However, hardly anybody outside a small community of researchers really knows about these notions, how they are related to one another or how they are helpful in any way.

That is exactly what the SIQ framework is about. Its aim is to help you make *better process models*, using the methods, techniques, and tools that are already available.

H.A. Reijers (✉)
Eindhoven University of Technology, Eindhoven, The Netherlands
e-mail: h.a.reijers@tue.nl

Quality is an issue due to a combination of three facts. First of all, Rosemann (2006a) illustrates that large modeling projects can hardly assume that all participating modelers know modeling well. Many of them have only run a brief starter training and have little or no experience. Beyond that, they often model as a side activity to their usual tasks and duties. Second, and as a consequence of that, the quality of process models is often poor. As indicated in Mendling (2008), there are quite significant error rates in process model collections for practice of 10–20 %. Thirdly, this has detrimental consequences of the usage and application of business process models in later design phases. It is a common insight of software engineering, (Boehm et al. 1978; Moody 2005), that flaws can be easily corrected in early design stages while they become increasingly expensive with the progression of a project. Due to these three issues, it is of considerable importance to understand how process model quality can be achieved.

Having said this, the chapter is structured as follows. First, we will reflect on the use of process modeling and the need for a framework as the one we propose. After that, we will explain the framework, which consists of just a small set of quality aspects. If you like, you can go on reading about the various sources we draw from and a methodological justification for the framework. But if you are already convinced and want to start using the framework at that point, that is really fine with us too. The chapter ends with a summary and some final reflections on process modeling.

2 The Power of Process Modeling

Imagine that you are asked to lead a project in your organization to improve the service delivery to customers. Chances are that you will embark on it by focusing on the *business processes* that flow through your organization. Since Thomas Davenport (1993) and Michael Hammer (Hammer and Champy 1993) produced their breakthrough views on the drivers behind organizational performance, the power of *process-thinking* has become deeply entrenched in management practice. By:

1. Understanding all actions in a process, from the first interaction with a customer until the final delivery of a service or product to that customer,
2. Questioning and rethinking the various parts of the process and their mutual relations, and
3. Implementing a thoroughly new process that exploits the benefits of the latest available technologies, you have taken the most effective path towards organizational improvement. Ask any management consultancy firm: This is the recipe they will give you, simply because it works so well.

For a process-oriented improvement project to be successful – whether its goal is to improve customer satisfaction, introduce an ERP system, implement yet another regime of checks and balances, etc. – a deep understanding will be required of the process as it currently *exists*. Not only do you need to understand it: But also all stakeholders should do so. (Do not suppose for a minute that there is agreement

between people on what any particular process does, how it works, or even who is involved.) Similarly, the *changed* vision on that process will need to be communicated too, widely and vigorously. This is to ensure that (1) those who are responsible for bringing about the process change will know what to change and (2) those whose work will be affected will know what to expect. Clearly, *communication* is the central word here, both in *as-is* and *to-be* process models.

By far the best way to support communication in process improvement projects is to use *process models*. A process model helps to visualize what the important steps are in a process, how they are related to each other, which actors and systems are involved in carrying out the various steps, and at what points communication takes place with customers and external parties. All this is usually described in a visual way, using icon-like figures that are connected to each other and which are supported with textual annotations. An example can be seen in Fig. 1, where a complaint handling procedure is modeled.¹

In part, the use of process models is the answer to a lot of the hassle associated with process improvement projects. At the same time, it brings hassle of its own. To start with: Which process modeling technique or tool should you use? In a small country like the Netherlands alone, a stock-taking in March 2008 arrives at 24 different tools available in the marketplace for process modeling, each with its own modeling paradigm. Some vendors will hit you with the intuitive user-interface their tool is equipped with, while others will point out their compliance with a standard you never heard of. So, what is it going to be?

Let us suppose here that you have selected your process modeling tool. That is good: Any choice for a dedicated tool is an infinitely better one than the use of PowerPoint or Visio for process modeling. A next question may well be: Who will make the models for you? Can business professionals be trained to map their own processes or are you better off hiring experts to do this with their input? The different alternatives have their own pros and cons. For example, the right experts will make such models faster, but when they leave your organization again you are left with models nobody cares for or is capable of updating.

The list of issues does not stop here. You will also need to make a decision on which specialists will be involved in the modeling exercise – either active or passive – to provide the content of the process models, how you want to deal with the inevitable updates to your models, where and how you will store process models, how you can allow for reuse of parts of the models you already made, how process models can link up with the working instructions you are using in your organization, how you can keep your process models in line with the compliance documentation you must generate periodically, and how you will distribute the models to interested parties.

Researchers in the BPM field, all over the world, are working very hard on finding answers to these questions and related ones. A very nice and extensive discussion of the issues we mentioned and some others too is, for example, reported in Rosemann

¹ Note that the particular technique being used here is not so relevant.




Fig. 1 An example process model

(2006a, b). Process modeling is an art with a history of only 15 years² and there is not enough evidence to clearly tell the best way to undertake all things. Moreover, the field is in movement: New process modeling techniques and tools, for instance, are constantly being proposed.

This chapter will not – nor could it – provide you with all the answers to the issues you will encounter in the use of process models to achieve organizational benefits. It will just single out one issue, but an important one at that. The issue is: *What is a good process model?* In other words, how can you tell that a process model that you have created over a period of weeks or months, with the input of perhaps dozens of individuals, actually incorporates the quality to help you communicate about your improvement project? Or better still, how can you ensure *during* your modeling efforts that what comes out of it is a high-quality model? The goal of the framework that we will describe is to help you with these questions.

3 The Purpose of a Framework

Is it really important whether a process model is a good model? Actually, we cannot think of a more important issue. What good is it to invest in process modeling at all if you cannot distinguish between a bad model and a good model? At the universities we work, we tell our freshmen the joke that you can model any business process as a box with one incoming and one outgoing arc: Just remember to label the box correctly with the name of the business process you are interested in. (Students hardly ever laugh.) Clearly, such an approach results in a correct model, but is it a good model? Will it be of help to anyone? Probably not, but why is this?

Let us turn our attention to the framework proper to deal with this question. It will be referred to as the SIQ framework for process models, because it is Simple enough to be practically applicable, yet Integrates the most relevant insights from the BPM field, while it deals with Quality – a notoriously intangible concept. While the acronym accurately reflects our intentions with the framework, it has a deliberate connotation. The main entrance to the ancient city of Petra in southern Jordan, once used by trade caravans to enter the strategically located city, is called the Siq.³ It is a natural geological vault produced by tectonic forces and worn smooth by water erosion. A visitor that passes through the Siq will eventually stand face-to-face with the beautiful facade of the treasury of Petra (see Fig. 2). Similarly, our SIQ framework is the result of a lengthy, organic evolution of insights on process models, which – if you allow it to guide you through your process modeling efforts – will result in something really worthwhile: a good process model.

We should make a disclaimer right here and now. The SIQ framework is not the final answer. But it seems unlikely that process improvement projects around the

²The publication of Curtis et al. (1992) is used as rough birth date of the modern business process modeling discipline. The specific focus of the paper, however, was on software processes.

³<http://en.wikipedia.org/wiki/Siq>

Fig. 2 The Siq into Petra, with a view on the treasury




world will be put on halt until that answer has arrived. Therefore, the SIQ framework is built on a basis of three basic types of quality. We propose these as the fundament of process model quality. For each of the three types of quality, we will provide links with the current state of the start to measure these for specific models, which tools are available to establish the metric values, and which guidelines are available to do it right the first time. By the latter we mean that much of the current approaches are *retrospective* in nature: “Give me a complete model and I tell you what is wrong about it”. However, a proactive approach to process modeling seems much more useful: “Follow this guideline and the resulting model will be good”. Both of these views are supported by the SIQ framework.

Does it matter which modeling approach you are using to profit from the SIQ framework? Yes and no. We cannot rule out that you have encountered someone that will convince you of writing process models in Sanskrit.⁴ In that case, the SIQ framework will be of limited use beyond just providing a conceptual basis to reason about quality. But if you stick with activity-oriented modeling approaches, as found in EPCs, UML Activity diagrams, BPMN, etc., – in other words, the industry standards – it is not so important which particular flavor you use.

Another issue that concerns the applicability of the SIQ framework is the process modeling *purpose*. As we argued, in many contexts, the goal is to support interhuman communication. This is not the only purpose there is. Process models

⁴The use of *speech-acts* would be a good example of a modeling concept not particularly well supported by the SIQ framework.

Fig. 3 The SIQ framework



can also be used for a wide variety of modeling purposes, look for discussions on this in (Becker et al. 2003; Reijers 2003). If you make a process model that will only need to be interpreted by a computer system – as in some scenario’s of workflow management support or simulation experiments – only parts of the SIQ framework will be relevant. The SIQ framework as a whole is relevant for “models-for-people.” All other decisions do not affect the applicability of the SIQ framework at all, such as which process is modeled, who will make the model for you, how big the particular model is, etc. The SIQ framework is a one-size-fits-all approach: If you use an industry-like standard modeling approach and it is relevant that people should take a look at the process models, the SIQ framework is for you.

4 The SIQ Framework

The SIQ framework is about process model quality. In line with the ISO 9000 guideline and definitions on model quality from Moody (2005), we could try to become more specific by expressing this as “the totality of features and characteristics of a process model that bear on its ability to satisfy stated or implied needs.” Its is questionable whether this will help you much. Therefore, take a look at Fig. 3, where you will see a visualization of the SIQ framework. We will discuss the framework, working inside-out.

4.1 The Center

At the center of the model, in the bright area, you see the three subcategories of process model quality that are distinguished within the SIQ framework. These categories are the *syntactic*, *semantic*, and *pragmatic* quality of the process model under consideration. Before dealing with the “walls” that surround the center, we

will first describe these categories in more detail: They represent the main quality goals a process model should satisfy.

4.1.1 Syntactic Quality

This category relates to the goal of producing models that conform to the rules of the technique they are modeled with. In other words, all statements in the model are according to the syntax and vocabulary of the modeling language (Lindland et al. 1994). If a process model is captured as an EPC (Keller et al. 1992; Scheer 2000), it would be syntactically incorrect to connect one event directly to another. Therefore, the model in Fig. 1 would not be a good EPC; the rounded boxes blocks are often used to visualize functions and many are connected in this model. Similarly, a Workflow Net (van der Aalst 1997) is not correct if does not contain a source and a sink place, i.e., a proper start and end of the process model. For most popular modeling techniques, it not really hard to find the rules that determine the syntactical quality, but usually there are hard and soft rules/conventions.

Syntactic quality is the *basis* for each of the other categories. This explains why it is shown as the lower part of the inner passage in Fig. 3, supporting the other categories. It is not sensible to consider the semantic or pragmatic quality of a process model if it contains syntactical errors. Think of it like this: Although you may be able to understand the meaning of a word that is not spelled correctly, you may be in doubt sometimes whether it is the actual word the writer intended. But there should be *no* room for any misunderstanding of the modeler's intent with a process model.⁵ As such there is a hierarchical relation between the categories: Both semantic and pragmatic quality assessments *suppose* syntactical correctness.

4.1.2 Semantic Quality

This category relates to the goal of producing models that make true statements on the real world they aim to capture, either for existing processes (*as is*) or future processes (*to be*). This goal can be further decomposed in the subgoals of *validity* and *completeness*. Validity means that all statements in the model are correct and are relevant to the problem; Completeness means that the model contains all relevant statements that *would be* correct (Lindland et al. 1994). So, if a particular process model expresses that any clerk may carry out the task of checking an invoice while in truth this requires a specific financial qualification, then the model suffers from a low semantic quality. Similarly, if this particular task is omitted from the process model while its purpose is to identify all checks in the process, then it also suffers from a low semantic quality. It should be noted that the requirements on *as-is* models may differ from those on *to-be* models. For example,

⁵ Note that a process model may certainly contain parts of which the modeler is not completely sure of. The point is that a modeler should model and identify such uncertainty in no uncertain terms that are syntactically correct.

the validity of a model describing an existing situation may obviously be checked more stringently than that of a hypothetical situation.

Semantic quality is a relative measure. In that sense, it is not so different from syntactic quality, which must be established against a set of rules. However, the baseline to determine the semantic quality is normally less explicit than that for syntactic quality. To evaluate a model's validity, we must first be certain about the *meaning* of the model elements that are used, i.e., what does an arrow express?⁶ Next, we should compare the meaning of a process model with the *real world* it is trying to capture. In other words, you cannot say much about the semantic quality of a model if you do not understand how things actually take place. Finally, it is the modeling *goal* that needs to be known. In particular, if you want to assess whether a model is complete, you will need to know what insight you hope to derive from that model. So, checking a model's semantic quality can only be done by knowing the *meaning* of the modeling constructs, understanding the *domain* in question, and knowing the exact *purpose* of the process model (beyond that, it must support human communication).

4.1.3 Pragmatic Quality

This category relates to the goal of arriving at a process model that can be understood by people. This notion is a different one from semantic quality. You can probably imagine a process model where big parts from the real world are not captured, which will lead to a low semantic quality. But the same model can be perfectly understood in terms of the relations that are being expressed between its elements, which indicate a high pragmatic quality. But the inverse case – which seems much more frequent if you will browse through some realistic models – could also be true. Therefore, semantic quality and pragmatic quality are not hierarchically related.

Pragmatic quality is the least understood aspect of process model quality at this point. Although practitioners have developed experience over the years of what works well and what does not, few scientific explorations of this aspect have taken place. Evidence is growing, however, that small details of a model may have a big effect on its pragmatic quality.

4.2 *The Wall of Checking*

Let us now turn to the first “wall” surrounding the heart of the SIQ framework (see again Fig. 3). Process modeling, as much as programming, is essentially a problem-

⁶ In an interview, the famous computer scientist Edsger W. Dijkstra said: “Diagrams are usually of an undefined semantics. The standard approach to burn down any presentation is to ask the speaker, after you have seen his third diagram, for the meaning of his arrows.”

solving task. This implies that the validity of the solution must be established (Adrion et al. 1982). The three dimensions of quality require different approaches for checking the degree of validity. In particular, in this wall of checking of the SIQ framework, we distinguish between verification, validation, and certification.

4.2.1 Verification (Syntactic Quality Checking)

Verification essentially addresses formal properties of a model that can be checked without knowing the real-world process. In the context of process model verification, static and behavioral properties can be distinguished.

Static properties relate to the types of elements that are used in the model, and how they are connected. For instance, a transition cannot be connected to another transition in a Petri net; in a BPMN model, it is not allowed to have a message flow within a lane; or in EPCs, an organizational unit cannot be associated with a connector routing element. Typically, such static properties can easily be checked by considering all edges and their source and target elements.

Behavioral properties relate to termination of process models. It is a general assumption that a process should never be able to reach a deadlock and that a proper completion should always to be guaranteed. Different correctness criteria formalize these notions. Most prominently, the *soundness* property requires that (1) it has in any state the option to complete; (2) every completion is a proper completion with no branches being still active; and (3) that there are no tasks in the model that can never be executed (van der Aalst 1997). Other notions of correctness have been derived from soundness for various modeling languages (van der Aalst 1997; Dehnert and van der Aalst 2004; Wynn et al. 2006; Puhlmann and Weske 2006; Mendling and van der Aalst 2007). The appeal of behavioral properties is that they can be checked by computer programs in an automatic fashion. For Petri nets, the open source tool Woflan⁷ can be used to perform such a check (Verbeek et al. 2001). Indeed, there is a good reason to use verification in the design of process models. Different studies have shown that violations of soundness are included in about 10–20 % of process models from practice (van Dongen et al. 2007; Mendling et al. 2007a, 2008c; Vanhatalo et al. 2007; Gruhn and Laue 2007).

4.2.2 Validation (Semantic Quality Checking)

There are different techniques that support the validation of a process model. Most of them are discussed in requirements engineering (Gemino 2004; Nuseibeh and Easterbrook 2000). A problem in this context is that, as indicated by the high error rates, users hardly understand the behavioral implications of their models. Here, we aim to emphasize two particular techniques: simulation and paraphrazation.

⁷ <http://is.tm.tue.nl/research/woflan.htm>

In essence, *simulation* refers to presenting the formal behavior of the model to the user in an intuitive way. It is closely related to animation as a visualization of dynamics (Philippi and Hill 2007). A simulation shows the user which paths he can use to navigate through the process, and which decisions have to be made. This way, it is easier to assess the completeness and the correctness of a model with respect to the real-world process. In D'Atri et al. (2001), we describe an even more advanced approach to validation: A to-be process model is animated and extended with user-interaction facilities to give end-users a good feeling of how a particular process will behave.

Simulation also provides valuable insights into the performance characteristics of a process, but for this application, the arrival pattern of new cases, the routing probabilities through a process, the involved resources, their maximum workload, and their execution times need to be specified. A good introduction into business process simulation can be found in the chapter Business Process Simulation in the Handbook volume 1 (van der Aalst 2014), while a treatment of this subject in the specific context of process optimization can be found in ter Hofstede et al. (2008). Open source software packages available for business process simulation are CPN Tools⁸ and ExSpect.⁹

Paraphrazation is an alternative technique to make a process model understandable to somebody who is not familiar with modeling. The key idea is that the model can be translated back to natural language (Frederiks and van der Weide 2006; Halpin and Curland 2006). The derived text can be easily discussed with a business expert, and potential shortcomings can be identified.

Validation and verification are meant to complement each other. Accordingly, approaches like van Hee et al. (2006) include them as consecutive steps of quality assurance in the overall design cycle.

4.2.3 Certification (Pragmatic Quality Checking)

The pragmatic quality of a model has its foundations in the psychological theory of dual coding, (e.g. Brooks 1967; Paivio 1991). It suggests that humans have two distinct and complementary channels for information processing: visual and auditory. While text activates the auditory channel, a process model stimulates the visual understanding. Accordingly, the Cognitive Theory of Multimedia Learning (CTML) (Mayer 1989, 2001) recommends that learning material intended to be received, understood, and retained by its recipients should be presented using *both* words (activity labels) and pictures (process graph). Furthermore, this theory offers a way to check the learning effect of a model. Gemino and others have identified an experimental design to quantify this learning effect (Bodart et al. 2001; Gemino and Wand 2005; Recker and Dreiling 2007).

⁸ <http://wiki.daimi.au.dk/cpntools/>

⁹ <http://www.exspect.com/>

In practice, you often find a less systematic approach to pragmatic quality. In this setting, the process owner is responsible for a sign-off of the process model, in the sense that he or she is satisfied with the clarity and readability of the model. In essence, this certifies that the model is adequate to be used by the intended stakeholders. The sign-off usually follows up on extensive validation and verification to guarantee that the model is also valid and correct.

4.3 *The Wall of Ensuring*

Given these different threats to correctness, there have been concepts developed to prevent them right from the start. These concepts constrain the design space. In particular, we distinguish correctness-by-design, truthful-by-design, and understandable-by-design. These are all part of the second “wall” of the SIQ framework, the wall of ensuring (see again Fig. 3).

4.3.1 Correctness-by-Design (Syntactic Quality Ensuring)

There are two essential ideas that contribute to correctness-by-design. The first one is that *static correctness directly guarantees behavioral correctness*. This principle is embodied in the Business Process Execution Language for Web Services (BPEL) (Alves et al. 2007). It imposes a block structure of nested control primitives. Due to this restriction, there are particular challenges of transforming graph-structured languages like BPMN or EPCs to BPEL, (van der Aalst and Lassen 2008; Mendling et al. 2008a; Ouyang et al. 2006). The second concept builds on *change operations that preserve correctness* (Weber et al. 2007). In this way, the modeler is able to add, modify, or delete activities in a process model by using primitives like *add parallel activity*. A criticism on both of these concepts is that not all correct graph-based process models can be expressed as block structure or constructed using change operations. Therefore, correctness-by-design comes along with a restriction on expressiveness. At the same time, it seems reasonable to say that the vast majority of process models can be captured in this way. For example, in an investigation in the Netherlands of a dozen companies that carried out workflow implementations (Reijers and van der Aalst 2005), it would have been possible to capture all encountered business processes using block structures of nested control primitives.

4.3.2 Truthful-by-Design (Semantic Quality Ensuring)

This aspect relates to the ways of constructing process models in such a way that they accurately capture reality. We focus on *process mining* and *natural language processing* as important techniques in this area.

Process mining is an approach to infer what a business process looks like from traces that are left behind in all kinds of information systems when executing that

process (van der Aalst et al. 2003). Unlike the traditional approach to ask people who are active in a particular approach to describe that process (cf. Sharp and McDermott (2001) for example), process mining is a much less subjective means to discover that process. For example, if the event log of a specific information system always shows that payment by a client precedes delivery of the goods, process mining algorithms will order these events in the process model in this way – there is no need for interviewing anybody about this. ProM is a state of the art software platform that supports the execution of such algorithms, along with various additional analysis features. In a recent industrial application of the ProM framework (van der Aalst et al. 2007), it was found that, for example, an invoice handling process was characterized by many more points of iteration than the involved business people themselves thought. Process mining, therefore, seems a promising approach to truthfully outline a business process as it actually happens.

Beyond this rather recent development, the relationship between process models and natural language has been discussed and utilized in various works. Fliedl et al. (2005) define a three-step process of building a process model. Based on linguistic analysis, component mapping, and schema construction, they construct the model automatically from natural language text. Just as correctness-by-design, this approach is limited to a subset of natural language.

4.3.3 Understandable-by-Design (Pragmatic Quality Ensuring)

The empirical connection between understanding, errors, and model metrics, for instance (Mendling et al. 2007a, b, 2008c; Mendling and Reijers 2008), has led to the definition of a set of seven process modeling guidelines (7PMG) that are supposed to direct the modeler to creating understandable models that are less prone to errors (Mendling et al. 2008b). Table 1 summarizes the 7PMG guidelines. Each of them is supported by empirical insight into the connection of structural metrics and errors or understanding, which makes it stand out in comparison to personal modeling preferences. The size of the model has undesirable effects on understandability and likelihood of errors (Mendling et al. 2007a, b, 2008c). Therefore, G1 recommends to use as few elements as possible. G2 suggests to minimize the routing paths per element. The higher the degree of elements in the process model the harder it becomes to understand the model (Mendling et al. 2007a, b). G3 demands to use one start and one end event, since the number of start and end events is positively connected with an increase in error probability (Mendling et al. 2007a). Following G4, models should be structured as much as possible. Unstructured models tend to have more errors and are understood less well (Mendling et al. 2007a, b; Gruhn and Laue 2007; Laue and Mendling 2008). G5 suggests to avoid OR routing elements, since models that have only AND and XOR connectors are less error-prone (Mendling et al. 2007a). G6 recommends using the verb-object labeling style because it is less ambiguous compared to other styles (Mendling and Reijers 2008). Finally, according to G7, models should be decomposed if they have more than 50 elements.

Table 1 Seven process modeling guidelines (Mendling et al. 2008b)

G1	Use as few elements in the model as possible
G2	Minimize the routing paths per element
G3	Use one start and one end event
G4	Model as structured as possible
G5	Avoid OR routing elements
G6	Use verb-object activity labels
G7	Decompose a model with more than 50 elements

The model that is shown in 1 is, in fact, developed in conformance with these guidelines.

5 Related Work

By now, the SIQ framework has been outlined for you. In case you are wondering about that, it is not the first framework for process model quality. On the contrary, it owes heritage to some notable predecessors. To give the reader a better feeling of the SIQ framework's resemblances to and differences with these earlier frameworks, we will describe the most important ones.

First of all, there are the Guidelines of Modeling (GoM) (Becker et al. 2000, 2003). The inspiration for GoM comes from the observation that many professional disciplines cherish a commonly shared set of principles to which their work must adhere. GoM is intended to be that set for the process modeling community.

The guidelines include the six principles of correctness, clarity, relevance, comparability, economic efficiency, and systematic design. These principles partly overlap with the three main quality aspects that are distinguished in the SIQ framework:

- GoM's correctness refers to both the syntactic and the semantic quality in the SIQ framework,
- GoM's clarity relates to the pragmatic quality in the SIQ framework, and
- GoM's relevance is connected to the semantic quality in the SIQ framework.

In comparison, it is fair to say that the GoM framework covers a broader array of quality issues than the SIQ framework. For example, systematic design is not considered in the SIQ framework, but this may be a highly relevant to consider in certain situations. So in that sense, the SIQ framework is truly a simple framework. At the same time, the SIQ framework is more geared towards integrating a wide variety of existing notions, techniques, and tools from the BPM domain. In that sense, it is a more integrative approach to process modeling quality. What both frameworks share is the intent of their developers: To advocate the development of widely shared and usable guidelines for establishing process model quality.

The second important framework that we should mention here is the SEQUAL framework. It builds on semiotic theory and defines several quality aspects based on relationships between a model, a body of knowledge, a domain, a modeling language,

and the activities of learning, taking action, and modeling. It was originally proposed in Lindland et al. (1994), after which a revision was presented in Krogstie et al. (2006). The notions of a syntactic, semantic, and pragmatic quality in the SIQ framework can be immediately traced back to that first version of the SEQUAL framework. But these criteria aspects are not the only SEQUAL notions by far. The most striking characteristic of the SEQUAL framework is that it is so complex. It seems hard to explain to anybody – in particular practitioners – what its various components are and what they mean. Its *raison d'être* seems to be to feed philosophical discussion than practical application: There is nothing close to concrete guidelines, as in GoM or in the SIQ framework, let alone any links to empirical work or tools. Finally, the revision of the original pillars of the SEQUAL framework cast doubts on its robustness. In contrast, the SIQ framework is proposed as an extensible framework, rather than a revisable one.

Finally, Moody has made various contributions on the subject of conceptual model quality (Moody 2003, 2005). Most relevant for our purpose, he investigated the proliferation of various model quality frameworks, discusses many of them, and dryly observes that none of them have succeeded in receiving any acceptance. The most important link between Moody's work and the SIQ framework is that the latter tries to live up to the principles for structuring conceptual model quality frameworks as proposed in the former:

- We decomposed the overall quality notion into the subcharacteristics of syntactic, semantic, and pragmatic quality, described their relations, and – if available – described the metrics for these.
- We used commonly understood terms to distinguish and describe the various quality aspects; descriptions were commonly given in one sentence.
- We provided the links to tools, procedures, guidelines, and related work to clarify how quality evaluations can take place.

Admittedly, we did not provide concrete metrics for each of the characteristics and subcharacteristics we discussed, as is also suggested by Moody. This is a clear avenue for further improving the SIQ framework, so that its chances will be increased of becoming widely adopted and making an impact on modeling practice.

6 Conclusion

In this chapter, we introduced the SIQ framework for the quality of business process models. Its core consists of the three dimensions of syntactic, semantic, and pragmatic quality. These have been discussed in conceptual modeling before, but the SIQ framework has some distinct features of its own. It is much *simpler* than other frameworks, in the sense that only three subcategories of quality are distinguished. You can see from this that it is not so much that *truth* was the dominant principle in developing the SIQ framework, but *utility*. Also, the SIQ framework is a sincere effort to link up with the most powerful and relevant notions, techniques, and tools

that already exist but provide part of the picture. In that sense, the SIQ framework is *integrative*: It identifies mechanisms and techniques that can be applied complementarily. What is completely new in the framework is the identification of both *ex post* checking of quality and *a priori* ensuring of quality. In this regard, we have organized existing work on verification and correctness-by-design on the syntax level, validation, and truthfulness-by-design on the semantic level, and certification and understandable-by-design on the pragmatic level.

In the end, frameworks do not become popular by themselves. Readers like you determine whether the SIQ framework meets their purposes or not. But in our mind, there are more important issues than whether you will use the SIQ framework as we described it. We hope that you will remember our claim that process model quality is much more than simply adhering to a particular modeling notation. We also hope that reading this chapter will help you to focus your energies more effectively. Rather than joining “process model battles” – technique X is much better than Y! – focus on creating models that stick to the rules of the technique you are using, rightfully describe what you need, and do so in a way that is comprehensible to the people using it.

We will spend our time and energy on extending the SIQ framework, linking it with the latest insights and tools. A first tangible result is the inclusion of a set of advanced features in the open source Woped tool.¹⁰ Models that are developed with this tool can be checked on both their syntactic and pragmatic quality, respectively through checks on *soundness* and a range of process metrics.

We aim for a close cooperation with our industry and academic partners to further populate the white spaces in the SIQ framework, validate its applicability, and develop even more concrete guidelines on how to create process models. In the mean time, we hope you will try the SIQ framework out. Process modeling is simply too important to carry out poorly.

References

- Adrion WR, Branstad MA, Cherniavsky JC (1982) Validation, verification, and testing of computer software. *ACM Comput Surv* 14(2):159–192
- Alves A, Arkin A, Askary S, Barreto C, Bloch B, Curbera F, Ford M, Goland Y, Guizar A, Kartha N, Liu CK, Khalaf R, Koenig D, Marin M, Mehta V, Thatte S, van der Rijn D, Yendluri P, Yiu A (2007) Web services business process execution language version 2.0. Committee specification, 31 January 2007
- Becker J, Rosemann M, von Uthmann C (2000) Guidelines of business process modeling. In: van der Aalst WMP, Desel J, Oberweis A (eds) *Business process management Models, techniques, and empirical studies*. Springer, Berlin, pp 30–49
- Becker J, Kugeler M, Rosemann M (eds) (2003) *Process management, a guide for the design of business processes*. Springer, Berlin, pp 41–78

¹⁰ See <http://www.woped.org>

- Bodart F, Patel A, Sim M, Weber R (2001) Should optional properties be used in conceptual modelling? A theory and three empirical tests. *Inf Syst Res* 12(4):384–405
- Boehm BW, Brown JR, Kaspar JR et al (1978) Characteristics of software quality. TRW Series of Software Technology, Amsterdam
- Brooks LR (1967) The suppression of visualization by reading. *Q J Exp Psychol* 19(4):289–299
- Curtis B, Kellner MI, Over J (1992) Process modeling. *Commun ACM* 35(9):75–90
- D’Atri A, Solvberg A, Willcocks L (eds) (2001) Using prototyping in a product-driven design of business processes. In: Proceedings of the open enterprise solutions: systems, experiences, and organizations conference, Luiss Edizioni
- Davenport TH (1993) Process innovation: reengineering work through information technology. Harvard Business School Press, Boston
- Dehnert J, van der Aalst WMP (2004) Bridging the gap between business models and workflow specifications. *Int J Cooper Inf Syst* 13(3):289–332
- Fliedl G, Kop C, Mayr HC (2005) From textual scenarios to a conceptual schema. *Data Knowl Eng* 55(1):20–37
- Frederiks PJM, van der Weide TP (2006) Information modeling: the process and the required competencies of its participants. *Data Knowl Eng* 58(1):4–20
- Gemino A (2004) Empirical comparisons of animation and narration in requirements validation. *Requir Eng* 9(3):153–168
- Gemino A, Wand Y (2005) Complexity and clarity in conceptual modeling: comparison of mandatory and optional properties. *Data Knowl Eng* 55(3):301–326
- Gruhn V, Laue R (2007) What business process modelers can learn from programmers. *Sci Comput Program* 65(1):4–13
- Halpin TA, Curland M (2006) Automated verbalization for orm 2. In: Meersman R, Tari Z, Herrero P (eds) On the move to meaningful internet systems 2006. OTM 2006 workshops, Montpellier, October 29–November 3. Proceedings, Lecture notes in computer science, part II, vol 4278. Springer, Heidelberg, pp 1181–1190
- Hammer M, Champy J (1993) Reengineering the corporation: a manifesto for business revolution. Harpercollins, New York
- Keller G, Nüttgens M, Scheer AW (1992) Semantische Prozessmodellierung auf der Grundlage “Ereignisgesteuerter Prozessketten (EPK)”, Heft 89. Institut für Wirtschaftsinformatik, Saarbrücken
- Krogstie J, Sindre G, Jørgensen HD (2006) Process models representing knowledge for action: a revised quality framework. *Eur J Inform Syst* 15(1):91–102
- Laue R, Mendling J (2008) The impact of structuredness on error probability of process models. In: Kaschek R, Kop C, Steinberger C, Fliedl G (eds) Information systems and e-business technologies. 2nd international united information systems conference. Lectures notes in business information processing, vol 5. Springer, Heidelberg
- Lindland OI, Sindre G, Sølvberg A (1994) Understanding quality in conceptual modeling. *IEEE Software* 11(2):42–49
- Mayer RE (1989) Models for understanding. *Rev Educ Res* 59(1):43–64
- Mayer RE (2001) Multimedia learning. Cambridge University Press, Cambridge, MA
- Mendling J (2008) Metrics for process models: empirical foundations of verification, error prediction, and guidelines for correctness, vol 6, Lecture notes in business information processing. Springer, Berlin
- Mendling J, Reijers HA (2008) How to define activity labels for business process models? In: Oberweis A, Hesse W (eds) Proceedings of the third AIS SIGSAND European symposium on analysis, design, use and societal impact of information systems (SIGSAND Europe 2008), Lecture notes in informatics, Marburg
- Mendling J, van der Aalst WMP (2007) Formalization and verification of EPCs with OR-joins based on state and context. In: Krogstie J, Opdahl AL, Sindre G (eds) Proceedings of the 19th conference on advanced information systems engineering (CAiSE 2007). Lecture notes in computer science, vol 4495. Springer, Trondheim, pp 439–453

- Mendling J, Neumann G, van der Aalst WMP (2007a) Understanding the occurrence of errors in process models based on metrics. In: Meersman R, Tari Z (eds) OTM conference 2007. Proceedings, Lecture notes in computer science, part I, vol 4803. Springer, Heidelberg, pp 113–130
- Mendling J, Reijers HA, Cardoso J (2007b) What makes process models understandable? In: Alonso G, Dadam P, Rosemann M (eds) Business process management. 5th international conference, BPM 2007, Brisbane, 24–28 September 2007. Proceedings, Lecture notes in computer science, vol 4714. Springer, Berlin, pp 48–63
- Mendling J, Lassen KB, Zdun U (2008a) Transformation strategies between block-oriented and graph-oriented process modelling languages. *Int J Bus Process Integr Manag* 3(2):297–312
- Mendling J, Reijers HA, van der Aalst WMP (2008b) Seven process modeling guidelines (7PMG). Queensland University of Technology, Brisbane, Qut eprint
- Mendling J, Verbeek HMW, van Dongen BF, van der Aalst WMP, Neumann G (2008c) Detection and prediction of errors in EPCs of the SAP reference model. *Data Knowl Eng* 64(1):312–329
- Moody DL (2003) Measuring the quality of data models: an empirical evaluation of the use of quality metrics in practice. In: Proceedings of the 11th European conference on information systems, ECIS 2003, Naples, 16–21 June 2003
- Moody DL (2005) Theoretical and practical issues in evaluating the quality of conceptual models: current state and future directions. *Data Knowl Eng* 55(3):243–276
- Nuseibeh B, Easterbrook SM (2000) Requirements engineering: a roadmap. In: Proceedings of the conference on software engineering on the future of software engineering, ACM, New York, pp 35–46
- Ouyang C, Dumas M, Breutel S, ter Hofstede AHM (2006) Translating standard process models to bpmel. In: Dubois E, Pohl K (eds) Advanced information systems engineering. 18th international conference, CAiSE 2006, Luxembourg, 5–9 June 2006. Proceedings, Lecture notes in computer science, vol 4001. Springer, Heidelberg, pp 417–432
- Paivio A (1991) Dual coding theory: retrospect and current status. *Can J Psychol* 45(3):255–287
- Philippi S, Hill HJ (2007) Communication support for systems engineering – process modelling and animation with April. *J Syst Softw* 80(8):1305–1316
- Puhlmann F, Weske M (2006) Investigations on soundness regarding lazy activities. In: Dustdar S, Fiadeiro JL, Sheth A (eds) Business process management, 4th international conference, BPM 2006, Lecture notes in computer science, vol 4102. Springer, Heidelberg, pp 145–160
- Recker J, Dreiling A (2007) Does it matter which process modelling language we teach or use? An experimental study on understanding process modelling languages without formal education. In: Toleman M, Cater-Steel A, Roberts D (eds) 18th Australasian conference on information systems. The University of Southern Queensland, Toowoomba, pp 356–366
- Reijers HA (2003) Design and control of workflow processes: business process management for the service industry. Springer, Berlin
- Reijers HA, van der Aalst WMP (2005) The effectiveness of workflow management systems: predictions and lessons learned. *Int J Inf Manag* 25(5):458–472
- Rosemann M (2006a) Potential pitfalls of process modeling: part A. *Bus Process Manag J* 12(2): 249–254
- Rosemann M (2006b) Potential pitfalls of process modeling: part B. *Bus Process Manag J* 12(3): 377–384
- Scheer A-W (2000) ARIS business process modelling. Springer, Berlin
- Sharp A, McDermott P (2001) Workflow modeling: tools for process improvement and application development. Artech House Publishers, Norwood
- ter Hofstede AHM, Benatallah B, Paik H-Y (eds) (2008) Trade-offs in the performance of workflows—quantifying the impact of best practices, vol 4928, Lecture notes in computer science. Springer, Berlin
- van der Aalst WMP (1997) Verification of workflow nets. In: Azéma P, Balbo G (eds) Application and theory of petri nets 1997, vol 1248, Lecture notes in computer science. Springer, Heidelberg, pp 407–426

- van der Aalst WMP, Lassen KB (2008) Translating unstructured workflow processes to readable BPEL: theory and implementation. *Inform Softw Tech* 50(3):131–159
- van der Aalst WMP, van Dongen BF, Herbst J, Maruster L, Schimm G, Weijters AJMM (2003) Workflow mining: a survey of issues and approaches. *Data Knowl Eng* 47(2):237–267
- van der Aalst WMP, Reijers HA, Weijters AJMM, van Dongen BF, Alves de Medeiros AK, Song M, Verbeek HMW (2007) Business process mining: an industrial application. *Inf Syst* 32(5):713–732
- van Dongen BF, Vullers-Jansen MH, Verbeek HMW, van der Aalst WMP (2007) Verification of the sap reference models using epc reduction, state-space analysis, and invariants. *Comput Ind* 58(6):578–601
- van Hee K, Sidorova N, Somers L, Voorhoeve M (2006) Consistency in model integration. *Data Knowl Eng* 56:4–22
- van der Aalst WMP (2014) Business process simulation survival guide. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 1, 2nd edn. Springer, Heidelberg, pp 337–370
- Vanhatalo J, Völzer H, Leymann F (2007) Faster and more focused control-flow analysis for business process models through SESE decomposition. In: Krämer BJ, Lin K-J, Narasimhan P (eds) *Service-oriented computing – ICSOC 2007. Fifth international conference*, Vienna, 17–20 September 2007. *Proceedings, Lecture notes in computer science*, vol 4749. Springer, Berlin, pp 43–55
- Verbeek HMW, Basten T, van der Aalst WMP (2001) Diagnosing workflow processes using Woflan. *Comput J* 44(4):246–279
- Weber B, Rinderle S, Reichert M (2007) Change patterns and change support features in process-aware information systems. In: Krogstie J, Opdahl AL, Sindre G (eds) *Advanced information systems engineering. 19th international conference, CAiSE 2007, Trondheim*, 11–15 June 2007. *Proceedings, Lecture notes in computer science*, vol 4495. Springer, Heidelberg, pp 574–588
- Wynn MT, Verbeek HMW, van der Aalst WMP, ter Hofstede AHM, Edmond D (2006) Reduction rules for yawl workflow nets with cancellation regions and or-joins. *BPMCenter Report BPM-06-24*, BPMcenter.org

Semantic Business Process Modelling and Analysis

Jörg Becker, Daniel Pfeiffer, Michael Räckers, Thorsten Falk,
and Matthias Czerwonka

Abstract The objective of this chapter is to describe and evaluate an approach for the automated analysis of business process models. Business process models have become a valuable tool for decision makers. To be helpful in decision making the information in the process models has to be prepared for a managerial target group. Modeling of business process landscapes leads to a huge set of data about an organization. To extract the decision relevant information from this fact base can be supported by automated analysis mechanisms. However, the automated analysis of business process models is a complex task due to challenges of processing natural language statements as part of the models. In the chapter we introduce a class of process modeling languages, the semantic building block-based languages that enable an automated analysis of their resulting models. Based on a comprehensive literature study, we identified different deviations and conflicts that usually arise in business process modeling projects. We show that semantic building block-based languages can help avoiding these conflicts. Based on the domain-specific language PICTURE we demonstrate with a case study that building block-based languages can be used for automated process analysis in practical project settings.

1 Introduction

Business Process Management has evolved to one of the key tools of organizational decision makers (Rosemann and vom Brocke 2014). An explicit description of the business processes creates transparency across an organization. Business process models (BPMo) help to better understand the logical, organizational, and technical dependencies that exist within a process landscape. They can be used to describe how the organization's products and services emerge, the required resources and

J. Becker (✉)

European Research Center for Information Systems, University of Münster, Münster, Germany
e-mail: becker@ercis.uni-muenster.de

data, as well as the involved organizational units. They have been discussed in Information Systems (IS) literature as a tool to evaluate security issues (Herrmann and Herrmann 2006), potential risks (Jallow et al. 2006), the overall performance of an organization (Kueng 2000), or the profitability of process change (vom Brocke and Grob 2011). By extracting relevant information from business process models and analyzing the resulting fact base managerial decisions can be systematically informed and guided (Dalal et al. 2004; Davenport and Beers 1995).

In companies and public administrations business process models are mainly analyzed manually. In many organizations the methodical knowledge of how to model business processes is not sufficient (Benamou 2005). Therefore, external consultants are hired to construct the models (Davenport and Short 1990; Rosemann et al. 2010). These consultants have methodical skills but usually no detailed knowledge about their clients. By modeling the processes, they gain an understanding of the organization and, in parallel, they collect decision relevant facts. The facts can be potential weaknesses in the processes (Becker et al. 2006; Kusiak et al. 1994), non-compliance with corporate rules (Namiri and Stojanovic) (Sadiq and Governatori 2014), possible risks (Herrmann and Herrmann 2006; Jallow et al. 2006), performance issues in an organization (Kueng 2000), or ICT reorganization demand (Arendsen et al. 2008; Becker et al. 2008).

The manual analysis of the process models is expensive, time consuming, and error prone. The engagement of external consultants leads to increased cost compared to internal staff. Higher time effort is required since the project team needs to get familiar with the organization first (vom Brocke et al. 2014). Deviating interview styles, different modeling focus or level of detail can influence the modeling results, the outcome of the analysis, and the subsequent recommendations. Hence, common rules for the creation of process models are required and for their analysis an automated support is desirable.

Process modeling is mainly performed with universal languages not initially designed for automated process analysis (Algermissen et al. 2005; Janssen 2005). These universal modeling languages, such as Activity Diagrams (AD) (Object Management Group 2004), Business Process Modeling Notation (BPMN) (Object Management Group 2011), or Event-driven Process Chains (EPC) (Scheer 2000), are flexible instruments to describe diverse processes in many different domains. However, these languages do not focus on the efficient representation of huge process landscapes. Likewise, they do not directly provide mechanisms to answer analysis related questions such as: (a) what changes have what impact on the process efficiency or (b) what processes, activities, or products depend on which legal regulations (Fraser et al. 2003; Seltsikas and Palkovits 2006). In fact universal languages have been designed for generic process modeling but not to enable an automated analysis of their resulting models.

The objective of this chapter is to describe an approach for the automated semantic analysis of BPMos. A new process modeling language class is introduced that has been specifically designed to allow for an automated analysis of its models. We call this language class the *semantic building block-based approach*. It differs from universal modeling languages by including domain language statements as part of the modeling language vocabulary.

This chapter proceeds as follows: in the next section issues and conflicts of a semantic analysis of BPMos are discussed. It is explained what factors hamper their automated semantic analysis. In the subsequent section, different approaches for the semantic analysis of processes models are introduced and compared. Afterward, the semantic building block-based approach is described. Its main characteristics are presented and it is illustrated how the approach avoids the semantic analysis conflicts. In the following section, the semantic building block-based approach is evaluated with respect to its practical usefulness, its ability to resolve the conflicts, and its support of an automated analysis. A case example for the application of the domain-specific language PICTURE is provided in the subsequent section. The chapter closes with a short discussion of our contribution and an outlook to further research.

2 Semantic Analysis of BPMos

2.1 *Semantic Issues in Automated Business Process Analysis*

With an analysis, a BPMo is examined for specific structural or behavioral properties. As the analysis is a read-only operation, the BPMo is not modified during that process. An analysis operation takes BPMos as input. As output, it provides specific facts about the BPMo based on the given data. The semantic analysis of BPMos is concerned with providing relevant facts for human actors. It leads to answers to decision-relevant issues from the perspective of a managerial audience. These can, for example, be questions such as: does a process comply with the quality regulations of an organization (Namiri and Stojanovic 2007; Becker et al. 2011, 2012d), are there any substantial weaknesses in the process (Becker et al. 2007c), is a service in two different organizations performed by the same process (Pfeiffer and Gehlert 2005), or how much money could be saved through the introduction of a Document Management System (Baacke et al. 2007a)?

A BPMo is constructed based on two different languages, a modeling language and a domain language. On the one hand, the modeling language provides the categories and distinctions, so called *constructs*, to give the world a structure. Modeling language constructs are for example “events,” “functions,” “organizational units,” or “documents.” On the other hand, a domain language is used to make *statements* about the world. For instance, a statement could be “Application arrives,” “Application has arrived,” or “Application is checked”. To create a BPMo means to apply a modeling language together with a domain language. A modeling language construct is employed to more precisely characterize a domain statement. The results are model elements such as the *event* “Application arrives” or the *function* “Application is checked”. The role of these two languages is explained in Fig. 1.




Fig. 1 Influence of the modeling and domain language on the semantics of a BPMo

The semantics of the modeling language constructs and the domain language statements are defined in a different way. The semantics of a modeling language is at least semi-formally specified. This means the language has a precisely defined syntax and an explicitly stated semantics. Therefore, the modeling language constructs can be automatically examined as their meaning is precisely known. In contrast, a domain language has an informal, partially implicit semantics. It is in possession of a linguistic community that decides on the meaning of the corresponding language statements by shared conventions. These shared conventions have been established implicitly by using the language. Consequently, only the linguistic community can decide on the correctness of a domain language statement. The behavior of a linguistic community can only be partially simulated by a computer. As complex natural language processing is necessary, it is difficult to analyze the semantics of a domain language statement in an automated form. Despite the progress made in recent years, automated natural language processing is still an active research field that has not yet provided a final solution to automate the understanding of natural languages.

2.2 Semantic Analysis Conflicts

From the findings of the last section it can be concluded that the equivalence of two domain statements cannot be precisely identified in an automated way. The semantics of BPMos is significantly influenced by domain statements. Disregarding this natural language part of the model only allows for an automated syntactical analysis of BPMos which will not provide a sufficient basis for decision making, e.g., for process reorganization.

A semantic analysis requires the examination of possible conflicts which may arise while analyzing BPMos. A *conflict* is a semantic or syntactic deviation

between different models that refer to the same or a similar real-world phenomenon. Conflicts can be due to two different reasons (Soffer and Hadar 2007). First, they can be caused by a varying mental representation of the world. Second, different decisions during the explication of the mental representation can lead to the conflicts.

- *Conflicts due to varying mental representations.* The mental representations of two model creators are most likely not exactly the same. This means the model creators perceive or structure real-world phenomena differently. Likewise, they can, consciously or unconsciously, consider deviating aspects of the phenomenon as relevant. This can lead to BPMos at diverse levels of abstraction (Polyvyanyy et al. 2014). Likewise, in these models the sequence of activities can vary or the model elements can be annotated with a different number of details.
- *Conflicts due to the explication.* Even when the model creators share “the same” mental representation conflicts can arise. These conflicts result from a different explication of the mental representations. Domain and modeling languages offer certain degrees of freedom to express a given fact. Model creators can utilize this freedom in diverse ways. For example, different domain statements can be chosen to express a specific aspect of the mental representation. Similarly, a model creator may have the choice between multiple modeling language constructs to describe a given fact. Thus, even with equivalent mental representation, different BPMos with corresponding conflicts can emerge.

It is important to stress that conflicts are not necessarily unwanted. In large modeling projects it is often helpful to start with an abstract model, to gradually decompose it, and, subsequently, to refine the emerging parts (Soffer et al. 2003). This leads to BPMos with different levels of abstraction. Likewise, it can be reasonable to avoid presenting specific aspects of a model to selected target groups (Becker et al. 2007b). Consequently, BPMos with a varying number of elements can emerge.

However, although the conflicts may serve a specific purpose, they become problematic when multiple BPMos have to be analyzed in automated form. If BPMos with such conflicts are analyzed similar processes might not be found. If decision makers are searching, e.g., for similar weaknesses within BPMos it is much more difficult to find sufficient potentials for process improvement as many similarities remain undetected.

Deviations between models have been investigated especially in the context of structural models. UML Class Diagrams have been analyzed in multiple modeling experiments (Hadar and Soffer 2006; Lange and Chaudron 2006; Soffer and Hadar 2007). Other studies have focused mainly on the advantages of specific constructs in comparison to alternative forms of representation, such as entity types and attributes (Shanks et al. 2003), properties of relations (Burton-Jones and Meso 2002; Burton-Jones and Weber 1999), optional properties (Bodart et al. 2001), or whole-part relations (Shanks et al. 2002). There are only a very few empirical studies that refer to variations in process models. Mendling et al. (2006),

Table 1 Description of the semantic analysis conflicts

Conflict name	Conflict description
Type conflict	Two model elements have the same meaning but a different construct (type) assigned. The model elements “drawing is delivered” and “drawing has been delivered” in Fig. 2 have an equivalent semantics but different types “function” and “event” assigned
Synonym conflict	Two model elements have the same meaning but different labels. Consider for example the model elements “accept payment” and “receive payment” in Fig. 2
Homonym conflict	Two model elements have the same label but a different meaning. Consider for instance the two model elements in Fig. 2 that are annotated by the domain statement “contact drawer.” The model element “contact drawer” in the first model stands for getting in touch with an artist. The same model element in the second BPMo, however, refers to contacting the drawer of a promissory note
Abstraction conflict	Model elements in two different models have a deviating level of abstraction. The model element “ship drawing” in the first BPMo in Fig. 2 is for instance more general than two or more model elements in the second BPMo. The model elements “package drawing” and “commit package to logistics provider” in the second model are more specific than “ship drawing”
Control flow conflict	The number of outgoing or incoming control flows of two corresponding model elements differs. An example for a control flow conflict is described in Fig. 3.
Annotation conflict	A model element in the first model is annotated with a different number of model elements or different types of model elements than a model element with a similar meaning in the second model. For instance, in Fig. 2 the model element “accept payment” is not annotated by a document. In contrast, the model element “receive payment” is annotated with the document “promissory note”
Order conflict	The order of the two model elements is permuted between two BPMos. For instance the model element “pay artist” in the first model in Fig. 2 has a different predecessor and successor than the same element in the second model
Separation conflict	There is a model element that has no corresponding model element in the second model with the same, a more general, or a more specific meaning. The model element “book transaction” in the first BPMo (Fig. 2) has no corresponding counterpart in the second BPMo

for example, have analyzed the SAP Reference Model to identify errors and inconsistencies. Gruhn and Laue (2007) have investigated the role of OR-connectors in EPC models, Recker (2008) has analyzed BPMN notation and has identified several shortcomings in usage, e.g., regarding lack of comparability. Beneath these studies, conflicts between models have theoretically been discussed in the database schema matching and integration literature (e.g., Batini et al. 1986; Kashyap and Sheth 1996; Lawrence and Barker 2001; Parent and Spaccapietra 1998), in publications about meta-modeling (e.g., Rosemann and zur Mühlen 1998), and ontology engineering (Davis et al. 2003).

In this chapter, we draw upon Pfeiffer (2008) and Breuker et al. (2009) who have derived a theoretical analysis of the conflicts in the context of business process





Fig. 2 Examples of major semantic analysis conflicts

modeling. The different semantic analysis conflicts are described in Table 1 as well as exemplified in Figs. 2 and 3. In order to automate the semantic analysis of BPMs these conflicts have to be avoided or resolved.

In the next section, an approach is described that avoids most of these conflicts by offering a class of specifically designed business process modeling languages.

Fig. 3 Examples of a control flow conflict



3 The Semantic Building Block-Based Approach

3.1 *Alternative Approaches for the Semantic Analysis of BPMos*

In recent years four different approaches for the automated analysis of BPMos have emerged (Pfeiffer 2008). The formal structural, the formal behavioral, the semantic annotation-based, and the modeling language-based approach have been suggested:

- In the *formal structural approach* to analyze BPMos, the models are considered as graphs consisting of nodes and arcs. Similarity metrics for graphs have been suggested based on the maximal common subgraph (Bunke and Shearer 1998), subgraph-isomorphism (Becker et al. 2012c) or the graph edit distance (Bunke 1997). In the structural approach two BPMos are equivalent if they have the same formal node and arc structure.
- The *formal behavioral approach* is concerned with the dynamic aspects of process models. The approach comprises multiple, varyingly strong equivalence notions which rely on the formal execution semantics of the underlying models (e.g., Arnold 1993; de Medeiros et al. 2008; Hidders et al. 2005; Hirshfeld 1993; Pomello et al. 1992). In general, two BPMos are considered equivalent in this approach if both models show an identical behavior during a simulation.
- The *semantic annotation-based approach* has its roots in the ontological research on the foundations of conceptual modeling (Brinkemper et al. 1999; Guizzardi et al. 2002a; Milton and Kazmierczak 2004; Wand 1996; Wand and Weber 1990; Wimmer and Wimmer 1992). In this context, the value of

ontologies for the construction and interpretation of conceptual models has been investigated and explained. Recently, the ontological description of conceptual models has been further advanced by the Semantic Business Process Management Community (SBPM) (Betz et al. 2006; Brockmans et al. 2006; Ehrig et al. 2007; Hepp and Dumitri 2007; Hepp et al. 2005). The objective of SBPM is to utilize semantic web technology in the context of Business Process Management.

The semantic annotation-based approach addresses the conflicts between BPMos by offering a common terminological reference point in the form of a domain ontology. Two model elements are identical if they refer to the same ontology element. Domain ontologies are an intensively discussed measure in IS to capture the common knowledge of a certain part of reality (Chandrasekaran et al. 1999; Wimmer and Wimmer 1992). They provide a set of shared concepts that describes what exists in this specific domain and formalizes the relevant vocabulary (Evermann 2005). They have been suggested as a mechanism to systematically guide the construction of BPMos and conceptual models in general (Guizzardi et al. 2002a, b; Mylopoulos 1998). Through a semantic annotation with elements from an ontology, BPMos are underpinned with the shared conceptual vocabulary of a specific domain (Höfferer 2007; Thomas and Fellmann 2007).

- The *modeling language-based approach* is concerned with a specifically designed Business Process Modeling Grammar (BPMG) that avoids selected semantic conflicts in the first place (Pfeiffer 2007). It addresses the problem of deviations by offering language constructs that limit the choices of the model creator. For this purpose, the set of constructs is carefully selected, and restrictive meta-models or grammars are defined. This is done with the help of the well-formedness conditions and a comprehensive and unambiguous definition for each language construct. In this approach, two model elements are the same if they using the same modeling language construct.

The work on modeling conventions (Du Bois et al. 2006; Rosemann and van der Aalst 2007) is closely related to the modeling language-based approach. Modeling conventions specify additional rules of how to employ the constructs of a BPMG. They provide, for example, guidance about what subset of constructs to choose in a BPMG, how to name the labels of the model elements, or how to graphically arrange the symbols. Their objective is to reach a higher model quality and increase the comparability of the models.

In order to automatically analyze BPMos a holistic approach is needed. A detailed examination of the existing four approaches shows that they only partially solve the semantic analysis conflicts (Pfeiffer 2008). Therefore, an integrated approach is required that handles all conflicts which can occur while modeling and comparing different BPMo in an automated form.

The *semantic building block-based approach* is based upon integration work of the semantic annotation-based and modeling language- based approach.

3.2 *Characteristics of the Semantic Building Block-Based Approach*

In the *semantic building block-based approach*, a specific class of business process modeling languages is applied to avoid the semantic analysis conflicts (Becker et al. 2007a, c; Pfeiffer 2007). As the name suggests, such *semantic building block-based languages* (SBBL) consist of multiple, reusable modeling language constructs, so-called process building blocks.

A *process building block* (PBB) stands for a defined set of reoccurring tasks in a specific domain (Baacke et al. 2007b; Becker et al. 2007c; Lang et al. 1997; Stephenson and Bandara 2007). A process building block is derived from a collection of existing BPMos, scientific publications, and managerial, legal, or technical documents of that domain. It is a generalized result that emerges from taking the occurring activities and consolidates them. It is separated from the processed information of the examined processes. The resulting PBBs have a defined level of abstraction and, most importantly, they are semantically specified by a domain statement (Rupprecht et al. 2000). Generally, a PBB is an atomic model element and it is not a container which can be refined. PBBs only can be further described with the help of predefined attributes (ATT). Each PBB comprises a specific set of such attributes. An example for a PBB is given in Fig. 4.

From the perspective of other modeling languages such as BPMN, EPC, or UML AD PBBs correspond to constructs such as activity, function, or event. The difference is, however, that PBBs represent particular activities, functions, and events in a given domain. Due to this, a sufficiently detailed domain ontology is necessary for the application of this approach. PBBs can be instantiated as any other construct and these instantiations are model elements of BPMos.

To create a specific SBBL, i.e., an instantiation of the language class of SBBLs, a domain ontology is employed. Suitable, i.e., semantically disjoint, ontology elements are chosen and translated into PBBs. In Fig. 4, for example, the ontology element “encash/receive a payment” has been incorporated into the SBBL as PBB. Also the corresponding attributes of a PBB are taken from the domain ontology. In the example, the attribute “information system” has been constructed based on an ontology element. In the optimal case, a language can be designed which complete set of constructs is part of the domain ontology. However, from a practical perspective it is often necessary to include also at least some constructs from other modeling languages that are not part of the domain ontology. It can, for example, be necessary to add constructs to split up and join the control flow.

Not only is the type of the PBBs specified based on a domain ontology, also the range of values allowed for labels and attribute values is fixed by using the ontology. In the example of the PBB “encash/receive a payment,” all kinds of subordinate tasks with specific business objects can be chosen as a label. For example, “encash/receive a cash payment,” “encash/receive a credit card payment,” or “encash/receive a money transfer” are allowed. Likewise, the values of the attributes can also be controlled by using the ontology. In the example of the




Fig. 4 A process building block and a section from a domain ontology

attribute “information system” only specific office applications are permitted, such as “open office,” “ms office,” and “ms money”. The resulting domain ontology is important to define a SBBL as mentioned before.

It is hard to decide on when the domain ontology is suitable to create a SBBL. It is necessary to evaluate the results of modeling efforts and see how they are accepted by domain experts. We will come back to this in our evaluation section. The meta-model of the language class SBBL is described in Fig. 5. In Table 2, the characteristics of the language class SBBL are summarized.

3.3 Conflict Handling with Semantic Building Blocks

By using the language class SBBL, with the *process building block-based approach* BPMs can be created that are tailored to the purposes of semantic process analysis. In the following, the coverage of the analysis conflicts within the semantic PBB-based approach is discussed.




Fig. 5 Meta-model of the language class SBBL

Table 2 Characteristics of the language class SBBL

No.	Characteristic	Description
C1	Ontology-based constructs	The semantics of the constructs in SBBL is defined based on a domain statement from the domain ontology. By mapping the constructs to the ontology they are kept free of homonyms
C2	Disjoint constructs	The constructs are chosen from the ontology such that they do not contain synonyms and have a comparable level of abstraction
C3	Ontology-based values	All domain statements in the resulting BPMos, i.e., labels and attribute values, are also chosen from the domain ontology
C4	Control flow rules	The number of outgoing and incoming control flows of each PBB is restricted by well-formedness conditions
C5	Annotation rules	For each PBB it is specified how many attributes can be annotated and whether they are mandatory or optional
C6	Order free areas	In SBBL a construct is included that defines what model elements in a BPMo have an arbitrary order. The construct is implemented in the form of an attribute
C7	Semantic modeling rules	The combination of model elements in the BPMos is guided by semantic rules. These rules suggest certain orders of PBBs. Furthermore, they can indicate missing or redundant PBBs in the BPMos

- *Type conflicts.* All PBBs and attributes that are included in a SBBL have to be semantically disjoint (cf. C2). In Pfeiffer (2007), it has been proven that type conflicts can be completely avoided if this condition is fulfilled. Hence, if there are no constructs that overlap semantically, then different model creators are urged to pick the same PBB and attributes to represent a given phenomenon. Type conflicts cannot emerge.
- *Synonym conflicts.* The language class SBBL avoids synonym conflicts because it offers a controlled vocabulary in the form of domain ontology (cf. C1, C3). All labels and attribute values can only be chosen from the domain ontology. Within the domain ontology synonyms can be made explicit. Alternatively, they can be eliminated in the first place if only one of the synonym domain statements is included in the domain ontology. Consequently, different model creators have no alternative statement available to express a given phenomenon. Therefore, synonym conflicts cannot arise.

- *Homonym conflicts.* Homonym conflicts are avoided based on the domain ontology due to three different reasons (cf. C1, C3). First, during the construction of the domain ontology, ambiguous statements that may have multiple distinct meanings are not included. Second, for each domain statement within the ontology, an explicit definition is provided. However, this definition describes only one meaning of a domain statement. Model creators are guided by these definitions when they select a label or attribute value. Consequently, they are encouraged to employ a domain statement in the sense it is suggested by its definition. Third, the type of a PBB and the type of an attribute constrain the selection of corresponding labels and attribute values. Since the domain statements must be more specific than their types, a model creator is substantially restricted in choosing a domain statement. Thus, there is only a very limited probability that one of the remaining choices has multiple meanings in this particular context. By taking the three measures together homonym conflicts can be ruled out.
- *Abstraction conflicts.* In a SBBL all PBBs and attributes have the same level of abstraction (cf. C1, C2). The type of a PBB covers a significant part of the semantics of a model element. In parallel, it can be enforced that the domain statement of a model element is more specific than its type. Since these two aspects restrict the selection of domain statements, abstraction conflicts are significantly reduced. In order to completely avoid abstraction conflicts it is possible to define a specific area in the ontology from where all labels and attribute values have to be chosen (cf. C3). Assume, for example, that in Fig. 4 only domain statements from the B-level of the ontology can be selected. Thus, the abstraction level is fixed to the ontology elements B1.1–B1.3 and B2.1. If this measure is considered too restrictive, alternatively, abstraction conflicts can be resolved during a semantic analysis. This can be achieved when only the type of the PBB is taken into account but not its domain statement. Since both, type and domain statement, have a closely related semantics, this is an acceptable simplification. Thus, abstraction conflicts can either be avoided or resolved within the language class SBBL.
- *Control flow conflicts and annotation conflicts.* The control flow conflicts can be reduced when rules for the number of outgoing and incoming control flows are specified (cf. C4). In the case of sequential modeling, they can be completely avoided since uncontrolled split ups of the control flow are not supported. Furthermore, to eliminate the annotation conflicts the attributes of each PBB can be classified as mandatory or optional (cf. C5). For semantic modeling languages such as SBBL it is comparatively easy to specify the number of control flows and to divide the attributes into the two groups. In contrast, for a modeling language such as BPMN or EPC it is hard to decide how many control flows or attributes, in general, are relevant for an activity or function. In the case of a SBBL, however, this choice is much simpler because its constructs are more specific and related to a given domain. Let us consider the case of the PBB “perform a formal verification”. Based on the knowledge about its semantics it is unproblematic to come to a decision about what attributes should be allowed or

required to be annotated. For instance, it could only be permitted to specify a single mandatory attribute in the form of a document that is verified. Likewise, it is straightforward to determine whether it makes sense to split up the control flow after a particular PBB. It could, for example, be specified that after “perform a formal verification” exactly two *control flows* must always be modeled since it implies a binary yes/no decision. Thus, control flow and *annotation conflicts* can be fully handled by SBBL.

- *Order conflicts.* Order conflicts can be partially addressed by using a construct that indicates an arbitrary order of model elements (cf. C6). In a SBBL such a construct can, for example, be added in the form of an attribute of selected PBBs. Furthermore, semantic modeling languages like SBBL allow for defining heuristic order rules for its elements (cf. C7). In contrast, in a modeling language such as BPMN or EPC it is hardly feasible to make any general statements about the order of the constructs. For instance, no viable information about an order can be drawn from the fact that a statement is typed as an activity. However, in a SBBL such semantic rules can be defined. Suppose, for example, the two PBBs “perform a formal verification” and “approve”. It seems reasonable that the verification step always precedes the approval. Therefore, a corresponding rule can be specified. Consequently, the order of the PBBs can be monitored and guided by a SBBL. Thus, this language class allows for a further reduction of the order conflicts.
- *Separation conflicts.* The language class SBBL is based on a domain ontology and uses it during modeling. A model creator is supported by choosing appropriate constructs, labels, and attribute values. Thus, based on the domain statements in the ontology the scope of the modeling activities is restricted. Consequently, separation conflicts are reduced. Additionally, the domain ontology can be extended by a process catalog where the interfaces and the objectives of the processes are specified for a material domain. This catalog can guide multiple model creators to construct their BPMos with similar boundaries and contents in mind. Furthermore, semantic rules can be defined to evaluate a model for completeness (cf. C7). Assume, for example, a BPMo with “perform a formal verification” as its last PBB. It is probable that this PBB does not represent the intended end of this process since neither a decision is made nor a document created. This is an indication for a separation conflict. Hence, “approve” or “archive” could be suggested as potentially following PBBs (Betz et al. 2006). With such plausibility checks missing model elements can be identified and, thus, variations with respect to their number can be harmonized. Therefore, SBBL also partially addresses separation conflicts.

Based on these results it can be concluded that the semantic building block-based approach allows avoiding most semantic analysis conflicts. Thus, it offers the basis for an automated analysis of BPMos. In the next sections, empirical evidence is provided that the semantic building block-based approach enables an automated analysis of BPMos and is applicable in practice.

4 Evaluation of the Semantic Building Block-Based Approach

The semantic building block-based approach has been designed to avoid analysis conflicts. Based on these theoretical properties of the semantic building block-based approach empirically testable propositions can be derived. The first proposition refers to the question of whether the language class SBBL allows for deriving a nonempty set of practically useful languages:

PR1. Based on the language class SBBL practically relevant business process modeling languages can be instantiated.

The answer to proposition PR1 is crucial to decide on two important questions. First, PR1 addresses the issue of whether the language class SBBL has a sufficiently large scope of application such that a practical adoption is possible. Second, it refers to the problem of whether an analysis based on the models of SBBL can cover practically relevant cases. Both aspects are directly related to the general usefulness of the semantic building block-based approach.

A second proposition is concerned with the adequacy of the analysis result. It refers to the elimination of conflicts by applying the language class SBBL:

PR2. All BPMos of a given (real world) business process described with the language class SBBL exhibit significantly fewer semantic analysis conflicts than models that are formulated with a universal business process modeling language.

The answer to proposition PR2 has important implications on the quality of the analysis results. In the semantic building block-based approach, syntactic operations are employed to perform a semantic analysis. This presupposes that two BPMos that refer to the same (real world) process have to share an identical structure and must consist of corresponding pairs of syntactically equivalent domain statements. It is evident that this assumption only holds when all of the eight conflicts have been eliminated. However, if empirical results show that not all of these conflicts are avoided or, alternatively, so far unknown conflicts are found, this precondition is violated. Consequently, a semantic analysis will return wrong results. However, to empirically support the viability of the semantic building block-based approach it is sufficient to find evidence that it performs better than the established analysis approaches.

A third proposition is connected with the theoretical result that the semantic analysis can be automated based on SBBL. It addresses the issue if a software-based analysis is feasible from an empirical perspective:

PR3. For BPMos of SBBL the semantic analysis operations can be automated.

The straightforward way to demonstrate that such automation is feasible is to provide software that implements semantic analysis operations.

4.1 *Applicability of Semantic Building Block-Based Languages*

In the IS literature, the PICTURE-language is a well documented example for a SBBL (Becker et al. 2007a, c). The PICTURE-language has been specifically designed for the public administration domain. It consists of 24 PBBs and more than 50 attributes that can be used to further describe the PBBs. The PICTURE-language is supported by a procedure model and has been implemented in a corresponding process modeling tool. Examples of PBBs in PICTURE are “document/information comes in,” “perform a formal verification,” “enter data into IT,” “print,” or “scan”. A complete overview of the 24 PBBs is given in Becker et al. (2007a). Typical attributes of the PBB “document/information comes in” are, for instance, “document received,” “information system,” or “sending organizational unit”. The values of these attributes are chosen from predefined lists of business documents and IT components. For the organizational units a corresponding hierarchy is also provided. With the PICTURE-language business processes are modeled only in a sequential form. Concurrent or alternative process flows are either represented by attributes or in the form of process variants.

Figure 6 shows the process “Update Citizen Register” as an example of a PICTURE-model. The process is triggered when a citizen moves to a new address. By law a citizen is required to inform the government by handing in a change request. This fact is visualized by using the PBB “Incoming Document.” Within the following four columns additional information is given regarding attributes, the organization responsible, the business object, and the resources used to process the building block. This information is relevant for an analysis of the process model. The next step within the process depicted by the next PBB is “Formal Assessment.” In this PBB, the completeness of the change request is verified. Afterwards the citizen register database is updated and the change request is archived for at least 1 year.

Up to now the PICTURE-language has been applied in more than 50 public administrations from the municipal, state and federal level covering all federal states in Germany. Altogether, more than 3,500 processes of different size and complexity have been modeled within these projects.

As described in Becker et al. (2007a), the resulting BPMos have been used for process analysis and to derive reorganization proposals. For instance, in the project at the University of Münster more than 40 suggestions for process improvements could be made based on the BPMos. A further example will be presented in the PICTURE case later in this chapter.

This high amount of successfully created BPMos demonstrates that the PICTURE-language is applicable in the public administration domain. In parallel, the PICTURE-language shows the general feasibility of the semantic building block-based approach. Thus, the example of PICTURE-language confirms that the language class SBBL can be instantiated. Consequently, the results from these modeling projects provide first empirical evidence that proposition PR1 holds.



















Process	Attribute	Organization	Business Object	Resources
 <p>Incoming Document Incoming Change Request</p>				
 <p>Formal Assessment Verification of Completeness</p>				
 <p>Enter Data into IT Update Citizen Register</p>				
 <p>Archive Document Archive Change Request</p>				

Fig. 6 Example process “Update Citizen Register” in PICTURE-notation

4.2 Adequacy of the Analysis

In a laboratory experiment with 13 graduate students the PICTURE-language was compared with the process modeling language EPC. The students were given a description of the business processes “issue resident parking permit” in text form. They had the task to model this process in the languages EPC and PICTURE. Before the experiment, all participants were trained in applying both modeling languages. The resulting EPC models were compared pair-wise based on the quantitative equivalence criterion of van Dongen et al. (2008). The PICTURE models were manually transformed into EPCs first. Subsequently, they were also compared pair-wise with the metric of van Dongen et al. (2008). For the comparisons, the ProM-tool (Process Mining Group 2007) was applied that implements the metric.

While the PICTURE models have achieved an average similarity of 47.45 %, the EPCs could only reach a value of 0.43 %. It can be concluded that for the process “issue resident parking permit,” PICTURE avoids more conflicts than the language EPC. An additional manual analysis revealed that the deviations that can still be found in the PICTURE models are mainly due to separation and order conflicts. In contrast, in the EPC models all kinds of conflicts could be identified. In particular,

synonym and control flow conflicts emerged very frequently. The low average similarity value of the EPC models can be explained by the high number of conflicts that could not be resolved by the ProM-tool. This finding provides support for proposition PR2 that models of the PICTURE-language, in general, exhibit fewer conflicts (Breuker et al. 2009).

4.3 *Automation of the Analysis*

Proposition PR3 states that the semantic analysis of BPMos can be automated if the language class SBBL is applied. This means for PICTURE that its corresponding modeling tool, the PICTURE Process Platform, should be able to implement semantic analysis operations. Currently, the PICTURE Process Platform allows for a quantitative as well as qualitative analysis of the PICTURE-BPMos.

In the qualitative part of the comparison module two given BPMos can be matched and their differences can be visualized. This feature is helpful for an in-depth analysis of BPMos. However, from a practical perspective, it is not only interesting to get a mapping between model elements but also to identify similar BPMos in a large set of processes. Thus, within the quantitative part of the module, it is possible to compare a specific BPMo with a set of other models. The results of this operation are the most similar process models with respect to a given BPMo.

With the pattern search module PICTURE-BPMos can be analyzed for specific reoccurring sequences of model elements. In the PICTURE Process Platform, a pattern consists of a sequence of PBBs that can exhibit specific corresponding attribute values. A pattern can contain required and/or unwanted PBBs as well as placeholders for arbitrary PBBs. In order to quantify the specific effect of a match, a pattern can be connected to key figures. A key figure is a formula that is defined based on the attributes of a PBB. Examples of key figures are “processing time of the process,” “printed pages per year,” or “number of cases per year”. The data to calculate the key figure is derived from the attribute values of the BPMos where the pattern is found. Based on patterns and key figures, reports can be compiled. When a report is accessed, a pattern search is executed. All available BPMos are analyzed to see whether they match. For the BPMos that fit to the pattern the key figures are computed and displayed in the report. Process patterns of this relatively simple form have proven to be sufficient to search the BPMos in the PICTURE Process Platform. The experiences from the implementation of the pattern search module demonstrate that the elimination of conflicts within the PICTURE-language significantly simplifies the matching algorithm.

The implementation of the operations comparison and pattern search in the PICTURE Process Platform shows that the semantic analysis of process models can be realized based on the PICTURE-language. This finding is a strong argument in favor of proposition PR3 and the conclusion that semantic operations can in general be automated for the language class SBBL. This further will be demonstrated with real data during the presentation of a PICTURE case study in the next section.

5 Applying the PICTURE-Language: The Case of a German State Government

Since its first publication in 2006 the PICTURE-language has been applied in a variety of projects within the public sector at the municipal, the state, and the federal level. The following case that focuses especially on the automated analysis of business processes has been taken from a project at German state government, where the PICTURE-language guided the business process analyses related to the introduction of an integrated personnel management system for the entire state administration.

First, the general procedure model for PICTURE projects will be briefly introduced, as this is the established structure for the application of PICTURE within public administrations (Becker et al. 2012a). Secondly, the analysis case will be described by means of the introduced procedure model for PICTURE projects.

5.1 Procedure Model for PICTURE Projects

PICTURE contains a procedure model that guides its application and also an online platform to support the modeling and analyzing. Figure 7 illustrates the procedure model for PICTURE projects.

5.1.1 Project Management

Within the context of “*Project Management*” the project goals are defined and activities and routines for controlling the progress of the project are performed. The goal setting is conducted within a workshop and guided by a list of common project goals that are organized by the following goal categories:

- Service and quality goals
- Economic efficiency goals
- Organization goals
- Information and technology goals
- Cross-administration goals

Every goal category contains concrete goals to support the goal selection, such as “Reduction of interfaces to residents, business and administrations” is one goal among others within the goal category “Service and quality goals”. Based on the defined goals the project is broken down into working packages and a project plan is defined. Further, an appropriate organization structure for the project is implemented in consultation with the executive board of the organization.




Fig. 7 Procedure model for PICTURE projects (Becker et al. 2012a)

5.1.2 Preparing the Modeling

“*Preparing the Modeling*” focuses on the configuration of the PICTURE-language and PICTURE Process Platform. Based on the defined project goals the relevant information for the business process modeling and analyses is derived and assigned to the 24 building blocks of the PICTURE-language. Further the PICTRE Process Platform is used to create an initial organization structure and document structure.

5.1.3 Modeling the Process Landscape

After the configuration of the PICTURE-language and the PICTURE Process Platform is completed “**Modeling the Process Landscape**” is the next phase. Usually the modeling phase is divided into two steps: (1) Identifying the business processes and (2) Modeling the business process in detail. The aim of the first step is to create a register of the processes that are within the scope of the project, but

without describing the processes in detail. The result of this first step is a list of business processes with a set of selected attributes, such as “process trigger”, “process result”, “number of cases” and a brief description. The aim of the second step is to model these business processes or a set of selected business processes out of the business process register. This step results in a detailed business process model using the PICTURE-language.

5.1.4 Using the Process Landscape

Finally the business process models are used to conduct the analysis and to achieve the defined project goals. The analysis is conducted using the analysis and reporting engine of the PICTURE Process Platform.

5.1.5 Continuous Maintenance of the Process Landscape

Business process modeling should not be a one-time activity for an organization and should be transferred to the line and staff organization after a project is finished. Suitable roles for a continuous maintenance of the process landscape should be developed and assigned. The common roles that are introduced are: the person who is responsible for the process, the process owner, and the process manager.

5.2 Guiding the Introduction of a New IT System with an in Depth Business Process Analysis Using the PICTURE-Language

5.2.1 Defining the Project Scope

The state government had to cope with a variety of technical and organizational challenges concerning their personnel management. The IT infrastructure supporting the tasks of employees in human resource has been outdated and has not been integrated with other departments. Software producers have suspended the support of selected legacy IT systems and employees of the government, who have developed individual software components, have retired. From an organizational perspective the as-is business process in human resource management have been strongly heterogeneous among the different state governments and due to a missing technical integration especially of the administrative and payroll tasks the needed data had to be entered into two or more different IT systems.

The goal of the project was to introduce a new and integrated IT system for the entire state government that is suitable to execute all administrative and payroll business processes within the personnel management. It has been the aim to

introduction of standard software in contrast to the current individual software. To prepare the introduction the business processes have been analyzed and organizational redesigned before the new IT system has been introduced. A key focus within the organizational analysis has been the identification of cost drivers and the harmonization of the business processes over all state administrations.

The remainder of this case study focuses on the three selected examples for the automated analysis that are taken from this project setting and using the PICTURE Process Platform for an automated analysis.

5.2.2 Preparing the Modeling

Based on the above formulated project focus on the cost drivers, a workshop with selected executives of different administrations has been conducted to brainstorm on possible cost drivers within the business process landscape.

The Workshop Led to the Following Key Questions

- **Analysis I:** *What is the activity profile of employees executing the as-is business process for personnel management?*
- **Analysis II:** *How much time do employees spend on entering data from application forms into IT systems?*
- **Analysis III:** *How much duplicated work can be eliminated by an integration of the IT system for executing the business process for the administration of personnel and payroll?*

To answer this questions the analyses have been focused on the main activity types, the time that is needed to enter data from application forms into IT systems and the analysis of duplication of work within the business processes. Therefore, the central attributes that are needed for the analysis were the “number of cases” on the business process level, the “processing time” for each building block (activity) and the concrete documents or document types for relevant building blocks as the analysis mainly focuses on application forms.

5.2.3 Modeling the Process Landscape

The process landscape has been modeled by four members of the project team that have been trained in the application of the PICTURE Process Platform. The information necessary for modeling the business processes have been gathered in one to one interviews as well as in workshops. All business process models have been double-checked by domain experts. In total 419 business processes have been modeled using the PICTURE-language and out of this set 38 models are relevant for the three analyses that are part for the following demonstration.

5.2.4 Using the Process Landscape

The gathered business process models were analyzed by using the analysis and report engine of the PICTURE Process Platform. The following three examples of the analysis focus on the specific characteristics of the PICTURE-language, as an instance of the proposed semantic building block-based languages, and demonstrate how these specific characteristics enable an automated analysis of a large quantity of business process models.

***Analysis I:** What is the activity profile of employees executing the as-is business process for personnel management?*

The analysis of the employees' activity profiles has been a first important analysis within the project. These profiles have been served as a first confirmation, that the activity "Enter Data into IT" (ranked 3rd) is a very frequent activity and the supposed core activities, such as "Make decisions" only rank on 7th position.

The activity profile groups all activities for the underlying business processes and lists the absolute frequency of each building block. The activities are grouped based on the existing building blocks within the PICTURE-language. Figure 8 illustrates the resulting report generated by the PICTURE Process Platform.

From the perspective of other (universal) modeling languages such as EPC and BPMN deriving an activity profile leads to a couple of challenges that cannot be fully addressed in an automated way. Due to the general semantics of the activity constructs within universal modeling languages and the high freedom in labeling these activities the grouping cannot be performed automatically in an accurate way.

***Analysis II:** How much time do employees spend on entering data from application forms into IT systems?*

Furthermore, reports have been designed to get a deeper insight into this area. One point of interest has been how much time the employees executing the processes spend to enter data from application forms into IT systems. To analyze this aspect for the underlying business process landscape another report has been designed that focuses on the building block "Entering data into IT" with an additional rule related to activities that have a document of the type "application" as a source (Table 3 illustrates the resulting extract from the report on this rather simple pattern.):

{Building block: "Enter data into IT" source document = "application"}

This extract of the report shows that 49,297 h are spent over all administrations within the personnel management to enter data from applications into IT. That is equal to approximately 6,162 days (8 h by day) and approximately 31 employees per year (200 days per year). Based on these findings the project team set the goal to reduce this effort with a new IT system.

Further reports for analyzing a single activity have been created in a similar way, for example to analyze the time spend on formal checks of documents, making




Fig. 8 Report for the analysis of building block frequencies

Table 3 Report on the overall processing time for “Enter data into IT system”

Building block	Frequency
Enter data into IT system within 38 business process models	154
Enter data into IT system within 38 business process models <i>and document = “internal information”</i>	116
Enter data into IT system within 38 business process models <i>and document = “internal information” and multiplied by corresponding number of cases of each business process</i>	684.684
Building block	Processing time in h
Enter data into IT system within 38 business process models <i>and document = “internal information” and multiplied by corresponding number of cases of each business process</i>	49.297

decisions within the business processes or printing documents. All these kinds of analysis can be conducted on the level of the building blocks as well combined with rules for attributes related to a single building block.

Analysis III: *How much duplicated work can be eliminated by an integration of the IT system for executing the business process for the administration of personnel and payroll?*

The main goal of the project is the integration of the two main IT systems for executing the business process for the administration of personnel and the payroll. Thus, the third example focuses on the analysis to identify duplicated work that can be eliminated by an integration of these two IT systems. A first look on selected business processes shows that these processes are executed by employees that are

responsible for the administrative tasks as well as by employees that are responsible for the payroll tasks. Both groups enter data into their IT system. With an integrated IT system the data has only to be entered once. Furthermore, there are several activities within the as-is business process that only exist because of the missing integration and serve to forward specific information from the one working group (administration) to the other working group (payroll), such as documents that are created, printed and shipped by the administration staff to inform the payroll staff.

The following patterns have been specified to generate a suitable report using the PICTURE Process Platform:

```
{ Building block: "Print" related document = "internal information" }  
{ Building block: "Transmit document" related document = "internal information" }  
{ Building block: "Receive document" related document = "internal information" }  
{ Building block: "Enter data into IT" source document = "internal information" }
```

The processing time for each matching building block has been added and multiplied with the number of cases of the corresponding business process. Table 4 illustrates the resulting extract from the report.

The resulting extract of the report shows that 52,219 h are spent in activities that only exist because of the missing integration of the current personnel administration and payroll system. This number is equal to approximately 6,527 days (8 h per day) and to approximately 33 employees per year (200 days per year). Based on these findings the governance team of the project set the goal that the integrated organizational structure and software can operate the processes with spending only 10 % of the time on internal coordination and therefore reduce the needed personnel for this work by 30 people in total.

6 Summary and Outlook

The starting point of this chapter has been the observation that BPMs are mainly analyzed manually in practice leading to an expensive and complex analysis. Based on the insight that a holistic approach for the automated analysis of BPMs is missing, the semantic building block-based approach has been proposed. It has been described that this approach solves the majority of the semantic analysis conflicts. Subsequently, the semantic building block-based approach has been evaluated from a theoretical and an empirical perspective. Based on the PICTURE-language an implementation of the language class SBBL has been described.

For the PICTURE-language there exists a modeling tool (PICTURE Process Platform) that implements the operations comparison and pattern search. In order to practically apply a pattern search, a set of appropriate process patterns is required. Currently, only a few proposals for process patterns exist in the IS literature (e.g., Baacke et al. 2007a; Becker et al. 2006; Namiri and Stojanovic 2007). Therefore, it is a subject for further research to identify process patterns for different purposes and subject areas. Based on experiences from real world projects – as presented in

Table 4 Report for the effects on the integration of IT systems

Building block	Frequency
Print with 38 business process models	143
Print with 38 business process models <i>and document = "internal information"</i>	54
Print with 38 business process models <i>and document = "internal information" and multiplied by corresponding number of cases of each business process</i>	322.128
Transmit document within 38 business process models	201
Transmit document within 38 business process models <i>and document = "internal information"</i>	70
Transmit document within 38 business process models <i>and document = "internal information" and multiplied by corresponding number of cases of each business process</i>	417.035
Receive document within 38 business process models	223
Receive document within 38 business process models <i>and document = "internal information"</i>	56
Receive document within 38 business process models <i>and document = "internal information" and multiplied by corresponding number of cases of each business process</i>	330.486
Enter data into IT system within 38 business process models	154
Enter data into IT system within 38 business process models <i>and document = "internal information"</i>	85
Enter data into IT system within 38 business process models <i>and document = "internal information" and multiplied by corresponding number of cases of each business process</i>	502.102
Building block	Processing time in h
Print with 38 business process models <i>and document = "internal information" and multiplied by corresponding number of cases of each business process</i>	5.852
Transmit document within 38 business process models <i>and document = "internal information" and multiplied by corresponding number of cases of each business process</i>	5.699
Receive document within 38 business process models <i>and document = "internal information" and multiplied by corresponding number of cases of each business process</i>	4.517
Enter data into IT system within 38 business process models <i>and document = "internal information" and multiplied by corresponding number of cases of each business process</i>	36.151
Total	52.219

the case study – this research is fostered. This helps to empirically identify and empirically valid pattern sets (Becker et al. 2012b).

Future research can also focus on the transfer of SBBL to other domains. With PICTURE, the language class SBBL has been implemented for process modeling in public administrations. Some of the PBBs in PICTURE, however, stand for activities that can also be found in private organizations. Thus, the general approach will also be helpful in other domains. Promising areas seem to be, for example, the financial sector, where valuable steps are already done (Weiß 2011), the insurance industry, or health care systems. Additional implementations of SBBL are necessary to further evaluate the semantic building block-based approach.

References

- Algermissen L, Delfmann P, Niehaves B (2005) Experiences in process-oriented reorganization through reference modelling in public administrations – the case study Regio@KomM. In: Proceedings of the 13th European conference on information systems (ECIS 2005), Regensburg
- Arendsen R, van Engers T, Schurink W (2008) Adoption of high impact governmental eServices: seduce or enforce? In: Wimmer MA, Scholl HJ, Ferro E (eds) Proceedings of the 7th international conference on electronic government (EGOV 2008) at the 19th international conference on database and expert systems applications (DEXA 2008), Turin, pp 73–84
- Arnold A (1993) Verification and comparison of transition systems. In: Gaudel M-C, Jouannaud J-P (eds) Proceedings of the 4th international joint conference on theory and practice of software development (TAPSOFT 1993), Orsay, pp 121–135
- Baacke L, Fitterer R, Rohner P (2007a) Measuring impacts of ICT on the process landscape of public administrations. In: Remenyi D (ed) Proceedings of the 3rd international conference on e-government (ICEG 2007), Montreal, pp 21–30
- Baacke L, Rohner P, Winter R (2007b) Aggregation of reference process building blocks to improve modeling in public administrations. In: Grönlund A, Scholl HJ, Wimmer MA (eds) Electronic government: 6th international EGOV conference, proceedings of ongoing research, project contributions and workshops, Trauner Druck, Linz, pp 149–156
- Batini C, Lenzerini M, Navathe SB (1986) A comparative analysis of methodologies for database schema integration. *ACM Comput Surv* 18(4):323–364
- Becker J, Algermissen L, Falk T, Pfeiffer D, Fuchs P (2006) Model based identification and measurement of reorganization potential in public administrations: the PICTURE-approach. In: Proceedings of the 10th pacific Asia conference on information systems (PACIS 2006), Kuala Lumpur, pp 860–875
- Becker J, Algermissen L, Pfeiffer D, Räckers M (2007a) Bausteinbasierte Modellierung von Prozesslandschaften mit der PICTURE-Methode am Beispiel der Universitätsverwaltung Münster. *Wirtschaftsinformatik* 49(4):267–279
- Becker J, Delfmann P, Knackstedt R (2007b) Adaptive reference modeling: integrating configurative and generic adaptation techniques for information models. In: Becker J, Delfmann P (eds) Reference modeling: efficient information systems design through reuse of information models. Physica, Heidelberg, pp 23–49
- Becker J, Pfeiffer D, Räckers M (2007c) Domain specific process modelling in public administrations: the PICTURE-approach. In: Wimmer MA, Scholl HJ, Grönlund A (eds) Proceedings of the 6th international conference on electronic government (EGOV 2007) at the 18th international conference on database and expert systems applications (DEXA 2007), Regensburg, pp 68–79
- Becker J, Bergener P, Kleist S, Pfeiffer D, Räckers M (2008) Evaluation of ICT investments in public administrations based on business process models. In: Proceedings of the 14th Americas conference on information systems (AMCIS 2008), Toronto, pp 1–12
- Becker J, Bergener P, Breuker D, Delfmann P, Eggert M (2011) An efficient business process compliance checking approach. In: Proceedings of the governance and sustainability in information systems – managing the transfer and diffusion of IT. IFIP WG 8.6 Conference, Hamburg
- Becker J, Algermissen L, Falk T (2012a) Modernizing processes in public administrations – process management in the age of e-government and new public management. Springer, Berlin
- Becker J, Bergener P, Breuker D, Räckers M (2012b) An empirical assessment of the usefulness of weakness patterns in business process redesign. In: Proceedings of the 20th European conference on information systems (ECIS 2012), Barcelona
- Becker J, Breuker D, Delfmann P, Dietrich H, Steinhorst M (2012c) A runtime analysis of graph-theoretical algorithms to detect patterns in process model collections. In: Proceedings of the

- 2nd international workshop on process model collections in conjunction with the 10th international conference on business process management, LNBIP, Tallinn, pp 31–42
- Becker J, Eggert M, Schwittay S (2012d) How to evaluate the checking approaches? In: Proceedings of the Multikonferenz Wirtschaftsinformatik (MKWI), Braunschweig
- Benamou N (2005) Bringing eGovernment interoperability to local governments in Europe. *Eur Rev Polit Technol* 3(1):1–9
- Betz S, Klink S, Koschmider A, Oberweis A (2006) Automatic user support for business process modeling. In: Hinkelmann K, Karagiannis D, Stojanovic N, Wagner G (eds) Proceedings of the workshop on semantics for business process management at the 3rd European semantic web conference (ESWC 2006), Budva, pp 1–12
- Bodart F, Patel A, Sim M, Weber R (2001) Should optional properties be used in conceptual modelling: a theory and three empirical tests. *Inf Syst Res* 12(4):384–405
- Breuker D, Pfeiffer D, Becker J (2009) Reducing the variations in intra- and interorganizational business process modeling – an empirical evaluation. In: Proceedings of the internationale tagung wirtschaftsinformatik, Wien
- Brinkkemper S, Saeki M, Harmsen F (1999) Meta-modelling based assembly techniques for situational method engineering. *Inf Syst* 24(3):209–228
- Brockmans S, Ehrig M, Koschmider A, Oberweis A, Studer R (2006) Semantic alignment of business processes. In: Manolopoulos Y, Filipe J, Constantopoulos P, Cordeiro J (eds) Proceedings of the 8th international conference on enterprise information systems (ICEIS 2006), Paphos, pp 191–196
- Bunke H (1997) On a relation between graph edit distance and maximum common subgraph. *Pattern Recognit Lett* 18(8):689–694
- Bunke H, Shearer K (1998) A graph distance metric based on the maximal common subgraph. *Pattern Recognit Lett* 19(3):255–259
- Burton-Jones A, Meso P (2002) How good are these UML diagrams: an empirical test of the Wand and Weber good decomposition model. In: Applegate L, Galliers R, DeGross J (eds) Proceedings of the 23rd international conference on information systems (ICIS 2002), Barcelona, pp 101–114
- Burton-Jones A, Weber R (1999) Understanding relationships with attributes in entity-relationship diagrams. In: De P, De Gross JI (eds) Proceedings of the 20th international conference on information systems (ICIS 1999), Charlotte, pp 214–228
- Chandrasekaran B, Joesephson J, Benjamins R (1999) What are ontologies and why do we need them? *IEEE Intell Syst* 14(1):20–26
- Dalal NP, Kamath M, Kolarik WJ, Sivaraman E (2004) Toward an integrated framework for modeling enterprise processes. *Commun ACM* 47(3):83–87
- Davenport TH, Beers M (1995) Managing information about processes. *J Manag Inf Syst* 12(1): 57–80
- Davenport TH, Short JE (1990) The new industrial engineering: information technology and business process redesign. *Sloan Manag Rev* 31(4):11–27
- Davis I, Green P, Milton S, Rosemann M (2003) Using meta models for the comparison of ontologies. In: Siau K, Krogstie J, Halpin T (eds) Proceedings of the 8th international workshop on evaluation of modeling methods in systems analysis and design (EMMSAD 2003) at the 15th international conference on advanced information systems engineering (CAISE 2003), Velden, pp 1–10
- de Medeiros AKA, van der Aalst WMP, Weijters AJMM (2008) Quantifying process equivalence based on observed behavior. *Data Knowl Eng* 64(1):55–74
- Du Bois B, Lange CFJ, Demeyer S, Chaudron MRV (2006) A qualitative investigation of UML modeling conventions. In: Kühne T (ed) Proceedings of the 1st workshop on quality in modeling at the 9th international conference on model driven engineering languages and systems (MoDELS 2006), Genoa, pp 91–100

- Ehrig M, Koschmider A, Oberweis A (2007) Measuring similarity between semantic business process models. In: Roddick JF, Hinze A (eds) Proceedings of the 4th Asia-pacific conference on conceptual modelling (APCCM 2007), Ballarat, pp 71–80
- Evermann J (2005) Towards cognitive foundation for knowledge representation. *Inf Syst J* 15(2): 147–178
- Fraser J, Adams N, Macintosh A, McKay-Hubbard A, Lobo TP, Pardo PF, Martínez RC, Vallecillo JS (2003) Knowledge management applied to E-government services: the use of an ontology. In: Proceedings of the knowledge management in electronic government (KMGov 2003), Rhodes, pp 116–126
- Gruhn V, Laue R (2007) What business process modelers can learn from programmers. *Sci Comput Program* 65(1):4–13
- Guizzardi G, Herre H, Wagner G (2002a) On the general ontological foundations of conceptual modeling. In: Spaccapietra S, March ST, Kambayashi Y (eds) Proceedings of the 21st international conference on conceptual modeling (ER 2002), Tampere, pp 65–78
- Guizzardi G, Pires LF, van Sinderen MJ (2002b) On the role of domain ontologies in the design of domain-specific visual modeling languages. In: Tolvanen J-P, Gray J, Rossi M (eds) Proceedings of the 2nd workshop on domain-specific visual languages at the 17th annual ACM conference on object-oriented programming, systems, languages and applications (OOPSLA 2002), Seattle, pp 1–14
- Hadar I, Soffer P (2006) Variations in conceptual modeling: classification and ontological analysis. *J Assoc Inf Syst* 7(8):568–592
- Hepp M, Dumitri R (2007) An ontology framework for semantic business process management. In: Oberweis A, Weinhardt C, Gimpel H, Koschmider A, Pankratius V, Schnizler B (eds) Proceedings of the 8th international conference Wirtschaftsinformatik (WI 2007), Karlsruhe, pp 423–440
- Hepp M, Leymann F, Domingue J, Wahler A, Fensel D (2005) Semantic business process management: a vision towards using semantic web services for business process management. In: Proceedings of the 3rd IEEE international conference on e-Business engineering (ICEBE 2005), Beijing, pp 535–540
- Herrmann P, Herrmann G (2006) Security requirement analysis of business processes. *Electron Commer Res* 5(3–4):305–335
- Hidders J, Dumas M, van der Aalst WMP, ter Hofstede AHM, Verelst J (2005) When are two workflows the same? In: Atkinson M, Dehne F (eds) Proceedings of the 11th Australasian symposium on theory of computing (CATS 2005), Newcastle, pp 3–11
- Hirshfeld Y (1993) Petri nets and the equivalence problem. In: Börger E, Gurevich Y, Meinke K (eds) Proceedings of the 7th workshop on computer science logic (CSL 1993), Swansea, pp 165–174
- Höffner P (2007) Achieving business process model interoperability using metamodels and ontologies. In: Österle H, Schelp J, Winter R (eds) Proceedings of the 15th European conference on information systems (ECIS 2007), St. Gallen, pp 1620–1631
- Jallow AK, Majeed B, Vergidis K, Tiwari A, Roy R (2006) Operational risk analysis in business processes. *BT Technol J* 25(1):168–177
- Janssen M (2005) Modeling for accountability: the case of the virtual business counter. In: Proceedings of the 11th Americas conference on information systems (AMCIS 2005), Omaha, pp 2021–2029
- Kashyap V, Sheth A (1996) Semantic and schematic similarities between database objects a context-based approach. *VLDB J* 5(4):276–304
- Kueng P (2000) Process performance measurement system: a tool to support process-based organizations. *Total Qual Manag* 11(1):67–85
- Kusiak A, Larson TN, Wang JR (1994) Reengineering of design and manufacturing processes. *Comput Ind Eng* 26(3):521–536
- Lang K, Glunde J, Bodendorf F (1997) A framework for reusable reference process building blocks. *ACM SIGGROUP Bulletin* 18(1):68–70

- Lange CFJ, Chaudron MRV (2006) Effects of defects in UML models: an experimental investigation. In: Osterweil LJ, Rombach D, Soffa ML (eds) Proceedings of the 28th international conference on software engineering (ICSE 2006), Shanghai, pp 401–411
- Lawrence R, Barker K (2001) Integrating relational database schemas using a standardized dictionary. In: Proceedings of the 16th ACM symposium on applied computing (SAC 2001), Las Vegas, pp 225–230
- Mending J, Moser M, Neumann G, Verbeek HMW, van Dongen BF, van der Aalst WMP (2006) Faulty EPCs in the SAP reference model. In: Dustdar S, Fiadeiro JL, Sheth A (eds) Proceedings of the 4th international conference business process management (BPM 2006), Vienna, pp 451–457
- Milton SK, Kazmierczak E (2004) An ontology of data modelling languages: a study using a common-sense realistic ontology. *J Database Manage* 15(2):19–38
- Mylopoulos J (1998) Information modeling in the time of the revolution. *Inform Syst* 23(3–4): 127–155
- Namiri K, Stojanovic N (2007) Pattern-based design and validation of business process compliance. In: Meersman R, Tari Z (eds) Proceedings of the 15th international conference on cooperative information systems (CoopIS 2007), Vilamoura, pp 59–76
- Object Management Group (2004) UML 2.0 superstructure specification. <http://www.omg.org/cgi-bin/doc?formal/05-07-04>, Accessed 10 Nov 2012
- Object Management Group (2011) Business Process Model and Notation (BPMN) Version 2.0 <http://www.omg.org/spec/BPMN/2.0/PDF>. Accessed 10 Nov 2012
- Parent C, Spaccapietra S (1998) Issues and approaches of database integration. *Commun ACM* 41(5):166–178
- Pfeiffer D (2007) Constructing comparable conceptual models with domain specific languages. In: Österle H, Schelp J, Winter R (eds) Proceedings of the 15th European conference on information systems (ECIS 2007), St. Gallen, pp 876–888
- Pfeiffer D (2008) Semantic business process analysis: building block-based construction of automatically analyzable business process models. Dissertation, Westfälische Wilhelms-Universität Münster, Münster
- Pfeiffer D, Gehlert A (2005) A framework for comparing conceptual models. In: Desel J, Frank U (eds) Proceedings of the 1st international workshop on enterprise modelling and information systems architectures (EMISA 2005) at the 24th international conference on conceptual modeling (ER 2005), Klagenfurt, pp 108–122
- Polyvyanyy A, Smirnov S, Weske M (2014) Business process model abstraction. In: vom Brocke J, Rosemann M (eds) Handbook on business process management, vol 1, 2nd edn. Springer, Heidelberg, pp 147–166
- Pomello L, Rozenberg G, Simone C (1992) A survey of equivalence notions for net based systems. In: Rozenberg G (ed) Advances in Petri nets: the DEMON project. Springer, London, pp 410–472
- Process mining group the ProM framework (2007) <http://is.tm.tue.nl/cgunther/dev/prom/>. Accessed 1 May 2008
- Recker J (2008) Understanding process modelling grammar continuance – a study of the consequences of representational capabilities. Ph.D. Thesis, Queensland University of Technology, Brisbane
- Rosemann M, van der Aalst WMP (2007) A configurable reference modelling language. *Inform Syst* 32(1):1–23
- Rosemann M, zur Mühlen M (1998) Evaluation of workflow management systems: a meta model approach. *Aust J Inf Syst* 6(1):103–116
- Rosemann M, Schwegmann A, Delfmann P (2010) Preparation of process modeling. In: Becker J, Kugeler M, Rosemann M (eds) Process management: a guide for the design of business processes, 2nd edn. Springer, Berlin, pp 41–90

- Rosemann M, vom Brocke J (2014) The six core elements of business process management. In: vom Brocke J, Rosemann M (eds) Handbook on business process management, vol 1, 2nd edn. Springer, Heidelberg, pp 105–122
- Rupprecht C, Funffinger M, Knublauch H, Rose T (2000) Capture and dissemination of experience about the construction of engineering processes. In: Wangler B, Bergman L (eds) Proceedings of the 12th international conference on advanced information systems engineering (CAiSE 2000), Stockholm, pp 294–308
- Sadiq S, Governatori G (2014) Managing regulatory compliance in business processes. In: vom Brocke J, Rosemann M (eds) Handbook on business process management, vol 2, 2nd edn. Springer, Heidelberg, pp 265–288
- Scheer A-W (2000) ARIS – business process modeling, 3rd edn. Springer, Heidelberg
- Seltsikas P, Palkovits S (2006) Process modeling notations for eGovernment: an assessment of modeling notations for identity management and GUIDE’s methodology in practice. In: Proceedings of the eGo-vInterop’06 conference, Bordeaux
- Shanks G, Tansley E, Nuredini J, Tobin D, Weber R (2002) Representing part-whole relationships in conceptual modeling: an empirical evaluation. In: Applegate L, Galliers R, DeGross J (eds) Proceedings of the 23rd international conference on information systems (ICIS 2002), Barcelona, pp 89–100
- Shanks G, Nuredini J, Tobin D, Moody DL, Weber R (2003) Representing things and properties in conceptual modelling: an empirical evaluation. In: Ciborra CU, Mercurio R, de Marco M, Martinez M, Carignani A (eds) Proceedings of the 11th European conference on information systems (ECIS 2003), Naples, pp 1–17
- Soffer P, Hadar I (2007) Applying ontology-based rules to conceptual modeling: a reflection on modeling decision making. *Eur J Inf Syst* 16(5):599–611
- Soffer P, Golany B, Dori D (2003) ERP modeling: a comprehensive approach. *Inf Syst* 28(6): 673–690
- Stephenson CP, Bandara W (2007) Enhancing best practices in public health: using process patterns for business process management. In: Österle H, Schelp J, Winter R (eds) Proceedings of the 15th European conference on information systems (ECIS 2007), St. Gallen, pp 2123–2134
- Thomas O, Fellmann M (2007) Semantic EPC: enhancing process modeling using ontology languages. In: Hepp M, Hinkelmann K, Karagiannis D, Klein R, Stojanovic N (eds) Proceedings of the workshop on semantic business process and product lifecycle management (SBPM 2007) at the 3rd European semantic web conference (ESWC 2007), Innsbruck, pp 64–75
- van Dongen BF, Dijkman R, Mendling J (2008) Measuring similarity between business process models. In: Proceedings of the 20th international conference on advanced information systems engineering (CAiSE 2008), Montpellier
- vom Brocke J, Grob HL (2011) Profitability of business processes. In: Process management. A guide for the design of business processes, vol 2. Springer, Berlin, pp 421–446
- vom Brocke J, Schmiedel T, Recker J, Trkman P, Mertens W, Viaene S (2014) Ten principles of good business process management. *Bus Process Manage J (BPMJ)* 20(4)
- Wand Y (1996) Ontology as a foundation for meta-modelling and method engineering. *Inf Softw Technol* 38(4):281–287
- Wand Y, Weber R (1990) An ontological model of an information system. *IEEE Trans Softw Eng* 16(11):1282–1292
- Weiß B (2011) Process modelling and analysis in banks: leveraging business process optimisation in the financial sector. Dissertation, Westfälische Wilhelms-Universität, Münster
- Wimmer K, Wimmer N (1992) Conceptual modeling based on ontological principles. *Knowl Acquis* 4(4):387–406

BPMN 2.0 for Modeling Business Processes

Gustav Aagesen and John Krogstie

Abstract In 2004, the Business Process Modeling Notation (BPMN) was presented as a standard business process modeling language. Its development was considered to be an important step in reducing the fragmentation that was witnessed between the existing process modeling tools and notations. Since then BPMN has been evaluated in different ways by the academic community and has become widely supported and used by industry. After completing the first major revisions of BPMN, the Object Management Group (OMG) released BPMN 2.0 in 2011. This chapter gives an overview of BPMN 2.0 and summarizes some of the evaluations of BPMN used for analysis and design of business processes and presents these together with reported experiences as well as some examples of proposed extensions and future expectations based on these. We will based on this also present some implications for practitioners.

1 Introduction

A *process* is a collection of related, structured tasks that produce a specific service or product to address a certain goal for a particular actor or set of actors. Process modeling has been performed relative to IT and organizational development at least since the 1970s (Harmon 2014; Rosemann and vom Brocke 2014). The interest has gone through phases with the introduction of different approaches, including Structured Analysis in the seventies (Gane and Sarson 1979), BPR in the late 1980s/early 1990s (Hammer and Champy 1993), and Workflow Management in the 1990s (WfMC 2000). Lately, with the proliferation of BPM (Business process management) (Havey 2005), interest and use of process modeling has increased even further, although focusing primarily on a selected number of modeling

J. Krogstie (✉)

Norwegian University of Science and Technology, Trondheim, Norway

e-mail: krogstie@idi.ntnu.no




Fig. 1 Organizational application of modeling (From Krogstie 2012a)

approaches such as BPMN. For the development of BPM also see Hammer (2014) and Harmon (2014) and for the role of process models in BPM see also Rosemann and vom Brocke (2014) in this handbook.

Models of work processes have for a long time been utilized to learn about, guide and support practice in a number of areas. In software process improvement (Derniame 1998), enterprise modeling (Fox and Gruninger 2000) and quality management, process models describe methods and standard working procedures. Simulation and quantitative analyses are performed to improve efficiency (Kuntz et al 1998). In process centric software engineering environments (Ambriola et al 1997) and workflow systems (WfMC 2000) model execution is automated. This wide range of applications is reflected in current modeling languages, which emphasize different aspects of the process.

Process modeling is usually done in some organizational setting. As illustrated in Fig. 1 one can look upon an organization and its information system abstractly to be in a state (the current state, often represented as a descriptive ‘as-is’ model) that are to be evolved to some future wanted state (often represented as a prescriptive ‘to be’ model). The state includes the existing processes, organization and computer systems. These states are often modeled, and the state of the organization is perceived (differently) by different persons through these models. Different usage areas of conceptual models as described in (Krogstie 2012a) are:

1. Human sense-making: The descriptive model of the current state can be useful for people to make sense of and learn about the current perceived situation.
2. Communication between people in the organization: Models can have an important role in human communication. Thus, in addition to support the sense-making process for the individual, a model can act as a common framework supporting communication between people both relative to descriptive and prescriptive models.

3. Computer-assisted analysis: This is used to gain knowledge about the organization through simulation or deduction, often by comparing a model of the current state and a model of a future, potentially better state.
4. Quality assurance, ensuring e.g. that the organization acts according to a certified process developed as part of an ISO-certification process.
5. Model deployment and activation: To integrate the model of the future state in an information system directly, making the prescriptive model the descriptive model. Models can be activated in three ways:
 - (a) Through people, where the system offers no active support.
 - (b) Automatically, where the system plays an active role, as in most automated workflow systems.
 - (c) Interactively, where the computer and the users co-operate (Krogstie and Jørgensen 2004).
6. To be a prescriptive model to be used in a traditional system development project, without being directly activated.

Business Process Management (BPM) is a structured, coherent, and consistent way of understanding, documenting, modeling, analyzing, simulating, executing, and continuously changing end-to-end business process and all involved resources in light of their contribution to business performance (Recker et al. 2006). The potential usage of modeling in BPM covers all the areas of use for process modeling as outlined above.

A wide variety of approaches and notations have been used for BPM and workflow management. Developed inspired by a number of previous languages, BPMN has over the last years been promoted and suggested as a standard and has been met with the same kind of diverse needs; i.e., to create models to be understandable both for humans and machines, for sense-making, quality management, simulation, and activation, although an approach like BPMN is not necessarily suitable for all usage areas.

This chapter aims to describe the latest version of BPMN, BPMN 2.0 and identify and report on the main efforts to evaluate BPMN, both analytical and empirical. The following section will introduce BPMN 2.0 and the remaining sections will focus on the evaluation of the language. We will introduce the methods used in evaluating BPMN briefly. The trends of the outcome of the evaluations will be presented. Some of the proposed extensions of BPMN will then be described, before we conclude with a particular focus on the implications for practice.

2 Business Process Modeling with BPMN

The wide range of applications of process modeling described in the introduction is reflected in current modeling notations, which emphasize different aspects of work. In (Krogstie 2012a) we have identified eight categories of (process) modeling languages (or perspectives to process modeling): transformational, behavioral, structural, object-oriented, communicational (speech-act-based), role-oriented, rule-based (constraint-based), and topological. Most process modeling languages take a transformational approach (input–process–output). Processes are divided into activities, which may be divided further into sub-activities. Each activity takes inputs, which it transforms to outputs. Input and output relations thus define the sequence of work. This perspective was chosen for the standards of the Workflow Management Coalition (WfMC 2000), the Internet Engineering Task Force (IETF) (Bolcer and Kaiser 1999), and the early work of the Object Management Group (OMG 2000) as well as most commercial systems for the last 10–15 years (Abbot and Sarin 1994; Fischer 2000). IDEF (1993), Data Flow Diagram (Gane and Sarson 1979), Activity Diagrams (Booch et al. 2005), Event-driven Process Chains (Scheer 2000), BPMN (OMG 2008, 2011; Silver 2012) and Petri nets (van der Aalst et al. 2000) are well-known transformational languages. We focus here on this type of process modeling, with the emphasis on how it is supported in BPMN 2.0.

2.1 Background on BPMN 2.0

Already in 2004, the first version of Business Process Modeling Notation (BPMN) was presented as the standard business process modeling notation (White 2004). Since then BPMN has been evaluated in different ways by the academic community and has become widely supported in industry.

There are a large number of tools supporting BPMN, see e.g. (Evéquo and Sterren 2011). The tool support in industry has increased with the awareness of the potential benefits of BPM.

The Business Process Modeling Notation (BPMN version 1.0) was proposed in May 2004 and adopted by OMG for ratification in February 2006. This was followed by BPMN 1.1 (OMG 2008) and the current version BPMN 2.0 was released in 2011 (OMG 2011). BPMN is based on the revision of other notations and methodologies, especially UML Activity Diagram, UML EDOC Business Process, IDEF, ebXML BPSS, Activity-Decision Flow (ADF) Diagram, RosettaNet, LOVeM, and Event-driven Process Chains.

The original goal of BPMN was to provide a notation that is readily understandable by all business users, from the business analysts who create the initial draft of the processes, to the technical developers responsible for implementing the

technology that will support the performance of those processes, and, finally, to the business people who will manage and monitor those processes (White 2004).

Another factor that drove the development of BPMN is that, historically, business process models developed by business people have been technically separated from the process representations required by systems designed to implement and execute those processes. Thus, it was a need to manually translate the original process models to execution models. Such translations are subject to errors and make it difficult for the process owners to understand the evolution and the performance of the processes they have developed. To address this, a key goal in the development of BPMN was to create a bridge from a visual notation to execution languages.

The focus of the development of BPMN 2.0 was (Silver 2012; Völzer 2010)

- A standardized metamodel and serialization format for BPMN, which allows users to exchange business process models between tools of different vendors,
- A diagram interchange format, allowing users to exchange also graphical information of a business process diagram to ensure a similar layout when interchanging models across tools,
- An extended notation for cross-organizational interactions (also known as process choreographies), which enables new use cases for automated tool support for processes that involve several business partners,
- Some additional modeling elements for processes such as non-interrupting events and event sub-processes and for the modeling of data and data stores.
- A standardized execution semantics for BPMN, which allows tool vendors to implement interoperable execution engines for business processes,
- A detailed mapping from BPMN to BPEL, which demonstrates the alignment of BPMN with existing tools and standards for process execution.

BPMN 2.0 consists of three diagrams: the business process diagram (BPD), conversation diagram, and choreography diagram. BPD's are regarded as the most important, and are the focus of this paper. The graphical notation relating to the business process diagram of BPMN 2.0 is very similar to earlier versions of the standard, and so are the facilities for model analysis.

BPMN allows the creation of end-to-end business processes and is designed to cover many types of modeling tasks constrained to business processes. The structuring elements of BPMN will allow the viewer to be able to differentiate between sections of a BPMN Diagram using groups, pools, or lanes. Basic types of submodels found within a BPMN model can be *private business processes* (internal) and *public processes* (public).

Private business processes are those internal to a specific organization and are the types of processes that have been generally called workflow or BPM processes.

Public processes depict the interactions between two or more business entities. These interactions are defined as a sequence of activities that represent the message exchange patterns between the entities involved.

The number of concepts in BPMN has become quite large thus three levels of use have been defined (Silver 2012):

- Level 1: Descriptive modeling – geared towards simply documenting the process flow. Primarily for sensemaking and communication related to both as-is and to-be models, and also for manual deployment. Most use of BPMN is at this level (Silver 2012).
- Level 2: Analytical modeling – Enables more accurate modeling with respect to exceptions and events. Supports qualitative and quantitative analysis wrt key performance indicators. The additional features are particularly relevant to include when doing computer-assisted analysis, supporting quality assurance and when the models are meant to be used as context for change through a traditional development project.
- Level 3: Executable modeling – graphical models that can be transformed into XML-based specifications that drive process engines. Makes it possible to support automatic activation of the models.

2.2 BPMN Language Constructs and Properties


The language constructs of BPMN is grouped into four basic categories of elements, viz., Flow Objects, Connecting Objects, Swimlanes, and Artifacts. The notation is further divided according to the three levels described above.

Flow objects (Fig. 2) contain events, activities, and gateways.

Activities are divided into process, subprocess, and tasks and denote the work that is done within a company. According to (Silver 2012) a BPMN activity is an action that is performed repeatedly by a performer as part of organized activity. Each instance of the activity represents more or less the same action on a different case (e.g. an order). The activity is a discrete action with well-defined start and end. Thus functions that are performed continuously (e.g. management) is not an activity in the BPMN sense. A process in BPMN is a sequence of activities leading from an initial state of the process instance to one of the defined end states. Different types of tasks have been defined, and are distinguished through the use of icons in the upper left corner of the activity-symbol.

- User task: Manual Task performed by a human participant (e.g., approval)
- Send task: Sends a message
- Receive task: Waits for a message
- Script task: Logic encoded in a programming or scripting language

Fig. 2 Core flow-objects elements in BPMN: activity, events (start, intermediate, and end) and gateway






Fig. 3 Detailed overview of event-types in BPMN (Silver 2012)

- Service task: Calls a web service
- Reference task: Uses the definition of another task in the process; shares the definition rather than duplicating it

Task can be indicated to be a singular instance, or be a loop (sequential execution of instances), of multiple instance (parallel execution of instances). Activities can be decomposed in sub-activities (sub-processes).

Events is defined as something that happens in a process, and how the process responds to this (if it is a catching event), or how the process generate a signal that something has happened (if it is a throwing event). *Events* are either start events, intermediate events, or end events.

The full range of event types is depicted in Fig. 3. A brief description is provided below.

- Empty – placeholder (one don't know, yet what type of event it is)
- Message – receiving or sending a message
- Timer – a scheduled event or a delay, triggers flow
- Error – throw or catch an error
- Escalation – a non-interrupting counterpart of an error-event, an escalation boundary event signifies a non-interrupting exception inside an activity.
- Cancel – perform cancellation




Fig. 4 BPMN connection objects: Sequence flow, message flow, and association

- Compensation – trigger and perform compensation handling
- Conditional – condition is met, exception raised
- Link event – a visual shortcut within or between diagrams (i.e. not actually an event)
- Signal – A broadcasted event. Whereas an error and escalation event can only be thrown to the parent of a sub-process and messages can only be throw to another pool, signals do not have this limitation
- Terminate – kill the process
- Multiple – several triggers, only one is needed or several results are required

Those most used are message, timer and error events. A new feature of BPMN 2.0 is that you can have non-interrupting events (as boundary event on tasks).

Gateways are used for determining branching, forking, merging, or joining of paths within the process. Markers can be placed within the gateway to indicate behavior of the given construct (*or, exclusive-or, and, and complex*).

Connecting objects (Fig. 4) are used for connecting the flow objects. *Sequence Flow* defines the execution order of the activities within a process while *Message Flow* indicates a flow of messages between business entities or roles prepared to send and receive them. *Association* is used to associate both text and graphical non-flow objects. Sequence flows can be described as being unguarded, guarded (conditional – fires when the condition is met), or default (chosen when no conditional flows fire).

Swimlanes (Fig. 5) are used to denote a participant in a process and acts as a graphical container for a set of activities taken on by that participant. By dividing




Fig. 5 BPMN pool and lanes




Fig. 6 BPMN model showing main steps in order fulfillment

Pools into *Lanes* (thus creating sub-partitioning), activities can be organized and categorized according to the part of the organizations performing them.

Artifacts are data objects, data stores, groups, and annotations. *Data Objects* are not considered as having any other effect on the process than information on resources required or produced by activities. The *Group* construct is a visual aid used for documentation or analysis purposes while the *Text Annotation* is used to add additional information about certain aspects of the model.

Figure 6 shows a simple example of a BPMN order-process. The order is received manually, and then credit is checked. If credit is not ok, the order fails. If it is ok, one attempts to fulfill the order. This is a decomposed activity, the sub-process is not shown. If one has the product in stock, an invoice is sent, and the order handling is complete. Else the order fails.

A more comprehensive model of the same situation is shown in Fig. 7. Here we have also included pools and lanes. One pool is for the customer, and the other is for the organization, where the lanes differentiate the different organizational functions




Fig. 7 BPMN model showing order fulfillment in more detail

involved. The customer sends the order, which is received as a message start event by sales. Finance performs the credit check of the customer. If the credit check is OK, the order is attempted to be fulfilled. In this example, one tries to offer a replacement item to the customer if being out of stock of what is originally ordered. If this is accepted, the fulfillment of the replacement order is performed. When the order is complete or has failed, the invoice or failure notice is sent to the customer.

The following is part of the modeling palette when modeling on level 1 (descriptive modeling):

- Pool and Lane
- User task, Service (automated) task
- Sub-process, collapsed and expanded
- Start event (None, Message, Timer)
- End event (None, Message, Terminate)
- Exclusive and Parallel Gateways
- Sequence Flow and Message Flow
- Data Object, Data Store, and Message
- Text Annotation
- Link event pair (off-page connectors)

3 Evaluations of BPMN

The importance of evaluating available methods for modeling increases as the number of available methods grow, since the results will guide the users in selecting the most fit method for the task at hand. Traditionally the research community has focused on creating new modeling languages rather than evaluating those that already exist (Wahl and Sindre 2005).

By evaluating existing methods one will not only be able to compare their suitability for solving the problem at hand, but it will also help determine the skills required of the user and model audience, before taking on the modeling task. By using formalized frameworks in the assessment of newly arrived methods and comparing the evaluation with results from earlier studies it would be possible to determine whether the overall appropriateness of the new method is better than its predecessors. All modeling languages will have some deficiencies, thus even when having decided upon a modeling language, it is important to know how one can avoid some of the problems with these by appropriate use of tools and methods.

Different approaches to evaluating modeling languages include analytical and empirical methods, and both single-language and comparative evaluations exist. Empirical methods should investigate both the possibility for modelers to use the language, comprehension of models developed in the language, and the ability to learn from and act according to the knowledge provided in the models (Gemino and Wand 2003; Krogstie et al. 2006). While analytical evaluations can be conducted as soon as the specification of the language is made available, empirical evaluations

would in most cases require the users of the new method to have some experience with its use, and for that the method would need some time with the user community before evaluations can take place. Empirical studies might involve the investigation of whether the results from the analytical studies are supported and to what extent they have impact in practice. It would also involve performing case studies and surveys to discover if the method is as appropriate as expected and if it is used according to expectation.

BPMN is no longer considered to be new and it has been evaluated both analytically and empirically. Even if BPMN 2.0 is relatively new, as indicated above the core notation used for analysis is relatively unchanged, thus it is reasonable to build on evaluations done also of previous versions of the language when they are at the descriptive level. The following section introduces briefly the evaluation approaches followed by their outcomes. The evaluation results will be summarized in Sect. 4. For details about the evaluations please refer to their original reporting in the referenced papers.

3.1 Ontological Analysis Using the Bunge–Wand–Weber Framework

The Bunge–Wand–Weber framework defines a representation model based on an ontology defined by Bunge in 1977 (Wand and Weber 1993; Recker et al. 2006). Two main evaluation criteria are *Ontological Completeness* and *Ontological Clarity*.

Ontological Completeness is decided by the degree of *construct deficit*, indicating to what level the modeling language maps to the constructs of the BWW representation model.

Ontological Clarity is decided by *construct overload*, where the modeling language constructs represent several BWW constructs, *construct redundancy*, where one BWW construct can be expressed by several language constructs and *construct excess*, having language constructs not represented in the BWW model.

BWW based evaluations are presented in Recker et al. (2005, 2007) and Rosemann et al. (2006) and their findings include:

Representation of state. The BPMN specification provides a relatively high degree of ontological completeness (Rosemann et al. 2006), with some limitations. For example, states assumed by things cannot be modeled with the BPMN notation. This situation can result in a lack of focus in terms of state and transformation laws not being able to capture all relevant business rules.

System structure. Systems structured around things are under-represented, and as a result of this problems will arise when information needs to be obtained about the dependencies within a modeled system.

Representational capabilities compared with other approaches. A representational analysis was done in Rosemann et al. (2006) on different approaches that show that BPMN appears to be quite mature in terms of representation capabilities.

This can perhaps be partly explained by the fact that the previous approaches like EPC and Petri nets influenced the development of BPMN. It is interesting that only BPMN of the process modeling notations is able to cover all aspects of things, including properties and types of things. From this it is possible to conclude that BPMN appears to denote a considerable improvement compared with other techniques. The combination of ebXML and BPMN would provide maximum ontological completeness (MOC) with minimum ontological overlap (MOO) (Recker et al. 2005).

3.2 *The Workflow Patterns Framework*

Whereas the BWW-ontology look at individual concepts The Workflow Patterns Framework¹ (van der Aalst et al. 2003; Russell et al. 2006) provides a taxonomy of generic, recurring concepts, and constructs relevant in the context of process-aware information systems (Wohed et al. 2005) (see also Ouyang et al. 2014). The patterns have been used to examine the capabilities of business process modeling languages such as BPMN, UML Activity Diagrams, and EPCs; web service composition languages such as WCSI; and business process execution languages such as BPMML, XPDL, and BPEL (Russell et al. 2006).

The available patterns are divided into the *control-flow perspective*, the *data perspective*, and the *resource perspective*. Workflow pattern-based evaluations are presented in Recker et al. (2007) and Wohed et al. (2005, 2006). The outcomes of the evaluations include:

Representation of state. Due to the lack of representation of state in BPMN there are difficulties in representing certain control-flow patterns (Wohed et al. 2006). There are further inherent difficulties in applying the Workflow Patterns Framework for assessing a language that does not have a commonly agreed-upon formal semantic or an execution environment. There are several ambiguities that can be found in the BPMN specification due to the lack of formalization (Wohed et al. 2006). This has been improved in BPMN 2.0.

Multiple representations of the same pattern. The simple workflow patterns have multiple BPMN representations while capturing the most advanced patterns required deep knowledge of the attributes associated to BPMN's modeling constructs that do not have a graphical representation.

Support for instances. Workflow and environment data patterns are not supported due to the lack of support for instance-specific data for a task or subprocess with a "multiple instance" marker.

Resource modeling. Support for the resource perspective in BPMN is minimal, but the modeling of organizational structures and resources is regarded to be outside the scope of BPMN. The authors state that the lane and pool constructs are in contradiction to this.

¹ <http://www.workflowpatterns.com>.

3.3 SEQUAL

SEQUAL (SEmiotic QUALity Framework) (Krogstie 2012a; Lillehagen and Krogstie 2008) is used for evaluating different quality aspects of models, and for evaluating the potential of the language to build models having high quality. The framework is based on semiotic concepts. Language quality is divided into six quality areas. *Domain appropriateness* relates the language and the domain. Ideally, the language must be powerful enough to express anything in the domain, not having construct deficit (cf. 3.1 on BWW above). On the other hand, you should not be able to express things that are not in the domain, i.e., having construct excess. *Comprehensibility appropriateness* relates the language to the human interpretation. The goal is that the participants in the modeling effort using the language understand all the statements of the language. *Modeler appropriateness* relates the language to the knowledge of the modeler. *Participant appropriateness* relates the social actors' explicit knowledge to the language. *Tool appropriateness* relates the language to the technical audience interpretations. For tool interpretation, it is especially important that the language lend itself to automatic reasoning. This requires formality (i.e., both formal syntax and semantics being operational and/or logical), but formality is not necessarily enough, since the reasoning must also be efficient to be of practical use. This is covered by what we term *analyzability* (to exploit any mathematical semantics of the language) and *executability* (to exploit any operational semantics of the language). The possibilities for model interchange through a serialization approach are also important in this area. *Organizational appropriateness* relates the language to standards and other organizational needs within the organizational context of modeling. For more information on SEQUAL, please refer to (Krogstie 2012a).

3.3.1 Evaluating BPMN Using the Semiotic Framework

Semiotic evaluations of BPMN using SEQUAL are performed by Nysetvold and Krogstie (2006), Wahl and Sindre (2005) and discussed in Recker et al. (2007). The approach has also been used for the evaluation and comparison of a number of other modeling notations. In relation to BPMN the following findings can be mentioned:

Support for business-specific terms. Wahl and Sindre (2005) confirm that the language do not contain business-specific terms even though the purpose of the language is the modeling of business processes.

Understanding and use of constructs. The language notation is similar to that of other available languages with the same purpose, which would be helpful with users familiar with different approaches. The goal of BPMN is, however, to be understandable not only for users with previous experience and the complexity of the most advanced aspects of BPMN is, according to the authors, unrealistic to grasp without extensive training. This is somewhat confirmed by the case study reported by zur Mühlen and Ho (2008) (see Sect. 3.7), but is partly taken into account in the leveling of BPMN 2.0 described in Sect. 2.

Diagram layout. The authors also argue that it would be hard to externalize relevant knowledge using only BPMN if the knowledge in question goes beyond the domain of business processes. There are few strict guidelines in the BPMN specification on how to layout diagram constructs in relation to each other, which proposes a potential for creating BPMNs with poor layout. For this reason, a number of style-guides are proposed e.g. by (Silver 2012).

3.3.2 Empirical Evaluation of BPMN, EEML, and UML Activity Diagrams

Nysetvold and Krogstie (2006) conducted an empirical evaluation of BPMN comparing it to EEML (Krogstie 2008) and UML Activity Diagrams (Booch et al. 2005) using the SEQUAL framework. The usage area to be supported was process modeling in relation to implementation of Service-Oriented Architecture (SOA) in an insurance company. The evaluation ranked BPMN highest in all categories except domain appropriateness (expressiveness), in which EEML came out on top. However, EEML lost to BPMN on both tool and modeler appropriateness. The evaluation on domain appropriateness partly overlapped the evaluations above, e. g., by including an evaluation relative to control patterns. Other parts of this evaluation were adapted particularly to the expressed needs in the case organization based on existing experience with process modeling and SOA-development.

Comprehensibility appropriateness is the category that was appointed the second highest importance, since the organization regarded it to be very important that it was possible to use the language across the different areas of the organization and to improve communication between the IT-department and the business departments. In this category, BPMN and UML Activity Diagrams ranked equally high, which is not surprising given that they use the same swimlane/pool-metaphor as a basic structuring mechanism.

Participant appropriateness and tool appropriateness were given equal importance, and BPMN ranked somewhat surprisingly high on both areas. When looking at the evaluation not taking tool appropriateness into account, the three languages ranked almost equal. Thus, it was in this case the focus toward the relevant implementation platforms (BPEL and web services) that ranked BPMN highest. On the other hand, the focus on tool appropriateness did not appear to get in the way for the language as a communication tool between people, at least not in this case. Tool appropriateness is further improved in BPMN 2.0 as described in Sect. 2 with explicit support for interchanging models between tools and supporting model execution.

In the category organizational appropriateness, BPMN and Activity Diagrams ranked almost equal. The organization had used UML and Activity Diagrams for some time, but it also appeared that tools supporting BPMN were available for the relevant parts of the organization.

3.3.3 Evaluation of the BPMN Notation

A more detailed overview of notational quality aspects (which is a part of comprehensibility appropriateness) was provided in (Moody 2009) where nine principles for diagram notations are proposed:

1. Semiotic clarity: There should be a 1:1 mapping between graphical symbols and concepts.
2. Perceptual discriminability: How easily and accurately can symbols be differentiated from each other?
3. Semantic transparency: How well does a symbol intuitively reflect its meaning?
4. Complexity management: What constructs does the diagram notation have for supporting different levels of abstraction, information filtering, etc.?
5. Cognitive integration: Does the notation provide explicit mechanisms to support navigation between different diagrams?
6. Visual expressiveness: To what extent does the notation utilize the full range of visual variables available?
7. Dual coding: Using text in an appropriate manner to complement graphics.
8. Graphic economy: Avoiding a too large number of different symbols
9. Cognitive fit: Trying to adapt the notation to the audience, i.e. possibly using different dialects with different stakeholder groups.

These factors have later been integrated with the treatment on comprehensibility and participant appropriateness in SEQUAL (Krogstie 2012a). An evaluation of BPMN 2.0 according to these criteria is found in (Genon et al 2011). Not surprisingly for complex languages like BPMN they identify a number of deficiencies with the notation:

1. Semiotic clarity: BPMN 2.0 has 242 semantic concepts, and 171 graphical structures, pointing to a mismatch. They found 23.6 % symbol deficit, 5.4 % symbol overload, 0.5 % symbol excess and 0.5 % symbol redundancy.
2. Perceptual discriminability: In BPMN, four shapes are used to derive the majority of symbols. Variations are introduced by changing border style and thickness, and by incorporating additional markers. Grain (texture) is used to discriminate between different types of events and activities. All five visual variable values used are distinct, which is good, but they quickly become hard to distinguish when zooming out on the diagram. The use of color is up to the tool developers.
3. Semantic transparency: In BPMN 2.0 process diagrams, symbols are conventional shapes on which iconic markers are added. Symbol shapes seem not to convey any particular semantics, but partly builds upon symbols used in similar languages: One negative exception is DataObject: its symbol suggests a “sticky note” (a rectangle with a folded corner). This icon is typically used for comments and textual annotations (e.g., in UML), not for first-class constructs. DataObject is thus a case of semantic perversity. The differentiation of Event and Activity subtypes is also purely conventional: it depends on styles of border that are not

perceptually immediate. There are also other examples of semantically opaque and in some cases perverse icons from BPMN 2.0. The pentagon is used in relation to Event triggers to mean multiple. An error is signified by a lightning. The icon for condition looks like a list. A web service is depicted with 2 gears.

4. Complexity management: BPMN have four types of diagrams. In a diagram only the relevant information for this viewpoint is represented. BPMN process diagrams achieve modularity through two constructs (1) Link ‘events’ used within and between diagrams and (2) support of subprocesses, a traditional means for hierarchic structuring. To be effective, different levels of information should be displayed in independent diagrams instead of expanding into their parent diagram, as suggested in the style guide of (Silver 2012).
5. Cognitive integration: While we under complexity integration point to certain mechanism for dividing up the overall model, no techniques (e.g. as a navigation map) is available to reinforce perceptual integration across diagrams.
6. Visual expressiveness: BPMN process diagram notation uses half of the visual variables: Location (x,y), Shape, Grain and Color carry semantic information, while Size, Orientation and Brightness is not used. Visual variables in BPMN were chosen appropriately according to the nature of information, which here is purely nominal (i.e., there is no ordering between values). Location can also be used to encode intervals but it is used in BPMN only for enclosure (a symbol is contained in another symbol), which is only a small portion of its capacity. Visual variable capacities are rather well exploited and Grain is even completely saturated. However, as we discussed above this causes discriminability problems. The perceptible steps between Shape values are a major problem of the current notation. Current shapes belong to only two categories (circles and quadrilaterals), whereas there is no semantic relationship between the referent concepts within a shape category. Color is one of the most cognitively effective of all visual variables. BPMN uses only two colors – black and white – that allow distinguishing between “throwing” (filled) and “catching” (hollow) events. Hence, the Color capacity is underused.
7. Dual coding: BPMN use dual coding for conditional and complex gateways only.
8. Graphic economy: BPMN 2.0 process models have a graphic complexity of 171. This is at least an order of magnitude beyond novice capabilities. zur Muehlen and Recker observe that, in practice, the graphic complexity of BPMN is significantly lower than its nominal complexity (Muehlen and Recker 2008). Their study (discussed further in Sect. 3.8) shows that most process diagrams designed for novices use only the basic symbols: Event, Activity, Gateway, Sequence Flow, DataObject and Association, plus a few refinements. The practical complexity is thus around 10. This is certainly much more manageable than the full language, but it is still high compared to popular languages (Davies et al 2006) such as ER diagrams (complexity of 5) and DFDs (complexity of 4). YAWL, which is more closely related to BPMN, has a complexity of 14.

9. Cognitive fit: BPMN's aim is to "provide a notation that is readily understandable by all business users, from the business analysts that create the initial drafts of the processes, to the technical developers responsible for implementing the technology that will perform those processes, and finally, to the business people who will manage and monitor those processes" (OMG 2011). It is questionable that you can address all differences e.g. on expert-novice capacity and the use of different representational media (tool and blackboard) with the same language, which is also partly taken into account in the proposed leveling of the language.

3.4 Combined Semiotic, Ontological, and Workflow Patterns Evaluation

Recker et al. (2007) propose a generic framework for language evaluation based on the combination of ontological, semiotic, and pattern-based evaluation. They report on the first attempt to classify existing theoretical frameworks for process modeling language evaluation by using this framework. Their work provides an evaluation of existing frameworks as well as an evaluation of BPMN. For more information on the framework, consult Recker et al. (2007).

Some general statements on BPMN can be summarized from the analysis based on the study of Recker et al. (2007), which partly confirms the findings of the studies performed by the standalone approaches:

Representation of state. BPMN lacks the capabilities to model state-related aspects of business processes and is limited, if not incapable of modeling states assumed by things and state-based patterns.

Specialization of constructs. BPMN lacks attributes in the specification of the language constructs.

Weak support for resource modeling. There is lacking support for representing resource patterns and the evaluation comment the same as Wohed et al. (2006) when regarding the lane and pool constructs that are additionally criticized for being overloaded.

Redundant constructs. There is a relatively high degree of construct redundancy, which might explain why there are as many as three different BPMN representations for the same basic workflow patterns (Wohed et al. 2006).

In (Börger 2012) BPMN, YAWL and workflow patterns are compared. Although all are criticized, we here focus on the critique against BPMN 2.0 as a standard to precisely capture business scenarios and to analyze, communicate and manage the resulting models

Ambiguities and underspecification of several concepts, including lifecycle, (nested) interruption, completion of processes, expression evaluation, interaction of transient and persistent triggers.

Poor conceptual support for important concepts such as state, resources, enforced process structure and concurrent process communication/interaction

A number of interdefinable construct meaning you have to look many places in the definition to find the complete semantics of a concept. Fuzzy overlapping between concepts makes it harder to know and agree upon what concept to use in what situation

3.5 Formal Analysis Using Petri Nets

Dijkman et al. (2007) map BPMN models to Petri Nets to be able to use efficient analysis techniques available for Petri Net models. In doing this, they could evaluate the semantic correctness of BPMN models as well as disambiguating the core constructs of BPMN. The approach is used for empirical analysis with BPMN models found online. For more information on their work, consult Dijkman et al. (2007).

In converting BPMN diagrams to Petri Nets, Dijkman et al. (2007) discovered some issues in the BPMN specification and discuss possible solutions for these.

Process models with multiple start events. This is a situation where the BPMN specification indicates that each start event should generate a process instance. In situations where there are multiple start events without wait, there has to be some correlation mechanism to link the occurrence of a start event to an appropriate process instance. In different sources discussing quality of BPM-models (e.g. 7PMG (Mendling et al. 2010)) one propose to limit the number of start events.

Process instance completion. This is a situation where there are multiple end events and no clear indication in the specification when a process model is considered to be “completed”. When the first end is reached, or when all tasks have met their end. Thus in 7PMG one also proposes to have only one end event.

Exception handling for concurrent subprocess instances. There are unaddressed issues in the specification regarding the interrupt caused by subprocesses experiencing exceptions in a parallel multi-instance activity. The unclarity is related to whether the exception caused would only affect the subprocess in question or all subprocess instances spawned by the invocation activity.

OR-join gateway. The semantics of OR-join gateways is argued to be unclear regarding the relative definition of “upstream”. It is advised that the BPMN specification adopt existing semantics with a formal foundation rather than attempting to define a new one.

3.6 Semi-Structured Interviews of BPMN Users

One effort to seek empirical evidence of theoretical propositions is done by following up a BWW representational analysis (see Sect. 3.1) with semi-structured interviews with BPMN users. The research questions for this study were initially to discover the representational shortcomings of BPMN in light of the BWW-

framework and to discover which of these were perceived as actual shortcomings by the BPMN users. This study involved 19 participants from six organizations distributed over four Australian states. The results are reported in Recker et al. (2005, 2006).

A follow-up of this study was a web-based survey performed between May and August 2007 including 590 BPMN users from different parts of the world. A presentation of the results is available in Recker (2008).

Interviews based on weaknesses discovered by representational analysis uncover how this affects the users (Recker et al. 2006).

Workarounds to fit local needs. The general impression regarding construct deficit is that even though the participants claim that they do not need to model state changes, business rules, or system structure they in fact find workarounds and represent this information outside the BPMN-model itself. In modeling events, as many as 74 % did not experience any limitation in using BPMN for this, and the problem declined for users using the expanded set compared with interviewees using the core set of elements. This is in contradiction to the theoretical proposition claiming that there would be confusion connected to using the expanded set.

Construct overload. The analytical evaluation proposed that there would be ambiguities regarding the lane and pool constructs. This was supported by the interviews and is mainly based on that these constructs are used to represent a whole range of different real-world constructs as discussed in Recker et al. (2007).

In reporting the web-based quantitative survey (Recker 2008), the following issues were identified:

Support for business rule specification. Rule specification is an essential task in understanding business processes, and it would be good to see that process modeling solutions acknowledge this better and provide support for this. This is suggested by one of the participants to be as simple as an additional graphical symbol implying that there is a business rule at work. Note that one of the activity types of BPMN 2.0 support this on a simple level.

Weak support for resource modeling. The ambiguity that comes with the flexible semantics of lanes and pools is contradictory to their ease of use in modeling. One advice here is to provide better support for differentiating the multiple purposes for which lanes and pools can be used.

Understanding and use of constructs. The survey show that there is some doubt related to the use of gateways, off-page connectors (link events), and groups. Basically, there is confusion on when to use these concepts and why. This might stem from the fact that they are constructs of the model and not the process modeled. When it comes to events, it is some frustration related to selecting the right kind of event.

Figure 8 shows results from the survey for the expressed need for the different BPMN constructs.




Fig. 8 Reported need for BPMN constructs (Adapted from Recker 2008)

3.7 Case Study of BPMN in Practice

zur Mühlen and Ho (2008) followed the redesign of a service management process in a truck dealership in USA using action research. The study included reports on experiences from using BPMN with participatory modeling of the *as is* and *to be* process and the activation of the models for simulation purposes, providing the following results:

Understanding and use of constructs. Experience from the case study shows that the core set is used and understood. In cases where the entire set of BPMN constructs is used, the audience tends to disregard the richer meaning provided by the extended set (zur Mühlen and Ho 2008). The applied notation is primarily limited to the core constructs.

Workarounds to fit local needs. Use of constructs different from what suggested in the specification has been observed. Modelers purposely create syntactically wrong models to improve readability and to simplify the modeling task. One example of this is placing activity constructs across lanes to indicate that there are several organizational units participating in completing a task. This is not uncommon. When using BPMN for supporting the quality system in a large company, understanding (pragmatic quality in SEQUAL) is regarded as more important than using the language correctly (syntactic quality in SEQUAL) (Wesenberg 2011).

Tool dialects. The tool used had its own BPMN dialect that was not fully compliant with the official BPMN specification.

3.8 *Statistical Analysis of BPMN Models*

Similar to the work of Dijkman et al. (2007) mapping models to Petri Nets for analysis, zur Mühlen and Recker (2008) have translated BPMN models into Excel spreadsheets and used the representation with different mathematical tools for statistical analysis and comparison. The models investigated were collected from three different groups: models used in consulting project, models created as part of BPMN education seminars, and models found online. Investigated phenomena include the general use of constructs, their frequency of use, and the correlation of use of different constructs.

Modeling constructs used similar to that of natural language. By arranging constructs by frequency, the study revealed a distribution similar to the distribution previously observed for natural languages. This suggests that the use of BPMN constructs for expressing business processes mirrors the use of natural language. This would further suggest that expressiveness is based on the modelers existing vocabulary and that one will use whatever constructs one has knowingly available. The study found further support for this through observing that precise semantics is used by the consultant group and for models created in seminars, thus suggesting that this is based on formal training increasing construct vocabulary. Like many natural languages, BPMN has a few essential constructs, a wide range of constructs commonly used, and an abundance of constructs virtually unused (zur Mühlen and Recker 2008).

Precise constructs replace the need for text annotations. Another issue discovered by mapping the correlation of constructs is based on the negative correlation between the extended set of gateways and text annotations. Text annotations seem to act as a substitute for formal event and gateway types by describing behavior informally.

Practical language complexity does not equal theoretical complexity. Based on the result, the study also made an attempt to measure the practical complexity of BPMN based on the number of semantically different constructs used in each model. On average this resulted in the number of different constructs used as 9 (consulting), 8.87 (web), and 8.7 (seminars). There is, however, variation in what constructs are used, but nevertheless this has provided an image of a far less complex language in practice compared with its theoretical complexity. Altogether, there was found six pairs of models out of 120 models examined that shared the same constructs, but there were several models sharing the same construct combinations or subsets.

Models focus on choreography or orchestration, not both. By organizing the model subsets using Venn diagrams showing what subsets were used in combination, the study revealed that modelers either focus on process orchestration by refining models by means of extended gateways or they focus on process choreography by adding organizational constructs, such as pools and lanes (zur Mühlen and Recker 2008).

3.9 Evaluation of New Diagrams in BPMN 2.0

An assessment of BPMN using the Service Interaction Patterns (Barros et al. 2005) presented by Decker and Puhmann (2007) showed weak support for modeling complex choreographies in BPMN. This weakness was connected to distinguishing between several instances of participants and using references to single participants for messaging. In BPMN 2.0 specific choreography diagrams are included. In (Cortes-Cornax et al. 2011) the choreography diagrams of BPMN 2.0 are evaluated using a specialization of the core language quality criteria of SEQUAL:

- Domain appropriateness is specialized in participant specification, service communication, time constraints, and exception handling
- Comprehensibility appropriateness is specialized in meta-model quality, guidance for model quality, and notation quality (based on (Moody 2009))
- Tool appropriateness is specialized in formalism, flexibility, integration with process execution, portability and monitoring possibilities

Some limitations have been found on all of these areas. Since our focus is on the standard process modeling, we refer to this article for further detail.

3.10 Evaluation of BPMN Modeling Tools

Even if much can be said about the modeling language as such, the practical usage of the language in particular for the large-scale use is dependent on the tool support of the language. (Evéquoz and Sterren 2011) provides an evaluation of the following BPMN tools:

- Activiti BPM Platform 5.7
- Bonita Open Solution 5.5.2
- IBM Blueworks Live
- Imeikas BPMN2 Visual Editor for Eclipse
- Intalio BPMS Designer 6.0.3 Community Edition
- ITP-Commerce Process Modeler 5 SR6 (Professional)
- JBoss jBPM5 5.1
- Joinwork Process Studio 3.1
- MID Innovator for Business Analysts – Enterprise Edition 11 R4
- Oracle BPM Suite 11gR1
- Signavio Oryx BPM Academic Initiative
- Visual Paradigm Business Process Visual ARCHITECT 4.2 SP2

The languages were evaluated according the three levels of BPMN described in Sect. 2 plus a simple level (to be used manually on a whiteboard by process stakeholders). An example model for each four levels was developed to be used in the evaluation. Modeling 4 reference processes in every 12 tools should have

resulted in 48 models. However, 9 diagrams (8 “complete”, 1 “analytic”) could not be modeled at all due to insufficient palette support in the tools. Of the 39 resulting processes, only 7 were found to benefit from a full support of the tools, whereas for the other 32, workarounds had to be found. Signavio Oryx was the only tool that offers a full support of the BPMN 2.0 to model all 4 reference processes. The problems that appeared the most often were related to:

- Unavailable events – 16 occurrences
- Annotations (Unavailable shapes, no directional annotation flows) – 14
- Subprocesses (unavailable subprocess types, wrong depiction) – 10
- Pools (no pools, no black-box pools, only one pool) – 9
- Some activity types not available – 7

To evaluate how the selected BPMS support BPMN 2.0 export, the 39 processes was exported. Of the 39 processes exported only 8 processes, produced by only three tools, were found fully valid (i.e. including proper schemas declaration). When not taking into account missing XML schema declaration, 21 processes were exported in a valid manner. The validation errors encountered the most often were:

- Missing required attribute – 10 occurrences
- Incomplete element content – 10
- Invalid child element – 10
- Invalid attribute or element – 9
- Duplicate identifier – 8
- Reference to undeclared identifier – 5
- Invalid data type – 4

Note that this evaluation was done less than a year after the official release of the BPMN 2.0 standard, thus many minor errors are expected to be solved since then.

4 Summary of the Evaluations

Even if there were criticism of a modeling approach based on analytical evidence, the potential weaknesses would have to be backed up or confirmed empirically to determine its real impact. A weakness based on analytical proof found in some detailed part of a specification might not even be apparent to the user not aware of its existence, or in the opposite case the user might end up designing erroneous or ambiguous models due to poor formalism or tool support.

In this section, we will look at both the analytical and empirical evaluations together to identify similarities and difference. We will see that the consequences of the findings to a large extent depend on the goal of the modeling task, and that the goal of the language itself also must be taken into consideration when assigning the final evaluation. BPMN seeks to serve both a broad audience in the business segment on the one hand, and on the other hand it reaches out to the technical

community. In doing so, it is of potential use within all six categories of process modeling, as suggested by Krogstie (2012b), although it has limitations for supporting process simulations and interactive activation. Further it has several groups of users whose requirements for use and modeling goals are quite different.

We will use the six language quality areas of SEQUAL (Krogstie 2012a) to classify the findings in the different evaluations. This is based on the fact that it is a readily available framework for classifying quality, and thus it should be able to cover the findings, especially since many of the existing evaluations are already related to areas of SEQUAL. Additions to BPMN 2.0 that address earlier deficiencies are taken into account.

4.1 Domain Appropriateness

Weak support for resource modeling is discovered using the Workflow Patterns Framework and the generic framework. This is confirmed also by the semi-structured interviews and web-based surveys. In addition the BWW framework finds BPMN to have weak support for modeling system structure.

The BWW and Workflow Patterns Framework also find the representation of ‘state’ to be weak, which is confirmed by (Börger 2012). The generic framework confirms this, which does not come as a surprise since it is based on the first two. There are also limitations in the possibility to represent other business oriented aspects such as business rules and business data, although this is supported on a high level in BPMN 2.0.

4.2 Comprehensibility Appropriateness

There are redundant constructs in BPMN and there are cases of multiple representations of the same patterns. In addition the lane and pool constructs are considered to be overloaded. The evaluation of the notation using the framework of Moody points to a number of possible improvements relative to comprehensibility (see Sect. 3.3.3). The practical language complexity does not, however, equal the theoretical complexity and in understanding models, there is a tendency to disregard the richer meaning of the extended set. This is probably the only area in which the empirical evaluations do not directly support the analytical.

4.3 Modeler Appropriateness

Missing support for business rule specification is one weakness mentioned in the web-based survey, whereas the semiotic and generic evaluation framework is missing the support for business-specific terms or specialized constructs. One

workaround for these issues is observed in the semistructured interviews where there are cases where own constructs are used to fit the modeling needs. There is also an observed difference in the use of text annotations, particularly they tend to be used less for models designed by using more precise constructs from the extended set and in the opposite case act as a surrogate for the expressiveness of rich constructs in less precise models. The introduction of levels of models is probably an important step to ensure cognitive fit for the modelers (and for different modeling approaches)

4.4 Participant Appropriateness

Several evaluations discuss the understanding and use of constructs and the key findings include the fact that some form of training is needed to use BPMN properly. Constructs like the off-page connectors support modeling and not the process which can be confusing for some users. The large variety of ways to represent similar situations might make model interpretation more complex. This is less a problem when using the simple and descriptive sub-sets of the language.

4.5 Tool Appropriateness

Workflow patterns report the lack of support for representation of multiple instances.

The Petri net analysis reveals some issues regarding the use of BPMN for simulation in cases with multiple start or end events and concurrency of subprocesses. As mentioned in (Silver 2012), there are also other limitations in making it possible to represent necessary aspects for performing process simulations (e.g. the representation of average time for a task invocation). In BPMN 2.0 a more formal definition of the semantics of the language has been provided for better support of modeled execution either directly or through mapping to BPEL. This also combined with the standardized representation of the graphical model give better support for model interchange between tools, although as we see in (Évéquoz and Sterren 2011) that current tools support this to only a limited degree so far.

4.6 Organizational Appropriateness

The case study of BPMN in practice discovered an issue related to the fact that there are several different tool dialects and these are not fully compliant with the BPMN specification. The more formally defined meta-model and exchange format provided in BPMN 2.0 makes it possible to address this issue in future tools, although

we see that not all tools yet implement the new features. There are also a number of important aspects being beyond the scope of the standard.

5 BPMN Extensions

Results from the evaluations show that users are able to find workarounds for some of the weaknesses found in BPMN. In most of these cases, there is a gap between what is possible to achieve using BPMN and the desired goal of the user. One way to approach this problem is by building extension to close this gap, and by doing this, prototype different kinds of functionality possible to include in the BPMN specification. The following section presents five reported efforts to extend BPMN and by this show identified weaknesses discovered by means of practical use and proposed solutions for these weaknesses. The first two proposals address issues related to semantic correctness and modeling of resources while the third discusses a topic not discussed in the evaluations, but which is still important: Combining user-interface modeling with process modeling which is relevant in scenarios involving the reengineering of existing processes supported by information systems for the end user. The fourth looks on better support for representing business rules in BPMN. A final overview of other aspects found necessary in more general enterprise modeling concludes the section.

5.1 *Checking Semantic Correctness Using Petri Nets*

By using the XML serialization created by a BPMN tool, Dijkman et al. (2007) have implemented a tool to translate BPMN models to Petri Nets via the Petri Net Markup Language (PNML). Once converted to a Petri Net, the BPMN model can be analyzed using Petri net analysis toolset. This work is limited to the control-flow perspective of BPMN and the order in which activities and events are allowed to occur. Weaknesses found in this paper are discussed in Sect. 3, but the suggested extension allowing semantic validation of BPMN models is considered to be a potentially helpful tool for assisting the building of formal models.

5.2 *Modeling of Task-Based Authorization Constraints in BPMN*

An extension of BPMN is suggested by Wolter and Schaad (2007) to support resource allocation patterns. These patterns allow specifying authorization constraints, for instance role-task assignments, separation of duty, and binding of duty

constraints. This is done by adding security relevant semantics to the group and lane elements of BPMN and deriving a new textual artifact from the textual annotation element. Extending BPMN with the support for describing security aspects of workflow can widen its scope and application and can be relevant also for modeling business scenarios.

5.3 Combined User-Interface and Process Modeling

One approach for execution support of BPMN is mapping to BPEL. On the other hand, the focus of BPEL engines is on process executions and not on the user-interface of the applications, which in practice can result in good process support systems that is hampered by an inappropriate user-interface, thus meeting unnecessary implementation problems. Trættemberg and Krogstie (2008) presents an approach for combining model-based user-interface design (MBUID)-approaches with BPMN as a task modeling language to make it easier to develop appropriate user-interfaces and user-interfaces applicable for user tailoring for BPM-solutions. The executional semantics provided for BPMN 2.0 should also be looked at for being integrated with a user-interface model.

5.4 Integrating Goal and Process Modelling

Combining process model with goal and rule models has been done for more than 20 years (Krogstie et al 1991). Whereas early work to this type linked more to executable rules, later more high level rules including both alethic and deontic rules has been linked (Krogstie and Sindre 1996). In (Krogstie 2008), we see example of combining hierarchies of deontic rules to process models. According to (Natschläger et al 2013) A drawback of BPMN is that modality is implicitly expressed through the structure of the process flow but not directly in the activity. To address this, an extension of BPMN with deontic logic called Deontic BPMN has been proposed. Deontic BPMN reduces the structural complexity of the process flow and increases the readability by explicitly highlighting obligatory and permissible activities.

5.5 BPMN and Enterprise Modeling

In (Silver 2012), the following list is provided as additional concepts not directly covered in BPMN needed to model related to a BPM program:

- High-level business context (relations to other business actors such as competitors and customers)
- Strategic objectives
- Performance metrics and KPIs
- Controls and constraints
- Products and services
- Locations
- Value chains and process portfolios
- Operational goals
- Policies
- Organizational structures and roles
- Resource requirements
- Revenue and costs (activity-based and resource based)
- Job aids
- IT-systems and services
- Data

Although beyond the standardization effort of BPMN, one needs to look at how BPMN fit within an enterprise model/enterprise architecture. Note that this echoes some of the critique provided in Wahl and Sindre (2005) described in Sect. 3.3.1.

6 Discussion and Implications for Practice

Although much of the work reported in this chapter stems from academic research, there are some important learnings from this for practitioners that are to use BPMN. Although the analytical evaluations points to a number of issues we see from the empirical investigations that these weaknesses are by the users treated lightly and through workarounds, which might work well in particular when the models are not to be reused across time and space as part of the organizational memory (Krogstie et al 2008). Although BPMN is complex, it can (and should) be adapted to different goals. Thus a start when using BPMN will be to clarify the goal of modeling cf. the different possible objectives for modeling as depicted in Fig 1. Most use of BPMN in practice is on the descriptive level (Silver 2012) where only a small part of the palette is in use, and this seems to be usable my many. When at this level, Wesenberg (2011) emphasize that one should focus on pragmatic quality (understanding), and not so much on completeness of model (semantic quality) and syntactic quality (that BPMN is used correctly). When using the language for e.g. process simulation or workflow systems, more rigour must be used.

Thus to use BPMN in a way fitting the goal of modelling is the best takeaway, although it is useful to also have in mind the stated limitations of the language. No modeling languages is perfect, but limitations if they are relevant can often be addressed by tool support and the use of appropriate modeling methodologies. Note thought that the level of support in different tools varies quite a bit.

When using BPMN models across the organization, local model interpretation and tool dialects might be problematic, as models will not be directly available for externalization and interoperability issues might arise when moving models between organizations or groups within organizations. Thus even if one have defined a more formal semantics, and an official XML serialization in the BPMN 2.0 standard, one can get similar problems if not adhering to these and to additional style guidelines as described e.g. in (Silver 2012). Very few of the problems relative to expressiveness and comprehensibility of BPMN as discussed above was addressed in BPMN 2.0.

By limiting the evaluation of practical use of BPMN within one organization or group, some of the analytically identified weaknesses might not be problematic since the model has limited use and fit local (but not organizational) goals. When evolving the same model through different phases, from sense-making to analysis through simulation, and when integrating the model to the development process by involving different tools for modeling, simulation, and execution, which also requires different levels of formalism and detail and user skill, this suggests that BPMN in fact does not scale up for the use across organizations unless there is formal training based on precise semantics and that the BPMN tools are built on the precise meta-model of BPMN 2.0. As indicated, there are people claiming that the current meta-model is not sufficiently precise for this use.

The focus in most evaluations so far has been on BPMN in isolation and not as part of e.g. an enterprise architecture. Except for some cases, little comparison between BPMN and other approaches has been done. The evaluations on which this report is based on BPMN 1.0, BPMN 1.1 and BPMN 2.0. As for the empirical studies these are partly reliant on the local implementation of BPMN and the dialect of the BPMN tool in question, rather than the standardised specification.

On the account of BPMN 2.0 it might be that there are issues within BPMN that are more important to solve than others in order for the continued use and growth of BPMN. The overall goal for BPMN 2.0 (OMG 2011) was to integrate both notation, meta-model and interchange format within one language. From the empirical studies one can further see that there is a difference in the perceived use of BPMN regarding the use of the core or the expanded set. Few of the studies indicate whether they are based on the one or the other, which might impose a problem on the user-side. One might select BPMN for a task based on expressiveness, but planning to use the core set which at one point would go wrong.

There is room for more empirical work on the actual use of BPMN, especially with the use of the more formal modeling aspects supported in BPMN 2.0. It would be wise to perform replication studies on future BPMN work based on revisions of the standard.

Some other questions for future work are: How fast the tool support for a revised version of the standard will be available and what are the consequences of having two different versions available? How will the different versions of BPMN map to each other? A final issue is if the proposed weaknesses found impose actual problems or if the workarounds found among the users (extending BPMN with local support utilities of their choice) provide a better approach all together than trying to build an all-in-one language.

References

- Abbot KR, Sarin SK (1994) Experiences with workflow management: issues for the next generation. In: ACM CSCW conference. New York, USA
- Ambriola V, Conradi R, Fuggetta A (1997) Assessing process-centered software engineering environments. *ACM Trans Softw Eng Methodol* 6(3):283–328
- Barros A, Dumas M, ter Hofstede AHM (2005) Service interaction patterns. In: Proceedings of the 3rd international conference on business process management, Sept 2005. Springer, Nancy, pp 302–318
- Bolcer G, Kaiser G (1999) SWAP: leveraging the web to manage workflow. *IEEE Internet Comput* 3(1):85–88
- Booch G, Rumbaugh J, Jacobson I (2005) The unified modeling language: user guide, 2nd edn. Addison-Wesley, Reading
- Börger E (2012) Approached to modelling business processes: a critical analysis of BPMN, workflow patterns and YAWL. *Softw Syst Model* 11:305–318
- Cortes-Cornax M, Dupuy-Chessa, S, Rieu D, Dumas M (2011) Evaluating choreographies in BPMN 2.0 using an extended quality framework. In: Dijkman R, Hofstetter J, Koehler J (eds) BPMN 2011, LNBIP, vol 95, Heidelberg, Germany, pp 103–117
- Davies I, Green P, Rosemann M, Indulska M, Gallo S (2006) How do practitioners use conceptual modelling in practice? *Data Knowl Eng* 58:358–380
- Decker G, Puhlmann F (2007) Extending BPMN for modeling complex choreographies. In: Proceedings of the 15th international conference on cooperative information systems (CoopIS), LNCS, vol 4803. Heidelberg, Germany
- Derniame JC (ed) (1998) Software process: principles, methodology and technology. Lecture notes in computer science, vol 1500. Springer, Berlin/Heidelberg/New York
- Dijkman RM, Dumas M, Ouyang C (2007) Formal semantics and analysis of BPMN process models. Queensland University of Technology, Brisbane
- Évéquoz F, Sterren C (2011) Waiting for the miracle: comparative analysis of twelve business process management systems regarding the support of BPMN 2.00 palette and export technical report IIG-TR 2011-03
- Fischer L (2000) Excellence in practice IV – innovation and excellence in workflow and knowledge management. Workflow Management Coalition/Future Strategies Inc, Lighthouse Point
- Fox MS, Gruninger M (2000) Enterprise modeling, *AI Magazine*
- Gane C, Sarson T (1979) Structured systems analysis: tools and techniques. Prentice Hall, Englewood Cliffs
- Gemino A, Wand Y (2003) Evaluating modeling techniques based on models of learning. *Commun ACM* 46:79–84
- Genon N, Heymans P, Amyot D (2011) Analysing the cognitive effectiveness of the BPMN 2.0 visual notation. In: Malloy B, Staab S, van den Brand M (eds) SLE 2010, LNCS, vol 6563. Springer, Heidelberg, pp 377–396
- Hammer M (2014) What is business process management? In: vom Brocke J, Rosemann M (eds) Handbook on business process management, vol 1, 2nd edn. Springer, Heidelberg, pp 3–16
- Hammer M, Champy J (1993) Reengineering the corporation: a manifesto for business revolution. Harper Business, New York
- Harmon P (2014) The scope and evolution of business process management. In: Brocke J, Rosemann M (eds) Handbook on business process management, vol 1, 2nd edn. Springer, Heidelberg, pp 37–80
- Havey M (2005) Essential business process modelling. Sebastopol, O'Reilly
- IDEF-3x (1993) Process modeling language specification, standard NA-94-1422B, Rockwell International
- Krogstie J (2008) Integrated goal, data and process modeling: from TEMPORA to model-generated work-places. In: Johannesson P, Söderstrøm E (eds) Information systems engineering from data analysis to process networks. IGI, Hershey, pp 43–65

- Krogstie J (2012a) Model-based development and evolution of information systems: a quality approach. Springer, London
- Krogstie J (2012b) Quality of BPM, PoEM 2012
- Krogstie J, Jørgensen H (2004) Interactive models for supporting networked organizations. In: 16th conference on advanced information systems engineering. Springer, Riga/Berlin/Heidelberg/New York
- Krogstie J, Sindre G (1996) Utilizing deontic operators in information systems specifications. *Requir Eng J* 1:210–237
- Krogstie J, McBrien P, Owens R, Seltveit AH (1991) Information systems development using a combination of process and rule based approaches. Paper presented at the third international conference on advanced information systems engineering (CAiSE'91), Trondheim
- Krogstie J, Sindre G, Jørgensen HD (2006) Process models representing knowledge for action: a revised quality framework. *Eur J Inform Syst* 15(1):91–102
- Krogstie J, Dalberg V, Jensen SM (2008) Process modeling value framework, enterprise information systems. In: Manolopoulos Y, Filipe J, Constantopoulos P, Cordeiro J (eds) Selected papers from 8th international conference, ICEIS 2006, Paphos, 23–27 May 2006. Lecture notes in business information processing, vol 3. Springer, Berlin
- Kuntz JC, Christiansen TR, Cohen GP, Jin Y, Levitt RE (1998) The virtual design team: a computational simulation model of project organizations. *Commun ACM* 41(11):84–92
- Lillehagen F, Krogstie J (2008) Active knowledge models of enterprises. Springer, Heidelberg
- Mending J, Reijers HA, van der Aalst WMP (2010) Seven process modeling guidelines (7PMG). *Inf Softw Technol (IST)* 52(2):127–136
- Moody DL (2009) The “physics” of notations: toward a scientific basis for constructing visual notations in software engineering. *IEEE Trans Softw Eng* 35:756–779
- Muehlen MZ, Recker J (2008) How much language is enough? Theoretical and practical use of the business process modeling notation. In: Bellahsene Z, Leonard M (eds) CAiSE 2008. LNCS, vol 5074, Springer, Heidelberg, pp 465–479
- Natschläger C, Kossak, F, Schewe K-D (2013) Deontic BPMN: a powerful extension of BPMN with a trusted model transformation. *Softw Syst Model*. DOI [10.1007/s10270-013-0329-5](https://doi.org/10.1007/s10270-013-0329-5)
- Nysetvold AG, Krogstie J (2006) Assessing business process modeling languages using a generic quality framework. In: Siau K (ed) Advanced topics in database research series, vol 5. Idea Group, Hershey, pp 79–93
- OMG (2000) Workflow management facility v. 1.2. Object Management Group
- OMG (2008) BPMN v1.1 specification. Technical report, OMG. <http://www.omg.org/>, <http://www.omg.org/spec/BPMN/1.1/>. Accessed Jan 2008
- OMG (2011) Business process model and notation (BPMN 2.0) <http://www.omg.org/spec/BPMN/2.0>
- Ouyang C et al (2014) Workflow management. In: vom Brocke J, Rosemann M (eds) Handbook on business process management, vol 1, 2nd edn. Springer, Heidelberg, pp 475–506
- Recker J (2008) BPMN modeling – who, where, how and why. *BPTrends*
- Recker J, Indulska M, Rosemann M, Green P (2005) Do process modelling techniques get better? A comparative ontological analysis of BPMN. 16th Australasian conference on information systems, Sydney
- Recker J, Indulska M, Rosemann M, Green P (2006) How good is BPMN really? Insights from theory and practice. 14th European conference on information system (ECIS 2006). Gothenburg, pp 1–12
- Recker J, Rosemann M, Krogstie J (2007) Ontology-versus pattern-based evaluation of process modeling languages: a comparison. *Comm Assoc Inform Syst* 20:774–799
- Rosemann M, vom Brocke J (2014) The six core elements of business process management. In: vom Brocke J, Rosemann M (eds) Handbook on business process management, vol 1, 2nd edn. Springer, Heidelberg, pp 105–122
- Rosemann M, Recker J, Indulska M, Green P (2006) A study of the evolution of the representational capabilities of process modeling grammars. *Adv Inf Syst Eng CAiSE* 4001:447–461

- Russell N, ter Hofstede AHM, van der Aalst WMP, Mulyar N (2006) Workflow control-flow patterns: a revised view. BPM Center Report BPM-06-22, BPMcenter.org, pp 6–22
- Scheer AW (2000) ARIS – business process modeling, 3rd edn. Springer, Berlin
- Silver B (2012) BPMN method & style, 2nd edn. Cody-Cassidy, Aptos
- Trætteberg H, Krogstie J (2008) Enhancing the usability of BPM-solution by combining process and user-interface modeling. In: PoEM 2008. Springer
- van der Aalst WMP, Desel J, Oberweis A (eds) (2000) Business process management. Lecture notes in computer science, vol 1806. Springer, Berlin/Heidelberg/New York
- van der Aalst WMP, ter Hofstede AHM, Kiepuszewski B, Barros AP (2003) Workflow patterns. *Distrib Parallel Databases* 14:5–51
- Völzer H (2010) An overview of BPMN 2.0 and its potential use. In: Mendeling J, Weidlich M, Weske M (eds) BPMN 2010 LNBIP, vol 67, Springer, Heidelberg, pp 14–15
- Wahl T, Sindre G (2005) An analytical evaluation of BPMN using a semiotic quality framework. In: Proceedings of EMMSAD'2005, Porto, Portugal, pp 533–544
- Wand Y, Weber R (1993) On the ontological expressiveness of information systems analysis and design grammars. *J Inform Syst* 3(4):217–237
- Wesenberg H (2011) Enterprise modeling in an agile world. In: Proceedings of the 4th conference on practice of enterprise modeling, Oslo, Nov 2011, pp 2–3
- WfMC (2000) Workflow Handbook 2001. Workflow Management Coalition/Future Strategies Inc, Lighthouse Point
- White SA (2004) Introduction to BPMN. IBM Cooperation
- Wohed P, van der Aalst WMP, Dumas M, ter Hofstede AHM (2005) Pattern-based analysis of BPMN – an extensive evaluation of the control-flow, the data and the resource perspectives (revised version), BPM Center Report BPM-06-17, BPMcenter.org
- Wohed P, van der Aalst WMP, Dumas M, ter Hofstede AHM (2006) On the suitability of BPMN for business process modelling. *Business Process Management – BPM 2006*, Lecture notes in computer science, vol 4102. Vienna, pp 161–176
- Wolter C, Schaad A (2007) Modeling of task-based authorization constraints in BPMN. In: BPM Conference. Springer, pp 64–79
- zur Mühlen M, Ho DT (2008) Service process innovation: a case study of BPMN in practice. In: Hawaii international conference on system sciences, proceedings of the 41st annual. Los Alamitos, USA
- zur Mühlen M, Recker JC (2008) How much language is enough? Theoretical and practical use of the business process modeling notation. In: Proceedings CAiSE'08. Springer, Montpellier

Lifecycle Management of Business Process Variants

Manfred Reichert, Alena Hallerbach, and Thomas Bauer

Abstract This chapter deals with advanced concepts for the configuration and management of business process variants. Typically, for a particular business process, different variants exist. Each of them constitutes an adjustment of a master process (e.g., a reference process) to specific requirements building the process context. Contemporary Business Process Management tools do not adequately support the modeling and management of such process variants. Either the variants have to be specified in separate process models or they are expressed in terms of conditional branches within the same process model. Both methods can result in high model redundancies, which make model adaptations a time-consuming and error-prone task. In this chapter, we discuss advanced concepts of our Provop approach, which provides a flexible and powerful solution for managing business process variants along their lifecycle. Such variant support will foster more systematic process configuration as well as process maintenance.

1 Introduction

Process support is required in almost all business domains (Mutschler et al. 2008; Reichert and Weber 2012). As examples, consider healthcare (Lenz and Reichert 2007), automotive engineering (Müller et al. 2006), and public administration (Becker et al. 2007). Characteristic process examples from the automotive industry, for instance, include product change management (VDA 2005), release management (Müller et al. 2006), and product creation.

Usually, there exists a multitude of *variants* of a particular process model, whereby each of these variants is valid in a specific scenario or in the context of a particular business objective (Lohrmann and Reichert 2012); i.e., the

M. Reichert (✉)

Institute of Databases and Information Systems, University of Ulm, Ulm, Germany
e-mail: manfred.reichert@uni-ulm.de

configuration of a particular *process variant* depends on concrete requirements building the *process context* (Hallerbach et al. 2008b; vom Brocke 2007). Regarding release management, for example, we have identified more than 20 process variants depending on the considered product series, involved suppliers, or development phases. Similar observations can be made with respect to the product creation process in the automotive domain for which dozens of variants exist. Thereby, each variant is assigned to a particular product type (e.g., car, truck, or bus) with different organizational responsibilities and strategic goals, or varying in some other aspects.

In the following, we refer to the service process handling vehicle repair in a garage (cf. Fig. 1a). Basically, this process works as follows: It starts with the reception of a vehicle. After a diagnosis is made, the vehicle is repaired (if necessary). During diagnosis and repair, the vehicle is maintained; e.g., oil and wiping water may be checked and refilled. The process completes when handing the repaired and maintained vehicle back to the customer. Depending on the process context, different variants of this process are required, whereas the context is described by country- specific, garage-specific, and vehicle-type-specific variables. In our case studies, we have identified hundreds of such variants and we have learned that existing process modeling tools do not provide sophisticated support for modeling and maintaining such large number of process variants.

Figure 1b–d show three such variants of a vehicle repairs process. Variant 1, as depicted in Fig. 1b, assumes that the damaged vehicle requires a checklist of *Type 2* to perform the diagnosis. Therefore, activity *Diagnosis* is adapted by modifying its attribute *Checklist* to value “*Type 2*”. Additionally, the garage omits maintenance of the vehicle as this is considered as a special service not offered conjointly with the repair process. At the model level, this is realized by skipping activity *Maintenance*. As another example, consider Variant 2 as depicted in Fig. 1c. Due to country-specific legal regulations, a final security check is required, before handing over the vehicle back to the customer. Regarding this variant, the new activity *Final Check* has to be added when compared to the standardized process from Fig. 1a. Finally, Variant 3 will become relevant if a checklist of *Type 2* is required for diagnosis, the garage does not link maintenance to the repair process, and there are legal regulations requiring a final check (cf. Fig. 1d).

As can be seen from these simple examples, variants exist for many processes, and thus have to be adequately managed. This chapter presents selected concepts of the Provop (*PROcess Variants by OPTions*) approach for managing large collections of process variants. More precisely, Provop allows to configure relevant process variants out of one basic process model (Hallerbach et al. 2008a, c; Hallerbach 2010) and to manage them along their lifecycle. This chapter focuses on the technical issues, which become relevant in this context. Also very important, but out of the scope of this chapter, are governance issues (e.g., Who selects or enforces configurations? What does variant management mean for process ownership?).

The chapter is structured as follows: First, we present problems, which will arise if we do not treat variants as first class objects and only model them conventionally.




Fig. 1 Variants of a standardized vehicle repair process (simplified view)

Second, we describe key requirements with respect to process variant management. Then, we introduce our Provop approach and selected concepts for process variant management. Following this we compare Provop with other process configuration approaches and then discuss other relevant aspects. The chapter concludes with a summary and an outlook.

2 Dealing with Process Variants in Existing BPM Tools

Solutions for managing variants in existing BPM tools can be divided into two approaches: the *multi-model* and the *single-model* approach.

Multi-model approach. In existing BPM tools, process variants often have to be defined and kept in separate process models as shown in Fig. 1. Typically, this results in highly redundant model data as the variant models are identical or similar for most parts. Furthermore, the variants cannot be strongly related to each other; i. e., their models are only loosely coupled (e.g., based on naming conventions). Furthermore, there is no support for (semi-) automatically combining existing variants to a new one; e.g., Variant 3 of our repair process (cf. Fig. 1d) combines the adjustments made by Variant 1 and Variant 2, and applies them to the standardized process. However, it cannot be created out of the existing models of these




Fig. 2 Process variants realized by conditional branches

two variants as there is no indication which model parts are variant-specific and which are common for all models.

This multi-model approach will therefore be only feasible if few variants exist or the variants differ to a large degree from each other. Considering the large number of variants occurring in practice, however, the aforementioned drawbacks increase modeling and maintenance efforts significantly. Particularly, the efforts for maintaining and changing process variants become high since more fundamental process changes have to be accomplished for each variant separately (e.g., due to changed or new legal regulations). This is both time-consuming and error-prone. As another consequence, over time models representing the variants more and more differ from each other; e.g., when optimizations are only applied to single variants without considering their relations to other ones (Weber and Reichert 2008). This, in turn, makes it a hard job for process designers to analyze, compare, and unify business processes and to implement the multiple variants within a common IT system. As conclusion, generally, modeling all process variants in separate models does not constitute an adequate solution for variant management.

Single-model approach. Another approach, frequently applied in practice, is to capture multiple variants in one single model using conditional branchings (i.e., XOR-/OR-Splits). Consider Fig. 2 as an example, which shows the repair process together with different variants (cf. Fig. 1a–d). Each execution path in the model represents a particular variant. Therefore, branching conditions indicate which path belongs to which variant.

Generally, specifying all variants in one process model can result in a large model, which is difficult to comprehend and expensive to maintain. Note that in realistic scenarios there might be dozens to up to hundreds of variants of a particular process type (Weber et al. 2011; Li et al. 2011). As another drawback, variants are then mixed with “normal” process logic; i.e., branchings relevant for all process variants cannot be distinguished from the ones representing a variant selection. For example, our repair process includes a decision to only perform activity *Repair* if necessary. Therefore, on the model side, there is a conditional branching to either perform or skip the repair step. This branching is relevant for all discussed variants of the repair process; i.e., it is no variant-specific branching. However, the user cannot distinguish between normal and variant-specific branchings, unless there are special conventions to represent variant specific conditions or other model extensions used to mark a branching as normal or variant-specific. In summary, variants

are neither transparent nor explicitly defined in this approach. As a consequence, the supporting IT system is unaware of the different process variants and only treats them as “normal” branchings within a single process model.

Discussion. Neither the use of separate models for capturing process variants nor their definition in one model based on conditional branchings constitutes adequate methods. Both approaches do not treat variants as first class objects; i.e., the variant-specific parts of a process are maintained and hidden either in separate models (multi-model approach) or in control flow logic (single-model approach). Another drawback of these approaches is the lack of context-awareness. Contextual knowledge might only be integrated and used in terms of process meta-data or branching conditions. As the process context mainly influences variant configuration, however, this fundamental aspect has to be considered more explicitly.


Note that these limitations also apply to popular business process modeling tools like ARIS Business Architect or WBI Modeler. ARIS Business Architect (IDS Scheer 2008), for example, allows to create a new process variant by copying the respective model directory and its objects, resulting in high redundancy of model data. Though the derived variant objects refer to the original objects (denoted as *master objects* in ARIS) afterwards, changes of the latter are not propagated to the variants. In principle, this corresponds to the multi-model approach as described above. However, through the explicit documentation of relation structures (between original and variant objects) some improvement is achieved.

3 Requirements

We conducted several case studies not only in the automotive industry (Müller et al. 2006; VDA 2005) but also in other domains like healthcare (Lenz and Reichert 2007), to elaborate key requirements for the configuration, adaptation, and management of process variants. This strong linkage to practice was needed in order to realize a complete and solid approach for process variant management. The requirements we identified are related to different aspects including the modeling of process variants, their linkage to process context and context-driven configuration, their execution in workflow management systems (WfMS), and their continuous optimization to deal with evolving needs; i.e., we have to deal with requirements related to the whole process life cycle (Hallerbach et al. 2008c, e; Weber et al. 2006, 2009). The standard process life cycle is depicted in Fig. 3. It consists of three phases, namely the design and modeling of the process, the creation of a particular process variant, and the deployment of this variant in a runtime environment. The process life cycle can be described as a (feedback) loop of these phases during which a process is continuously optimized and adapted (Weber et al. 2006, 2009). The major requirements to be met are described in the following.

Modeling. Efforts for modeling process variants should be kept as minimal as possible. Reuse of the variant models (or parts of them) has to be supported. In particular, it should be possible to create new variants by taking over properties

Fig. 3 Process life cycle



from existing ones, but without creating redundant or inconsistent model data. Thus, the hierarchical structure of such “variants of variants” has to be adequately represented and should be easy to adapt.

Variant configuration. The configuration of a process variant (i.e., its derivation from a given master or base process) should be done automatically if possible. Therefore, the specific circumstances (i.e., the *process context*) under which this configuration takes place have to be considered. In particular, an elaborated procedure for context-aware, automated variant configuration is required. At the same time, consistency and correctness of the configured process variants have to be ensured throughout the entire process life cycle.

Execution. To execute a process variant, its model has to be interpreted by a workflow engine. In this context, it is important to keep information about the configured process variant and its relation to a master or base process (and to other variants) in the runtime system. To deal with dynamic changes of the process context, the runtime system should additionally allow to dynamically switch process execution from one variant to another if required (i.e., to reconfigure the corresponding process variant on-the-fly). Finally, if context information is only available during runtime, the specific variant will have to be determined (i.e., configured) at runtime as well.

Maintenance and optimization. To reduce maintenance efforts and cost of change, fundamental changes affecting multiple process variants should be conducted only once. As a consequence, all process variants concerned by the respective change should be adapted automatically and correctly.

There exist other requirements addressed by Provop, but not treated here. Examples include the consistency of configured variants, adequate visualization of the variants in all life cycle phases, and provision of intuitive user interfaces for variant configuration. In this chapter, we focus on the main requirements discussed above, covering the complete *process life cycle*.

4 The Provop Approach

In practice, process variants are often created by cloning and adjusting an existing process model of a particular type according to the given context. For example, regarding the three process variant models from Fig. 1b–d, one can notice that they can be derived from the standardized process as depicted in Fig. 1a by adding, removing, or modifying activities. Generally, every process model can be derived out of another one by adjusting it accordingly, i.e., by applying a set of change




Fig. 4 Variant configuration by process model adaptation

operations and change patterns, respectively, to it (Weber et al. 2008). Starting from this observation, Provop provides an *operational approach* for managing process variants based on a single process model (see Fig. 4a). In particular, process variants can be configured by applying a set of high-level change operations to a given process model. We denote the latter as *base process*.

In the following, we provide an overview of our Provop approach and describe it along the different phases of the process lifecycle.

4.1 Modeling

In the modeling phase, first of all, a base process, from which the different process variants can be derived through configuration, has to be defined. Following this, high-level change operations, which can be applied to this base process, are specified (Hallerbach et al. 2008a, d).

Defining the base process. Basic to the configuration of process variants is a base process, which serves as reference for the high-level change operations. When considering typical use cases as well as the overall process landscape in an enterprise, different policies for defining such base process are relevant. Basically, Provop supports the following ones:

- *Policy 1 (standard process):* Here, the base process represents a domain-specific standard or reference process. In the automotive domain, for example, such reference processes exist for Engineering Change Management. Usually, a standard process has to be adjusted to meet specific requirements; i.e., it must be possible to derive variants from it. Provop assists designers in correctly defining the necessary adjustments when configuring a process variant out of the reference process.
- *Policy 2 (most frequently used process):* If one process variant is used more frequently than others, it can be chosen as base process. This reduces configuration efforts in terms of the number of processes for which adjustments become necessary. Provop maintains statistics on the use of process variants to enable

Policy 2. Generally, Policy 2 does not ensure that the average number of change operations needed to configure the variants out of the base process becomes minimal.

- *Policy 3 (minimal average distance)*: When applying change mining to a collection of variants, we can derive a base model such that average distance between this model and its variants (i.e., the number of high-level operations needed to transform the base process into the process variant) becomes minimal (Li et al. 2008a). Thus, configuration efforts can be reduced accordingly. For mining process variants, we utilize algorithms we developed in the MinAdept project (Li et al. 2008b).
- *Policy 4 (superset of all process variants)*: The base process is created by merging all variants into one process model using conditional branchings; i.e., the base process realizes a “superset” of all relevant variants. Consequently, every element that is part of at least one variant belongs to the base process as well. When deriving process variants, therefore, only DELETE operations have to be applied.
- *Policy 5 (intersection of all process variants)*: The base process comprises only those elements that are part of all variants; i.e., the base process realizes a kind of “intersection” of relevant variants. Therefore, the base process covers the identical elements of the process variants. When deriving process variants, no DELETE operations have to be performed, but elements may have to be moved, modified, or inserted.





Policies 1–5 differ in one fundamental aspect: When using Policy 1 or 2, the respective base process serves a specific use case; i.e., it represents one process variant valid in a specific context. Policies 3–5, in turn, have been especially designed for configuring variants and thus do not necessarily represent a semantically valid process model. Which policy to choose mainly depends on the modeling scenario and the present process landscape; e.g., if a standard process already exists, Policy 1 will be recommended.

Change operations. A base process can be adjusted in different ways to configure a specific variant. Provop supports the following adaptation patterns: INSERT, DELETE, and MOVE process fragments, and MODIFY process element attributes. And fragments constitute connected process sub-graphs (including single activity nodes and edges respectively), which not necessarily have a single entry and single exit. To refer to fragments and elements of the base process within such change operations, we use *adjustment points*, which correspond to the entry or exit of an activity or connector node (e.g., split and join nodes) of the base process.¹ Adjustment points are labeled with unique names. As example consider “adjustment point X” in Fig. 4, which corresponds to the entry of activity B.

Table 1 gives an overview of the change operations currently supported by Provop. Each entry describes the purpose of the respective operation, its

¹ If only single elements are affected by a particular change operation, their process element IDs may be used alternatively.

Table 1 Change operations (i.e., change patterns) supported by Provop

1. INSERT-Operation	
Symbol	
Purpose	Addition of <i>process fragments</i> (A process fragment consists of at least one process element, e.g., activity nodes or control edges)
Parameters	Process fragment to be added with entries and exits marked by adjustment points Target position of the process fragment within the base process, marked by adjustment points for entries and exits Mapping between entries and exits of the added fragment to the target position within the base process (i.e., mapping of the respective adjustment points)
2. DELETE-Operation	
Symbol	
Purpose	Removal of process elements
Parameters	Process fragment to be deleted with entries and exits marked by adjustment points Alternatively: deleting single elements by referring to their ID
3. MOVE-Operation	
Symbol	
Purpose	Change execution order of activities
Parameters	Process fragment to be moved with entries and exits marked by adjustment points Target position of the process fragment marked by adjustment points
4. MODIFY-Operation	
Symbol	
Purpose	Change attributes of process elements
Parameters	Element ID Attribute name Value to be assigned

parameters, and the symbol representing it. The formal semantics of respective change patterns is described in Rinderle-Ma et al. (2008). Note that Provop covers only a subset of the change patterns presented in Weber et al. (2007, 2008), which have turned out to be the most relevant ones needed for variant configuration in practice; i.e., we were able to capture the different scenarios discussed in the introduction section based on these change patterns. It is also worth mentioning that Provop provides an extensible approach, to which other change patterns may be added later.

Grouping change operations into options. As the number of change operations required to configure all relevant variants might become large, Provop allows structuring multiple change operations by grouping them into the so-called *options*. This is useful, for example, if the same change operations are always applied in conjunction with each other when configuring certain variants. Think of, for example, the handling of a medical examination in the radiology unit of a hospital. While for ambulant patients no transport between ward and radiology room is required, basic patients first have to be transferred from the ward to the radiology unit and later back to the ward. To capture the latter variant, we need to add two

activities at different positions of the respective base process. This can be achieved by defining the two insert operations and grouping them in one option.

Constraint-based use of options. Our case studies have revealed that options are often correlated in a structural or semantic manner. To capture this, Provop considers three types of relations between options, which can be explicitly defined by the user: dependency, mutual exclusion, and hierarchy.

- *Dependency:* When applying different options conjointly to the base process (e.g., due to semantic dependencies), the user can explicitly define a dependency relation between them. Dependency relations are directed; i.e., if relation “Option 1 depends on Option 2” holds, the inverse relation (i.e., “Option 2 depends on Option 1”) is not true.
- *Mutual exclusion,* in turn, is helpful to describe which options must not be used in conjunction with each other when configuring variants.
- *Hierarchy:* The definition of option hierarchies allows for the inheritance of change operations. If an option is selected to configure a particular variant and has an ancestor in the option hierarchy, the change operations defined by the ancestor options will be applied as well. This reduces the amount of change operations defined in options and also structures the options landscape; i.e., maintenance is improved.

When defining relations between options, generally, the designer does not only use one relation type but may also apply them in combination with each other as well. Provop allows for the combined use of multiple relations and ensures consistency of a set of relations applied in a given context. For example, contradictory relations (e.g., a mutual exclusion between an option and its parental option) must not be applied. Due to lack of space, we omit further details on how such contradicting constraints can be identified.

The ability to define explicit relations between different options eases their use significantly. Additionally, Provop excludes semantic errors when configuring a process variant, as we will discuss in the sequel.

Context model. Provop allows for context-aware process configurations; i.e., it allows for the configuration of a process variant by applying only those options relevant in the given *process context* (Hallerbach et al. 2008b). This, in turn, necessitates a model capturing the process context. In Provop, such context model comprises a set of *context variables*. Each context variable represents one specific dimension of the process context, and is defined by a name and value range.

Table 2 shows an example of the context model defined for the vehicle repair process from Fig. 1. The depicted context variables do not only differ in their names and range of values but also in another important aspect. While some context variables are defined as *static*, others are classified as *dynamic*. For example, the value of the context variable *Workload* is raised or lowered from time to time according to the current workload of the garage (e.g., switching from “medium” to “high” if many new repair orders emerge at the same time). Thus, this variable is of dynamic nature, as its value may change during process execution. The context

Table 2 Context model of a vehicle repair process

Variable name	Range of values	Behavior
Vehicle type	Type 1, Type 2, Type 3, Type 4	Static
Maintenance	Yes, No	Static
Security level	Low, medium, high	Static
Workload	Low, medium, high	Dynamic

variable *Vehicle Type*, in turn, is static as the vehicle type is set once and does not change during the repair process.

4.2 Variant Configuration

In the configuration phase, the base process, the options defined for it, and the context model are used to configure the models of the different variants. More precisely, a particular variant is configured by applying a sequence of options and their corresponding change operations to the base process. We describe the steps needed for configuring a variant in Provop:

Step 1: Select relevant options. To configure a particular variant, usually, only a subset of the defined options is relevant. Therefore, as a first step in the configuration phase, the set of relevant options has to be identified. One possible approach is to ask users to manually select the relevant options. However, this would require sufficient knowledge about available options and their effects (i.e., change operations). In particular, if users have to choose among a large number of options, this approach will get error-prone (e.g., relevant options might be omitted or wrong ones chosen).

A more sophisticated approach is to select relevant options based on contextual knowledge. Rather than mapping already configured process variants to a context description, *context-aware process configuration* allows for the combination of the concepts provided by options and context models. In Provop, this linkage is realized by the use of *context rules*. Such rules, can be assigned to the options and make use of the defined *context model*. Regarding a given context, all options whose context rules evaluate to true, are applied to the base process and therefore determine the respective variant. As special case, the base process itself may serve as variant (i.e., no option is applied). In Step 3, we describe the order in which the selected options are applied to the base process.

Figure 5 illustrates how the three variants of the repair process (cf. Fig. 1) are captured in Provop: The standardized process of Fig. 1a is defined as the base process out of which the variants are configured. This base process contains several adjustment points (e.g., “Start Maintenance” at the entry of activity *Maintenance*). As mentioned, adjustment points may be referred to by options and their change operations. Furthermore, Fig. 5b depicts three options: Option 1 performs a modification of activity *Diagnosis*. It will be applied if the type of the vehicle is of value *Type 2*. Option 2, in turn, will delete the maintenance activity if no maintenance of




Fig. 5 Example of context dependent options

the vehicle is requested. Finally, Option 3 inserts a final security check activity in case of high security levels. The variants of Fig. 1b–d can now be configured by applying a subset of these options to the base process. For example, if the context of a process variant is defined by the expression “*Vehicle-Type=Type 2 AND Maintenance=No AND Security-Level=Low*,” Options 1 and 2 will be applied resulting in Variant 1 (cf. Fig. 1b).

Step 2: Evaluate relations between selected options. As aforementioned, options may be related. Generally, for a sequence of options to be applied to the base process, compliance with explicitly defined constraints has to be ensured. For example, if a selected option depends on another one, not yet contained in the set of selected options, this set will have to be adjusted accordingly. Generally, this can be achieved either by adding missing options to the selection list or by removing the ones that cause the constraint violation. Another constraint violation will occur if the selection set comprises mutually excluding options. In this case, one of the conflicting options has to be removed by the user in order to restore consistency. In summary, option constraints are considered to ensure semantic correctness and consistency of the selected set of options at configuration time.

Step 3: Determine the order in which options shall be applied. Generally, selected options have to be applied in sequence; i.e., their order has to be specified when configuring a variant. A naïve approach would be to sort these options in the order they were created; e.g., by making use of their creation time stamps. Obviously, this approach will only make sense if the options and their change operations are commutative. Otherwise, unintended and inconsistent variant models can result, particularly when applying options in the wrong order. Figure 6 shows an example: After applying Option 1 to the base process, an intermediate model is derived with activity D and adjustment point Y being deleted.² This model is now used as

² Note that this example indicates that we need more advanced change support that considers the special semantics of adjustment points. Generally, the user should be able to define whether adjustment points may be deleted when applying certain change operations or shall be kept in the intermediate model. In the latter case, the deleted activities and nodes respectively are replaced by silent activities without associated actions. Generally, silent activities and adjustment points are removed after application of all selected options.




Fig. 6 Syntactical error after applying options in wrong order

“reference model” for applying Option 2. In the present case, Option 2 cannot be applied as the adjustment point Y it refers to was deleted when applying Option 1. In order to avoid such inconsistencies, Provop allows defining the order in which selected options shall be applied. Furthermore, wrong option sequences, resulting in erroneous variant models afterwards, are excluded based on well-defined correctness criteria (see Step 5). Finally, by evaluating predefined sequencing constraints, a correct application order can be determined.

Step 4: Applying options and their change operations. After selecting the options and determining their order, their change operations are applied to the base process in order to configure the model of the respective variant. Generally, change operations have specific pre- and postconditions, which allow us to guarantee their correct application.³ As one precondition, for example, process elements to which an operation refers have to be present in the respective model. Thus, the problem depicted in Fig. 6 would be recognized before applying the INSERT-operation of Option 2; i.e., Provop would disallow to apply the two options in the depicted order.

Step 5: Checking consistency. The variant models resulting from the sketched configuration procedure are supposed to be executed in the process enactment phase. Therefore, consistency and correctness of the models have to be guaranteed. In addition to the already described constraint-based selection approach (cf. Step 2), Provop validates the resulting models by checking the consistency and correctness of data and control flow. Unlike other variant configuration approaches (van der Aalst et al. 2008), Provop does not necessarily require a consistent and correct base process as starting point when configuring variants. This follows from the above described policies for defining the base process. Assume, for example, a base process being defined as intersection of its variants. If two variants have different

³For a formal semantics of respective change patterns, we refer to (Rinderle-Ma et al. 2008).

activities to write a data object, read by a common activity, the base process would only contain the reading activity and thus be inconsistent in terms of data flow. Of course, Provop excludes such flaws for the configured variant models.

4.3 Deployment and Execution

After the configuration phase, the resulting variant model needs to be translated into an executable workflow model. Common tasks emerging in this context are to assign graphical user interfaces, to subdivide workflow activities into human and automated tasks, or to choose the right level of granularity for the workflow model. In Provop, we are focusing on problems arising in the context of variant management.

One major aspect concerns the *context-aware configuration* of the different variants. To also capture *context changes* during process instance execution, Provop supports *dynamic context variables*; i.e., variables whose values may change during process execution. When using dynamic context variables for defining a context rule of an option, the decision whether to apply the corresponding change operations or not has to be made at runtime. As a consequence, the respective process variant either cannot be completely configured when creating the process instance or it has to be reconfigured during runtime. To allow for the dynamic reconfiguration of a process instance of a variant model, Provop supports *variant branches*. Basic idea is to encapsulate the adjustments of single options within these variant branches. The split condition at a variant branching corresponds to the context rule of the option. Whenever process execution reaches a variant branch, the current context is evaluated. If the split condition evaluates to true, the variant branch will be executed, i.e., the change operations will be applied to the base process. Otherwise, the variant branch is skipped and therefore all adjustments of the option are ignored. Provop ensures the constraints regarding the use of options in the context of such dynamic reconfigurations as well. However, the handling of respective correctness issues is outside the scope of this chapter.

Figure 7 shows an example of a *variant branch definition* in conjunction with the INSERT operation.⁴ If the workload of a garage is *high*, subcontractors will be commissioned to provide maintenance activities. Thus, Option 4 will be applied adding corresponding activities *Commissioning Sub-contractor* and *Support Maintenance* to the base process. As the context variable *Workload* is dynamic (cf. Table 2), these activities are encapsulated in a variant branch (indicated by the encircled “less than” and “greater than” symbols). Furthermore, context rule of Option 4 is used as split condition. Whenever a variant branch is reached during process execution, corresponding context rules are evaluated. If they evaluate to true (cf. Fig. 8a), the variant branch will be executed; otherwise, it will be skipped (cf. Fig. 8b).

⁴Note that every change operation supported by Provop requires specific considerations here.




Fig. 7 Dynamic configuration of process variants

4.4 Maintenance and Optimization

When evolving base processes in Provop (e.g., due to organizational optimization efforts), all related process variants (i.e., their models) are reconfigured automatically. Thus, maintenance efforts can be significantly reduced. However, evolving and optimizing the base process may affect existing options, for example, when referred adjustment points are moved to a new position or are even deleted. Such problems are detected in Provop; e.g., by checking whether the definitions of existing options are affected by the adaptations of the base process model. Furthermore, solving those conflicts is largely automated.

4.5 Proof-of-Concept Implementation

We implemented the described concepts in a powerful proof-of-concept prototype. When developing this prototype, we had to decide whether to realize a process configuration tool from scratch or to enhance an existing process modeling tool with respective configuration features. On one hand, the first option offers the




Fig. 8 Determine variant at runtime




Fig. 9 Architecture of the Provop prototype

flexibility to implement the presented concepts in a native and consistent way. On the other, it is accompanied by high development costs; e.g., basic functionality of the process modeling tool would have to be re-implemented from scratch. Therefore, we decided to base our implementation on an existing process modeling tool and to enhance this tool with the process configuration facilities described. To be more precise, we decided to use the ARIS Business Architect (IDS Scheer 2008), which belongs to the ARIS Design Platform and constitutes a widespread tool supporting a variety of modeling notations (e.g., EPCs and BPMN) as well as use cases (e.g., modeling, analyzing and optimizing business processes).

The general limitations of commercial BPM tools with respect to the handling of process variability, which have been described in Sect. 2, apply to ARIS Business Architect as well. Basically, this tool allows creating new process variants by cloning (i.e., copying) existing process models (and their objects) and modifying them afterwards. However, this might result in model redundancies. Although the derived variant objects still refer to the original objects, which are called master objects in ARIS Business Architect, changes of the latter are not propagated to the variants.

Another decision we had to make when implementing the Provop prototype concerns the choice of the language for modeling base processes and change options as well as for representing the variant models resulting from the configurations applied. We first started with Event-Process-Chains (EPCs) as this notation is widely used in practice. However, EPCs do not offer grouping functions which become relevant in our context for grouping parameters of a particular change

operation as well as for grouping multiple change operations into one change option. To enable grouping in ARIS Business Architect, in principle, model folders may be used as workaround. However, we decided to use the BPMN notation instead since it provides different grouping mechanism as required in our approach (cf. Fig. 9).

Figure 9 shows the overall architecture of our proof-of-concept prototype. Each change option is realized as a single BPMN model. Within these models the change operations corresponding to the respective option are encapsulated in pools, which correspond to graphical as well as logical containers. The relevant parameters of a particular change operation (e.g., the adjustment points marking a process fragment to be deleted) are specified by using lanes, which constitute sub-containers of a particular pool (or another lane respectively). A particular ARIS report, which we implemented using ARIS Script (i.e., Java-Script extended by specific functions), realizes the transformation of a base process model to a specific process variant. More precisely, for a base process represented as BPMN model, variant configuration can be started by selecting a set of options. Following this, the change operations of selected options are applied to the base process resulting in a new BPMN model, which then represents the configured process variant.

Figures 10 and 11 depict two screens of this proof-of-concept prototype. Thereby, new objects and symbols (e.g., operation types and adjustment points) were designed using the ARIS Symbol Editor. Figure 10 shows a base process, together with its adjustment points, as it can be modeled with Provop. In turn,




Fig. 10 Modeling a base process in Provop




Fig. 11 Example of a change option in Protop

Fig. 11 depicts an option comprising exactly one change operation. More precisely, the depicted option allows inserting activity *Final Check* between the specified adjustment points of the base process if the corresponding context rule (i.e., `Security-Critical = "Yes"`) is satisfied.

5 Comparing Protop with Other Process Configuration Approaches

Generally, there is a great interest in capturing common process knowledge only once and re-using it in terms of *configurable process models* that represent a collection of related process variants (i.e., a process family). In the following, we make use of the process carried out when checking-in at an airport (Ayora et al. 2012) in order to illustrate commonalities and differences of existing approaches for capturing such variability (including Protop). We choose this process since it shows a high degree of variability; e.g., occurring due to the type of check-in (e.g., online, or at a counter), which also determines the type of boarding card (e.g., electronic vs. paper-based). Other sources of variability include the type of passenger (e.g., unaccompanied minors requiring extra assistance) and the type of luggage (e.g., overweight luggage).

In a systematic literature review, we identified 25 proposals (including Protop) dealing with the modeling and management of process variants (Ayora et al. 2013a, b). Common to them is the extension of existing process modeling languages with variability-specific constructs that enable the creation of configurable process models. By treating variability as a first class citizen, these extensions help avoiding redundancies, fostering reusability, and reducing process modeling efforts (Torres et al 2012). In particular, we identified the following language constructs commonly used by existing proposals capturing variability (including Protop) in addition to standard process modeling elements:

- *Language Construct LC1 (configurable region)*: A *configurable region* is a region in a configurable process model for which different *configuration choices* may exist depending on the application context, e.g., an airline may offer different ways of obtaining the boarding cards depending on the check-in type: printing a boarding card at the airline desk, download an electronic boarding card, or obtaining it via a mobile phone.
- *Language Construct LC2 (configuration alternatives)*. A *configuration alternative* is defined as a particular configuration choice that may be selected for a specific configurable region, e.g., there exist different types of boarding card: paper-based, electronic, or in the mobile phone.
- *Language Construct LC3 (context condition)*. A *context condition* defines the conditions under which a particular configuration alternative of a configurable region shall be selected, e.g., passengers with overweight luggage pay a fee.
- *Language Construct LC4 (configuration constraint)*. A *configuration constraint* is defined as a (structural) restriction of the selection of configuration alternatives of the same or different configurable regions. Respective constraints are based on semantic restrictions to ensure the proper use of configuration alternatives, e.g., staff members need to be localized when unaccompanied minors are travelling.

In the following, we describe a well-known approach for realizing configurable process models in more detail and compare it with Provop. More precisely, we consider *process models with configurable nodes*, which take a fundamentally different approach to realize and describe the variability-specific parts of a process model when compared to the Provop approach.

Process models with configurable nodes: A possible way of specifying a configurable process model is by means of *configurable nodes*. Modeling languages supporting this approach include, for example, C-EPC and C-YAWL (Gottschalk et al. 2007, 2009; Gottschalk 2009). Basically, these proposals extend an existing process modeling language (e.g., EPC and YAWL) by adding configurable elements for explicitly representing variability in process families. In particular, E-EPCs provide support for the specification and customization of reference process models.

Figure 12 illustrates the configurable process model as C-EPC for the check-in process. Configurable nodes are depicted with a thicker line. A configurable region (LC1) in C-EPC is specified by a process fragment of the configurable process model with exactly one entry and one exit, and may take two different forms. First, the process fragment may consist of a *splitting configurable connector*, immediately followed by a set of branches representing configuration alternatives, and a *joining configurable connector*; i.e., the *configurable connectors* delimit the configurable region (e.g., configurable region 2 in Fig. 12). Alternatively, the process fragment may consist of a *configurable function* (i.e., activity), e.g., configurable regions 1 and 3 in Fig. 12, which may be configured as ON (i.e., the function is kept in the model), OFF (i.e., the function is removed from the model), or OPT (i.e., a conditional branching is included in the model deferring the decision




Fig. 12 C-EPC configurable process model for the check-in process

to run-time). In turn, a configuration alternative (LC2) is specified by a process fragment that may be included as a branch between two *configurable connectors* (e.g., *Print electronic boarding card* in configurable region 2 in Fig. 12). Context conditions (LC3) are represented in C-EPC separately in a *questionnaire model* (Rosa et al. 2007). Finally, a configuration constraint (LC4) may be specified in terms of a *configuration requirement* linked to the configurable nodes that delimit the configurable region to which the respective configuration alternatives belong; e.g., *configuration requirement 1* in Fig. 12 states that the inclusion of the function *Fill in UM form* implies the inclusion of the function *Localize staff*.

A similar approach is presented in Gottschalk et al. (2007), which transfers the concepts for configuring a reference process model (i.e., to enable, hide, or block a configurable workflow element) to workflow models.

Provop: The Provop approach presented in this chapter constitutes a fundamentally different way of handling process families, which is based on the observation that process variants are often derived by adapting a pre-specified *base process model* to the given context through a sequence of structural adaptations.

Figure 13 illustrates how the process family dealing with the check-in process can be represented using Provop. Figure 13a shows the base process model from which the process variants may be derived. As discussed, in Provop, a configurable region (LC1) is specified by a fragment of the base process, delimited by two *adjustment points*; i.e., black diamonds (e.g., configurable region 1 comprises the process fragment delimited by adjustment points A and B in Fig. 13). In turn, a configuration alternative (LC2) is specified by a *change option* that includes (1) the list of *change operations* modifying the base process at a specific configurable region and (2) a *context rule* that defines the context conditions under which the change operations shall be applied (e.g., Opt. 1 in Fig. 13b). Context conditions (LC3) are specified by context rules which include a set of context variables and their values specifying the conditions under which a configuration alternative (i.e., a change option) shall be applied (e.g., Opt. 2 is applied if the check-in type is online). All context variables and their allowed values are gathered in the *context model* (cf. Fig. 13c). Finally, configuration constraints (LC4) are specified as constraints (e.g., mutual exclusion) between two change options in the *option*




Fig. 13 Provp model for the check-in process

constraint model; e.g., if Opt. 2 is applied then Opt. 3 has to be applied as well (cf. Fig. 13c).

Basically, both approaches described enable reference process modeling (Rosemann and van der Aalst 2007; vom Brocke 2007). Usually, a reference process has recommending character, covers a family of process models, and may be customized in different ways to meet the needs of the specific application environment.

When comparing the two approaches, one can notice that they both realize the aforementioned language constructs for capturing process variability (i.e., LC1–LC4), although this is accomplished in a completely different way. On one hand, proposals like C-EPC and C-YAWL represent a configurable process model (and process family respectively) in one artifact, capturing both the commonalities and particularities of the different process variants. Hence the configurable process model reflects all possible behavior. On the other, proposals such as the presented Provp approach or the one suggested by Kumar and Wen (2012) propose a gradual construction of the process family by modifying the structure of a specific process variant (i.e., base process model) at specific points (i.e., variation points) through change operations. Both approaches have their pros and cons, and additional research is needed to learn which of them fits better in a given application environment.

In principle, the C-EPC approach constitutes an optimization of the *single model approach* introduced in Sect. 2. As opposed to Provp, the suggested methods does not allow moving or adding model elements, or adapting element attributes when configuring a process variant out of a reference process model. Basically, the provided configuration support corresponds to the one of Policy 4 for which the chosen base process (i.e., reference process) constitutes the superset of all process variants. Obviously, in this specific scenario, only delete or optional delete

operations (i.e., dynamic delete operations in Provop) become necessary in order to configure a particular process variant out of a reference process model. However, Policy 4 is only one out of several configuration policies supported by Provop; i.e., a base process can be defined in a more flexible way.

A qualitative comparison of these and other approaches supporting business process variability is provided by Torres et al. (2012). In particular, this work considers understandability issues that emerge when configuring concrete process variants with either C-EPC or Provop. Furthermore, Ayora et al. (2013a, b) presents a set of empirically evidenced change patterns for defining and changing configurable process models. Thereby, the proposed change patterns are based on the general language elements presented above (i.e., LC1–LC4) and hence abstract from the concrete process configuration approach taken.

6 Further Issues and Related Work

This section discusses further aspects that should be considered by any framework enabling configurable process models.

Capturing variability of process perspectives other than control flow. The previous sections have focused on the variability of activities and their control flow, whereas the variability of other process perspectives (e.g., data and resources) has yet to be considered. To overcome this limitation, for example, La Rosa et al. (2008, 2011) suggest a configurable process modeling notation, which incorporates features for capturing resources, data, and physical objects involved in the performance of activities. Similarly, Provop considers variability of the information and organization perspective (Hallerbach 2010).

Ensuring soundness of configured process variants. A big challenge for any process configuration approach is to ensure that configured process variants are *sound*. When considering the large number of process variants that may be configured out of a configurable process model, as well as the many syntactic and semantic constraints these process variants have to obey, this constitutes a nontrivial task. In particular, manually correcting potential errors would hamper any process configuration approach. Instead, efficient and automated techniques for ensuring the soundness of process variant models are required.

Van der Aalst et al. (2010a) propose a formal foundation for incrementally deriving process variants from a configurable reference process model, while preserving correctness in respect soundness. Specifically, assuming the configurable reference process model itself is sound, the derived process variants are guaranteed to be sound as well. The underlying theory was developed in the context of Petri nets and then extended to EPCs.

To ensure the soundness of configured process variants, van der Aalst et al. (2010b) suggest a verification approach inspired by the operating guidelines used in the context of partner synthesis (Lohmann and Wolf 2011). For this purpose, the configuration process itself is viewed as external service. Using partner

synthesis, a *configuration guideline* is computed that constitutes a compact characterization of all feasible configurations. In particular, this allows ruling out configurations that lead to soundness violations. The approach is generic and imposes no constraints on the configurable process models to which it may be applied. Moreover, all computations are done at design time (i.e., when defining a configurable process model) and not at configuration time; i.e., there is no need for repeatedly checking each individual configuration when configuring a process variant model. Thus, once the configuration guideline has been generated, the response time is instantaneous, thus encouraging the practical use of configurable process models.

Hallerbach et al. (2009) show how the soundness of process variants can be ensured in the context of Provop. Thereby, advanced concepts are introduced that enable a context- as well as constraint-based configuration of process variants. In particular, it is shown how respective information can be utilized to effectively ensure soundness of the configured process variants.

Merging process variants. Designing a configurable process model is usually not done from scratch, but rather by analyzing existing process variants. Hence, merging these variants constitutes an important task that is also particularly relevant in today's world of company mergers and organizational consolidations. Considering the large number of process variants that may exist in enterprises, however, manually merging process models would be a tedious, time consuming, and error-prone task. Instead, techniques are required for automatically merging process variants in order to derive a configurable process model.

Regarding approaches like C-EPC or C-YAWL, variant merging needs to meet the following requirements. First, the behavior of the produced process model should subsume that of the input variant models (via the union of these input models). Second, it should be possible to trace back from which process variants an element has originated (via annotations). Third, one should be able to derive each input process variant from the merged one (via variation points). La Rosa et al. (2010) present an algorithm producing a single configurable process model from a pair of process variant models. This algorithm works by extracting the common parts of the input process variants, creating a single copy of them, and then appending the differences as branches of configurable connectors. This way, the merged process model is kept as small as possible, while still capturing all the behavior of the two input models. Moreover, analysts are able to trace back from which model(s) a given element in the merged model originated. The algorithm has been prototypically implemented and tested based on process models from several application domains.

Regarding *structural approaches* like Provop, a family of algorithms for merging process variants has been suggested by Li et al. (2011). These algorithms discover a process model by mining a given collection of process variants. Thereby, the discovered process model has a minimum average weighted distance to the considered process variants. By adopting the discovered model as new reference process model, future process configurations become more efficient, since the efforts (in terms of changes to be applied) for deriving the variants will be reduced.

Retrieval of process variants. There exist approaches that provide support for the management and retrieval of separately modeled process variants (i.e., optimizations of the multi-model approach). For example, Lu and Sadiq (2006) allow storing, managing, and querying large collections of process variants within a process repository. Graph-based search techniques are used in order to retrieve process variants that are similar to a user-defined process fragment (i.e., the query is represented as graph). Obviously, this approach requires profound knowledge about the structure of stored processes, an assumption that does not always hold in practice. Variant search based on process metadata (e.g., the process context) is not considered.

Run-time flexibility for process families. Existing approaches for managing process variability focus on the modeling and configuration of process variants. However, Ayora et al. (2012) show that run-time configuration and re-configuration as well as the evolution of process variants are essential requirements as well. Effectively handling process variants in these lifecycle phases requires deferring certain configuration decisions to the run-time, dynamically re-configuring process variants in response to contextual changes, adapting process variants to emerging needs, and evolving process families over time. Ayora et al. (2012) characterize these flexibility needs for process families, discuss fundamental challenges to be tackled, and provide an overview of existing proposals made in this context.

Applying object-oriented concepts to deal with process variability. Different work exists on how specialization can be applied to deal with process model variability taking advantage of the generative power of a specialization hierarchy (Wyner and Lee 2003; van der Aalst and Basten 2002). In the context of the MIT Process Handbook, for example, Wyner and Lee (2003) show how specialization is enabled for simple state diagrams and dataflow diagrams, respectively. For both kinds of diagrams, a corresponding set of transformation rules is provided that result in process specializations when being applied to a particular model. Similarly, van der Aalst and Basten (2002) discusses transformation rules to define specialization for process models based on Petri Nets. Finally, Wyner and Lee (2003) show how specialization can be used to generate a taxonomy of processes to facilitate the exploration of design alternatives and the reuse of existing designs. Obviously, specialization and process taxonomies also allow capturing process variants to some degree. As opposed to the discussed approaches, Provop follows an operational approach, which is independent of the underlying process meta-model. In addition, Provop provides comprehensive support for the context- and constraint-based configuration of process variants.

A similar contribution stems from the PESOA project (Bayer et al. 2005; Puhmann et al. 2005), which provides basic concepts for variant modeling based on UML. More precisely, different variability techniques like inheritance, parameterization, and extension points are provided and can be used when describing UML models. As opposed to PESOA, the operational approach enabled by Provop provides a more powerful instrument for describing variance in a uniform and easy manner; i.e., no distinction between different variability mechanisms is required.

Software variability. Variants are relevant in many other domains as well, including product line engineering and software engineering. For example, fundamental characteristics of software variability have been described in Bachmann and Bass (2001). In particular, software variants exist in software architectures and software product lines (Becker et al. 2001; Halmans and Pohl 2003). In many cases, feature diagrams are used for modeling software systems with varying features. A similar approach is offered by the so-called plus-minus-lists known from variant management in bill- of-materials. Correctness issues are not considered in both cases.

7 Summary and Outlook

We have described the Provop approach for configuring and managing process variants. Provop considers the whole process life cycle and supports variants in all phases. This includes advanced techniques for modeling variants in a unified way and within a single process model, but without resulting in too complex or large model representations. Based on well-defined change operations, on the ability to group change operations into reusable options and on the possibility to combine options in a constrained way, necessary adjustments of the base process can be easily and consistently realized when creating and configuring a variant.

We successfully applied Provop in several case studies in the automotive, healthcare and governmental domains. Thereby, we were able to demonstrate the applicability of the Provop framework as well as to elaborate its benefits (Hallerbach 2010). As pointed out by Torres et al. (2012), however, empirical research is required to evaluate Provop and other process configuration approaches (e.g., C-EPC) in respect to understandability issues that emerge when configuring concrete process variants out of a configurable process model.

Issues related to the evolution and change of process families (Ayora et al. 2013a) as well as the flexible execution of process variants (e.g., to dynamically switch between variants during runtime; see Ayora et al. (2012)) need to be addressed in future work. Moreover, process variability needs to be considered for other process support paradigms like, for example, data- and object-centric modeling approaches (Künzle and Reichert 2012; Reichert 2012a). Finally, proper techniques for visualizing process variant collections are required (Reichert and Weber 2012; Reichert 2012b).

References

- Ayora C, Torres V, Reichert M, Weber B, Pelechano V (2012) Towards run-time flexibility for process families: open issues and research challenges. In: Proceedings BPM'12 workshops, LNBP, vol 132, Tallinn, pp 477–488

- Ayora C, Torres V, Weber B, Reichert M, Pelechano V (2013a) Change patterns for process families. Technical report PROS-TR-2013-06, University of Valencia
- Ayora C, Torres V, Weber B, Reichert M, Pelechano V (2013b) Enhancing modeling and change support for process families through change patterns. In: Proceedings 14th international working conference on business process modeling, development, and support (BPMDs'13), LNBIP, vol 147, Valencia, pp 246–260
- Bachmann F, Bass L (2001) Managing variability in software architectures. In: Proceedings of symposium on software reusability, ACM, New York, pp 126–132
- Bayer J, Buhl W, Giese C, Lehner T, Ocampo A, Puhlmann F, Richter E, Schnieders A, Weiland J, Weske M (2005) PESOA – process family engineering – modeling variant-rich processes. TR 18/2005, Hasso-Plattner-Institute, Potsdam
- Becker M, Geyer L, Gilbert A, Becker K (2001) Comprehensive variability modeling to facilitate efficient variability treatment. In: Proceedings of 4th international workshop of product family engineering (PFE'01), LNCS, vol 2290, Bilbao, pp 294–303
- Becker J, Lis L, Pfeiffer D, Räckers M (2007) A process modeling language for the public sector – the PICTURE approach. In: Wybrane Problemy Elektronicznej Gospodarki. Uniwersytetu Łódzkiego, Łódź, pp 271–281
- Gottschalk F (2009) Configurable process models. Ph.D. thesis, Eindhoven University of Technology, The Netherlands
- Gottschalk F, van der Aalst WMP, Jansen-Vullers MH, la Rosa M (2007) Configurable workflow models. *Int J Cooper Inform Syst* 17(2):177–221
- Gottschalk F, Wagemakers T, Jansen-Vullers M, van der Aalst W, La Rosa M (2009) Configurable process models: experiences from a municipality case study. In: Proceedings CAISE'09, LNCS, vol 5565, Amsterdam, pp 486–500
- Hallerbach A (2010) Management of process variants. Ph.D. thesis, University of Ulm
- Hallerbach A, Bauer T, Reichert M (2008a) Modellierung und Darstellung von Prozessvarianten in Provop. In: Proceedings Modellierung'08 (in German), LNI P-127, Berlin, pp 41–56
- Hallerbach A, Bauer T, Reichert M (2008b) Context-based configuration of process variants. In: Proceedings 3rd international workshop on context-aware business process management (TCoB'08), Barcelona, pp 31–40
- Hallerbach A, Bauer T, Reichert M (2008c) Managing process variants in the process life cycle. In: Proceedings of 10th international conference on enterprise information systems (ICEIS'08), Barcelona, pp 154–161
- Hallerbach A, Bauer T, Reichert M (2008d) Issues in modeling process variants with provop. In: Proceedings of BPM'08 workshops, Milan
- Hallerbach A, Bauer T, Reichert M (2008e) Anforderungen an die Modellierung und Ausführung von Prozessvarianten. *Datenbank Spektrum* 24:48–58
- Hallerbach A, Bauer T, Reichert M (2009) Guaranteeing soundness of configurable process variants in Provop. In: Proceedings 11th IEEE conference on commerce and enterprise computing (CEC'09), IEEE Computer Society, Vienna, pp 98–105
- Halmans G, Pohl K (2003) Communicating the variability of a software-product family to customers. *Softw Syst Model* 2(1):15–36
- Kumar A, Wen Y (2012) Design and management of flexible process variants using templates and rules. *Int J Comput Ind* 63(2):112–130
- Künzle V, Reichert M (2012) Striving for object-aware process support: how existing approaches fit together. In: Proceedings 1st international symposium on data-driven process discovery and analysis (SIMPDA'11), LNBIP, vol 116, Campione d'Italia, pp 169–188
- La Rosa M, Lux J, Seidel S, Dumas M, ter Hofstede AHM (2007) Questionnaire-driven configuration of reference process models. In: Proceedings of the 19th international conference on advanced information systems engineering, LNCS, vol 4495, Trondheim, pp 424–438
- La Rosa M, Dumas M, ter Hofstede AHM, Mendling J, Gottschalk F (2008) Beyond control-flow: extending business process configuration to roles and objects. In: Proceedings of ER'08, Barcelona, Spain, pp 199–215

- La Rosa M, Dumas M, Uba R, Dijkman RM (2010) Merging business process models. In: Proceedings OTM conferences (1), LNCS, vol 6426, Hersonissos, Crete, Greece, pp 96–113
- La Rosa M, Dumas M, ter Hofstede AHM, Mendling J (2011) Configurable multi-perspective business process models. *Inf Syst* 36(2):313–340
- Lenz R, Reichert M (2007) IT support for healthcare processes – premises, challenges, perspectives. *Data Knowl Engl* 61(1):39–58
- Li C, Reichert M, Wombacher A (2008a) Mining process variants: goals and issues. In: IEEE 5th international conference on services computing (SCC'08), Honolulu, Hawaii, USA, pp 573–576
- Li C, Reichert M, Wombacher A (2008b) Discovering reference process models by mining process variants. In: Proceedings of 6th international conference on web services (ICWS'08), IEEE Computer Society, Beijing, pp 45–53
- Li C, Reichert M, Wombacher A (2011) Mining business process variants: challenges, scenarios, algorithms. *Data Knowl Eng* 70(5):409–434, Elsevier
- Lohmann N, Wolf K (2011) Compact representations and efficient algorithms for operating guidelines. *Fundam Inform* 108(1–2):43–62
- Lohrmann M, Reichert M (2012) Modeling business objectives for business process management. In: Proceedings S-BPM ONE 2012 scientific research, LNBIP, vol 104, Springer, Vienna, pp 106–126
- Lu R, Sadiq S (2006) On managing process variants as an information resource. Technical report no. 464, University of Queensland, Australia
- Müller D, Herbst J, Hammori M, Reichert M (2006) IT support for release management processes in the automotive industry. In: Proceedings of 4th international conference on business process management (BPM'06), LNCS, vol 4102, Vienna, pp 368–377
- Mutschler B, Reichert N, Bumiller J (2008) Unleashing the effectiveness of process-oriented information systems: problem analysis, critical success factors and implications. *IEEE Trans Syst Man Cyberm C* 38(3):280–291
- Puhlmann F, Schnieders A, Weiland J, Weske M (2005) PESOA – variability mechanisms for process models. Hasso-Plattner-Institute, Potsdam
- Reichert M (2012a) Process and data: two sides of the same coin. In: Proceedings 20th international conference on cooperative information systems (CoopIS'12), OTM 2012, Part I, LNCS, vol 7565, Rome, pp 2–19
- Reichert M (2012b) Visualizing large business process models: challenges, techniques, applications. In: Proceedings BPM'12 workshops, LNBIP, vol 132, Tallinn, pp 725–736
- Reichert M, Weber B (2012) Enabling flexibility in process-aware information systems: challenges, methods, technologies. Springer, Berlin/Heidelberg
- Reichert M, Kolb J, Bobrik R, Bauer T (2012) Enabling personalized visualization of large business processes through parameterizable views. In: Proceedings 27th ACM symposium on applied computing (SAC'12), ACM, Trento, pp 1653–60
- Rinderle-Ma S, Reichert M, Weber B (2008) On the formal semantics of change patterns in process-aware information systems. In: Proceedings 27th international conference on conceptual modeling (ER'08), LNCS, vol 5231, Barcelona, pp 279–293
- Rosemann M, van der Aalst W (2007) A configurable reference modeling language. *Inform Syst* 32:1–23
- IDS Scheer (2008) ARIS platform method 7.1. Technical Handbook, IDS Scheer GmbH, Germany
- Torres V, Zugal S, Weber B, Reichert M, Ayora C, Pelechano V (2012) A qualitative comparison of approaches supporting business process variability. In: Proceedings BPM'12 workshops, LNBIP, vol 132, Tallinn, pp 560–572
- van der Aalst W, Basten T (2002) Inheritance of workflows: an approach to tackling problems related to change. *Theor Comput Sci* 270(1–2):125–203
- van der Aalst W, Dumas M, Gottschalk F, ter Hofstede AHM, La Rosa M, Mendling J (2008) Correctness-preserving configuration of business process models. In: Proceedings of fundamental approaches to software engineering, LNCS, vol 4961, Budapest, pp 46–61

- van der Aalst W, Dumas M, Gottschalk F, ter Hofstede AHM, La Rosa M, Mendling J (2010a) Preserving correctness during business process model configuration. *Formal Asp Comput* 22 (3–4):459–482
- van der Aalst W, Lohmann N, La Rosa M, Xu J (2010b) Correctness ensuring process configuration: an approach based on partner synthesis. In: *Proceedings BPM'10 conference*, LNCS, vol 6336, Hoboken, NJ, USA, pp 95–111
- VDA (2005) Engineering change management (ECM) – Part 1: engineering change request (ECR) Version 1.1, Recommendation 4965 T1
- vom Brocke J (2007) Design principles for reference modelling – reusing information models by means of aggregation, specialization, instantiation, and analogy. In: Fettke P, Loos P (eds) *Reference modelling for business systems analysis*. Idea Group, Hershey, pp 47–75
- Weber B, Reichert M (2008) Refactoring process models in large process re-positories. In: *Proceedings of the 20th international conference on advanced information systems engineering (CAiSE'08)*, LNCS, vol 5074, Montpellier, pp 124–139
- Weber B, Reichert M, Rinderle S, Wild W (2006) Towards a framework for the agile mining of business processes. In: *Proceedings of BPM'05 workshop*, LNCS, vol 3812, Nancy, France, pp 191–202
- Weber B, Rinderle S, Reichert M (2007) Change patterns and change support features in process-aware information systems. In: *Proceedings of 11th international conference on advanced information systems engineering (CAiSE'07)*, LNCS, vol 4495, Trondheim, pp 574–588
- Weber B, Rinderle S, Reichert M (2008) Change patterns and change support features – enhancing flexibility in process-aware information systems. *Data Knowl Eng* 66(3):438–466
- Weber B, Reichert M, Wild W, Rinderle-Ma S (2009) Providing integrated life-cycle support in process-aware information systems. *Int J Cooper Inform Syst (IJCIS)* 18(1):115–165
- Weber B, Reichert M, Mendling J, Reijers H (2011) Refactoring large process model repositories. *Comput Ind* 62(5):467–486, Elsevier
- Wyner GM, Lee J (2003) Defining specialization for process models. In: Malone TW, Crowston K, Herman GA (eds) *Organizing business knowledge – the MIT process handbook*. MIT Press, Cambridge, MA, pp 131–174

Process Choreography Modelling

Alistair Barros

Abstract A dedicated B2B process perspective has been the subject of significant development in the BPM field over recent years, seen notably through the BPMN 2.0 specification, which includes process choreography as one of its largest extensions. In the wider context of information systems analysis and design methodologies, the B2B perspective represents a crucial context through which requirements and iterative design of solutions are developed, as seen through numerous methods and techniques developed in the field across the last 40 years. To date, an understanding of how contemporary choreography proposals, typified by BPMN 2.0 process choreography, measure up to classical IS methodology capabilities, remains unaddressed. Consequently, a methodological understanding of how choreography could be used, from high-level analysis to detailed design, remains open. In this chapter, we address this gap. Based on an example taken from the supply chain management domain, we identify three important requirements for process choreography that make this wider perspective amenable to methodological systems analysis and design: *functional scoping* of different areas concerning a domain which can then be modelled and related to each other in isolation; *stepwise refinement* of choreography models, reminiscent of classical analysis techniques; and the introduction of *conversation semantics* expressing the intent of logically related message exchanges of choreographies. Accordingly, we propose extensions to choreography modelling and an improved analysis of requirements, such as breakdowns in negotiations that take place between collaborating partners, using concepts directly supported by, and illustrative extensions of BPMN 2.0 process choreography.

A. Barros (✉)

Queensland University of Technology, Y Block, QUT Gardens Point Campus, Brisbane, QLD 4000, Australia

e-mail: alistair.barros@qut.edu.au

1 Introduction

Choreography, as originally coined through Web services standardization efforts, is a particular aspect of business processes which relates to the way business partners coordinate their activities in a value-chain. The focus is not on full orchestrations of processes operating within these partners, but rather on the collaboration that takes place *between* partners. Collaboration in value-chains entails messages (document) exchanges in an orderly fashion: e.g. first a retailer sends a purchase order request to a supplier; next the supplier either confirms or rejects intention to investigate the order; then supplier proceeds to investigate stock for line-items and seeks outside suppliers if necessary; accordingly the supplier sends a confirmation or rejection back; during this period the retailer can send requests to vary the order, etc.

The need for modelling choreographies, over and above conventional business process modeling, has become increasingly important as businesses shift their operations into wider value-chains featuring many collaborating partners and dynamic outsourcing and insourcing of services (vom Brocke 2007). Such a setting can involve not tens, but hundreds, of message exchanges. Interactions between partners can go beyond simple request-response interactions into more complex multi-cast, contingent requests, competing receives, streaming and dynamic routing among different patterns (Barros et al. 2005). Moreover, message exchanges cluster around distinct scenarios, otherwise known as *conversations*, such as: creation of sales orders; assignment of carriers of shipments involving different sales orders; managing the “red tape” of crossing customs and quarantine; processing payment and investigating exceptions. Conversations, as such, entail a set of message exchanges that are correlated in different ways, e.g. (Barros et al. 2005) provides a list of patterns for correlating message exchanges into conversations (e.g. key-based, function-based).

By abstracting away from internal processing details of processes, choreography models bring message exchanges and their logical grouping as conversations into view. This allows partners to plan their business processes for inter-operation without introducing conflicts. An example of a conflict could arise if a retailer was allowed to send a variation on a purchase order immediately after sending the initial request – because a supplier may not be able to efficiently confirm availability of stock. Once conversational sequences in choreography models are agreed upon, they can be mapped to each partner’s orchestration models (Decker and Weske 2007).

In terms of developments in business process modeling, choreography languages, as introduced in recent years, are largely suitable at the detailed design, and, often, implementation focused, phase. This is because the details of message exchange and message correlation are seen as considerations of interoperability, which is relevant once implementation choices have been made (e.g. using Web services and orchestration through WS-BPEL).

The concern of collaborations, however, is also of interest during higher levels of process analysis where interactions between partners establish the *context* upon which requirements are analyzed. Typical lines of enquiry involve determining the

functional scope of the business domain being analyzed and the landscape of partners, their underlying business processes and the triggers that activate their execution, the business objectives advanced and the operational impediments that stand in the way, etc. This is the subject of the early stages of IS analysis and design in which informal, diagrammatic techniques are typically used to understand collaborations between partners, e.g. Structured Analysis and Design (Yourdon 1988).

The difference between classical techniques of analysis and contemporary techniques for choreography modeling – both of which concern process collaboration – is that former is informal, omitting detailed considerations of message exchange, and supporting business analysts to establish the broader organizational context through iterative and typically intensive “whiteboard” analysis.

This chapter provides insights into the way choreography modeling can be extended for the purposes of both high-level process analysis and detailed design. To this end, it first provides an insight into current state-of-the-art for choreography modeling, illustrating how message exchanges and conversations can be modeled through Let’s Dance and its standards “successor” – in choreography proposals of Business Process Modelling Notation (BPMN) 2.0. With this insight in place, it then discusses requirements for choreography languages that are pertinent for high-level process analysis. Three requirements for extending choreography modelling are proposed, namely: the way choreography models are scoped, detailed and inter-related for large domains; the way they are refined in a stepwise manner from the highest context level to the detailed implementation-specific level; and the way intent of message exchanges qualify message exchanges in order to improve analysis of models from a semantic point of view. To illustrate how these requirements can be met, specific extensions are illustrated using the Semantic Object Modelling (SOM) framework. The result is show how choreography modeling can support complex domains with many participants and processes, how it can be used across high-level analysis and detailed design tasks, and how improved semantic analysis of models is possible, e.g. breakdown in the negotiations intended by message exchanges can be automatically detected.

2 Choreography Modelling Developments Through Process Languages

A straightforward way of modeling choreographies is by connecting process models at points where messages are exchanged. In BPMN this is done through the collaboration diagrams, as illustrated in Fig. 1. For a detailed insight into BPMN, the reader is referred to Aagesen and Krogstie (2014), Kemsley (2014), and White et al. (2008).

Figure 1 shows a collaboration diagram where BPMN pools are expanded to reveal orchestration details per participant (for *Shipper*, *Retailer* etc.). Message




Fig. 1 Interconnecting process models

flows (dashed arrows) connect the elements in the different pools related to different participants and thus indicate message exchanges. For example, a *Planned Order Variations* message is sent by the *Supplier* to the *Retailer*; the corresponding send and receive have been modelled using regular BPMN messaging events. BPMN also lends itself to supporting a number of messages of the same type being sent. For example, a number of *Retailer Order and Delivery Variations* messages can be sent from the *Retailer* to the *Supplier*, indicated by respective multiple instances constructs (for brevity, the actual elements for sending/receiving inside the multiple instances construct have been omitted).

Taken as a whole, the scenario modeled in Fig. 1 entails shipment planning for the next supply replenishment variations: the *Supplier* confirms all previously accepted variations for delivery with the *Retailer*; the *Retailer* sends back a number of further possible variations; the *Supplier* requests to the *Shipper* and *Consignee* possible changes in delivery; accordingly, the *Retailer* interacts with the *Supplier* and *Consignee* for final confirmations.

It should be noted that in practice, inter-process connections would be made against process models which serve as interfaces, since these allow hiding of actual internal processes and provide flexibility for internal processes to change without “breaking” interconnections. A major problem with model interconnections for complex choreographies is that they are vulnerable to errors – interconnections may not be sequenced correctly, since the logic of message exchanges is considered from each partner at a time. This in turn leads to deadlocks. For example, consider

the role of *Retailer* in Fig. 1 and assume that here, by error, the order of *Confirmation Delivery Schedule* and *Retailer Confirmation received* (far right) were swapped. This would result in a deadlock since both, Retailer and Consignee would wait for the other to send a message. Deadlocks in general, however, are not that obvious and might be difficult to spot.

Accordingly, the need to model choreographies, independent of the perspective of individual partners – the so-called *global* perspective – was inspired through Web services standardization efforts. WS-CDL (Kavantzias et al. 2005), which has succeeded previous efforts, models messages exchanges as first-class constructs. WS-CDL is implementation-specific and, as it turned out, difficult to map into popular process execution languages like WS-BPEL. This has inspired efforts for developing *implementation independent* (conceptual) modeling languages, notably Let’s Dance (cf. Zaha et al. 2006). Figure 2 reformulates the above example of Fig. 1 to show how the message construct in Let’s Dance could be adapted to describe choreographies, as a precursor to BPMN choreography developments.

As shown in Fig. 2, a choreography activity represents the message exchange as an activity-like construct. The sender and receiver, directionality of message exchange, and the message type are expressed. Multiple instances, looping and sub-process from regular BPMN are adapted for choreography activities to model concurrent iterations and decomposition of message exchanges in choreography activities.

As can be seen, the logic of a conversation is relatively simple to follow. Process routing constructs are leveraged to model the sequencing of message exchanges – without any dependency on processes of the participants. Of course, the




Fig. 2 Modelling of message exchanges as flow elements




Fig. 3 Mapping an OR-split in a choreography model into partner process models

choreography model needs to be mapped to participant processes. A major problem in this regard is the *local enforceability* of the required sequencing. That is to say, the sequencing in the global choreography model should be reflected in the sequencing of message exchanges related within individual partner processes. An example of an unenforceable sequence would be if an exchange took place between a *Retailer* and a *Supplier* which was followed by an exchange between *Shipper* and *Consignee*. How does *Shipper* know when *Supplier* received the message from *Retailer*?

Figure 3 provides an insight into how a choreography model containing an exclusive OR-split would be mapped into local models.

The choreography fragment on the left hand side in Fig. 3 specifies that there is an exclusive decision after message exchange X between actor roles A and B. The alternatives are sending message Y from B to C or message Z from B to D. This decision is reflected in the process model by an exclusive gateway in pool B, followed by two sending activities Y and Z. Pools D and C feature the corresponding receiving activities preceded by an event-based gateway, which not only waits for the potential interaction to happen, but also for other events - indicating that interaction Y or Z may not happen. Such events could be further interactions or even a timer event to prevent the process from waiting indefinitely.

Such developments of choreography languages, notably those of Let’s Dance, were considered in the development of process choreography in BPMN 2.0. In the BPMN 1.1, a *collaboration diagram* type was available to model interactions across participant processes captured within pools (optionally partitioned in lanes of pools). The interactions between processes were captured using message flows (as depicted in Fig. 1). As such, collaboration diagrams entail inter-connected processes and can lead to inconsistencies and deadlocks, as described above. This led to the new proposal of a BPMN *choreography diagram* with choreography activities proposed as the way of explicitly modelling message interactions through choreography diagrams without recourse to “wiring” up process models, i.e. drawn from an *orchestration diagram* type. A problem with introducing additional behavioural logic in the choreography models is that it increases the complexity

of the model, making it practically useful only for *individual* conversations to be modelled. Hence, BPMN 2.0 also supports groupings of interactions through *conversation diagrams*, which provide the highest level of process models used to understand the B2B participant landscape. With the proposal of new model types, comes the need for a well-defined alignment across these. Consider the following examples which illustrate this.

Figure 4 shows an example of a BPMN 2.0 conversation diagram, providing support for a participant, “birdseye” perspective and groups of interactions or conversations between these, as originally motivated in (Barros et al. 2007a, b). Participant roles (e.g. *Retailer*, *Supplier*) are captured (through box symbols) and connected to conversation symbols (e.g. *Delivery negotiations*). As can be seen, the conversation diagram types allows modellers to understand the broad interaction dependencies of participants, without needing to understand the details inside processes of participants, as captured through the collaboration diagrams, or the details of interaction sequences, as captured through the choreography diagrams. This opens up the possibility of allowing modellers to understand how conversations are “chained” together in support of the systems requirements as a whole. In Fig. 4, we can see an informal indication of this through the conversation dependencies. Barros et al. (2005) define patterns describing conversation dependencies. An example is conversation hierarchy, where conversations are broken up into further conversations. This is indicated with the “collapsed symbol” on *Delivery negotiations*, which says that it consists of interactions which are made up of other interactions. Another example is conversation splitting, where one conversation between participants splits up into one or more conversations with other sets of




Fig. 4 Example of a BPMN 2.0 conversation diagram




Fig. 5 Example of an expanded conversation

participants, e.g. *Delivery planning* splits up into *Carrier planning* and *Special insurance cover* interaction sets.

Figure 5 shows the interaction sets underpinning a conversation. These consist of reciprocal message flows between the participants. This is similar to collaboration diagrams of BPMN, except that the process details inside the participants are omitted and the correlation keys for the message flows are shown. The correlation key (e.g. *Order Id* and *Variation Id*) consists of the data elements used from inside the messages exchanged to associate the messages with processes. The participant processes use correlation keys to send and receive messages for proper communication to take place. In the example, message exchanges take place for an order only (correlated on *Order Id*) and some relate to variations of the order (*Order Id* and *Variation Id*).

In Fig. 6, we illustrate the BPMN choreography diagram depicting the behaviour of the message interactions for the *Delivery negotiations* conversations. Clearly, this diagram could be used to provide a more detailed behavioural elaboration of the essentially structural, conversation diagram and its conversation expansions. As stated above, choreography diagrams are typically best captured for individual scenarios corresponding to individual conversations.

Finally, in Fig. 7, we illustrate the collaboration diagrams and orchestration details inside these corresponding to the mapping from the choreography diagram of Fig. 6 (some of the message interactions have been omitted for brevity).




Fig. 6 Example of a BPMN 2.0 choreography diagram

3 Choreography Modelling at High-Level Process Analysis

To provide an impression of the complexity involved in B2B domains beyond the individual scenarios that are typically used to exemplify various choreography language proposals, consider the following:

Logistics, broadly understood, has the goal of fulfilling sales orders between buyers and suppliers, potentially spanning national boundaries. The process is triggered through a sales order and involves the management of shipments involving carriers and potentially different modalities (air, sea and land). Different parts of the order can be shipped from different suppliers, and shipments starting from different origins can be consolidated at different warehouses whose capability




Fig. 7 Example of a BPMN 2.0 collaboration corresponding to a choreography diagram

(e.g. availability of freezing facilities) and capacity for different stock vary. Shipments that cross national boundaries need clearance from regulation authorities such as customs and quarantine. Payments for large or expensive shipments are made through letters of credit, whose monitoring and fulfillment need on-going interactions with banks or payment intermediaries. Each one of these requirements entails different parties in different processes, leading to different conversations with a variety of start conditions, exceptional conditions and object types.

Logistics concerns not only one-off sales orders but also sales contracts established over a certain period, e.g. a year, with replenishment quantities of line items subject to change over a rolling-wave (e.g. next 3 months). To sketch the organizational scenario:

The buyer (e.g. a supermarket) having determined supply requirements through market and relevant purchase patterns establishes a replenishment contract with each supplier (wholesalers of dairy, fruit and vegetable, meat etc.) over a period. Contracts identify periodic delivery at specific times. Variations on replenishment can occur after contracts are established, however within rolling wave periods (e.g. next 3 months), strict obligations are required for replenishment. Any deviations in time and materials which violate replenishment thresholds defined in the contract, lead to financial liability for the supplier. In addition, ad-hoc orders can be requested during the rolling wave.

Since value chains in practice feature tens to hundreds of stakeholders, the process of capturing a choreography needs to be incremental, iterative and detailed at the right level, to shed light on requirements in the first place, prior to detailed validation and implementation concerns. Some parties come to the fore through analysis of the operations of others. Other parties fade into the background as their operations are seen as ancillary. Only when the system landscape stabilises around common functions can detailed modeling of collaborations proceed.

To support the choreography modeling for the wider spectrum of analysis and design, the requirements, discussed in the following sections, are considered crucial.

3.1 Functional Scoping

For choreographies to be comprehensively modeled across a wide variety of requirements related to different business operations, models need to be carefully scoped and freed of unnecessary requirements. This would focus analysis on a related set of business requirements. In the logistics example, procurement of sales, establishment of a sales order/contract, assignment of carriers, and payments & exceptions are distinct and considerable business concerns, each entailing significant requirements for collaboration across different partners. Before the details of message exchanges can be properly discerned, a firm understanding of the following sorts of contextual issues needs to be established:

- What partners are involved and specifically, which of their functional areas are involved? What is the risk of their inclusion (or non-inclusion) given their current and future strategic directions?
- What are the broad business operations from the functional areas that are involved? In what ways do they need to be transformed (e.g. outsourcing decisions)? What problems for integration do they present (e.g. information, service or resource redundancies, bottlenecks and disconnections)?
- What scenarios are involved and do they cohere with the common functional areas? What would be the impact of broader restructuring of coordination?
- What are the different systems involved and, again, what problems of integration do they present (e.g. redundancies, bottlenecks, disconnections)?

Addressing these requires insights and consensus from different stakeholders with a variety of perspectives, be they: internal or external to an organization; strategic, tactical or operational; marketing, sales or delivery; regulatory or commercial; specific cases or concerned with overall analytics etc. In diverse value-chains, analysis of the many and different parts should therefore be focused through carefully scoped functional areas.

Different models for different functional considerations can arise by decomposing them from a common, ancestor choreography model. However, in diverse value-chains featuring related yet distinct areas – like product merchandizing, sales, transportation, payment & exception processing – starting from same process and refining models is unnatural. While these choreographies may relate to each other through shared interactions, it is not natural to think of such diverse processes as refinements of a common starting point. Indeed, this would lead to conceiving of an entire organization through a single high-level process.

Thus, we require dedicated mechanisms for supporting the scoping of choreography models. This would facilitate effective analysis of wide-spanning choreographies through common functional areas. Identifying common areas, indeed the basis for commonality, is not straightforward. Commonality could relate directly to existing organizational units, business activities or services. Under modern practice of enterprises however, processes should be expected to cut organizational boundaries, be utilized through different markets (e.g. a logistics company could support customers in health, manufacturing and high-tech) and delivery channels (e.g. franchises, subsidiaries and resellers of a company and its services).

3.2 Stepwise Refinement

In addition to the scoping of choreography models, refinement/decomposition is a well known mechanism used to manage the modelling of non-trivial processes.

Choreography languages such as WS-CDL and Let's Dance and use classical process decomposition through which an ordered set of interactions (e.g. purchase order validation) are contained in sub-models. Choreography sub-models, as such,

are used to simplify their parent models, leaving certain details to lower level models. Sub-models may also be reused in other models, allowing common functionality referenced in a variety of models.

However, a distinct feature of B2B value-chains is the number of different partners and the range of interactions that can take place for shared concerns. This can lead to cumbersome sub-models that are hard to comprehend outside the explanation of those who created them. To address this problem, extensions have been proposed for a *structural* aspect of choreography modeling, as we saw in Fig. 4, and also in Let's Dance's role-based choreography views. This allows a modeler to depict the presence of many conversations in a single choreography model diagram.

Role-based views have been introduced in Let's Dance and BPEL4Chor (Decker et al. 2008). A major limitation of these proposals, however, is that a *single* modeling level is used to abstract details of interactions. For choreographies with a large number of interactions, it limits the modeller's freedom to introduce as many levels of abstraction in order to describe a conversation with different levels of detail. Too many details of interactions are introduced at the same level, limiting the comprehensibility of individual conversations.

In contrast, classical analysis and design techniques such as Data Flow Diagrams and Structured Analysis Design Technique (Yourdon 1989) allow for *stepwise refinement* of models. Although quite general and lacking in a precise meaning, these techniques are typically applied in large-scale projects to capture interactions between functional entities (which include business processes). Once models are refined at detailed levels, a behavioural perspective is introduced to capture sequencing dependencies of actions being modeled. Being informal, these techniques require the modeler to form correspondence between structural and behavioural aspects.

Clearly, stepwise refinement of choreography models should be supported, incorporating a structural perspective depicting conversations and reciprocal message exchanges (the "Birdseye") and behavioural perspective providing message ordering details.

3.3 Conversation Semantics

Message exchanges in choreography models generally designate request-response patterns between collaborating partners. Message exchanges, as discussed above, are logically related to conversations which are intended to achieve a particular outcome (e.g. creation of a sales order or the preparation of a shipping contract). This is the case for even complex conversations in which, for example, request-responses can become nested at different levels and cascaded to other partners (e.g. assignment of external carriers) not involved in the highest request-response directly related to an outcome (e.g. fulfillment of a shipment contract).

Understanding when message exchanges have been sufficiently captured is a problem of requirements validation that is peculiar to choreographies. For well-established business operations, the insights developed through requirements analysis can lead to an adequate capture of message exchanges, and present practice can drive the validation of the different scenarios. If, on the other hand, a system is being extended or an altogether new system is being embarked upon, that assumption is far less likely to hold. Modelling of choreographies at the *conceptual* level is aimed at minimizing as far as possible inadequacies of supporting requirements which are determined at the more expensive phase of implementation. Since B2B value-chains encompass different partners, business processes and applications, the problem of insufficiently capturing requirements has a wide impact and therefore cost.

Current choreography techniques do not offer ways of guiding modelers towards sufficiently captured and validated models. Apart from soundness checks for livelocks, deadlocks and termination that has been the subject of a considerable research in workflow analysis techniques (van der Aalst 1997), choreography models remain susceptible to semantic discrepancies. This is, of course, true of business process modeling techniques in general. However, choreography language developments, having being steered mostly from the Web services community, have not engaged on techniques from conceptual modeling that have been specialised on collaboration.

In particular, action-oriented techniques (Agerfalk 2004; Dietz 2006) were proposed to explicitly model pragmatic aspects of human language in order to understand collaborations semantically – beyond the goal of achieving interoperability. Action-modelling techniques draw from Speech Act theory (Searle 1969) to explicate the *intent* of interactions between actors. The fundamental idea, determined from an understanding of how humans communicate, is that through a word or sentences, a *speech act* is performed. This is qualified by further components, most notably an illocutionary act which expresses an actor's intention (e.g. make an offer, request a quote, etc.); and a propositional act that refers to some propositional content and identifies what it is being talked about (e.g. an offer referring to a product, a sequence of tasks to be conducted in the future).

Speech acts formalise the social meaning of collaborations, e.g. initial requests, promises or obligations to act, and ensuing action. Consequently, they can be used to develop negotiation patterns so that message exchanges can be understood from the context of interactions that are taking place. A technique, DEMO (Dietz 2006), utilises Speech Acts to model interactions and provides some insight. Based on the illocutionary act (the intention of what is being said), DEMO identifies three phases within an interaction:

- The *offer* phase is made up of two speech acts, namely request, where an initiator requests something from an executor, and promise, where the executor promises to fulfill the request.
- In the *execution* phase, the executor executes what has been promised and thereupon states the fulfillment of the promise to the initiator in the result phase.

- In the *result* phase, the initiator then accepts the execution as being what has been requested and promised.

DEMO uses the illocutionary act to express how a speech act is to be taken. This is especially useful as the social context is implicitly or explicitly constituted by the intentional network of coordinating actors. When it comes to implementation, representational concepts are derived from this context. In that sense, context is determined by the potential actions, e.g. usage (make, accept, reject) of an offer.

Other approaches based on speech acts are Coordinator (Winograd 1987), SAMPO (Auramäki et al. 1988), Action Workflow (Medina-Mora et al. 1992; Denning and Medina-Mora 1995), MILANO (De Michelis and Grasso 1994), BAT (Goldkuhl 1995) and Action Diagrams (Agerfalk 2004).

A major critique of traditional action-oriented modelling approaches is their usage of interactional patterns which are too restrictive. For instance, consider Winograd's action for conversation patterns (Winograd 1987), Medina's workflow loop (Denning and Medina-Mora 1995) or DEMO's simple request, state, accept pattern (Dietz 2006). Here, a requirement for using individual speech-acts for compositions of conversational actions must strive for maximum flexibility. From an empirical point of view, this is quite obvious since anything (e.g. interruptions, re-questionings, sudden withdrawals etc.) can happen during conversations and thus it should be possible to refine actions towards arbitrary complex coordination between actors. A second critique is related to the refinement of conversational networks towards executable representations.

4 Illustrative Modeling Proposals

This section illustrates modeling proposals that address the following of the requirements for choreography modeling that have been identified in the previous section:

- Functional scoping
- Stepwise refinement
- Conversation semantics

4.1 *Functional Scoping*

The scoping of choreography models, as discussed in the previous section, is required to bring distinct areas of B2B value-chains into view, allowing detailed analysis to proceed from a wider perspective. To illustrate how model scoping applies to choreographies and some of the subtle issues of supporting what seems to be a rather simple requirement, consider Fig. 8. It depicts some of the different

Fig. 8 Choreography domains



functional areas of the Sales & Logistics case study, hereafter referred to as *choreography domains*.

Choreography domains (depicted as ellipses) provide the highest level of scoping for choreography models. As indicated in Fig. 6, more detailed sub-models of choreographies are associated with – indeed *contained* in – a given choreography domain model. For instance, Let’s Dance provides role-based, milestone-based and interaction-based sub-model types, and each of these would be contained in a domain model. Domains could also be associated with other organizational artefacts (e.g. organizational units, resources and policies) that are not explicitly used in choreography modelling but which are supported through, say an enterprise modelling framework that a choreography modelling tool “plugs” into.

As with the functional areas in a value-chain, domain models have dependencies with other domain models (seen by the adjacencies of ellipses). In the context of choreographies, this means that they share message exchanges. As examples, Collaborative Forecasting Product Replenishment (out of which an order is produced) connects with Logistics (governing shipment of goods) and with Collaborative Forecasting, Planning and Replenishment; Logistics connects with Payments and Exceptions. Dependencies between domains could be derived through the message exchanges of models that they contain, or the modeller may enforce dependencies at the domain level, thus constraining the scope of message exchanges in their contained models.

From Fig. 8, it can be seen that domains can be hierarchically structured: Logistics is decomposed into Carrier Appointment, Delivery and Claims & Returns. Large and complex domains may be decomposed at an arbitrary number of levels. Thus, a given domain can be decomposed into leaf and non-leaf domains. However only at leaf-levels do domains have models directly contained in them (non-leaf domains are purely used for abstracting domains).

Given that domain models are essentially containers and the concrete details of their choreography are captured in models that they contain, an issue for tooling is synchronizing a domain model. This is because different conversations modeled in different domains would be at different stages of development. Therefore, as different conversations are captured for domains, they need be synchronized and thus be made available for cross-domain interactions.

4.2 Stepwise Refinement and Conversation Semantics

As discussed in the previous section, stepwise refinement and conversation semantics play a part in the detailed analysis of choreography models. Current choreography languages inadequately support these, limiting their suitability for modeling large and complex B2B value-chains. To show how they can be supported and are closely related, the extension of Semantic Object Model (Ferstl and Sinz 2006) for choreographies, as proposed in (Hettel et al. 2008), is presented.

Modelling of choreographies entail both structural and behavioural views of message exchanges between roles, as shown in left and right hand sides respectively of Fig. 9.

In the structural view, there are no routing constructs for expressing the ordering of message exchanges. Instead, Speech Acts are used to qualify the intent of a message exchange. The Speech Acts fit a negotiation pattern underpinning SOM's conversation semantics, as follows:

- Initialising (I) where both roles (actors in SOM) exchange information about the provided service
- Contracting (C) where both roles negotiate the terms of the service delivery/consumption
- Enforcing (E) where the negotiated services are provided/consumed.

I, C and E identify the type of the illocutionary act (intention) of the Speech Act using a verb, e.g. order, request, confirm, and a noun identifying what is being talked about (propositional content), e.g. goods, delivery. In Fig. 7, a *Buyer* uses an I act to request a quote from *Supplier* for a specific product he is interested in purchasing and the I act from the Supplier signifies the corresponding response. While a single request and response feature in the I phase of this negotiation, further message exchanges could take place. With the C act, the *Buyer* places an order, and thus a relationship between the quote and order is implied. In the next step, *Buyer* and *Supplier* commit to provide and consume a service, as such, with respect to the negotiated terms. This service, namely the delivery of the ordered goods, is signified using the *E: Deliver Goods* transaction. In a negotiation pattern, the I and C may be optional depending on whether both roles already know each other and whether a basic agreement has been established between both.

The behavioural view in SOM provides details about the sequence of acts beyond the broader negotiation protocol established in the structural view. Unlike other choreography languages, behaviour is encapsulated within roles and not




Fig. 9 Layer 1: Initial structural and behavioural view

across roles (e.g. choreography activities in the between pools as has been proposed for BPMN 2.0). This arguably provides more flexibility for the way roles act and respond to speech acts. For detailing the behaviour of partners, a BPMN-like notation was chosen with sending and receiving intermediate events linked by message flow edges. Sequence flow and gateways can be used to specify how one partner acts and reacts with respect to speech acts with others. When considered in isolation, none of the partners has a completely specified behaviour. It is only in connection with other partners that a complete behavioural description can be derived.

In support of stepwise refinement, reminiscent of classical analysis and design techniques like Data Flow Diagrams that have been prevalent in commercial projects for value-chain analysis, roles can be decomposed in order to reveal further roles. Figure 10 provides some details of a refinement of the SOM model shown in Fig. 9 (layer 1).

As depicted in Fig. 10, a number of decompositions have been applied. *Buyer* was decomposed into *Procurement* and *Consignee* interacting according to the feedback-control principle: the management role *Procurement* acts as a management role regulating (R) the operational role *Consignee* by sending an advice to receive goods, whereupon *Consignee* replies (F for feedback) by confirming the




Fig. 10 Layer 2: Behavioural view showing the decomposition of buyer into procurement and consignee

receipt of the delivery. On the right hand side, *Supplier* has been first decomposed into *Sales* and *Logistics*. Furthermore, *Logistics* was decomposed into *Shipper*, *Carrier*, *Consolidator* and *Customs*.

The rule of role refinement requires that speech acts in the parent role be preserved. In Fig. 10, the acts between *Buyer* and *Supplier* have been preserved through *Procurement* and *Sales* as well as *Consolidator* and *Consignee*. Altogether new acts can be introduced between sub-roles of the same super-role, as seen with *Sales* and *Shipper*.

In addition, speech acts and corresponding tasks may be decomposed. As shown in Fig. 10, *C: Order Goods* was decomposed to reveal a detailed negotiation: *C: Propose Delivery Details*, where *Procurement* proposes details (such as date, quantity, quality and price); *C: Confirm Or Propose Alternative Details*, where *Supplier* confirms the details or proposes alternative details; and *C: Confirm Order*, where *Procurement* confirms the order with respect to the negotiated details. A further refinement sees *C: Confirm Or Propose Alternative Details* decomposed into the parallel sub-acts *C: Propose Alt Del Details* and *C: Confirm Del Details*. Here, *Supplier* has the choice between one of the aforementioned speech acts as reflected in XOR gateway. In turn, *Procurement* has a choice between either accepting the alternative details or proposing new details.

Taken together, the interplay of structural and behavioural views, and Speech Acts, provides improved manageability of the complexity and meaning of choreographies compared to that available in current choreography languages. The structural view provides simplified abstractions, holding the broad architecture of the choreography together. The behavioural view, with sequencing details of message exchanges (speech acts) localized in roles, can be developed in tandem with each level of the structural views or can be left to more detailed levels of modeling. Speech Acts on message exchanges provide the bridge between the two views.

4.3 Detecting Errors in Conversations

A major benefit of having conversational semantics, as described above, is the improved model checking that goes beyond detection of deadlocks, livelocks and the like. In particular, it is possible to detect semantic discrepancies in conversations. An insight into these and their detection is now described. The reader is referred to (Hettel et al. 2008) where a formalization of SOM and model checking is presented.

Key to error detection in conversations is the precise description of a conversation in SOM models. So far conversations have been intuited as a set of message exchanges, represented as speech acts between two roles. With Speech Acts, a conversation can be said to encompass all acts that are derived from an initial ICE or RF act between two roles. On a lower layer, a conversation may span several actors. By keeping track of all refinements that have been introduced for acts, different acts can be combined to one conversation. For instance, the Speech Act *E: Deliver Goods* between *Consolidator* and *Consignee* and the other acts between




Fig. 11 *Left:* Relevant part of the behaviour involving Sales and Shipper as shown in Fig. 9. *Right:* Relevant part of the behaviour involving Consolidator and Customs as shown in Fig. 9

Procurement and *Sales* together form one conversation as they all originate from the same ICE (Fig. 11).

4.3.1 Negotiation Breakdown

Requirements for successful negotiations may be other subsequent negotiations necessary to arrange additional services needed to provide the overall service. As choreographies model the collaboration of loosely coupled and autonomous roles, participants may withdraw from negotiations at any time, causing it to fail. Such failures may cascade through the model and cause encompassing negotiations to fail as well – leading to a so-called *negotiation breakdown*. A possible negotiation breakdown may be caused by *Shipper*, as an unsuccessful negotiation between *Sales* and *Shipper* may impact on the negotiation between *Procurement* and *Sales* and may cause it to fail, too.

The negotiation breakdown analysis leverages SOM's typed Speech Acts to find subsequent negotiations between third parties that are encompassed in another negotiation. In order for a negotiation breakdown to occur, at least three actors, say X, Y and Z, must be involved, connected via two ICE conversations C1 and C2. Assume X initiates the negotiation with Y. To be able to provide the requested service to X, Y needs to arrange for additional services provided by Z, which has to be negotiated as well. Only when these additional services are secured, the negotiation with X can be closed successfully. A negotiation breakdown can occur when the last negotiation act in C2 leads to the last negotiation act in C1.

4.3.2 Provision Breakdown

Once, two actors have agreed upon consumption and delivery, the service has to be provided and consumed. However, it may happen that after committing to a service provision additional negotiations for supplementary services are required. If any of these negotiations fail, it may not be possible to provide the promised service, causing a *provision breakdown*. For instance, such a breakdown may be caused by *Consolidator* and *Customs* in the example depicted in.

For example, *Consolidator* talks to *Customs* after it received the goods from *Carrier*. If customs cannot be cleared for these goods, then the promised delivery cannot be made. This may pose a serious problem to other partners as they may be held liable to pay compensation for violating the contract. This scenario may be the result of erroneous modelling and therefore needs to be rectified by turning a possible provision breakdown into a possible negotiation breakdown. However, it may not always be possible to model the choreography differently to avoid such situations. Customs cannot be cleared upfront without having the actual delivery inspected. In this case the affected actors may consider a risk mitigation strategy to counter such scenarios.

For a provision breakdown to occur, two ICE conversations C1 and C2 are necessary. The two conversations need to be intertwined in such a way that after the negotiation part in C1 is done, more negotiation speech acts follow in C2. Moreover, the service provision in C2 must lead to the service provision in C1. In such a constellation, failing to acquire the service provision in C2 causes a provision breakdown in C1.

5 Conclusion

The notion of choreography has its origins in Web standardization efforts, out of which dedicated modelling proposals have emerged for implementation-specific languages and platforms. Choreographies address collaborations between partners in B2B domains, and focus on message exchanges in particular. Hence, languages and techniques supporting choreography modelling are of relevance across high level analysis, where cross-organizational contexts are necessary to guide requirements acquisition, to detailed design, where cross-partner interaction dependencies need to come into view for detailed specifications of individual and inter-operating processes.

In this chapter, we provided a background on choreography modelling and argued that the current capabilities are mostly suitable for detailed design. This creates a dichotomy for process specifications across modelling and design, despite situational differences in how modelling is applied. Based on insights from a logistics use case, we proposed three requirements for extending choreography modelling so that it could be equally suitable for high-level analysis. The requirement of scoping and stepwise refinement addresses the way models can be developed under the flux of requirements acquisition. In particular, we developed through SOM, a structural view of message exchanges between collaborating partners which simplify the context upon which the details of sequencing are introduced. For the requirement of conversational semantics, we introduced intent behind message exchanges through speech act theory. We discussed how analysis of conflicts in conversations, in the business sense, are possible, specifically breakdown in conversational negotiations and provisions.

Taken together, new insights are available for extending choreography modelling and the further challenges that lay ahead.

References

- Aagesen G, Krogstie J (2014) BPMN 2.0 for modeling business processes. In: vom Brocke J, Rosemann M (eds) Handbook on business process management, vol 1, 2nd edn. Springer, Heidelberg, pp 219–250
- Agerfalk PE (2004) Action-oriented conceptual modelling. *Eur J Inf Syst* 13(1):80–92

- Auramäki E, Lehtinen E, Lyytinen K (1988) A speech-act-based office modeling approach. *ACM Trans Inf Syst (TOIS)* 6(2):126–152
- Barros AP, Dumas M, ter Hofstede AHM (2005) Service interaction patterns: towards a reference framework for service-based business process interconnection. In: *Proceedings of the 3rd international conference on business process management 2005, BPM 2005*. Springer, Nancy
- Barros AP, Decker G, Dumas M (2007a) Multi-staged and multi-viewpoint service choreography modelling. *Workshop on software engineering methods for service-oriented architectures 2007, SEMSOA 2007*, Hannover
- Barros AP, Decker G, Dumas M, Weber F (2007b) Correlations patterns in service-oriented architectures, fundamental approaches to software engineering, FASE'07, Braga
- De Michelis G, Grasso M (1994) Situating conversations within the language/action perspective: the Milan conversation model. In: *Proceedings of the 1994 ACM conference on computer supported cooperative work*. ACM Press, New York, pp 89–100
- Decker G, Weske M (2007) Local enforceability in interaction petri nets. In: *5th international conference on Business Process Management (BPM), LNCS, vol 4714*. Springer, Brisbane, pp 305–319
- Decker G, Kopp O, Leymann F, Pfitzner K, Weske M (2008) Modeling service choreographies using BPMN and BPEL4Chor. *20th International Conference on Advanced Information Systems Engineering (CAiSE), LNCS, vol 5074*. Springer, Montpellier, pp 79–93
- Denning P, Medina-Mora R (1995) Completing the loops. *Interfaces* 25(3):42–57
- Dietz J (2006) The deep structure of business processes. *Commun of the ACM* 49(5):58–64
- Ferstl O, Sinz E (2006) *Foundations of information systems (In German)*, 5th edn. Oldenbourg, Germany
- Goldkuhl G (1995) Information as action and communication. In: Dahlblom B (ed) *The Infological equation, essays in the honour of B. Langefors*, Gothenburg studies in information systems. Gothenburg University, Gothenburg
- Hettel T, Flender C, Barros AP (2008) Scaling choreography for B2B value-chain analysis. *6th international conference on business process management 2008, BPM 2008, LNCS, vol 5240*. Springer, Milan, pp 294–309
- Kavantzaz N, Burdette D, Ritzinger G, Lafon Y (2005) Web services choreography description language version 1.0, W3C candidate recommendation, Technical Report, 2005, <http://www.w3c.org/TR/ws-cdl-10>
- Kemsley S (2014) Business process management and the social enterprise. In: vom Brocke J, Sonnenberg C (eds) *Handbook on business process management*, vol 1, 2nd edn. Springer, Heidelberg, pp 463–474
- Medina-Mora R, Winograd T, Flores R, Flores F (1992) The action workflow approach to workflow management technology. *1992 ACM conference on computer-supported cooperative work*. ACM, Toronto, pp 281–288
- Searle J (1969) *Speech acts*. Cambridge University Press, Cambridge, UK
- van der Aalst W (1997) Verification of workflow nets, vol 1248, LNCS. Springer, Berlin, pp 407–426
- vom Brocke J (2007) Service portfolio measurement. Evaluating financial performance of service-oriented business processes. *Int J Web Serv Res (IJWSR)* 4(2):1–32
- White SA, Miers D, Fischer L (2008) *BPMN modeling and reference guide*. Future Strategies, Lighthouse Pt
- Winograd T (1987) A language/action perspective on the design of cooperative work. *Hum-Comput Interact* 3(1):3–30
- Yourdon E (1988) *Modern structured analysis*. Yourdon Computing Series Press, Englewood Cliffs
- Yourdon E (1989) *Modern structured analysis*. Yourdon Computing Series Press, Upper Saddle River
- Zaha JM, Barros A, Dumas M, ter Hofstede A (2006) Let's dance: a language for service behaviour modelling. In: *Proceedings of 14th international conference on cooperative information systems 2006, CoopIs 2006*, Montpellier

Collaborative Process Modeling and Design: The Intersport Case Study

Mikael Lind and Ulf Seigerroth

Abstract The need for alignment between business strategies and business processes is today manifested in many different ways. This chapter presents experiences from a collaborative process modeling and process design effort performed at Intersport Sweden. The main purpose with the process modelling and process design was to serve, as a solid base for the transformation of Intersport Sweden into the future. In this effort an important part was that the new process design was in clear alignment with the new strategic business model. By a collaborative co-design approach for deriving and designing business process models diverse stakeholders' knowledge and interest were captured in the development of tangible process descriptions of the future. The new strategic business plan has through collaborative process design been given a meaning and participating actors have become committed to implement this new business strategy.

1 Introduction

The task of modeling and designing business processes has been acknowledged as critical for strategic development of business practices and appurtenant information systems (c.f. Harmon 2014; Rosemann and vom Brocke 2014). Business processes has during the last decade won great attention in conceiving business practices due to its focus on the client as well as on other stakeholders (e.g. Davenport 1993; Davis 2001; vom Brocke and Thomas 2006). Business process modeling has been used for several purposes (c.f. Bandara et al. 2006; Harmon 2014) such as reconstructing existing practice (AS-IS) and consequently using evolving process

M. Lind (✉)

Viktoria Swedish ICT, Sustainable Transports, Gothenburg, Sweden
e-mail: mikael.lind@viktoria.se

U. Seigerroth (✉)

Jönköping University, Jonkoping, Sweden
e-mail: Ulf.Seigerroth@ihh.hj.se

models for reflection, modeling the future (TO-BE), as well as determining historical chains of events. Practitioners within the IS-field tend to engage in conceptual modeling, focusing on business processes among other aspects, for the purpose of analysis, design and evaluation of information systems (Davies et al. 2006). So far little research has however been conducted on process modeling practices (c.f. Bandara et al. 2006) and the same goes for procedures of collaboration in modeling. In related areas such as requirement engineering collaboration in requirements workshops are pinpointed as an important success factor (c.f. e.g. Gottesdiener 2002).

Business process models are also to be seen as tangible descriptions of patterns of actions performed by people, often supported by artifacts, within and between organizations (Goldkuhl and Lind 2008). This also means that such models could be used as a support in a transition process to bring a business from one state to another. The aim of this chapter is to report experiences from an action research project in line with the principles of Lindgren et al. (2004) where we have been involved in such a transition process together with Intersport, one of the largest sport retail chains in Sweden. The main objective with this Intersport project was to design their business processes of the future through collaborative process modeling. One dimension of collaborative process modelling has been that different roles from Intersport representing different aspects of the new strategic business plan have met and jointly learned from each other during process modelling and process design. Another dimension is that we as researchers together with representatives from Intersport have worked together in different ways. The task of modelling future TO-BE situations is often conceived as a design process, which needs to be governed by clear and understandable guidelines. Many times such governance has its foundation in business strategies where there is a need to create alignment between business strategies and different types of models and architectures (Ward and Peppard 2003; Pearlson and Saunders 2006; Lankhorst et al. 2005; Seigerroth 2011). Using business process modeling for the management of processes has also been acknowledged by several scholars (c.f. e.g. Günther et al. 2008; van der Aalst et al. 2007). Having people engaged in the design of tangible process patterns based on strategic plans could be a way to create commitment and reveal flaws in strategic declarations. In this chapter we will address the process of designing Intersports business processes for the purpose of creating a solid base to bring a business into the future and where the new process design is clearly aligned with the strategic goals.

We conceive this type of research as closely related to design science (e.g. Hevner et al. 2004) by regarding the creation of business process models as new and innovative artifacts. The process of deriving and designing models is much about capturing, in a collaborative way, different people's knowledge about diverse parts of business processes on different levels. Based on a social-constructive view on knowledge creation business process modeling becomes a design issue. Knowledge and commitment about the future is created by people interacting and collaborating to reach a defined goal, i.e. inter-twined social actions directed towards each other. Throughout the process different versions of models (solutions) will

co-evolve with a joint understanding of the problem, in this case the new strategic business plan (c.f. e.g. Dorst and Cross 2001). This means that different roles need to be involved in the process of modeling and thereby constructing a joint view of the business processes that are the object of investigation. One way to conceive such process is to regard it as a co-design process (Lind et al. 2008) in which a number of views on reality co-exist, in the setting of collaborative modeling, to be used for exploring solutions and the problem domain from different viewpoints. This co-innovative approach is closely related streams like Web 2.0 (Lind and Forsgren 2008) in which clients are engaged in collaborative processes of design (c.f. Albinsson et al. 2007; Lind et al. 2007).

This chapter also touches upon the area of enterprise modeling. As distinguished by Stirna & Kirikova (2008) this area could be divided into three parts; Modeling product (language and notation), Modeling Process (guidance), and Modeling Tool (support). We conceive process modeling and process design as one sub-area within enterprise modeling. Historically, a lot of emphasis has been put upon languages and notation for modeling. The notation is used for directing attendance during process modeling. The notation characteristics are however formed as ideals and an unresolved quest is how these should be applied in relation to situational characteristics in the modeling situation. Less research has thus been performed in relation to the modeling process, i.e. guidance for how the modeling should be performed.

The research reported in this chapter is driven from the question of *how to co-design business process models as a foundation for the implementation of business strategies*. The purpose of this chapter is to take important steps towards guidelines that elaborate on how to conduct collaborative process modeling in business process design. Following this section, instruments and theoretical insights related to business processes, process modeling and strategic alignment will be presented. Following that the case of Intersport will be described and then further reflected upon in a first strive towards guidelines for process design, collaboration, and alignment. The chapter will be concluded by some reflections related to performing business process design endeavors.

2 Process Modeling and Strategic Alignment

2.1 Collaborative Process Modeling for Strategic Alignment

In the domain of business process modeling models being produced should be aligned with intended business plans and strategies. To meet this challenge there is a need to understand and to be able to handle the complexity that exists in terms of different aspects or conceptual domains in the business (Lankhorst et al. 2005; Vernadat 2002; c.f. Langefors 1973). Lankhorst et al. (2005) exemplify these multiple enterprise aspects with five heterogeneous architectural domains (i.e. Information architecture, Process architecture, Product architecture, Application architecture and Technical architecture) that are related to each other and the

need for them to be integrated and aligned. The challenge is not to deal with isolated domains but to go beyond the individual models and to cope with how they are related to each other on different levels and how they as parts in the total picture supports different strategic goals (Lankhortst et al. 2005). One way to achieve alignment between strategies, models, and in the end IS/IT-architectures is to adopt a co-design approach (Lind et al. 2007; Liu et al. 2002; Rittgen 2007). The aim with a co-design approach to process modeling is to simultaneously work with several different stakeholders in a collaborative way to avoid conceptual deviations between strategic plans and models on different levels. The necessity of such collaborative approach to process modeling has also been put forward by vom Brocke and Thomas (2006). They claim that relevant stakeholders in a certain modeling situation must be identified and efficient ways of coordination between them needs to be established. In the Intersport case this has been ensured by letting different stakeholders at Intersport representing different part/aspects of the new strategic business plan have been involved in the process.

Much of the discourse related to strategic alignment is based on the framework by Henderson and Venkatraman (1999) who put forward four dimensions and their strategic fit to each other (cf. e.g. Ward and Peppard 2003). These dimensions are in many cases elaborated through modeling and different models are used as an instrument to express how to achieve alignment and competitive advantage. Another more recent framework that also put forward alignment issues is the Strategic Triangle by Pearson and Saunders (2006). The alignment dimension emphasizes the need for clear relations between different levels of the business. In business and IS/IT alignment there is a need to create clear relations between different levels, such as the enterprise level (strategies, process architecture, etc.), the business process level (value chain, management, etc.), and the implementation level (IS/IT architecture, work practice, etc.) (Harmon 2014).

In this chapter our basic assumption is that different types of process models can serve as a vehicle for realization of strategic business plans.

2.2 Collaborative Process Modeling in Business Process Design

Process modeling requires the involvement and engagement of people. Design science as research approach has gained a lot of attention in IS and management research. In the design-science paradigm, knowledge and understanding of a problem domain and solutions are achieved through building and implementing designed artifacts (Hevner et al. 2004). As claimed by van Aken (2007) a design science approach to management research makes this research more valid and reliable. The task of business process management is highly integrated with information systems development. “The design of organizational and interorganizational information systems plays a major role in enabling effective business

processes. . .” (Hevner et al. 2004, p. 85). IS design research is concerned with an ongoing iterative exploratory creation and evaluation of IT artifacts where the artifact may be ranging from conceptual drawings to rigorously mathematically defined executables (Hevner et al. 2004).

In the context of this chapter questions addressing the problem domain of how to co-design business processes are, *how can business principles in business strategies collaboratively be transformed into business process models?*, *how could models be used as an essential transformational tool for successively reaching a desired state?*, *what kind of models should be used and in which stages of the process design?*, *which different versions of models do exist during a process design setting?*, *which patterns of co-operation should be emphasized during such endeavor?*, etc.

Within design science, the core concept is the artifact. Our conception is that an artifact is created by human beings which don't exist without human involvement either by design or by interpretation. In our perspective an artifact can be instantiated as something with physical- and/or social properties. From this conception some examples of artifacts are; computers, software, methods, models, norms, attitudes, values (c.f. also March and Smith 1995). In social settings several artifacts and several subjects often co-exist (Lind et al. 2008).

In a conceptual framework proposed by Hevner et al. (2004) the understanding, the execution, and the evaluation of IS research combining behavioral-science and design-science paradigms are brought forward. In this framework three integrated dimensions are depicted; *the environment* including people, organizations, and technology, *the IS research* pinpointing the creation and justification of artifacts, and *the knowledge base* bringing forward foundations and methodologies to be used in the creation and evaluation of artifacts. Further, by basing designs on existing theories and putting those into use through design science principles may also shed new light on these theories and their applicability in specific situations (c.f. Markus et al. 2002). Hevner et al. (2004) continues by presenting seven design science guidelines for performing research.

For several reasons, the design-science framework with appurtenant guidelines provided by Hevner et al. (2004) is a good point of departure, towards a theory for performing business process design endeavors. The framework highlights a necessity to go into interaction with the environment relying on a defined knowledge base in the construction and evaluation of evolving business models. The guidelines prescribe important areas of concern in order to arrive at artifacts, in our case business process models, that comply with validity claims raised in the field of design science. As indicated in the introduction of this chapter, business process design is a task highly involving peoples' knowledge and commitment. In this task the (different) models focusing business processes become core in the interplay of stating questions and giving answers by the people involved in the design.

In business process design settings process models are continuously refined in a transformation process. These processes are highly characterized by people interacting with models as a point of reference and where the models can be seen as mean for coordination of the modeling process. Business process models are

built upon modeling languages (c.f. e.g. Schuette and Rotthowe 1998), i.e. concepts and notation to be used for stating and answering questions. This means that the conception of business processes as well as the ways that people are interacting in a business process design becomes crucial in order to arrive at models for guiding people in the realization of business strategies (c.f. vom Brocke and Thomas 2006). For the latter aspect we rely on a co-design approach (Lind et al. 2008) as a way for adopting a line of thinking that business process models need to be part of, and the result of, people engaging in co-creation processes aligning business strategies and business process models (vom Brocke and Lippe 2013). In this approach an infinite numbers of views of reality are designed based on the intention of the participators of the process. However, in the design science research, as proposed by Hevner et al. (2004), it is not stressed much that people in the environment and researchers *jointly* create artifacts (business process models) and *collaboratively* develop an understanding of the problem to be solved. In this case a joint understanding between stakeholders within Intersport and between stakeholders within Intersport and researchers was created in regarding:

- Understanding of the new strategic business plan
- Implications on business processes of the new strategic business plan
- Transformation of the meaning of the new strategic business plan into design of aligned business processes

2.3 *Alignment Dimensions of Collaborative Business Process Design*

Aspects to capture in business process models have been put forward by several scholars. Stemming from systems science (c.f. e.g. Langefors 1973) a strive has for a long time been to distinguish aspects to conceive as essential constituting business processes (c.f. Lind 2006). As advocated for by vom Brocke and Thomas (2006) the use of reference models can increase the efficiency and effectiveness of specific modeling processes. Reference models are conceived as a special information model that can be reused in the design process of other business process models (ibid., p. 681). Reference models consist of generic aspects to focus upon and these needs to be stated for the purpose of declaring views captured in business process models.

Traditionally a view on organizations putting emphasis on the horizontal work in contrast to vertical division of labour has dominated the field of Business Process Management (BPM). BPM has its origin from total quality management – TQM (Harrington 1991) and business process reengineering – BPR (Hammer 1990; Davenport 1993). Basically, this can be seen as an industrial view on business processes, where input (raw material) is transformed into output (finished products). This transformational view is however not the only point of departure for the conception of business processes (Keen and Knapp 1996). Other relevant points

of departure are the role of values (c.f. vom Brocke et al. 2008) and the role of learning (c.f. e.g. Leyking et al. 2007). These other dimensions do however require a foundational conception, a backbone, of business processes as a basis for contextualization.

This chapter relies on an ontological foundation by putting the action as the core of business processes. Such foundation has its root in American pragmatism (c.f. e.g. Dewey 1922). In order to expand the scope beyond transformational dimensions of business processes the notion of business act is conceived as the basic unit of analysis (c.f. Lind and Goldkuhl 2003). A business act can be a speech act (communicative act) (c.f. e.g. Searle 1969) or a material act. This notion of business acts builds upon the notion of social action. An organization consists of humans, artifacts and other resources, and actions performed. Humans (often supported by artifacts) perform (internal and external) actions in the name of the organization (Ahrne 1994). Humans act in order to achieve ends (von Wright 1971). Human action often aims at making material changes. Humans do however not only act in the material world – they also act communicatively towards other humans. Human action is about making a difference, where such difference can have impact in the social world as well as in the material world. As described in Lind and Goldkuhl (2003) a business act is defined as *the performance of a communicative and/or material act by someone aimed towards someone else*. By using business act as the basic unit of business processes both transformative, co-coordinative, and interactive dimensions of business processes can be included in a combined way (Goldkuhl and Lind 2008).

Transformative dimensions mean a focus on the transformation of deliverable products, in structured and sequenced ways, from base products (raw material). Coordinative dimensions mean that business processes involve important coordination mechanisms for the establishment, fulfillment and assessment of *agreements* between involved stakeholders (e.g. suppliers and customers). Interactive dimensions are the special case of co-ordination in which the actors' performance of communicative and/or material exchanges is focused. As proposed by Goldkuhl and Lind (2008) these two viewpoints need to be combined to an integrative view where coordination (also including interaction) and transformation form an integrated texture of actions. In this sense assignment processes become superior in relation to transformation processes.

3 Designing Business Processes in a Retail Chain

3.1 The Change Project at Intersport

In this project the main mission has been to identify and design Intersports future business processes based on their new strategic business plan. Intersport was at the project start a voluntary specialized retail chain for sports and recreation. This

means that a majority of Intersport's stores were owned and run by individual merchants who cooperate under the common brand Interport, a franchise concept. In addition to this there are also a couple of stores in Stockholm and Gothenburg that are partly centrally owned by Intersport Sweden. The Intersport chain in Sweden was at the time for this project constituted by 145 stores with a turnover of 3.3 billion SEK in 2007. Intersport Sweden is part of the Intersport International Corporation (IIC) which was founded in 1968 when 10 independent European purchase organizations joined their forces. On the international arena Intersport has over 4,900 stores in 32 countries. Intersport is the world largest sports chain with stores in for instance Europe, Russia, Canada, and the Arabic Emirate. Intersports total turnover was in 2007 8.37 billion Euros.

The background for this process design project was that Intersport Sweden had initiated an extensive change program where the goal was to meet current and future needs to create competitive advantage in retail for sports and recreation. In this change program Intersport made a major redesign of their strategic business model. The core of the change process for Intersport was to go from being a wholesale dealer with mostly independent stores to take an overall central responsibility over the value chain including the stores, i.e. to become both retailer and wholesaler in a structured and coherent value chain. In this sense the scope of the business process design project covered activities arranged in a value chain spanning over several organizations. Intersports change program went under the name of Wholesaler – Business development – Retailer (WBR). In WBR there were a number of business areas and change solutions suggested where the change process is spanning over the year 2007 to 201X. 201X means that Intersports general plan was to have implemented the new business strategy to its full extend by 2013 but depending on the progress in different parts of the change program the exact year can be 2012, 2013 or 2014. During this change process there are a number of dimensions of the business that are planned to be (re-)designed and implemented.

Our way into this change program with process design was Intersports evolving need to be able to address different change issues in WBR to different process contexts. They needed a solid ground for elaborating and dealing with different change dimensions that were expressed in WBR. One example of this is the ambition to develop a new IT strategy and new IS/IT architecture that were supposed to support the new strategic business plan. The business process design project has in this context meant to define the business practice for Intersport Sweden with respect to activities, results, prerequisites, work procedures, cooperation procedures, communication principles, roles and responsibilities on different levels as descriptions of a future desired state. This was in accordance with the new strategic business plan. The focus of this project has been to describe how Intersport in the future wants to do business with their clients. For this purpose business process models based on their new strategic business plan (The business plan 2007 "Towards future victories") were derived and designed. This was, as described earlier, done in a collaborative way by involving different Intersport stakeholders in the business process design. For Intersport this covers everything in their business from strategic planning to products and services in use by their customers.

Examples of new and important business principles covered by the new business plan for Intersport were:

- The responsibility for supplying and filling of the stores is moved from the stores to a central organization
- A shift of focus from products to concepts
- The coordination and distribution of Intersports own and external brands should be done in the same way
- Intersport should have control over 80 % of the total collection in all stores (base collection and category collections)
- A shift from that the stores orders early to an early central and local planning and a late central distribution of collections
- A clear central retail function in the whole value chain

Through these changes Intersport expects to strengthen their market position by adopting a retail focus with a centralized management and coordination. This require collaborative efforts in reaching such goals. In combination with this Intersport is also moving from a more narrow focus on products and purchase to a focus on concepts and sales. The external attraction should be increased in the value chain through development and clarification of Intersport's concepts, clarity in marketing and to put the customer in focus. The aim is also to increase the internal efficiency through development of product logistics and cost programs. The mission is to take back the position as the strongest actor on the market of sports and recreation.

3.2 The Work Process in the Process Design Project at Intersport

The work process in this project has been tailored for the purpose of fulfilling the goals that are expressed in the new business plan. This means that the process design has been performed on different levels of abstraction but without going into too great details of the processes. By the recruitment of new competences and in-service training of existing personnel the requirements in the new business plan is to be met. This has enabled us to invite and involve key competences at Intersport that were necessary based on the new business plan. The process design has mainly been focusing on two levels as the main result:

- Main process model (the one overall process model that covers the total business model, see Fig. 2 below)
- Detailed process models (detailed process models of all the parts in the main process model, see Fig. 3 below for an excerpt example)

These two levels are based on a concept for business process modeling where different levels of the practice need to be investigated and designed in order to

create a coherent and functioning wholeness. This means that decisions that are made on a strategic or business level and expressed in models on these levels should be reflected and understood on more detailed levels of modeling, i.e. there is a need for traceability both upwards and downwards between models with different focus and different abstraction levels. This way of working, by shifting between details and wholeness, has strong resemblance with other approaches to process modeling (c.f. e.g. Davis 2001). It has therefore been necessary to develop understanding of the present (AS-IS) and development of the future (TO-BE) of both wholeness and parts in parallel. The main process and the detailed processes are actually spanning over three different abstraction levels and the basic principles in these three levels are:

- Level 1 – Business map: Shows the business in its context and how it interact with the environment (this level has been manifested through the main process model)
- Level 2 – Main processes: Comprehensive process map based on level 1 which also express internal relations within the business (this level has been manifested through the main process model and the detailed process models)
- Level 3 – Sub processes: Coherent business activities, input/output with focus on customers/clients (this level has been manifested through the detailed process models)

When working with these three levels there has continuously been an interaction around the evolving business process models (artifacts), the environment (local practice) and the knowledge base (external theoretical and methodological constructs). Throughout the design process different people at Intersport have been actively involved together with the researchers. This process has continuously been shifting between design activities and validation activities. This means that different constellations of people at Intersport have been involved in both design and validation during different stages of the process. Examples of constellations of people that have been involved are; CEO, management group, controller group, retail group, different functional units and different individuals with specific knowledge within a specific area in the new strategic business plan. During this process it has also been necessary to let the design process be informed by theories and methods in order to develop clear and coherent business processes. An example of this was that we for instance elucidated transformation, coordination and interaction dimensions in the process design, as explicit generic aspects, in the evolving process models. The instantiation of categories in theories has therefore explicitly influenced the design in the models and helped us to translate and visualize Intersports new business plan into process models. The evolving process models served as an important vehicle (transaction medium) for successive operationalisation and design of the business processes of 201X.

The project was divided into three phases; an Initial phase, an Intermediate phase and a Final phase. During the initial phase we (Intersport and researchers) mainly worked with so-called *scoping models*, i.e. through different models, based on the new strategic business plan, try to clearly define what to focus on and what to

exclude. During this phase we mainly worked with versions of the principle process model but after a while we also started to work with initial versions of the main process model and detailed process models. The models that were produced during this phase addressed both AS-IS and TO-BE and mostly on a principle level of the practice. During all the phases we used the new strategic business plan as a generative design foundation. We continuously had to iterate between the strategic business plan and the evolving process models since both part continuously contributed to learning about each other. During the intermediate phase we worked with a division between *chiseling models* and *design models*. The chiseling models were mainly used to identify and describe guiding principles for design based on the scoping models. During this phase we worked with both the principle process model, the main process model and the detailed process models. At this point, the principle process model also had served its purpose and was phased out from the project. These chiseling models were then used as a base to design the future practice expressed in the main process model and the detailed process models. In the final phase we then worked with so-called *change models*, i.e. models and a final report that should be used for the implementation of the new business processes. This phase was mostly about packaging, presentation and documentation of the design. The models and the final report will now serve as change guide for the implementation of the final solutions (design of 201X) which should be aligned with the new business plan.

3.3 Using Different Process Models

During the project we have produced different artifacts in terms of models which have had different roles during different phases of the project. Based on the two levels of modeling that was described earlier we have mentioned that we worked with an intermediate level during the first half of the project. This means that we in total actually have worked with three modeling levels with corresponding three types of models; Main process model, Principle process model, Detailed process models (for model examples see Figs. 2, 3, and 4 below).

Based on the earlier described phases in the project and the three types of models that we have worked with, the design process can be described according to Fig. 1 below.

The red X in the figure above represent the status of the example models that are shown in the figures below. The blue whales in Fig. 1 above represent the content development of the three types of models. We can also observe in Fig. 1 that the two types of models (main process model and detailed process models) that were supposed to be the final design result wasn't what we started to work with. The reason for this was that the initial versions of the main process model were regarded to be too abstract while the detailed process models got stuck in details. Therefore we started to work with an intermediate level (principle process, see Fig. 4 below). The principle process addressed principles in the new business model at the same




Fig. 1 The roles of different process models during the project

time as we were able to understand the major consequences of these principles for further detailed design of the main process model and the detailed process models. At this stage the principle process model gave us the discourse we needed where Intersport stakeholders and researchers could meet and actually find a common ground for understanding the new strategic business plan.

In Fig. 2 above the main process model is depicted. The core of the model is a pattern of actions spanning from strategy development (left part) to sales and products in use by customers via generation and implementation of concepts to be supplied with and sold in stores. At the bottom of the model relations to infrastructure are depicted and on the top-layer relations to governing and governing actors are expressed. The main process model mainly evolved from collaborative discussions based on; the new strategic business plan, other evolving process models, and evolving joint understanding and manifestations through.

In Fig. 3 an example of a detailed process model is presented. This model shows relations between actions performed by actors, results and conditions. At the top-part of the model actions for governance are expressed.

In Fig. 4 the final version of the principle process is depicted. This model is more of a traditional swimlane model expressing relations within and between diverse organizational dimensions. This principle process served as a bridge between the main process model and the detailed process models for the first half of the project. As can be seen in Fig. 1 the principle model had served its purpose when the other two models had evolved to a state where the alignment between these two models had become clear. At this state it started to be clear how the new business plan was instantiated and manifested on the main process level and how these principles were instantiated and manifested in the detailed process models. When the principle process model had been phased out the main and detailed processes evolved together in parallel.




Fig. 2 The main process, final version

4 Discussion: Designing Business Processes for the “Future” Through Collaborative Modelling

4.1 Process Modelling as a Design Process

During the process design performed at Intersport a combination of action research and design research has been adopted. The process design has in a collaborative way had as its focus to design and validate business models as artifacts which has evolved based on an identification of business needs in the environment (new strategic business plan) as well as the utilization of essential categories derived from the knowledge base (the combination of transformation, communication, and coordination).

Naturally the practitioners have acted on behalf of the environment and the researchers have taken the responsibility to derive essential categories in the knowledge base. Even though that the research performed and reported upon in this chapter has been performed in an action research setting we still believe, in the spirit of Walls et al. (1992), that the principles and guidelines proposed by Hevner et al. (2004) give resonance to what has been going on in the collaborative process design project. This is also verified by other IS scholars (c.f. Cole et al. 2005) and the establishment of the relationship between action research and design science as an emerging theme within IS research (Sein et al. 2011). We conceive the IS




Fig. 3 An excerpt example of one detailed process, final version

research reported in this paper as an arena in which the artifacts in a collaborative way are constructed, assessed, and refined. This means that actors being involved are both researchers as well as practitioners. This puts attention towards different actors, their roles, and their actions related to the three dimensions (environment, IS research, and knowledge base). In the following parts we will give some reflections related to the proposed guidelines as formulated by Hevner et al. (2004). These reflections serve as a base for bringing forward core issues in collaborative process modeling.

4.2 Design Guidelines Applied on Process Design

In Table 1 we make some reflections related to the guidelines proposed by Hevner et al. (2004).

In Table 1 some characteristics that we believe have been important during the design of Intersports future business processes could be derived. These are the combination of action- and design research for elucidating procedural dimensions during a design process, the knowledge base as a driving force during both design and validation, and the close collaborative interaction between practitioners and researchers as a way to ensure useful results. These characteristics are elaborated on in the following sections.




Fig. 4 Principle process, final version

4.3 Strategic Alignment of Process Models

Throughout the project different models have continuously been designed and refined. As claimed earlier process models on different levels were needed to capture different aspects in the business plan to pinpoint design results translated from the business plan on different levels of granularity. Building on pragmatic (Lind and Goldkuhl 2003) foundations for understanding, evaluating and designing business processes that are aligned with the business plan it is claimed that three essential process dimensions for elaboration are needed:

- Transformation, i.e. the refinement of basis to finished products
- Coordination, i.e. the governance and management of the transformation
- Interaction, i.e. the interaction between actors (organizational roles)

In the analysis we have explored three types of models that have been designed in the project (main process model, principle process model and detailed process model) in relation to their role during different phases of the project (see Table 2). The table is horizontally divided into the phases that we have identified in the project and vertically into the three core process dimensions that need to be elaborated in order to facilitate alignment between the process models and the new strategic business plan.

Table 1 Reflections of how the guidelines according to Hevner et al. (2004) have been applied in the process design project

Guideline according to Hevner et al. (2004)	Reflection (applied guideline in the process design project)
<i>Guideline 1: design as an artifact</i>	Artifacts in terms of models, (main process model, principle process model, and detailed process models) as design of a future business state has been produced
<i>Guideline 2: problem relevance</i>	The problem relevance is manifested through the new business plan and the desire to communicate the vision on a more concrete level
<i>Guideline 3: design evaluation</i>	The real utility, quality and efficacy of the designed artifacts (models) cannot be really evaluated until the business plan has been fully implemented. In this sense we do not yet know the implications of the resulting (change) models. Will they be a support for action to reach the desired state? However, the artifacts have during the design process continuously been evaluated based on internal congruency, the knowledge base, and through the interaction (grounding) with the environment (the local practice). The artifacts have also continuously been evaluated by the Intersport stakeholders in relation to the new strategic business plan and their joint interpretations of the same
<i>Guideline 4: research contributions</i>	The research contribution is in the area of approaches for how to perform process design and process modeling
<i>Guideline 5: research rigor</i>	Multi Grounded Theory (MGT) has been applied as research approach to ensure empirical, theoretical and internal generative and validating dimensions of the artifacts (c.f. Goldkuhl and Cronholm 2003). This also makes sense since both MGT and design science is rooted in pragmatism. The knowledge base has provided means for directing attention towards essential aspects during design. Evaluation has been performed based on different peoples engagement in the artifact design
<i>Guideline 6: design as a search process</i>	The goal has been to design and visualize a future business state through the search for “optimal” models, i.e. models that are as close as possible to the future desired state. The desirable future state has in this case been manifested by the new strategic business plan. Models have during the process been rejected and/or refined
<i>Guideline 7: communication of research</i>	The final report that was delivered to Intersport was structured and presented for enabling the continuous and future implementation of business processes, on both detailed and on principal business level. The relation between detailed and more principle levels has also been kept clear

As can be seen in Table 2 the role of the three dimensions (i.e. transformative, coordinative, and interactive) in the models has evolved within the phases of the project. One can note that the transformative dimension has been important from the beginning and during all phases of the project while the interactive dimension of the models is suppressed until the latter phases. The reason for this is that we in the project needed to reach quite detailed descriptions of the business plan as process models before it was meaningful to really address which organizational roles that

Table 2 Different models and the role of process dimensions during different phases in the project

Model type/aspect	Initial phase	Intermediate phase		Final phase
	Scoping models	Chiseling models	Design models	Change models
Transf.	Main: Part	Main: Dom	Main: Dom	Main: Dom
	Princ: Dom	Princ: Dom	Princ: N/A	Princ: N/A
	Detail: Dom	Detail: Dom	Detail: Dom	Detail: Dom
Coord.	Main: Part	Main: Part	Main: Dom	Main: Dom
	Princ: Part	Princ: Part	Princ: N/A	Princ: N/A
	Detail: None	Detail: Part	Detail: Dom	Detail: Dom
Interact.	Main: None	Main: Part	Main: Part	Main: Part
	Princ: None	Princ: None	Princ: N/A	Princ: N/A
	Detail: None	Detail: Part	Detail: Dom	Detail: Dom

should be responsible and involved in different parts of the process. Similarly the coordinative dimensions were only briefly addressed in the early phases and they were not fully developed until the latter phases of the project. The reason for this was also the need to first translate the business plan into transformational process knowledge in order to know what to coordinate. It is also important to note that to be able to achieve a “usable” business aligned design, all three dimensions (i.e. transformation, coordination, and interaction) were needed to be elaborated and described in the process models. An important vehicle to develop the main process model and the detailed process models was the principle process model which was a bridging facilitator during the first two phases. The principle process model had then served its purposes after the first half of the intermediate phase (indicated as N/A during the two last phases in Table 2).

4.4 A Co-Design Approach to Collaborative Process Modeling

The process design described in this chapter has been executed through collaborative modeling where different roles (stakeholders) have been involved in the design of a future state according to a new strategic business plan. The representation of people from Intersport in the project covered both new roles as a result of the business plan and “old” roles that had been preserved in the organization. The future design has been governed by collaborative creation of business process models on different levels. The involvement of stakeholders in the design conversation is one main core in co-design (Lind et al. 2008). Co-design as a design approach was originally coined by Forsgren (c.f. *ibid.*) who proposed a co-design framework as a multi-stakeholder model in which all stakeholders concerns, related to a certain co-design situation, are taken into consideration by either inviting, or considering perspectives of, diverse stakeholders. Measurement scales and ideals

are co-constructed by engaged stakeholders and perspectives driven by the hope for the future. In the design project at Intersport most of the design work (process modeling) was performed in workshops and joint working meeting where different people were involved based on their role in relation to the new business plan. The evolving process design was the common communication ground where different aspects of the new business logic could be elaborated. The workshops had a dual purpose where there continuously was a balance between generation and validation. Depending on the level of the design there was a need to also have different hierarchical representations during the design, i.e. executive, management and more operative levels. We as researchers also had an important role during this design process. Our main purpose was to create collaboration and to serve as modeling facilitators in terms of modeling coordinator, method support and to introduce useful theories and constructs into the design process.

By involving different stakeholders in a collaborative way the aim of the co-design process is to determine pros and cons, as well as determine new ideas and views in relation to the design (Lind et al. 2008). The resulting models of the process design (i.e. the change models) are to be regarded as joint agreements of future actions among the involved stakeholders in which different views of the stakeholders have been taken into consideration in the modeling process.

5 Conclusions

In this chapter we have reported upon a process design project performed in a retail chain setting with the purpose of letting people become engaged in describing and become committed to a future state as a mean for the implementation of business strategies. In this setting a business process design has been performed as a step to transform business plans into detailed and comprehensive business process models.

The knowledge endeavor reported in this chapter is to be seen as a step towards a practical theory (Cronen 1995) with the purpose to support people in performing process design. As a frame of reference we have used the guidelines as provided by Hevner et al. (2004). Due to the fact that the process design has been performed as an action research project collaboration procedures and actor roles have been possible to reflect upon in relation to design science research. Among other things, the development of business process models as artifacts has been done by letting practitioners and researchers jointly co-design these models.

Framing this process design as design science has meant that the design science framework as proposed by Hevner et al. (2004) have been used as a base for reflection and bringing forward aspects that is worthwhile paying attention towards. In the project reported in this chapter we have had success in combining a design science approach with an action research approach. In our knowledge endeavor, inspired by Markus et al. (2002) and experiences from this action research project some tentative process design theory principles (guidelines), for aligning business

process models with the business strategy in collaborative process modeling endeavors, are:

- Essential characteristics from business strategies and business plans should be derived as foundational structuring principles of the business processes.
- The modeling process should allow the inclusion of viewpoints from diverse stakeholders as a foundation for grounded descriptions and commitments of future actions for realizing business plans
- The modeling process is a transformational process where models will have different roles during different phases of the project; scoping models, chiseling models, design models and change models
- One way to reach good design results is to ensure that the business process models in the end manage to express vital business dimensions such as transformation, coordination and interaction
- The involvement of different stakeholders, from practice and research, in a joint action arena is vital for the production of models that will be accepted, implemented, and executed as the new business practice
- Different types of models serve as important transition vehicles and common design ground during the process to actually reach the desired design.

An important task of further research is to elaborate further on these tentative process design theory principles by giving them further meaning through more theoretical and empirical validation.

References

- Ahrne G (1994) *Social organizations. Interaction inside, outside and between organization.* Sage, London
- Albinsson L, Lind M, Forsgren O (2007) Co-design: an approach to border crossing, network innovation. In: Cunningham P, Cunningham M (eds) *Expanding the knowledge economy: issues, applications, case studies, vol 4.* IOS Press, Amsterdam, pp 977–983
- Bandara W, Gable G, Rosemann M (2006) Business process modeling success: an empirically tested measurement model. In: *Twenty-seventh international conference on information systems, Milwaukee*
- Cole R, Puroo S, Rossi M, Sein MK (2005) Being proactive: where action research meets design research. In: *Twenty-sixth international conference on information systems, Las Vegas, USA*
- Cronen V (1995) Practical theory and the tasks ahead for social approaches to communication. In: Leeds-Hurwitz W (ed) *Social approaches to communication.* Guildford Press, New York
- Davenport TH (1993) *Process innovation. Reengineering work through information technology.* Harvard Business School Press, Boston
- Davies I, Green P, Rosemann M, Indulska M, Gallo S (2006) How do practitioners use conceptual modeling in practice? *Data Know Eng* 58(3):358–380
- Davis R (2001) *Business process modelling with ARIS – a practical guide.* Springer, London
- Dewey J (1922) *Human nature and conduct.* Henry Holt, New York
- Dorst K, Cross N (2001) Creativity in the design process: co-evolution of problem–solution. *Des Stud* 22(5):425–437

- Goldkuhl G, Cronholm S (2003) Multi grounded theory adding theoretical grounding to grounded theory. In: 2nd European Conference on Research Methods in Business (2ECRM), Reading, UK, 20–21 March, 2003
- Goldkuhl G, Lind M (2008) Coordination and transformation in business processes: towards an integrated view. *Bus Process Manage J* 14(6):761–777
- Gottesdiener E (2002) Requirements by collaboration: workshops for defining needs. Addison-Wesley, Boston
- Günther C, Rinderle-Ma S, Reichert M, Van der Aalst WMP, Recker J (2008) Using process mining to learn from process changes in evolutionary systems. *Int J Bus Process Integr Manage* 3(1):61–78
- Hammer M (1990) Reengineering work: don't automate, obliterate. *Harv Bus Rev* 68(4):104–112
- Harmon P (2014) The scope and evolution of business process management. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 1, 2nd edn. Springer, Heidelberg, pp 37–80
- Henderson JC, Venkatraman N (1999) Strategic alignment: leveraging information technology for transforming organisations. *IBM Syst J* 32(1) pp. 4–16
- Harrington HJ (1991) Business process improvement. The breakthrough strategy for total quality, productivity and competitiveness. McGraw-Hill, New York
- Hevner AR, March ST, Park J, Ram S (2004) Design science in information systems research. *MIS Quart* 28(1):75–105
- Keen PGW, Knapp EM (1996) Every manager's guide to business processes: a glossary of key terms and concepts for today's business leaders. Harvard Business School Press, Boston
- Langefors B (1973) Theoretical analysis of information systems, 4th edn. Studentlitteratur, Lund
- Lankhorst M et al (2005) Enterprise architecture at work: modelling, communication, and analysis. Springer, Berlin/Heidelberg
- Leyking K, Chikova P, Martin G, Loos P (2007) Integrating learning and business process management. In: Proceedings of the 18th Australasian conference on information systems, Toowoomba, pp 981–990
- Lind M (2006) Determination of business process types founded in transformation and coordination. *Syst Sign Act* 2(1):60–81
- Lind M, Albinsson L, Forsgren O, Hedman J (2007) Integrated development, use and learning in a co-design setting: experiences from the incremental deployment of e-Me, eChallenges e-2007. IOS Press, The Hague
- Lind M, Goldkuhl G (2003) The constituents of business interaction – generic layered patterns. *Data Knowl Eng* 47(3): pp. 327–348
- Lind M, Seigerroth U, Forsgren O, Hjalmarsson A (2008) Co-design as social constructive pragmatism. In: The inaugural meeting of The AIS Special Interest Group on Pragmatist IS Research (SIGPrag 2008) at International Conference on Information Systems (ICIS2008), Paris, France
- Lind M, Forsgren O (2008) Co-design and Web 2.0: theoretical foundations and application. In: Cunningham P, Cunningham M (eds) *Collaboration and the knowledge economy: issues, applications, case studies (e-challenges)*. IOS Press, Amsterdam, pp 1105–1112
- Lindgren R, Henfridsson O, Schultze U (2004) Design principles for competence management systems: a synthesis of an action research study. *MIS Q* 28(3):435–472
- Liu K, Sun L, Bennett K (2002) Co-design of business and IT systems. *Inform Syst Front* 4 (3):251–256
- March ST, Smith G (1995) Design and natural science research on information technologies. *Decis Support Syst* 15(4):251–266
- Markus ML, Majchrzak A, Gasser L (2002) A design theory for systems that support emergent knowledge processes. *MIS Q* 26(3):179–212
- Pearlson KE, Saunders CS (2006) *Managing and using information systems – a strategic approach*. JOHN WILEY & SONS, INC.

- Rittgen P (2007) Co-designing models for enterprises and information systems – a case for language integration. In: Magyar G, Knapp G, Wojtkowski WG, Zupancic J (eds) *Advances in information systems development: new methods and practice for the networked society*, vol 1. Springer, Berlin, pp 73–83
- Rosemann M, vom Brocke J (2014) The six core elements of business process management. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 1, 2nd edn. Springer, Heidelberg, pp 105–122
- Schuette R, Rotthowe T (1998) The guidelines of modeling – an approach to enhance the quality in information models. In: *Proceedings of the international conference on conceptual modeling – ER'98*. Springer, Berlin, pp 240–254
- Searle JR (1969) *Speech acts. An essay in the philosophy of language*. Cambridge University Press, London
- Seigerroth U (2011) Enterprise modelling and enterprise architecture – the constituents of transformation and alignment of business and IT. *Int J IT/Bus Alignment Gov (IJITBAG)* 2(1):16–34
- Sein MK, Henfridsson O, Purao S, Rossi M, Lindgren R (2011) Action design research. *MIS Q* 35(1):37–56, 2
- Stirna J, Kirikova M (2008) How to support agile development projects with enterprise modelling. In: Johannesson P, Söderström E (eds) *Information system engineering: from data analysis to process networks*. IGI Global, Hershey/London, pp 159–185
- van Aaken JE (2007) Design science and organization development interventions – aligning business and humanistic values. *J Appl Behav Sci* 43(67)
- van der Aalst WMP, Rosemann M, Dumas M (2007) Deadline-based escalation in process-aware information systems. *Decis Support Syst* 43(2):492–511
- von Wright GH (1971) *Explanation and understanding*. Routledge & Kegan Paul, London
- Vernadat FB (2002) Enterprise Modeling and Integration (EMI): current status and research perspectives. *Annu Review Contr* 26(2002):15–25
- vom Brocke J, Lippe S (2013) Identifying and managing creative tasks in Collaborative IS Research Projects. *Project Manage J* 44(6):94–113
- vom Brocke J, Thomas O (2006) Reference modeling for organisational change: applying collaborative techniques for business engineering. In: *Proceedings of the twelfth American conference on information systems, Acapulco*, pp 680–688
- vom Brocke J, Mendling J, Recker J (2008) Value-oriented process modeling – towards a financial perspective on business process redesign. In: *Proceedings of the fourteenth American conference on information systems, Toronto*
- Walls JG, Widmeyer GR, El Sawy OA (1992) Building an information system design theory for vigilant EIS. *Inform Syst Res* 3(1):36–59
- Ward J, Peppard J (2003) *Strategic planning for information systems*, 3rd edn. Wiley, Chichester/New York

Recommendation-Based Business Processes Design

Agnes Koschmider and Andreas Oberweis

Abstract An assistance function that guides users in their modeling tasks might be equally useful for any role who works with such a system. In heavily text-oriented applications (e.g., Information Retrieval) assistance systems also referred to as recommender systems are well-established. In graphic-oriented applications (e.g., process modeling) such support is less common. In this chapter, we present a recommendation-based editor for process modeling, which supports users in completing their modeling tasks. This system reduces the need for the user to extensively study the notation of the modeling language. Consequently the users' focus is directed on the model content. Early evaluations indicate the effectiveness of our approach, which goes beyond conventional modeling support for business processes.

1 Introduction

The increasing interest in Business Process Management (BPM) by academia and industry has resulted in a multitude of modeling languages and tools supporting business process modeling (Davies and Reeves 2014; Rosemann and vom Brocke 2014). Modelers, therefore, frequently have to adapt to new modeling tools and techniques. A shortcoming of today's modeling tools is that they usually do not support users in adopting these new modeling techniques. Instead, most of these tools merely focus on providing a repository of graphical symbols and advanced visualization techniques to facilitate understanding of the relationships between the various process elements. These tools may overwhelm those users inexperienced in process modeling due to a lack of features that effectively assist the user during the modeling process.

A. Koschmider (✉)
Karlsruhe Institute of Technology (KIT), Karlsruhe, Germany
e-mail: agnes.koschmider@kit.edu

A recommendation-based modeling support system introduced fully explained in (Koschmider et al. 2011) can help overcome this limitation by reducing the need for the user to study the modeling notations and instead direct her focus on the model content. Generally, recommender systems collect preferences or opinions from individual users, then aggregate and transfer those recommendations to other people to help individuals in a given community in more effectively identifying the content of interest from a potentially huge set of choices (Herlocker et al. 2004).

Translated to the field of business process modeling, the recommendation-based modeling support system takes the user's modeling context and the modeling history of a community of users into account and suggests process model parts to the user that may help her achieve an individual modeling goal. For this, the modeling support system works on top of a repository, which stores business process models (respectively parts) previously designed and stored by users from the same enterprise or from the same business branch. We define a process model part as a logically coherent group of process elements belonging together (e.g., approval, billing, or shipping).

We validated our support system with two experiments using real-life process models and a prototype implementation. The evaluation confirmed that users are willing to follow recommendations and the system contributes to a higher quality of the produced process models.

The ideas presented in this chapter have partially been presented in (Koschmider et al. 2008, 2010a, b, 2011).

The focus of this paper is guided by the following research question: how can process modeling be supported by means of recommendations? To answer this question, we subdivide it into the following questions: (1) What kind of modeling support is to be offered by a recommendation system? and (2) What are the influence factors of process model design to be incorporated within such a recommendation-based system?

The remainder of the paper is structured as follows. The next section presents a brief survey on recommender systems. Section 3 then describes influence factors on process modeling, which need to be considered when implementing a recommendation-based modeling support system for the Business Process Management area. In this section, we will answer question 2. The relationship between traditional recommender systems and our modeling support system is discussed in Sect. 4. This section will provide an answer for question 1. Section 5 concludes the paper and gives a summary of the main results.

2 Survey of Recommender Systems

Recommender systems have emerged as a popular technique for helping members of a community in more effectively identifying content of interest from a potentially huge set of choices. The interest in this area still remains high because recommender systems help people facing the challenge of dealing with today's

Table 1 A book database

BookID	Title	Year	Drama	Action
001	<i>The Absolute Truth</i>	2006	5	4
002	<i>The Fight</i>	2007	5	5
003	<i>Last Minutes</i>	2006	4	4

information overload (e.g., recommender systems of eBay or Amazon). Various types of such systems can be distinguished. A *content-based* recommender system (Basu et al. 1998) suggests an item to a user based upon a description of the item and the user’s interests in the past. This kind of recommender system has its roots in the information retrieval (IR) community (Baeza-Yates and Ribeiro-Neto 1999) and suggests items containing text documents, web sites or movies. To explain the functionalities of a content-based recommender system Table 1 shows a book database with three entries. Each entry is described by a bookID, a title, the year of publication, and the two genres drama and action. The rating of the genres ranges from 0 (not at all) until 6 (absolutely). E.g., a ranking of 5 means a highly dramatic movie. Assume, the user has already selected the book *Last Minutes*, thus the system predicts the following relevance order based on a comparison between the book’s content and the user profile: (1) *The Absolute Truth*, (2) *The Fight*.

Shortcomings of a *pure* content-based recommender system are that they can only deal with text-based objects and do not consider a user’s subjective opinions in the ratings.

These limitations are overcome by *collaborative recommender systems* (Claypool et al. 1999), which predict what a user wants based on what she and other users with similar preferences liked in the past. A popular example for a collaborative recommender system is the Amazon system. The focus of collaborative recommender systems is the similarity calculation of users rather than of items (like in content-based systems). Consequently, for each user a set of “nearest neighbors” is calculated, which lays the foundation for the recommendations. The functionality of a collaborative recommender system is illustrated in Table 2, which shows a book data table with three users and four items. The preferences regarding an item user are somehow obtained for each user. The rating for the preference ranges from 1 (excellent) until 6 (insufficient).

With this table we can calculate the similarity between users based on e.g. the Euclidean distance (Breu et al. 1995). The result of this similarity calculation is a strongest correlation between user 2 and user 3. Thus, the system recommends the same books for user 2 as for user 3.

Pure collaborative recommender systems solve the shortcomings given for pure content-based systems (e.g. they can deal with any kind of content and recommend any items, even the ones that are dissimilar to those seen in the past (Adomavicius and Tuzhilin 2005)). However, they have shortcomings as well. The amount of available information correlates positively with the number of users. Thus, a small number of users relatively to the amount of information results in sparse and unsatisfactory results. Therefore, several authors propose the combination of

Table 2 Data table for books

	<i>The Fight</i>	<i>The Absolute Truth</i>	<i>Last Minutes</i>	<i>Action Man</i>
User 1	3	–	3	4
User 2	3	2	1	2
User 3	3	2	2	2

content-based and collaborative recommender systems, which are integrated to hybrid recommender systems (Burke 2002; Balabanovic 1997). Additionally, several extensions for content-based and collaborative systems have been proposed e.g., such as the consideration of user feedback (Klink 2004).

A specific system relevant in the BPM area is the recommendation-based modeling support system proposed in (Koschmider et al. 2011). The system suggests process model parts to process builders taking into account their modeling intention as derived from the user's interest and patterns observed in other users' preferences. The influence factors on the modeling intention and on preferences of users will be explained in the next section. Based on these influence factors we will give an answer to our research question 2 in the following Sections. Thus, the next two sections consider the investigation of influence factors on process modeling when implementing a recommendation-based process modeling support system.

3 Influence Factors on the Design of Process Models

Usually, when modeling business processes users have in mind a life cycle model. This model may depend on several factors such as the organization where the user is working (e.g. the enterprise is using the Six Sigma DMAIC (Pyzdek 2003)) or the user's level of experiences (inexperienced, advanced or expert).

Additionally, the life cycle model is influenced by the modeling intention of users, which is mainly driven by factors such as the modeling purpose (e.g., analysis vs. execution), the user's role (e.g., secretary vs. CIO) or the user's view (e.g., customer vs. software engineer) (Koschmider et al. 2008). For instance, the role *secretary* has a view limited to the options for which she is responsible and needs aggregated information of the process. Her modeling purpose may be rather documentation than computer-based execution, which deals with the actual enactment and thus lacks facilities allowing non technical users to easily comprehend the model. Her point of view may be rather customer-oriented than technical, because she is working on a non-technical level and is not able to model technical processes. Consequently, her business process model differs from processes modeled for execution purpose from a technical point of view.

Additionally, users may follow specific process model properties, which should be satisfied by the model. For instance, a process should be a low cost process, a process with full exploitation of resources or a standardized process.

Table 3 Influence factors on the design of process models

Purpose	For example, analysis, documentation, execution, reengineering
View	User view in the modeling process: e.g., administrative-oriented, customer-oriented
Role	User involvement in the modeling process: e.g., process owner, secretary, administrator
Model properties	For example, low cost, full exploitation of resources, minimal fault rate, standard process
Complexity	For example, high abstraction: limited number of elements granularity level: high number of process elements

A last influence factor on the business process model results from the complexity of the intended model, which reflects the amount of elements to be modeled. An abstract view on the model only presents an overview of process elements, without providing more detailed descriptions of process elements, and contains only a limited number of elements. When using several abstraction levels users model more specific processes and significantly more elements (they complicate the model), which are e.g. subsequently linked together to coarse-grained process models. Table 3 summarizes the main influence factors on process modeling to be incorporated within a recommendation-based process modeling support system.

Beside such “conventional” influence factors the design of process models may be guided by (correct) syntactical structuring or appropriate labeling of process and data elements. For instance, a Petri net based business process model is considered as being structurally correct if it complies with the well-handledness respectively with the well-structuredness property (van der Aalst 1998). This structural property for business process models is violated if for example an alternative flow initiated by an OR-split is later to be synchronized by an AND-join. A correct syntactical structuring of process models is considered in our recommendation system but this feature will not be explained in detail in this chapter.

One result of the evaluation of our tool was that the recommendation system is equally useful for all users, independently of their modeling expertise. Therefore, we disregard the user’s modeling expertise as influence factor for the model recommendation process.

In the next section we will explain how these influence factors are considered in the recommendation-based modeling support system.

4 Integration of Design Influence Factors into the Recommendation-Based Editor

The implementation of the recommendation-based modeling support system was inspired by traditional recommender systems as introduced before and the autocompletion function for words in mobile phones. Initially, we implemented the recommendation system as an autocompletion system for business process

models. However, one bottleneck of an autocompletion system is that a large set of business processes models is required in the repository in order to provide exact recommendations. Additionally, we found out in experiments that users are not searching for an exact match but rather for a less strict one. Therefore, we decided to provide a tool that recommends not only completely syntactically correct and semantically appropriate business process models. Recommended process model parts can be modified by users to perfectly fit.

To provide the user a close match between her modeling intention and the recommendation, the recommendation system embeds two concepts of modeling support:

1. A **query interface** allows users to request process models or process model parts that are of interest to them. The user can significantly save time in process modeling if a process model matches the user request. This concept of the recommendation-based editor can be used from scratch.
2. A **recommender component** proposes appropriate process model parts, which fit to a business process model which is currently being edited. The user can invoke the recommender component by highlighting the corresponding element group to be completed by process reuse. This component of the modeling support should be used if the user is not sure how to complete the process model. In this case the results from the query can be unsatisfying due to the user's vague intention of the process model.

The current implementation of our modeling support system is shown in Fig. 1. The user wants to model a process describing the handling of order requests. Her intention is to model this process from a customer perspective. Via a query interface she can search for process model parts concerning customer requests. The results of the query are displayed according to a ranking function and she can then insert the business process model part into the active workspace, which best matches her modeling intention.

Subsequently, she might not be sure how to complete her process model. In this case, she has two options: she can either search again via the query interface for fitting process model parts or she can invoke the recommender component, which automatically suggests appropriate process model parts for completing this model. If the user invoked the recommender component the system would take as input for appropriate recommendations all labels of process elements (as explained below). Unlike the query component, the recommender component can only be invoked after the user has already started modeling the business process.

In our running example, she has opted for the recommender component, which suggests (among others) the *CustomerOrder* process model for completion. If the user decides to insert this recommendation in her workspace she can configure this process model by inserting or deleting elements. Finally, she can save the modified process model version in a process repository for further process reuse.

In the initial development of our prototype for this system we used Petri nets (Oberweis and Sanders 1996) as the process modeling notation and populated a repository with 21 process models composed out of 15 process parts, all about order




Fig. 1 Edited business process model and two types of modeling support

and shipment procedures. All models were derived either from real world projects or from academic literature.

Before making process models and process model parts searchable, we need to index them. Process model parts are handled in the same way as the complete models, but additionally we store a pointer to the business process model with which they are associated. For example, for a business process model which consists of three distinct process model parts, we would include four virtual documents in our index: the whole process and each of the three parts.

After indexing the process models users can use the query interface, which uses Lucene’s query parser syntax¹ and users can enter six query arguments:

1. Title: referring to names of process elements (e.g. *approved request*),
2. First Element: searching for a specific first element in the process model,
3. Last Element: searching for a specific last element in the process model,
4. Objective Description: searching for process models fulfilling an objective (e.g. processes modeling handling of order request). The objective of a process is annotated by users before storing the process model in the repository,
5. Complexity: referring to the number of process elements. *Low* signifies a business process model with no refinements and less than 25 elements. *Medium* is a process model with up to two refinements and *high* is all above these limits,
6. Property: referring to specific properties of a process model assigned by users before storing the process in the repository (e.g. *standard* signifies a standard process),
7. Purpose: referring to models fulfilling one of the four modeling purposes such as analysis, documentation, and execution or reengineering.

¹ <http://lucene.apache.org/java/docs/queryparsersyntax.html>

Fig. 2 Query interface

Query Interface

Name: WordNet

First Element: WordNet

Last Element: WordNet

Object Description: WordNet

Complexity:
 low
 medium
 high

Property:
 cost
 fault
 resource
 standard

Purpose:
 analysis
 documentation
 execution
 reengineering

process part business process both

In Fig. 2 the user is searching for process models with the first element *order received* and the objective *approve orders*. Her modeling intention is driven by the analysis purpose, a low process complexity and cost-effective processes. Additionally, she is searching for both process model parts and entire business process models. To overcome a limitation caused by a controlled vocabulary she activated WordNet² (a free English taxonomy). With standard Boolean operators, such as AND, OR, and NOT she can express more complex queries.

This query interface fulfills three influence factors described in Fig. 1: *purpose*, *complexity* and *property*. The last two influence factors (*view* and *role*) are achieved by analyzing the user's modeling vocabulary and incorporating the role-relevant process-views approach of (Shen and Liu 2004).

To analyze the user's modeling vocabulary the system generates tags³ from the labels of the edited process model elements. If the user starts modeling by invoking the query interface, then the input of the query after stop word removal is regarded as tags. Several inputs in the query interface are regarded as a concatenation of the tags. In case that the user has already modeled several activities then the labeled elements are regarded as tags.

After stop word removal each keyword is assigned a tag score for a business process model based on a modified version of the value *term frequency * inverse document frequency* (Salton et al. 1975). This weight is a statistical measure to evaluate, how important a word is to a document. Subsequently, this measure

² <http://wordnet.princeton.edu/>

³ In the following we regard keywords as tags.

implies a ranking of recommendations. The process with the highest tag score is displayed first followed by recommendations with lower tag scores in a descending order. However, the tag score is not the exclusive criterion for ranking. Inspired by common recommender systems the ranking depends on more factors as explained in the next section.

In the next section we will address research question 1 (What kind of modeling support is to be offered by the recommendation-based system?). We will discuss whether the recommendation-based modeling support, which incorporates all influences factors enumerated in Table 3, can be regarded as a specific type of a recommender system.

5 Reference of the Recommendation-Based Modeling Support System to Common Recommender Systems

Ranking of results in common recommender systems mainly depends on (1) user behavior or (2) similarities between a query and a (web) document. In our recommendation system the ranking of process models (parts) depends on (1) similarity between a query and a process model, (2) patterns observed in other users' preferences, and (3) implicit user feedback. Thus, our recommendation system incorporates ranking criteria of common recommender systems.

Based on Table 4 we will explain our ranking criteria. Initially, process models that meet users' requirements (being displayed as results of the query or the recommender component) are enumerated first in a table-based result.

This result list contains information that is affiliated in common recommender systems. For instance, the criterion *Frequency* describes, how often a process model has been selected/reused by other users and refers to the criterion of implicit user feedback. The same can be applied for the criterion *Operation*, that indicates the average number of deletions or insertions made when selecting a recommendation. This criterion also describes implicit user feedback.

To control the average number of deleted and inserted elements for a specific recommendation we first calculate the frequency score for this recommendation, then the number of newly inserted elements and finally the number of deleted elements, which were initially available in the specific recommendation. To determine the number of deleted respectively newly inserted elements in a specific process model we recursively retrieve all these elements.

To encourage user's trust and participation by those users who are unskilled in process modeling the system provides the information about users who selected a recommendation, which is represented in Table 4 by the column *Previous User*. Trust mechanisms are very common in recommender systems (Massa and Bhattacharjee 2004).

By a right mouse click (in the previous user column in Table 4) the user can open network structures, which were generated from a process model repository, from a

Table 4 Table-based representation of recommendation results

#	Process name	Score	Freq.	Avg. Del.	Avg. Ins	Previous user
1	Approval of orders	96.58	7	5	10	A. Oberweis
...
7	Verify order	47.10	2	10	3	A. Koschmider

user history, and from the insertion history of recommendations (Koschmider et al. 2008). The social network from a *process model repository* allows users to view and contact related persons regarding collaborations. This social network provides an organizational view of business processes. An example of the information that could be derived from such a network is the average distance between performers who belong to that part of a business process model that has already been edited and the parts which belong to a candidate process model. A user can apply this result to complete a process model in a way that is similar to earlier selected proposals. The social network from *user history* shows the relationships among modelers who use the recommendation-based system. From this social network's usage history, social networks can be generated that express the similarity between its nodes (users). The social network allows propagating changes across "clique" members and supports reusing modeling history of "neighborhoods" in order to complete an edited process model faster. The social network from *insertion history* shows the relationship among modelers who decided for equal recommendations.

This information about previous users refers to patterns observed in other users' preferences (like observing the preferences of users in the past in a collaborative recommender system).

The ranking criterion *similarity between a query and a process model* is copied by the *Score* criterion (see Table 4), which reflects the match between a query input and tags, which have been annotated for a process model. In several evaluations we found out that a high match between the user's query and the recommendation is the greatest influence factor for selecting a recommendation. Therefore, when ranking all the criteria given in Table 4 we assign the greatest weight for the *Score* criterion.

Assume the user is interested in the first two recommendations suggested in Table 4. Then she can open a graphical view of the recommendations by selecting the corresponding rows in the table-based view. Figure 3 shows a graphical-based visualization of the two processes.

If the user is not sure, which one of the two recommendations to select, she is supported in her decision process by two additional functionalities. When pushing the button *Show related process parts* related process parts which were used in the user's current modeling domain (e.g. Manufacturing) and which follow or precede the respective model part are displayed. By pushing the button *Show related process models* the user can preview all phases of the BPM life-cycle, from the early documentation of a process through subsequent phases of analysis and execution.




Fig. 3 Graphical-based representation of recommendations

Generally, in common recommender systems user profiles are created by user feedback (Balabanovic 1997). In our system we consider (implicit) user feedback through the frequency and the operation score. However, our user profiling mechanism has the same intention as in a common recommender system, which is to satisfy more accurately user searches.

To summarize, our recommendation-based modeling support system incorporates all influence factors on process modeling as enumerated in Table 3. If required the modeling support system may be extended by more factors due to the simplification of the implementation of this support system.

The current version of the recommendation-based editor can be downloaded from www.sempet.org.

6 Additional Feature: Progress Measurement

A new additional feature that was implemented in the recommendation editor is progress measurement. Progress measurement of processes is a common activity in many fields, but it has not been taken into account for business process modeling yet. It allows people to precisely inform them about process status and the amount of work that has been carried out at a given moment. If progress measurement is not taken into account, users have to decide by themselves which recommendation would result in the fastest completion of a business process model.

The application of the measurement approaches in this context might help users to choose business process models that will allow them to finish their modeling tasks faster. Another advantage is that users can request the compliance with a reference model, and compliance can be regarded as related to the quality characteristic of completeness of a business process model (provision of complete

#	Process Name	Score	Progress	Description
1	Release software	98.02	44%	Process that is execut...
2	Release product	96.45	38%	This process describes ...
3	Application release	75.63	51.5%	Process of a software c...
4	Deliver product	26.15	20%	Model for management...

Fig. 4 Modeling progress included in the recommendation editor

information). The complete implementation of this feature is explained in (Koschmider et al. 2010a).

Figure 4 shows the extended result list of the recommendation editor. For instance, the first two recommendations have a similar score value. The progress value (column Progress) indicates the degree of completeness with respect to the model intention. In this case the progress value is an additional decision support in favor of a recommendation.

When clicking on the button “Modeling progress details”, all business process activities that are necessary to complete the process model under construction are listed.

7 Usefulness of a Recommendation Editor

Several empirical studies were conducted with the recommendation editor in order to investigate the usefulness of this system and to determine potential benefits of using such a system. The groups of interviewees who worked with the recommendation system were not obliged to follow recommendations; they were free to ignore them and could model the process by themselves.

One main result of the studies was that all persons independent of their level of modeling experiences showed a strong willingness for using the recommendation-based editor. The interviewees claimed that currently available tools have in common that they are feature-rich environments but require prior training. This calls for a guidance supporting modelers in (proactively) defining next steps or specifying appropriate subsequent process activities. However, if users decide to reuse process models, then their required modeling time did not decrease (i.e., using the system does not necessarily result in less overall modeling time at the moment).

The study results indicate that the system is equally useful for different types of process modelers, as there is no significance between the level of modeling experiences and the usage of our recommendation system. The results also show that

vendors of business process modeling tools should provide features that assist users in creating their process model. Manual retrieval (based on a search interface) and reuse of models from process repositories have already been implemented in several commercial tools. But there is insufficient support for guiding users in building their process models effectively. In this context, we have shown that a recommendation-based modeling support is feasible for such an editor.

8 Conclusion

Recommender systems have emerged as a popular technique for helping members of a community in more effectively identifying content of interest from a potentially overwhelming set of choices. In this paper we sketched the functionalities of common recommender systems with a focus on content-based and collaboration-based systems. Inspired by these recommender systems we described a specific recommendation system for application in the field of business process modeling. For this, we presented five influence factors on process modeling and explained their treatment in the proposed business process modeling support system. Upon this we clarified the relationship between traditional recommender systems and our process modeling support system. The recommendation-based modeling support system can be regarded as a specific type of a hybrid recommender system, which incorporates some features of content-based and some features of collaborative-based systems.

Based on the promising results of our recommendation system several research challenges remain.

Especially, it is important to provide information about the status of the modeling process when users decide to follow a specific recommendation. For this, we are standardizing requirements documents being used as a foundation for the modeling task.

Additionally, more research work is required on ranking functions for such business process modeling support systems. One possible modification of the current ranking function could be the usage of a multilevel benchmark instead of a single one composed of the weight *term frequency * inverse document frequency* and reranking (due to e.g. syntactical structuring). One benefit would be a better consideration of user objectives.

References

- Adomavicius G, Tuzhilin A (2005) Toward the next generation of recommender systems: a survey of the state-of-the-art and possible extensions. *IEEE Trans Knowl Data Eng* 17(6):734–749
- Baeza-Yates R, Ribeiro-Neto B (1999) *Modern information retrieval*. Addison-Wesley, Boston

- Balabanovic M (1997) An adaptive web page recommendation service. In: Proceedings of the 1st international conference on autonomous agents, Marina del Rey, California, Feb 1997
- Basu C, Hirsh H, Cohen W (1998) Recommendation as classification: using social and content-based information in recommendation. In: Proceedings of the fifteenth national/tenth conference on artificial intelligence/innovative applications of artificial intelligence, Madison, Wisconsin, United States, American association for artificial intelligence, Menlo Park, pp 714–720
- Breu H, Gil J, Kirkpatrick D, Werman M (1995) Linear time Euclidean distance algorithms. *IEEE Trans Pattern Anal Mach Intell* 17(5):529–533
- Burke R (2002) Hybrid recommender systems: survey and experiments. *J User Model User-Adapt Interact* 12(4):331–370
- Claypool M, Gokhale A, Miranda T, Murnikov P, Netes D, Sartin M (1999) Combining content-based and collaborative filters in an online newspaper. In: Proceedings ACM SIGIR '99 workshop recommender systems: algorithms and evaluation, ACM Press, New York, Aug 1999
- Davies I, Reeves M (2014) BPM tool selection: the case of the Queensland Court of Justice. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 1, 2nd edn. Springer, Heidelberg, pp 371–392
- Herlocker JL, Konstan JA, Terveen LG, Riedl JT (2004) Evaluating collaborative filtering recommender systems. *ACM Trans Inf Syst* 22(1):5–53
- Klink S (2004) Improving document transformation techniques with collaborative learned term-based concepts. In: Proceedings reading and learning, adaptive content recognition, lecture notes in computer science, vol 2956. Springer, Berlin, pp 281–305
- Koschmider A, Habryn F, Gottschalk F (2008) Real support for perspective-compliant business process design. In: *BPM 2008 workshops, LNBIB*, vol 17. Springer, Milan, pp 30–41
- Koschmider A, de la Vara JL, Sánchez J (2010a) Measuring the progress of reference model-based business process modeling, 3rd international conference on business process and services computing, Köllen-Verlag, LNI, pp 218–229
- Koschmider A, Song M, Reijers HA (2010b) Social software for business process modeling. *J Inf Technol* 25:308–322
- Koschmider A, Hornung T, Oberweis A (2011) Recommendation-based editor for business process modeling. *Data Knowl Eng* 70(6):483–503
- Massa P, Bhattacharjee B (2004) Using trust in recommender systems: an experimental analysis. In: Proceedings of the second international conference iTrust, Oxford, 2004, pp 221–235
- Oberweis A, Sander P (1996) Information system behavior specification by high level Petri nets. *ACM Trans Inf Syst* 14(4):380–420
- Pyzdek T (2003) *The six sigma handbook: a complete guide for green belts, black belts, and managers at all levels*. McGraw-Hill, New York
- Rosemann M, vom Brocke J (2014) The six core elements of business process management. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 1, 2nd edn. Springer, Heidelberg, pp 105–122
- Salton G, Wong A, Yang CS (1975) A vector space model for automatic indexing. *Commun ACM* 18(11):613–620
- Shen M, Liu DR (2004) Discovering role-relevant process-views for disseminating process knowledge. *Expert Syst Appl* 26:301–310
- van der Aalst WM (1998) The application of Petri nets to workflow management. *J Circ Syst Comput* 1(8):21–66

Business Process Simulation Survival Guide

Wil M.P. van der Aalst

Abstract Simulation provides a flexible approach to analyzing business processes. Through simulation experiments various “what if” questions can be answered and redesign alternatives can be compared with respect to key performance indicators. This chapter introduces simulation as an analysis tool for business process management. After describing the characteristics of business simulation models, the phases of a simulation project, the generation of random variables, and the analysis of simulation results, we discuss 15 risks, i.e., potential pitfalls jeopardizing the correctness and value of business process simulation. For example, the behavior of resources is often modeled in a rather naïve manner resulting in unreliable simulation models. Whereas traditional simulation approaches rely on hand-made models, we advocate the use of process mining techniques for creating more reliable simulation models based on real event data. Moreover, simulation can be turned into a powerful tool for operational decision making by using real-time process data.

1 Introduction

Simulation was one of the first applications of computers. The term “Monte Carlo simulation” was first coined in the Manhattan Project during World War II, because of the similarity of statistical simulation to games of chance played in the Monte

W.M.P. van der Aalst (✉)

Department of Mathematics and Computer Science, Eindhoven University of Technology,
P.O.Box 513, Eindhoven, MB NL-5600, The Netherlands

Business Process Management Discipline, Queensland University of Technology,
GPO Box 2434, Brisbane, QLD 4001, Australia

International Laboratory of Process-Aware Information Systems, National Research
University Higher School of Economics, 33 Kirpichnaya Street, Moscow, Russia
e-mail: w.m.p.v.d.aalst@tue.nl

Carlo Casino. This illustrates that that already in the 1940s people were using computers to simulate processes (in this case to investigate the effects of nuclear explosions). Later Monte Carlo methods were used in all kinds of other domains ranging from finance and telecommunications to logistics and workflow management. For example, note that the influential and well-known programming language Simula (Dahl and Nygaard 1966), developed in the 1960s, was designed for simulation. Simulation has become one of the standard analysis techniques used in the context of operations research and operations management. Simulation is particularly attractive since it is versatile, imposes few constraints, and produces results that are relatively easy to interpret. Analytical techniques have other advantages but typically impose additional constraints and are not as easy to use (Buzacott 1996). Therefore, it is no surprise that in the context of *Business Process Management* (BPM), simulation is one of the most established analysis techniques supported by a vast array of tools (van der Aalst 2013; Rosemann and vom Brocke 2014).

Consider for example a large car rental agency (like Hertz or Avis) having thousands of offices in different countries sharing a centralized information system where customers can book cars online. One can make simulation models of individual offices and the centralized information system to answer question such as:

- What are the average waiting times of customers when booking a car online?
- What is the variability of waiting times when picking up a car at a particular location?
- What is the utilization of staff at a particular location?
- Will waiting times be reduced substantially if extra staff is deployed?
- How many customers are lost due to excessive waiting times?
- What is the effect of allocating staff based on the number of bookings?
- What is the effect of changing the opening hours at a particular location?

To answer these and many other questions, a *simulation model* can be used. A proper simulation model is a simplified representation of reality and thus can be used to simulate that reality using a computer. Obvious reasons for using a simulation model are (van der Aalst and Stahl 2011; van der Aalst and Voorhoeve 2000):

- Gaining *insight* in an existing or proposed future situation. By charting a business process, it becomes apparent what is important and what is not.
- A real experiment may be *too expensive*. Simulation is a cost-effective way to analyze several alternatives. Decisions such as hiring extra staff or adding new servers many too expensive to simply try out in reality. One would like to know in advance whether a certain measure will have the desired effect.
- A real experiment may be *too dangerous* and may not be *repeatable*. Some experiments cannot be carried out in reality due to legal, ethical, or safety reasons. Moreover, it is often impossible to reliably compare alternatives due to changing conditions (performance may change due to external factors).

There is an abundance of mathematical models that can be used to analyze abstractions of business processes. Such models are often referred to as *analytical* models. These models can be analyzed without simulation. Examples are queueing models (Kleinrock 1975), queueing networks (Baskett et al. 1975), Markov chains, and stochastic Petri nets (Haas 2002; Ajmone Marsan et al. 1995). If a simple analytical model can do the job, one should not use simulation. In comparison to a simulation model, an analytical model is typically less detailed and requires fewer parameter settings. Widely acknowledged *advantages* of simulation are:

- Simulation is *flexible*. Any situation, no matter how complex, can be investigated through simulation.
- Simulation can be used to *answer a wide range of questions*. It is possible to assess waiting times, utilization rates and fault percentages using one and the same model.
- Simulation stimulates *creativity*. Simulation triggers “process thinking” without restricting the solution space upfront.
- Simulation is *easy to understand*. In essence, it is nothing but replaying a modeled situation. In contrast to many analytical models, little specialist knowledge is necessary to understand the analysis technique used. Hence, simulation can be used to communicate ideas effectively.

Unfortunately, simulation also has some *disadvantages*.

- A simulation study can be *time consuming*. Sometimes, very long simulation runs are necessary to obtain reliable results.
- One has to be very careful when *interpreting* simulation results. Determining the reliability of results can be very treacherous indeed.
- Simulation *does not provide any proof*. Things that can happen in reality may not be witnessed during some simulation experiment.

Today’s simulation tools can be used to rapidly construct simulation models using drag-and-drop functionality. However, faulty simulation models or incorrectly interpreted results may lead to bad decisions. Therefore, this chapter will focus on the validation of simulation models and the correct derivation and interpretation of simulation results. We will highlight potential pitfalls of traditional simulation approaches. Therefore, this chapter can be viewed as a “*survival guide*” for people new to the topic. Moreover, we also aim to broaden the view for people familiar with traditional business process simulation approaches. The availability of detailed event data and possible connections between simulation tools and information systems enables new forms of simulation. For example, *short-term simulation* provides users and managers with a “fast forward button” to explore what will happen in the near future under different scenarios.

The remainder of this chapter is organized as follows. Section 2 introduces traditional business process simulation by describing the simulation-specific elements of process models and by discussing the different phases in a typical simulation project. Section 3 discusses the role of pseudo-random numbers in simulation. Section 4 explains how to set up a simulation experiment and how to

compute confidence intervals. Pitfalls that need to be avoided are discussed in Sect. 5. Section 6 discusses more advanced forms of simulation that exploit the availability of event data and modern IT infrastructures. Section 7 concludes the chapter with suggestions for further reading.

2 Traditional Approach to Business Process Simulation

The correctness, effectiveness, and efficiency of an organization's business processes are vital for survival in today's competitive world. A poorly designed business process may lead to long response times, low service levels, unbalanced resource utilization, angry customers, back-log, damage claims, and loss of goodwill. This is why it is important to analyze processes before they are put into production (to find design flaws), but also while they are running (for diagnosis and decision support). In this section, we focus on the role of simulation when analyzing business processes at design time.

2.1 Simulation Models

For the construction of a simulation model and to conduct experiments, we need a simulation tool. Originally, there were two typical kinds of simulation tools:

- A *simulation language* is a programming language with special provisions for simulation. Classical examples of simulation languages are Simula, GPSS, Simgscript, Simpas, MUST and GASP.
- A *simulation package* is a tool with building blocks for a certain application area, which allow the rapid creation of a simulation model, mostly graphically. Classical examples of simulation packages for production processes are: Sim-Factory, Witness and Taylor. Examples of simulation packages specifically designed for workflow analysis are Protos, COSA, WoPeD, and Yasper. In fact, most of today's BPM systems provide such a simulation facility.

The advantage of a simulation language is that almost every situation can be modeled. The disadvantage is that one is forced to chart the situation in terms of a programming language. Modeling thus becomes time-consuming and the simulation program itself provides no insights. A simulation package allows to rapidly build an intuitive model. Because the model must be built from ready-made building blocks, the area of application is limited. As soon as one transgresses the limits of the specific area of application, e.g., by changing the control structure, modeling becomes cumbersome or even impossible.

Fortunately, many tools have been introduced with characteristics of both a simulation language and a simulation package. These tools combine a graphical design environment and a programming language while also offering graphical

analysis capabilities and animation. Examples of such tools are Petri-net-based simulators such as ExSpect and CPN Tools (van der Aalst and Stahl 2011). These allow for hierarchical models that can be constructed graphically while parts can be parameterized and reused. The ARENA simulation tool developed by Rockwell Automation also combines elements of both a simulation language (flexibility and expensiveness) and simulation package (easy to use, graphical, and offering predefined building blocks). ARENA emerged from the block-oriented simulation language SIMAN. The use of proprietary building blocks in tools such as ARENA makes it hard to interchange simulation models between packages. Simulation tools based on more widely used languages such Petri nets or BPMN are more open and can exchange process models with BPM systems and other analysis tools (e.g., process mining software).

In the remainder of this chapter we remain tool-independent and focus on the essential characteristics of simulation.

To explain the typical ingredients of a model used for business process simulation, we first focus on the control-flow of a business process. Figure 1 shows the same control-flow using three widely used notations. Figure 1a shows a *Petri net*; a *WF-net* (WorkFlow net) to be precise (van der Aalst and Stahl 2011; ter Hofstede et al. 2010; Weske 2007). Activities are modeled by labeled transitions and the ordering of these activities is controlled by places (represented by circles). A transition (represented by a square) is enabled if each of its input places contains a token. An enabled transition may occur thereby consuming a token from each input place and producing a token for each output place. Initially, source place *in* contains a token. Hence, transition *a* is enabled in the initial state. After registering a request (modeled by transition *a*), extra insurance can be added (*b*) or not (modeled by the silent transition). Then the check-in is initiated (*c*). Subsequently, the selection of the car (*d*), the checking of the license (*e*), and the charging of the credit card (*f*) are executed (any ordering is allowed, including the concurrent execution of *d*, *e*, and *f*). Finally, the car is provided (*g*). The process instance terminates when place *out* is marked. Figure 1b shows an event log describing some example traces.

BPMN, EPCs, UML ADs, and many other business process modeling notations have in common that they all use token-based semantics. Therefore, there are many techniques and tools to convert Petri nets to BPMN, BPEL, EPCs and UML ADs, and vice versa. As a result, the core concepts of Petri nets are often used indirectly, e.g., to enable analysis, to enact models, and to clarify semantics. For example, Fig. 1c shows the same control-flow modeled using the *Business Process Modeling Notation* (BPMN). BPMN uses activities, events, and gateways to model the control-flow. In Fig. 1c two types of gateways are used: exclusive gateways are used to model XOR-splits and joins and parallel gateways are used to model AND-splits and joins. BPMN also supports other types of gateways corresponding to inclusive OR-splits and joins, deferred choices, etc. (Dumas et al. 2013; ter Hofstede et al. 2010; Weske 2007). *Event-driven Process Chains* (EPCs) use functions, events, and connectors to model the controlflow (cf. Fig. 1d). Connectors in EPCs are similar to gateways in BPMN. There are OR, XOR, and AND




Fig. 1 Three types of models describing the same control-flow: (a) Petri net, (c) BPMN, and (d) EPC. The event log (b) shows possible traces of this model using the short activity names provided by the Petri net

connectors. Events in EPCs are similar to places in Petri nets. Just like places and transitions in a Petri net, events and functions need to alternate along any path in an EPC. However, events cannot have multiple successor nodes, thus making it impossible to model deferred choices (ter Hofstede et al. 2010). *UML Activity Diagrams* (UML ADs) – not shown in Fig. 1 – are similar to BPMN and EPCs when it comes to the basic control-flow constructs.

The control-flow oriented models shown in Fig. 1 provide necessary but not sufficient information for business process simulation. Figure 2 sketches the minimal additional information that needs to be provided to conduct meaningful simulation experiments. First of all, a *simulation environment* needs to be provided that generates new cases according to some predefined *arrival process* and that collects statistics based on the *Key Performance Indicators* (KPIs) of interest. Often a so-called Poisson arrival process is used (the time in-between two arrivals is sampled from a negative-exponential distribution). Typical KPIs are average flow time, service level, mean utilization, etc. Choices modeled in the process need to be resolved when executing a simulation model. Therefore, *priorities* and *probabilities* can be used. For example, in Fig. 2 one could specify that on average 80 % of cases skip the extra insurance (i.e., *b* is executed in 20 % of cases). One also needs to model the *duration of activities*. In most business processes, the average flow time of a case is much longer than the average service time (i.e., the time actually worked




Fig. 2 Information required for business process simulation. This information is not needed for enactment (using for example a BPM/WFM system), but needs to be added for simulation

on the case). This is due to queueing for unavailable or busy resources. Often activities require a particular type of resource, commonly referred to as a *role*. Several resources may have the same role and several activities may require a particular role. The simulation model needs to specify *resource requirements and usage*. Also the *number of resources* per role, the *selection of resources* and the *ordering of pending activities* need to be specified. For example, a round-robin mechanism can be used to select available resources and a First-Come First-Served (FCFS) queueing discipline can be used to order pending activities. Other queueing disciplines are Last-Come First-Served (LCFS), Random Order (RO), Rush Orders First (ROF), and Shortest Processing Time First (SPTF).

To conduct experiments, one also needs to determine the *number of subruns*, *subrun length*, and *warm-up period*. As explained in Sect. 4, these subrun settings are needed to be able to compute *confidence intervals*.

Interestingly, one does not need to supply the additional information shown in Fig. 2 when configuring a *Business Process Management (BPM)* or *Workflow Management (WFM)* system (van der Aalst 2013; Dumas et al. 2013; ter Hofstede et al. 2010; Weske 2007). For example, activity durations and routing probabilities emerge over time based on the real characteristics of cases and resources.

2.2 *Life-Cycle of BPM and Simulation Projects*

To explain the role of simulation as an analysis tool, we start by discussing the *BPM life-cycle* (van der Aalst 2013; van der Aalst and Stahl 2011) shown in Fig. 3. In the *(re)design phase*, a process model is designed. This model is transformed into a running system in the *implementation/configuration phase*. If the model is already in executable form and a WFM or BPM system is already running, this phase may be very short. However, if the model is informal and needs to be hard-coded using some conventional programming language, this phase may take substantial time. After the system supports the designed processes, the *run & adjust phase* starts. In this phase, the processes are enacted and adjusted when needed. In the run & adjust phase, the process is not redesigned and no new software is created; only predefined controls are used to adapt or reconfigure the process. Figure 3 shows two types of analysis: *model-based analysis* and *databased analysis*. While the system is running, event data are collected. These data can be used to analyze running processes, e.g., discover bottlenecks, waste, and deviations. This is input for the redesign phase. During this phase process models can be used for analysis. For example, simulation is used for “what if” analysis or the correctness of a new design is verified using model checking.

Traditionally, simulation is positioned on the left-hand side of Fig. 3, i.e., business process simulation is a form of model-based analysis conducted during the *(re)design phase*. Figure 4 shows the phases of a typical simulation project. These phases should be seen as a further refinement of the *(re)design phase* in Fig. 3.

The simulation process starts with a *problem definition*, describing the goals and fixing the scope of the simulation study. The scope tells what will and what will not be a part of the simulation model. The problem definition should also state the questions to be answered. Preferably, these questions should be quantifiable. Instead of asking “Are the customers satisfied?”, one should ask “How long do customers have to wait on average?”

After defining the problem, the next phase is *modeling*. In this phase the *conceptual model* is created. The conceptual model defines classes of *objects* and the *relations* between these objects. In the case of a car rental organization example objects to be distinguished are cars, customers, staff members, parking spaces, etc. The relevant characteristics (properties) of these objects need to be determined. The construction of the conceptual model will most likely unveil incomplete and contradictory aspects in the problem definition. Also, the modeling process may bring forth new questions for the simulation study to answer. In either case, the problem definition should be adjusted.

After the conceptual modeling phase, the *realization phase* starts. Here, the conceptual model is mapped onto an *executable model*. The executable model can be directly simulated on the computer. How to create this model depends strongly on the simulation tool used. Simulation languages require a genuine design and implementation phase. Simulation packages that fit the problem domain merely




Fig. 3 BPM life-cycle consisting of three phases: (re)design, implement/configure, and run & adjust. Traditional simulation approaches can be seen as a form of model-based analysis mostly used during the (re)design phase

require a correct parameterization. The objects of the conceptual model are mapped to building blocks from the package and their quantitative characteristics (e.g. speed) are translated to parameter values of these building blocks.

An executable model is not necessarily correct, so it has to be *verified*. Verification of the model is necessary to examine whether the model contains qualitative or quantitative errors, like programming errors or wrong parameter settings. For verification purposes, small trial runs can be simulated step-by-step, or a stress test can be applied to the model. In the stress test the model is subjected to extreme situations, like having more customers arrive than can be attended to. In such a case,




Fig. 4 Phases of a traditional simulation study

waiting times measured should increase dramatically in the course of time. Some tools support more advanced forms of verification (van der Aalst 2013; van der Aalst and Stahl 2011). Apart from verification, *validation* of the model is also required. During validation we compare the simulation model with reality. When simulating an existing situation, the results of a simulation run can be compared to observations from historical data. Verification and validation may lead to adjustments of the simulation model. New insights may even lead to adjusting the problem definition and/or the conceptual model. A simulation model found to be correct after validation is called a *validated model*.

Starting from the validated model, *experiments* can be carried out. These experiments have to be conducted in such a way that reliable results are obtained as efficiently as possible. In this stage decisions will be made concerning the number of simulation runs and the length of each run (cf. Sect. 4).

The simulation results need to be *interpreted* to allow feedback to the problem definition. Confidence intervals will have to be calculated for the various KPIs based on low-level measurements gathered during simulation. Also, the results will have to be interpreted to answer the questions in the problem definition. For each such answer, the corresponding reliability should be stated. All these matters are summarized in a final report with answers to questions from the problem definition and proposals for solutions.

Figure 4 shows that feedback is possible between phases. In practice, many phases do overlap. Specifically, experimentation and interpretation will often go hand in hand.

Figure 4 may be misleading as it refers to a single simulation model. Usually, several *alternative situations* are compared to one another. In that case, several simulation models are created and experimented with and the results are compared. Often, several possible improvements of an existing situation have to be compared through simulation. We call this “what if” analysis. Simulation is well-suited for “what if” analysis as it is easy to vary parameters and compare alternatives based on selected KPIs.

3 Sampling from Distributions

Figure 2 illustrates that random variables need to be added to resolve choices, to sample durations from some probability distribution, and to generate the arrival of new cases. This section shows how to introduce “randomness” selectively.

3.1 Pseudo-Random Numbers

A simulation experiment is little more than replaying a modeled situation. To replay this situation in computer, we have to make assumptions not only for the modeled

business process itself but also for its *environment* (cf. Fig. 2). As we cannot or will not model these matters in detail we turn to “Monte Carlo”. We do not know when and how many customers will enter a car rental office, but we do know the mean and variation of customer arrivals. So, we have the computer take seemingly random samples from a probability distribution. The computer is by nature a deterministic machine, so we need to smartly generate so-called *pseudo-random numbers*.

A *random generator* is a piece of software for producing pseudo-random numbers. The computer does in fact use a deterministic algorithm to generate them, which is why they are called “pseudo random”. Most random generators generate pseudo-random numbers between 0 and 1. Each value between 0 and 1 being equally probable, these values are said to be distributed *uniformly* over the interval between 0 and 1.

Most random generators generate a series of pseudo-random numbers $\frac{X_i}{m}$ according to the formula:

$$X_n = (aX_{n-1} + b) \text{ modulo } m$$

For each i , X_i is a number from the set $\{0, 1, 2, \dots, m - 1\}$ and $\frac{X_i}{m}$ matches a sample from a uniform distribution between 0 and 1. The numbers a , b and m are chosen in such a way that the sequence can hardly or not at all be distinguished from “truly random” numbers. This means that the sequence X_i must visit, on average, each of the numbers $0, 1, 2, \dots, m - 1$ equally often. Also, m is chosen as closely as possible to the largest integer that can be manipulated directly by the computer. There are several tests to check the quality of a random generator [cf. (Bratley et al. 1983; Law and Kelton 1982; Pidd 1989; Shannon 1975)]: frequency test, correlation test, run test, gap test and poker test.

A reasonable random generator for a 32-bit computer is:

$$X_n = 16807X_{n-1} \text{ modulo } (2^{31} - 1)$$

That is: $a = 16807$, $b = 0$ and $m = 2^{31} - 1$. For a 64-bit machine:

$$X_n = (6364136223846793005X_{n-1} + 1) \text{ modulo } 2^{64}$$

is a good choice.

The first number in the sequence (X_0) is called the *seed*. The seed completely determines the sequence of random numbers. In a good random generator, different seeds produce different sequences. Sometimes the computer selects the seed itself (e.g., based on a system’s clock). However, preferably the user should consciously select a seed himself, allowing the *reproduction* of the simulation experiment later. Reproducing a simulation experiment is important whenever an unexpected phenomenon occurs that needs further examination.

Today's simulation tools provide adequate random generators. This generator can be seen as a black box: a device that produces (pseudo) random numbers upon request. However, beware: pseudo-random numbers are not truly random! (A deterministic algorithm is used to generate them.) Do not use more than one generator and take care when selecting the seed.

To illustrate the dangers in using random generators we mention two well-known pitfalls.

The first mistake is using the so-called 'lower order bits' of a random sequence. For example, if a random generator produces the number 0.1321734234, the higher order digits 0.13217 are 'more random' than the lower order digits 34234. In general the lower order digits show a clear cyclical behavior.

Another frequent mistake is the double use of a random number. Suppose that the same random number is used twice for generating a sample from a probability distribution. This introduces a dependency into the model that does not exist in reality, which may lead to extremely deceptive results.

3.2 Example Probability Distributions

Only rarely do we need random numbers uniformly distributed between 0 and 1. Depending on the situation, we need samples from different *probability distributions*. A probability distribution specifies which values are possible and how probable each of those values is.

To simplify the discussion of random distributions and samples from probability distributions, we introduce the term *random variable*. A random variable X is a variable with a certain probability of taking on certain values. For example, we can model the throwing of a dice by means of a variable X that can take on the values 1, 2, 3, 4, 5 and 6. The probability of obtaining any value a from this set is $\frac{1}{6}$. We can write this as follows:

$$\mathbb{P}[X = a] = \begin{cases} \frac{1}{6} & \text{if } a \in \{1, 2, 3, 4, 5, 6\} \\ 0 & \text{else} \end{cases}$$

Given a random variable X we can define its *expectation* and *variance*. The expectation of X , denoted by $\mathbb{E}[X]$, is the average to be expected from a large number of samples from X . We also say the *mean* of X . The variance, denoted as $\text{Var}[X]$, is a measure for the average deviation of the mean (expectation) of X . If X has a high variance, many samples will be distant from the mean. Conversely, a low variance means that, in general, samples will be close to the mean. The expectation of a random variable X is often denoted with the letter μ , the variance ($\text{Var}[X]$) is denoted as σ^2 . The relation between expectation and variance is defined by the following equality:

Table 1 Discrete random distributions

Distribution	Domain	$\mathbb{P}[X = k]$	$\mathbb{E}[X]$	$\text{Var}[X]$
Bernoulli $0 \leq p \leq 1$	$k \in \{0,1\}$	$\begin{cases} 1-p & k = 0 \\ p & k = 1 \end{cases}$	p	$p(1-p)$
Homogeneous $a < b$	$k \in \{a, \dots, b\}$	$\frac{1}{(b-a)+1}$	$\frac{a+b}{2}$	$\frac{(b-a)((b-a)+2)}{12}$
Binomial $0 \leq p \leq 1$ $n \in \{1,2,\dots\}$	$k \in \{0,1,\dots,n\}$	$\binom{n}{k} p^k (1-p)^{n-k}$	np	$np(1-p)$
Geometric $0 \leq p \leq 1$	$k \in \{1,2,\dots\}$	$(1-p)^{k-1} p$	$\frac{1}{p}$	$\frac{1-p}{p^2}$
Poisson $\lambda > 0$	$k \in \{0,1,\dots\}$	$\frac{\lambda^k}{k!} e^{-\lambda}$	λ	λ

$$\text{Var}[X] = \mathbb{E}[(X - \mu)^2] = \mathbb{E}[X^2] - \mu^2$$

As $\text{Var}[X]$ is the expectation of the *square* of the deviation from the mean, the square root of $\text{Var}[X]$ is a better measure for the deviation from the mean. We call $\sigma = \sqrt{\text{Var}[X]}$ the *standard deviation* of X .

Table 1, lists some well-known *discrete* probability distributions. For example, a random variable X having a Bernoulli distribution with parameter p has two possible values: 0 (no success) and 1 (success). Parameter p models the probability of success. Hence, $\mathbb{P}[X = 1] = p$. $\mathbb{E}[X] = p$ and $\text{Var}[X] = p(1 - p)$.

Table 2 lists some *continuous* distributions. Unlike discrete distributions, the probability of a specific value is zero, i.e., $\mathbb{P}[X = k] = 0$ for any k . Therefore, the probability density function $f_X(k)$ is used to describe the likelihood of different values. Consider for example a random variable X *uniformly distributed* on the interval $[a,b]$. $f_X(k) = \frac{1}{b-a}$, i.e., all values on the interval have the same likelihood. $\mathbb{E}[X] = \frac{a+b}{2}$ and $\text{Var}[X] = \frac{(b-a)^2}{12}$.

Arrival processes are often modeled using the *negative-exponential distribution*. Parameter λ is called the *intensity* of the arrival process, i.e., λ is the expected number of new arrivals per time unit. Negative-exponentially distributed random variable X models the time in-between two subsequent arrivals. $\mathbb{E}[X] = \frac{1}{\lambda}$ is the expected average time between two such arrivals. If there is a large population of potential cases (e.g., customers) that behave independently, then, by definition, the inter-arrival times are distributed negative exponentially. This is referred to as a *Poisson arrival process*.

Durations are often modeled using the *normal* or *beta* distribution. The well-known normal distribution has two parameters: μ (mean value) and σ (standard deviation). If we use a normally distributed random variable for modeling time durations, like processing times, response times or transport times, we must be aware that this random variable can also take on *negative* values. In general negative durations are impossible; this may even cause a failure of the simulation software. To circumvent this problem, we might take a new sample whenever the

Table 2 Continuous random distributions

Distribution	Domain	$f_X(x)$	$\mathbb{E}[X]$	$\text{Var}[X]$
Uniform $a < b$	$a \leq x \leq b$	$\frac{1}{b-a}$	$\frac{a+b}{2}$	$\frac{(b-a)^2}{12}$
Exponential $\lambda > 0$	$x \geq 0$	$\lambda e^{-\lambda \cdot x}$	$\frac{1}{\lambda}$	$\frac{1}{\lambda^2}$
Normal $\mu \in \mathbb{R}$ $\sigma > 0$	$x \in \mathbb{R}$	$\frac{1}{\sqrt{2\pi\sigma^2}} e^{-\frac{(x-\mu)^2}{2\sigma^2}}$	μ	σ^2
Gamma $r, \lambda > 0$	$x > 0$	$\frac{\lambda(\lambda x)^{r-1} e^{-\lambda x}}{\Gamma(r)}$	$\frac{r}{\lambda}$	$\frac{r}{\lambda^2}$
Erlang $\lambda > 0$ $r \in \{1, 2, \dots\}$	$x > 0$	$\frac{\lambda(\lambda x)^{r-1} e^{-\lambda x}}{(r-1)!}$	$\frac{r}{\lambda}$	$\frac{r}{\lambda^2}$
χ^2 $v \in \{1, 2, \dots\}$	$x > 0$	See Gamma $r = \frac{v}{2}$ and $\lambda = \frac{1}{2}$	v	$2v$
Beta $a < b$ $r, s > 0$	$a \leq x \leq b$	$\frac{1}{b-a} \frac{\Gamma(r+s)}{\Gamma(r)\Gamma(s)} \left(\frac{x-a}{b-a}\right)^{r-1} \left(\frac{b-x}{b-a}\right)^{s-1}$	$a + (b-a) \frac{r}{b-a}$	$\frac{rs(b-a)^2}{(r+s)^2(r+s+1)}$

given sample produces a negative value. Note that this will affect the mean and the variance. Therefore, this solution is recommended only if the probability of a negative value is very small. We use the following rule of thumb: if $\mu - 2\sigma < 0$, the normal distribution should not be used to model durations. The normal distribution with parameters $\mu = 0$ and $\sigma = 1$ is called the *standard normal distribution*.

Like the uniform distribution, the *beta distribution* is distributed over a finite interval. We use it for random variables having a clear upper and lower bound. The beta distribution has four parameters a, b, r and s . The parameters a and b represent the upper and lower bounds of the distribution. The parameters r ($r > 0$) and s ($s > 0$) determine the shape of the distribution. Very different shapes of the probability density function are possible, see (van der Aalst and Voorhoeve 2000) for examples.

It is impossible to describe all frequently used probability distributions here. Probability distributions often used for simulation are described in detail in (van der Aalst and Voorhoeve 2000). Also consult standard textbooks on probability theory and simulation (Altiok and Melamed 2007; Kleijnen and van Groenendaal 1992; Law and Kelton 1982; Pidd 1989; Ripley 2006; Ross 1990). These references also explain how particular random variables can be constructed from pseudo-random numbers. For example, if X_i is a pseudo random number from the set $\{0, 1, \dots, m - 1\}$, then $-\ln(\frac{X_i}{m})/\lambda$ is a sample from a negative-exponential distribution with parameter λ .

4 Processing the Results

In Sect. 2.1 we described the typical ingredients of a simulation model. Simulation models abstract from details that cannot be fully modeled (e.g., perfectly modeling human decision making and customer behavior) or that are too specific (e.g., data entered into a form). Such abstractions may necessitate the introduction of

stochastic elements in the model. For example, a path is selected with a certain probability and the duration of an activity is sampled from some continuous probability distribution. In Sect. 3 we showed that pseudo random numbers can be used to introduce such stochastic elements. This section focuses on the interpretation of the raw simulation results. In particular, we will show that subruns are needed to compute confidence intervals for KPIs.

During simulation there are repeated *observations* of quantities, such as waiting times, flow times, processing times, or stock levels. These observations provide information on KPIs (cf. Sect. 2.1). Suppose we have k consecutive observations x_1, x_2, \dots, x_k also referred to as *random sample*. The mean of a number of observations is the *sample mean*. We represent the sample mean of observations x_1, x_2, \dots, x_k by \bar{x} . We can calculate the sample mean \bar{x} by adding the observations and dividing the sum by k :

$$\bar{x} = \frac{\sum_{i=1}^k x_i}{k}$$

The sample mean is merely an estimate of the true mean. However, it is a so-called unbiased estimator (i.e., the difference between this estimator's expected value and the true value is zero). The variance of a number of observations is the *sample variance*. This variance is a measure for the deviation from the mean. The smaller the variance, the closer the observations will be to the mean. We can calculate the sample variance s^2 by using the following formula:

$$s^2 = \frac{\sum_{i=1}^k (x_i - \bar{x})^2}{k - 1}.$$

This is the unbiased estimator of the population variance, meaning that its expected value is equal to the true variance of the sampled random variable.

In a simulation experiment, we can determine the sample mean and the sample variance of a certain quantity. We can use the sample mean as an estimate for the real expected value of this quantity (e.g., waiting time), but *we cannot determine how reliable this estimate is*. The sample variance is not a good indicator for the reliability for the results. Consider for example the sample \bar{x}_a and sample variance s_a^2 obtained from a long simulation run. We want to use \bar{x}_a as a predictor for some performance indicator (e.g., waiting time). If we make the simulation experiment ten times as long, we will obtain new values for the sample mean and the sample variance, say, \bar{x}_b and s_b^2 , but these values do not need to be significantly different from the previous values. Although it is reasonable to assume that \bar{x}_b is a more reliable predictor than \bar{x}_a , the sample variance will not show this. Actually, s_b^2 may be greater than s_a^2 . This is the reason to introduce *subruns*.

If we have n *independent subruns*, then we can estimate the reliability of estimated performance indicators. There are two approaches to create independent subruns. The first approach is to take one long simulation run and cut this run into

smaller subruns. This means that subrun $i + 1$ starts in the state left by subrun i . As the subruns need to be independent, the initial state of a subrun should not strongly correlate with the final state passed on to the next subrun. An advantage is that startup effects only play a role in the first run. Hence, by inserting a single start run at the beginning (also referred to as “warm-up period”), we can avoid incorrect conclusions due to start-up effects. The second approach is to simply restart the simulation experiment n times. As a result, the subruns are by definition independent. A drawback is that start-up effects can play a role in every individual subrun. Hence, one may need to remove the warm-up period in all subruns.

There are two types of behavior that are considered when conducting simulation experiments: *steady-state* behavior and *transient* behavior. When analyzing the steady-state behavior, we are interested in long-term effects. For example, we may consider two process designs and analyze the differences with respect to average flow times and costs in the next 5 years. When analyzing the transient behavior, we are interested in short-term effects. For example, if there are currently many backorders, we may want to know how many additional resources we need to temporarily deploy to handle these orders. When analyzing transient behavior, we are not interested in long-time averages given some stable situation but in the short-term effects. If we investigate steady-state behavior, the simulation runs need to be long and we may want to discard the initial part of the simulation. When analyzing transient behavior, the simulation runs are short and the initial part is most relevant. Figure 5 illustrates the difference between steady-state and transient analysis. Moreover, Fig. 5c shows that one simulation run can be partitioned into subruns (provided that the state at the beginning of subrun $i + 1$ does not depend on the state at the beginning of subrun i). In the remainder of this section, we concentrate on the steady-state behavior and assume that warm-up periods have been removed. Note that for each of the three situations sketched in Fig. 5, we obtain a set of independent subruns (in this case four subruns) with corresponding measurements.

Suppose we have executed n subruns and measured a result y_i for each subrun i . Hence, each result y_i serves as an estimate for a performance indicator. We assume that there exists a “true” value μ that each result y_i approximates. We want to derive assertions about μ from the values y_i . For example, y_i is the mean waiting time measured in subrun i and μ the “true” mean waiting time that we would find by conducting a hypothetical simulation experiment of infinite length. Also KPIs other than the mean waiting time could be considered, e.g., y_i could be an estimate for the mean variance of the waiting time, the mean occupation rate of a server, or the mean length of a queue. However, we must be certain that the values y_i are mutually independent for all subruns. This can be ensured by choosing a long enough subrun length or by using independent subruns. Given the results y_1, y_2, \dots, y_n , we derive the sample mean:

$$\bar{y} = \frac{\sum_{i=1}^n y_i}{n}$$




Fig. 5 For transient analysis, the initial state and the first part of the simulation are relevant. For steady-state analysis, the initial state and warm-up period are irrelevant and only the behavior after the warm-up period matters. Each graph shows one simulation run. The X-axis denotes time whereas the Y-axis represents the state of the process. For steady-state analysis one can take separate simulation runs (each with a warm-up period) or one large simulation run cut into smaller subruns

and the sample variance:

$$s_y^2 = \frac{\sum_{i=1}^n (y_i - \bar{y})^2}{n - 1}$$

The sample standard deviation is $s_y = \sqrt{s_y^2}$. The sample mean and the sample variance for the results of the subruns should not be confused with the mean and the variance of a number of measures *within* one subrun. We can consider the sample \bar{y} as an estimate of the true value μ . Value y can be seen as a sample from a random variable $\bar{Y} = (X_1 + X_2 + \dots + X_n)/n$, the *estimator*. Now $\frac{s_y}{\sqrt{n}}$ is an indication of the reliability of the estimate \bar{y} . If $\frac{s_y}{\sqrt{n}}$ is small, it is a good estimate.

If there is a large number of subruns, we can consider the estimator \bar{Y} as normally distributed. Here we use the well-known *central limit theorem*. For a set X_1, X_2, \dots ,

Table 3 $\mathbb{P}[Z > z(x)] = x$ where Z is standard normally distributed

x	$z(x)$
0.001	3.090
0.005	2.576
0.010	2.326
0.050	1.645
0.100	1.282

X_n of independent uniformly distributed random variables with expectation μ and variance σ^2 , the random variable

$$\frac{(X_1 + X_2 + \dots + X_n) - n\mu}{\sigma\sqrt{n}}$$

converges for $n \rightarrow \infty$ to a standard normal distribution. Thus, the sum or average of a large number of independent random variables is approximately normally distributed. If the subrun results are indeed independent and there are plenty of such results, we can assume that the estimator \bar{Y} is normally distributed. Therefore, we treat the situation with over 30 subruns as a special case.

Given a large number of independent subruns (say, $n \geq 30$), we can easily determine a *confidence interval* for the quantity to be studied. Because the sample mean \bar{y} is the average of a large number of independent measures, we can assume that \bar{y} is approximately normally distributed. From this fact, we deduce the probability that the true value μ lies within a confidence interval. Given the sample mean \bar{y} and the sample standard deviation s_y , the true value μ conforms with confidence $(1-\alpha)$ to the following equation:

$$\bar{y} - \frac{s_y}{\sqrt{n}} z\left(\frac{\alpha}{2}\right) < \mu < \bar{y} + \frac{s_y}{\sqrt{n}} z\left(\frac{\alpha}{2}\right)$$

where $z\left(\frac{\alpha}{2}\right)$ is defined as follows: If Z is a standard normally distributed random variable, then the probability that random variable Z is greater than $z(x)$ is x . Table 3 shows for five values of x the value $z(x)$. The value α represents the unreliability; that is, the probability that μ does not conform to the equation. Typical values for α range from 0.001 to 0.100. The interval

$$\left[\bar{y} - \frac{s_y}{\sqrt{n}} z\left(\frac{\alpha}{2}\right), \bar{y} + \frac{s_y}{\sqrt{n}} z\left(\frac{\alpha}{2}\right) \right]$$

is known as the $(1-\alpha)$ -confidence interval for the estimated value μ .

Given a smaller number of independent subruns (say, $n \leq 30$), we need to make more assumptions about the distribution of the individual subrun results. A common assumption is that the individual subrun results are normally distributed. This is a realistic assumption when the subrun result itself is calculated by taking the average over a large set of independent measurements (see the central limit

Table 4 The critical values for a student’s t-distribution with ν degrees of freedom

$t_\nu(x)$	$x =$			
	0.100	0.050	0.010	0.001
$\nu = 1$	3.08	6.31	31.82	318.31
2	1.89	2.92	6.96	22.33
3	1.64	2.35	4.54	10.21
4	1.53	2.13	3.75	7.17
5	1.48	2.02	3.37	5.89
6	1.44	1.94	3.14	5.21
7	1.41	1.89	3.00	4.79
8	1.40	1.86	2.90	4.50
9	1.38	1.83	2.82	4.30
10	1.37	1.81	2.76	4.14
15	1.34	1.75	2.60	3.73
20	1.33	1.72	2.53	3.55
25	1.32	1.71	2.49	3.45
50	1.30	1.68	2.40	3.26
100	1.29	1.66	2.35	3.17
∞	1.28	1.64	2.33	3.09

theorem, which states that as the sample size increases the distribution of the sample average of these random variables approaches the normal distribution irrespective of the shape of the common distribution of the individual terms). By using this assumption, we can deduce—given n subruns with a sample mean \bar{y} , sample deviation s_y , and reliability $(1-\alpha)$ —the following confidence interval:

$$\left[\bar{y} - \frac{s_y}{\sqrt{n}} t_{n-1} \left(\frac{\alpha}{2} \right), \bar{y} + \frac{s_y}{\sqrt{n}} t_{n-1} \left(\frac{\alpha}{2} \right) \right]$$

where $t_\nu(x)$ is the critical value of a *Student’s t-distribution* with ν degrees of freedom. Table 4 shows for several values of ν and x the critical value $t_\nu(x)$.

Contrary to the method discussed earlier, we can now also determine the confidence interval if only a limited number of subruns (say, ten) is at our disposal. For small numbers ν , we have $t_\nu(x) > z(x)$. As ν increases, the value of $t_\nu(x)$ decreases and in the limit we obtain $t_\nu(x) = z(x)$.

When two confidence intervals are overlapping for a KPI, one cannot make any firm statements about the superiority of one the corresponding alternatives. Moreover, one alternative may score better with respect to costs whereas the other alternative may reduce flow times significantly.

Using the above, we can compute confidence intervals for any KPI. If the confidence intervals are too wide, more subruns or longer subruns can be used to obtain tighter confidence intervals. As mentioned before, simulation is an excellent tool for “what if” analysis. Confidence intervals can be computed for different KPIs and different alternatives. Alternatives can be created by varying parameters or by making changes in the design.

5 Pitfalls to Avoid

Simulation is a powerful and flexible tool that can be used to support decision making. If simulation is applied incorrectly (flawed model or poor analysis of the results), then this may result in incorrect decisions that are very costly. Therefore, we point out 15 *typical pitfalls of simulation* that should be avoided. In Sect. 5.1 we present ten general risks that may result in incorrect conclusions and misleading insights. These are linked to the different phases of a simulation study (cf. Fig. 6). Section 5.2 identifies five more specific risks caused by simulation models that do not incorporate essential phenomena such as working speeds depending on workloads, partial availability of resources, and competition among activities in different processes.

5.1 General Risks

In Sect. 2.2 we described the different phases of a traditional simulation study. Figure 6 lists ten risks pointing to typical errors (pitfalls) frequently made when applying simulation. These are described in the remainder.

5.1.1 Risk 1: One-Sided Problem Definition

A simulation study gets off on the wrong foot if the problem definition is drawn up exclusively by either the user or the systems analyst. The user may possess extensive knowledge of the problem area, but lacks the experience needed for defining his problem. The systems analyst on the other hand, fully knows the elements which should be present in a problem definition, but lacks the background




Fig. 6 Various risks associated to the different phases of a simulation study

of the specific problem. The systems analyst is also aware of the possibilities and impossibilities of simulation. The user on the other hand, generally knowing little about simulation, is barely informed on this issue. Therefore, for a simulation study to be successful, it is important that both parties closely cooperate in setting up the problem definition. The problem definition serves as a “contract” between the user and the builder of the model. Hence, the following *rule of thumb* should be used: “Do not start a simulation study until it is clear to both user(s) and analyst(s) which questions need to be answered!”.

5.1.2 Risk 2: Wrong Level of Detail or Scope

In making a simulation model, one chooses a certain *level of detail*. In a simulation model for a manufacturing department, a machine may be modeled as an object with a mean service time as its only parameter. Alternatively, it can be modeled in detail, taking into account aspects such as set-up times, faults, tool-loading, maintenance intervals etc. Many simulation studies end prematurely because a wrong level of detail is selected initially. Too much detail causes the model to become unnecessarily complex and introduces extra parameters that need to be assessed (with all the risks involved). Too many abstractions can lead to a simulation model that leaves the essential questions of the problem definition unanswered. The right level of detail is chosen if:

1. Information is present that allows experiments with the model,
2. The important questions from the problem definition are addressed by the model, and
3. The complexity of the model is still manageable for all parties concerned.

If it is impossible to choose a suitable level of detail satisfying these three conditions, the problem definition needs to be adjusted.

Related to the level of detail is the *scope* of the model. When analyzing a process handled within a department, one can also model the other processes within the same department competing for the same resources and the other departments interacting with the process. One can think of the scope as the “breadth” of the model whereas the level of detail is the model’s “depth”. Broadening the scope or increasing the level of detail may lead to more accurate models. However, more detail or a broader scope may result in increased modeling and data gathering efforts. In fact, sometimes there is no data to support a more refined model. This is why probability distributions are used.

The well-known “80/20-rule” also applies to simulation models: 80 % of the model’s accuracy is obtained from 20 % of the model’s detail. Hence, a small increase in accuracy may require the addition of lots of details. Hence, the following *rule of thumb* should be used: “Minimize the breadth and depth of a model given a set of predefined questions and required level of accuracy”.

5.1.3 Risk 3: Hidden Assumptions

During modeling and while realizing an executable simulation model, many assumptions must be made. Assumptions are made to fill gaps in an incomplete problem definition or because of a conscious decision to keep the simulation model simple. Often these assumptions are documented poorly, if documented at all. These hidden assumptions may lead to the rejection of the simulation model during validation or later. Hidden assumptions may also lead to invalid conclusions and bad decisions. Therefore, *all* assumptions must be documented and regularly discussed with the user.

5.1.4 Risk 4: Validation by the Wrong People

Sometimes, due to time pressure or indifference of the user, the simulation model is only validated by its maker(s). Discrepancies between the model and the ideas of the user may thus be discovered too late, if at all. Therefore, the user should be involved in the validation of the simulation model before any experiments are conducted.

5.1.5 Risk 5: Forcing the Model to Fit

In the validation phase, often the results of the simulation model do not match the observed or recorded actual data. One is then tempted to make the model “fit” by changing certain parameter values, i.e., the analyst fiddles around with the parameter settings until a match is found. This, however, is very dangerous, since this match with reality is most likely caused by sheer luck and not by a model that adequately reflects reality. Parameters should be adjusted only after having understood why the model deviates from reality. This prevents the conscious or unconscious obscuring of errors in the model.

5.1.6 Risk 6: Underexposure of the Sensitivity of the Model

Certain model parameters (e.g. the intensity of the arrival process) are often set at one specific value. The chosen parameter settings should be justifiable. However, even if this is the case, small variations in the arrival process can have dramatic effects.

Consider for example the $M/M/1$ queue describing the situation with a Poisson arrival process (the inter-arrival times are distributed negative exponentially), negative-exponentially distributed service times and one server (i.e., at most one customer is served at a time). Assuming an arrival rate λ (average number of customers arriving per time unit) and service rate μ (average number of customers

that can be handled per time unit), the average flow time is $\frac{1}{\mu-\lambda}$. If $\lambda = 98$ (on average 98 customers arrive per day) and $\mu = 100$ (the average service time is approximately 14 min), then the average flow time is $\frac{1}{100-98} = 0.5$ (12 h). If λ increases to 99 (an increase of approximately 1 %), then the average flow time doubles to $\frac{1}{100-99} = 1$, i.e., a full day. The example illustrates that a small increase in workload may have dramatic effects on the mean flow or waiting time. Therefore, the sensitivity of the model to minor adjustments of its parameters should be seriously accounted for.

5.1.7 Risk 7: No Subruns

Some people say: “A sufficiently long simulation yields correct results!” They execute a simulation run for a night or weekend and then blindly trust, e.g., the mean waiting time measured. This is a very risky practice, as no assertions about the reliability of the result can be given. Others derive a confidence interval from the mean variance measured. This is also wrong because, for example, the mean variance of the waiting time measured is unrelated to the reliability of the estimated mean waiting time. The only way to derive independent measurements is by having independent subruns!

5.1.8 Risk 8: Careless Presentation of the Results

Interpreting the results of a simulation study may require complex statistical analyses. This is often a source of errors. Translating the results from statistics into language a user can understand, can be very tricky indeed. In Darrel Huff’s book “How to lie with statistics” (Huff 1954), there are numerous examples of sloppy and misleading presentations. As an example, suppose the final report of a simulation study contains the following conclusion “Waiting times will be reduced by 10 %”. This conclusion is very incomplete, as it contains no reference whatsoever to its reliability. It is good practice to give a confidence interval. The same conclusion suggests that waiting times will be reduced by 10 % for each customer. This, however, may not be the case. The average waiting time may be reduced by 10 % while it increases for certain customers and is reduced somewhat more for others.

5.1.9 Risk 9: Dangers of Animation

Modern simulation tools allow for impressive visualizations of simulation results. Animation facilities graphically show the process while it is unfolding. These facilities improve communication with the user. However, there is an inherent danger in animation. As animation only shows the tangible aspects of the

simulation model, the user may develop an unfounded faith in the model. The choice of parameters or decision making rules deeply influence the simulation results, yet are barely visible in an animation. The same hold for the presentation of simulation results. Impressive 3D charts do not replace a sound statistical analysis.

5.1.10 Risk 10: Unnecessary Use of Simulation

Simulation is a flexible analysis tool that can be applied in almost any business context. Therefore, one may be tempted to use it regardless of the circumstances. Often, however, a simple mathematical model (e.g. a queuing model) or a simple spreadsheet calculation is sufficient. In such cases simulation is “overkill”. It should only be used if and when the situation requires it. Simulation is a means and not a goal!

5.2 Specific Risks

The ten risks highlighted in Fig. 6 cover the different phases of a simulation project. Besides these general risks there are more specific risks related to not incorporating relevant contextual factors (that may be changing over time) and not capturing characteristics of human resources (working patterns, partial availability, and varying working speeds). For example, human resources are typically modeled in a rather naïve manner. As a result, it is not uncommon that the simulated model predicts flow times of minutes or hours while in reality flow times are weeks or even months (van der Aalst et al. 2014).

5.2.1 Risk 11: Abstracting Away Relevant Contextual Factors

Processes unfold in a particular context (Rosemann et al. 2008) that is often neglected in simulation studies. Not capturing this context may result in simulation models with limited predictive value. To explain the notion of “context” consider Fig. 7 (taken from (van der Aalst and Dustdar 2012)). In (van der Aalst and Dustdar 2012) four levels of context data are considered:

- *Instance Context.* Process instances (that is, cases) might have various properties that influence their execution. Consider the way businesses handle a customer order. The type of customer placing the order can influence the path the instance follows in the process. The order’s size can influence the type of shipping the customer selects or the transportation time. These properties can directly relate to the individual process instance; we refer to them as the instance context. Typically, discovering relationships between the instance context and the case’s

observed behavior is not difficult. We might, for example, discover that an activity is typically skipped for VIP customers.

- *Process Context.* A process might be instantiated many times—for example, the process can handle thousands of customer orders per year. Yet, the corresponding process model typically describes one order’s life cycle in isolation. Although interactions among instances are not very explicit in most simulation models, they can influence each other. Instances might compete for the same resources, and an order might be delayed by too much work-in-progress. Looking at one instance in isolation is not sufficient for understanding the real behavior. Simulation models should also consider the process context, such as the number of instances being handled and resources available for the process. When analyzing the flow time of cases, the simulation model should consider not only the order’s status (instance context) but also the workload and resource availability (process context).
- *Social Context.* The process context considers all factors directly related to a process and its instances. However, people and organizations typically are not allocated to a single process and might be involved in many different processes. Moreover, activities are executed by people operating in a social network. Friction between individuals can delay process instances, and the speed at which people work might vary due to circumstances that are not fully attributable to the process being analyzed (see also Risk 14). We refer to all these factors as the social context, which characterizes how people work together within a particular organization. Today’s simulation tools tend to neglect the social context even though it directly impacts how people and organizations handle cases.
- *External Context.* The external context captures factors that are part of an ecosystem that extends beyond an organization’s control sphere. For example, the weather, the economic climate, and changing regulations might influence how organizations handle cases. The weather might influence the workload, as when a storm or flooding leads to increased insurance claims. Changing oil prices can influence customer orders, as when the demand for heating oil increases as prices drop. More stringent identity checks influence the order in which a government organization executes social-security-related activities. Although external context can have a dramatic impact on the process being analyzed, selecting relevant variables is difficult. Learning the external context’s effects is closely related to identifying concept drift (see also Risk 12)—for example, a process might gradually change due to external seasonal effects.

Simulation models tend to focus on the first two levels of the “union model” depicted in Fig. 7. This may be valid in many studies. However, if the social context and external context matter, they should be incorporated explicitly.

5.2.2 Risk 12: Ignoring Concept Drift

The term *concept drift* refers to a situation in which the process is changing while being analyzed (Jagadeesh Chandra Bose et al. 2011; Widmer and Kubat 1996).




Fig. 7 Levels of context data. Context can influence processes and may change over time. Nevertheless, simulation models seldom explicitly model the outer two context levels and do not anticipate context changes

Processes can change due to periodic or seasonal changes (“in December, there is more demand” or “on Friday afternoon, fewer employees are available”) or to changing conditions (“the market is getting more competitive”). Such changes affect processes, and organizations must detect and analyze them. The notion of concept drift is closely related to the context notion illustrated in Fig. 7. Large parts of the context cannot be fully controlled by the organization conducting a simulation study. Therefore, contextual variability needs to be considered and cannot be ignored.

Predictable drifts (e.g., seasonal influences) with a significant influence on the process need to be incorporated in simulation models. For unpredictable drifts (e.g., changing economic conditions), several “what if” scenarios need to be explored.

5.2.3 Risk 13: Ignoring That People Are Involved in Multiple Processes

In practice there are few people that only perform activities for a single process. Often people are involved in many different processes, e.g., a manager, doctor, or




Fig. 8 People are typically involved in multiple processes and need to distribute attention over these processes and related activities (*left*). Moreover, people do not work at constant speed (*right*). The “Yerkes-Dodson Law of Arousal” (Yerkes and Dodson 1908) describes the phenomenon that people work at different speeds based on their workload

specialist may perform tasks in a wide range of processes. The left-hand side of Fig. 8 shows a Gantt chart illustrating how an individual may distribute her time over activities in different processes. Simulation often focuses on a single process, often ignoring competing processes.

Suppose a manager is involved in a dozen processes and spends about 20 % of her time on the process that we want to analyze. In most simulation tools it is impossible to model that she is only available 20 % of the time. Hence, one needs to assume that the manager is there all the time and has a very low utilization. As a result the simulation results are too optimistic. In the more advanced simulation tools, one can indicate that resources are there at certain times in the week (e.g., only on Monday morning). This is also an incorrect abstraction as the manager distributes her work over the various processes based on priorities and workload. Suppose that there are 5 managers all working 20 % of their time on the process of interest. One could think that these 5 managers could be replaced by a single manager ($5 \cdot 20 \% = 1 \cdot 100 \%$). However, from a simulation point of view this is an incorrect abstraction. There may be times that all 5 managers are available and there may be times that none of them is available.

People are involved in multiple processes and even within a single process different activities and cases may compete for shared resources. One process may be more important than another and get priority. In some processes cases that are delayed may get priority while in other processes late cases are “sacrificed” to finish other cases in time. People need to continuously choose between work-items and set priorities. Although important, this is typically not captured by simulation models.

5.2.4 Risk 14: Assuming That People Work at Constant Speeds

Another problem is that people work at different speeds based on their workload, i.e., it is not just the distribution of attention over various processes, but also the

absolute working speed that determines the resource's contribution to the process. There are various studies that suggest a relation between workload and performance of people. A well-known example is the so-called "Yerkes-Dodson Law of Arousal" (Yerkes and Dodson 1908). The Yerkes-Dodson law models the relationship between arousal and performance as a \cap -shaped curve (see right-hand side of Fig. 8). This implies that, for a given individual and a given type of task, there exists an optimal arousal level. This is the level where the performance has its maximal value. Thus work pressure is productive, up to a certain point, beyond which performance collapses. Although this phenomenon can be easily observed in daily life (Nakatumba and van der Aalst 2010), today's business process simulation tools typically do not support the modeling of workload dependent processing times.

5.2.5 Risk 15: Ignoring That People Work in Batches

As indicated earlier, people may be involved in different processes. Moreover, they may work part-time (e.g., only in the morning). In addition to their limited availabilities, people have a tendency to work in batches (cf. Resource Pattern 38: Piled Execution (Russell et al. 2005)). In any operational process, the same task typically needs to be executed for many different cases (process instances). Often people prefer to let work-items related to the same task accumulate, and then process all of these in one batch. In most simulation tools a resource is either available or not, i.e., it is assumed that a resource is eagerly waiting for work and immediately reacts to any work-item that arrives. Clearly, this does not do justice to the way people work in reality. For example, consider how and when people reply to e-mails. Some people handle e-mails one-by-one when they arrive while others process their e-mail at fixed times in batch. Related is the fact that calendars and shifts are typically ignored in simulation tools. While holidays, lunch breaks, etc. can heavily impact the performance of a process, they are typically not incorporated in the simulation model.

In (van der Aalst et al. 2014) a general approach based on "chunks" is used to model availability more adequately. The basic idea is that people spend "chunks of time" on a particular process or task. Within a period of time a limited number of chunks is available. Within a chunk, work is done in batches. As chunks become more coarse-grained, flow times go up even when the overall utilization does not change (van der Aalst et al. 2014).

6 Advanced Simulation

The 15 risks described in Sect. 5 illustrate that many things can go wrong in a simulation project. Fortunately, modern IT infrastructures and the enormous amounts of event data collected in many organizations also enable new forms of

simulation. IT systems are becoming more and more intertwined with the business processes they aim to support, resulting in an “explosion” of available data that can be used for analysis purposes. Today’s information systems already log enormous amounts of events and it is clear that data-based analytics like process mining (van der Aalst 2011) will become more important. Increasingly, *simulation techniques will need to incorporate actual event data*. Moreover, there will be a *shift from off-line analysis at design time to on-line analysis at run-time*.

Figures 2 and 4 present a rather classical view on business process simulation. This is the type of simulation supported by hundreds, if not thousands, of commercial simulation packages. Some vendors provide a pure simulation tool (e.g., Arena, Extend, etc.) while others embed this in a workflow management system (e.g., FileNet, COSA, etc.) or a business process modeling tool (e.g., Protos, ARIS, etc.). All of these tools use the information presented in Fig. 2 to simulate business processes and subsequently measure obvious performance indicators such as flow time, utilization, etc. Using Fig. 9, we will show that it is possible to move beyond “traditional” simulation approaches.

The left-hand-side of Fig. 9 shows the role of a process-aware information system (a WFM/BPM system or any other process-oriented information system, e.g., an ERP system like SAP) in supporting operational business processes. The information system supports, controls, and monitors operational processes. The resources within the organization perform tasks in such processes and therefore also interact with the information system. The information system can only do meaningful things if it has knowledge of the process, the resources within the organization and the current states of active cases. Moreover, today’s information systems often record historical information for auditing and performance analysis. The lower four ellipses in the middle of Fig. 9 show four types of data implicitly or explicitly available when an information system is supporting an operational process: (1) real event data, (2) process state, (3) process model, and (4) resource model. An *event log* (i.e., real event data) contains historical information about “When, How, and by Whom?” in the form of recorded events. The *process state* represents all information that is attached to currently running cases, e.g., Customer order XYZ consists of 25 order lines and has been in the state “waiting for replenishment” since Monday. The process state may also contain context information relevant for the process, e.g., the weather or economic trends. The *process model* describes the ordering of tasks, routing conditions, etc. The *resource model* holds information about people, roles, departments, etc. Clearly, the process state, process model, and resource model may be used to enact the process. The event log merely records the process as it is actually enacted.

The right-hand-side of Fig. 9 focuses on analysis rather than enactment; it links the four types of data to simulation. For traditional simulation (i.e., in the sense of Figs. 2 and 4) a hand-made simulation model is needed. This simulation model can be derived from the process model used by the information system. Moreover, information about resources, arrival processes, processing times, etc. is added (cf. Fig. 2). The arcs between the box *traditional simulation* and the three types of data (real event data, process model, and resource model) are curved to illustrate




Fig. 9 Advanced simulation compared to traditional simulation. Note that real event data and simulated event data can be stored in event logs and analyzed using the same process mining tool. Due to this unified view on process behavior, simulation can be embedded in day-to-day management and decision making

that the relationship between the data used by the information system and the simulation tool is typically rather indirect. For example, the analyst cannot use the process model directly, but needs to transform it to another language or notation. The resource model used for simulation is typically rather simple compared to models that can be enacted by a WFM or BPM system. Often each activity has a single role and a fixed number of resources is available per role. Moreover, often it is assumed that these resources are available on a full-time basis. Real event data are not used directly. At best, event logs are used to estimate the parameters for some of the probability distributions. Traditional simulation models are *not* tightly coupled to the actual information and historical data and model resource behavior in a rather naïve manner. Moreover, the current state (including context information) is not used at all. As such, simulation focuses on steady-state behavior and cannot be used for operational decision making.

We advocate more advanced forms of simulation. First of all, we propose a tight coupling with the information system supporting the process that is being analyzed. Simulation should exploit event logs and process state information. Second, analysis should not only focus on steady-state behavior but also on transient behavior in order to also support operational decision making. This is illustrated by the box *advanced simulation* in Fig. 9.

Advanced simulation should exploit real event data to semi-automatically learn better simulation models. Therefore, we advocate using process mining techniques (van der Aalst 2011). Process mining exploits the information recorded in audit trails, transaction logs, databases, etc. Process mining includes (automated) process discovery (i.e., extracting process models from an event log), conformance checking (i.e., monitoring deviations by comparing model and log), social network/organizational mining, model extension, and process model repair. The

automated construction of simulation models is possible by combining existing process mining techniques (Rozinat et al. 2009a).

It is essential to note that, through process mining, events in the log can be related to model elements. This allows for the projection of dynamic information onto models: the event log “breathes life” into otherwise static process models. Consider a control-flow model, e.g., the Petri net, BPMN, or EPC model shown in Fig. 1. Such a model may have been discovered or made by hand. By replaying the event log on the model, it is possible to enrich the model with frequencies, probabilities and delays (Rozinat et al. 2009a). This illustrates that the additional information described in Fig. 2 can indeed be discovered, thus resulting in a full-fledged simulation model.

Establishing a good connection between event log and model may be difficult and require several iterations. However, when using a WFM or BPM system, this connection already exists. WFM and BPM systems are driven by explicit process models and provide excellent event logs. Moreover, internally such systems also have an explicit representation of the state of each running case. This enables a new type of simulation called *short-term simulation* (van der Aalst 2011; Rozinat et al. 2009b). The key idea is to start all simulation runs from the current state and focus on transient behavior. This way a “fast forward button” into the future is provided. To understand the importance of short-term simulation, see Fig. 5 which explains the difference between transient analysis and steady-state analysis. The key idea of simulation is to execute a model repeatedly. The reason for doing the experiments repeatedly, is to not come up with just a single value (e.g., “the average response time is 10.36 min”) but to provide confidence intervals (e.g., “the average response time is with 90 % certainty between 10 and 11 min”). For transient analysis the focus is on the initial part of future behavior, i.e., starting from the initial state the “near future” is explored. For transient analysis the initial state is very important. If the simulation starts in a state with long queues of work, then in the near future flow times will be long and it may take quite some time to get rid of the backlog. For steady-state analysis the initial state is irrelevant. Typically, the simulation is started “empty” (i.e., without any cases in progress) and only when the system is filled with cases measurement starts. Steady-state analysis is most relevant for answering strategic and tactical questions. Transient analysis is most relevant for operational decision making. Lion’s share of contemporary simulation support aims at steady-state analysis and, hence, is limited to strategic and tactical decision making. Short-term simulation focuses on *operational decision making*; starting from the current state (provided by the information system) the “near future” is explored repeatedly. This shows what will happen if no corrective actions are taken. Moreover, “what if” analysis can be used to explore the effects of different interventions (e.g., adding resources and reconfiguring the process).

Figure 9 shows that advanced simulation uses all information available, e.g., event data to learn process characteristics, the current state to enable short-term simulation (“fast forward button”), and a more refined resource model to better capture working patterns.

Process mining techniques are driven by event logs recorded for the actual process. Similar event logs can be generated by simulation. In both cases events are described by a reference to some process instance (the case), an activity, a timestamp, a resource, and other attributes (e.g., costs). The top-most ellipse in the middle of Fig. 9 (tagged “simulated event data”) refers to event logs produced by simulation rather than reality. As shown, *both simulated and real events can be viewed using the same tools*. This is very important for operational decision making and “what if” analysis. Different future scenarios can be explored using visualizations also used for past and current event data.

7 Conclusion

This chapter provides a “survival guide” to business process simulation. Besides providing a basic introduction to the topic, the chapter lists 15 risks, i.e., potential pitfalls, when using simulation. Moreover, the chapter also shows that more advanced forms of simulation come into reach as IT and business processes get more intertwined.

To conclude the chapter, we suggest books and articles for BPM academics and professionals that want to learn more about business process simulation:

- There are many (text) books on simulation, see for example (Altiok and Melamed 2007; Bratley et al. 1983; Hartmann 2009; Kelton et al. 2003; Kleijnen and van Groenendaal 1992; Law and Kelton 1982; Naylor et al. 1966; Pidd 1989; Ripley 2006; Robinson 1994; Ross 1990; Shannon 1975). Books like (Kleijnen and van Groenendaal 1992; Ripley 2006; Ross 1990) focus on the statistical aspects of simulation. Books like (Altiok and Melamed 2007; Hartmann 2009; Kelton et al. 2003; Law and Kelton 1982) focus on the creation of simulation models. The book “Successful Simulation: A Practical Approach to Simulation Projects” (Robinson 1994) is one of the few books focusing on simulation projects (including topics such as project management).
- In (Haas 2002; Ajmone Marsan et al. 1995) various techniques for the analysis of stochastic Petri nets (i.e., Petri nets extended with priorities, probabilities, and durations) are described. See (Baskett et al. 1975; Buzacott 1996; Kleinrock 1975) for some seminal papers on the analysis of processes using analytical methods.
- For more information on role of various analysis techniques (including simulation) in BPM we refer to (van der Aalst 2013; van der Aalst and Stahl 2011; Dumas et al. 2013; ter Hofstede et al. 2010; Weske 2007). See (van der Aalst 2011; Rozinat et al. 2009a) for techniques to automatically discover simulation models from event data and (Rozinat et al. 2009b) for operational decision support using simulation (e.g., short-term simulation).

This chapter is based on (van der Aalst 2010; van der Aalst and Dustdar 2012; van der Aalst et al. 2014; van der Aalst and Voorhoeve 2000): in (van der Aalst

2010) we elaborate on the relation between simulation and process mining, in (van der Aalst et al. 2014) we focus on the proper modeling of resource availability, in (van der Aalst and Dustdar 2012) we emphasize the importance of incorporating context, and in (van der Aalst and Voorhoeve 2000) we provide a tutorial on conventional business process simulation.

Acknowledgements The author would like to thank Joyce Nakatumba, Marc Voorhoeve, Anne Rozinat, Ronny Mans, Hajo Reijers, Michael Westergaard, and Mariska Netjes for their joint work on business process simulation. This work was supported by the Basic Research Program of the National Research University Higher School of Economics (HSE).

References

- Ajmone Marsan M, Balbo G, Conte G, Donatelli S, Franceschinis G (1995) Modelling with generalized stochastic Petri nets, Wiley series in parallel computing. Wiley, New York
- Altiok T, Melamed B (2007) Simulation modeling and analysis with Arena. Elsevier Academic Press, Amsterdam
- Baskett F, Chandy KM, Muntz RR, Palacios FG (1975) Open, closed and mixed networks of queues with different classes of customers. *J Assoc Comput Mach* 22(2):248–260
- Bratley P, Fox BL, Schrage LE (1983) A guide to simulation. Springer, Berlin
- Buzacott JA (1996) Commonalities in reengineered business processes: Models and issues. *Manage Sci* 42(5):768–782
- Dahl OJ, Nygaard K (1966) SIMULA: an ALGOL based simulation language. *Commun ACM* 1:671–678
- Dumas M, La Rosa M, Mendling J, Reijers H (2013) Fundamentals of business process management. Springer, Berlin
- Haas PJ (2002) Stochastic Petri nets: modelling, stability, simulation, Springer series in operations research. Springer, Berlin
- Hartmann AK (2009) Practical guide to computer simulations. World Scientific, Singapore
- Huff D (1954) How to lie with statistics. Penguin Books, New York
- Jagadeesh Chandra Bose JP, van der Aalst WMP, Zliobaite I, Pechenizkiy M (2011) Handling concept drift in process mining. In: Mouratidis H, Rolland C (eds) International conference on advanced information systems engineering (Caise 2011). Lecture notes in computer science, vol 6741. Springer, Berlin, pp 391–405
- Kelton DW, Sadowski R, Sturrock D (2003) Simulation with Arena. McGraw-Hill, New York
- Kleijnen J, van Groenendaal W (1992) Simulation: a statistical perspective. Wiley, New York
- Kleinrock L (1975) Queueing systems, vol 1, Theory. Wiley, London
- Law AM, Kelton DW (1982) Simulation modeling and analysis. McGraw-Hill, New York
- Nakatumba J, van der Aalst WMP (2010) Analyzing resource behavior using process mining. In: Rinderle-Ma S, Sadiq S, Leymann F (eds) BPM 2009 workshops, Proceedings of the fifth workshop on Business Process Intelligence (BPI'09). Lecture notes in business information processing, vol 43. Springer, Berlin, pp 69–80
- Naylor TH, Balintfy JL, Burdick DS, Kong Chu (1966) Computer simulation techniques. Wiley, New York
- Pidd M (1989) Computer modelling for discrete simulation. Wiley, New York
- Ripley B (2006) Stochastic simulation. Wiley, Hoboken
- Robinson S (1994) Successful simulation: a practical approach to simulation projects. McGraw-Hill, Maidenhead

- Rosemann M, vom Brocke J (2014) The six core elements of business process management. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 1, 2nd edn. Springer, Heidelberg, pp 105–122
- Rosemann M, Recker J, Flender C (2008) Contextualisation of business processes. *Int J Bus Process Integr Manage* 3(1):47–60
- Ross SM (1990) *A course in simulation*. Macmillan, New York
- Rozinat A, Mans RS, Song M, van der Aalst WMP (2009a) Discovering simulation models. *Inform Syst* 34(3):305–327
- Rozinat A, Wynn M, van der Aalst WMP, ter Hofstede AHM, Fidge C (2009b) Workflow simulation for operational decision support. *Data Knowl Eng* 68(9):834–850
- Russell N, van der Aalst WMP, ter Hofstede AHM, Edmond D (2005) Workflow resource patterns: identification, representation and tool support. In: Pastor O, Falcao e Cunha J (eds) *Proceedings of the 17th conference on advanced information systems engineering (CAiSE'05)*, Lecture notes in computer science, vol 3520. Springer, Berlin, pp 216–232
- Shannon RE (1975) *Systems simulation: the art and science*. Prentice-Hall, Englewood Cliffs
- ter Hofstede AHM, van der Aalst WMP, Adams M, Russell N (2010) *Modern business process automation: YAWL and its support environment*. Springer, Berlin
- van der Aalst WMP (2010) Business process simulation revisited. In Barjis J (ed) *Enterprise and organizational modeling and simulation*, Lecture notes in business information processing, vol 63. Springer, Berlin, pp 1–14
- van der Aalst WMP (2011) *Process mining: discovery, conformance and enhancement of business processes*. Springer, Berlin
- van der Aalst WMP (2013) *Business process management: a comprehensive survey*. ISRN Software Engineering. doi:[10.1155/2013/507984](https://doi.org/10.1155/2013/507984), pp 1–37
- van der Aalst WMP, Dustdar S (2012) Process mining put into context. *IEEE Internet Comput* 16(1):82–86
- van der Aalst WMP, Voorhoeve M (2000) *Simulation handbook*. BPM Center Report BPM00-04, BPMcenter.org, 2000. (Original Dutch version appeared as “W.M.P. van der Aalst. *Handboek Simulatie*. Computing science reports 95/32, Eindhoven University of Technology, Eindhoven, 1995”)
- van der Aalst WMP, Stahl C (2011) *Modeling business processes: a Petri net oriented approach*. MIT Press, Cambridge, MA
- van der Aalst WMP (2014) Business process simulation survival guide. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 1, 2nd edn. Springer, Heidelberg, pp 337–370
- Weske M (2007) *Business process management: concepts, languages, architectures*. Springer, Berlin
- Widmer G, Kubat M (1996) Learning in the presence of concept drift and hidden contexts. *Machine Learning* 23:69–101
- Yerkes RM, Dodson JD (1908) The relation of strength of stimulus to rapidity of habit-formation. *J Comparative Neurol Psychol* 18:459–482

BPM Tool Selection: The Case of the Queensland Court of Justice

Islay Davies and Micheal Reeves

Abstract This chapter reports on the experiences of an Australian government department in selecting a BPM tool to support its process modeling, analysis, and design activities. With the growing number of tools in the market that claim to support BPM, the variance in actual functionality supported by these tools, and the potentially significant cost of such a purchase, BPM tool selection has become an arduous task. While there is some independent guidance available on how various tools support different aspects of BPM initiatives, organizations still need to determine what their specific needs are and be able to establish how information gathered on tool functionality can be evaluated against these needs. The chapter presents the evaluation criteria that the Queensland Courts derived and used for their needs; the process followed to find and short-list candidate tools to evaluate; and a discussion on findings against the established criteria. While the requirements and evaluation criteria will differ for each organizational context, this chapter provides guidance for business managers on how they may structure and conduct a BPM tool evaluation from a business user perspective. In particular, it provides a score sheet tailored for a business process redesign initiative, which other organizations can use as a starting point and further refine to their specific needs. In addition, it provides suggestions on methods for identifying candidate tools for evaluation (i.e., via market research, on-site visits, gathering recommendations from experiences of others, etc.) from the multitude of BPM solutions currently available. The chapter also highlights the need for BPM tool vendors to invest more in understanding the varying needs of organizations across the BPM spectrum so as to provide accurate information to the right market in a way that potential business users/customers can understand.

I. Davies (✉)
Shared Service Agency, Queensland Government, Brisbane, Australia
e-mail: Islay.davies@ssa.qld.gov.au

1 Introduction and Background

Business Process Management consists of various activities, depending on the type of initiative; the phase within the BPM lifecycle (Rosemann 2004); and the level of BPM maturity of an organization (deBruin 2006; Rosemann et al. 2006; Rosemann and vom Brocke 2014). These days, a range of technologies (software, hardware, and information management systems) exist to support many of these activities. Business process modeling is a core activity undertaken at various points in most BPM initiatives to discover, review, and specify improvements in a way an organization conducts its work; and there are many computerized tools that support this, with varying levels of sophistication.

1.1 Business Process Modeling

For the purpose of a business process review initiative, business process modeling is the act of representing both the current “As-Is” and future “To-Be” processes of an organization, so that the current process may be analyzed and improved. Essentially, it provides a graphical depiction of the process, enabling ease of communication and a common understanding with different stakeholder groups. Furthermore, this “documented knowledge” provides the means for structured analysis and discussion for improvement opportunities.

With the right tool, these models can be enriched with information regarding issues, risks, assumptions, opportunities, etc., and linked to information elements from other models, such as data models and organizational charts, to allow for deeper analysis and better enterprise-wide reporting.

There are a broad range of other purposes for process modeling such as simply providing documentation on an organization’s work practices (without a view for improvement) at the one end to designing automated workflow solutions at the other extreme (Weske 2007). Therefore, it is critical to ensure that the correct tool has been selected to meet the process modeling needs and purpose.

Within the Department of Justice and Attorney-General, the Queensland Courts’ Future Courts Program was established to deliver the business requirements for a new technological solution to support the core business process of court case management. As such, the program’s purpose for modeling is to review, standardize, and streamline court processes and provide models that define the business requirements for the procurement of a new system. Therefore, the requirements that a BPM tool must provide in this context are primarily limited to the integrated conceptual documentation of processes, information, and organizational structures as well as sufficient support for analysis, consolidation, and redesign of these. In addition, the resulting process and information models, which define the Business Process and Information Architectures, provide an opportunity for a continued program of business process improvement and management. Therefore, these

models should be easily accessible and maintainable by the business owners so as to provide an up-to-date description of processes as a basis for any future system implementations and for continual process improvement initiatives beyond the Future Courts Program.

A top-down approach to document the courts business processes was chosen to facilitate the effort toward standardization. This involves defining the courts business process architecture within a hierarchical framework (Davis and Brabander 2007) in which the core processes can be defined in relation to one another (vertically and horizontally). This approach saves time and resources by avoiding modeling all the existing variations of a process. It also makes it easy to define best “standardized” practices for carrying out processes, by deriving high level process patterns as a basis against which to compare and analyze multiple variations that exist within the business (i.e., different implementations of the process depending on location or case type etc.). The idea behind the pattern-based approach is further explained by Stephenson and Bandara (2007) as part of the work conducted in the Queensland Government Office of the CIO¹ toward a Whole-of-Government approach to business process review initiatives.

With this purpose, the Future Courts Program required a tool that supported the hierarchical approach to process design, as well as the needs of those charged with modeling (i.e., business expert process modelers, data modelers, process architects/designers, information architects/designers), and those requiring access to read and use the resulting models (i.e., process owners, operational staff, and management). The tool also needed to provide a central repository that was accessible (and restricted) to assigned modelers; ease of use and inbuilt semantic checks to aid in producing correct and complete models; a means to depict and relate process variant models for analysis and comparison; the ability to publish models to an intranet for the business to easily access for review and feedback; and the ability to customize and capture additional details (e.g., attributes) for models and model objects and to run customized reports on these. More details of the requirements and evaluation criteria are provided in a dedicated section later.

1.2 Tools That Support the Activity of Business Process Modeling

1.2.1 Modeling Notations

There are numerous business process modeling notations. The common aspect of these is that they contain a set of graphical symbols that depict different business system concepts, such as business activity/task, start and end events (i.e., the triggers and outcomes of a process), organizational units involved in the process/

¹http://qgcio.govnet.qld.gov.au/02_infostand/downloads/BPMN%20Process%20Modelling%20Guidelines%20v1.0.0.pdf, (date accessed: Nov 2007).

activities/tasks (e.g., business units, roles), resources/documents and systems that support the process/activities/tasks, decision symbols that depict the splits and joins within a process, and arrows that depict connections between all these business concepts, including the sequence flow of the activities/tasks within a process.

BPMN (Business Process Modeling Notation) has been widely adopted as the “de-facto” standard for business process modeling, partly due to the OMG’s (Object Modeling Group)² efforts to advocate this as a standard. As the notation recommended by the Queensland Government Office of the CIO, the Future Courts Program has adopted BPMN for business process modeling.

1.2.2 BPA (Business Process Analysis) Tools

Business process analysis tools (also known as business process modeling tools) are a type of BPM tools that are specifically used for modeling business processes and information related to the processes, in order to document an organization’s work practices and/or provide business requirements for improvement, redesign, or automation. These tools provide a shared environment for the capture, design, and simulation of business processes by business analysts and managers. Some BPA tools work on a central repository, while others store model elements and their relationships in a flat file. BPA tools are modeling-only environments, not execution environments (Hill et al. 2006).

Because of the complexity of capturing end-to-end processes (particularly in a court environment), and maintaining and reusing these models for continual process improvement alongside their corresponding information elements, a dedicated business process analysis tool is essential, as opposed to simple drawing tools such as Visio or SmartDraw. BPA tools provide more flexibility for business users as well as adding extra dimensions to process models. In addition to depicting process information via the symbols within the modeling notation, information ranging from human and physical resources, legislative authorities (and restraints), and issues and risks can be linked to individual tasks and processes. Some tools provide reporting options that allow the various aspects of the captured information to be retrieved and published electronically, in Web format, and/or in hard copy form. This allows the information to be shared through a variety of media amongst managers, staff, and relevant internal and external stakeholders (Blechar and Sinur 2006).

1.2.3 BPMS (Business Process Management Suites)

Businesses Process Management Suites are intended for more than just business process modeling. While they may be used to model business requirements, the

²<http://www.omg.org/>

main use is to implement and monitor processes in, e.g., a workflow environment allowing for “real time” monitoring and management of processes (Hill et al. 2007). These tools have not been included in this evaluation as their complexity and cost goes beyond that required for process modeling within the Future Courts Program.

1.3 Issues Choosing an Appropriate BPM Tool

There is a vast range of BPM tools currently available on the market to cater for a wide variety of modeling objectives. For each objective, there are different modeling notations and approaches, and the various tools are adaptive to these. However, not all BPM tools support the same type of activities, or BPM purpose. In addition, some tools are more comprehensive and/or sophisticated in their offerings than others (Wolf 2007). In Fig. 1 above, Harmon (2008) has identified groupings based on core functionality of existing tools, highlighting the complexity and overlaps in the current BPM tool market. The circle named BP Modeling Tools is where the Queensland Courts requirements are focused. From this point on, the term “BPM tools” will be used to refer to this subset of tools that provide process modeling and analysis support.




Fig. 1 An overview of the variety of software products being used by Business Process Management practitioners (Harmon 2008)

There is currently little business-oriented guidance on how to determine which tools are the best fit for a particular organization's needs. Indeed Harmon (2007) points out that "it is too early to propose a way of evaluating which business process modeling tool is best, [. . .] as companies are reevaluating their Business Process Management practices and exploring new, more comprehensive ways to employ process modeling tools". Simultaneously, BPM tool vendors are marketing their tools with exaggerated promises and baffling concepts to this wide audience on the back of the current BPM hype, without fully understanding what functionality is actually required to support the varying needs of these organizations (Hill et al. 2008). As a result, organizations, who have limited understanding of the many facets of BPM or the technical jargon delivered by tool vendors, are placed in a vulnerable position and face a difficult task to select a tool that will support their needs without unwanted additional functionality and wasted expense.

While independent reviews of BPM tools are conducted annually by Gartner Research (e.g., Blechar 2007, 2008a) and the Forrester Wave (e.g., Peyret and Tenbner 2006; Peyret 2009), these evaluations are also rather technical and do not go so far as to categorize the tools in terms of what specific functionality (and/or overall composition of specific functionality) supports different "types" of BPM initiatives. However, some recent articles are beginning to address this issue. Harmon (2007) attempts to describe the kind of BPM activities that different tools support. Likewise, Blechar (2008b) defines eight focus areas of BPA tool use, and in a subsequent article (2008c) highlights the need for organizations to understand their intended uses of a tool to ensure that the most appropriate tool can be chosen. But these articles are still quite technical and segmented to be of optimal use to "business-oriented" decision makers, who may not understand the technical implications discussed. In addition, it is often not clear which components of the tools have been considered in these evaluations. There is even less guidance available on what to consider in terms of tool compatibility, flexibility, and scalability; and what impact the initial investment choice will have down the track (e.g., in 1, 2 or 5 years time) as an organization matures in its practice of BPM toward longer term visions and objectives.

In this chapter, the Queensland Courts experience with BPM tool selection to support the Future Courts Program is unfolded. It must be noted that the tool evaluations are based on the specific needs within this context. It should not be viewed as a total comparison of the tools discussed. Furthermore, the depth of the evaluation was limited by time available; access to full functionality of tools (only trial demos available in some instances); as well as information requested from vendors to address all our criteria. The following section introduces the case organization. The remainder of the chapter then presents the strategies used for the overall BPM tool selection process, and the outcomes for the specific context of the Future Courts Program. It describes the current situation in the organization and how the need for a more appropriate tool for BPM emerged. Realizing the need for a BPA tool to satisfy a number of functional and technical requirements, a rating and weighting matrix was considered the best approach. Evaluation criteria were established, divided into categories, and assigned appropriate weightings of

importance. Each tool was then evaluated against the criteria to establish recommendations for the procurement of the most suitable tool. The chapter ends with some lessons learnt and concluding comments on the BPM tool selection process.

2 Introducing the Case Organization

The Department of Justice and Attorney-General is the government agency responsible for administering justice in Queensland's community and marketplace.³ One of the core services of the department is to support safe and secure communities through a court, tribunal, and prosecution system that hears and resolves civil and criminal matters.⁴ The Queensland Courts was established as a single cohesive entity in 2007 in order to facilitate consistency of vision and practices between the three levels of court across the State, i.e., Supreme, District, and Magistrates courts, and their related registries.

In line with this, on 1 July 2007, the Future Courts Program was established to create a modern, innovative, and effective courts system for Queensland. The program will achieve this by developing relevant and easy to use online services for litigants, their legal representatives and the broader community, and improving registry operations through the more effective use of information, new technology, and process innovation. The business scope for the program incorporates the Supreme, District, and Magistrates Courts of Queensland and encompasses both the civil and criminal domain as well as the tribunals that are administered by these courts.

A core objective of the program is to design a standardized Business Process Architecture and an Information Architecture for court case management across all Queensland Courts and Tribunals, and to implement this using a common technology framework. To achieve this, a review of current court case management processes will be conducted, with the support of modeling software to:

- Document a shared understanding of current processes,
- Facilitate analysis of these to identify improvement opportunities, and
- Design a set of future state "to-be" models to document the new business requirements.

The external stakeholders of the program are the community, litigants, the legal profession, and partner agencies and departments (such as Police, Correctional Services, Department of Transport). Internal stakeholders include model users such as Courts Executive Management, Court Process Owners, Court Operational Staff; and the Future Courts Program Team, which consists of Process Architect/

³From Department of Justice and Attorney-General Annual Report 2007–08.

⁴From 2008–09 Queensland State Budget - Service Delivery Statements – Department of Justice and Attorney-General.

designers, Information Architect/designers, and Business Experts as modelers; as well as other model users such as Communications Officer, Legal Officers, and Program Management.

At the time of the tool evaluation, the department had no standard for business process modeling software. However, System Architect had been the existing option prior to the establishment of the Future Courts Program, as the Queensland Government's recommended tool for a Whole-of-Government "Enterprise Architecture" initiative. Unfortunately, numerous issues were experienced with the Queensland Courts' implementation of System Architect, ranging from limited IT support and organizational competence in using the tool for process analysis and process architecture design, to limited availability of training and mentoring services in these aspects from vendor consultants. In addition, the future direction and vendor support for System Architect was in question with Telelogic's⁵ imminent acquisition by IBM and the Queensland Courts' supporting vendor Prologic's⁶ decision to no longer onsell System Architect, but to go with another leading tool instead.

In light of the complex nature of this program of work and the inability of the existing implementation of System Architect (coupled with the limited availability of external support to assist in building internal capability), to meet the program's needs, an evaluation of available modeling tools was undertaken to ensure commitment to a product that meets both the business and information modeling needs of the Future Courts Program.

The final recommendations report outlined the approach undertaken to perform the evaluation of BPM tools, and presented findings and recommendations regarding the procurement of the most suitable tool. It provided:

- An overview of business process modeling generally and an explanation of how this relates to the Future Courts Program purpose,
- A summary of the importance of selecting the right tool to meet our requirements,
- An overview of the evaluation and short-listing criteria,
- Detailed analysis and comparison of candidate tools, and
- Final recommendations.

The recommended tool, ARIS Business Architect (from vendor IDS Scheer), was endorsed and implemented in April 2008. The Future Courts Program currently holds 14 Business Designer and two Business Architect licenses as well as Business Server and Business Publisher licenses. As of February 2009, the repository now has approximately 100 business process models, 30 data models, and a number of other model types to document and relate other organizational elements, such as organizational units and roles, organizational objectives, current systems, etc.

⁵<http://www.telelogic.com/>

⁶<http://www.prologic.com.au/>



Fig. 2 Four step tool selection process followed

3 The Tool Selection Process

Having established the need for a tool to support the process modeling and analysis activities of the program, this section walks through the overall steps of the tool selection process followed (see Fig. 2), describing each step in detail. The approach is based on a commonly used weighted scoring model (Keeney and Raiffa 1976; Belton 1985). The essence of this approach is adaptable and has been applied across a multitude of disciplines from CASE Tool selection (e.g., Baram and Steinberg 1989), to ERP system selection (e.g., Shyur 2003), to construction industry procurement (e.g., Griffith and Headley 1997).

With the time constraints imposed on the evaluation process, the requirements and evaluation criteria were derived from a global perspective, considering the needs of all internal stakeholder groups as a whole, but in particular those required as a minimum to achieve the objectives of the program, stated earlier. In addition, limited resources meant that the bulk of the scoring was conducted by only one coder, a business process expert, and a primary process modeler from the Future Courts program team (wearing the hats of multiple stakeholder groups) and then reviewed and moderated by the team's Business Process Management advisor. These limitations in the overall governance of the evaluation process were unfortunately unavoidable.

A subsequent evaluation of Enterprise Architecture tools was recently conducted (but not yet published) by the Department of Justice and Attorney-General, which followed a more structured approach around consultation with the various stakeholder groups.⁷ This was also to encompass a broader scope (seeking one tool that would support both BPA and Enterprise Architecture initiatives) and to evaluate the tradeoffs when multiple requirements cannot be met by one tool.

3.1 *Setting Requirements and Criteria*

The Future Courts Program management team defined a set of evaluation criteria that were considered necessary in a BPM tool to support the objectives of the program. These were grouped into Functional, Technical, and Nonfunctional

⁷This report is not yet published.

Table 1 BPM tool requirements and criteria for the future courts program

Requirements and evaluation criteria	Weighting (1–10)
<i>Functional requirements</i>	
Ability to import/export data (preferably in .xml/.xmi format)	9
Data dictionary/glossary capability	10
Ability to set up a list of data elements with definitions, attributes, relationships to other data elements. (e.g., ER diagram)	
Ability to make references to alternative terms (used in different contexts) for the same data concept. (thesaurus)	
Ability to classify/group data elements and provide a hierarchical decomposition of data elements.	
Flexible/easy to use report design capability (e.g., Ability to easily create customized MS Word reports, do matrices, etc.)	8
Easy to deliver to HTML for intranet/internet	8
BPMN (full support, decomposition, link to data elements, etc.)	10
UML support (to import/reuse small number of existing UML models created in Enterprise Architect)	6
Easy-to-Use and Understandability (intuitive)	7
Customizing views for ease of use by different user types	
Repository and symbols easy to find and use	
Navigation	
Flexibility to show different views and symbols for different stakeholders	
Drag and drop	
Customization to fit specific needs	10
Look and feel / set of model elements / attributes, etc.	
Create own model elements for our library	
Ease of customization, i.e., we can do ourselves	
Can apply Filters to hide irrelevant functionality and attributes	
Support for business rules, policies, and procedures (i.e., capture business rules, policies, and procedures during process analysis so that reports comprising these can be easily produced in line with registry management requirements).	10
Stability (i.e., stop auto reformatting of model connections, etc.)	8
Version Control	10
Semantic Checking (i.e., automatic checking of model semantic correctness)	8
Simulation (i.e., for process analysis and improvement measurements)	7
<i>Technical requirements</i>	
Able to be networked	10
SQL Server back end	9
DB is accessible independently	9
Consistent with Whole of Government requirements	9
Consistent with other related programs, platforms, and tools within the department	9
License Type (one off license fee can be capitalized)	9
Security (e.g., able to configure and manage user groups, etc.)	10
<i>Support and maintenance</i>	
Locally based contractors available to come to us?	10
Help Desk phone line available during Business hours?	8
On-line/real-time Help Desk availability, including guiding documentation within tool	8
<i>Training</i>	
Courses readily available in Queensland and aimed at assisting us to become self-sufficient with the tool, including future customization requirements?	10

(continued)

Table 1 (continued)

Requirements and evaluation criteria	Weighting (1–10)
Training materials available? (manuals etc)	10
Trainers readily accessible?	9
<i>Reference sites</i>	
Local, Queensland Government references checked (Query requirements 1–4)	6
Other reference sites using these tools	6
<i>Costs</i>	
Software (Licenses, Installation, and Customization) (against budget)	10
Ongoing Support and Maintenance (against budget and in-house skills for server)	10
Training (against budget)	8
<i>Other considerations</i>	
Team’s current skills and knowledge of tools	7
Team’s previous modeling experiences transferable to tool	7
Associations membership / accreditation status	8
Future Outlook of tool and support	10

Requirements and assigned appropriate weightings according to their importance, as shown below in Table 1:

The points below provide a further explanation of the criteria weighted as *most important*:

- Data dictionary/glossary capability to meet the requirement of developing the Information Architecture;
- Full support of BPMN, as this is our chosen modeling notation that supports decomposition of processes. Also, existing models created within CPIP (Continual Process Improvement Program) are in this notation;
- Ability to customize the tool according to our modeling guidelines and standards;
- Support for capturing and linking business rules to process tasks so that reports comprising these can be easily produced in line with registry management requirements;
- Necessity for version control and ability to network clients to a central repository, preferably on an SQL Sever backend, as our projects are large and complex with multiple concurrent model users;
- Necessity to allow different levels of access and views on repository elements for security and reduced complexity depending on the user type;
- Queensland based contractors who are readily available to come to us for assistance, courses and training materials, and who can provide the level of training that allows us to become self-sufficient in the use, and any further customization, of the tool as well as custom reports as our needs change;
- Consistent with Whole of Government requirements and other related programs, platforms, and tools within the department;
- Cost is within our budget;
- Future outlook of tool is strong, with a proven track record and an established plan and vision for the future.

3.2 *Identification of Candidate Tools*

Once we had established our evaluation criteria, we began identifying candidate tools for evaluation by researching case studies and market overviews including (but not limited to)

- Business Process Trends – Newsletters and Articles on BPM Tools
- Gartner Reports – on Magic Quadrant for Business Process Analysis Tools
- The Forrester Wave reports – on Business Process Modeling Tools

Information sourced from these studies included evaluation of vendors based on their ability to meet a broad range of modeling needs across multiple organizational roles as well as those that perform well in the areas of functional coverage, strategy, support, and marketing. Their analysis clearly identified a common group of vendors whose modeling tools were considered to be good performers under the established criteria. These findings became the foundation upon which potential candidates were short-listed for our evaluation.

At the same time, we approached members of the BPM Roundtable⁸ (an Australian Community of Practice on Business Process Management), to request input from their experiences using BPA tools, based on our evaluation criteria. We received responses from approximately 10 different organizations (from both the private and public sectors).

Before a “short list” of tools was eventually selected for evaluation by the Future Courts Program, we conducted further research on sites such as BPMEnterprise.com for any published white papers regarding each vendor/tool. Information regarding each tool was also sourced from the vendor’s website and trial/evaluation versions of the tools downloaded. We also accepted tool demonstrations from vendors who offered this, i.e., Lombardi, ARIS, and Mega.

The following ten tools were finally selected by the Future Courts Program for evaluation. Each tool has been assigned a letter code to assist with the discussion in the findings section. The tools are not listed in any particular order.

- A – System Architect 10.8 (www.telelogic.com)
- B – Enterprise Architect 7.0 Corporate Ed. (www.sparxsystems.com.au)
- C – Casewise Corporate Modeler Suite 10.3E (www.casewise.com)
- D – ARIS Business Architect 7.02 (www.ids-scheer.com)
- E – Holocentric Modeler 5.1 (www.holocentric.com)
- F – Metastorm Provision BPA (www.proformacorp.com)
- G – iGrafx Process 2007 (www.igrafx.com)
- H – Savvion Process Modeler (www.savvion.com)
- I – Mega Modeling Suite (www.mega.com)
- J – Lombardi Blueprint (www.lombardi.com)

⁸see: www.bpm-collaboration.com

3.3 *Tool Analysis and Results*

For each tool, each criterion was evaluated and given a score out of 10 (with 10 being completely satisfied and 0 being completely nonexistent). Each criterion score was then adjusted according to its weighting (as per Table 1). As there was only one primary coder, the criteria scores given for each tool were reviewed and adjusted iteratively to ensure they were relative to one another. This was necessary as the coder developed a greater understanding along the way of how well the criteria could be supported from the information obtained on the various tools. The scores for each criterion were then totaled to give an overall rating for each of the Functional, Technical, and Nontechnical Requirement groupings for each tool.

Overall, ARIS emerged as the most suitable tool for the needs of the Future Courts Program, as depicted below in Table 2. Following is a discussion on how ARIS measured up against each of the requirement criteria, in relation to the next two highest rating tools for each requirement grouping.

3.4 *Discussion on Findings*

3.4.1 **Functional Requirements**

- (a) The tool that rated best on *import/export capability* was ARIS, which is able to import/export in the following formats: XML, XMI, WSDL, XSD, XPD, CADM(DoDAF), BPEL, BPML. This also enables future integration with BPM suites and compatibility with Visio, txt, and Excel, as well as IBM Rational Rose and ERwin.

The Mega suite can generate BPEL from workflow models and XML schema from class models and also provides various APIs and import/export formats. It uses an SCCI interface for third party tool integration and the Mega Exchange module provides text-based import/export facility, XMI import/export facility for UML models, Rational Rose import/export facility for all UML models, BPEL export, and Erwin, Visio, and ARIS import.

System Architect also supports numerous industry standard interfaces including BPEL for integration with BPM suites, XMI for UML, IDL for IDEF and XML. However, third party products are required to enable metadata Integration to exchange data with ERwin, Oracle Designer, and other data modeling tools. System Architect also has a COM-enabled APL; however, we found this process cumbersome.

- (b) For *data dictionary/glossary capability* ARIS and Mega rated the highest, with both driven by a central database repository containing all models and knowledge of business processes. This ensures maximum reusability of the data and models. In addition, each of these tools provides data modeling notations that can decompose and group data into data sets, and maintain

Table 2 Ratings of each tool against future courts' requirement groupings

Tool Code	A	B	C	D	E	F	G	H	I	J
Tool Name	System architect	Enterprise architect	Casewise corporate modeler	ARIS	Holocentric modeler	Metastorm provision	iGrafx process 2007	Savvion process modeler	Mega modeling suite	Lombardi blueprint
<i>Requirements</i>										
Functional	354	387	399	507	342	366	377	216	447	301
Technical	406	226	235	406	260	332	205	108	143	116
Support and Maint.	138	120	96	228	54	104	164	40	164	164
Training	232	50	149	261	118	70	175	70	175	175
Reference sites	96	0	0	108	0	0	0	0	0	0
Costs				Quote received			Quote received			Quote received

attributes and relationships to other data elements. ARIS has the additional capability of linking these data elements in a graphical way to process models. System Architect rated next as it also maintains a central repository of definitions that can be reused. However, to link these definitions to the process model is not straight forward and requires specific customization. It also does not support a graphical depiction of the relationship between the process and data views.

- (c) ARIS Business Architect leads in *flexible/easy to use report design capability* and includes more than 100 predefined standard reports. A report wizard can be used to create a report (in MS Word/Excel, Adobe, PDF, HTML, etc.) by accessing report scripts within the package or that have been created (user defined) with the integrated ARIS Script Editor (IDE) or JavaScript. The latest version to be release in early 2008 has a new drag and drop feature to design layout. ARIS is also able to produce matrices for analysis of relationships between elements in tabular format.

Mega and Enterprise Architect rate second after ARIS. Mega comes with a set of easy-to-use document templates and can be customized to produce feature rich and graphically good reports. Enterprise Architect produces detailed and quality documentation in RTF and HTML formats. It can also produce Relationship Matrices.

It is important to note that the tool that rated lowest on this feature, where the feature could be identified, was System Architect. From our experience, we encountered extreme difficulty in developing customized MS word reports. In particular, System Architect restricts the order in which models can be extracted to reports.

- (d) ARIS rated highest for the criteria of *easy to deliver to HTML for intranet/ internet*. In addition to being able to publish models and reports in HTML format, ARIS has the unique ability to allow direct entry of feedback into the HTML interface. Furthermore, models can be easily navigated, including drill down capability, and attributes of model elements viewed.

Casewise Corporate Modeler and Mega also contain administration publishing modules that provide automated document generation in HTML to automate the generation of documents and Web Sites with hyperlinks and drill down capabilities.

Again, System Architect rated the lowest of the top three for this criterion. While the capability is present, we encountered extreme difficulty and high costs of developing HTML templates.

- (e) ARIS and System Architect provide *full support for BPMN*. In addition, ARIS has the capability of extending BPMN with additional elements from its core process view, as well as bringing further elements and attributes from other views into the BPMN models, such as business rules, goals, and data elements, to provide richer graphical models.

Mega, iGrafx, Metastorm, and Casewise Corporate Modeler all also have strong support BPMN.

- (f) Most of the evaluated tools provide *support for UML* with the exception of Lombardi and Savvion (unknown). However, this criterion was included primarily to ensure that our UML models, previously created in Enterprise Architect, could be brought into the selected modeling tool if required.
- (g) ARIS, while a powerful and complex tool out of the box, rated well with *Ease of use and understandability (intuitive)* as it is easily customized to provide the limited set of functionality required by its users.
- (h) ARIS provides *customization* to allow an individualized look and feel depending on the user by applying any number of standard filters or by creating your own customized filters. Furthermore, customized model elements can be easily added without the need for specialist consultants.
- (i) Both ARIS and System Architect provide strong support *for capturing business rules, policies, and procedures*. In addition, ARIS Business Rule Designer available as “add-on” if required provides additional functionality in this area.

Casewise Business Rules Extension supports Corporate Modeler users to capture, define, and manage business rules within their natural context of business processes. Mega Modeling Suite also has the facility to store business data.

- (j) It was difficult to rate *stability (i.e. stop auto reformatting of model connections etc.)* with only demo versions and limited time to use these. However, this criterion was an issue with System Architect, which contained several bugs including moving message flows and throwing users out unexpectedly during modeling. As a result, information and work hours were lost.
- (k) Version Control –
This was a difficult criterion to rate as we could not establish the extent of this feature for many tools without full demo versions. However, most of the leading tool vendors refer to a basic level of version control.
- (l) Semantic Checking –
ARIS, System Architect and Holocentric Modeler rated highest for semantic-checking of models to comply with established modeling conventions. However, System Architect does not provide sufficient user feedback to be useful.
- (m) Simulation –
This was a difficult criterion to rate as we could not establish the extent of this feature for many tools without full demo versions. However, most of the leading tool vendors refer to a basic degree of simulation capability. ARIS also has an extra “add-on” feature that allows for more sophisticated simulation.

3.4.2 Technical Requirements

System Architect, Enterprise Architecture Corporate Edition, Casewise Corporate Modeler, and ARIS can all *be networked* with an *MSQL server Backend*. They can all provide *security* to limit access privileges of different user groups.

A main problem encountered with System Architect, however, was its volatility and regular crashing while in use, which often caused hours of work to be lost.

3.4.3 Support and Maintenance

ARIS was the only tool that can provide all of the following: (a) Queensland based contractors available to come to us, (b) Help Desk phone line available during Queensland Business Hours, and (c) On line/real time Help Desk availability, including guiding documentation within tool. Furthermore, procurement of the tool from the local onseller of ARIS includes client and server implementation and a complete package covering initial customization from thorough needs analysis, training, and ongoing support.

System Architect has one consulting group that can provide local training in the use of the tool; however, specific customization requires further cost. The next closest consulting group we could find was in Tasmania. In addition to the cost of having customization designed by this group, there was very little support in the actual implementation of this. Furthermore, the online help center for System Architect is located in India.

3.4.4 Training

ARIS was the only tool where each of the following were available: (a) Courses readily available in Queensland, (b) Training materials available, (c) Trainers readily accessible and willing to train to enable self-sufficiency with the use of the tool. We discussed this service with other users of ARIS and were told that the consulting company “Leonardo,” who are the onsellors of ARIS in Brisbane, provide excellent service in this area. Furthermore, they have a genuine interest in passing on the knowledge and tools required for tool users to become self-sufficient. Our reference contact added that they very rarely require additional assistance from these consultants.

3.4.5 Reference Sites

ARIS was favorably referred to us by three organizations from the BPM Roundtable. This tool is also used by the Queensland University of Technology and the Sydney University of Technology in their highly esteemed courses on Business Process Management.

System Architect has been adopted by some local government agencies, including some sections of JAG. However, it was not reported as a tool used by any of the respondents from the BPM Roundtable, which represent leading process-aware organizations in Australia.

We also received anecdotal evidence suggesting that System Architect is more suitable as an Enterprise Architecture tool, specifically for modeling the technical architecture. Whereas, ARIS Business Architect is more suitable for developing a Process Architecture and Information Architecture (collaboratively with the Business) and has better capability to graphically relate elements within these two architecture layers.

3.4.6 Cost

Throughout the evaluation process, two formal quotes were received from ARIS and iGrafx. While some vendors incorporated costing information into their marketing materials, the prices provided were both vague and challenging to comprehend without explanation.

The desire to capitalize the selected software modeling tool meant that the cost was limited to the capital budget and the license type limited to that of a one off fee. ARIS costing was the only product to fulfill both the budget and license type requirements. ARIS offers both a Sybase and SQL Server Solution. While the SQL Server was a more expensive option, it became apparent that it was the more appropriate choice when taking into consideration ongoing costs and general support available in-house.

3.5 *Deriving Recommendations*

Overall, ARIS Business Architect 7.02 rated the highest for all categories of criteria. In particular, ARIS satisfies our main requirements for data dictionary/glossary capability; BPMN full support; ability to customize the tool according to our modeling guidelines and standards; support for capturing and linking business rules to process tasks; necessity for version control and ability to network clients to a central repository; necessity to allow different levels of access and views on repository elements for security and reduced complexity; has Queensland based contractors who are readily available to come to us and assist us in becoming self-sufficient in the use and customization of the tool; and is consistent with Whole of Government requirements and other related programs, platforms, and tools within the department.

Furthermore, we evaluated that ARIS satisfied other important criteria, including: ability to import models previously created in System Architect; provide customized reports and web-published models; can be easily customized for an intuitive look and feel; is in line with the team's current knowledge and experience with process modeling tools; provides supplementary help documentation; is a well established tool with a proven track record and well positioned for the future.

It was therefore recommended that ARIS Business Architect be procured as the tool of use for the Future Courts Program.

4 Lessons Learnt

Even with extensive research into these tools, and in-depth discussions with vendors and fellow practitioners, it can still be difficult for business-oriented decision makers to know how well the tool will support their organization's needs until the tool is actually implemented. From such research, discussions, and tool demonstrations, the Future Courts Program believed that ARIS would support certain requirements that we are yet to see realized. For example, we have found support for the requirement to map complex data is not so simple and have needed to use Microsoft Excel and Microsoft Access to assist ARIS in meeting this requirement. Similarly, while vendors (and independent reports alike) allude to providing support for importing and exporting models in different formats for portability, we have since discovered that this is also not so practical or feasible. While there is compatibility between the many file types that can be exported and imported between the most sophisticated tools, e.g., System Architect and ARIS, reproducing the graphical structure of these models is not a straightforward task and requires extensive and costly bridging tools for this to be possible. The Future Courts Program team had hoped to import and reuse some BPMN models that had been created in System Architect in work preceding the commencement of the Future Courts Program, but to date this has not yet been accomplished. Future evaluations could look at ways of predicting/anticipating these risks and evaluating their likely impact.

On the other hand, some additional considerations we have since found to be useful (and could be added to a future criteria list) are the capability to measure and automatically evaluate To-Be models against the As-Is models; flexibility in the way models can be presented and accessed for different model user groups; and ease of maintainability, reusability, and availability of the models that make up the Business Process Architecture to capitalize on the time and effort spent documenting these and as a basis for continual process improvement initiatives beyond the Future Courts Program.

Finally, we did not have access to the more recent information available to guide BPM tool selection (e.g. Harmon 2007; and Blechar 2008b, 2008c) at the time of our evaluation. These articles, as discussed in the earlier section on "Issues Choosing an Appropriate BPM Tool", confirm the potential for the difficulties we faced, and will remain a great resource for future BPM tool selection projects.

5 Conclusion

This chapter has described the Future Courts Program's experiences in selecting an appropriate BPM tool for their needs. Candidate tools were identified for evaluation by researching case studies and market overviews. Information sourced included evaluation of vendors based on their ability to meet a broad range of modeling needs and performance in the areas of functional coverage, strategy, support, and marketing. The vendors whose modeling tools were considered to be good performers

under the established criteria were clearly identified. Ten Business Process Modeling Tools were evaluated to reveal ARIS as the most suitable tool for the purpose of the Future Courts Program within the Department of Justice and Attorney-General.

The selection process was constrained by time, and the findings should only be considered in the context of the Future Courts Program. However, the case study provides some guidance on how an organization might approach the task of evaluating BPM tools against their specific needs. In addition, the chapter provides useful references to various articles that provide detailed and relevant information on the current state of the BPM tool market, future directions, and the current pitfalls to be aware of and avoid.

However, the issue still remains as to how an organization can best determine what kind of investment it should make when embarking on a new BPM initiative without clearly understanding what their future needs will be, i.e., how might Business Process Managers weigh the costs and risks to make the best choice from the outset? For example, do they risk investing a significant amount of cost and time in a sophisticated tool at the beginning when they are just starting process mapping, knowing that their longer term vision is, for example, to implement workflow or a BPMS in three to five years time? Or do they start with a cheap drawing tool such as Visio as an easy, low cost option to start their mapping and then risk encountering problems converting their models into a more appropriate format/tool down the track when they may wish to make these models executable? There is a clear opportunity for future research to explore the correlation between tool maturity and organizational maturity to further guide organizational decision making when entering into the practice of BPM. The options to explore might fall under the following three situations:

- Buying a tool with significant higher maturity and the company slowly catches up (but unutilized functionality for a long time)
- Corresponding development of maturity (requiring scalable tool)
- Or tool migration with increased maturity levels

Additionally, it will be important for BPM-aware organizations to keep abreast of the rapid changes in the BPM tool market. And it is hoped that future information about BPM tool functionality will be framed around “What functionality is provided to support the various objectives and activities of organizations embracing BPM”, in a format that business users can understand and relate to for better decision making and effective outcomes.

References

- Baram G, Steinberg G (1989) Selection criteria for analysis and design CASE tools. *ACM SIGSOFT Softw Eng Notes* 14(6):73–80. ACM, New York. <http://portal.acm.org/citation.cfm?doid=70739.70748>. Accessed Feb 2009
- Belton V (1985) The use of a simple multiple-criteria model to assist in selection from a shortlist. *J Oper Res Soc* 36(4):265–274. Palgrave Macmillan on behalf of the Operational Research Society. <http://www.jstor.org/stable/2582412>. Accessed Feb 2009

- Blechar MJ, Sinur J (2006) Magic quadrant for business process analysis tools, 27 February 2006 ID Number: G00137850, Gartner Research
- Blechar MJ (2007) Magic quadrant for business process analysis tools, 8 June 2007 ID Number: G00148777, Gartner Research
- Blechar MJ (2008a). Magic quadrant for business process analysis tools, 23 September 2008 ID Number: G00161090, Gartner Research
- Blechar MJ (2008b) Consider eight areas of focus when selecting a business process analysis tool, 7 August 2008 ID Number: G00160260, Gartner Research
- Blechar MJ (2008c) Understanding vendor placement in the BPA tools magic quadrant, 23 September 2008 ID Number: G00161106, Gartner Research
- Davis R, Brabander E (2007) ARIS designer platform: getting started with BPM. Springer, Heidelberg
- de Bruin T (2006) Evaluating and advancing BPM using a BPM maturity model. In: Proceedings of IQPC's business process management conference, Sydney, May 29–30 2006
- Griffith A, Headley JD (1997) Using a weighted score model as an aid to selecting procurement methods for small building works. *Constr Manage Econ* 15(4):341–348
- Harmon P (2007) Intro-1. Why the current interest in business processes? BPTrends 2007 Enterprise Architecture, Process Modeling & Simulation Tools Report 2.1. http://www.bptrends.com/reports_toc_02.cfm. Accessed Nov 2007
- Harmon P (2008) Software tools for BPM. BPTrends Spotlight 1(6). http://www.bptrends.com/publicationfiles/spotlight_062008.pdf. Accessed Nov 2008
- Hill JB, Sinur J, Flint J, Melenovsky MJ (2006) Gartner's position on business process management, 16 February 2006 ID Number: G00136533, Gartner Research
- Hill JB, Cantara M, Deitert E, Kerremans M (2007). Magic quadrant for business process management suites, 2007, 14 December 2007 ID Number: G00152906, Gartner Research
- Hill JB, McCoy DW, Cantara M, Blechar M, Kerremans M, Lheureux BJ, Gilbert MR, Shegda KM, Schulte RW, Genovese Y, Olding E, Gassman B, Natis YV, Norton D (2008) Hype cycle for business process management, 2008, 9 July 2008 ID Number: G00159215, Gartner Research
- Keeney RL, Raiffa H (1976) Decisions with multiple objectives: preferences and value tradeoffs. Wiley, New York
- Peyret H, Tenbner C (2006) The forrester wave: business process modeling Tools, Q3 2006, 29 September 2006. www.proformacorp.com/Downloads/files/ForresterWaveQ3.pdf. Accessed Nov 2007
- Peyret H (2009) The forrester wave: business process analysis, EA tools, and IT planning, Q1 2009, 7 January 2009. http://www.metastorm.com/news/analyst_archives.asp. Accessed Jan 2009
- Rosemann M, de Bruin T, Power B (2006) Chapter 27 – a model to measure business process management maturity and improve performance. In: Jeston J, Nelis J (eds) Business process management. Butterworth-Heinemann, London
- Rosemann M (2004) Business process lifecycle management. Whitepaper, Queensland University of Technology, Brisbane
- Rosemann M, vom Brocke J (2014) The six core elements of business process management. In: vom Brocke J, Rosemann M (eds) Handbook on business process management, vol 1, 2nd edn. Springer, Heidelberg, pp 105–122
- Shyr H-J (2003) A semi-structured process for ERP systems evaluation: applying analytic network process. *J e-Bus* 5(1):33–48
- Stephenson C, Bandara W (2007) Enhancing best practice in public health: using process patterns for business process management. In: Proceedings of European conference of information systems, St. Gallen, Switzerland
- Weske M (2007) Business process management: concepts, languages and architectures. Springer, Berlin

Wolf C (2007) Foreword. BPTrends 2007 enterprise architecture, process modeling & simulation Tools Report 2.1. http://www.bptrends.com/reports_toc_02.cfm

Additional Sources Used to Evaluate the Tools

- DiToro L (n.d.) BPM Software Report: Lombardi TeamWorks Enterprise Edition. www.bpmenterprise.com/content/c060918a.asp. Accessed Nov 2007
- DiToro L (n.d.) BPM software report: Savvion business manager. www.bpmenterprise.com/content/c060717a.asp. Accessed Nov 2007
- DiToro L (n.d.) BPM software report: BPM simplicity with iGrafx. www.bpmenterprise.com/content/c070305a.asp. Accessed Nov 2007
- Hall C, Harmon P (2007) Proforma corporation's provision, the 2007 Enterprise architecture, process modeling and simulation tools report – version 2.1 July 2007. www.bptrends.com/reports_toc_02.cfm. Accessed Dec 2007
- Hall C, Harmon P (2007) IDS Scheer's ARIS, the 2007 Enterprise architecture, process modeling and simulation tools report – version 2.1 July 2007. www.bptrends.com/reports_toc_02.cfm. Accessed Dec 2007
- Hall C, Harmon P (2007) iGrafx's iGrafx, the 2007 Enterprise architecture, process modeling and simulation tools report – version 2.1 July 2007. www.bptrends.com/reports_toc_02.cfm. Accessed Dec 2007
- Hall C, Harmon P (2007) MEGA's mega suite, the 2007 Enterprise architecture, process modeling and simulation tools report – version 2.1 July 2007. www.bptrends.com/reports_toc_02.cfm. Accessed Dec 2007
- Hall C, Harmon P (2007) Holocentric's Holocentric Modeler, the 2007 Enterprise architecture, process modeling and simulation tools report – version 2.1 July 2007. www.bptrends.com/reports_toc_02.cfm. Accessed Dec 2007
- Hall C, Harmon P (2007) Popkin Software's System Architect, the 2007 Enterprise architecture, process modeling and simulation tools report – version 2.1 July 2007. www.bptrends.com/reports_toc_02.cfm. Accessed Dec 2007
- Miers D, Harmon P, Hall C (2007) Metastorm Inc's Metastorm BPM, the 2007 BPM suites report – version 2.1, July 2007. www.bptrends.com/reports_toc_01.cfm. Accessed Dec 2007
- Thompson M (2007) Technology audit, Metastorm BPM v7 November 2007 Ref Code: TA001330BPM. www.metastorm.com/library/reports/AR_Butler_Metastorm_BPM_V7.pdf. Accessed Dec 2007

Implementing Six Sigma for Improving Business Processes at an Automotive Bank

Florian Johannsen, Susanne Leist, and Gregor Zellner

Abstract Today, in the eyes of both customers and suppliers, product-related financial services take an eminent position. This does also apply to the automotive industry and its financial service providers (e.g. automotive banks). As a consequence, quality management and especially business process improvement methods (e.g. Six Sigma) attract growing attention in financial services. Above all, the Six Sigma approach is being increasingly discussed in both literature and practice. This chapter is the result of the prototypical implementation of Six Sigma at an automotive bank; the focus is on the selection and the combination of quality techniques used at an automotive bank which are the crucial points of the successful implementation.

1 Introduction

Over the last couple of years, financial services have been growing continuously in importance. In the automotive industry, too, synergies between new car sales and financial products have been systematically exploited and advanced (Brakensiek et al. 2010). Apart from increasing sales numbers, customer loyalty is in the focus (Brakensiek et al. 2010). In addition, product supporting financial services are more and more used to differentiate and strengthen the own position in the market (Brakensiek et al. 2010). At the same time, a change of values on the part of the customers has been taking place, causing more severe customer service pressures than ever for the organizations (Smith et al. 1999). Evidently, the probability of customer desertions due to poor service is often rated higher than desertions due to

F. Johannsen (✉)
Department of Management Information Systems, University of Regensburg, Regensburg,
Germany
e-mail: florian.johannsen@wiwi.uni-regensburg.de

defects in a physical product. Thus, quality management, which some years ago was still regarded as solely referring to manufacturing industries, does now take an eminent position in financial services, too (see Heckl et al. 2010). Many different approaches such as, for instance KAIZEN, EFQM (European Foundation for Quality Management), or TQM (Total Quality Management) were developed. In particular in the finance industry, Six Sigma (see Sect. 2.1) has been paid considerable attention, both in literature and practice. Six Sigma is a specific concept because it combines different parts and techniques of the mentioned approaches (e.g. the Six Sigma cycle (DMAIC (Define, Measure, Analyze, Improve, Control)) incorporates the main steps of the PDCA (Plan, Do, Check, Act) cycle of KAIZEN). A central problem, however, is the selection of adequate quality techniques in a project (Arneson et al. 1996; also Conger 2014). There are numerous criteria and individual approaches, but generally accepted guidelines do not exist, even though the application of appropriate techniques is a critical-to-success factor when implementing improvement measures: they have significant influence on whether the results originally intended are obtained or whether resources are wasted on suboptimal approaches (Okes 2002; Pande et al. 2000; Bunney and Dale 1997). Other difficulties (e.g. lack of valid data, ambiguous customer requirements, etc.) often only occur when applying the Six Sigma cycle (DMAIC) during an improvement project (Antony 2006). These difficulties are therefore not included in this investigation.

We aim at identifying an approach for the selection and subsequent combination of quality techniques within a Six Sigma initiative (Conger 2014). Furthermore, results and experiences from the practical application at an automotive bank will be described.

This article contains the following sections: in Sect. 2, the basic principles of Six Sigma (definition, Six Sigma cycle) are explained; they define essential concepts (quality techniques and tools) and describe the lack of support when selecting quality techniques in Six Sigma. Section 3 concentrates on how to select and integrate quality techniques and presents the development of a 3-step approach. In Sect. 4, we refer to the enterprise-specific application of this approach as well as the practical implementation at an automotive bank. In the last section, the approach and results are discussed.

2 Six Sigma Quality Management and Quality Techniques

2.1 *Six Sigma Basics*

Quality management is not really a new issue in manufacturing. In the late nineteenth century, the inspection of finished goods was introduced by F.W. Taylor, and during the last half-century, the concept of quality changed from a pure product specification toward a method and evolved by contributions

made by quality leaders like Crosby (1979), Deming (1982), Ishikawa (1985), Juran (1988), and Feigenbaum (1991). But after several decades of literature, quality management still does not have an accepted or agreed definition (Foley 2004). Following the ISO 9000:2005 definition, quality management includes all the activities that organizations use to direct, control, and coordinate quality. These activities include formulating a quality policy, setting quality objectives, planning quality, controlling quality, assuring quality and improving quality.

The Six Sigma method was influenced by previous quality management work and industrial engineering approaches, and does now comprise a well-defined set of techniques and methods that support each of the five phases of a process lifecycle (i.e. DMAIC) (Harry and Schroeder 2006; Conger 2014). In the context of quality management, the term “Six Sigma” refers to a method that aims at significantly increasing the value of the enterprise as well as customer satisfaction. The parameter “Six Sigma” is taken from statistics indicating the “sixfold standard deviation”. The standard deviation (σ) shows the deviation (rate of defects) from the statistical mean. Based on a standard deviation of 6σ , 99.99985 % of all outcomes would be produced within acceptable limits. That equals 1.5 defect parts of a production of one million parts (Breyfogle 2003). As especially in financial services the output permanently fluctuates, a correction of 1.5σ is common sense (Breyfogle 2003). That means that a 6σ -level in the long run is equal to 4.5σ , which results in a 99.99966 % quality level or 3.4 defects per one million opportunities (DPMO) (Pande et al. 2000).

Even though, for a couple of years now, Six Sigma has been applied in enterprises, the concept of the approach is not entirely confirmed (Töpfer 2007a). This fact is mirrored in numerous attempts at defining Six Sigma, which have to be investigated against the background of the individual application (Magnusson et al. 2004). In this context, the application as an enterprise-wide strategy (a management-driven top-down approach) (Harry and Schroeder 2000) as well as the implementation as an improvement method or purely as a set of techniques (Breyfogle et al. 2001) can be differentiated.

In most of the cases, Six Sigma (as in this chapter) is interpreted as an improvement method (Magnusson et al. 2004); here, a business process is systematically optimized by means of the DMAIC-cycle (Antony 2006). In each phase, specific results are worked out (see Table 1) using widely established techniques (Pande et al. 2000).

As an improvement method, Six Sigma seeks to identify and eliminate defects, mistakes, or failures in business processes and therefore combines human elements (e.g. culture change) of improvement and process management (Snee 2004; Antony 2006; Baumol 2014; vom Brocke et al. 2014). The Six Sigma cycle (DMAIC) supports process improvement in a structured way using a well-defined set of techniques and methods (Antony 2006; Pande et al. 2000).

Table 1 Results of Six Sigma phases

Phase	Results
Define	Description of project/problem, identification of customer requirements (voice of customer), customer-critical characteristics (critical to quality (CTQ)), business-critical characteristics (critical to business (CTB)), specification of performance standard
Measure	Selection of values (process output, process input), data collection, data visualization, determination of current process performance
Analyze	Data analysis, statistical determination of causes for the problems (correlations)
Improve	Generation of improvements, prioritization of solutions, and estimation of potential benefits
Control	Control of process performance, action plan for deviations

2.2 Definition of Concepts

The term “quality technique” is often used but there are different notions in practice and literature (Theden 1996). In the following, a quality technique is understood as an instrument, which supports the user in creating results within an improvement project (e.g. McQuater et al. 1995). It contains one or more devices such as charts, graphs or histograms and describes how to use these devices in certain steps for solving a problem (Hellsten and Klefsjö 2000; McQuater et al. 1995). Examples for techniques are QFD, SPC, DOE, or FMEA. As an element of a method, techniques determine what is perceived and help to generate results during each phase of the method (Leist and Zellner 2006). Additionally the term “quality tool” is used in practice and literature as well but has several different meanings. For the purpose of our research (selection and integration) the distinction between techniques and tools is not relevant. Therefore, we only use the term *quality technique* to avoid confusion regarding the terminology.

2.3 Related Work

Even though Six Sigma as well as most of the other existing quality management approaches have a manufacturing background, the concept, originally inspired by the results achieved at enterprises such as Motorola (Pande et al. 2000), General Electric (Snee and Hoerl 2003), or Polaroid (Harry and Schroeder 2000), has more and more been applied to in service industries. This fact is mirrored in the growing number of publications that explicitly deal with the topic of Six Sigma in services. Breyfogle et al. (2001) and Hensley and Dobie (2005) published Six Sigma procedures for service processes, in a rather general way though. In an empirical study, Antony (2004) investigates the application of Six Sigma at British service enterprises and identifies, e.g. success factors as well as the most frequently used quality techniques. The works published by Pande et al. (2000), Harry and Schroeder

(2000), or Magnusson et al. (2004) describe Six Sigma more from an industrial perspective, but emphasize fundamental differences for the service sector.

Regarding recent developments at the financial markets (e.g. euro-crisis and fluctuating stock exchanges) Six Sigma has gained considerable attention in the financial services industry in particular (Heckl et al. 2010). Financial service providers increasingly strive for efficient, standardized, error-free and automatic processes to realize a “straight through processing” and decrease bureaucracy (Heckl et al. 2010). Six Sigma explicitly focuses on business processes to reduce variation (e.g. Snee and Hoerl 2003; Antony 2006; Brady and Allen 2006) and has thus been chosen by many financial institutions to achieve their quality goals (see Heckl et al. 2010). A further benefit of Six Sigma is seen in its emphasis on customer requirements and the use of statistical methods for determining process performance (Attenello and Uzzi 2002). However, according to Heckl et al. (2010), the successful use of Six Sigma in financial service industries depends on five main success factors: Sufficient “employee capacity”, adequate “data quality and quantity”, a strong “customer focus”, a continuous “monitoring of goal achievement” as well as the “integration of Six Sigma with the business strategy” are therefore decisive for the Six Sigma implementation (see Heckl et al. 2010).

de Koning et al. (2008) enhance the Six Sigma approach by quality techniques from Lean Management, and describe its application at two Dutch financial companies. In that context, the processes “issuing new insurance policies” as well as “transfer of pension rights” were significantly improved regarding cycle times, error rates and costs (de Koning et al. 2008). In addition, one of the financial companies set up a project to optimize the “external communication” as well (de Koning et al. 2008).

Kumar et al. (2008) used Six Sigma to reduce the cycle time of the “credit initiation process” for “mid-level corporate credit card customers” at a large financial service company in the United States. During analysis it became obvious that a lot of inefficiencies could be traced back to human factors, such as the improper training of the sales team, for example (Kumar et al. 2008). Jones (2004) as well as Montgomery and Woodall (2008) report on the benefits the Bank of America achieved by introducing Six Sigma as a enterprise-wide approach for process improvement. Especially graphical tools for process visualization as well as computer-based process simulation proved helpful for banking processes in that context (Montgomery and Woodall 2008). Referring to the enormous success of GE (e.g. increase in transactions), Attenello and Uzzi (2002) see Six Sigma as a decisive means for streamlining processes, generating growth, and enhancing quality in the financial service sector. Further applications of Six Sigma in the banking sector are described by (Töpfer 2007b) or (Rucker 2000) for example.

Despite these numerous publications and success stories on Six Sigma, there is an obvious lack of works dealing explicitly with the selection and integration of adequate quality techniques for a successful implementation of Six Sigma (Kwok and Tummala 1998).

In literature, there is consensus concerning the steps to be followed in a Six Sigma initiative. In addition, the results to be achieved in each Six Sigma phase are

described unambiguously. But it is also acknowledged that processes in the manufacturing industry differ from those in the service industry (Hensley and Dobie 2005). The lack of measurement systems for service processes for example is just one of several challenges Six Sigma initiatives face in the service industry (Chakrabarty and Tan 2007; Antony 2006). Therefore, many quality techniques cannot be used for production and service processes in the same way. Due to the difficulties in gathering data for service processes (see Johannsen et al. 2011), techniques such as, for instance, Design of Experiments are quite uncommon in the service industry and are usually not used within Six Sigma initiatives. And even within the enterprises, the project environment (regarding process documentation, customer interaction, or performance measurement for instance) may differ drastically favoring or opposing the use of certain quality techniques. Therefore, the selection of techniques has to be dealt with great care when starting a Six Sigma initiative. The missing standardization of Six Sigma (Harmon 2007) concerning the use of quality techniques makes their selection a central issue when implementing the concept in a certain company.

3 Development of the Approach for Selecting and Integrating Quality Techniques

In literature, it is often pointed out that Six Sigma combines or integrates established quality management methods and techniques (Pande et al. 2000). Having to choose among the many different quality techniques of Six Sigma raises the question of the specific characteristics of individual techniques, which allow making statements on the suitability of particular techniques as well as on the possibilities to combine different techniques. As a consequence, we introduce a 3-step approach. This 3-step approach helps to first classify the quality techniques, then select them, and finally shows how to integrate them into a consistent “roadmap”. Our 3-step approach uses the schema of method comparison (see comparisons in Olle et al. 1983) and complements it by the integration of techniques, which is the last phase of our 3-step approach.

1. *Identification of Appropriate Approaches and Classification of Quality Techniques (Classification)*

The starting point of the investigation is a compilation of different quality techniques, which may (potentially) be used in a process improvement project. To keep the scope of techniques manageable (a total number of 93 techniques were compiled), they are transferred into a standardized structure. This structure is based on a classification approach appropriate to deal with the problem in question, and simplifies the subsequent steps of selection and integration. In doing so, not all techniques have to be examined at the same time, but the user can focus on clusters (see Sect. 4).

Technique	About the technique				Technique supports the following milestone	Milestone applies to phase
	Goal	Description	Advantages	Disadvantages		
SIPOC <i>(John et al. 2008)</i>	<ul style="list-style-type: none"> - Determine important process customers - Determine customer-supplier-relationship by means of process inputs and outputs - Ensure consistent understanding of process 	<ul style="list-style-type: none"> - Determine starting and end points of a process - Rough description of the process in 5-7 process steps - Put down which supplier has provided which process input and which customer has used up which output - Show a maximum of 6-7 process steps 	<ul style="list-style-type: none"> - Simple list of all relevant substeps - Identification of essential input and output values - Intuitively comprehensible 	<ul style="list-style-type: none"> - Can only be used, if the detail in question is definite - Exact beginning and end of the process in question is often hard to determine - Often problematic for a huge number of different inputs/outputs 	<i>Clear process description as basis of communication</i>	Define
VOC & CTQ Matrix <i>(John et al. 2008)</i>	<ul style="list-style-type: none"> - Specification of result requirements by means of customer interviews - Particularly critical points are highlighted as CTQs - Determine potential variables and target corridors for the result requirements 	<ul style="list-style-type: none"> - Identify customer requirements in interviews or by means of questionnaires and summarize them to key messages - In case of external customers, first evaluate data of inhouse customer service division - Derive 1-5 CTQs from key messages 	<ul style="list-style-type: none"> - Refine unstructured statements to a small number of key messages 	<ul style="list-style-type: none"> - Danger to concentrate on too many key messages thus neglecting the essential statements - Often unclear allocation to key messages 	<i>Customer requirements</i>	Define
Kano Model <i>(John et al. 2008)</i>	<ul style="list-style-type: none"> - Specification and prioritization of customer needs 	<ul style="list-style-type: none"> - Arrange customer needs (expressed and non-expressed) into "dissatisfiers", "satisfiers", and "delighters" - Determine needs that have to be satisfied (mandatory) and needs that can be satisfied (optional) 	<ul style="list-style-type: none"> - Reduction of main customer statements - Focus on relevant customer needs 	<ul style="list-style-type: none"> - Basic requirements are often concealed by the customer as they are taken for granted - „Delighters“ often are unknown to the customer and thus not named explicitly 	<i>Customer requirements</i>	Analyze
Cause and effect diagram (Ishikawa or Fishbone diagram) <i>(John et al. 2008; Conger 2014)</i>	<ul style="list-style-type: none"> - Support brainstorming and illustration of possible causes - Visualize the relation between possible causes - Concentrate on the possible causes for the problem (and not on symptoms) and create a shared understanding for the problem 	<ul style="list-style-type: none"> - Derive the causes for a certain problem (effect) - Distinguish between effects that can be modified and those that cannot - Derive output measurements from the problems (effects) and input measurements from the causes 	<ul style="list-style-type: none"> - Basis for group work - Facilitates a better understanding of causes and effects (problems) - Operating departments are enabled to draw conclusions independently concerning ratios and measurements 	<ul style="list-style-type: none"> - Can be confusing and extensive for complex problems (effects) - Often not all interested parties are involved in identifying the causes - Cross links between causes and effects are not possible - Determination of causes often subjective - Interdependencies and temporal dependencies are often neglected 	<i>Identification of causes for a problem</i>	Measure
...

Fig. 1 Extract from list of compiled quality techniques

2. *Identification of Appropriate Criteria and Selection of Techniques (Selection)*

Further down, starting points are identified, which are adequate to evaluate the techniques. In doing so, specific requirements of the particular enterprise have to be considered (e.g. it is required that techniques can be quickly explained and almost instantly used in workshops). To be able to consider these requirements, selection criteria (e.g. a technique must be easy to learn and it should be possible to use it after a short period of familiarization) must be derived and prioritized before they can serve as a basis for the selection of the techniques. At the same time, possible interactions and interdependencies have to be identified. For instance, the degree of complexity of individual techniques has to be adapted to the users addressed in each case. To support a structured way of choosing the selection criteria, we used the approach of the technology acceptance model (TAM).

3. *Integration of Techniques into a Coordinated Approach (Integration)*

Finally, the selected techniques are integrated to form a consistent approach or roadmap for a quality improvement initiative.

The 3-step approach supports the selection and integration of Six Sigma techniques. In doing so, it primarily offers criteria for the classification and selection as well as restrictions for the integration. The 3-step approach explicitly avoids the prioritization of the criteria and restrictions. Since a prioritization is only possible for a particular case of application, the 3-step approach contains non-weighted criteria and restrictions.

As a starting point and a basis for the 3-step approach, we drew Six Sigma techniques from theoretical and practical sources, mainly from literature. Due to the immense scope of quality techniques, they are not explicitly described in this chapter. The listing of techniques is made on the basis of an extensive literature research. Figure 1 shows some of the techniques found.

3.1 *Classifying Approaches for Quality Techniques*

Different approaches for classifying quality techniques can be found in literature:

- Gogoll and Theden (1994), who take a manufacturing view, classify according to “classical quality supporting tasks”, “organizational measures”, “quality techniques in the broader sense (auxiliary techniques)”, and “quality techniques in the narrow sense”.
- According to that scheme, Okes (2002) considers only the last two of the above categories in his subcategorization. Here, the “seven elementary quality techniques” (7Q) according to Ishikawa (1980) and the “seven management techniques” (7M) according to Nayatani (1986) can be found again which according to Gogoll and Theden (1994) have to be allocated to the quality techniques in the narrow sense. Correspondingly, creativity techniques, statistical techniques, design techniques, and measurement techniques (see Okes 2002) have to be assigned to the “quality techniques in the broader sense”.

- Apart from the “7Q” and “7M techniques” categories, Dale and McQuater (1998) allocate quality techniques to the generic classes “other techniques” and “techniques”.
- Particularly in the context of Six Sigma, the 7×7 technique box has been established, which subsumes common quality techniques under the categories management techniques, quality control techniques, customer techniques, lean techniques, project techniques, statistical techniques, and design techniques (Magnusson et al. 2004). The first two classes are congruent with the above so-called “7M” or “7Q” techniques, while the remaining categories comprise techniques that can be categorized as auxiliary techniques, according to Gogoll and Theden (1994).
- Furthermore, there are works which make classifications based on the steps of specific quality management approaches, e.g. the Six Sigma cycle (John et al. 2008) or the seven steps according to Juran and Gryna (1988).
- Basically, in literature for “7Q” and “7M” the notion “tool” is established, speaking of “seven elementary quality tools” (7Q) and the “seven management tools” (7M). We do not distinguish the two notions, but only use the term “technique”.

In summary, it shows that the above classification approaches do not only follow the proposed roles of the techniques, e.g. communication and illustration of information (“7M” and “management techniques”) (Dale and Shaw 1999) or the individual character of the technique (i.e. whether it leads to an actual result or whether it helps to obtain it), but also follow the procedures of specific quality management concepts (John et al. 2008; Juran and Gryna 1988).

3.2 Selection Criteria for Quality Techniques

The next question is about the criteria which support an adequate selection of the quality techniques. Even though Dale and McQuater (1998) argue that the techniques in quality management can principally be qualified as being equivalent (Dale and McQuater 1998), it may be objected that the adequacy of a technique as well as of its characteristics depends on the context of application. That being said, it is generally difficult to forecast which quality techniques can best be used for quality initiatives since it is very difficult to verify their actual influence on obtaining the intended performance level (Tari and Sabater 2003).

For classifying the criteria, we use the framework of TAM (technology acceptance model) by Davis (1986, 1989) and Davis et al. (1989). As the constructs of TAM are sufficiently general, they can also be translated to other domains (Moody 2003). TAM describes how users come to accept and use a technology. It suggests a number of factors that influence the acceptance and usage of technologies. All influence factors are classified into three main categories (Davis et al. 1989): external variables, perceived usefulness, and perceived ease of use. Transferred to

the domain of selecting techniques, the *perceived usefulness* depends on whether the user believes that the technique is adequate to support the goals or milestones of the Six Sigma initiative and enhances his or her job performance. The *perceived ease of use* depends on technique-specific criteria and expresses the user's belief that using a particular system would be free from effort. The *external variables* comprise all other criteria which influence the perceived usefulness and ease of use of techniques used in the project.

To be able to select adequate techniques, the three main categories must be substantiated in more detailed criteria. TAM suggests criteria for the acceptance and usage of technologies which should be used several times. Six Sigma techniques are selected for the use in only one subsequent project. Even though it is possible that subsequent Six Sigma initiatives (re)use the (same) techniques, users choose a suitable technique in accordance with the requirements of only the next initiative. Since the criteria for the ease of use and usefulness differ depending on whether a unique or repeated use is assumed, we were looking for detailed criteria in the Six Sigma literature.

Thia et al. (2005) identify 13 parameters to select techniques (when developing new products), which can be subdivided into external and internal parameters. The internal parameters comprise "user friendliness", the "(non)-tangible benefit of the application", the "aspect of time (application, learnability)", "monetary costs occurring (for the application)", the "flexibility (degree of freedom of the application)", and the "familiarity" with the technique (Thia et al. 2005). The external parameters subsume the "degree of novelty of the project", the "support of the management", the "cohesiveness", the "technical competence", the "size of the enterprise", the "line of business", and the "cultural background" (Thia et al. 2005). Thus the external parameters help to include characteristics of the project as well as the enterprise environment into the selection process. Apart from parameters that directly refer to techniques (such as restrictions, difficulties, expected benefit, training time (and effort), etc.), Dale and McQuater (1998), list higher order parameters such as organizational environment, corporate culture, and the integration of further techniques as well (Dale and McQuater 1998). Authors like Harrington (1995) emphasize the importance of the level of maturity of an enterprise in quality management when looking at the selection of techniques; in doing so, parallels with the parameter "technical competence" according to Thia et al. (2005) become obvious. Bunnay and Dale (1997) report similar experiences in their long-term study of the chemical industry. McQuater et al. (1995) propose the categories "tangibility", "importance for staff", "relevance", as well as "frequency of use" by means of which the application of quality techniques in practice can be evaluated.

Bamford and Greatbanks (2005) describe a generic procedure for the execution of quality initiatives in different lines of business, which is heavily based on the phases of the DMAIC-cycle; depending on the partial results which are supposed to be obtained as well as on the situation, the selection of techniques is made from "7Q" or "7M" techniques. Shamsuddin and Masjuki (2003) point out the necessity of a systematic application of techniques, depending on the intended aim of the

Table 2 Selection criteria for techniques

Constructs of TAM	Selection criteria	Author(s)
External variables	Size of the enterprise	Thia et al. (2005)
	Line of business cultural background	
Usefulness	Organizational environment; Corporate culture	Dale and McQuater (1998)
	(Non)-tangible benefit of the application;	Thia et al. (2005)
	Monetary costs occurring (for the application);	
	Flexibility (degree of freedom of the application); Degree of novelty of the project; Support of the management; Cohesiveness	
	Integration of further techniques	Dale and McQuater (1998)
	Importance for staff; Relevance;	McQuater et al. (1995)
	Frequency of use	
Ease of use	Depending on the partial results which are supposed to be obtained as well as on the situation, the selection of techniques is made from “7Q” or “7M” techniques	Bamford and Greatbanks (2005)
	Systematic application of techniques and techniques, depending on the intended aim of the individual operational phase	Shamsuddin and Masjuki (2003)
	Technical competence	Thia et al. (2005), Harrington (1995), Bunney and Dale (1997)
	User friendliness	Thia et al. (2005)
	Aspect of time (application, learnability)	
	Familiarity with the technique	
	Tangibility	McQuater et al. (1995)

individual operational phase. Further up Table 2 gives a summary of the above mentioned criteria.

To sum up, the literature reviewed names criteria that directly address the characteristics of a technique (e.g. learnability, flexibility, etc.), which can represent the perceived ease of use and higher order parameters referring to the specific project periphery, correspond to the perceived usefulness and the enterprise reality (e.g. resources), and correspond to the external variables.

3.3 Requirements on the Integration of Quality Techniques

In quality management, techniques must not be regarded in an isolated manner (Hellsten and Klefsjö 2000) but must be integrated to fulfill given quality objectives (e.g. reducing waiting times or waste of money) (Shamsuddin and Masjuki 2003). It is thus necessary that the selected techniques, both in a specific phase of the cycle and across the phases, complement one another and are based on each other (Snee

and Hoerl 2003). Similar considerations are also addressed by Bruhn (2008) who describes the interdependencies between quality management differentiating between functional, temporal, and hierarchic interdependencies. The functional interdependencies address contents synergies between techniques to obtain a common goal (Bruhn 2008). Techniques can compete with one another (for instance as regards their mode of action), complement each other, require the application of other techniques, achieve identical results for a problem, or work entirely independently of each other (Bruhn 2008). As regards the parameter time, techniques can be applied successively, in parallel, or intermittently (Bruhn 2008). Furthermore, techniques can be classified according to their application, and focus on either strategic or operational problems (hierarchical interdependencies) (Bruhn 2008).

3.4 Summary of the 3-Step Approach

The 3-step approach is summarized in Fig. 2. Based on the description of the technique, the milestones and deliverables of the project, the techniques can be classified according to the classification criteria. This allows a quick selection of the technique according to a certain stage in the project.

To be able to select the adequate technique for a certain type of project members, it is useful to declare certain criteria for the application of the technique. Depending on the needs and milestones during the project, the appropriate technique can be selected then. Besides the integration criteria are a helpful mean to notice the dependencies between the techniques and to use the techniques in a useful order.

How this 3-step approach was adapted for the automotive bank is described in the following chapter.

Approach for selecting and integrating quality techniques																			
Technique	About the technique		Classification Criteria (Chapter 3.1)					Selection Criteria (Chapter 3.2)				Integration Criteria (Chapter 3.3)			Selected Technique				
	Milestone		Classical quality supporting tasks	Organisational measures	Quality techniques	Other techniques	Procedure of quality approach	...	User friendliness	(non-) tangible benefit of the application	Aspect of time	Monetary costs occurring	Flexibility	...		functional	temporal	hierarchial	...
1																	
2																	
3																	
...																	

Fig. 2 Summary of the 3-step approach

4 Application of the Developed Approach at an Automotive Bank

The 3-step-approach was applied in a cooperation project with an automotive bank.

The traditional focus of automotive banks on financing and car leasing products is no longer sufficient to guarantee customer satisfaction and a company's success (Brakensiek et al. 2010). In the last couple of years, asset management has thus become a decisive success factor regarding the product range of automotive banks (Brakensiek et al. 2010). In that field, automotive banks compete with direct or affiliated banks (Brakensiek et al. 2010). Therefore automotive banks are constantly exposed to the pressure of creating efficient, standardized, and error-free processes (see Heckl et al. 2010) to stay competitive in this market.

The bank in the cooperation project is the affiliate of a German automotive group and is responsible for the activities of the group's division concentrating on financial services in Germany. Founded in 1971, it belongs to the leading automotive banks in Germany and was (at the time of the project) represented in 53 countries with 26 subsidiaries and 27 cooperations. From the central headquarters, about 760 employees took care of more than 800,000 customers. Then and now the automotive bank has no branch network. Its portfolio comprises individual solutions to ensure the mobility of private and business clients, as well as financing and leasing, car insurance, dealer financing, fleet management and private asset management. 62 % of all buyers of new cars finance the purchase by means of credit or leasing contracts at the car manufacturer's in-house bank (automotive bank).

In the long term, the automotive bank intended to implement Six Sigma as a standardized quality management approach. Six Sigma had been chosen due to its emphasis on customer requirements and its focus on business processes (see e.g. Conger 2014). These ideas matched with the automotive bank's philosophy of "business lines" (Brakensiek et al. 2010) enabling a holistic end-to-end perspective on customer processes. In addition, the analysis of process performance based on data (see Montgomery and Woodall 2008) was a further argument for Six Sigma.

According to the introduced 3-step approach, the quality techniques were first classified to simplify the subsequent selection, and integration. Finally, criteria had to be identified to be able to make a substantiated selection. For this purpose, the compilation of criteria was discussed with the project team and questioned regarding the importance of individual parameters. At the same time, selected staff was interviewed to determine requirements on the techniques to enable the derivation of selection criteria. On this basis, individual techniques were evaluated, selected and, finally integrated. The underlying approach is generally applicable, being comparatively generic. Thus, the steps ((1) classification, (2) selection, (3) integration) can be adapted to the specific environment of the enterprise or the project. Therefore, the following subsection describes the basis for the classification, the selection criteria, and the requirements of integration that were used in the automotive bank project. Afterwards, the results obtained will be described.

4.1 Classification of Quality Techniques at the Automotive Bank

The project manager decided at the beginning that the systematic implementation of quality techniques had to strictly comply with the phase results of the Six Sigma cycle. Therefore, a structuring approach based on the DMAIC-cycle was selected, and those quality techniques were allocated to each phase of the cycle that led directly to the intended phase results or supported their development (see Table 1). To obtain a clear classification, clusters were supposed to be used to clarify the allocation of individual techniques to specific phases of the cycle (compare Fig. 3).

The classification results are shown in Table 3. Due to the tremendous number of techniques, the table comprises only a subset of the classified techniques (for a brief explanation of some of the listed techniques see (Conger 2014)).

When carrying out the selection later on, it was possible to regard each phase separately thus keeping the number of techniques to be evaluated manageable. In doing so, the basis was created for the subsequent integration (across the phases) of the selected techniques within the framework of the DMAIC-cycle.

4.2 Selection of the Classified Quality Techniques at the Automotive Bank

At the automotive bank, the “user friendliness” of the techniques as well as the technical, organizational, and temporal restrictions were identified as the most important parameters. Therefore, the selection criteria (see Sect. 3.2) were discussed within the project team. In addition, staff interviews were carried out to identify those criteria that employees at the automotive bank considered to be most significant for selecting quality techniques. Based on the discussion and the interviews, the criteria were prioritized. In the following, only those criteria are focused that were considered to be the most important ones, namely “user friendliness” and the restrictions listed above.




Fig. 3 Classification of techniques

Table 3 Classification results

Phase	Techniques
Define	Project charter, CTQ/CTB matrix, stakeholder analysis, SIPOC, process flow diagram/process map, customer segmentation, structured interviews, KANO. . .
Measure	Capability analysis, performance metrics (DPMO, DPU, . . .), check sheets, value matrix, data collection plan, repeatability and reproducibility, . . . trend/run chart, dot plot diagram, box plot diagram, gage
Analyze	Cause-effect diagram, histogram, FMEA, scatter diagram, regression analysis, hypothesis testing, correlation flow map, . . . diagram/process map, design of experiments, process simulation, 5S, value stream calculation, pareto diagram, multivariate charts, process
Improve	Brainstorming, affinity diagram, priority matrix, cost benefit analysis, network planning technique, brainwriting, anti-brainstorming, Poka Yoke, TOC, etc.
Control	Control charts, reaction/control plan, mistake proofing/automated control, etc.

A comprising evaluation of quality techniques regarding selection criteria was done by Johannsen and Leist (2009). The evaluation strongly depends on users’ knowledge and preferences in that context.

At the automotive bank, *technical restrictions* referred to existing software packages that were used for purposes of analysis, documentation, and execution of techniques. It was not intended to buy additional software but to draw on existing applications. This had an influence on the mode of data evaluation, on the analysis as well as on the collection of the performance data using adequate measuring systems. *Organizational restrictions* mostly referred to the implementation of the improvement initiative. The phase results of the project were supposed to be worked out in workshops across the divisions, which were joined by staff in charge. To proceed in this way has the advantage of integrating all the staff involved in the exchange of experiences: this is one major factor of success when implementing quality techniques (McQuater et al. 1995; Bunney and Dale 1997). It is, however, only possible to tap the full potential if all project members cooperate. This requires all participants, irrespective of their actual knowledge of techniques and quality management methods, to understand the techniques applied in the workshop and to be able to work with them. Thus the way the workshop works has an essential influence on the criterion “user friendliness” described later on in this chapter. Moreover, it must be pointed out that not all techniques can be used in project work.

For instance, the analysis of performance data should not be done in the workshop, since it may be necessary to provide further datasets, which will only become obvious during the process of analysis. To evaluate the techniques against the background of *technical* and *organizational restrictions*, a matrix was used (see Fig. 4). Column 1 shows for each technique which supporting application was available for the implementation, the results documentation, as well as for the subsequent electronic processing of the results (verification of the technical restrictions). Techniques that did not have any software or system support were not considered. The second column shows the appropriate venue. The bulk of the techniques was supposed to be implemented in workshops across the divisions;

only data collections and analyses were supposed to be done outside these workshops (mainly during the Analyze- and Control-phase). In doing so, details for the subsequent organization of the improvement initiative were obtained, since it became obvious which steps had to be worked on jointly and which were to be dealt with separately (organizational restrictions).

Temporal restrictions are the third form of restrictions. In the project, these restrictions referred to the training period needed for learning specific techniques and affected the tight schedule to produce presentable results. The techniques had to be easy to learn and it had to be possible to compile results in a relatively short time. These requirements had an influence on the criterion “user friendliness” (see Fig. 4). To provide results fairly rapidly, it was decided to only use those techniques for the subsequent integration, which either led directly, or by combining them with as few as possible further techniques, to the intended phase results. To account for these interdependencies, the temporal restrictions will be considered under the criterion “user friendliness” and the subsequent integration (see Sect. 4.3).

The criterion “*user friendliness*” referred directly to the quality techniques to be applied. Two essential characteristics that add to the user friendliness of a technique were dealt with, namely *ease of learning* and *easy handling* (Thia et al. 2005). As has been mentioned above, the time needed to learn the techniques was supposed to be as short as possible. Easy handling was supposed to ensure that the techniques could be adapted to the needs of the users. To evaluate the techniques, they were compared with the criteria “*ease of learning*” and “*easy handling*” (see Fig. 4). Both criteria were weighted. At the automotive bank, the project team ranked “*easy handling*” a little higher than “*ease of learning*”. Afterwards, the techniques were evaluated on the basis of the two above criteria. This evaluation resulted in differing expectations as regarded the line totals, which were calculated taking into account the weightings (depending on the intended venue). While techniques to be used in workshops were supposed to be easy and intuitive to learn, this was also intended for techniques to be used for data collection and analysis; however, for the final selection, the criterion data quality (which at the time could merely be estimated) was of higher importance.

Eventually, the following techniques were selected:

- *Define*: project charter, CTQ/CTB matrix, SIPOC (see e.g. Conger 2014).
- *Measure*: data collection plan, dot plot diagram, box plot diagram.
- *Analyze*: cause-effect diagram (see e.g. Conger 2014), histograms, scatter diagrams, correlation calculation.
- *Improve*: brainstorming (see the root cause analysis by (Conger 2014) as an example), affinity diagram, priority matrix.
- *Control*: reaction/control plan, control charts.




Fig. 4 Selection of techniques

4.3 Integration of the Selected Quality Techniques at the Automotive Bank

To obtain a consistent roadmap according to the Six Sigma cycle, the techniques were supposed to be combined expediently, both within a DMAIC phase and across the phases. Having said that, staff interviews were held to find out which interdependencies between the techniques were necessary. For the category of functional interdependencies, conditional and complementary relationships, in particular, were seen as being essential. On the one hand, the selected techniques were supposed to support each other as to their effects, and on the other, the number of techniques to be applied had to be manageable, which automatically leads to cause-effect interdependencies between techniques that make a combined application necessary. For instance, doing data analysis does not make sense if a data collection plan has not been worked out and if project-oriented performance data have not been collected beforehand. In view of the temporal criterion, a successive application of the techniques had been intended. At the same time, merely one quality technique was supposed to be applied. In hierarchic terms (see Bruhn 2008), the techniques applied were supposed to have a predominantly operational character. Strategic importance (see Bruhn 2008) was only to be attributed to the previously made project selection. Alternative possibilities of combining the techniques across all phases of the Six Sigma cycle were supposed to be demonstrated by means of a morphological box with combinations also being allowed within a line (meaning

Integration in the Project	Auxiliary Instruments Used				
<i>Across the phases and phase-related integration of the techniques</i>	Define	VOC/CTQ Matrix	SIPOC	Inter-views	...
1) Functional interdependencies: <i>conditional, complementary</i>	Measure	Data collection plan	MSA	Value matrix	...
2) Temporal interdependencies: <i>successive</i>	Analyze	FMEA	5S	Ishikawa	...
3) Hierarchical interdependencies: <i>operational</i>	Improve	Brainstorming	N/3 Method	Anti-Brainstorming	...
	Control	Control-Charts	Reaction plan	Cp/Cpk calculation	...

Fig. 5 Integration of techniques

within a cycle phase) (see Fig. 5). The main focus of attention was on the mutual support as well as on the operational sequence of the techniques.

The combination of the techniques, under consideration of the above written interdependencies, revealed several options that made a final decision necessary. The final decision was up to the project management. After all, the project management determined the following sequence of tools for the initial Six Sigma initiative.

- *Define*: The Define-phase started with the SIPOC diagram to get a visual representation of the business process (see e.g. Conger 2014). Afterwards, the CTQ/CTB matrix was used to structure the requirements of internal and external customers. Furthermore, these requirements were transformed into measurable characteristics of the business process (CTQs and CTBs). Organizational matters (team members, milestones, etc.) were determined by means of a project charter.
- *Measure*: In the Measure-phase, data collection plans were established first to get a clear picture of the data needed for determining the performance level of the business process. The data gathered was then visualized by the help of dot plot and box plot diagrams.
- *Analyze*: To identify root causes for failure, cause and effect diagrams were used (see e.g. Conger 2014). In addition, process data (when available) were analyzed in more detail by means of correlation calculation. The results were then communicated by histograms and scatter diagrams.
- *Improve*: To eliminate root causes for failures, a brainstorming session was held to find solutions. The solutions proposed were structured by means of affinity diagrams and prioritized by using the priority matrix.
- *Control*: Control charts are used to control performance levels of the business process continuously. In the reaction plan (respectively control plan), arrangements are described if significant deviations in process performance occur.

For internal training purposes of the techniques, a global intranet portal was designed, which, apart from guidelines, descriptions, and general support, also offered templates for the application and documentation of results.

4.4 Benefits of the 3-Step Approach

The 3-step approach comprises a generic structure which is applied only once at the beginning of a Six Sigma initiative and supports the selection and integration of appropriate techniques. The selection considered all individual requirements of the automotive bank. Since the users were integrated in the decision process, the acceptance of the techniques was given. Moreover, users fully understood the techniques and used their full potential.

The 3-step approach was completely adopted and subsequent projects were using the 3-step approach to select and integrate adequate techniques. All in all, five Six Sigma projects were conducted from April 2006 to November 2007. The investigation was carried out in each project by four experienced Six Sigma users working full-time. In addition, approximately 10–30 employees from the operating departments supported each project working part-time, mostly in workshops.

In addition, project improvements underline that users of the automotive bank selected and integrated appropriate techniques based on the 3-step approach. The five projects achieved multifold short-term as well as long-term improvements. Short-term improvements that could be implemented immediately included, for instance, the restructuring of forms and the simplification of sorting procedures. Long-term improvements focused on the reduction of media breaks and cycle times. Altogether, the projects achieved tremendous monetary benefits.

5 Lessons Learnt

Several lessons can be learnt from the project. On the one hand, these lessons refer to the application of the 3-step approach for selecting and integrating quality techniques; on the other hand, a couple of insights can be derived from actually working on Six Sigma initiatives within the automotive bank.

Considering the application of the 3-step approach for the selection and integration of quality techniques, the following experiences were:

- During step 1 of our approach (classification), it became obvious that the exact allocation of individual techniques to a certain phase was not always possible. For instance, cause-and-effect diagrams (Ishikawa 1980) could both be applied in the Analyze-phase – to collect potential causes for problems – and in the Measure-phase – to restrict performance metrics. In these cases, techniques were allocated to all possible cycle phases.




Fig. 6 Main blocks of project progress

- The selection of the techniques was done by the responsible project team. It proved advisable to have the selection process (step 2 of our approach) made by the same persons for all techniques. Otherwise, the selection results may not be commensurable. As a supporting measure, short profiles were used, which for each technique listed advantages and disadvantages, functioning, and intended use. This proved to be very helpful in evaluating the techniques.
- The application of possible techniques for data analysis was intensively discussed. Since some of the operating departments did not have access to statistical software, the sample of usable techniques was restricted. It was necessary to find out which technique could be used with the existing software and which technique project members could work out the required results with. In addition, possible quality losses had to be detected. The final decision was up to project management.

Main points		Lessons learnt from the project
Project preparation		The inspection of existing process documentation should lead to the decision whether a whole process model or only parts of process chains should be modelled.
		The assembly of the project team is depending on the organisational units that are involved in the process. To find a holistic solution, it would be good to assemble an adequate team. Before starting the project possibilities for synergies with current projects could be checked in case of minimising the needed resources.
		Even if there is a huge data collection available, the use of it for later analysis might be not clear. The awareness for that circumstance should be derived.
Six Sigma Cycle	Define	Focussing only two or three CTQs, CTBs during having a workshop in the define phase might ease the start of the project.
	Measure	Most complexity will occur during building measurement systems and gathering data, so be aware that the use of existing data reports might not meet the demands of performance measurement in the Six Sigma context.
	Analyze	<ul style="list-style-type: none"> • In our case study the basic statistic techniques (histogram, run-charts) to visualise the data were sufficient at all. • Correlation calculations mostly were used for the analysis of the cycle time of certain process steps and their effect on the total cycle time.
	Improve	It is challenging to estimate the cost-use potential of developed solutions and their influence on possible output levels.
	Control	Continuous, automatically data gathering is needed, which is not easy to realise, because often measuring points are missing or cannot be established (e.g. customer satisfaction).

Fig. 7 Lessons learnt

Furthermore, several lessons can be learnt from the Six Sigma initiative itself. These lessons can be divided into two groups: those which concern *project progress and project preparation* and those which concern the phases of the *Six Sigma cycle*.

Regarding project progress, it turned out to be useful to divide the project into four blocks (see Fig. 6):

- A workshop where the phases “Define” and “Measure” of the Six Sigma cycle were discussed forms the first block.
- The second block deals with gathering data and analyzing it.
- In the third block, a second workshop takes place where the results of the analysis are presented and suggestions are made for improvement.
- The last block then deals with controlling the improved process.

Regarding the project *preparation* and the different phases of the *Six Sigma cycle*, the following points in Fig. 7 may be helpful to keep in mind when performing a Six Sigma initiative.

6 Conclusions

This chapter started with the problems of selecting and integrating adequate quality techniques from a great number of existing quality techniques. Each technique has its own advantages and can make its own contribution to a Six Sigma initiative. In addition, the integration of the selected techniques has to meet different requirements to avoid interdependencies and to obtain a consistent roadmap for the project. These problems were supposed to be solved when doing a prototypic implementation of Six Sigma at an automotive bank. For this purpose, a generic 3-step approach was developed, adapted to the needs of the automotive bank, and afterwards implemented. In doing so, the design of the second phase (selection) and the third phase (integration), in particular, was strongly shaped by the needs and demands of the staff. The technical restriction (draw back on existing infrastructure) and the organizational restriction (phase results should be worked out in workshops) in the second phase are examples for that. Having said that, it may well be expected that variations will occur where other enterprises are concerned, since, so far there is a lack of generally valid guidelines and instructions; thus the adaptation to the individual environment will be necessary in any new case.

The 3-step approach was applied in a cooperation project with the automotive bank and has not yet been subjected to a broad evaluation at different service enterprises or financial service providers. For even though convincing results were obtained in this project (see Sect. 4.4), they both substantiate the feasibility and show that the five Six Sigma projects could achieve several benefits. It is, at present, not possible to make any final statement as to whether the approach can be transferred to other projects. Nonetheless, the 3-step approach introduced in this chapter seems to be promising as a starting point for project-specific extensions and modifications.

Apart from the above, the relevant literature deals with further problems regarding the Six Sigma application and implementation in services, which often occur in similar process initiatives. These problems were not referred to in this chapter since the focus was explicitly on higher order aspects that have to be addressed at the beginning of any Six Sigma initiative.

References

- Antony J (2004) Six Sigma in the UK service organizations: results from a pilot survey. *Manage Audit J* 19(8):1006–1013
- Antony J (2006) Six Sigma for service processes. *Bus Process Manage J* 12(2):234–248
- Arneson T, Rys M, McCahon C (1996) A guide to the selection of appropriate quality improvement tools. In: Chen J, Mital A (eds) *Proceeding of the 1st annual international conference on industrial engineering applications and practice*, Houston
- Attenello D, Uzzi J (2002) Achieving Six Sigma quality in financial services. *Six Sigma Forum Mag* 1(2):18–22
- Bamford D, Greatbanks R (2005) The use of quality management tools and techniques: a study of application in everyday situations. *Int J Qual Reliab Manage* 22(4):376–392
- Baumuel U (2014) Cultural change in process management. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 2, 2nd edn. Springer, Heidelberg, pp 665–692
- Brady J, Allen T (2006) Six Sigma literature: a review and agenda for future research. *Qual Reliab Eng Int* 22(3):335–367
- Brakensiek T, Hansing A, Leifert P (2010) Vermögensmanagement als Geschäftsausweitung des Kerngeschäfts bei Automobilbanken. In: Stenner F (ed) *Handbuch Automobilbanken – Finanzdienstleistungen für Mobilität*. Springer, Berlin/Heidelberg, pp 127–142
- Breyfogle F (2003) *Implementing Six Sigma. Smarter solutions using statistical methods*. Wiley, Hoboken
- Breyfogle F, Cupello J, Meadows B (2001) *Managing Six Sigma*. Wiley, New York
- Bruhn M (2008) *Qualitätsmanagement für Dienstleistungen*, 7th edn. Springer, Berlin
- Bunney HS, Dale BG (1997) The implementation of quality management tools and techniques: a study. *TQM Mag* 9(3):183–189
- Chakrabarty A, Tan KC (2007) The current state of Six Sigma application in services. *Manag Serv Qual* 17(2):194–208
- Conger S (2014) Six sigma and business process management. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 1, 2nd edn. Springer, Heidelberg, pp 127–146
- Crosby PB (1979) *Quality is free, the art of making quality certain*. Hodder & Stoughton, New York
- Dale BG, McQuater R (1998) *Managing business improvement & quality: implementing key tools and techniques*. Blackwell, Oxford
- Dale BG, Shaw P (1999) Tools and techniques: an overview. In: Dale BG (ed) *Managing quality*. Blackwell, Malden, pp 280–314
- Davis FD (1986) A technology acceptance model for empirically testing new end-user information systems: theory and results. Sloan School of Management, Massachusetts Institute of Technology, Cambridge, MA
- Davis FD (1989) Perceived usefulness, perceived ease of use, and user acceptance of information technology. *MISQ* 13(3):319–340
- Davis FD, Bagozzi RP, Warshaw PR (1989) User acceptance of computer technology: a comparison of two theoretical models. *Manage Sci* 35(8):982–1003

- de Koning H, Does RJMM, Bisgaard S (2008) Lean Six Sigma in financial services. *Int J Six Sigma Competitive Advant* 4(1):1–17
- Deming WE (1982) *Quality, productivity and competitive position*. MIT Center for Advanced Engineering, Cambridge, MA
- Feigenbaum AV (1991) *Total quality control*. McGraw-Hill, New York
- Foley K (2004) *Five essays on quality management – presented in honour of Homer Sarasohn*. Standards Australia International, Sydney
- Gogoll A, Theden PH (1994) *Techniken des quality engineering*. In: Kamiske GF (ed) *Die hohe Schule des total quality management*. Springer, Berlin/Heidelberg, pp 329–369
- Harmon P (2007) *Business process change: a guide for business managers and BPM and Six Sigma professionals*. Elsevier, Oxford
- Harrington HJ (1995) An international view of what works and what doesn't work. In: American Society of Quality Control (ed) *Proceedings of the 49th annual quality congress*, Cincinnati
- Harry M, Schroeder R (2000) *Six Sigma: the breakthrough management strategy revolutionizing the World's top corporations*. Currency, New York
- Harry M, Schroeder R (2006) *Six Sigma: the breakthrough management strategy revolutionizing the World's top corporations*. Doubleday, New York
- Heckl D, Moormann J, Rosemann M (2010) Uptake and success factors of Six Sigma in the financial services industry. *Bus Process Manage J* 16(3):436–472
- Hellsten U, Klefsjö B (2000) TQM as a management system consisting of values, techniques and tools. *TQM Mag* 12(4):238–244
- Hensley R, Dobie K (2005) Assessing readiness for Six Sigma in a service setting. *Manag Serv Qual* 15(1):82–101
- Ishikawa K (1980) *Guide to quality control*. Asian Productivity Organization, Tokyo
- Ishikawa K (1985) *What is total quality control? The Japanese way*. Prentice-Hall, London
- Johannsen F, Leist S (2009) Evaluation ausgewählter Qualitätstechniken in Six-Sigma-Projekten. In: Moormann J, Heckl D, Lamberti H (eds) *Six Sigma in der Finanzbranche*. Frankfurt School Verlag, Frankfurt a. M., pp 361–379
- Johannsen F, Leist S, Zellner G (2011) Six Sigma as a business process management method in services: analysis of the key application problems. *Inf Syst e-Bus Manage* 9(3):307–332
- John A, Meran R, Roenpage O, Staudter C (2008) *Six Sigma+Lean toolset*. Springer, Berlin
- Jones MHJ (2004) Six Sigma: at a bank. *Six Sigma Forum Mag* 3(2):13–17
- Juran JM (1988) *On planning for quality*. Collier Macmillan, London
- Juran JM, Gryna FM (1988) *Juran's quality control handbook*. McGraw-Hill, New York
- Kumar S, Wolfe AD, Wolfe KA (2008) Using Six Sigma DMAIC to improve credit initiation process in a financial services operation. *Int J Productivity Perform Manage* 57(8):659–676
- Kwok KY, Tummala VMR (1998) A quality control and improvement system based on the total control methodology (TCM). *Int J Qual Reliab Manage* 15(1):13–48
- Leist S, Zellner G (2006) Evaluation of current architecture frameworks. In: Haddad HM, Chbeir R, Wainwright RL, Liebrock LM, Palakal M, Yetongnon K, Nicolle C (eds) *ACM symposium on applied computing (SAC)*. Bourgogne University, Dijon, pp 1546–1553
- Magnusson K, Kroslid D, Bergman B (2004) *Six Sigma umsetzen*. Hanser, München/Wien
- McQuater RE, Scurr CH, Dale BG, Hillmann PG (1995) Using quality tools and techniques successfully. *TQM Mag* 7(6):37–42
- Montgomery DC, Woodall WH (2008) An overview of Six Sigma. *Int Stat Rev* 76(3):329–346
- Moody DL (2003) The method evaluation model: a theoretical model for validating information systems design methods. In: Ciborra C, Mercurio R, De Marco M, Martinez M, Carignani A (eds) *Proceedings of the 11th European conference on information systems, ECIS 2003*, Naples
- Nayatani Y (1986) Seven management tools for QC. *Rep Stat Appl Res JUSE* 33(2):1–6
- Okes D (2002) Organize your quality tool belt. *Qual Prog* 35(7):25–29
- Olle TW, Sol HG, Tully CJ (1983) Information systems design methodologies: a feature analysis. In: Olle TW, Sol HG, Tully CJ (eds) *Proceedings of the IFIP WG 8.1 working conference on feature analysis of information systems design methodologies*. New York

- Pande P, Neumann R, Cavanagh R (2000) *The Six Sigma way – how GE, Motorola and other top companies are honing their performance*. McGraw-Hill, New York
- Rucker R (2000) Citibank increases customer loyalty with defect-free processes. *J Qual Participation Fall* 23(4):32–36
- Shamsuddin A, Masjuki H (2003) Survey and case investigations on application of quality management tools and techniques in SMIs. *Int J Qual Reliab Manage* 20(7):795–826
- Smith AK, Bolton RN, Wagner J (1999) A model of customer satisfaction with service encounters involving failure and recovery. *J Mark Res* 36:356–372
- Snee RD (2004) Six Sigma: the evolution of 100 years of business improvement methodology. *Int J Six Sigma Competitive Advant* 1(1):4–20
- Snee R, Hoerl R (2003) *Leading Six Sigma*. Prentice Hall, New York
- Tari JJ, Sabater V (2003) Quality tools and techniques: are they necessary for quality management? *Int J Prod Econ* 92(3):267–280
- Theden P (1996) Beschreibung ausgewählter Qualitätstechniken. In: Kamiske GF (ed) *Digitale Fachbibliothek Qualitätsmanagement: Methoden – Praxisbeispiele – Hintergründe*. Symposion Publishing, Düsseldorf, pp 1–13
- Thia C, Chai KH, Baully J, Xin Y (2005) An exploratory study of the use of quality tools and techniques in product development. *TQM Mag* 17(5):406–424
- Töpfer A (2007a) Six Sigma als Projektmanagement für höhere Kundenzufriedenheit und bessere Unternehmensergebnisse. In: Töpfer A (ed) *Six Sigma – Konzeption und Erfolgsbeispiele für praktizierte Null-Fehler-Qualität*. Springer, Berlin, pp 45–99
- Töpfer A (2007b) Six Sigma in Banken und Versicherungen. In: Töpfer A (ed) *Six Sigma – Konzeption und Erfolgsbeispiele für praktizierte Null-Fehler-Qualität*. Springer, Berlin, pp 440–474
- vom Brocke J, Petry M, Schmiedel T, Sonnenberg C (2014) How organizational culture facilitates a global BPM project: the case of Hilti. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 2, 2nd edn. Springer, Heidelberg, pp 693–714

Part III

Information Technology

Information technology's (IT) support for business processes has been a topic of interest since office automation and the related vision of a paperless office emerged approximately 40 years ago. IT has had such an important role in many BPM initiatives that not a small part of the wider BPM community believes that process automation equals BPM. However, in alignment with the comprehensive BPM understanding that underlies this handbook, we contend that there is much more to BPM than the automated execution of processes. That said, IT has been and will continue to be a main enabler for progression and innovation in the BPM discipline. In this regard, IT today supports not only to process automation but also a great variety of tasks far beyond process execution.

In the opening chapter of this section, Anna Sidorova, Russell Torres, and Alaa Al Beayez introduce the multi-faceted role of IT in BPM, developing an expanded view of IT support for business processes that allows the process-enabling role of a variety of IT artifacts to be considered. While the expanded IT landscape includes diverse solutions, ranging from infrastructures and sensor networks to social networking tools, process-aware information systems' (PAIS) explicit awareness of the execution of business processes is clearly at the core of the BPM discipline.

Two recent technological developments in the area of PAIS developments that have inspired contemporary BPM and they are discussed in the next chapters. First, Hasso Plattner and Jens Krüger introduce in-memory data and process management, presenting the technological foundations that make in-memory databases feasible and the benefits this technology can deliver to enterprise scenarios: real-time data access, broader and deeper analyses, and simplified IT architecture. Second, Sandy Kemsley introduces the main features of enterprise social software and illustrates how BPM systems are evolving into social business platforms. Kemsley stresses the importance of considering the cultural effects of collaboration during process modeling and process execution along with technological imperatives like modern user interface models, development techniques, and delivery mechanisms.

The core set of principles and capabilities of BPM-relevant IT has been informed by workflow management systems, which have traditionally been dedicated to the

design, execution, and controlling of at least semi-automated business processes. In the second chapter in this section, Chun Ouyang, Michael Adams, Moe Thandar Wynn, and Arthur ter Hofstede provide a contemporary overview of the field of workflow management, covering workflow patterns, workflow languages, formal foundations, and the exemplary workflow system YAWL. An alternative to the control flow focused view of classical workflow management systems is presented in chapter two by Akhil Kumar and Jianrui Wang. Instead of the flow of activities, the authors present a resource-driven workflow approach, describing the new methodology for process design at length, along with an architecture and implementation issues.

The already mature understanding of workflow management has received significant inspiration from the emergence of the service paradigm that supports greater flexibility in process implementation. Three chapters unfold the mutual impact of process management and service management. First, Fred Cummins discusses the interrelationships between BPM and service-oriented architectures (SOA), as well as enterprise architecture design more generally. Rather than concentrating on the technological challenges, Cummins elaborates on the value proposition of this new unification under the headings of enterprise optimization and enterprise agility. The chapter develops a vision for next-generation enterprise architecture management for the collaborative enterprise. Second, a more technical perspective is taken by Marlon Dumas and Thomas Kohlborn, who describe how processes have to be designed to take full advantage of service-enabled infrastructures. The authors focus on vertical integration by sketching a method by which to analyze a business process in view of enabling its execution on top of a service-oriented application landscape. Third, Thomas Gullede presents an implementation plan from BPM to SOA that can serve as a guideline to designing a service-oriented PAIS.

BPM relies on well-defined and accepted standards so the critical transformation from design and analysis to execution forms a smooth pathway. This evolution and the essence of BPM standards are discussed in the chapter by Frank Leymann, Dimka Karastoyanova, and Mike Papazoglou. The authors differentiate between graph-based and operator-based approaches, showcasing and comparing influential standards with a focus on the role of BPEL (Business Process Execution Language) and BPMN (Business Process Model and Notation). A focus on the important field of B2B processes is taken on by Marco Zapletal, Rainer Schuster, Philipp Liegl, Christian Huemer, and Birgit Hofreiter. They present the UN/CEFACT Modeling Methodology UMM 2.0 for choreographing business document exchanges.

1. The Role of Information Technology in Business Process Management
by Anna Sidorova, Russell Torres, Alaa Al Beayez
2. In-Memory Data Management
by Hasso Plattner, Jens Krüger
3. Business Process Management and the Social Enterprise
by Sandy Kemsley

4. Workflow Management
by Chun Ouyang, Michael Adams, Moe Thandar Wynn and Arthur H.M. ter Hofstede
5. A Framework for Resource-Based Workflow Management
by Akhil Kumar and Jianrui Wang
6. BPM Meets SOA. Beginning of a New Era
by Fred A. Cummins
7. From Business Process Models to Service Interfaces
by Marlon Dumas and Thomas Kohlborn
8. Integrated Business Process and Service Management
by Thomas Gullledge
9. Business Process Management Standards
by Frank Leymann, Dimka Karastoyanova and Mike P. Papazoglou
10. The UN/CEFACT Modeling Methodology UMM 2.0: Choreographing Business Document Exchanges
by Marco Zapletal, Rainer Schuster, Philipp Liegl, Christian Huemer and Birgit Hofreiter

The Role of Information Technology in Business Process Management

Anna Sidorova, Russell Torres, and Alaa Al Beayez

Abstract In BPM, discussions of Information Technologies are traditionally limited to specialized BPM tools and workflow management solutions. In this chapter, we develop an expanded view of IT support for business processes that allows considering the process-enabling role of a variety of ITs from telecommunication infrastructure to business intelligence solutions. We propose that the information that is used by a business process can be classified based on two dimensions, information domain and information level, into instance level business information, instance level process information, reference level business information, and reference level process information. We further propose that IT enables business processes by providing information management, information processing and communication support for the aforementioned information types. In this chapter we discuss examples of how different classes of IT provide different types of business process support. The expanded view of IT support for business processes allows for a closer integration of various IT-related initiatives with BPM efforts. It also offers a framework for measuring the level of IT support for business processes.

1 Introduction

In a modern organization, Information Technology (IT) supports virtually every aspects of business activity, from order processing using an integrated ERP system to drafting a contract using a Word processor and sending it over e-mail to a business partner. Yet, in spite of the wide range of IT tools and applications that are used in business, only a handful of IT tools are discussed in the context of business process management. These usually include IT that is specifically intended for workflow design, automation and management, such as BPM suites, ERP

A. Sidorova (✉)

University of North Texas, 1307 West Highland Street, Denton, Texas 76201

e-mail: anna.sidorova@unt.edu

systems, and modeling and simulation tools (Sidorova and Isik 2010). For example, when IT is identified as a core element of BPM, the discussion of relevant IT types is limited to tools such as IT solutions for process design and modeling, process implementation and execution tools, process control and management solutions, process improvement and innovation tools and project and program management tools (Rosemann and vom Brocke 2014).

While a restricted view of the IT role in process management may be instrumental for dealing with the complexity of some process management initiatives, it restricts the ways in which IT can be viewed as an enabler of business processes. For example, such view does not provide any insight into how upgrading a telecommunication network, installing Radio-Frequency Identification (RFID) sensors or implementing a business intelligence solution can help increase the efficiency or effectiveness of business processes. The goal of this chapter is to develop an expanded view of IT business process support by examining how IT is used for managing, processing and communicating different types of information used by business processes. The expanded view allows including a variety of ITs, from social media to specialized functional applications, into the BPM discussion, thus bridging the gap between IT-focused and BP-focused initiatives.

The rest of the chapter is organized as follows. First we distinguish between three types of IT capabilities, including information management, information processing and communication, and discuss different IT tools that exemplify each of the capabilities. Next we use two dimensions, information domain and information level, to classify information used by business processes into four types: instance level business information, instance level process information, reference level business information and reference level process information. We proceed by outlining how different IT capabilities are utilized to support business processes in relation to each of the four information types. Finally, we examine the interrelationships between different types of IT capabilities and discuss implications of the proposed view for IT and BPM practice.

2 ICT Capabilities

In order to fully appreciate the role that IT plays in business process support, it is useful to distinguish between IT capabilities related to information management, information processing, and communication.

Information Management. Information management is concerned with collecting, storing, and providing access to information. This IT capability is more diverse than it may initially appear. While databases and data warehouses exemplify the pure type of information management IT, numerous other examples exist of IT which facilitate the storage and retrieval of information. For instance, content management solutions are often part of today's business processes, and enable the storage and retrieval of business relevant content. Even the simple file management capabilities provided by the Windows operating system represent

information management aspect of IT. This capability is also concerned with the capture and consolidation of information from various sources. The collection of information from a customer engaged in an e-commerce transaction illustrates this aspect of the information management capability. Information may be captured from people who use computer software to create or edit content. For instance, a manager may use a word processor to edit an organizational policy, and an engineer may employ a Computer Aided Design (CAD) application in order to create a new design or alter the design of an existing product. Information may also be captured directly from the environment using a variety of technologies such as scanners, which digitize unstructured information, or RFID readers which facilitate inventory management.

Information Processing. Information processing is a relatively broad category and it involves IT capabilities that make it easier for humans to manipulate, understand and use information in their decisions and actions. Information manipulation involves performing calculations or other operations on data in a way that may have been prohibitively expensive before the advent of a computer (just consider inverting a matrix by hand). Such information manipulation capabilities are omnipresent in IT applications, from shopping websites where the total order amount is calculated automatically to sophisticated engineering software and accounting applications. The use of simple calculator applications and the ubiquitous Excel also demonstrate the ability of IT to support the manipulation of information. However information manipulation capabilities extend far beyond simple additions, subtractions and multiplications routinely done in Excel. Scientists now have the ability to simulate large-scale astronomical events using high-performance computers (HPC). These machines are able to process vast amounts of data in areas such as genome analysis and climate modeling as well as performing cosmic simulations which involve calculating gravitational interactions among billions of mass particles (Kanipe 2012). This enormous processing power has enabled scientists to simulate the creation of the Milky Way and trace its evolution to the present time in a way that was never previously possible (Kanipe 2012). Biomedical research has also been greatly impacted by the available processing power of IT and having the ability to compare the chemical structure of potential drugs with human proteins and test for interactions before the drugs are even in clinical trials (Savage 2012).

Another aspect of information processing capabilities is helping humans make sense of information, which is usually related to information presentation. Excel can be used to create colorful graphs that help a busy executive to understand financial data faster. A medical diagnostic application helps doctors make sense of patient data by creating three-dimensional images. Seidel, Recker and vom Brocke have identified sense-making affordances of IT in sustainability transformations (Seidel et al. 2013). Complex mechanical assemblies can be made easier to understand using visualization techniques with automated tools such as *how-things-work*. Such tools incorporate arrows and frame sequences that imply a causal chain of motion and enhance the comprehension of such images by viewers (Mitra et al. 2013). A text mining application can be used to understand the content of

thousands of tweets or customer reports. Unstructured input from thousands of people via channels such as mobile phones and SMS messages can be text-mined to present citizen sentiments (Evangelopoulos and Visinescu 2012). Such applications rely on the data manipulation capabilities of IT to summarize and effectively present vast quantities of data.

ICT can go beyond simply aiding in understanding the available information. It can help make decisions or even facilitate action on the basis of existing information. Decision and action support is incorporated in a variety of software applications through simple program algorithms or complex rule-based systems. Although classes of systems explicitly focused on providing decision support, such as Decision Support Systems and Expert Systems, have not received wide practical acceptance, examples of decision and action support do exist in the business world. Many organizations have leveraged Business Intelligence (BI) technology for their businesses (Chaudhuri et al. 2011). In the context of a credit card processing company, such applications might support decision and action by helping to identify potentially fraudulent charges in order to facilitate investigation. Data mining has enabled advertisers to target customers with relevant offers that are customized based on information gathered from previous buying behavior and from third-party online sources, such as web browsing history and social network conversations (Greengard 2012). In addition, everyday examples of decision support abound. Microsoft Word offers alternative spelling options based on the incorrect spelling provided by the user (decision support) and even performs the replacement automatically (action support). A graphical user interface (GUI) software development environment, such as Visual Basic, creates program code based on the information provided by the programmer. Recommender systems such as Netflix make suggestions for your new movie rental (Koschmider and Oberweis 2014), and tax preparation software essentially prepares your tax return.

Communication. The final IT capability relates to its role as a communication medium. In the past two decades, IT has led to continued evolution in human communication practices. From faxes and emails of the 1990s, to instant messaging and chat applications of early 2000s, to social media and multimedia based communication of late 2000s, IT has dramatically transformed how humans exchange and make collective sense of information. Yet support for human communication is only the most visible aspect of the communication support provided by IT. The role of IT in the transformation of communication between organizational information systems is perhaps even more dramatic. The advent of Electronic Data Interchange (EDI) has radically altered the way organizations exchange data by facilitating direct transmission of business data from the computer systems of one company to those of another. The adoption of open standards and protocols has enabled seamless exchange of data between IS within and across organizations. The rise of the Internet and its associated standards (HTTP running on TCP/IP) in conjunction with the development of extensible markup language (XML) enabled the creation of platform-independent web services for inter-organizational computer-to-computer communication. The transition of Web 2.0 from social contexts to the professional arena has opened discussions on the governing of these new

Table 1 Summary of IT capabilities

ICT capabilities	Type	Examples of ITC tools
Information Management	Information capture and editing	Word processors, CAD tools, drawing and design tools, Web forms, scanners, RFID, cameras, various tracking devices, diagnostic tools
	Information storage	Database Management Systems (DBMS), data warehouses, data farms
	Information access (including queries)	Database queries, search algorithms
Information Processing	Information manipulation	Applications that perform mathematical and logical operations and aid in calculation and summarization of data
	Information presentation	Visualization and presentation tools
	Decision and action support	Recommendation agents, DSS, Expert systems Workflow automation tools, logical procedures incorporated in various SW applications
Communication	Human communication processes (conveyance)	Networks (including the internet), e-mail, SMS, mobile devices, social media, GSS, chat rooms, workflow
	Human communication processes (convergence)	Video conferencing
	System-to-system communication (conveyance)	Web services, EDI

enterprise investments. For instance, there has been a move from stringent communication strategies to a more bottom-up communication approach within organizations in an effort to increase innovation (De Hertogh et al. 2011). Examples of enterprise 2.0 include IBM’s Beehive, an internal social network, which is used to help employees locate others within the organization with specific skills, and Intellipedia, similar to Wikipedia, which is a repository for intelligence-related information that is used by intelligence and government agencies (Kemsley 2014).

A summary of the different IT capabilities is presented in Table 1. It is important to note that the distinction among the capabilities is for illustrative purposes. In practice, IT applications represent bundles of the different information management, information processing, and communication capabilities. For example, Microsoft Outlook allows users to store and access a list of contacts and to store and access old emails (information management capability). It also allows one to create a new email and even performs a spell check (information processing capability). Finally, it supports the transmission of the email to the recipient (communication capability). The distinction between the different types IT capabilities is nevertheless highly instrumental in understanding the various facets of business process support.

3 The Role of Information in Business Processes

Business processes rely on a variety of resources, and informational resources are critical for effective and efficient process execution (Kumar and Wang 2014). Business processes require information as an input and produce information as an output. Information can also act as an enabler of a business process. Like human and physical resources, such information supports the execution of activities and supports control flows. Unlike the human and physical resources, informational resources can be simultaneously used by a variety of activities and do not result in sharing constraints on the process.

The information used by business processes can be characterized in terms of information domain and information level. Information domain refers to whether the information describes business objects or the process under consideration. Business information, such as product description, price or quantity, is used during the execution of a process, but does not characterize the process. In contrast, process information, such as the name and sequence of activities, is the information that characterizes the process itself. Information level distinguishes between instance level and reference level information. Instance level information is created or modified as a part of executing a process instance, whereas reference level information is only referenced but not modified during process execution. Information domain and information level dimensions form a matrix with four quadrants: instance level business information (ILBI), instance level process information (ILPI), reference level business information (RLBI) and reference level process information (RLPI). The four types of informational resources are presented in Fig. 1. This categorization is similar to how Jung et al. (2007) define the three types of business process knowledge: process template knowledge, process instance knowledge and process-related knowledge. However, we further differentiate by identifying the additional business instance level.

In order to clearly illustrate the nature of the informational resources in each of these four quadrants, consider the following example of a simplified loan application process (Fig. 2). Upon receipt of a loan application, it is first checked for completeness and accuracy. If information is missing, a notice is mailed to the applicant and the process is paused until a response is received. If the application is complete, information related to loans previously extended to the applicant is obtained and a credit report is requested. Based on these inputs, a loan officer approves or rejects the loan application.

Instance Level Business Information. Instance level business information represents the typical document flow within the process. Examples of such information in the loan application include application date, loan amount requested, loan amount approved, etc. Instance level business information is received as an input and produced as an output of activities within the process, and is owned by a particular instance. That is, the instance level business information of Applicant A, is distinct from the instance level business information of Applicant B.




Fig. 1 Types of informational resources

Instance Level Process Information. Instance level process information is the information that is a byproduct of executing a process, and includes data about the status of a particular activity for a particular instance. In the context of the loan application example, instance level process information might indicate that the accuracy check for a given application has been completed or that the application associated with Applicant A is currently being evaluated by a loan officer. Instance level process information is not typically defined as a part of a process output. Therefore, it may not be captured at all, captured in a transient manner (i.e. only the current status of each activity is captured and only for active instances), or it may be captured and stored in an event log where each change in an activity status for each instance is time stamped. If captured and stored, instance level process information can be used (often in aggregate form) as an input to management processes.

Reference Level Business Information. Reference level business information includes all information that is referenced (retrieved) but not produced or consumed




Fig. 2 Loan approval process

(not created, updated or deleted) by a process instance. This includes master data for a process. This also includes unstructured information that is used in making decisions as a part of the process. Unlike the instance level business information which must be available for the execution of an activity, reference level business information may be desirable but not required in order to complete an activity. For example, information about past loans may be desirable for a loan application activity, but in the absence of such information, the selection might be made on the basis of a credit report alone. Another distinction is that reference level business information does not usually create sharing constraints as it can be simultaneously used by multiple activities and processes.

Reference Level Process Information. Reference level process information is the information about the process itself that is used during the execution of a process. It includes the definition of the activities, control flow definitions, definitions of business rules, resource requirements for different activities and business roles. Business rule support is crucial for policy implementation in organizations (Harmon 2014), while control-flow, the sequential ordering of tasks in a process, is considered vital for effective execution (van der Aalst et al. 2003; Ouyang et al. 2014). In the loan application example, reference level process information might include business rules, such as a rule that loan evaluation cannot occur without first reviewing a credit report.

It is important to note that information can be classified into a particular quadrant only within the context of a particular business process. The same information may be treated as instance level business information in one process and as reference level process information in another process. The output of the loan application process, loan documentation, is considered instance level business information in the context of this process. However, that same loan documentation might be considered reference level business information if used as part of a credit card application process.

Even the distinction between process and business domain information is not clear cut when one crosses process boundaries. Instance level process information can be used as an input into management processes, and process level reference information including decision rules can be produced as an output of such management processes. For instance, instance level process information may indicate that too many instances of the loan application process are paused while waiting for an applicant response. This may trigger a management response to alter the process and use phone communication for applicant contacts. Still, the distinction between the four types of informational resources used by processes holds within a process and is useful for the purpose of understanding how IT supports individual business processes (Table 2).

Table 2 Characteristics of the different information types

Characteristics of informational resources		
	Business information	Process information
Instance level	Represents typical document flow Received as input and produced as output Owned by particular instance	Includes data about the status of an activity Not typically defined as part of process output If captured, can be used as input into management processes
Reference level	Information that is referenced but not produced or deleted by an instance Includes master data Is desirable but not required Can be simultaneously used by multiple activities and processes	Information about the process itself that is used during the execution Includes definitions of activities, control flows, business rules, and resource requirements Is desirable but not required

4 ICT Capabilities and Process Information Types

The preceding sections discussed both the nature of IT capabilities and the types of information used in business processes. The following section describes how these elements interact during the execution of a business process.

4.1 Information Management with IT

As discussed earlier, we define information management capabilities as support for information capture, storage and access. This includes simple search capabilities such as processing of SQL queries, but not advanced AI-enabled searches. Because advanced searches include complex algorithms and calculations we consider those to be information processing capabilities. The distinction between access and communication capabilities is less straightforward because in the internet age much of data access involves a variety of communication networks. For the purpose of this discussion we will include pull-based access to information as a part of information management capabilities, whereas push based access to information (such as a message to a manager that he/she needs to approve a purchase requisition) will be considered as a part of communication capabilities provided by IT. We will also consider the telecommunication infrastructure as a part of communication capabilities.

Information Management of Instance Level Business Information. Instance level business information is created and modified as a part of a business process. Such information needs to be captured, stored and made available to activities inside and outside of the process. IT information management for instance level business information may be characterized by the ease and the level of automation of information capture (the extend that the capture of data requires manual data

entry), information completeness (what part of instance level business information is stored using IT), information quality (to what degree does the IT ensure the high quality of the stored information), and the ease of access (how easy is it to store and then find necessary information at the time when it is needed during process execution). The capture of instance level business information is performed using a variety of human user interfaces and input devices such as RFID scanners. Storage and access to instance level process information is enabled by a variety of systems ranging from large server-based database management systems to desktop-based file storage. Structured instance level business level information is typically stored in a Relational Database Management System (RDBMS). Therefore, it is not surprising that process automation often starts with creating a database-centered transaction processing system. Examples of IT that provide information storage and access support for unstructured instance level business information include document management systems and version control systems. In the example of the loan application in Fig. 2, the loan application itself may be scanned and stored in a content management system, whereas the structured information about the loan application, such as the application number, the name and social security number of the applicant, his/her address, and the application amount, may be entered using a web-based form and stored in a RDBMS. Such application information can later be retrieved by typing in the applicant's name or application number.

Information Management of Instance Level Process Information. Instance level process information is usually captured when a process is executed and is stored along with the instance level business information. Instance level process information may be mixed or separate from the instance level business information. For example, a purchase order may have a status, as well as date created, date approved, date fulfilled, properties. As the value of these properties change when different procurement process activities are being initiated and completed, such properties contain instance level process information and may be used to activate triggers that are used in process automation. Instance level process information can also be stored separately from the instance level business information, for instance, in activity logs. Support for the management of the instance level process information is usually provided either by dedicated workflow engines or by the same transaction processing system that is supporting instance level business information capture, storage and access.

Information Management of Reference Level Business Information. Information management of reference level business information is similar to that of instance level business information, but process participants are only allowed to retrieve, rather than create or modify data. Therefore, support for reference level information management can also be evaluated in terms of ease of capture, completeness, quality and ease of access. There is, however, an important distinction between instance level and reference level business information. Whereas instance level information is usually created within a process or is received from another process in a standardized form, reference level business information is created outside of the process and often even outside of the organization. Therefore, capturing reference level information and ensuring its quality is often an issue. Moreover, reference information is often unstructured, and may be stored in a variety of formats.

This makes it difficult to ensure easy access to such information. To ensure that the process is not interrupted due to reference information unavailability, reference level business information requirements for each activity may be less strictly specified. This also makes it more difficult to ensure that the information is made available at the appropriate time during process execution.

The degree of information management support for reference level business information varies significantly for different business processes and often even within a process. A procurement process may include a supplier selection activity. In order to perform the activity effectively, one needs a list of possible suppliers and information on past supplier performance. The supplier list may be easily available within a drop down menu. However, finding past performance information may require running ad-hoc queries, making phone calls to a colleague or searching the web for publicly available data.

To deal with the variations in the availability of reference level information, business processes are often split into well-structured repetitive processes, which involve few decisions and rely on well-defined and readily available reference information, and relatively unstructured management and planning processes which require the use of a variety of reference level business information characterized by different degrees of availability. For example, a procurement process may be split from the supplier management process. The supplier management process would then deal with the less structured decisions of selecting and approving suppliers, and require processing of a wide range of reference information such as supplier presentations, records of prior supplier performance and so on. The supplier management process would then provide structured reference level business information (the list of approved suppliers) to the well-structured procurement process. Such structured reference level business information may be stored as master data in transaction processing systems like ERP systems. In the case of the loan approval application, reference level business information may include minimum income requirements for each type and size of loan application, or a minimum credit score for application approval. Such information can be stored in a look-up table in the loan processing application or as a memo on the desktop of the loan officer.

Information Management of Reference Level Process Information. Reference level process information represents organizational know-how. Traditionally such information has resided inside the mind of experienced organizational members and was passed from one member to another in the form of advice or training. Alternatively, it may be embedded in organizational routines. With the advent of scientific approaches to management, organizations have taken steps towards standardizing business processes and codifying know-how, thus creating reference level process information. Reference level process information is typically created as a part of process improvement activities and is stored in the form of role and job descriptions, organizational policies and procedures and, in the past few decades, in the form of flowcharts, process maps, process definitions using process execution languages and collections of business rules. Management of reference level process information is the main subject of workflow design and business rule management.

Workflow engines store information about activities and flow control. Rule management systems store and provide access to information about business rules.

Table 3 summarizes and provides examples of how IT helps manage the four types of information that are used by business processes. As evident from the table, only some of discussed technologies used in information management are considered to be “process aware”. Yet all play an important role in supporting business processes and need to be explicitly considered when discussing the level of IT support of a particular business process. The variety of the information management technologies also highlights technology integration as an important problem in business process management.

4.2 *Information Processing with IT*

From a pocket calculator to a business intelligence system, IT extends human ability to make sense of information. Such information processing capabilities are also a fundamental part of how IT supports business processes. Processing of instance level business information was the original function of IT when it was dubbed data processing technology, and remains at the core of most business applications. The type of information processing support provided by IT ranges widely both among and within processes.

Information Manipulation. The most common type of information processing support provided by IT includes information manipulation support, i.e. performing arithmetic and logical operations on data. This may include calculating the total amount for a purchase order, alphabetically sorting the list of suppliers or performing complex mathematical calculations as a part of a new product design process. Information manipulation support for instance level business information is embedded in a wide variety of functional applications, but is also provided by multi-purpose tools such as Excel. For example, a total order amount calculation would include the order quantity data (instance level), as well as product price information (reference level). In the example of the loan application, calculating the total income from all sources listed by the applicant and comparing it to the gross income indicated in the application would be an example of information manipulation support for instance level business information. Information manipulation often involves instance level and reference level business information. For example, an on-line shopping application calculates the total order amount by multiplying the order quantity (instance level business information) by the product price (reference level process information).

Information Presentation. Information presentation support is critical when a process activity requires a human participant to perform an activity using input information. Processes that are focused on transaction processing usually deal with relatively simple and structured instance level business information. Therefore, the main concern is with designing user interface that would allow the user to perceive the content of forms and reports in the most efficient manner. This includes

Table 3 Examples of IT information management support

Information management support			
	Information capture	Information storage	Information access
Instance level business information	Web forms are used to capture customer information directly from the customer	SAP ERP stores transactional data in a centralized database	SAP ERP system allows accessing purchase order information by typing purchase order number
	RFID readers are used for capturing inventory data as a part of a procurement process	A PC running Windows operating system allows storing intermediary versions of a corporate strategy document developed as a part of a strategic planning process	American Airlines reservation system allows customer to access their reservation system by typing in a reservation code and customer last name
Instance level process information	A case management system automatically captures case creation and case closure times	A DBMS stores meta-data associated with an ongoing business process	A workflow engine may be queried for the state of a given work item to facilitate troubleshooting
	A workflow system logs the assignment of a work item to a specific employee	A workflow system stores the state of a process and its associated data when an exception is encountered	A reporting tool may provide organizational reports on the aggregate status of ongoing processes
Reference level business information	The internet may be used to gather publically available reference information	A list of approved suppliers is incorporated as master data in a procurement application	Flight information is displayed to an airline customer during the reservation process using dynamically generated Web page
	Requirements tracking software is used to capture acceptable risk thresholds during the design of a loan processing application	Unit names and addresses are stored to facilitate intra-organizational transfers of paper-based work	A list of materials is made available through a drop-down box in a purchase order form in a procurement application
Reference level process information	A process model is used to capture the control flow of a business process for input into a workflow system	An engineering design application stores acceptable tolerances for a new product	A workflow engine provides access to a visual representation of an existing business process
	Microsoft Word is used to capture business rules during the design of a new business process		A rule management system allows extraction and presentation of the current rule set

providing necessary context through the use of labels, structuring data into sections or, whenever appropriate, presenting data in a tabular format. The role of information presentation becomes more critical in knowledge-intensive processes, when both instance level and reference level business information is voluminous, loosely structured and diverse. Data from an MRI scanner is an example of such complex instance level business information used as an input into a patient diagnostic

process. IT allows aggregating the numerous data points captured by the scanner to create an image of a part of the body that is meaningful to a human decision maker.

Presentation of reference level business information is equally critical, especially when human process participants are expected to make decisions based on such information. The format of information presentation (such as table vs. graph) has been shown to influence the ease with which humans can understand presented information and use it for decision making. Modern business intelligence and analytics tools provide visualization capabilities that allow users to better relate the diverse pieces of reference information to each other. For example, overlaying the store location information over a map that also shows population density and expected population growth may help better relate these three types of reference information thus making it easier to identify potential new store locations.

Instance level process information reflects the status of individual activities within the process for a particular process instance. It is used for managing the process flow (i.e. selecting the next activity to be performed), but also for resolving issues with the process instance (i.e. managing exceptions and resolving deadlocks). In addition, instance level process information is used, usually in an aggregated form, as an input into management processes. Traditionally, such information has been aggregated over a period of time and presented in the form of historical reports. However, Business Activity Management (BAM) suites allow for real-time monitoring of the process instance information, highlighting problems with individual activities or the process flow (Schmidt 2013). Such applications aid in the presentation of the instance level process information (in an aggregate form) through the use of dashboards and drill-down process analytics capabilities. A measures chain can be used to identify critical dimensions of performance including timeliness, quality and price. This produces a set of measures for each process that helps management to monitor and control process performance (Rummler and Ramias 2014).

Decision and Action Support. IT information processing extends to providing decision and action support. Decisions may be related to the process flow or be a part of an activity within the process. Process-flow decisions usually involve the selection of the next activity and rely heavily on the combination of instance level and reference level process information. If the reference level process information can be well specified and the instance level process information is available, it is possible to automate the process flow decisions using workflow automation systems. Workflow automation systems support process-flow decisions by selecting and initiating the next activity based on the process specification. The user may not even be aware of the activity selection decisions taking place.

Automation of a process flow is problematic in two cases. The first case is when the reference level process information is unavailable or incomplete (specified rules do not accommodate all instances of the process). This is particularly common in less structured managerial or knowledge processes when it is difficult or prohibitively expensive to define all possible variations in the process flow. The second case is when the instance or reference level process information is ambiguous. This

is common in social and political processes when the process participants do not agree on the meaning of information (whether business or process related).

Decisions that are a part of an activity involve processing instance level and reference level business information, generating solution options (optionally) and selecting one of the options. In the case of relatively structured decisions, IT can completely automate decisions based on pre-defined algorithms. Such full automation requires all the instance level and reference level information to be available in a format easily processed by a computer. It also requires the existence of an algorithm. Examples of fully automated decisions range from credit card payment approval to the filtering of job applicants based on resume data. The decisions that lend themselves to full automation usually involve selection between two or more predefined outcomes and do not involve option generation.

In the case of more complex decisions when the necessary reference information is unavailable or cannot be easily processed by a computer, or when the business rules (i.e. the basis for decision algorithms) are not clearly specified, IT helps generate and prioritize options or reduce the number of options to a number easily processed by a human. For example, a retailer may seek to increase sales of a particular product by associating it with other products commonly purchased at the same time. Given the possibility of thousands of product combinations and hundreds of thousands of sales transactions, manual approaches to such problems may be prohibitive. However, using statistical software and data mining techniques (specifically, market basket analysis), the retailer can easily identify the one or two other products commonly purchased in conjunction with the target product. Thus, while the IT is incapable of making the decision directly, it facilitates human decision making by reducing the complexity of the problem.

The various types of the information processing support provided for IT are presented in Table 4. The examples in Table 3 illustrate the importance of information processing as a part of business processes and highlight the variety of IT tools and technologies that support information processing during process execution.

4.3 Communication with IT

Communication support represents yet another way in which IT contributes to the effective and efficient execution of business processes. Communication research distinguishes between two types of communication processes: conveyance and convergence. Conveyance processes refer to the transmission of information between the sender and the receiver. Convergence processes refer to the creation of the shared meaning of information (Dennis et al. 2008). Although both types of communication processes can involve human and non-humans (information systems), we will focus on three types of communication processes: (1) human-to-human conveyance processes (this will be similar for the human-to-system or

Table 4 Examples of IT information processing support

Information processing support			
	Information manipulation	Information presentation	Decision and action support
Instance level business information	ERP systems calculate total order values based on order quantities	Workflow systems employ a GUI and different screen layouts for users to view data for each case.	A system recommends an insurance claim is approved based on the business rules
Instance level process information	Workflow systems may calculate process performance metrics	Performance trackers display performance data related to a process Dashboards are used to present current status of process activities	A system recommends an insurance claim be routed to fraud investigation based on the business rules
Reference level business information	Product price is used in a calculation of total order quantity	Supplier location information is superimposed on Google maps A list of approved suppliers are embedded in an application	ERP vendors embed best practices into their business processes (Davenport et al. 2010)
Reference level process information	Rule management system manipulates the data based on the process rules that are stored	Modeling languages present process details using graphical symbols and visualization techniques	Business Activity Monitoring (BAM) examines process execution during runtime to aid in making decisions regarding process execution to improve process models (Schmidt 2013)

system-to-human information conveyance), (2) human-to-human convergence processes and (3) system-to-system conveyance processes.

Human Communication Processes (Conveyance). Human-to-human communication occurs when a process involves two activities that are performed by human actors (whether or not supported by IT). Effective execution of the process requires the transmission of information between the activity participants. Such information may include instance level business or process related information (especially if the activities are a part of the same process). For example, in expense report approval process, instance level business information, such as the type of expenses, the dollar amounts and dates, need to be transmitted from the employee submitting the expense report to the approving manager. In addition, instance level process information that the employee has completed the submit expense report activity, needs to be communicated to the approver. The two pieces of information can be transmitted together directly from one process participant to another, for instance, as an email attachment. The two pieces of information can also be separated and the instance level business information can be stored using IT, while the instance level process information can be both stored and transmitted as a message from one participant to another.

Similarly, reference level business and process information needs to be transmitted between the participants in the process that supplies reference level information and the participants in the process that utilize the data. Because it is expected that the reference level information gets updated infrequently compared to the frequency of the process instances, transmission of reference level information is likely to take place each time the reference level information is updated. The information will then be stored until it needs to be referenced by the instance of the process. In the case of expense reporting, reference level business information may include per diem rates that are revised on an annual basis, or a list of allowable expenses which are revised as different types of expenses are approved. Reference level process information would include rules about what types of expense reports need to be approved, by whom and what information needs to be verified as a part of the expense report approval activity.

Conveyance of instance level and reference level business information is best performed in an asynchronous manner, because it does not require participants on both sides to interrupt their on-going activities as the information can be referenced at a later time. Therefore, conveyance of business information is effectively achieved by storing the information in a location that is accessible to both participants. For example, expense report data may be stored in a financial database, and per-diem rates may be stored on a shared information drive. Ensuring that the sender and the recipient have access to the storage medium at the time when they need to update or retrieve information requires extensive telecommunication infrastructure. Conveyance of instance level process information may require a push-based approach to communication so that the recipient is aware that he/she can now start performing an activity. It may also be beneficial if the sender receives feedback confirming that the recipient has received the instance level process information. This may require a more synchronous type of communication, such as instant messaging, which also requires telecommunication infrastructure for delivering the message.

Human Communication Processes (Convergence). Convergence is another important communication process. The goal of convergence is the creation of a common interpretation of information. Therefore, convergence processes are of particular importance when ambiguity exists regarding the meaning of business or process information. Process design and specification activities aim to reduce ambiguity in process related information. However, such ambiguity cannot always be resolved due to high cost or political considerations. Moreover, the meaning of organizational information can shift over time, resulting in information ambiguity. The level of ambiguity in instance level and reference level business information varies significantly from process to process, and even among activities within the same process. When high levels of ambiguity exist, it is necessary for process participants to resolve such ambiguity through convergence processes. Synchronous communication such as a face-to-face meeting is considered optimal for convergence processes. However, communication media that allow for a relatively high degree of synchronicity, such as video conferencing (e.g. Skype) and instant messaging, can provide support for convergence activities.

System-to-System Communication (Conveyance). Unlike humans, information systems are still relatively weak in dealing with ambiguous information. System-to-system communication typically requires a priori resolution of information ambiguity. Adoption of standards helps in reducing ambiguity in system-to-system communication. Therefore, system-to-system communication is usually focused on the conveyance of information. For instance, web services excel as a mechanism for one system to interact with another. But this interaction is necessarily structured. Not only must the initiating system know where to find the web service (either through a priori knowledge or use of a Universal Description, Discovery and Integration (UDDI) service), it must know specifically what information it must send in the request and the structure of the information contained in the response (as specified in the Web Services Description Language (WSDL) interface description). System-to-system communication usually involves instance level business or process information, such as purchase order details, delivery date or the status of the delivery process. System integration that would enable system-to-system transmission of reference level business and process information presents an opportunity for business process improvement and management.

Examples of how IT supports the communication among humans and systems are presented in Table 5.

5 Relationships Between Different Types of IT Support

The four types of information and the types of IT support discussed above are inter-related. Let us discuss several examples of interdependences among information types and IT support using three different activity sequences for an expense report approval process (see Figs. 3, 4 and 5). The first process definition requires the approver only to verify that the claimed amounts match the receipts. The second process definition additionally requires that the expenses be related to a project and that the assignment of an employee to a particular project is verified. Finally the third process definition does not require relating expenses to projects, but instead requires checking that the total of dining expenses for each day does not exceed the maximum allowable daily amount.

Interdependencies among Different Classes of Process Information. Process definitions constitute reference level process information. Such definitions also define which instance level and reference level business information is necessary for processing each instance. The first process definition only requires matching of the expense report with the receipts. Therefore, the instance level business information must include the expense report data (employee ID and name, dates of the report, date of each expense, type of each expense, amount of each expense and the total amount) and the receipts. The second process definition requires the approver to check if the expenses are appropriately related to a project. This requires that the instance level business information be amended so that each expense is classified as project related or not. This also requires that the approver has access to reference

Table 5 Examples of IT communication support

Communication support			
	Human communication processes (conveyance)	Human communication processes (convergence)	System-to-system communication (conveyance)
Instance level business information	Order details are conveyed by the workflow system from one employee to the department manager for approval	Loan approval officer calls an applicant to resolve ambiguity in the employment history information on a loan application	Choreography allows different BPMS of collaborating partners to exchange messages (Barros 2014) A retailer may send customer information to a business partner in order to drop ship a product to a customer
Instance level process information	Status of an order being handled by an employee is conveyed to the supervising employee by the workflow system	A controller is included into a video-conference to verify the level of finalization of account statements to the financial strategy committee	During the hand off of processing from one system to another, process status and meta-data may be conveyed
Reference level business information	Business rules and acceptable values are conveyed from business owners to workflow system users through system help links	Collaboration software or video-conferencing is used to agree upon appropriate reference data	Company news data is received via RSS feeds and is then used for making investment decisions
Reference level process information	Process maps created by modeling tools (including Visio) are used to convey process structure	Social BPM tools such as wikis enable collaboration during process modeling (Mathiesen et al. 2012)	A developer models a process on a workstation which is then exported into the workflow engine for execution

level business information, such as the list of projects, and the dates of employee assignment on each project. In the third process definition, the approver is required to check that the total of daily dining expenses do not exceed the daily maximum. Such definition does not alter the instance level business information requirements compared to the first definition, but requires the approver to have access to reference level business information such as allowable daily maximum dining expenses. This illustrates that there is a direct relationship between the reference




Fig. 3 Simple expense report approval




Fig. 4 Expense report approval with project verification

level process information and the instance level and reference level business information required to execute a process.

Interdependencies among IT Support Types Capabilities. The different business information requirements defined by the reference level process information create different needs for IT support. The first process definition requires that the expense report and the receipts be received from the employee, read, and compared to each other. Let us consider IT support needs in relation to instance level business and process information. Information management support can be provided by storing the expense report data in a RDBMS and scanned copies of the receipts on a shared drive. Ideally, the information management support should also allow easy access to the receipts pertaining to a particular expense report. This would then require telecommunication infrastructure to ensure that both the employee and the approver have access to the stored data from their work place (communication support). Communication support can then be extended to sending a message to the approver about the arrival of a new expense report and then sending a message to the employee about the approval status. The information processing support needs would then include the information presentation needs (presenting the receipts and the expense report on the screen so that it is easy to compare the dates and the amounts). Recall that we assume that the receipts are stored as scanned image files, and they cannot be easily read by a computer and parsed into structured data items. Therefore, the reading and the matching has to be done manually, which makes it impossible for IT to provide decision support.




Fig. 5 Expense report approval with expense verification against daily maximum

Let us now consider a scenario which may appear futuristic in the context of personal expense reporting, but is rather common for other types of expenses. In many business purchasing scenarios, receipts are received as a structured data document from a vendor and are then provided to an approver. Such scenarios require IT to provide support for the system-to-system communication between the vendor issuing the receipt and the expense approval process, as well as data management capabilities for storing the receipt data in a structured form. The availability of the receipt data in a form that is readable by a computer would then enable automatic comparison of the receipt with an expense report (manipulation support), and would thus make it possible for a SW application to recommend approval or rejection of the report (decision support). This illustrates that the need to provide information processing support often places demands on both information management and communication support. If communication with a vendor breaks down, the automated process that requires receipt information to be obtained from the vendor and stored in a structured form can no longer be executed as defined in Fig. 3.

Interdependencies between IT Support Types and Information Types. The information used by a process also influences, and is influenced by, the IT support. Let us compare the definitions of the expense reporting process presented in Figs. 3 and 5. The process definition in Fig. 3 requires a comparison of values in the expense report and corresponding receipts and can be easily handled by a human. The process definition Fig. 5 requires categorizing the expenses by date and type (e.g., dining, travel, accommodations, etc.), adding the receipt amounts within each category and comparing it with the maximum allowable amount. Such an operation is relatively complicated and information manipulation support by IT (e.g. feature that would calculate the sum of all dining expenses) can significantly improve the efficiency of the process. This suggests that IT support requirements are influenced by process definitions, i.e. the reference level process information. The reverse is also true. By providing a higher level of information management, processing and communication support IT can make it feasible to include more information inputs and decision points in the process definition, thus influencing reference level process information.

ICT support requirements are also influenced by the characteristics of the business information. For example, the process definition in Fig. 4 requires that the approver check if the employee submitting the expense report has worked on the project specified in the expense report. If the information about the employee engagements on projects is always available in an unambiguous form such information can simply be accessed as a part of the processing. If the information about employee engagements is not readily available or is ambiguous, all participants of the expense report approval process need to reach consensus about the meaning of this information. This may, for example, take place through a phone call between the project manager and the employee. Thus information ambiguity can call for synchronous communication media that best supports the convergence communication process. This illustrates the inter-dependence between the information used in process and the IT support requirements.

6 Practical and Research Implications

In the previous sections we have discussed the different types of information used by business processes and the different types of support that IT can provide in relation to these information types. The discussion has several important implications for process design, IT development and management.

First, the differentiation between the four types of information used by business processes provides a framework for evaluating process design. Specific metrics may be developed to measure the extent to which instance and reference level requirements are specified for each activity within the process and whether such requirements are consistent with each other. The processes can also be assessed in terms of their dependence on external information sources (other processes within an organization and external providers). Such assessments may be instrumental in evaluating alternative designs for a process. For example, processes can be designed so that some of the processes are only depended on internal sources and others rely on external sources of information and thus act as information interfaces between the organization and its external environment.

Second, processes can be evaluated on the extent to which each of the activities and the process as a whole are supported by IT. For example, information management support metrics may focus on availability, quality and ease of access to the instance and reference level data required for each activity. Processes can also be assessed in terms of gaps between the information management, processing and communication support requirements and the actual levels of support available.

Consideration of the information requirements and IT support is also important in the design of the business processes and of the supporting IT. First, the availability of information and the cost of obtaining such information need to be considered before such information is defined as an input into an activity. Second, potential variations in quality and availability of business information should be reflected in the design of the process. The close relationship between the information requirements and the need for providing information management, processing and communication support through IT makes necessary to consider IT capabilities in the design of the process.

7 Conclusions

In this chapter we explored the various ways in which IT supports business processes by enabling management, processing and communication of information. Information management capabilities include information capture, information storage and information access. Information processing capabilities include information manipulation, information presentation and decision and action support. Communication capabilities include human-to-human (or human-to-system) information conveyance support, human-to-human convergence support and systems-to-

system conveyance support. Information used by processes can be characterized by information domain (business vs. process) and information level (instance vs. reference). Thus four types of process information can be identified: instance level business information, reference level business information, instance level process information and reference level process information. The IT information management, processing or communication support then can be applied to each of the information types.

The proposed view has two primary benefits. First it allows considering the role played by diverse IT tools and solutions in supporting business process. Second, it does not a priori differentiate between process types. This framework can be applied to a variety of processes and allows practitioners to develop common metrics for IT support for business processes and for defining the value of IT based its contribution to the organizational value chain.

References

- Barros A (2014) Process choreography modelling. In: vom Brocke J, Rosemann M (eds) Handbook on business process management, vol 1, 2nd edn. Springer, Heidelberg, pp 279–300
- Chaudhuri S, Dayal U, Narasayya V (2011) An overview of business intelligence technology. *Commun ACM* 54(8):88–98
- Davenport T, Harris JG, Morison R (2010) *Analytics at work: smarter decisions, better results*. Harvard Business Press, Boston
- De Hertogh S, Viaene S, Dedene G (2011) Governing Web 2.0. *Commun ACM* 54(3):124–130
- Dennis AR, Fuller RM, Valacich JS (2008) Media, tasks, and communication processes: a theory of media synchronicity. *Manage Info Syst Q* 32(3):575–600
- Evangelopoulos N, Visinescu L (2012) Text-mining the voice of the people. *Commun ACM* 55(2):62–69
- Greengard S (2012) Advertising gets personal. *Commun ACM* 55(8):18–20
- Harmon P (2014) The scope and evolution of business process management. In: vom Brocke J, Rosemann M (eds) Handbook on business process management, vol 1, 2nd edn. Springer, Heidelberg, pp 37–80
- Jung J, Choi I, Song M (2007) An integration architecture for knowledge management systems and business process management systems. *Comput Ind* 58:21–34
- Kanipe J (2012) Cosmic simulations. *Commun ACM* 55(8):13–15
- Kemsley S (2014) Business process management and the social enterprise. In: vom Brocke J, Rosemann M (eds) Handbook on business process management, vol 1, 2nd edn. Springer, Heidelberg, pp 463–474
- Koschmider A, Oberweis A (2014) Recommendation-based business processes design. In: vom Brocke J, Rosemann M (eds) Handbook on business process management, vol 1, 2nd edn. Springer, Heidelberg, pp 323–336
- Kumar A, Wang J (2014) A framework for resource-based workflow management. In: vom Brocke J, Rosemann M (eds) Handbook on business process management, vol 1, 2nd edn. Springer, Heidelberg, pp 507–530
- Mathiesen P, Watson J, Bandara W, Rosemann M (2012) Applying social technology to business process lifecycle management. In: *BPM 2011 workshops part I*, Clermont-Ferrand, France, August 29, 2011, pp 231–241
- Mitra NJ, Yang YL, Yan DM, Li W, Agrawala M (2013) Illustrating how mechanical assemblies work. *Commun ACM* 56(1):106–114

- Ouyang C, Adams M, Wynn M, Hofstede A (2014) Workflow management. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 1, 2nd edn. Springer, Heidelberg, pp 475–506
- Rosemann M, vom Brocke J (2014) Core elements of business process management. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 1, 2nd edn. Springer, Heidelberg, pp 105–122
- Rummler G, Ramias A (2014) A framework for defining and designing the structure of work. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 1, 2nd edn. Springer, Heidelberg, pp 81–104
- Savage N (2012) Better medicine through machine learning. *Commun ACM* 55(1):17–19
- Schmidt W (2013) Business activity monitoring. In: Rausch P et al (eds) *Business intelligence and performance management advanced information and knowledge processing*. Springer, London
- Seidel S, Recker J, vom Brocke J (2013) Sensemaking and sustainable practicing: functional affordances of information systems in green transformations. *Manage Inform Syst Q (MISQ)* 37(4):1275–1299
- Sidorova A, Isik O (2010) Business process research: a cross-disciplinary review. *Bus Process Manag J* 16(4):566–597
- van der Aalst WMP, Hofstede AHM, Weske M (2003) Business process management: a survey. *Proceeding of the International Conference on BPM*, Eindhoven, The Netherlands, 26–27 June.

In-Memory Data and Process Management

Hasso Plattner and Jens Krüger

Abstract Today, the affordability of commodity hardware with multi-core CPUs and several terabytes of main memory has enabled enterprises to change the way of how they operate their businesses. With the ability to hold the entire data set of an application in main memory, it is now possible to unify transactional and analytical data processing to provide a single source of real-time data. This allows decision-makers to better understand their enterprises, quickly adapt to business transformations, and swiftly react to unexpected influences at a lower cost of operating IT systems. In this chapter, we first provide an overview of the potential benefits and applications of in-memory data management. Furthermore, we discuss the technological foundations and feasibility of this technology in detail. Finally, we present a bypass solution for a non-disruptive transition to in-memory data management in the context of an enterprise IT architecture.

1 Introduction

In recent years, we have seen a dramatic change in the performance of commodity hardware. Especially the advent of multi-core CPUs and the availability of large main memory capacities at low cost are enabling new breakthroughs in data management. With these changes, it is now possible to store data sets of enterprise applications, such as enterprise resource planning (ERP) systems, even of large companies entirely in main memory. This offers data access performance that is orders of magnitudes faster than traditional disk-based systems. Holding the entire data set of an application in main memory of servers, rather than on secondary storage such as hard disks and optimizing data access towards main memory and CPU-integrated memory, is what we call in-memory data management. Applied to

H. Plattner (✉)
Hasso Plattner Institute, Potsdam, Germany
e-mail: hasso.plattner@hpi.uni-potsdam.de

enterprise applications, the performance gain of this approach is so dramatic, that it becomes feasible to unify the data management for transactional and analytical applications, leading to innovative applications and better informed management decisions at a lower cost for operating the IT systems. This development has the potential to change how enterprises work and finally offer the promise of real-time analytics or “operational BI” (Gillin 2007).

This chapter gives an overview of in-memory data management for enterprise applications. We start by describing the benefits of this technology in enterprise scenarios, namely real-time data access, broader and deeper analyses, as well as a simplified IT architecture. In Sect. 3, we explain the main technological foundations that make in-memory databases feasible. We conclude by discussing innovative applications that become feasible with in-memory technology and describe a viable approach for a non-disruptive transition to this new technology in an enterprise IT architecture.

2 In Memory Data Management: A Game Changer for Enterprise Applications

With in-memory data management, companies can generate more value out of the massive amounts of data collected in a company and completely change the way we work today. We illustrate this by emphasizing the value of accessing data in real-time, by leveraging untapped data sources for deeper analyses, and by describing how in-memory data management simplifies a company’s IT architecture, eventually leading to lower operating cost. For a more detailed study on how in-memory database management systems create business value see vom Brocke et al. (2014), who have identified first and second order effects based on case study research with the Hilti corporation, an early adopter of the in-memory appliance SAP Hana.

2.1 Real-Time Information Access

“Real-time information access” entails two requirements for enterprise systems. First, the latest data available is taken into account when answering a query. And second, the response time of a query is so low that it does not disrupt the workflow of the user.

Accessing the latest data is important for any decision linked to a fast-paced business process. As an example, production planning should take the latest available data of all orders into account to avoid excessive inventory and ensure continuous production supply. Dunning should take the latest incoming payments into account to avoid wrong calculations of outstanding amounts and support customer relation management (CRM) with real-time information about a customer’s current status.

A quick response of a user interfacing computer program is a key requirement for a natural human computer interaction. The reaction time of an application




Fig. 1 “Information at the fingertips” (Gates 1994) in a board meeting

should not be significantly longer than a second, otherwise a user will perceive this as waiting time, potentially switching attention from the interaction with the application (Plattner and Zeier 2012). As an example, an Internet user expects the response time of a web search immediately and refines his or her search on the fly should the results not meet expectations. We envision the interaction with enterprise application in such a natural way. Similarly to the Internet user, a user of enterprise applications should be able to analyze massive amounts of data in real-time. However, this requires that queries like the average batch size for the order of a given product, can be answered instantly.

Both requirements, short response time and reporting on latest data, are typically not fulfilled in today’s enterprise IT landscapes, consisting of separated systems for transactional and analytical systems. As a consequence, reports typically do not directly work on operational data, but on aggregated data from data warehouses. Operational data needs to be transferred into this data warehouse in batch jobs, which typically implies a time delay of a couple of hours. Additionally, the aggregation of transactional data requires the reports to be pre-defined. Ad-hoc reporting on the most up-to-date data is therefore not possible with this architecture.

With enterprise applications based on in-memory data management, we consider this as subject to change. Transactional and analytical data processing can be unified, allowing analytical queries to run directly on operational data, finally offering the promise of real-time computing and having a single source of truth. Being able to access a company’s data and process even complex queries in real-time allows a company to leverage the masses of data collected in entirely new ways. The vision of “Information at the fingertips”, a term introduced by Bill Gates in 1994 (Gates 1994) for a future in which arbitrary information is available from anywhere, becomes true for the enterprise world. Figure 1 shows our interpretation with meeting attendees situated in several locations, all browsing and analyzing a company’s data in real time for decision support.

2.2 Unlock Untapped Data Sources for Analytics

In an ideal world, we could draw more conclusions from the data of an enterprise than we currently do. As an example, calculating a single product's cost and revenues for each market region is typically a query which is too expensive to run in most companies with a complex product portfolio. A common strategy is to agree on a certain granularity of analysis and store the results pre-aggregated in a data warehouse. In the given example, this could be to store only the cost and revenues for product categories instead of every single product, or on coarser regions such as on state level instead of any single district. This illustrates that even if a company has the corresponding data to answer a given query, it is often restricted by the performance capability of their data management systems. In other words, companies are hindered of fully leveraging their data sets.

With the power of in-memory data management, companies have the possibility to process even their largest data sets and drill down to item level, as all aggregations are calculated on the fly, based on primary event data. In addition, the increased performance can also be leveraged to include third party information in analyses, such as social media data, market data, or demographic information. In Sect. 4.2, we illustrate how real-time access to inventory and sales data can be leveraged in sales dialogs with customers.

2.3 Simplify Enterprise IT Architectures

As described in the previous two sections, holding all data in memory can boost the performance of queries. This also affects systems design. Many system components we find in an enterprise's IT landscape, like operational data stores or redundant materialized data views, have been introduced solely to optimize response time for analytical queries. These redundant data stores need to be kept synchronized, introducing a significant overhead. With in-memory data management, we can handle requests fast enough to scan huge amounts of data on the fly, making most of the redundant data storage unnecessary. In Sect. 4.1 we show how the transition from a typical system landscape with a separated OLTP and OLAP data management to a simplified architecture with a common in-memory database can be organized.

Additionally, to take load from the database, a common practice in enterprise applications is to just retrieve data from the database and run the computation in the application. With in-memory data management, many of these calculations can be run directly in the database, simplifying the application software stack and avoiding the necessity of transporting massive amounts of data out of the database for computation. Our current experience in application development on the basis of in-memory technology shows that the size of the application code can be reduced by up to 75 %.

3 Technical Foundations of In-Memory Data Management

This section will focus on the technical foundations of In-Memory Data Management and briefly explain the basic concepts that make in-memory databases feasible.

One big driver for the feasibility of In-Memory Databases (IMDB) has been advances in hardware development in recent years. Multi-core CPUs and increased size of main memory at an affordable price allow the storage of entire operational data sets of even large enterprises in main memory. Additionally, optimizing the design of the IMDB in respect to the characteristic data access patterns of enterprise applications leads to significantly improved data access times, allowing to merge already existing transactional and analytical databases again (Krüger et al. 2010a). Key observations have been that the database workload of today's enterprise applications constitutes mainly of read queries (Krüger et al. 2010b) and that data sets contain recurring values to a large extent (Hübner et al. 2011). Therefore, data structures have been optimized for main memory access and dictionary compression as well as employing an insert-only strategy. We will discuss these technological foundations in the following section.

3.1 *Holding the Entire Dataset in Memory*

Today, servers with a size up to several TB of main memory are available as commodity hardware, making In-Memory Databases (IMDB) or Main-Memory-Databases (MMDB) (DeWitt et al. 1984; Garcia-Molina and Salem 1992) applicable as a database management system for large-scale enterprise applications, such as enterprise resource planning (ERP) systems.

Nevertheless the question arises to what extend complete databases can be maintained in main memory simply due to increasing data sizes. Although data volume in enterprise applications is steadily increasing, the growth of data in general is by no means as fast as is unstructured data, for example in social networks. Transactional processing in enterprises is based on actual events connected to the real world as is the number of customers, products and other entities in the real world. These events of transactional processing do not grow as rapidly as main memory capacities. On the basis of organizational and functional partitioning most systems do not exceed the active size of several terabytes.

3.2 *Locality Is King: Storing Data in Columns*

Compared to the increase in main memory capacity, the memory access latency and the memory range have hardly improved. In order to utilize the full range of main memory efficiently, modern CPUs use multi-level cache architectures which circumvent range limitations in memory access or at least minimize it as shown in

Ailamaki et al. (1999) and Boncz et al. (1999). These so-called memory hierarchies use the fact that smaller but significantly faster memory technologies operate closer to the CPU, but introduce the fact that memory access time depends on the data currently residing in caches. As a consequence of this and the fact that memory access happens in blocks, referred to as cache lines, is that all algorithms and data structures need to be optimized to use existing architecture efficiently (Grund et al. 2011; Krueger et al. 2010).

In Manegold et al. (2002) show that processing time of memory internal data access is determinable by the number of cache misses. In this way CPU cycles and cache misses can be used as an equivalent of time. What follows is that to optimize performance of main memory driven systems primarily optimizing cache utilization as well as reduction of cache misses are of importance. As an example, a productive implementation such as SAP in-memory database product HANA reaches up to 2 MB/ms per core, allowing to scan tables of several gigabytes in less than a second (Plattner 2010). To leverage this observation, data needs to be arranged in a way that allows sequential reads, so that the loaded cache lines are utilized as much as possible.

We have two fundamental options to store a relational table in memory: per row or per column. In a row store, each row of a table with all its values for each attribute is stored consecutively in memory, followed by the next row in the table. In a column store, the attributes are stored consecutively in memory, followed by the next attribute, so that a single row is spread over several distinct locations. Figure 2 illustrates both access patterns in relation to the storage variant for two queries. The query in the upper row queries the table for all records where an attribute “d” has a particular value. Assuming an index on “d” and a match in our table, we can read the data consecutively in memory, fully utilizing the cache lines. In the column store, we need to read the value for each attribute of the record separately; as the data of a record is not stored consecutively in memory, reading unused data with each cache line. For illustration, a record, as well as a column of our example table fits in one cache line. Although a record of a table, as well as a column, consists of multiple cache lines in size in a real scenario, the principle of reading unused data is analogous to larger tables.

The data-access illustrated in the lower row shows a query in which only two attributes of each record need to be read to answer the query. These kinds of queries are typical for analytical queries (OLAP) that aggregate single attributes for a large number of records. In contrast to the query discussed above, this leads to reading large amounts of unused data in the row store and a good utilization of cache lines in the column store. Given the fact, that tables in real enterprise applications can easily reach several million rows, it becomes evident that queries similar to the one shown in the lower row of Fig. 2 become extremely expensive for row stores. Consequently, traditional disk-based database systems optimized for transactional queries, such as Oracle or IBM’s DB2, apply a row-based storage model. Column-oriented databases are applied in databases that focus on analytical workloads, such as Sybase IQ.




Fig. 2 Data access: row-and column-oriented

Especially in the context of transactional, or rather combined workloads, the above described disadvantages have prevented the use of column oriented schemas. Only the combination of column-oriented storage and in-memory data storage enables such scenarios.

In addition, assumptions regarding transactional processing have changed over the years. Krüger et al. (2010b) analyzed the workload produced by transactional applications and found that the workload is dominated mainly by read queries. Even if those queries consist of approximately 50 % of single record selects by key, a column-oriented main memory database can play out its advantages as the tuple reconstruction – through fast random access functionality of the main memory in comparison to the hard drive – can offset the disadvantages of vertical decomposition.

Further advantages of column orientation become obvious when analyzing data characteristics in enterprise applications (Hübner et al. 2011). One characteristic is sparsely populated tables; this means that many columns have a low cardinality of distinct values. Taken together with the fact that columns are maintained separately, this enables attributes to be compressed individually with the benefit that the number of distinct elements of a certain column is limited by its contents.

A further potential optimization in regard to cache-usage is a combination of row and column storage in a hybrid table structure that groups attributes together. The system dynamically adjusts the groupings depending on the workload, how columns are accessed (e.g. mainly aggregations or single tuple accesses), or which

columns are accessed frequently together. Such a column-grouping optimizes the accessed data fitting into a cache-line and therefore minimizes cache misses (Grund et al. 2011).

3.3 *Increasing Information Density by Compression*

Moore's law says that the number of transistors on a chip doubles every 18 months and this has shown to be valid for more than 35 years. However, it is not valid for the development of hard disk and main memory access speeds, so that for the majority of requests, despite cache optimized data structures, I/O delay represents the biggest bottleneck. The growing gap between speed increase of CPUs on one hand and storage on the other hand is a known problem and is described for example in Boncz et al. (1999) as well as Mahapatra and Venkatrao (1999). Lightweight and lossless compression techniques assist to diminish the bottleneck as they allow using the available range more efficiently, where potential additional costs for unpacking are absorbed by improved CPU performance. While early work as shown in Cormack (1985) had its focus on improving the I/O performance by reducing the data to be loaded, later work (Abadi et al. 2006; Westmann et al. 2000) focuses on the compression effects in regards to read performance, for example through the application of 'late-materialization' strategies. In this instance, the focus is on light compressions that allow direct access to single values without having to unpack the entire data.

Compression techniques use the redundancy within the data and knowledge of the particular data domain to be compressed to do so most efficiently. On the basis of different properties of column oriented data structures compressing these is especially efficient (Abadi et al. 2007). As all data within a column (a) belong to the same type of data and (b) usually have a similar semantic, this results in a low information content (entropy), which means there are many instances of little differing values. Especially enterprise applications, concerned with working through or capturing repeating processes and events, never exhaust the value range available to them based on the type of data they are working with. We often encounter the case that only few values are being used, because the business for example uses only a limited amount of different materials and products (instead of using an 32-bit integer to store the ID of the 1,000 available products, 10-bit integers can be used to save storage).

With Run Length Encoding (RLE) the repetition of a value is stored via a tuple (value, run-length). For example the sequence "aaaa" is compressed to "(a, 4)". This approach is particularly applicable to sorted columns with little variety in their attribute values.

If the column is unsorted, Bit-Vector-Encoding is more suitable. Essentially a frequently occurring attribute value within a column is associated with a bit-string, where the bits reference the position within the column and only those bits fix the occurring attribute value through their positioning. The column is then stored without the attribute value and can be restored with the assistance of the

bit-vector. This procedure is ideal when the cardinality of the individual values is low or even a single value dominates the load.

Another prominent example of a light-weight compression technique is dictionary encoding, where frequently occurring patterns are replaced by shorter symbols. In case of a table attribute, every distinct value is stored in a dictionary and the value in the column replaced by a key that points to the value in the dictionary. A further optimization is bit-packing of the dictionary keys in order to reduce the size of the column. With bit-packing, instead of storing the position of the referenced value with a default 32- integer value, only the required number of bits is used to reference the position in the dictionary. If the dictionary stores 1,000 distinct values and the column has 1 million entries, the compressed column is reduced to 5 million bits instead of 32 million bits. A sorted dictionary allows further optimization, as the original relation between values can be deducted from the keys without looking them up in the dictionary.

Information density in relation to the used storage space is increased by compression within columns. This enables more relevant information to be loaded into the cache for simultaneous processing. These techniques are also applicable for row oriented storage schemas, but are more efficient when used in combination with column-oriented data structures and data processing in main memory. Lightweight compression schemes are particularly applicable for data management of enterprise applications, as we typically see a lot of recurring values and a finite domain, as analyzed in (Hübner et al. 2011). Especially analytical queries that do not rely on pre-aggregated results, but are computed in real-time can be processed considerably faster, when compression techniques are used where aggregation is possible without decompression.

3.4 Insert-Only Strategies

Insert-Only data systems define a category of database management systems where logical changes to the database are realized by appending new records to the physically stored data set. On the logical level, data sets can be deleted or updated, but on the physical level, records that have been inserted are never updated. Even update and delete operations lead to inserts. These modifying operations are transferred in a technical insertion, during which a time reference is logged. Inserted data sets are only valid until they are overwritten by a new insert and are therefore time dependent; however, even updated records are kept and thus, the entire history of data modification is stored.

Storage of complete histories of all enterprise data is particularly important in contexts where tracing and storing of such histories is legally required. An example is a client who has a billing complaint that has been forwarded to an outdated address. In such a case it must be possible to reconstruct this. Another example is the alteration of an accounting document. Here the alteration history is vital.

This kind of data storage also enables analysis of historical data as any moment in time can be reconstructed. Today dedicated business warehouse systems are

being used that offer this functionality by allocating a time dimension during the loading process to the received data of transactional systems.

In addition to the aforementioned benefits, storing older versions enables Snapshot Isolation (Berenson et al. 1995); this means that the database can guarantee that a transaction will operate over the entire run-time of the data that have not been altered by other transactions without an explicit locking procedure. This consistency is implemented at read-time. The query can operate on the data that was valid at the time the transaction was started. This simplifies data management and usually is sufficient for enterprise applications, because due to complex locking logic, implementing locking on the application level of the data to be processed is necessary anyway.

There are several techniques for the storage of time dependent values. Delta sets are used for the storage of alterations in discreet representations. Here all older versions have to be read to determine the actual valid data set. In order to modify a data entry, it is not necessary to read the entire row as all unaltered values can be filled with, for example a pre-defined standard value, like a Not Altered reference. This reduces the data volume to be read required for insertion. Besides, not all columns have to be read for this operation. The main disadvantage of this method is based on the fact that all previous versions must be read to generate the actual valid version. This becomes the more costly the more modifications occur over time.

The second option to store time-based values in a row as interval storage. The difference is that for every row a validity interval is stored. When a new row is inserted the actual point of time is fixed as starting point and the end point is left open. In case this row is modified the point of ending is fixed and a new row is inserted with this very time reference as its starting point. Although the old row had to be read, there are advantages during the search as the previously valid row, thanks to the stored interval, is easy to find and not all rows have to be read.

A further frequently referred criticism of the Insert-Only technique is the expected increase of storage requirements. But on the one hand update operations in the context of enterprise applications occur significantly less than anticipated (Krüger et al. 2010b) and on the other hand the applied compression technique ‘Dictionary Encoding’ makes sure that unaltered attributes use little additional storage space as the dictionary remains untouched.

3.5 Putting it All Together: SanssouciDB – A Blueprint for an In-Memory Database

This section provides a brief overview of a blueprint for an in-memory database based on the concepts discussed, called SanssouciDB; an in-depth description of SanssouciDB can be found in Plattner and Zeier (2012) and Plattner (2011). All columns are stored dictionary-compressed to utilize main memory efficiently. Since column-orientation typically favors read-mostly analytical workloads, updating and inserting data into dictionary-compressed column structures is challenging. The

reason is the usage of sorted dictionaries to store the unique values of the column. When a new value – which is not lexicographically the last item – is inserted into the dictionary, all following dictionary entries have to be shifted to the back and therefore change their position in the dictionary. This position change automatically implies an update of all entries in the column, that refer to the shifted dictionary items. To achieve high read and write performance, a common concept in column-oriented databases is to use an additional data storage besides the read-optimized main partition (Stonebraker et al. 2005; Boncz et al. 2005): a write optimized differential store.


Figure 3 illustrates the overall architecture, which is described in more detail in Plattner and Zeier (2012) and Plattner (2011). The database system is designed to run on a cluster of blades to allow scale-out in case the data size exceeds the main memory of a single machine. An interface service is responsible for session handling and the distribution layer coordinates the working nodes which hold the actual data in main memory. Therefore it synchronizes metadata across nodes, distributes queries, and manages global transactions.

The data set is stored in main memory of a computing node, or partitioned across several nodes if needed. Each node consists of a main store, a differential store, and a collection of indexes. The read-optimized main store operates on a sorted dictionary, whereas the write-optimized store appends new values to its dictionary, without sorting the dictionary each time. Sorting the dictionary can increase query execution speed, as range queries can be executed on compressed data, as discussed in Sect. 3.2.

Each column illustrated in Fig. 3 is stored physically as a dictionary vector that stores the mapping of values to value IDs and an attribute vector that holds the value IDs corresponding to the values of the stored records. If attributes of several columns are mainly accessed together, they can be stored as combined columns to leverage data locality for fast read access. Indexes are defined to further reduce access time for certain columns. As enterprise applications access data mainly in terms of business objects, a special index called object data guide is provided, which is a join index for querying the tree-shaped data of business objects (Plattner and Zeier 2012).

To achieve durability in case of a system failure, the in-memory database writes log information to persistent memory. This log information is used to recover the latest consistent state in case of a failure and thus guarantees durability. We have proposed an efficient logging mechanism for dictionary-compressed columns in Wust et al. (2012). Furthermore, historic data that is not accessed frequently anymore, so-called passive data, can also be moved to non-volatile memory and loaded if needed.

Fig. 3 Conceptual overview of the underlying in-memory database (Plattner and Zeier 2012)



4 In-Memory Data Management in Action

In the previous sections, we have shown what general improvements in enterprise applications we expect with in-memory computing, as well as the technological foundations that make this innovative approach towards data management feasible. The following section discusses the question of how companies can introduce in-memory technology into their IT infrastructure, and introduces examples for innovative applications that have been developed. Therefore, Sect. 4.1 presents the so-called “bypass solution”, which allows enterprise systems to continuously adapt and implement an in-memory database. Section 4.2 illustrates two applications that have been implemented to support sales representatives in customer dialogs and show that in-memory technology is not only about increasing performance, but enabling the creation of innovative applications which have not been feasible with current technologies.

4.1 Risk-Free Transition to In-Memory Data Management

As discussed in the previous sections, in-memory technologies can improve data processing significantly. However, the transition for enterprise applications to an in-memory database will require radical changes to data organization and processing, resulting in major adaptations throughout the entire stack of enterprise




Fig. 4 Initial architecture

applications. By considering conservative upgrade policies used by many ERP system customers, the adoption of in-memory technology is often delayed, because such radical changes do not align well with the evolutionary modification schemes of business-critical customer systems. Consequently, a risk-free approach is required to help enterprises to immediately leverage in-memory data management technology without disruption of their existing enterprise systems.

We propose a transition process that allows customers to benefit from in-memory technology without changing their running system. This is a step by step, non-disruptive process that helps to transform traditionally separated operational and analytical systems into what we believe is the future for enterprise applications: transactional and analytical workloads handled by a single, in-memory database. Within this transition, an in-memory database (IMDB) will run in parallel to the traditional database and the data will be stored in both systems. In the consecutive steps, the IMDB will take over more and more functions of both previously used databases.

Consider a commonly found architecture of existing enterprise solutions as illustrated in Fig. 4. Typically, the system is separated into OLTP and OLAP systems, each of them running on a separate database. This requires a costly and time-consuming ETL process between the OLTP and OLAP systems. Based on this architecture, the non-disruptive transition plan called “bypass solution” was developed.

In the first step of this approach, the IMDB is installed and connected to the traditional database. An initial load to the IMDB creates a logical image of an existing system state with all business objects in the IMDB. The only difference will be in data representation: data will be compressed and stored in columns.

After the initial load, the two storages will be maintained in parallel, every document and change in a business object is stored in both databases. For this, established database replication technologies are used. At the same time, using the parallel installation of the IMDB, we can estimate performance and memory consumption benefits of this architecture for concrete business cases and demonstrate advantages for moving the system to the new data storage. In the second step, the existing data warehouse can run directly on the IMDB due to the analytical capabilities of column-oriented IMDBs.




Fig. 5 Analytics run on the in-memory database




Fig. 6 Run all components on IMDB

In a third step new business warehouse applications are developed that are optimized for IMDBs. They leverage the capabilities of columnar IMDBs and hence no longer store materialized views, allowing increased exibility in applications and removing data redundancies. If needed, the new business applications can co-exist with the data warehouse until all reports are optimized for the IMDB, which is shown in Fig. 5.

The next step of the suggested transition should be started, once the company has gained sufficient confidence with the performance characteristics, as well as the stability of the IMDB to run transactions directly on the IMDB. From this point on, transactional and analytical tasks are run directly against the IMDB and the traditional DBMS are decommissioned. At this point, the customer works only with the consolidated in-memory enterprise system that is used for both transactional and analytical queries (see Fig. 6). The resulting system establishes a single source of truth for flexible real-time business analytics.

4.2 *Innovative Enterprise Applications on In-Memory Databases*

It is apparent that improved performance and simplified data management is of high value for enterprises. But the real value of the proposed in-memory databases lies not only within the improved execution performance, but rather in the capability to run analytical applications on transactional data.

Columnar databases have been established in the data warehouse industry over a decade ago, providing high analytical performance using materialized views and highly optimized data schemata. But these systems fall short of in applications which rely on real-time constraints and require access to fine grained transactional data. While those kinds of applications are not feasible with established technologies, columnar IMDB have the capabilities to run even complex analytical queries directly on transactional data.

In the following two sections, we will present two applications in the context of the sales process, which are (1) of high value for enterprises and (2) have not been feasible with current technologies. For both applications, we have prototypically implemented interfaces for tablets, so that organizations can leverage their operational data to support their sales force in the field and thus, achieve a competitive advantage over rival companies.

Available to Promise: The Available-to-Promise (ATP) process is part of the supply chain management. Whenever a customer tries to order a product, the ATP process checks whether the requested quantity of the desired product can be delivered in time or not.

To achieve a reasonable performance, modern systems store relevant data (e.g. stock levels) as materialized aggregates. In most cases the aggregates are updated on a weekly or daily basis. Those update intervals are becoming problematic, as soon as an application requires access to data at a certain detail level that is not covered by the aggregates, e.g. to get the expected stock level of a product for this day's noon. Consequently, applications are implemented rather static and inflexible. Or they have to bypass these limitations. But implementing applications which bypass these limitations inherently introduces new performance bottlenecks, since no aggregates can be used anymore.

Using a columnar IMDB with analytics directly on the transactional data enables applications without any restrictions on data freshness. With an IMDB, the ATP check is processed on non-aggregated transactional data using on-the-fly aggregation. This way, the ATP check can determine the availability based on real-time data (Tinnefeld et al. 2011). Especially the ability to react timely on unexpected situations is becoming more important in modern enterprises with steadily decreasing process run times.

Imagine this simplified example. Product A, which is currently out of stock, will be ready to ship again on Tuesday. Now low-prioritized orders are coming in, which have to be processed until Friday. These orders will reserve the deliveries on Tuesday. If now a high-prioritized order is placed, which has to be delivered by

Wednesday to avoid penalties, the improved ATP check can check all possible configurations to reduce delay costs and optimize production planning. As an example, the ATP check can determine whether another product delivery later the week can be reserved for the low-prioritized order, while still delivering in time. Or if it just more economic for the company, to accept delay penalties for the low-prioritized product, as long as all high-priority products can be delivered in time.

The ATP check is computational complex as shown in Tinnefeld et al. (2011), since it usually involves complex orders (several products with different availabilities and priorities each), has to consider possible order-and customer priorities, and take certain product attributes into account (e.g. the date of expiry for groceries). Finding optimal plans for delivery and production is hence hardly possible without direct access to transactional data.

With a tablet interface, sales representatives can query the availability of products in real-time to tell their customers instantly when a product will be available or reschedule other low-priority orders to fulfill customer's requests.

Cross Selling: Another use case is the live support of the sales force with cross-selling opportunities. Wust et al. (2011) presents a prototype application, which supports the sales representative during the customer dialog by providing product recommendations in real-time. These product recommendations are calculated on-the-fly based on all past sales transactions. To make these product recommendations more meaningful for the specific customer, the sales representative has the possibility to filter the list of which initial sales transactions are taken into account for the calculation, e.g. by filtering for comparable customers of the same branch of industry, as well as the region.

Providing additional information to the sales representative in real-time is essential, since sales representatives are often confronted with unexpected situations on the road and rely solely on the information available e.g. via mobile phones. Allowing them to get all relevant customer information and additional recommendations in real-time provides a competitive advantage to organizations.

References

- Abadi DJ, Madden S, Ferreira M (2006) Integrating compression and execution in column-oriented database systems. In: Chaudhuri S, Hristidis V, Polyzotis N (eds) SIGMOD conference, ACM Press, New York, pp 671–682
- Abadi DJ, Myers DS, DeWitt DJ, Madden S (2007) Materialization strategies in a column-oriented dbms. In: ICDE, IEEE, pp 466–475
- Ailamaki A, DeWitt DJ, Hill MD, Wood DA (1999) Dbms on a modern processor: where does time go? In: Atkinson MP, Orłowska ME, Valduriez P, Zdonik SB, Brodie ML (eds) VLDB, Morgan Kaufmann, pp 266–277
- Berenson H, Bernstein P, Gray J, Melton J, O'Neil E, O'Neil P (1995) A critique of ansi sql isolation levels. In: Proceedings of the 1995 ACM SIGMOD international conference on management of data, series SIGMOD'95, ACM, New York, pp 1–10

- Boncz PA, Manegold S, Kersten ML (1999) Database architecture optimized for the new bottleneck: memory access. In: Atkinson MP, Orłowska ME, Valduriez P, Zdonik SB, Brodie ML (eds) VLDB
- Boncz PA, Zukowski M, Nes N (2005) Monetdb/x100: hyper-pipelining query execution. In: CIDR, pp 225–237
- Cormack GV (1985) Data compression on a database system. *Commun ACM* 28(12):1336–1342
- DeWitt DJ, Katz RH, Olken F, Shapiro LD, Stonebraker M, Wood DA (1984) Implementation techniques for main memory database systems. In: Yormark B (ed) SIGMOD conference, ACM Press, pp 1–8
- Garcia-Molina H, Salem K (1992) Main memory database systems: an overview. *IEEE Trans Knowl Data Eng* 4(6):509–516
- Gates B (1994) Information at your fingertips. [Online]. Available: Keynoteaddress, Fall/COMDEX, LasVegas
- Gillin P (2007) Bi @ the speed of business, In: Computer world technology, Dec 2007
- Grund M, Krüger J, Plattner H, Zeier A, Cudré-Mauroux P, Madden S (2011) Hyrise -a main memory hybrid storage engine. In: Proceedings of VLDB
- Hübner F, Boese J-H, Krüger J, Renkes F, Tosun C, Zeier A, Plattner H (2011) A cost-aware strategy for merging differential stores in column-oriented in-memory dbms. In: BIRTE -in conjunction with VLDB'11
- Krueger J, Grund M, Boissier M, Zeier A, Plattner H (2010) Data structures for mixed workloads in in-memory databases
- Krüger J, Tinnefeld C, Grund M, Zeier A, Plattner H (2010a) A case for online mixed workload processing. In Babu S, Paulley GN (eds) DBTest, ACM Press
- Krüger J, Grund M, Zeier A, Plattner H (2010b) Enterprise application-specific data management. In: EDOC 2010
- Mahapatra NR, Venkatrao B (1999) The processor-memory bottleneck: problems and solutions. *Crossroads* 5:2
- Manegold S, Boncz PA, Kersten ML (2002) Generic database cost models for hierarchical memory systems. In: VLDB. Morgan Kaufmann, pp 191–202
- Plattner H (2010) The “Real” Enterprise 2.0, [Online]. Available: <http://en.sap.info/sapphire-orlando-2010/32966>
- Plattner H (2011) Sanssoucidb: An in-memory database for processing enterprise workloads. In BTW, pp 2–21
- Plattner H, Zeier A (2012) In-memory data management: technology and applications. Springer, Heidelberg/New York
- Stonebraker M, Abadi DJ, Batkin A, Chen X, Cherniack M, Ferreira M, Lau E, Lin A, Madden SR, O’Neil EJ, O’Neil PE, Rasin A, Tran N, Zdonik SB (2005) C-store: a column-oriented dbms. In: VLDB, Trondheim, pp 553–564
- Tinnefeld C, Müller S, Kaltegartner H, Hillig S, Butzmann L, Eickhoff D, Klauck S, Taschik D, Wagner B, Xylander O, Zeier A, Plattner H, To-sun C (2011) Available-to-promise on an in-memory column store. In: BTW, pp 667–686
- vom Brocke J, Debortoli S, Müller O, Reuter N (2014) How in-memory technology can create business value: insights from the Hilti case. *Commun Assoc Inf Syst* 34(7). Available at: <http://aisel.aisnet.org/cais/vol34/iss1/7>
- Westmann T, Kossmann D, Helmer S, Moerkotte G (2000) The implementation and performance of compressed databases. *SIGMOD Rec* 29(3):55–67
- Wust J, Krueger J, Blessing S, Tosun C, Zeier A, Plattner H (2011) Xsellerate: supporting sales representatives with real-time information in customer dialogs. In: IMDM, series LNI, vol 193. GI, pp 35–44
- Wust J, Boese J-H, Renkes F, Blessing S, Krüger J, Plattner H (2012) Efficient logging for enterprise workloads on column-oriented in-memory databases. In: CIKM

Business Process Management and the Social Enterprise

Sandy Kemsley

Abstract This chapter discusses the main aspects of enterprise social software, and how business process management systems are evolving into social business platforms. In particular, the impacts of social software include cultural effects of collaboration during process modeling and process execution, as well as technological impacts of newer user interface models, development techniques, and delivery mechanisms. In turn, these have economic impacts for both development and delivery models.

1 Introduction

As the spread of social software increases, expectations for how software systems should behave are changing, and business process management systems (BPMS) are no exception. Consumer social software – Web 2.0 – is changing what people will accept with respect to software capabilities and usability both in personal and business domains, leading to the rise of enterprise social software – Enterprise 2.0.

Web 2.0, the consumer-facing side of social software, was described by O’Reilly (2005) as having several key characteristics:

- Uses the web as a platform, with a browser-based rich user interface that provides equivalent functionality to a desktop application. In addition to requiring no local installation, thereby lowering costs and providing greater desktop platform support, this allows for a constantly refreshing software upgrade cycle. This is supported by software-as-a-service providers that offer everything from email to document production to sales force automation via a monthly subscription, or even for free, rather than requiring the purchase and installation of software on a person’s (or company’s) own computers. Carr (2008) describes

S. Kemsley (✉)
Kemsley Design Ltd., Toronto, Canada
e-mail: sandy@kemsleydesign.com

the emerging utility model of computing, comparing it to the shift from private electricity production to centralized power plants that sell electricity on a usage-metered basis.

- Harnesses collective intelligence by allowing user-directed and user-created content and collaboration. Although only a small percentage of users will contribute, their contributions are available to all users.
- Enables lightweight development models for assembling loosely-coupled composite applications or “mashups.” This allows information from disparate sources to be easily assembled to facilitate collaboration, and provides a highly configurable user experience.

Many examples of consumer social software are available that illustrate these principles: Google’s Gmail with its constantly upgraded feature set and rich email interface; Wikipedia with content contributed by a wide variety of authors; and Google Maps with its lightweight API allowing it to be easily integrated as the mapping function within other websites.

By 2006, McAfee (2006) had defined the enterprise equivalent, Enterprise 2.0, as “platforms that companies can buy or build in order to make visible the practices and outputs of their knowledge workers.” Like Web 2.0 applications, enterprise social software allows for emergent structure and processes rather than imposing predetermined taxonomies and procedures (Richter et al. 2011). Unlike consumer social software, however, enterprise social software usually has a business-related purpose rather than a purely social function. This break down into two main categories:

- Applications focused on social interactions that strengthen weak ties within a large and/or geographically diverse organization. An example of this is Beehive (IBM Watson Research Center), IBM’s internal social network, which allows their 300,000 employees to create profile pages about themselves and their interests, similar to the popular public social network, Facebook. Although it is not used directly to create IBM’s work product, it is used for locating others with specific skills and interests for research and project collaboration.
- Applications focused on goal-oriented social production. An example is BTpedia, British Telecom’s corporate intranet wiki for employees to share information about any aspect of their business, from internal policies and procedures to external products and services. Built using the same wiki software that powers the public Wikipedia site, MediaWiki, articles in BTpedia can be created, edited, and discussed by authenticated users throughout British Telecom.

Concurrent with the emergence of enterprise social software, commercial BPMS products were beginning to incorporate some of the characteristics of consumer social software, particularly in the areas of browser-based rich user interfaces and lightweight development models (Kemsley 2006), becoming “social BPM”. The following sections discuss the drivers and impacts of the emergence of social BPM.

2 Drivers for Social BPM

The motivation for including social enterprise concepts and technology in BPM contains many facets: the expectations of individual users, the push toward greater collaboration within organizations, and the mismatch between the vision of BPMS agility and the reality of implementation.

2.1 *The Change in User Expectations*

Tapscott (2008) describes the impact of the under-30 “Net Generation” joining the workforce, expecting to use their social networking tools for collaboration and creation, only to find an antiquated state of technology in most organizations. Furthermore, the culture around creating and processing information in many organizations restricts them to a rigid set of rules and processes – often enforced by enterprise technology such as BPMS – with no way to collaborate while remaining within the corporate standards (see also the Hilti case in vom Brocke et al. 2014).

This change in user expectations is not limited to the new generation of workers: exposure to consumer social software has radically changed expectations for corporate technology for users of all ages. Workers expect to be able to configure their own environment to suit their working style, to collaborate with others at any point in a business process where they see fit, and to combine information from multiple internal and external sources in order to accomplish their tasks. They expect to be able to consume information in the format that they choose, have transparent access to information across the enterprise, and use their own mobile devices to perform business functions.

Most current BPMS implementations, with predefined processes and static user interfaces, do not meet those expectations; at some point, organizations must implement more flexible computing environments as part of wooing the younger generation into their workforce and retaining top talent of all ages.

2.2 *The Trend Towards Collaboration*

Of the eight business technology trends that McKinsey (Manyika et al. 2007) advises tracking, three are focused on new forms of collaboration within enterprises: distributing co-creation across the value chain, using consumers as innovators, and using the internet to tap into talent wherever it exists. Organizations are beginning to understand the benefits of incorporating collaboration into their business processes, and the value of capturing the collaborative process and its

results in an auditable environment; many are turning to enterprise social tools for this collaboration when their BPMS cannot provide the functionality.

This isn't limited to internal collaboration: being able to extend processes beyond an organization's firewall for collaboration with customers is becoming increasingly important for customer satisfaction and retention. External socialization may range from simple status updates, to social media integration, to full customer participation in a business process, including instantiating processes. This provides improved transparency to customers as well as a greater degree of control over their relationship with organizations, and can often provide faster issue resolution through direct input from customers at key points during a business process.

2.3 Lack of Agility in BPMS Implementations

Although most BPMS vendors design and market their products to be used as model-driven development environments, where processes can be modeled graphically by a business analyst, enhanced with technical underpinnings such as web services calls by a developer, then immediately deployed into production, the reality is far different. In many BPM implementations, a BPMS is used merely as a graphical application development tool in a classic waterfall software development lifecycle rather than allowing the full model-driven development capabilities to be used in an agile development methodology. This typically manifests as highly customized user task interfaces that cannot be easily changed, and are "hard-wired" to a specific underlying process map and the disabling of some of the core BPMS capabilities such as collaboration.

This type of rigid design pattern has the effect of relegating the BPMS – a technology that is fully capable of delivering agile, model-driven solutions – to the realm of legacy enterprise software, with many innate collaborative capabilities unavailable to end users. Dissatisfaction with this outcome is encouraging many organizations to consider collaborative and user-driven design and development methods in order to achieve the degree of process agility required.

3 The Impact of Enterprise Social Software on BPM

Enterprise social software is impacting BPM – both the technology and the management practice – in a variety of ways: social/cultural, technological, and economic. Although social features in BPMS have become mainstream, their usage is still limited primarily to the most forward-thinking end-user organizations at this time.

3.1 *Social and Cultural Impacts*

A significant cultural change in how BPM is used in organizations is due to the increase in collaboration, occurring in two key areas: collaborative process modeling and collaboration during the execution of a process.

Collaborative process modeling and analysis tools permit multiple people, both technical and nontechnical, to participate in the discovery, modeling, design, implementation, and optimization of a business process. This requires an easy-to-use process modeler that maintains the process models in a shared repository: any participant can modify the model and the results are visible to all. As seen in text-based wikis, the network effect of multiple authors can increase productivity and generate innovative, emergent ideas. vom Brocke and Thomas (2006) examine the use of collaborative techniques for reference process models, and how sharing models with a greater range of stakeholders can result in a division of labor as well as an increase in model quality. In other areas of system modeling, it is recognized that having domain experts participate in modeling is essential (Fowler 1997); collaborative process modeling tools are now allowing this to occur in BPM.

One example of a collaborative process modeling tool is Lombardi Blueprint (now part of the IBM Blueworks Live suite), which is delivered via a software-as-a-service subscription. It offers an easy-to-use web-based interface for process modeling and documentation, but more importantly, provides a shared modeling environment that allows geographically dispersed team members to create and edit a process model collaboratively in real time. Forrester Research's coverage of Blueprint (Richardson et al. 2009) highlights its use in customer organizations, including Tillamook County Creamery, a food and beverage manufacturer, which used Blueprint to turn 100 years of "tribal knowledge" into documented and validated business processes. More than 150 people across multiple business units – including farmer-owned dairies as well as the two manufacturing plants – were involved in collaboratively modeling, detailing, and reviewing processes, and capturing information that had previously been passed from one worker to another. It's important to note that the processes modeled in Blueprint were not automated in a BPMS; rather, the process models were used for shared understanding, process improvement and documentation.

A detailed case study of collaborative process modeling at Intersport (Lind and Seigerroth 2014) shows how participants from different parts and levels of the organization are involved in process design and validation. This co-design framework allowed for all stakeholder concerns to be addressed and for a common understanding of the business processes to be created.

Collaboration during the execution of a structured process in a BPMS allows a user at any step to choose to "step outside" the structured process and initiate an ad hoc collaboration with users of their choice in order to accomplish the task at hand. The collaboration participants, flow, artifacts, and results are captured in the audit history of the process in the BPMS, maintaining visibility into the ad hoc processes as well as gathering information on how the processes are executed, allowing them

to be considered for future standardization and modeling as structured processes. Providing a dynamic BPMS environment, which can include ad hoc and collaboration scenarios in the context of a more structured business process, allows participants to use their own best practices and tools, particularly in processes that rely heavily on subjective human knowledge. Without this type of collaboration, process participants will use email, paper documents, and telephone calls to resolve an issue that cannot be handled in the structured process model within the BPMS; these conversations and their outcome will not be explicitly captured in the BPMS, creating a gap in the knowledge and audit history of the process. Although an organization's management may consider allowing ad hoc process definition and collaboration within a structured process to be a business risk due to loss of control over business processes, they should consider that the risk already exists due to the current methods of resolving issues that cannot be managed in the context of the structured process.

Although a standard exists for structured process modeling, the Business Process Model & Notation 2.0 (BPMN 2.0), no such standard exists for runtime collaboration and modeling defined by a business user. Each BPMS creates its own methods for end-user process modeling; for example, Handysoft's BizFlow allows business users to either add a collaboration task within an existing predefined process, or create a completely new multi-step process. This is not done using the same user interface that a trained analyst would use during a priori process modeling, but a simplified interface appropriate to end-user capabilities. Users can create a multi-step process, and assign participants and deadlines to each activity in the process, but cannot add branching, decisioning or automated steps: the model created by the end user is more of a linear checklist of tasks than a full process model. This is just one example of runtime process modeling; although not standardized, many of the vendors are presenting some sort of checklist paradigm for easy ad hoc process modeling.

Other forms of in-process collaboration include notes or threaded discussions attached to a process instance: these do not change the structure or path of the process but capture conversations and status updates that occur about a task or process. One BPMS vendor providing this type of collaboration is Appian, which includes threaded discussions and collaboration dashboards as part of its standard product offering.

Collaboration in process modeling or process execution requires a shift to a more participatory organizational culture. Business management must be willing to commit time and resources to process modeling – a task that they may consider to be a technical responsibility – and the technical team must be willing to accept the business people as equal participants in process design. End users must feel sufficiently comfortable with deviating from the structured process during execution in order to take advantage of the process execution collaboration capabilities.

Johannesson et al. (2008) contrasted the differences in work organization between social software and BPM, noting differences such as the external authority that guides a process within a BPMS versus the voluntary participation in social software. Although many of their points are not valid for enterprise social software,

where participation may not be voluntary and specific endpoints and results are part of the process, they present some valuable guidelines for bringing social concepts into a BPMS that will facilitate the necessary cultural changes. They present the metaphor of a process implemented in a BPMS as an assembly line, where each worker performs their specialized task on an artifact with little knowledge of the tasks before and after that point, whereas a process in social software is more of a workstation approach, where an artifact stays in one position while a variety of workers collaborate in order to perform the tasks necessary to accomplish a goal. These two approaches require different corporate cultures and management styles; making a BPMS assembly line process more collaborative requires more than just adding collaboration functionality to the software.

Collaboration is also not suited to every business process, particularly those governed by strict regulations, or those performed by inexperienced workers or outsourced participants. The decision to include collaboration in a process – or even in a single step within a process – must consider process governance requirements, the experience of the participant, and the nature of the work.

3.2 Technological Impacts

Enterprise social features, such as browser-based rich user interfaces, mobile interfaces, activity streams and lightweight development models are now being provided in many BPMS products.

Rich user interfaces using technologies such as Asynchronous JavaScript and XML (AJAX) provide a desktop-grade user experience from within a web browser. This eliminates the need for the installation of any desktop software, except a standard web browser, and allows process participants at any location to have the same user experience. All mainstream BPMS products provide their end-user interfaces through a rich browser interface, and some also provide their process modeling and administration interfaces via a browser as well.

Many BPMS products also provide a mobile interface via a mobile-optimized website or platform-specific application, allowing some functionality to be performed on a smartphone or tablet. Typically, mobile functions are restricted to participating in processes, such as viewing and approving tasks, and do not include more complex process design and administration capabilities. Although not suitable for heads-down task processing, mobile interfaces are valuable for occasional and managerial business users, as well as mobile workers.

Web 2.0 applications popularized standardized feeds (e.g., RSS, Atom) that allow users to subscribe to new and changed data, and now consumer social software such as Twitter's stream or Facebook's news feed provide activity stream interfaces that show the event data in a visual stream. This user interface paradigm now popular in enterprise social software, and BPMS products are adopting it for visualizing tasks. Although an activity stream can be used to present a user's inbox or a shared work queue within a BPMS, it is most useful for visualizing tasks and

events to which the user has subscribed that may span multiple process types. For example, a sales account manager may want to see all processes related to their top three clients; a subscription to tasks for those clients in an activity stream will show them all tasks being performed for contracts under review, open orders and service calls. Although the tasks are not assigned to the account manager, he can monitor the progress and choose to participate in tasks where he may be able to add value. This event-driven view of processes allows potential problems to be identified earlier in processes, as well as providing a more transparent view into the processes.

Lightweight development models allow semi-technical business users to combine BPMS functionality with corporate and external data and services into composite applications. Although feeds provide one mechanism for this, some BPMS' also provide functional units as widgets that can be combined into a standardized portal environment by a nontechnical user, similar to adding widgets to a consumer home page such as My Yahoo or iGoogle. These widgets can be connected to third-party widgets, for example, by displaying a Google Map corresponding to street address information that is held in a BPMS process instance.

All of these technological changes to BPMS products have the effect of empowering business users to configure their own work environment with less technical support.

3.3 *Economic Impacts*

BPMS' have gained a reputation as being expensive to buy and even more expensive to customize for use. As enterprise social technology and functionality is integrated with BPMS, economic factors shift toward less costly alternatives in development and delivery models.

The lightweight development models that allow business users to create their own simple composite applications, or mashups, also provide robust high-level capabilities for developers, allowing them to create complex user interfaces in a fraction of the time required for traditional coding techniques. Automated interfaces between a BPMS and other systems use standards such as SOAP, eliminating the coding required to integrate calls to other systems into a process. This combination of high-level integration tools and standards significantly reduces the development efforts for a BPMS implementation, and often requires less-skilled (therefore, less costly) developers due to the reduction or elimination of programming in languages such as Java.

Many traditionally structured organizations struggle with the concept of allowing business users to create their own applications, although the users are currently doing so with tools such as spreadsheets and desktop databases. The demands of the business users and managers for greater agility in processes and functionality will drive the creation of composite applications within the business areas, primarily through the use of vendor-provided widgets in a configurable portal environment. End-user application development and runtime collaboration lowers

the latency of process changes, and therefore accelerates the realization of the related benefits.

Software-as-a-service BPMS offerings are emerging in the marketplace, where the BPMS software is hosted by a third party and licensed using a monthly subscription model. This reduces the total cost of ownership by eliminating the large up-front hardware and software capital expenditures, and the associated ongoing staffing and maintenance costs, in exchange for a monthly per-user subscription fee. The software-as-a-service BPMS market has met with resistance due to security concerns of hosting critical corporate data outside the enterprise. This attitude is changing as software-as-a-service in other technology areas shows successes.

The return on investment (ROI) for social BPM includes many economic factors related to business process improvement in addition to those listed above, although some may be difficult to directly attribute to the social features in the BPMS. A methodology for calculating the ROI for BPM initiatives has been developed by vom Brocke and Grob (2011) and is also presented and discussed by vom Brocke, Sonnenberg (2014) in the BPM Handbook. Business process quality and efficiency can be improved through faster communication and better access to expertise by using an activity stream interface instead of traditional email. Event-aware processes that allow potential problems to be detected early and avoided will improve customer satisfaction and retention. Workers can be more productive if they are permitted to collaborate on demand rather than remain within the confines of a predefined process. The challenges lie in modeling these returns: unlike ROI predictions for a standard BPMS implementation, social BPM will create emergent returns that may fluctuate widely from the predictions. In other words, when enterprise social software, including social BPM, is introduced, the actual effects are difficult to predict because workers will use the software in ways that are unexpected.

3.4 *Barriers to Adoption*

The inclusion of social functionality into BPM – primarily collaboration, but also lightweight development models and software-as-a-service delivery mechanisms – has many barriers to adoption, particularly by large enterprises. As described previously within this section, these include:

- Perceived loss of management control over processes by allowing increased collaboration. In reality, workers are already collaborating in an ad hoc in order to complete their work; providing collaboration within a BPMS would capture the results of that collaboration, which may currently be lost.
- Lack of understanding about, or lack of trust in, lightweight development models by information technology departments.

- Perceived risk of data loss or security breach if processes are hosted on a software-as-a-service BPMS.
- Business processes that are perceived to require rigid definitions, even though workers are working around these definitions.

These barriers may be overcome through a better understanding of the underlying issues, as organizations see better results through collaboration, shorter development times due to lightweight development tools, and lower costs with manageable risks of software-as-a-service solutions.

4 Expectations of Future Innovations and Impacts

The more advanced commercial BPMS offerings are rapidly incorporating social functionality: rich browser-based user interfaces configurable by the end-user, lightweight integration methods, feeds, process design collaboration, runtime collaboration, and software-as-a-service offerings. This, in turn, is facilitating sweeping change in how business processes are designed, implemented, executed, and monitored (vom Brocke and Schmiedel 2014). In addition to greater acceptance and usage of the technologies previously discussed, there is the potential for other technology aspects of social software to be incorporated in BPMS:

- Process modeling standards that allow for modeling both structured and collaborative processes.
- Runtime user interfaces that allow business users to define ad hoc processes.
- Management and monitoring tools for collaborative processes.
- IM and other synchronous communications integrated into structured processes for lightweight real-time collaboration, allowing a user to detect if a specific user is online and conduct a conversation by IM in order to resolve an issue and complete their current task, while capturing the IM conversation as part of the process history.
- In-process recommendations through process intelligence and business rules, in the form of recommended experts for collaboration as well as next-best-action recommendations.

The largest future impacts, however, will be cultural. In the face of technology that allows for collaboration and user-created content, organizational management must cede some control to the end users in terms of how work is done, and the workers must accept that level of responsibility and participate in ways that are new to them. In this regard, the pivotal role of Culture in BPM, as discussed in (Schmiedel et al. 2014), will be even more important in the future. Provided with a goal plus a flexible set of tools, knowledge workers will create more effective work practices than if every step is dictated in advance; furthermore, since they are working within the tools in order to achieve the goal, their work practices and outputs are captured in the work environment.

Of particular importance is the re-alignment of worker rewards and incentives with the goals of social BPM. Moving away from pure efficiency incentives that are typical of traditional structured BPMS, organizations must set expectations for levels of participation in social BPM functions such as collaborative process modeling, and reward for that participation as well as teamwork and customer service levels. Only when workers are rewarded for collaborating and improving customer service, rather than just processing a specific number of transactions each day, will the benefits of social BPM be fully realized.

5 Conclusion

Enterprise social software has had, and continues to have, a significant impact on the technology of BPMS. The integration of social software technology and features into commercial BPMS has been occurring at variable rates: rich browser-based user interfaces for process participants are the accepted standard, but activity streams and collaboration are just beginning to gain acceptance and are not widely used. Although not every BPMS could be categorized as social BPM today, any human-centric BPMS will need to incorporate significant social features in order to remain competitive.

More important, however, are the cultural changes that are enabled by – and required by – the adoption of enterprise social software in the very structured world of BPM. As the technology advances to allow business users to take greater control over their work environment, the users must adapt to a participatory culture. Instead of being passive consumers of business processes designed by management and codified in enterprise software, they are expected to help design their own business processes, configure their working environment to fit their own needs, and collaborate with others in order to achieve business goals.

These cultural changes represent both the largest obstacle and the greatest potential benefit of social BPM.

References

- Carr N (2008) *The big switch*. W. W. Norton, New York
- Fowler M (1997) *Analysis patterns*. Addison-Wesley, Boston. <http://www.amazon.com/gp/product/0201895420?ie=UTF8&tag=martinfowlerc-20&linkCode=as2&camp=1789&creative=9325&creativeASIN=0201895420>
- Johannesson P, Andersson B, Wohed P (2008) Business process management with social software systems – a new paradigm for work organisation. In: *Business process management workshops, BPM 2008 international workshops, Milano, 1–4 Sept 2008. Revised Papers*, pp 659–665. http://link.springer.com/chapter/10.1007%2F978-3-642-00328-8_66
- Kemsley S (2006) *Web 2.0 and BPM, a presentation given at BPMG's process 2006 conference, London*. <http://www.slideshare.net/skemsley/web-20-and-bpm>

- Lind M, Seigerroth U (2014) Collaborative process modeling and design: the intersport case study. In: Handbook on business process management, vol 1, 2nd edn. Springer, Heidelberg, pp 321–322
- Manyika J, Roberts R, Sprague K (2007) Eight business technology trends to watch. McKinsey Q
- McAfee A (2006) Enterprise 2.0: the dawn of emergent collaboration. MIT Sloan Manage Rev 47 (3):21–28
- O'Reilly T (2005) What is web 2.0: design patterns and business models for the next generation of software. <http://www.oreillynet.com/pub/a/oreilly/tim/news/2005/09/30/what-is-web-20.html>. Accessed 30 Sept 2005
- Richardson C, Moore C, Nicolson N (2009) Vendor snapshot: Lombardi blueprint bridges gap between process discovery and execution. Forrester Research Inc. <http://www.forrester.com/Vendor+Snapshot+Lombardi+Blueprint+Bridges+Gap+Between+Process+Discovery+And+Execution/fulltext/-/E-RES48120?isTurnHighlighting=false&highlightTerm=lombardi%20blueprint%20bridges%20gap>
- Richter D, Riemer K, vom Brocke J (2011) Internet social networking: research state-of-the-art and implications for enterprise 2.0. Bus Info Syst Eng (BISE) 3(2):89–101
- Schmiedel T, vom Brocke J, Recker J (2014) Culture in business process management: how cultural values determine BPM success. In: vom Brocke J, Rosemann M (eds) Handbook on business process management, vol 2, 2nd edn. Springer, Heidelberg, pp 649–664
- Tapscott D (2008) Grown up digital: how the net generation is changing your world. McGraw-Hill, New York
- vom Brocke J, Thomas O (2006) Reference modeling for organizational change: applying collaborative techniques for business engineering. In: Proceedings of the Twelfth Americas conference on information systems, Acapulco, pp 680–688
- vom Brocke J, Grob HL (2011) Profitability of business processes. In: Process management. A guide for the design of business processes, vol 2. Springer, Berlin, pp 421–446
- vom Brocke J, Petry M, Schmiedel T, Sonnenberg C (2014) How organizational culture facilitates a global BPM project: the case of Hilti. In: vom Brocke J, Rosemann M (eds) Handbook on business process management, vol 2, 2nd edn. Springer, Heidelberg, pp 693–714
- vom Brocke J, Sonnenberg C (2014) Value-orientation in business process management. In: vom Brocke J, Rosemann M (eds) Handbook on business process management, vol 2, 2nd edn. Springer, Heidelberg, pp 101–132
- vom Brocke J, Schmiedel T (eds) (2014) Business process management – driving innovation in a digital world. Springer, Heidelberg

Workflow Management

Chun Ouyang, Michael Adams, Moe Thandar Wynn,
and Arthur H.M. ter Hofstede

Abstract Workflow management has its origin in the office automation systems of the seventies, but it is not until fairly recently that conceptual and technological breakthroughs have led to its widespread adoption. In fact, nowadays, process-awareness has become an accepted and integral part of various types of systems. Through the use of process-aware information systems, workflows can be specified and enacted, thus providing automated support for business processes. A workflow explicitly represents control-flow dependencies between the various tasks of the business process, the information that is required and that can be produced by them, and the link between these tasks and the resources, be they human or not, which can execute them. In this way, processes can be performed more efficiently and effectively, compliance with respect to standard procedures and practices can be monitored more closely, and rapid change in response to evolving market conditions can be achieved more easily. This chapter provides an overview of the field of workflow management.

1 Introduction

Workflow management is concerned with providing automated support for business processes. Typically, a workflow involves both people and software applications. Work is assigned to participants based on explicit resource allocation directives, which may link into an organizational model, and the timing is driven by an explicit representation of the temporal order of the various activities of the business process. Workflow Management Systems are an important part of the

C. Ouyang (✉)

Information Systems School, Queensland University of Technology, Brisbane, Australia
e-mail: c.ouyang@qut.edu.au

IT-related BPM capabilities of an organization (Rosemann and vom Brocke 2014, Sidorova et al. 2014).

Apart from the obvious fact that there is potential for savings in terms of time and money, there are other benefits in deploying workflow applications. By having explicit representations of these resource and control-flow dependencies, it can be claimed that changing workflows is easier and hence a business that has automated its processes by means of a workflow management system may be more responsive to changes in its environment, such as changing legislation or evolving market conditions. As workflow management systems log events that pertain to business processes (e.g., the fact that a certain resource has completed a certain task at a certain point in time), process logs may be used to demonstrate that a business complies with best practices or with existing legislation. Log files provide a valuable starting point for process analysis and for subsequent process improvement. The area of *process mining* (van der Aalst et al. 2004b) is concerned with process-related information that can be derived from log files.

The Workflow Management Coalition¹ has defined what the components of a workflow environment are and what interfaces these components should have to support interaction with each other and with external components (Fischer 2005). In a workflow management environment, there is typically a component that supports the specification of workflows and another that supports the execution of these workflows. There are also, usually, components that can deal with external applications or other workflow engines or that provide support for administration and monitoring.

A workflow can be examined from a number of perspectives (van der Aalst et al. 2003; Jablonski and Bussler 1996). The temporal order of the various tasks in a workflow can be referred to as the *control-flow perspective*. The way data is defined and passed between workflow elements and/or the external environment is captured in the *data perspective*. The *resource perspective* is concerned with controlling the way resources become involved in the execution of tasks. Naturally, these perspectives are related, e.g., a missing data item may hold up the execution of a certain task or the resource selected for the execution of a certain task may be determined on the basis of the number of times they have performed this task in the past. Understanding the role of these perspectives is vital to understand what workflow management is about.

In this chapter, we aim to provide the reader with an overview of concepts and technology that underlie modern workflow management. We will start by exploring the conceptual foundations of workflow management, which will inform the subsequent discussion of a number of approaches to workflow specification. More advanced topics follow, dealing with change and unexpected exceptions, simulation, verification, and configuration, after which we discuss an existing workflow management system that can be seen as a reference implementation for some state-of-the-art concepts. The aim of presenting this system is to reinforce the understanding of concepts discussed. The chapter ends with a case study in the domain of screen business, followed by a brief overall conclusion.

¹<http://www.wfmc.org>

1.1 An Introductory Example

A workflow, sometimes used as a synonym for “a business process,” comprises a series of tasks (activities) through which work is routed. Workflow management systems are a class of software that supports business processes by taking on their information logistics, i.e., they ensure that the right information reaches the right person at the right time (van der Aalst and van Hee 2002). The information logistics of business processes can be captured by a workflow or process modeling language. Different workflow management systems may be implemented supporting the use of different languages.

Consider an example of a process that models a credit card application. The process starts when an applicant submits a credit card application (Task 1). Upon receiving the application, a clerk examines if the requested loan amount is large (e.g., greater than \$5000) or small (Task 2) and then performs different eligibility checks accordingly (Task 3 for large loan and Task 4 for small loan). Let us stop here for the moment (we will continue describing the process in the languages section). It can be observed that there are dependencies between the above tasks. Task 1 is (sequentially) followed by Task 2, and after Task 2, an exclusive choice is made, determining whether to perform Task 3 or Task 4. A workflow language can be used to capture these in a precise manner. However, many workflow languages exist due to lack of consensus. For example, as Fig. 1 illustrates, the flow comprising the above tasks in a credit card application process can be captured using five mainstream workflow or process modeling languages: BPMN (Business Process Modeling Notation) (Fig. 1a), EPC (Event-driven Process Chain) (Fig. 1b), BPEL (Business Process Execution Language for Web Services) (Fig. 1c), Petri nets (Fig. 1d), and YAWL (Yet Another Workflow Language) (Fig. 1e). We shall describe these in more detail in the languages section. For the moment, it is sufficient to observe that in Fig. 1, each of these languages models the same exclusive-choice behavior (i.e., XOR-split) in a different way.

The exclusive choice is just one of many recurring modules that may exist in business processes. So, is there a way to identify these modules in a language- and system-independent manner? In the next section, we answer this question by introducing the concept of workflow patterns.

2 Workflow Patterns

Workflow patterns are a specialized form of *design patterns* defined in the area of software engineering. They refer specifically to recurrent problems and proven solutions related to the development of process-oriented applications in both a language- and technology-independent manner. The Workflow Patterns Initiative²

²<http://www.workflowpatterns.com>




Fig. 1 Modelling the first four tasks in an example of a credit card application process using each of five mainstream workflow or process modeling languages

was established in the late 1990s with the aim of delineating the fundamental requirements that arise during business process modeling on a recurring basis and describing them in an imperative way.

Originally, a set of twenty patterns was identified describing the control-flow perspective of business processes (van der Aalst et al. 2003). These patterns capture structural characteristics of a business process and the manner in which the thread of execution flows through the process model. Since their release, they have been widely used by practitioners, vendors, academics alike in the selection, design and development of workflow systems, and standards. For example, they were used to evaluate 15 commercial workflow systems including such as IBM’s WebSphere, Staffware Process Suite, and the case handling system FLOWer. Established process modeling languages such as Petri nets, EPCs, and UML Activity Diagrams (both versions 1.4 and 2.0) were also subjected to a pattern-based evaluation. In addition, vendors and organizations performed analysis of their tools or standards based on workflow patterns. Examples include White’s report (White 2004) showing how BPMN supports the original control-flow patterns and TIBCO’s report on how Staffware realizes these patterns, to name a few.³

³See an up-to-date list of vendors’ evaluations of tools and standards in terms of the original twenty control-flow patterns at <http://www.workflowpatterns.com/vendors>.

Later, a detailed review of the original 20 patterns led to the identification of 23 new patterns (Russell et al. 2006b). In total, the 43 control-flow patterns can be classified into eight categories: basic control-flow, advanced branching and synchronization, multiple instances, state-based situations, iteration, external triggering, cancelation, and termination. For example, one of the advanced synchronization patterns is called the General Synchronizing Merge (or OR-join). The OR-join synchronizes only if necessary, i.e., it will synchronize only the active incoming branches and it is certain that the remaining incoming branches, which have not been enabled, will not be enabled at any future time. In general, this synchronization decision cannot be made *locally*. It requires awareness of both the current state and possible future states for the current process instance. Another example is the Deferred Choice, one of the state-based patterns. It captures the scenario when the choice among a set of alternative conditional branches is based on interaction with the operating environment. The decision is delayed until the first task in one of these branches is initiated, i.e., there is no explicit choice but rather a race between different branches.

In addition to the control-flow patterns, workflow patterns have also been extended to cover the data and resource perspectives. There are 40 data patterns (Russell et al. 2005b) capturing a series of data characteristics that occur repeatedly in business processes. These cover data visibility (e.g., scoping of data variables), data interactions within a business process (internal) or between the process and its operating environment (external), data transfer between one process component and another, and data-based routing that describes how data elements can interact with other perspective (particularly the control-flow perspective) and influence the overall operation of a process instance.

For the resource perspective, 43 patterns (Russell et al. 2005a) have been identified, capturing the various ways in which resources are represented and utilized in business processes. Based on the lifecycle of a work item (which include resourcing states such as *offered*, *allocated*, *started*, and *completed*), the resource patterns can be classified into seven categories: creation patterns for design-time work allocation, push patterns for system distributing work items to resources, pull patterns for resources identifying to executing work items, detour patterns for work item rerouting, auto-start patterns for automated commencement of work items based on criteria, visibility patterns for configuration of the visibility of work items for certain participants, and multiple resource patterns for work allocations involving multiple participants or resources. For example, one of the detour patterns is called the delegation pattern. It captures the scenario where a resource allocates an unstarted work item that was previously allocated to it to another resource. This provides a resource with a means of rerouting work items that it is unable to execute (e.g., the resource is going to be unavailable).

Finally, there are also patterns for exception handling, which deals with the various causes of exceptions and the various actions that need to be taken as a result of exceptions occurring. This will be described later in the chapter.

3 Languages

Workflow languages are used to design workflow models in order to capture processes at a level of detail that is sufficient to enable their execution (van der Aalst and van Hee 2002; Weske 2007). Examples include: dedicated workflow specification languages such as XPDL and YAWL; executable process definition languages based on Web services such as BPEL and XLANG; and workflow products such as Staffware and IBM's Websphere. It is also possible to use languages designed for business process modeling, such as BPMN and EPC, to specify workflows. However, for process execution, these models need to be transformed to models specified in an executable language such as BPEL or YAWL.

In this section, we firstly introduce BPMN and BPEL, which are considered as two mainstream languages for capturing business processes from a practitioner's point of view. We then move onto YAWL, which is developed in the academic domain and supports most workflow patterns identified so far. YAWL can be seen as state of the art in the domain of workflow languages. It is therefore used to illustrate the main concepts in the field of workflow management in this chapter.

3.1 *BPMN and BPEL*

BPMN is a business processing modeling notation intended to facilitate communication between domain analysts and to support decision making based on techniques such as cost analysis, scenario analysis, and simulation. Process models specified in BPMN are therefore not meant to be directly executable. On the other hand, BPEL is intended to support the definition of a class of business processes for Web service interactions. The logic of the interactions is described as a composition of communication actions that are interrelated by control-flow dependencies expressed through constructs corresponding to parallel, sequential, and conditional execution, event, and exception handling. BPEL allows for the specification of executable business processes, and therefore can be used to support the execution of BPMN models.

The use of BPMN (for process modeling) in conjunction with BPEL (for process execution) is a typical example of the approach where two different languages are used, respectively, for the modeling and execution stages and thus a transformation between these languages is required. There are obvious drawbacks to this separation of modeling and execution, especially when both languages are based on different paradigms or when the modeling language contains potentially complex concepts and little consideration was given to their precise meaning. For example, BPMN is graph-oriented, which means that a model captured in BPMN can have an arbitrary topology, while BPEL is block-structured; thus, if a segment of a BPEL model starts with a branching construct, it ends with the corresponding synchronization construct. A mapping from BPMN to BPEL, such as the one proposed in

Ouyang et al. (2009), needs to handle the above mismatches properly and may still result in BPEL code that is hard to understand.

3.2 *YAWL and Its Formal Foundation*

As mentioned in the previous section, the original 20 control-flow patterns were used to evaluate various workflow and process modeling languages, standards, and workflow products. The evaluation results showed that Petri nets have at least three distinct advantages for being used as a workflow language: formal semantics, state-based instead of (just) event-based, and abundance of analysis techniques (van der Aalst 2000). They are quite expressive compared to many process languages, e.g., they offer direct support to all state-based patterns. Nevertheless, there are serious limitations in Petri nets (as in other languages) when it comes to capturing three categories of patterns: (1) patterns involving multiple instances, (2) advanced synchronization patterns (e.g. OR-join), and (3) cancellation patterns. For example, patterns involving multiple instances capture scenarios where within the context of a single workflow instance (i.e., case), part of the process (e.g., a task or a subprocess) need to be instantiated multiple times, e.g., within the context of an academic paper review, multiple reviewers need to review the paper, and these review results will then be used to determine the final result. The number of multiple instantiations may be known a priori at design-time/runtime, or not be known at all until the process proceeds to the next part (at runtime). In high-level Petri nets, it is possible to use advanced constructs to capture multiple instances of a task or a subprocess. However, there is no specific support for *patterns involving multiple instances*, and the burden of keeping track of splitting and joining the various multiple instances is borne by the designer.

The observation of the limitations in Petri nets for capturing certain workflow patterns triggered the development of a new language – YAWL. YAWL took Petri nets as a starting point and introduced mechanisms that provide direct support for the control-flow patterns especially the above three categories of patterns.

3.2.1 Petri Nets

A Petri net (Murata 1989) is a directed graph composed of two types of nodes: *places* and *transitions*. Usually, places are represented as circles and transitions as rectangles. Petri nets are bipartite graphs, meaning that an arc in the net may connect a place to a transition or vice versa, but no arc may connect two nodes of the same type. A transition can have a number of immediately preceding places (called it *input places*) and a number of immediately succeeding places (called its *output places*).

Places may contain zero or more *tokens*, which model the thing(s) that flow through the system. The state, often referred to as *marking*, is the distribution of




Fig. 2 A sample Petri-net in four different markings

tokens over places. For example, Fig. 2a depicts an initial marking of a Petri net where there is one token in the leftmost place i and no token in any other place. The state of a Petri net changes when one of its transitions fires. A transition may fire if there is at least one token in each of its input places. In this case, we say that the transition is *enabled*. For example, in Fig. 2a, the transition labeled t_1 is enabled since it has only one input place and this input place has one token. When a transition fires, it removes one token from each of its input places and adds one token to each of its output places. For example, Fig. 2b depicts the state obtained when transition t_1 fires starting from the initial marking in Fig. 2a. The token in place i has been removed, and a token has been added to each of the output places of transition t_1 . In a given marking, there may be multiple enabled transitions simultaneously. In this situation, any of these transitions may fire at any time. For example, in Fig. 2b, two transitions t_2 and t_3 are enabled, and any of them may fire in the next execution step. After both t_2 and t_3 fire, transition t_4 is enabled (Fig. 2c), and after t_4 fires, the net reaches a final marking where only the rightmost place o holds a token and none of the transitions are enabled.

It can be observed that in the Petri net shown in Fig. 2, transition t_1 behaves like an AND-split, transition t_4 behaves like an AND-join, and transitions t_2 and t_3 capture concurrent executions of two parallel branches. In comparison to this, Fig. 3 depicts two examples of Petri nets modeling executions of conditional branches. In each net, the output place of transition t_1 is the input place of two transitions. When there is a token in this place, the two transitions sharing the place are both enabled, but only one of them may fire, i.e., firing of one of the two transitions will consume the token, thus disabling the other transition. In Fig. 3, the difference between the two Petri nets is with regard to how the choice is made among the conditional branches. In Fig. 3a, the choice can be made (explicitly) by the system upon evaluating the condition c . If c evaluates to true, transition c will fire; otherwise,




Fig. 3 The sample Petri-nets capturing two types of choices between conditional branches

transition $\sim c$ will fire. In Fig. 3b, the choice is deferred until one of the events e_1 and e_2 occurs, e.g., e_1 may indicate the arrival of an external message, and e_2 may signal a timeout. Triggers of such events come from the environment.

3.2.2 Workflow Nets

Workflow nets (WF-nets) (van der Aalst 1997) are a subset of Petri nets used to model workflows. A WF-net satisfies the following requirements: there is a unique input place (i) and a unique output place (o), and every other place and transition are on a directed path from place i to place o . In other words, WF-nets have a distinct start place and a distinct end place. For example, the Petri nets in Figs. 2 and 3 are all WF-nets. Intuitively, a WF-net models the execution of one instance of a business process. The initial marking of a WF-net contains a single token in the start place, and in principle, at least one token should reach the end place.

In a WF-net, special notations are introduced to illustrate constructs such as AND-split, AND-join, XOR-split, and XOR-join due to their frequent occurrences in modeling workflows. Figure 4 depicts these notations using the WF-nets shown in the previous figures. In Fig. 4a, the WF-net in Fig. 1 is redrawn (without affecting the behavioral semantics of the net) by replacing transition t_1 with an AND-split and t_4 with an AND-join. In Fig. 4b, the WF-net in Fig. 3a is redrawn using XOR-split and XOR-join. The XOR-split (t_1) captures the fact that after t_1 occurs, a token must be produced for one of its output places (based on the evaluation result of condition c). The XOR-join (t_4) is enabled if one of its input places contains a token. Alternatively, an XOR-join can also be modeled by a place, e.g., the input place of transition t_4 in Fig. 3.




Fig. 4 WF-net notations for AND/XOR splits and joins

3.2.3 YAWL

YAWL (van der Aalst and ter Hofstede 2005) extends the class of WF-nets with three categories of patterns: multiple-instance, OR-join, and cancelation patterns. In contrast to Petri nets and WF-nets, the syntax of YAWL allows tasks to be directly connected, which helps compress the visual representation of a YAWL model. Figure 5 shows the modeling elements of YAWL. A process definition in YAWL consists of *tasks* (i.e., transition-like objects) and *conditions* (i.e., place-like objects). Each process definition starts with a unique *input condition* and a unique *output condition*.

A workflow specification in YAWL is a set of workflow nets which forms a directed rooted graph. There are *atomic tasks* and *composite tasks*. Both types of task can also be *multiple instance* tasks at the same time and thus have multiple concurrent instances at runtime. Each composite task refers to a net that contains its expansion. Atomic tasks correspond to atomic actions, i.e., actions that are either performed by a user or by a software application.

As shown in Fig. 5, YAWL adopts the notations of AND-splits/joins and XOR-splits/joins used in WF-nets. Moreover, it introduces *OR-splits* and *OR-joins*. As compared to XOR-splits, which support exclusive choice, OR-splits support multiple choices among conditional branches. Finally, YAWL provides a notation for *removing tokens* from a specified region upon completion of a certain task. This is denoted by associating a dashed lasso to that task that contains the conditions and tasks from which tokens need to be removed or that need to be canceled. This region is called a *cancelation region*, a notion that provides a generalization of the cancelation patterns.

A Running Example: Credit Card Application Process

Let's return to the example credit card application process described earlier in the chapter. To make it more interesting, we extend the process and describe it from the beginning. The process starts when an applicant submits an application (with the proposed amount). Upon receiving an application, a credit clerk checks whether it is complete. If not, the clerk requests additional information and waits until this information is received before proceeding. At the same time, a timer is set so that if




Fig. 5 Modelling elements in YAWL (taken from (van der Aalst & ter Hofstede 2005))

certain period elapses before any information is received, the request for additional information will be sent again. For a complete application, the clerk performs further checks to validate the applicant’s income and credit history. Different checks are performed depending on whether the requested loan is large or small. The validated application is then passed on to a manager to decide whether to accept or reject the application. In the case of acceptance, the applicant is notified of the decision and at the same time is asked for his/her preference on any extra features before a credit card is produced and delivered. For a rejected application, the applicant is notified of the rejection and the process ends. Two more facts are to be mentioned in this process. Firstly, an application may be canceled at any time after it was received and before the manager makes the decision. Secondly, for an approved application, three features are offered including customized card, reward program, and secondary cardholders, and any number of them may be chosen.

Figure 6 depicts a YAWL model of the process. We will not go through every element of the model but select a number of typical examples for illustration. Firstly, the task *check for completeness* uses an XOR-split to capture the checking result and an XOR-join to capture further checks to be performed after additional information is received. Next, the place *waiting* models a deferred choice between tasks *receive more info* and *time out*. Thirdly, the selection of extra features is modeled by a subprocess related to the composite task *choose features*. In this subprocess, task *start features* uses an OR-split to capture the fact that a set of extra features can be added, possibly one, two, or all, and task *complete features* uses an OR-join to collect only the features that were actually selected. Note that the definition of a suitable semantics of the OR-join within the context of YAWL can be found in Wynn et al. (2005). Also, task *add secondary cardholders* can have multiple instances, which




Fig. 6 A credit card application process in YAWL

allow the addition of more than one secondary cardholder in parallel. Finally, in the process model, task *cancel* with its associated cancellation region capture the withdrawal of an ongoing application before an approval/reject decision is made.

In addition to the control-flow definition depicted in Fig. 6, the YAWL model also allows for the specification of the data perspective and the resource perspective. The data specification defines data elements and their usage for exchanging information with the environment, for conditional routing, for creating and synchronizing multiple instances, and so on. Data are represented in XML and data manipulation relies on XML-based standards like XPath and XQuery. The resource perspective specifies task-resource allocation for each task within the process. Note that the term “resource” here refers to human resource, e.g., a role or a participant. Both the data and resource definitions of the process model shown in Fig. 6 will be described further in the section on the YAWL environment later in the chapter.

4 Before Deployment

The development of workflow specifications can be considered as an iterative process, whereby, the specifications are carefully checked and modified to ensure their correctness. In this section, we briefly describe the two techniques, verification and simulation, which can be used to analyze structural and behavioral properties of workflow specifications before deployment. This is followed by a brief description of process configuration, a technique whereby a reference workflow specification is customized based on specific requirements of an organization.

4.1 Verification

Workflow verification is concerned with determining, *in advance*, whether a workflow exhibits certain desirable behaviors. Although one would expect verification functionality to be present in any workflow management system, this is not the case. Typically, these systems at best do some basic syntactical checks but cannot detect the modeling of processes with deadlocks, livelocks, and other anomalies. There are several academic process verification tools. However, until recently, these tools could not verify realistic processes because they assume highly simplified models completely disconnected from real-life languages and systems.

There are established methods for the verification of workflow specifications using Petri nets (van der Aalst 1997). These analysis techniques enable a process designer to answer important questions about a workflow specification, including:

- Can the process model be completed without errors (termination)?
- Are there tasks that are never executed (dead tasks)?
- Are there tasks that are still executing when the process is supposed to be completed (proper completion)?




Fig. 7 A screenshot of the verification results for the credit card application process shown in Fig. 6

The answers to these questions are closely related to the soundness property of a workflow specification (van der Aalst 2000).

Three sophisticated verification techniques for workflow specifications with cancelation and OR-joins have been developed in the context of the workflow language YAWL (Verbeek et al. 2007; Wynn et al. 2009c). These techniques make use of Petri nets with reset arcs and Petri nets with inhibitor arcs to detect the soundness property and the relaxed soundness property. Reset arcs can remove tokens from its reset places when a transition fires and they are used to model cancelation regions in YAWL. Similarly, inhibitor arcs can check for empty tokens and they are used to approximate the behavior of OR-joins in YAWL. It is also possible to perform a behavior check of the model using semi-positive transition variants.

Figure 7 shows the verification analysis results for the credit card application example. As this example makes use of complex constructs, such as OR-join and cancelation, to accurately capture the business logic in the workflow specification, no other verification tool except the verification functionality in the YAWL Editor⁴ can validate this model and provide information on whether the workflow is sound and whether there are unnecessary OR-joins and/or unnecessary cancelation regions in the specification. In addition to the verification of YAWL process models, Petri nets have also been used to analyze other process modeling languages such as BPMN (Dijkman et al. 2008) and BPEL (Ouyang et al. 2007).

⁴The YAWL editor is a graphical design environment for creating YAWL specifications.

However, there is a clear trade-off between the expressive power of a language (i.e., introducing complex constructs such as cancelation and OR-joins) and ease of verification. As verification relies on the state space analysis, which results in the generation of possible states of a workflow, it is time consuming and can become intractable for large models. Reducing a specification, while preserving its essential properties with respect to a particular analysis problem, is an approach to deal with this complexity. Therefore, a number of soundness preserving reduction rules for Petri nets with reset arcs, and for YAWL elements, are proposed (Wynn et al. 2009a, b).

4.2 Simulation

Workflow simulation enables the analysis of workflow specification with respect to performance metrics such as throughput time, cost, or resource utilization. The main steps in workflow simulation involves developing an accurate simulation model, which reflects the behavior of a process, including the data and resource perspectives, and then performing simulation experiments to better understand the effects of running that process. In general, a simulation model consists of three components: basic model building blocks (e.g., entities, resources, activities, and connectors); activity modeling constructs (e.g., branch, assemble, batch, gate, split, and join); and advanced modeling functions (e.g., attributes, expressions, resource schedules, interruptions, user defined distributions) (Tumay 1996). The interested readers can find more details in van der Aalst et al. (2014), which is dedicated to the topic of business process simulation.

Simulation is regarded as an invaluable tool for process modeling due to its ability to perform quantitative modeling (e.g., cost-benefit analysis and feasibility of alternative designs) as well as stochastic modeling (e.g., external factors and sensitivity analysis) (Giaglis et al. 1996). Simulation has been used for the analysis and design of systems in different application areas and for improving orchestration of supply chain business processes. Simulation can also be used as a decision support tool for business process reengineering to identify bottlenecks and to reduce wait-times between activities. For instance, a simulation model based on the credit card applications process with reliable input data can be used to answer questions about how long it takes on average to process a credit application, how many applications are processed per month, the number of human and nonhuman resources required, the cost of processing these applications, and so on.

Even though simulation is well-known for its ability to assist in long-term planning and strategic decision making, it has not been considered to date as a mainstream technique for operational decision making due to the difficulty of obtaining real-time data in the timely manner to set up the simulation experiments (Reijers 2003; Reijers and van der Aalst 1999). This can be achieved by making closer alignment between a workflow system and a simulation environment, and could involve making use of available case information from workflow system and

historical data from process mining tools (Rozinat et al. 2008; Wynn et al. 2007; Russell et al. 2006a).

The state-of-the-art workflow simulation environment should be powerful enough to fully represent underlying business processes and their environment and should support strategic, as well as operational, decision making. One way to identify the requirements for such a simulation environment could be determined in terms of its support for the control flow patterns (van der Aalst et al. 2003), the data flow patterns (Russell et al. 2005b), and the resource patterns (Russell et al. 2005a). Business process simulation tools survey conducted by Jansen-Vullers and Netjes (Jansen-Vullers and Netjes 2006) highlights the fact that these simulation tools are lacking support for complex control flow patterns as well as many of the data and resource patterns. There is a need for simulation environment to support different resource allocation strategies and resource behaviors. In addition, the simulation environment should offer support for ease of integration of historical data into the experiments. The simulation environment also should provide an ability to add customized attributes. These requirements for a state-of-the-art simulation environment are currently being considered and researched, and there is a proposal to support this as part of the YAWL workflow framework.⁵

4.3 Configuration

A reference model represents a generic business process for a particular domain, which can be customized to realize the business process in an organization. More than one reference model may be available for a particular business domain (e.g., supply chain management), and model selection is a crucial task, which requires a good understanding of available reference models in that domain (Fettke and Loos 2003). Process configuration is concerned with the customization of a process specification based on the different variants of the model by allowing for the enabling or disabling of actions (Gottschalk et al. 2008). To this end, Rosemann and van der Aalst (2007) propose the notion of a *configurable reference modeling language* using Event-Driven Process Chains (EPCs). Although the notion of reference models and the advantage of reusing these models for process design are well known, current approaches for configuring reference process models are manual and thus error-prone (van der Aalst et al. 2008).

It is possible to integrate configuration choices into workflow models as runtime choices. However, the advantage of using the configuration approach is that it allows a clear distinction between configuration choices and runtime choices and results in a smaller and clearer workflow model. The approach proposed in Gottschalk et al. (2008) involves three phases: (1) the build time of the model

⁵www.yawlfoundation.org/theory/simulation.php

when all the variants of a configurable model is specified, (2) the configuration time when a particular workflow variant is selected based on some criteria, and (3) the run time when process instances executed based on the configured model. The authors describe their approach using hiding and blocking operators, and realize the approach in the context of the YAWL language, through Configurable YAWL (C-YAWL). The authors also show the applicability of the approach to other languages such as the workflow engine of SAP R/3 and to BPEL.

For large reference models, the designer can find it difficult to make all the configuration choices one by one. To make this configuration process easier, a questionnaire-based approach is proposed to identify the viability in the reference models and to assist the designer in making configuration decisions (La Rosa et al. 2007, 2009). To ensure the correctness of the resulting configured model, a framework for configuring reference process models in a correctness-preserving manner has been proposed (van der Aalst et al. 2008). The syntactic correctness and the semantic correctness can be checked at each intermediate step of the configuration procedure. If a configuration step violates the constraints, suggestions are provided to make the configuration step correctness-preserving.

5 Dealing with Change

With its roots in office automation and document routing, workflow management systems have traditionally followed an *assembly-line* metaphor, where rigidly structured business processes derive strongly prescriptive process models, which in turn produce invariant process instances. While organizational environments performing highly repetitive activities were early benefactors of workflow solutions, a much larger proportion of workplaces undertake activities that do not easily conform to such constricting representations of their work practices. Due to inflexible modeling frameworks, process models are said to be system-centric, meaning that processes are *straight-jacketed* (van der Aalst et al. 2005) into the paradigm supplied, rather than the paradigm reflecting the way work is actually performed, resulting in often substantial differences between real processes and the models designed to represent them (Rozinat and van der Aalst 2005).

Change is unavoidable in the modern workplace. To remain effective and competitive, organizations must continually adapt their business processes to manage the rapid changes demanded by the dynamic nature of the marketplace or service environment. It is also the case that, even in the most structured processes, deviations or unpredicted events will occur with almost every instantiation. Therefore, so that the benefits of workflow management system may be offered to the broader organizational spectrum, the ability to deal with change must be effectively addressed.

The types of change that workflow systems must deal with are generally categorized into two distinct but related groups: Dynamic Workflow and Exception Handling.

5.1 Dynamic Workflow

Dynamic (or adaptive) workflow refers to the extending of otherwise static workflow processes so that, when change occurs, the process model can be modified or augmented in some way, rather than defaulting to the construction of a completely new model. The change may be considered ad hoc (i.e., only affecting the current instance) or may need to be applied, either temporarily or permanently, to all (or a subset of) current and future instantiations.

Adaptation takes place on two levels. First, the process model is modified, which has associated issues regarding what kinds of changes are allowed and whether the changes maintain support for the objective of the activity. Second, any currently running instances have to be managed when the process model from which it was instantiated changes, which has its own issues, such as whether the instance should be aborted, restarted using the modified model, allowed to continue (so that there are several co-existing versions of the same business process), and other associated problems to do with migration, synchronization, version control, and syntactic and semantic correctness (van der Aalst 2004; Ly et al. 2006; Rinderle et al. 2004). For a closer look at the phenomenon of adaptation, please also refer Reichert et al. (2014).

So dynamic workflow provides support for *occasional* changes to the business process model, and assumes the model is basically correct, but incremental or ad hoc changes may be accommodated as required.

An example of a commercial system providing some support for dynamic adaptation is *Tibco iProcess Suite* (version 10.5),⁶ which offers an *Orchestrator* component that provides dynamic allocation of subprocess variants at runtime. It requires a construct called a *dynamic event* to be explicitly modeled that contains a number of subprocesses listed as an “array”. When execution reaches the dynamic event node, it will execute members of the array based on predefined conditionals, which, like the array, must be statically defined before the process is instantiated – that is, there is no scope for runtime modifications. Another commercial system, *COSA* (version 5.4),⁷ allows *manual* ad hoc runtime adaptations such as reordering, skipping, repeating, postponing, or terminating tasks.

The *ADEPT2* prototype (Reichert et al. 2005) supports process modification during execution (i.e., add, delete, and change the sequence of tasks) both at the model (dynamic evolution) and instance levels (ad hoc changes). Such changes are made to a traditional monolithic model and must be achieved through the manual intervention of an administrator, abstracted to a high-level interaction. The system also supports forward and backward “jumps” through a process instance, but only by authorized staff who instigate the skips manually.

The *YAWL* system (cf. Sect. 7) provides support for flexibility and dynamic exception handling through the concept of *worklets*, an extensible repertoire of

⁶www.staffware.com/resources/software/bpm/tibco_iprocess_suite_whitepaper.pdf

⁷www.cosa-bpm.com/project/docs/COSA_BPM_5_Productdescription_eng.pdf

self-contained subprocesses and associated selection rules (Adams et al. 2006). This approach directly provides for dynamic change and process evolution without having to resort to off-system intervention and/or system downtime.

5.2 *Exception Handling*

If an event occurs that impacts on the execution of a process instance but is not explicitly catered for in the process model (such as a process abort, an unavailable resource, or a constraint violation), then certain strategies need to be undertaken to “handle” the event. Traditionally, exceptions are considered to be events that by definition occur rarely. But virtually, every process instance will experience some kind of exception during its execution. It may be that these events are known to occur in a small number of cases, but not often enough to warrant their inclusion in the process model (which implies an off-line, manual handling of such events); or they may be things that were never expected to occur (or maybe never even *imagined* could occur). In any case, when they do happen, since they are not included in the process model, they must be handled in some way before processing can continue. In some cases, the static process model will be modified to capture this unforeseen event, which often involves a large organizational cost (downtime, remodeling, testing, and so on), or in certain circumstances, the entire process must be aborted. However, since most processes are long and complex, neither manual intervention nor process termination is satisfactory solutions (Hagen and Alonso 2000).

Alternately, an attempt might be made to include every possible situation into the process model so that when such events occur, there is a branch in the process to take care of it. This approach often leads to very complex models where much of the original business logic is obscured by exception handling forks, and does not avoid the same problems arising when the next unexpected exception occurs.

Approaches to workflow exception handling generally rely on a high degree of runtime user interactivity, which directly impedes on the basic aim of workflow systems (to bring greater efficiencies to work practices) and distracts users from their primary work tasks into process support activities. For example, most systems support simple deadline expiries (timeouts), but in almost every case, unless an appropriate action is explicitly modeled, a deadline results in a message to an administrator for manual handling.

Russell et al. (2006a) present a framework for the classification of exception handling in process-aware information systems based on patterns. They point out that systems supporting some degree of exception handling may allow exceptions to occur during the execution of a process instance, then provide mechanisms called *exception-handlers* (external to, but linked to, the “parent” business process) to handle the exception and allow the process instance to continue unhindered. These handlers may be defined graphically, or as rules, or as a combination of the two. Thus, a distinction between static workflow systems and exception handling systems is

that in the former, all business rules, conditions, and exception handling branches must be explicitly defined in the business process model itself, whereas for the latter, the exception handling parts of the process can be separated from the main business process. It is important to note that, typically, handlers can only be specified for exceptions that are expected (because the definition of exception-handlers must be completed before an instance is executed), although some recent developments in this field also provide the ability to capture and handle *unexpected* exceptions at runtime (for example, the YAWL *Worklet Service* (Adams et al. 2007)).

For any work process, it may be more productive to accept the fact that deviations to any plan will occur in practice and to implement support mechanisms, which allow for those behaviors to be *implicitly* incorporated into the model, rather than to develop a closed system that tries to anticipate all possible events, then fails to accommodate others that (inevitably) occur. This notion supports the idea of evolutionary workflow support systems, which over time and through experience *tune* themselves to the business process they are supporting.

6 Beyond Enactment

When an instance of a workflow specification is being executed, workflow participants can monitor its progress. Also, historical information about the execution of the various workflow instances is saved by the workflow system. This information can be used for several purposes, e.g., process mining and workflow recovery. In this section, we briefly discuss the topics of workflow monitoring and process mining.

6.1 *Monitoring and Escalation*

Active workflow monitoring enables workflow administrators to be aware of workflows, which are deadlocked, taking exceptionally long time to complete, etc. With workflow systems typically handling long-running business processes, the need to monitor these processes and to act quickly when changes are required is paramount. However, it is typically not possible or easy to change a deployed workflow. These situations become more and more unavoidable at runtime due to the nature of interorganization workflows. In such situations, there is a need to consider escalation strategies, which involve making decisions regarding alternative arrangements to achieve the goal of completing the workflow within a reasonable timeframe. Escalation may imply “performing a task in a different way, allowing less qualified people to do certain tasks, or making decisions based on incomplete data” (van der Aalst et al. 2007b). van der Aalst et al. (2007b) propose a set of escalation strategies by looking at the three perspectives of workflow. They include alternative path, escalation subprocess, task predispatching, overlapping and prioritization for the

process perspective, resource redeployment and batching for the resource perspective, and deferred data gathering and data degradation for the data perspective.

6.2 Process Mining

Process mining is concerned with discovering, monitoring, and improving business process by extracting relevant information from the event logs produced by a wide variety of systems (van der Aalst et al. 2004b; Weijters et al. 2007). The basic idea behind process mining is to learn from observable execution behavior of a business process by analyzing event logs, audit trails, and transaction logs, which may contain detailed information about the activities of the business processes that have been executed (van der Aalst et al. 2007a).

A wide range of process mining techniques and algorithms exist to perform analysis on the control, the data, and the resourcing perspectives of a workflow specification. The research group headed by Prof. Wil van der Aalst has been actively researching in the area of process mining for a number of years (<http://www.processmining.org>). To support this research, the open-source Process Mining ProM framework has been developed. ProM supports a pluggable software architecture, which allows developers and analysts to add their own process mining techniques with ease. ProM currently offers almost 200 plug-ins. Over the last couple of years, ProM has been applied in a wide range of real-life case studies, and several ideas have been incorporated in the commercial tools such as ARIS and the BPM suite of Pallas Athena (van der Aalst et al. 2007a).

7 A Sample System: The YAWL Environment

Today, many workflow management systems are available, both commercial and open source. Firstly, let's have a brief look at a number of commercial products. *Staffware* is one of the leading workflow systems since 1998 and is now owned by TIBCO Software. *COSA* is a Petri-net-based workflow system developed by a German company called Ley GmbH. *SAP R/3 Workflow* is an integrated workflow component of SAP R/3 software suite and now runs over the platform of SAP NetWeaver. *Visual WorkFlo*, part of the FileNet's Panagon suite (Panagon WorkFlo Services), is one of the oldest and best established products on the market of the workflow industry. *WebSphere MQ Workflow* is developed by IBM for process automation and enables use with WebSphere Business Integration Modeler and Monitor for design, analysis, simulation, and monitoring of process improvements. *Oracle BPEL Process Manager*, now part of the Oracle SOA Suite, is a BPEL engine that enables enterprises to orchestrate disparate applications and Web services into business processes.

In the area of open source workflow systems, the four most downloaded systems (as at July 2008) are OpenWFE, jBPM, Enhydra Shark, and YAWL. OpenWFE

(or more precisely, OpenWFERu or Ruote) is a workflow management system written in Ruby. It is aimed for developers and distributed under the BSD License. JBoss jBPM is abbreviation of Java for Business Process Management. It is JBoss' (RedHat's) workflow management system and is written in Java. The tool is distributed through SourceForge under the LGPL license. Enhydra Shark is a Java workflow engine offering from Together Teamlösungen and ObjectWeb. While it is an open source offering, its architecture allows for the use of closed-source or proprietary plug-ins to enhance it. The open-source version of Enhydra Shark is licensed according to the LGPL. Finally, the YAWL System (van der Aalst et al. 2004a) and its environment represent an implementation of a workflow management system supporting the YAWL language. Like jBPM, the YAWL system is distributed through SourceForge under the LGPL license. The YAWL environment is unique in its near-complete support for the workflow patterns. It is therefore used as a sample workflow management system for discussion in this section.

7.1 Architecture

The high-level architecture of the YAWL environment is depicted in Fig. 8. The most obvious feature of the environment is the separation of functionality between the core YAWL Workflow Engine and a number of so-called YAWL Custom




Fig. 8 YAWL system architecture

Services. Inspired by the “web services” paradigm, end-users, applications, and organizations are all abstracted as services in YAWL. Figure 8 shows the three major YAWL services: (1) the Resource Service, with integrated worklist handler and administration tool; (2) the Web Services Invoker; and (3) the Worklet Service, which provides dynamic flexibility and exception handling capabilities.

Workflow specifications are designed using the YAWL Process Editor and stored in the repository as XML. From there, they may be deployed into the YAWL Engine, which, after performing all necessary verifications and task registrations, makes the specifications available to the environment so that they can be instantiated through the Engine, leading to workflow instances. The Engine handles the execution of these cases, and based on the state of a case and its specification, the Engine determines which tasks and events it should offer to the environment.

YAWL Custom Services interact with the engine and each other via a number of interfaces, which provide methods for object and data passing via HTTP requests and responses. All data are passed as XML; objects are marshaled into XML representations on the server side of each interface and reconstructed back to objects on the client side. The YAWL Engine provides four interfaces:

- Interface A: which provides endpoints for process definition, administration, and monitoring;
- Interface B: which provides endpoints for client and invoked applications and workflow interoperability, and is used by services to connect to the engine, to start and cancel case instances, and to check workitems in and out of the engine;
- Interface E: which provides access to archival data in the engine’s process logs; and
- Interface X: which allows the engine to notify custom services of certain events and checkpoints during the execution of each process instance where process exceptions either may have occurred or should be tested for.

The YAWL interfaces correlate somewhat loosely to those defined in the Workflow Reference Model (WRM) of the Workflow Management Coalition (WfMC) (Hollingsworth 1995). The WRM describes a core Workflow Enactment Service (or Engine) interacting with a number of generic components via a defined set of standardized interfaces and data interchange formats. In addition to the core Engine, the Workflow Reference Model identifies five major component types and their interfaces. YAWL’s interface A corresponds strongly to the WRM interface 1 (and partially to interface 5), while YAWL’s interface B relates to WRM interfaces 2, 3, and 4. YAWL interface E corresponds to parts of WRM interface 5 also.

The YAWL Resource Service incorporates a full-featured worklist handler and administration toolset, implemented as a series of web pages. The service automatically assigns tasks to resources and places them in the appropriate work queues based on design time specifications and runtime decisions, while the administration tools can be used to manually control workflow instances (e.g., loading or removing a workflow specification, launching, or canceling case instances), manage resources and allocate them to tasks, and provide information about the state of running workflow instances.

The Resource Service provides three additional interfaces that allow developers to implement other worklist handlers and administration tools while leveraging the full functionality of the service. Interface R provides organizational data to (authorized) external entities such as the YAWL Process Editor; Interface W provides access to the internal work queue routing functionalities; and Interface O allows organizational data to be provided to the service from any data source. In addition, the service's framework is fully extendible, allowing further constraints, filters, and allocation strategies to be "plugged in" by developers.

The worklist handler, incorporated into the Resource Service, corresponds to the classical worklist handler present in most workflow management systems. It is the component used to assign work to users of the system. Through the worklist handler, users are offered and allocated work items, and can start and signal their completion. In traditional workflow systems, the worklist handler is embedded in the workflow engine. In YAWL, however, it is considered to be a service completely decoupled from the engine so that the Engine has no knowledge of how work will be assigned.

The YAWL Web Services Invoker is the glue between the engine and other web services. Note that it is unlikely that web services will be able to directly connect to the YAWL engine, since they will typically be designed for more general purposes than just interacting with a workflow engine. Similarly, it is desirable not to adapt the interface of the engine to suit specific services; otherwise, this interface will need to cater for an undetermined number of message types. Accordingly, the YAWL web services broker acts as a mediator between the YAWL engine and external web services that may be invoked by the engine to delegate tasks (e.g., delegating a "payment" task to an online payment service).

The YAWL Worklet Service (Adams et al. 2006, 2007) comprises two discrete but complementary subservices: a Selection Service, which enables dynamic flexibility for otherwise static process instances, and an Exception Service, which provides facilities to handle both expected and unexpected process exceptions (i.e., events that may happen during the lifecycle of a process instance that affect the execution of the instance but were not explicitly modeled in the process specification) at runtime.

In addition to the three services shown in Fig. 8, any number of additional custom services can be implemented for particular interaction purposes with the YAWL Engine. For example, a custom YAWL service could offer communication with devices such as mobile phones, printers, and assembly robots. A custom service may be used to manipulate the data of certain tasks, or may be implemented to enhance the presentation of work to end-users (for example, via a graphical interface or as a component within a virtual environment). It is also possible that there are concurrent multiple services of the same type, e.g., multiple worklist handlers, web services brokers, and exception handling services. For example, there may exist multiple implementations of worklist handlers (for example, customized for a specific application domain or organization) and the same worklist handler may be instantiated multiple times (for example, one worklist handler per geographical region).

7.2 Design Time

A YAWL workflow with control, data, and resource perspectives can be created using the YAWL Process Editor, which is a standalone component of the YAWL workflow system. Figure 9 provides a screenshot of the credit card application process modeled in the YAWL Editor. The control flow perspective of the workflow is specified using the YAWL icons on the top-left side of the screen. The data perspective of the workflow such as input and output data as well as the data used for flow decisions (XOR-split and OR-splits) are modeled using XML data elements. The resource perspective specifies who should do a particular task from a set of available resources from the organizational database. This feature requires client-server access to an executing resource service via interface R (Fig. 8) so that information regarding resources can be retrieved, and can be configured in the YAWL Editor using a 5-step wizard. As an example, Fig. 10 shows a screenshot of the second step in specifying the resource perspective for task *make decision* in the credit card application process.

The YAWL specification can be checked using the “Validate Specification” feature to ensure the structural correctness of the workflow. Furthermore, the specification can be analyzed using the “Analyze Specification” feature to ensure the behavioral correctness of the workflow with regards to the control flow. A validated specification can then be exported to the YAWL engine for enactment.




Fig. 9 Using the YAWL Editor for specifying the control flow perspective of the credit card application process shown in Fig. 6




Fig. 10 Using the YAWL Editor for specifying the resource perspective (Task *make decision* should be performed by a user with a manager role)

Currently, version 2.0 of the YAWL Editor provides support for specifying extended attributes such as cost, priority, etc., integrated support for timeout tasks using timers, and the support for 38 out of 43 resource patterns. It can be downloaded from SourceForge.⁸

7.3 Runtime

At runtime, the YAWL Engine presents events and tasks to the environment as they occur during the lifecycle of process instantiations via the interfaces described earlier. Using those interfaces, custom services may elect to be notified of certain events (i.e., when a workitem becomes enabled, or is canceled, or when a case instance completes) or of changes in the status of existing workitems and case instances.

For example, on receiving notification from the Engine of an item-enabled event (i.e., when a work item becomes ready for execution), a custom service may elect to “check-out” the workitem from the Engine. On doing so, the Engine marks the work item as *executing* and effectively passes operational control for the work item to the custom service. When the service has finished processing the work item, it will check it back into the Engine, at which point the Engine will mark the work item as *completed* and proceed with process execution.

⁸<http://sourceforge.net/projects/yawl/>




Fig. 11 The YAWL Work Queues (allocated queue active)

An example of such a service is the Resource Service, which provides as a component a worklist handler for the execution, updating, and completion of work items at runtime. The user interface is provided as a series of web pages. Each work item is presented to the appropriate user work queues based on four interaction points: offered, allocated, started, and suspended.

Figure 11 shows a screen of an allocated work queue in the YAWL runtime environment. The screen displays the information about a work item that has been allocated, including the process specification, the identifier of the process instance (i.e., case number), the task to which the work item belongs, and its creation time and age. There are also functionalities that support different operations with the work item, for example, to delegate the work item to another human resource. The types of functionality available vary relevant to each of the four work queues.

When a work item is started, its data may be viewed and edited via a dynamically generated form. Each completed work item is passed back to the Engine, allowing the case instance to progress. While the Resource Service offers a default worklist handler, custom services may be designed to handle the work and events offered by the YAWL Engine in a variety of ways. For example, the exception-handling component of the Worklet Service uses the same task and event notifications to determine if exceptions have occurred during a process instance's life cycle and take appropriate action as required.

8 A Case Study: YAWL4Film

As part of the Australian Research Council Centre of Excellence for Creative Industries and Innovation,⁹ we move well beyond the traditional use of workflow management systems and investigate how they can deliver benefits to the field of

⁹<http://www.cci.edu.au>

screen business. The screen business comprises all creative and business related aspects and processes of film, television, and new media content, from concept to production and then distribution. A film production process includes daily shooting activities like acting, camera, and sound recording over a period varying from days to years. It involves handling large amounts of forms and reports on a daily basis and coordinating geographically distributed stakeholders. Traditionally, the forms and reports are purely paper-based and the production of these documents is a highly manual process. Not surprisingly, such a process is time-consuming and error-prone, and can easily increase the risk of delays in the schedule.

Within the above context, YAWL was applied to the automation of film production processes (Ouyang et al. 2008a, b). This led to the development of a prototype, namely YAWL4Film, which exploits the principles of workflow in order to coordinate work distribution with production teams, automate the daily document processing and report generation, ensure data synchronization across distributed nodes, archive and manage all shooting related documents systematically, and document experiences gained in a film production project for reuse in the future. The system was successfully deployed in two pilot projects at the Australian Film, Television, and Radio School in October 2007.

Below, we briefly describe YAWL4Film. It consists of a YAWL model capturing the control-flow, data, and resource perspectives of a film production process. It also extends the general YAWL system with customized user interface to support templates used in professional filmmaking.

8.1 Process Model

Figure 12 depicts the YAWL model of a film production process. An instance of the process model starts with the collection of specific production documents (e.g., *cast list*, *crew list*, *location notes*, and *shooting schedule*) generated during the preproduction phase. Next, the shooting starts and is carried out on a daily basis. Each day, tasks are performed along two main parallel streams. One stream focuses on the production of a *call sheet*. It starts from task *Begin Call Sheet* and ends with task *Finish Call Sheet*. A call sheet is a daily shooting schedule. It is usually maintained by the production office and is sent out to all cast and crew the day prior. A draft call sheet can be created from the shooting schedule. It may go through any number of revisions before it is finalized, and most of the revisions result from the changes to the shooting schedule. The other stream specifies the flow of onset shooting activities and supports the production of a *daily process report* (DPR). It starts with task *Kick Off on-set* and ends with task *Distribute DPR*. At first, tasks are executed to record the logs and technical notes about individual shooting activities into a number of documents. These are *continuity log* and *continuity daily*, which are filled by the Continuity person, *sound sheet* by a Sound Recordist, *camera sheet* by a Camera Assistant, and *2nd Assistant Director (AD) Report* by the 2nd AD. It is possible to interrupt filling in the continuity log and the 2nd AD report, e.g., for a




Fig. 12 A film production process model in YAWL

meal break, and then to resume the work after the break. Also, there can be many camera and sound sheets to be filled in during a shooting day. Upon completion of these on-set documents, a DPR can be generated and passed onto the Production Manager for review. After the review, the DPR is circulated to certain crew members, e.g., Producer and Executive Producer.

In this process model, it is interesting to see how the OR-join associated with task *End a Day* behaves. Before the first shooting day starts, an instance of the call sheet branch is executed for producing the first day’s call sheet. Since it is the only active incoming branch to task *End a Day*, the task will be performed once the call sheet has completed, without waiting for the completion of a DPR. In this case, the OR-join behaves like an XOR-join. On the other hand, if both call sheet and DPR branches are active (which is the case for the rest of the shooting days), the OR-join behaves like an AND-join.

8.2 User Interface

Most tasks in the film production process are manual (annotated with an icon of a human) and require users to fill in forms. While the YAWL environment supports automatic generation of screens based on input/output parameters and their types, in order to support templates used in professional filmmaking, custom-made Web forms were created and linked to the worklist handler of YAWL. Figure 13 for

ROPE BURN

DIRECTOR: MILVIN MONTALBAN | PRODUCER: ADAM BISHOP

FILES: 3-10-2007 Sheet Day 1 of 3

Production Managers: ALICE WHITE
 IM AD: CHEVYLA SMITH
 Police: Eastwood Police Station ph (02) 9858 5944 Hospital: Ryde Hospital | Donnicine Road Eastwood NSW 2122 ph (02) 9874 0199
 Fire/Ambulance: 000

Production Office
 Address: Australian Film Television and Radio School | Corner Eggins and Balclava Roads, North Ryde, NSW
 Phone: +61.2.9805 6676 Fax: +61.2.9887 1030 Email: ropeburnproduction@gmail.com

Weather
 Sunrise: 05:24:00 Sunset: 18:02:00
 Forecast: Partly Cloudy Min 14 Max 21

Call Times

Call	Time	Location
Crew	08:00:00	AFTR5
Location	08:00:00	AFTR5

Shooting Schedule

ABSOLUTELY NO FOOD OR DRINK (EXCEPT FOR WATER BOTTLES) IN FRONT

Start of Day Notes

Sec 9 Pages: 4/8 Timing: 00:00:25 Night/INT Set: DRESSING ROOM
 Synopsis: Charlie's not going to Europe with them
 Character: ARIEL PU M&P WR On Set
 CHARLIE Louise Dear 0630 0745 0715 0815
 SIMONE Amelie Best 0620 0715 0845 0815

Insert Row | Delete Row |
 Sheet Times: 06:00-11:15
 Scene: BLOCK-THROUGH 0815-1835 THEM LIGHT/COMPLETE N/UP AND ON 0835-1930
 Notes:

Sec 2 Pages: 1/28 Timing: 00:01:07 Night/INT Set: DRESSING ROOM
 Synopsis: Simone and Charlie get it on but are interrupted.
 Character: ARIEL PU M&P WR On Set
 CHARLIE Louise Dear 0710 0745 0715 0815

Partial Submission Final Submission

ROPE BURN

DIRECTOR: MILVIN MONTALBAN | PRODUCER: ADAM BISHOP

FILES: 9 October 2007 Sheet Day 1 of 1

Production Managers: ALICE WHITE
 IM AD: CHEVYLA SMITH

ROPE BURN PRODUCTION OFFICE
 Australian Film Television and Radio School | Corner Eggins Road, North Ryde, NSW
 Telephone: +61 2 9805 6676 Facsimile: +61 2 9887 1030 Email: ropeburnproduction@gmail.com

Police: Eastwood Police Station ph (02) 9858 5944 Hospital: Ryde Hospital | Donnicine Road Eastwood NSW 2122 ph (02) 9874 0199
 Fire/Ambulance: 000

Weather
 Sunrise: 05:24:00 Sunset: 18:02:00
 Forecast: Partly Cloudy Min 14 Max 21

Call Times

Call	Time	Location
Crew Call	08:00:00	AFTR5
Location Call	08:00:00	AFTR5
CAD	07:00:00	AFTR5
Station Call	07:00:00	AFTR5
Unit Call	07:00:00	AFTR5
Headset	08:15:00	AFTR5
Go Home	08:45:00	

AFTR5 07:00:00
 CREW CALL: Ryde Ryde North Ryde NSW
 Do not be late your safety pass is at times.
 Location: Central Production Camp, Home

ABSOLUTELY NO FOOD OR DRINK (EXCEPT FOR WATER BOTTLES) IN FRONT

SC	PGS	CHARACTER	ARTIST	PU	M&P	WR	ON SET		
9	4/8	NIGHT	DRESSING ROOM W/ UPST STAIRS	CHARLIE	LOUISE DEAR	0630	0745	0715	0815
9	4/8	DAY	CHARLIE'S NOT GOING TO EUROPE WITH THEM	CHARLIE	LOUISE DEAR	0630	0745	0715	0815
9	4/8	DAY	CHARLIE'S NOT GOING TO EUROPE WITH THEM	CHARLIE	LOUISE DEAR	0630	0745	0715	0815
9	4/8	DAY	CHARLIE'S NOT GOING TO EUROPE WITH THEM	CHARLIE	LOUISE DEAR	0630	0745	0715	0815

Partial Submission Final Submission

Fig. 13 An example of custom Web form – call sheet

example depicts the Web form for task *Update Call Sheet* (in Fig. 12) as seen by a production office crew member. The custom forms and their links to YAWL were developed using standard Java technology. Each form can load/save an XML file (complying with the schema of the work item), and submit the form back to the workflow handler once it has been completed by the user. Upon submission, a backup copy is stored on the server. Moreover, each form provides data validation upon save and submission to prevent the generation of invalid XML documents that would block the execution of the process. Finally, a print-preview function¹⁰ allows the user to generate a printer-ready document from the Web form, which resembles the hard copy format used in practice in this business.

9 Outlook

This chapter covered many of the main areas that are of relevance in modern workflow management, and more broadly, modern Business Process Management. These included workflow patterns, which are part of the conceptual foundations of workflow management, a number of workflow languages, which exhibit different approaches to workflow specification, and more advanced topics such as handling changes and unexpected exceptions, simulation, verification, and configuration. An existing workflow management system was presented in order to demonstrate some state-of-the-art aspects of workflow management. However, space considerations

¹⁰This function relies on XSLT transformations to convert the XML of the form to HTML.

prevented in-depth treatment of the various topics covered, and some topics were not covered at all, e.g., support at the language level for interprocess communication (Aldred et al. 2007; Decker and Barros 2007). Nonetheless, we hope that enough pointers were provided to the reader for further study or exploration.

References

- Adams M, ter Hofstede AHM, Edmond D, van der Aalst WMP (2006) Worklets: a service-oriented implementation of dynamic flexibility in workflows. In: Proceedings of the 14th international conference on cooperative information systems. LNCS, vol 4275. Springer, Berlin, pp 291–308
- Adams M, ter Hofstede AHM, van der Aalst WMP, Edmond D (2007) Dynamic, extensible and context-aware exception handling for workflows. In: Proceedings of the 15th international conference on cooperative information systems. LNCS, vol 4803, pp 95–112
- Aldred L, van der Aalst WMP, Dumas M, ter Hofstede AHM (2007) Communication abstractions for distributed business processes. In: Proceedings of the 19th international conference on advanced information systems engineering. LNCS, vol 4495. Springer, pp 409–423
- Decker G, Barros AP (2007) Interaction modeling using BPMN. In: Proceedings of business process management workshops 2007. LNCS, vol 4928. Springer, Heidelberg, pp 208–219
- Dijkman R, Dumas M, Ouyang C (2008) Semantics and analysis of business process models in BPMN. *Inform Softw Tech* 50(2):1281–1294
- Fettke P, Loos P (2003) Classification of reference models – a methodology and its application. *Inform Syst E Bus Manage* 1(1):35–53
- Fischer L (ed) (2005) *Workflow handbook 2005*. Workflow Management Coalition
- Giaglis G, Paul R, Doukidis G (1996) Simulation for intra- and inter-organisational business process modeling. In: Proceedings of the 28th conference on winter simulation, pp 1297–1308
- Gottschalk F, van der Aalst WMP, Jansen-Vullers M, La Rosa M (2008) Configurable workflow models. *Int J Cooper Inform Syst* 17(2):177–221
- Hagen C, Alonso G (2000) Exception handling in workflow management systems. *IEEE Trans Softw Eng* 26(10):943–958
- Hollingsworth D (1995) The workflow reference model. <http://www.wfmc.org/standards/docs/tc003v11.pdf>. Accessed 4 Apr 2008
- Jablonski S, Bussler C (1996) *Workflow-management: modeling concepts, architecture and implementation*. International Thomson Computer Press, London
- Jansen-Vullers M, Netjes M (2006) Business process simulation – a tool survey. In: Proceedings of the 7th workshop and tutorial on practical use of coloured petri nets and the CPN tools, Aarhus, Denmark
- La Rosa M, Lux J, Seidel S, Dumas M, ter Hofstede AHM (2007) Questionnaire-driven configuration of reference process models. In: Proceedings of the 19th international conference on advanced information systems engineering. LNCS, vol 4495. Springer, pp 424–438
- La Rosa M, van der Aalst WMP, Dumas M, ter Hofstede AHM (2009) Questionnaire-based variability modeling for system configuration. *Software Syst Model* 8(2):251–274
- Ly LT, Rinderle S, Dadam P (2006) Semantic correctness in adaptive process management systems. In: Proceedings of the 4th international conference on business process management. LNCS, vol 4102. Springer, pp 193–208
- Murata T (1989) Petri nets: properties, analysis and applications. *Proc IEEE* 77(4):541–580
- Ouyang C, Verbeek HMW, van der Aalst WMP, Breutel S, Dumas M, ter Hofstede AHM (2007) Formal semantics and analysis of control flow in WS-BPEL. *Sci Comput Program* 67(2–3):125–332
- Ouyang C, ter Hofstede AHM, La Rosa M, Rosemann M, Shortland K, Court D (2008a) Camera, set, action: automating film production via business process management. In: Proceedings of

- the CCI conference on creating value: between commerce and commons, the ARC Centre of Excellence for the Creative Industries and Innovation, Brisbane, Australia
- Ouyang C, La Rosa M, ter Hofstede AHM, Shortland K (2008b) Towards Web-scale workflows for film production. *IEEE Internet Comput* 12(5):53–61
- Ouyang C, Dumas M, van der Aalst WMP, ter Hofstede AHM, Mendling J (2009) From business process models to process-oriented software systems. *ACM Trans Softw Eng Meth* 19(1): Article No. 2
- Reichert M, Hallerbach A, Bauer T (2014) Lifecycle management of business process variants. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 1, 2nd edn. Springer, Heidelberg, pp 251–278
- Reichert M, Rinderle S, Kreher U, Dadam P (2005) Adaptive process management with ADEPT2. In: *Proceedings of the 21st international conference on data engineering*, Tokyo, Japan, pp 1113–1114
- Reijers HA (2003) Design and control of workflow processes: business process management for the service industry. LNCS, vol 2617. Springer, Berlin
- Reijers HA, van der Aalst WMP (1999) Short-term simulation: bridging the gap between operational control and strategic decision making. In: *Proceedings of the IASTED conference on modeling and simulation*, Philadelphia, USA, pp 417–421
- Rinderle S, Reichert M, Dadam P (2004) On dealing with structural conflicts between process type and instance changes. In: *Proceedings of the 2nd international conference on business process management*. LNCS, vol 3080, pp 274–289
- Rosemann M, van der Aalst WMP (2007) A configurable reference modeling language. *Inf Syst* 32(1):1–23
- Rosemann M, vom Brocke J (2014) The six core elements of business process management. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 1, 2nd edn. Springer, Heidelberg, pp 105–122
- Rozinat A, van der Aalst WMP (2005) Conformance testing: measuring the fit and appropriateness of event logs and process models. In: *Proceedings of BPM 2005 workshops (workshop on business process intelligence)*. LNCS, vol 3812. Springer, Berlin, pp 163–176
- Rozinat A, Wynn MT, van der Aalst WMP, ter Hofstede AHM, Fidge CJ (2008) Workflow simulation for operational decision support using design, historic and state information. In: *Proceedings of the 6th international conference on business process management*. LNCS, vol 5240. Springer, Heidelberg, pp 196–211
- Russell N, van der Aalst WMP, ter Hofstede AHM, Edmond D (2005a) Workflow resource patterns: Identification, representation and tool support. In: *Proceedings of the 17th conference on advanced information systems engineering*. LNCS, vol 3520. Springer, pp 216–232
- Russell N, ter Hofstede AHM, Edmond D, van der Aalst WMP (2005b) Workflow data patterns: Identification, representation and tool support. In: *Proceedings of the 24th international conference on conceptual modeling*. LNCS, vol 3716. Springer, Berlin, pp 353–368
- Russell N, van der Aalst WMP, ter Hofstede AHM (2006a) Workflow exception patterns. In: *Proceedings of the 18th international conference on advanced information systems engineering*. LNCS, vol 5074. Springer, Berlin, pp 288–302
- Russell N, ter Hofstede AHM, van der Aalst WMP, Mulyar N (2006b) Workflow control-flow patterns: a revised view. *BPM Center Report BPM-06-22*, BPMcenter.org
- Sidorova A, Torres R, Al Beayez A (2014) The role of information technology in business process management. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 1, 2nd edn. Springer, Heidelberg, pp 421–444
- Tumay K (1996) Business process simulation. In: *Proceedings of the 28th conference on winter simulation*, pp 93–98
- van der Aalst WMP (1997) Verification of workflow nets. In: *Proceedings of the 18th application and theory of Petri nets*. LNCS, vol 1248. Springer, Heidelberg, pp 407–426
- van der Aalst WMP (2000) Workflow verification: finding control-flow errors using Petri net-based techniques. In: *Business process management: models, techniques and empirical studies*. LNCS, vol 1806. Springer, pp 19–128

- van der Aalst WMP (2004) Exterminating the dynamic change bug: a concrete approach to support workflow change. *Inform Syst Front* 3(3):297–317
- van der Aalst WMP, ter Hofstede AHM (2005) YAWL: yet another workflow language. *Inf Syst* 30(4):245–275
- van der Aalst WMP, van Hee KM (2002) *Workflow management: models, methods, and systems*. MIT press, Cambridge, MA
- van der Aalst WMP, ter Hofstede AHM, Kiepuszewski B, Barros AP (2003) Workflow patterns. *Distrib Parallel Database* 14(3):5–51
- van der Aalst WMP, Aldred L, Dumas M, ter Hofstede AHM (2004a) Design and implementation of the YAWL system. In: *Proceedings of the 16th international conference on advanced information systems engineering*. LNCS, vol 3084. Springer, Heidelberg, pp 142–159
- van der Aalst WMP, Weijters AJMM, Maruster L (2004b) Workflow mining: discovering process models from event logs. *IEEE Trans Knowl Data Eng* 16(9):1128–1142
- van der Aalst WMP, Weske M, Grünbauer D (2005) Case handling: a new paradigm for business process support. *Data Knowl Eng* 53(2):129–162
- van der Aalst WMP, van den Brand PCW, van Dongen BF, Günther CW, Mans RS, Alves de Medeiros AK, Rozinat A, Song M, Verbeek HMW, Weijters AJMM (2007a) Business process analysis with ProM. In: *Proceeding of the 17th annual workshop on information technologies and systems*, pp 223–224
- van der Aalst WMP, Rosemann M, Dumas M (2007b) Deadline-based escalation in process-aware information systems. *Decis Support Syst* 43(2):492–511
- van der Aalst WMP, Dumas M, Gottschalk F, ter Hofstede AHM, La Rosa M, Mendling J (2008) Correctness-preserving configuration of business process models. In: *Proceedings of fundamental approaches to software engineering*. LNCS, vol 4961. Springer, pp 46–61
- van der Aalst WMP (2014) Business process simulation survival guide. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 1, 2nd edn. Springer, Heidelberg, pp 337–370
- Verbeek HMW, van der Aalst WMP, ter Hofstede AHM (2007) Verifying workflows with cancellation regions and OR-joins: an approach based on relaxed soundness and invariants. *Comput J* 50(3):294–314
- Weijters AJMM, van der Aalst WMP, van Dongen B, Günther C, Mans R, Alves de Medeiros AK, Rozinat A, Song M, Verbeek HMW (2007) Process mining with ProM. In: *Proceedings of the 19th Belgium–Netherlands conference on artificial intelligence*, Utrecht, The Netherlands
- Weske M (2007) *Business process management: concepts, languages, architectures*. Springer, Berlin
- White S (2004) Process modeling notations and workflow patterns. *BPTrends*, pp 1–24
- Wynn MT, Edmond D, van der Aalst WMP, ter Hofstede AHM (2005) Achieving a general, formal and decidable approach to the OR-join in workflow using reset nets. In: *Proceedings of the 26th international conference on application and theory of petri nets and other models of concurrency*. LNCS, vol 3536. Springer, Heidelberg, pp 423–443
- Wynn MT, van der Aalst WMP, ter Hofstede AHM, Edmond D (2006) Verifying workflows with cancellation regions and OR-joins: an approach based on reset nets and reachability analysis. In: *Proceedings of the 4th international conference on business process management*. LNCS, vol 4102. Springer, Berlin, pp 389–394
- Wynn MT, Dumas M, Fidge CJ, ter Hofstede AHM, van der Aalst WMP (2007) Business process simulation for operational decision support. In: *Proceedings of the 3rd international workshop on business process intelligence*. LNCS, vol 4928. Springer, Berlin, pp 66–77
- Wynn MT, Verbeek HMW, van der Aalst WMP, ter Hofstede AHM, Edmond D (2009a) Reduction rules for reset workflow nets. *Inf Sci* 179(6):769–790
- Wynn MT, Verbeek HMW, van der Aalst WMP, ter Hofstede AHM, Edmond D (2009b) Reduction rules for workflows with cancellation regions and OR-joins. *Inform Softw Tech* 51(6):1010–1020
- Wynn MT, Verbeek HMW, van der Aalst WMP, ter Hofstede AHM, Edmond D (2009c) Business process verification – finally a reality! *Bus Process Manage J* 15(1):74–92

A Framework for Resource-Based Workflow Management

Akhil Kumar and Jianrui Wang

Abstract This chapter presents a general framework of resource-driven workflows as an alternative to the more popular control flow driven workflows approach. We argue that this approach is more holistic than control flow driven approaches because it considers availability of resources such as data, people, equipment, space, etc. Control flow driven approaches usually either disregard resource considerations or account for them only implicitly. In our approach the control flow is a derivative of the resource needs of various tasks. Moreover we make a clean separation between hard constraints that arise from resource considerations and soft constraints that result from business policy. The new methodology for process design is described at length, along with an architecture and a detailed discussion of implementation issues. This approach is more holistic and is particularly suited for ad hoc workflows as opposed to production workflows.

1 Introduction

There are many approaches and frameworks for designing business workflows (see van der Aalst 1998; Dumas et al. 2005; Grefen et al. 1999; OASIS <http://www.oasis-open.org>; Scheer 1998; Scheer et al. 2005; WFMC <http://www.wfmc.org>). Most of them are based on mapping a control flow that specifies the coordination of various activities. Here we discuss another approach, which differs from the control flow driven workflow approach, called *resource-driven workflows*. The main idea is to design a process so that the tasks within it can be driven based on the availability of resources required to perform them without an explicit control flow. In general, a

A. Kumar (✉)

Smeal College of Business, Pennsylvania State University, University Park, PA 16802, USA
e-mail: AkhilKumar@psu.edu

process contains several tasks, and each task requires resources like data, people performing roles, equipment, facilities, etc. for its completion. If any resource is not available then the task cannot be performed. We argue that in some scenarios, particularly those involving frequent changes in the environment, as well as resource intensive or ad hoc workflows, the control flow driven approach to workflow design is less suitable. Instead since exceptions and changes are more likely to occur in these cases, a resource-based approach may be more promising. From a management standpoint as well, in recent years the resource-based view of organizations is assuming greater importance as a basis for developing competitive business strategy (Collis and Montgomery 1995).

In a conventional control flow based workflow, the coordination among various tasks is prespecified using constructs like *sequence*, *choice*, *parallel* and *loop*. More advanced constructs or patterns (van der Aalst et al. 2003) may also be used. Thus, a sequence construct between tasks A (e.g. 'receive order') and B (e.g. 'check order') creates a dependency between them which means that B cannot start unless A is finished. Now, in general, such a dependency could be for a variety of reasons. It could be because B needs the data produced by A. It could also be because A and B are to be done by the same individual. It could be because A and B need the same facility or equipment. Finally, it could be because of a business policy in the organization. Thus, a process design based on a control flow creates dependencies between tasks, but it does not give a reason for them.

Similarly, consider another scenario where two tasks C (e.g. 'check customer credit') and D (e.g. 'check inventory') are in parallel in the control flow of a process. This means that they do not have a dependency between them. During execution of the process, it may turn out that, in general, both C and D might well need the same human resource, say, a manager, and since there is only one person available in that role, both C and D cannot be done in parallel. They might also need some equipment of which there is only one instance. Hence, this suggests that often because of resource conflicts it is not possible to design a control flow without knowledge of the resource requirements of the various tasks and the available resources. Since the available resources change dynamically there is some value in not "hard-coding" them into the process design. Thus, in this situation, we cannot really say whether C and D are in sequence or in parallel. Consequently, a resource-based approach to process design and execution may be more useful.

As an example to motivate the need for resource-based workflow modeling, consider the new product development process in a company. Such a process involves steps such as product planning, conceptual design, component design, overall assembly, prototype, performance test, etc. In each step individuals from different departments (e.g., marketing, engineering, and development) performing various roles (such as designer, engineer, manager, etc.) are involved (see Table 1). The main features of this process are that the tasks have complex coordination and routing requirements, and must be routed among individuals or teams which may be geographically distributed. They may need to share documents and other resources. Finally, access to all documents must be carefully controlled based on permissions.

Table 1 An example of tasks and their resource needs in product design

Task	Data resource	Human resource	Physical resource	Equipment resource
Product planning	<i>In:</i> marketing report <i>Out:</i> design spec.	Marketing, design manager	Conference room (capacity 10)	White board PC projector
Conceptual design	<i>In:</i> design spec. <i>Out:</i> detailed design	Design engineer	Design room	Design PC
Design review	<i>In:</i> detailed design <i>Out:</i> discussion transcript	Design team	Conference room (capacity 25)	White board PC, projector
Component design	<i>In:</i> detailed design, transcript <i>Out:</i> drawings	Manufacturing engineer	Office room	CAD workstation

In this table there are four types of resources. The successful completion of a process requires coordination among all the resources. In a resource-driven workflow the various tasks can be scheduled only when all their resource needs are satisfied. Thus it is not necessary to specify a control flow before hand, but it is necessary to specify all the tasks that must be performed and the resource requirements for each task. Document- and entity-centric approaches for modeling business processes are discussed in (Bhattacharya et al. 2007; Botha and Eloff 2001; Dourish et al. 2000; Krishnan et al. 2002; Kumaran 2008; LaMarca et al. 1999; Mazumdar and AbuSafiya 2004; Wang and Kumar 2005).

The objective of this chapter is to present an alternative away of designing workflows. The proposed resource-driven workflow framework is useful when multiple resources are involved in a process and resource conflicts are likely to arise. Therefore, it becomes necessary to look beyond a control-flow centric approach. In addition, this framework can also be used to generate a preliminary design for ad hoc workflows, which may be refined further to create a final process design. The organization of this chapter is as follows. We will first provide some background and contrast resource-driven workflows with control-driven ones in Sect. 2. Next in Sect. 3, we will discuss the resource-driven approach in detail. Later, Sect. 4 gives a general framework for developing resource-driven workflows and an algorithm for handling exceptions, while in Sect. 5 a comparison between the two approaches is conducted. Section 6 provides a detailed discussion and Sect. 7 concludes the paper.

2 Background

2.1 Resource Dependencies

Conventional workflow systems emphasize the control flow of a process, that is, the execution sequence of the various tasks. Control flow diagrams assume that the process designer possesses the business domain knowledge to layout the task sequence without addressing the resource requirements of each task. Task sequencing follows from the various kinds of dependencies that exist between them. Malone (Malone and Crowston 1994) summarizes three basic types of dependencies that arise in collaboration enterprises: *Flow*, *Fit*, and *Sharing*, as shown in Fig. 1. A *flow dependency* arises when one activity produces a resource that is used by another activity. *Fit dependencies* occur when multiple activities collectively produce a single resource. In such situations these activities must be synchronized. For example a series of activities is required to process a customer order such as the one shown in Fig. 2 (to be described shortly). These various activities must be synchronized. A *sharing dependency* arises when several tasks compete for the same resource, e.g., when two activities need to be done by the same person. It should be noted that current workflow systems are particularly weak in handling sharing dependencies.


Figure 2a shows the main steps in a simple workflow process for handling orders from customers. After an order is received, a *credit check* is performed to verify the payment information. Then there is a *split fork* corresponding to a condition test: if the credit check passes, the order is *picked*, *shipped*, *invoiced* and *closed*; otherwise, it is cancelled. At an AND fork both branches can be taken in parallel, while at an OR fork only one branch can be chosen. Each fork has a matching join node where the branches meet. Each process also has a distinguished start and end node. The shortcomings of this method are that there is no information about resources required for each task such as:

- **Data Resource:** What input documents are needed for the task?
- **Human Resource:** Who will perform the task (a generic role, a team or individual person)?
- **Physical Resources:** physical space/ facilities, etc.
- **Equipment Resource:** PC, video projector, workstation, etc.

In the absence of this additional information, the workflow description is incomplete. Perhaps, the additional information exists in different systems and if so, it will be hard to integrate with the workflow system. Moreover, any attempt at such integration will slow the performance of the system because of the need to exchange different formats and perform transformations. Ideally, a complete or more holistic description must capture such missing information in a common framework. Of course, additional modeling effort is required in the latter case.

Figure 2b shows an example to contrast the traditional approach for describing workflows and the resource-driven one. In this example, when we use the term

Fig. 1 Three basic types of dependencies in any collaboration environment



resource the focus is on the document resource. Both parts of the figure show a workflow for order processing. The approach in Fig. 2a is called the *control-flow-driven approach* because the exact flow of control is specified precisely. In Fig. 2b the various tasks are shown only with respect to the documents they need, and not as a control flow. Thus, the *receive order* task can only be performed when an order document is available as an input. Moreover, this task produces three output documents: *payment*, *order items* and *shipping advice*. While this figure also looks like a control flow, yet, there is a subtle difference in that the ability to perform a task depends on the availability of the input documents required to perform it. Since a document is a resource, we call this a *resource-driven approach*. Also, a task may require other resources such as people, physical space, equipment, etc. It should be noted that one significant difference between Fig. 2a and b is that the former has only an implicit assumption on resource dependencies but the latter makes it explicit.

The resource-driven model can be developed by first conducting an information or data flow analysis as shown in Table 2. This analysis naturally leads to a derivation of the *data dependency constraints* (Sun et al. 2006). Such constraints are called *hard constraints* because they are dictated by the resource needs of various tasks. On the other hand, a second type of constraint is determined by the business policy of the organization, such as the one shown by dotted lines between *check credit* and *warehouse pickup*, and also between *invoice* and *ship* tasks in Fig. 2b. Such constraints are called *soft constraints*.

Consequently, it is important to make a distinction between these two types of constraints: *hard* and *soft* (see Table 3). A *hard* constraint between tasks A and B arises when task A produces output that serves as input for task B. Hence, B must wait for A to finish (assuming each task is atomic). This gives rise to a strict data dependency between two tasks. Thus, *credit check* can only be done after an order is received. However, *soft* constraints reflect rules in the form of business policy, as




Fig. 2 An example order process modeled by control flow and resource-driven workflow

opposed to a strict data dependency. So the control flow of a process (see Fig. 2a) may have a *check_credit* step to be followed by *warehouse_pickup* and *invoice* (if *check_credit* succeeds). However, the *warehouse_pickup* does not require any input data from the output of the *check_credit* step. Such a business rule can be expressed by a *guard constraint* of the form: *check_credit.status* == “done”, for the *warehouse_pickup* step. This constraint states that the credit must be approved before *warehouse_pickup* can start (even though *warehouse_pickup* does not require any *specific* input data from the *credit_check*). It is shown in Fig. 2b as *soft constraint 1*. Similarly, the control flow in Fig. 2a shows that the *invoice* step is followed by the *ship* step. Yet, this again is just a business rule because normally the *ship* step does not need any input from the *invoice* step. This is also represented by a guard constraint of the form: *Invoice.status* == “done”, for the *ship* step. Perhaps the rationale for this constraint might be a company policy that goods cannot leave

Table 2 Information flow analysis for tasks in an order process

Task	Input data	Output data
Receive order	Order information Payment information (i.e. name, customer ID, credit card) Order items (SKUs, unit price, quantity) Shipping information (i.e. Fedex)	The order information in the input document is split into three output documents: payment, order items, and shipping advice
Check credit	Payment	Approved or rejected
Warehouse pickup	Order items	Package list
Invoice	Payment, package list, and shipping advice	Invoice
Ship	Package list; shipping advice	Proof of shipment

Table 3 Scenarios to illustrate hard and soft constraints between two tasks, A and B

Constraint type	Description	Example (see Fig. 2b)
Hard	Output of Task A is input for Task B	The check_credit step can only be done after the order is received
Soft constraint 1	There is a guard condition for Task B	check_credit.status == "done"
Soft constraint 2	There is a guard condition for Task B	Invoice.status == "done"

the company unless the invoice is prepared. It is shown in Fig. 2b as *soft constraint 2*.

As discussed above, documents that contain data are a resource. Similarly, there are other resources also. One can store resources and availabilities in a database. For doing so, the following data/characteristics should be stored for each type of resource.

- **Document** (doc_id, description, availability)
- **Human** (role_id, person_id, time_period_id, availability)
- **Space** (type, location_id, description, capacity, time_period_id, availability)
- **Equipment** (type, equip_id, description, location_id, time_slot_id, availability)

The document resource describes a doc_id, description and availability (yes/no) at the current time. For a human resource, each tuple contains a role, an id of a person that fills the role, and time periods and availability during those time periods. In the case of a space resource we store the type of resource (conference room, office, lecture room, etc.) and its unique location id, along with attributes such as capacity, and availability during various time periods. For an equipment resource, the schema contains an equipment type and unique id along with attributes like

description, location, and availability information. A workflow process consists of tasks. Each task is associated with the resources as follows:

Task(task_id, task name, doc_id, role_id/person_id, location_id, equip_id)

At runtime, a process is instantiated and tasks that are ready to run can be started. The database can be queried to determine if the resources required for a task are available. Thus, if the Warehouse Pickup task needs a Warehouse clerk, then a query on the **Human** resource table can determine if an individual in this role is available before this task can be performed. Similarly, the **Space** and **Equipment** tables can also be queried. As availability of resources changes, the data in these tables is updated dynamically. Incidentally, the assignment of human resources to tasks can be done either in *pull mode* where tasks are offered to individuals and they choose tasks they would like to perform, or *push mode* where tasks are automatically assigned to persons who are qualified for them.


In the next subsection, we will give a resource taxonomy and discuss the difference between instance level and process level resources.

2.2 Resource Taxonomy

It should be noted that the resources shown in Table 1 have different features. For example, data resources, such as marketing report and design specification, are tightly related to the process instance (or case), and are meaningful only in the context of a specific case because information in these data resources varies from case to case. On the contrary, human resources, such as engineer and manager, may be shared by many cases of a process and can also exist independently of any cases.

In general, resources used in workflow systems can be classified into two classes: (a) instance-level and (b) process-level (see Fig. 3). A document is an *instance-level resource* because it is specific to a case. On the other hand, a human role or equipment is a *process-level (or organizational) resource* since it belongs to the organization and may apply to a variety of instances. A document or data resource triggers a *workitem*, which is an instance of a task that pertains to a specific case. A document is also updated by the case. Thus, a document resource is always “owned” by a case. A process-level resource is not owned by any case. Instead, it enables a workitem to become an activity that is ready for execution. The reason for making this distinction is that these two types of resources are very different. Process level or organizational resources are physical in nature and have implications for scheduling (a human can only do one task at a time), utilization, substitution, etc. There are also business policy considerations like separation of duties, i.e. the same person may not be allowed to perform two tasks in the same process (such as submit a purchase order and approve the purchase). On the other hand, an instance level resource like a document is non-physical, and there are implications in terms of its ownership, privacy, sharing rules, etc.

Fig. 3 A resource taxonomy



This distinction between the two main classes of resources is reflected in the prototype design for a resource driven workflow system discussed in Sect. 4.

3 Proposed Approach for Designing Resource-Driven Workflows

3.1 Task Analysis

As discussed above, the proposed resource-driven approach differs from the control-flow-based approach in that it relies upon understanding the prerequisite resources for each task. The underlying premise here is that by focusing on the requirements for each task, the process flow will emerge organically, rather than being predetermined. The resource driven approach can be modeled as shown in Table 4. This table can be normalized for storing in a database. Here, along with each task, we show the input document it requires, the output document produced by it, the human resource and role that performs the task, the input constraints that must be satisfied (guard-in), and the output conditions produced by the task (guard-out). Thus, row 2 shows that the *check credit* task is performed by the system automatically. The input for it is the payment information document and the output is the approval number (if credit is approved). The *guard-out* condition is: “*credit == pass*” or “*credit == fail*”. The *guard-in* condition is essentially a soft constraint discussed in Sect. 2, while the *guard-out* condition acts as an integrity check on the output of a task. This example shows us that, in this way it is possible to associate optional *entry* and *exit* constraints for each task based on resource dependencies. Additional columns can be added to the schema of Table 4 to capture needs for other resources. Once a **Schema** table like Table 4 is constructed, then a standard database engine can drive the process flow by running simple SQL queries that find the next task that is ready to run.

Table 4 Schema Table to describe the order processing workflow

Task	Data resource		Human Resource		Conditions (optional)	
	In_doc	Out_doc	Role	Guard-in	Guard-out	
Receive order	Order		Order clerk			
Check credit	Payment	Approval number	System task		credit == 'fail' credit == 'pass'	
Warehouse pickup	Order items	Package list	Warehouse clerk			
Ship	Package list	Shipping confirmation	Shipping assistant			
Invoice	Shipping advice					
	Package list	Invoice	Accounts officer	Ship.status == 'done'; Credit == 'pass'		
	Shipping confirmation					
Close order	Payment					
Cancel order	Invoice	Close confirmation	Accounts	Invoice.status == 'done'		
	Invoice	Cancel confirmation	Accounts	Credit == 'fail'		

The query will basically return the task(s) for which resources are available. If multiple tasks are enabled, they may be executed simultaneously (or in parallel). Thus, the *parallel* control flow construct of a workflow system is automatically simulated. On the other hand, parallel execution of two enabled tasks can also be prevented by adding a soft constraint as in the example of Fig. 2b. Thus, the entry constraints are applied to these tasks (through guard-in) to determine which task (s) can be executed. Other related SQL queries can be written to find:

- Whether an individual is available in the role required to perform a task?
- What tasks can a role perform?

In general, additional tables would be added to this schema to define mappings between users and their roles (e.g. Jill is a vice-president, Joe is a manager), between teams and their members (e.g., a design review committee consists of a manager and three engineers), etc. The schemas for some of these tables are:

- **Role** (id, role, user_name)
- **Team** (id, name, member_role)

Hence, it is possible to assign a task to a team (van der Aalst and Kumar 2001) as well, although Table 4 only shows individual roles.

3.2 Data Dependencies

This section discusses at length the dependency analysis of one important resource type, namely information or data. As noted above, if the input of task B is contained in the output of task A, then task B cannot start before task A finishes. This is the most important kind of data dependency. However, there are other data dependencies as well that are more subtle and should be analyzed. Consequently, in this section we discuss data dependencies in more detail since they play a crucial role in our framework.

We have identified nine types of data relationships between two tasks, say Task A and Task B, as shown in Table 5. D_{IA} and D_{IB} (D_{OA} and D_{OB}) are inputs (outputs) of tasks A and B, respectively. Type 1 and 2 dependencies are straightforward. Moreover, type 3 is a special case of type 2, while type 6 is a special case of type 5, and type 9 is a special case of type 8. Type 2 and 3 dependencies prevent two tasks from executing concurrently because they compete for the same input data. Types 5 and 6 indicate only one of these tasks will be executed because their outputs overlap and cannot be written concurrently. Types 8 and 9 impose a sequential constraint on the two tasks because one needs the other's output to start. Furthermore, a combination of these relationships can decide the execution order of two tasks. For example, a combination of types 1 and 7 means two tasks can be executed simultaneously; a combination of types 4 and 9 defines a sequential ordering between two tasks, etc.

Table 5 Possible data relationships between two tasks

Type	Relation	Description
1	$D_{IA} \cap D_{IB} = \phi$	Task A and Task B have no common input data
2	$D_{IA} \cap D_{IB} \neq \phi$	Task A and Task B have common input data
3	$D_{IA} \supseteq D_{IB}$	Task B uses no more input data than Task A
4	$D_{OA} \cap D_{OB} = \phi$	Task A and Task B have no common output data
5	$D_{OA} \cap D_{OB} \neq \phi$	Task A and Task B have common output data.
6	$D_{OA} \subseteq D_{OB}$	Task A produces no more output data than Task B
7	$D_{OA} \cap D_{IB} = \phi$	Task B does not use Task A's output
8	$D_{OA} \cap D_{IB} \neq \phi$	Task B uses Task A's (partial) output as input
9	$D_{OA} \supseteq D_{IB}$	Task B only uses Task A's output data




Fig. 4 Split a task based on the dependency analysis

It is important to realize that dynamic changes made to a workflow process routing in order to handle exceptions may produce violations in the above data dependencies. The dependency analysis in Table 5 can also be used to improve the design of a process by determining suitable task boundaries. Intuitively, if a task (or activity) uses multiple input resources to produce multiple output resources, then it may suggest it can be divided into two separate tasks (see Fig. 4). On the other hand, if two tasks have a sharing dependency on the input side and a fit dependency on the output side (see Fig. 5), then we may consider combining them into one task. Detailed discussion of an algorithm to determine suitable boundaries is beyond the scope of this chapter. Further discussion of data dependencies appears in (Sun et al. 2006; Wang and Kumar 2005).

In summary, the general procedure for creating and running resource-driven workflows is as follows:




Fig. 5 Combine tasks based on the dependency analysis




Fig. 6 A resource-driven workflow architecture

- Create a database schema that describes the resource requirements for each task in a workflow.
- Create a schema for each resource to describe the resource and the availability of the resource.
- Run database queries to identify tasks for which all resources are available.
- Perform data dependency analysis and check if guard-in constraints are satisfied.
- Identify a subset of tasks that are executable.
- Execute the subset of tasks; check if guard-out constraints are satisfied; and, update the database.
- Identify a new subset of executable tasks and execute it.
- When all the tasks are executed for the process or its exit conditions are satisfied, the workflow is completed.

More details about architecture and implementation are discussed in the next section. In particular, we shall describe a layered architecture and illustrate how it can be implemented in a database system.

4 A General Architecture for a Resource-Driven Workflow

We propose a four-layer architecture for modeling resource-driven workflow systems as shown in Fig. 6. The four layers are *schema*, *runtime*, *scheduling*, and *application layer*. The *schema layer* defines workflow processes, which consist of tasks, instance-level resources and process-level resources. The *runtime layer* specifies how processes and tasks are started and ended. The *scheduling layer* manages assignment of resources to a task so that they can be executed. This may entail use of suitable assignment algorithms that are outside the scope of the current paper. The *application layer* provides links between the workflow system and the applications. It defines how application data can be linked to the corresponding resources. Since there is a clear separation between workflow data and application data, the details of the application data are not important here in the context of the workflow architecture.

The significant differences between resource-driven workflow systems and conventional control flow-based workflow systems lie in the runtime and the application layers. In *resource-driven workflow systems*, a process is instantiated into a case when certain instance-level resources (i.e. documents) arrive. In Fig. 6, drawn in UML syntax with classes and associations, *Process* and *Task* are top-level classes, and *case* and *workitems* are their subclasses, respectively. A set of initial documents of the process instance (or *case*) are created as instances of the instance-level resources. Other resources are instantiated similarly from the *ProcessLevel-Resource* class. A *task* is instantiated into a *workitem* when its input documents exist. The input documents required by one task are usually the output documents from a previous task, except the initial documents for the first task, which are generated by the process repository when the process is instantiated. After a *workitem* gets its input documents and associated resources (at the scheduling layer), it becomes an *activity* that can be executed. An activity potentially changes the values in its input documents or produces new documents, thus making next tasks ready to run. The dotted lines in Fig. 6 show that an activity uses input document data and needs other resources to perform a task. A case terminates when documents satisfying its exit conditions are produced.

4.1 A Prototype for a Resource-Driven Workflow System

The concept of a resource-driven workflow system has been tested using Transact-SQL on a Microsoft SQL Server 2000 (Microsoft Corporation 2005). Triggers are used to enact the workflow system. The framework presented in Fig. 6 is mapped into a DBMS using the execution architecture described in Fig. 7. It shows that when a database table is changed (through an insert, update, or delete operation), a corresponding trigger is fired. This trigger generates appropriate events and puts them into the event queue table. Then the trigger associated with the event queue




Fig. 7 Execution architecture for a resource-driven workflow system

table sends new event messages to event listeners and the listeners execute all the event adapters who registered for these events. Finally, the event adapters update the associated tables and start the next iteration. The architecture shown in Fig. 7 consists of two loops: *workflow layer loop* and *application layer loop*. The workflow layer loop updates the workflow tables (through Workflow EventAdapters) and the application layer loop updates the application table (through Application Event Adapters). An event adapter propagates information about an event to the appropriate database tables. There are two types of triggers shown in Fig. 7, the system triggers (i.e. workflow and event triggers) and application triggers. Note that Figs. 6 and 7 offer two different perspectives, and the layers in the high level design architecture of Fig. 6 map only approximately into the execution architecture of Fig. 7. The top two layers in Fig. 6 are captured in the workflow and application tables in Fig. 7. The scheduling and application layers in Fig. 6 are incorporated into the workflow and application event adapters, respectively, in Fig. 7.

Another advantage of implementing a workflow system inside a database is that transaction management features, such as concurrency control and crash recovery, are already built into most database systems. In the next section we show how exceptions are handled in a resource-driven workflow system using these features of the underlying database.

4.2 Handling Exceptions by Task Deferral

We show here how resource-driven workflows facilitate easier handling of exceptions. The main idea is that when a task throws an exception it may be deferred. *Task deferral* requires that several issues must be considered before deferring a task. First, a task should be deferred only if some alternate task can be started instead of it. If the output of the task is required by all the succeeding tasks, it cannot be deferred without redefining the subsequent tasks. Second, deferring a task changes the workflow execution path, which may cause complex process changes and even lead to an invalid process. Third, deferring a task increases compensation cost if the delayed task eventually fails.

Task deferral is achieved by relaxing soft constraints. Thus, we may relax soft constraint 1 of Fig. 2b if, say, the credit approval system is temporarily down, or soft constraint 2 if the invoicing system is unavailable. In such cases an exception may be thrown, perhaps when a deadline for a task completion expires and a timeout occurs. Figure 8 gives a proposed algorithm for handling a task deferral. In this algorithm the states of a task are: *ready (to run)*, *running*, *deferred* and *finished*. A task (or workitem) is ready to run when all its input resources are available, and it becomes an activity at this point. When a task throws an exception, the workflow runtime environment first captures the exception (step 1), identifies the task to be deferred (step 2) and assigns a temporary value to its result such as “done”/“fail” or “true”/“false” (step 3). The temporary values may be assigned based on rules or past frequencies. Then, it identifies those that can be executed without completion of the deferred task (step 5) based on the temporary value assigned in step 3. This is done by searching all the tasks for which the input resources are already available. These tasks are called *promotable* and in step 6 they are added to the *Promoted Queue*. Then in step 7, the workflow runtime environment performs a dependency analysis on the set P of promotable tasks and finds the one which does not depend upon any other task in P . This task is executed in step 8. Upon completion of this task, the workflow system will look for the next task to be executed based on the new state of documents. The deferred task may either have finished or it may still be running (step 9). If the deferred task is still running, steps 4 through 9 are repeated to find yet another promotable task. On the other hand, if the deferred task has finished, then the normal processing can resume. However, we need to compare the temporary result assigned to the deferred task (in step 3) with the actual result. If they are different then the promoted tasks must be rolled back. The schema should specify whether a task can be rolled back. Finally, if a deferred task is still running at the end of the process or after a maximum time limit, then it must be aborted and the entire process is rolled back. Roll back can be done quite easily by treating the entire process as a transaction, and then the promoted tasks as a sub-transaction within the outer transaction. Then it is possible to use the SQL Rollback statement with appropriate parameters to rescind all changes of the current transaction.

Fig. 8 Procedure for task deferral to handle exceptions

```

1: Capture exception (by a timeout)
2: Find the task to be deferred
3: Assign a temporary result to the deferred task
4: Repeat{
5: Get remaining ready tasks
6: Add to promoted queue
7: Select a task to run
8: Run selected task with temporary result from deferred task
9: if (deferred task has finished)
    if (temporary result == actual result)
        {exit and resume normal processing}
    else
        {roll back promoted tasks}
    } until (no task is ready)
10: At end if deferred task is still running, then abort.
    
```

Table 6 Handling of hard and soft constraints between two tasks, A and B

Constraint type	Description	Example (see Fig. 2b)	Handling
Hard	Output of Task A is input for Task B	Check credit can only be done after order is received	Task B can start only after Task A is finished
Soft constraint 1	Guard condition for Task B	check_credit.status == "done"	Relax constraint and start Task B. Later, check actual status value
Soft constraint 2	Guard condition for Task B	Invoice.status == "done"	

The above procedure can be easily implemented when there is a soft constraint between a deferred task and its successor. By assuming a temporary output from the deferred task, the workflow instance can proceed. The temporary output can be included as part of the workflow schema. Obviously, this is only possible for planned exceptions. In the case of unplanned exceptions, this approach would require that a temporary value be provided by the user for the output of the deferred task. The major advantage of using temporary outputs for deferred tasks lies in the simplicity of the approach. It doesn't violate the dependencies, so the correctness is guaranteed. However, it may cause extra compensation cost if the actual output of the deferred task cannot be easily predicted. Therefore, this approach is suitable only when the output of the deferred task can be predicted with a high probability, e.g. an assumption like, most credit card transactions are approved.

Table 6 summarizes the main scenarios for our approach. By relaxing certain soft constraints that serve as guard conditions for a task, it is possible to proceed past the delayed or deferred task temporarily. However, this does not mean that we are skipping this task altogether. As noted above, before the instance is completed, a check must be made to ensure that the task did finish, and the actual result was indeed the same as the one presumed; else, the subsequent tasks are rolled back.

Table 7 Comparison between resource-driven workflow and control flow based workflow

Resource-driven workflow	Control flow driven workflow
The process is driven by the resources	Process is driven by the predefined control flow
The process is very flexible and can be changed instantly by changing constraints	The process is less flexible because the limitations imposed by flow patterns are hard to change
More suited for ad hoc workflows	Better for production workflows with mature processes
Clear separation of hard /soft constraints	No such separation
Exceptions are easier to handle	Exceptions are not so easy to handle
Verification is relatively easy	Verification could be hard
More scalable as part of a DB system	Less scalable; workflow systems are usually small
Interoperability is easier because resource information is in standard SQL database	Interoperability is harder because different workflow systems use different representations
Difficult to visualize the process	Process can be visualized easily

Finally, if the deferred task is still running when all other tasks have finished or after a certain time limit, then it is aborted and the other tasks are rolled back.

5 A Comparison of Two Approaches

A summary comparison between the resource-driven and control flow driven approaches is given in Table 7. Flexibility is an important issue in a workflow management system. Different methods such as structured processes (Kiepuszewski et al. 2000), workflow patterns (van der Aalst et al. 2003), and Petri-Nets (van der Aalst 1998), offer varying degrees of flexibility. These techniques are based on a control flow described using modeling constructs like splits, forks, joins, and other complex flow structures. On the one hand, some structures like forks enhance parallelism and thus flexibility. But, on the other hand, a predefined control flow also restricts flexibility by forcing a certain ordering of tasks. The resource-driven design can dynamically discover the process flow simply based on the resource dependencies. Thus, if a task generates multiple documents, a subsequent task that needs only the first one can proceed without waiting for the task to finish. Such situations of *partial dependencies* are quite common, and one can increase throughput by exploiting them. In fact, in a real-time workflow the need for an input document may also be deferred in some situations to meet deadlines by presuming temporary default data values from it as explained in the previous section. This can be done easily by relaxing soft constraints (or business rules) and is much harder to do in a control-flow driven approach where it is difficult to distinguish between soft and hard constraints. This added flexibility makes the resource-driven approach especially suitable for *ad hoc* workflows. Lack of flexibility can hinder effective use of workflow systems because actual work practices often differ from predesigned processes and exceptions also arise.

This may require changing the order in which certain tasks are done. Our approach can handle such operations relatively easily.

Our approach also relies on the use of database triggers. The use of triggers in workflow system has been discussed in the WIDE project (Grefen et al. 1999) as a way to capture events and handle exceptions in addition to the normal workflow which is designed as a control flow. However, our study takes this approach one step further by using triggers as mechanisms to drive and enact the workflow system, thus obviating the need for a “workflow engine” module. As a result, the workflow system can be implemented entirely inside the database and is more scalable because database systems can handle thousands of transactions per second.

A user does not have to worry about the control flow design, and verification is also easier in our approach. In a control flow driven workflow system, the structure of the control flow must be checked to ensure there are no deadlocks, livelocks, or other problems. In a resource driven workflow, it is only necessary to analyze resource flows between tasks and ensure that each task will obtain its input resources. Such a workflow is also more scalable because database systems can handle thousands of transactions per second, whereas most workflow systems have throughput rates that are much slower. Moreover, resource driven workflows can interoperate with one another more easily if they use common database schemas. In the case of control driven workflows this is harder because there is no accepted standard yet for describing control flows. By far the biggest disadvantage with our approach is that it is harder to visualize the process graphically. In a control flow based workflow this is much easier because the control flow is always depicted visually, and it shows the temporal relationships between various tasks. Of course, one could use the information in a resource driven workflow description and convert it into a control flow, but algorithms for doing so are not discussed here.

6 Discussion

The main idea behind our proposal is that a *process* is driven by *resources* such as data, human or system roles, physical space and equipment rather than an explicit, predefined *control flow*. A *task* is instantiated into a *workitem* when its input documents exist *and* any associated *guard* constraints are satisfied. After a workitem gets its input documents and other associated *resources* (at the scheduling layer), it becomes an *activity* that can be executed. An activity produces new documents, and changes the database which triggers the next task. The process completes when all tasks are executed. Moreover, soft constraints that reflect business policy can be added separately through guard conditions. This means that when business policy changes only the soft constraints are modified without a need to change a control flow diagram. Constraints have been studied extensively in many database systems and they are usually represented as ECA (Event-Condition-Action) rules (McCarthy and Dayal 1989). A key aspect of our approach is that it can be executed inside a database, i.e. the database system becomes a workflow

engine. Since databases are very fast and more scalable than workflow systems, they can handle larger numbers of workflow instances than workflow engines, thus leading to better performance.

Control-flow-driven workflows are designed from basic patterns such as sequence, choice, parallel and loop, and advanced patterns such as multi-choice, interleaved parallel, etc. However, all workflow products don't support all the patterns and this can affect interoperability. In the resource-driven approach, the patterns are not specified explicitly; rather they arise as a result of resource dependencies. Thus, if there is an input-output dependency between two tasks, they are in sequence. If the guard-in conditions of two tasks are in conflict, then they are in choice, and if two tasks have mutually exclusive guard-in conditions and no data dependency between them, then they are run in parallel. A loop involving one or more tasks is created by changing the status of a running task in a workflow instance from 'done' to 'undone'. This would force the tasks to be rerun as in a loop. Advanced patterns can also be simulated by using the guard conditions and locking features of a database. Guard-in conditions can help to select a subset of tasks to execute from a larger set that is potentially executable. A task, while running, may optionally lock a document if it needs exclusive access. If a document is locked by a task, then it must be unlocked before another parallel task can access it, thus creating the effect of interleaved parallel routing.

There is a fundamental duality between resource- and activity-centric approaches for workflow design (Kumaran 2008). Examples of the activity centric approach are Petri-nets (van der Aalst 1998), XPD (WFMC <http://www.wfmc.org>), BPEL (OASIS <http://www.oasis-open.org>), BPMN (OMG <http://www.bpmn.org/>), etc. These formalisms are quite expressive for modeling the control flow, but they do not model resources very well. On the other hand, among approaches that focus on resources, the WIDE project (Grefen et al. 1999) and ADOME-WFMS (Chiu et al. 2001) use ECA rules in RDBMS and OODBMS respectively, which do not explicitly model the control flow. ADEPT takes a more comprehensive approach which includes both data flow and control flow, and is promising for solving most dynamic change problems (Rinderle et al. 2004). There are other proposals such as Placeless documents project (Dourish et al. 2000), which adds action code into documents, so the coordination can be done within the documents and no explicit workflow system is required. An approach for entity-centric process models is described in (Bhattacharya et al. 2007). In this approach the main organizing principle for creating processes is entities, which can be treated as a kind of a resource. In the EPC (Scheer et al. 2005) approach each activity has input events that trigger it, and output events that it produces which in turn trigger other activities. This approach has some similarity to our proposal; however, EPC diagrams are essentially control flow diagrams.

A more recent work in the spirit of document-centric view of processes introduces the notion of interactive web documents (Boyer et al. 2012) as a metaphor for a single digital asset that can be routed through a business process and accessed on the web through a REST-based protocol. Although somewhat orthogonal, there has

also been interest in semantic analysis of documents as a way to predict the next steps that should be performed in an ad hoc process (Dorn et al. 2011).

Research on exception handling in workflows is still quite limited. Some work on exceptions in workflows is discussed in (Curbera et al. 2003; Hwang and Tang 2004; Klein and Dellarocas 2000; Luo et al. 2000). A different perspective for handling exceptions based on deadlines is presented in (van der Aalst et al. 2007). WIDE manages exceptions by first activating a local, process specific exception handler, and then allowing propagation of the exception to the parent process. ADOME-WFMS uses Problem Solver Agent (PSA) to handle exceptions.

Another kind of exception can be handled through resource delegation. Thus, if a resource is not available to perform a task that has a tight deadline, then a substitute can be found. For a human resource a subordinate or a superior substitute may be assigned. Similarly, for space and equipment resources, substitutes may be kept in the database and assigned in order to expedite a task if the desired resources are not available. We do not go into details here, but there is related work on delegation in the literature (Wainer et al. 2007).

7 Conclusions

This chapter provided a general framework for the design and implementation of resource-driven workflows in contrast to conventional control-flow-driven workflows. In a resource-driven workflow, resources serve as an organizing principle. The tasks in a process are executed in the correct order based on the availability of *resources* such as data documents, human or system roles, physical space and equipment rather than an explicit, predefined *control flow*. We argue that when multiple, dynamic and possibly conflicting resources are involved it is not possible to pre-design a business process based on the control flow alone; rather it emerges from the interaction of resources that are a prerequisite for each task in the process. We showed how resource-driven workflows are especially promising for ad hoc workflow environments, and can be implemented within a database system, thus obviating the need for a workflow engine. A distinction was also made between hard constraints that depend on data dependencies and resource availability, and soft constraints that are determined by business rules. This distinction leads to a systematic way of designing business processes, and also enables relaxation of soft constraints to handle exceptions. Handling exceptions within a database becomes easier because most databases systems provide rollback capability.

There are several avenues for more work in this area. First, there is a need for a language to describe resource driven workflows. Second, the types of resources to be modeled, and the level of detail at which each resource is modeled, should be investigated further. Naturally there is a trade-off here between modeling complexity and the value gained from the model, and it should be explored further. Third, algorithms for converting resource-driven workflows into an equivalent control flow for visualization purposes should be developed. Finally, more detailed

quantitative comparisons between the resource based and control flow based approaches, perhaps through simulations, would also be helpful.

References

- Bhattacharya K et al (2007) Towards formal analysis of artifact-centric business process models. In: Proceedings of business process management, 5th international conference (BPM 2007), Brisbane, pp 288–304
- Botha RA, Eloff JHP (2001) Access control in document-centric workflow systems—an agent-based approach. *Comput Secur* 20(6):525–532
- Boyer J et al (2012) Interactive web documents. *Comput Sci* 27(2):127–145
- Chiu DKW, Li Q, Karlapalem K (2001) Web interface-driven cooperative exception handling in ADOME workflow management system. *Web Info Syst Eng* 26(2):93–120
- Collis DJ, Montgomery CA (1995) Competing on resources. *Harv Bus Rev* 73(4):118–128
- Curbera F et al (2003) Exception handling in the BPEL4WS language. In: van der Aalst W, ter Hofstede A, Weske M (eds) BPM 2003. Lecture notes in computer science, vol 2678, Springer, Berlin Heidelberg, pp 276–290
- Dorn C et al (2011) Self-learning predictor aggregation for the evolution of people-driven ad-hoc processes. In: BPM 2011, Springer, Berlin Heidelberg, pp 215–230
- Dourish P et al (2000) Extending document management systems with user-specific active properties. *ACM Trans Inf Syst* 18(2):140–170
- Dumas M, van der Aalst WMP, ter Hofstede AHM (2005) Process aware information systems. Wiley
- Grefen P et al (1999) Database support for workflow management—the WIDE project. Kluwer, Boston
- Hwang S-Y, Tang J (2004) Consulting past exceptions to facilitate workflow exception handling. *Decis Support Syst* 37(1):49–69
- Kiepuszewski B, Hofstede AHM, Bussler C (2000) On structured workflow modeling. In: Proceedings CAiSE'2000. Lecture notes in computer science, vol 1797, Springer, Berlin Heidelberg
- Klein M, Dellarocas C (2000) A Knowledge-Based Approach to Handling Exceptions in Workflow Systems. *Computer Supported Cooperative Work (CSCW)* 9:399–412
- Krishnan R, Munaga L, Karlapalem K (2002) XDoC-WFMS: a framework for document centric workflow management system. *Lecture Note Comput Sci* 2465:348–362
- Kumaran S, Liu R, Wu FY (2008) On the duality of information-centric and activity-centric models of business processes. In *Advanced information systems engineering*. Springer, Berlin Heidelberg, pp 32–47
- LaMarca A et al (1999) Taking the work out of workflow: mechanisms for document-centered collaboration. In: ECSCW'99, Springer, Netherlands, pp. 1–20
- Luo Z et al (2000) Exception handling in workflow systems, applied intelligence: the international journal of AI. *Neural Netw* 13(2):125–147
- Malone TW, Crowston K (1994) The interdisciplinary study of coordination. *ACM Comput Surv* 26(1):87–119
- Mazumdar S, AbuSafiya M (2004) A document-centric approach to business process management. In: Proceedings of international conference on information and knowledge engineering, pp 461–466
- McCarthy DR, Dayal U (1989) The architecture of an active database system. In: Proceedings of ACM SIGMOD conference on management of data, Portland, pp 215–224
- Microsoft Corporation (2005) SQL server books online: Transact-SQL reference
- OASIS. Web Services Business Process Execution Language (WSBPEL). <http://www.oasis-open.org>

- Object Management Group (OMG). Business process management notation. <http://www.bpmn.org/>
- Rinderle S, Reichert M, Dadam P (2004) Correctness criteria for dynamic changes in workflow systems – a survey. *IEEE Trans Knowl Data Eng* 50(1):9–34
- Scheer AW (1998) ARIS – business process frameworks, 2 ed. Springer
- Scheer AW, Thomas O, Adam O (2005) Process modeling using event-driven process chains. In: Dumas M et al (eds) *Process aware information systems*. Wiley
- Sun SX et al (2006) Formulating the data-flow perspective for business process management. *Inf Syst Res* 17(4):374–391
- van der Aalst WMP (1998) The application of Petri Nets to workflow management. *J Circ Syst Comput* 8(1):21–66
- van der Aalst WMP, Kumar A (2001) A reference model for team-enabled workflow management systems. *IEEE Trans Knowl Data Eng* 38:335–363
- van der Aalst WMP et al (2003) Workflow patterns. *Distrib Parallel Database* 14(1):5–51
- van der Aalst WM, Rosemann M, Dumas M (2007) Deadline-based escalation in process-aware information systems. *Decis Support Syst* 43(2):492–511
- Wainer J, Kumar A, Barthelmeß P (2007) DW-RBAC: a formal security model of delegation and revocation in workflow systems. *Inf Syst* 32(3):365–384
- Wang J, Kumar A (2005) A framework for document-driven workflow systems. In: van der Aalst WMP et al (eds) *BPM 2005. Lecture notes in computer science*, vol 3649, pp 285–301
- Workflow Management Coalition (WFMC). XML Processing Description Language (XPDL). <http://www.wfmc.org>

BPM Meets SOA: A New Era in Business Design

Fred A. Cummins

Abstract Business Process Management (BPM) provides the design and optimization of repeatable business processes. Service-Oriented Architecture (SOA) provides for the design of an enterprise using sharable services as business capability building blocks. BPM can both define the processes within service implementations and orchestrate the use of shared services to define the operation of the enterprise. Shared services as business capabilities can be engaged for multiple lines of business and achieve both economies of scale, through consolidation or outsourcing, and enterprise agility, through the ability to configure new business systems using existing capabilities. This provides the foundation for the next generation of enterprise architecture.

In the next generation, all business activity is organized as a network of collaborations where participants (people, machines or and organizations) perform activities to apply business capabilities. Formal collaborations can be specified as conventional business processes. Informal collaborations are enhanced with adaptive processes defined by case management models. Organization units perform collaborations to deliver services. Each line of business is driven by the delivery of value expressed as value propositions, and the sources of values are traced back to the service units, their collaborations and the activities within collaborations. Value delivery modeling supports optimization of this complex network of collaborations, capabilities and value contributions. The result is business design, transformation and optimization from an enterprise perspective, and agility through the ability to quickly adapt or configure the use of capabilities for process improvement, new technology or changing business demands.

F.A. Cummins (✉)
Agile Enterprise Design, LLC, Pinckney, MI, USA
e-mail: fred.a.cummins@gmail.com

1 Introduction

There is a perception that business process management (BPM) and service oriented architecture (SOA) are competing disciplines for the design of an enterprise. Not so. The convergence of BPM and SOA is the tip of an iceberg of integrated business design and analysis disciplines that will change business architectures and become essential for future enterprises to be competitive. This integration of disciplines is driven not only by advances in technology, but also by a changing world.

In my blog post, “Rethinking Business for a Changing World” (Cummins [2011a](#)) I outline a number of fundamental changes that have emerged as important business design factors in the last 20 years:

- Automation has replaced routine work
- Employees work from home or other remote locations
- The marketplace is global
- Non-core business operations can be outsourced
- Values must complement a product or service
- Markets and technology are constantly changing
- Barriers to entry of competitors are lower
- Business risks are increased
- Businesses must rapidly adapt to change

On the horizon is a global information systems infrastructure based on the Internet and cloud computing. In this chapter we will explore the nature and future evolution of BPM and SOA that lead to new forms of enterprise architecture and the disciplines by which an enterprise is managed, optimized and adapted.

In the following sections we will first assess the current state of BPM and SOA. We will then envision the next generation of BPM, SOA and enterprise architecture. Finally, we will consider the implications for next generation enterprise management and the advent of the collaborative enterprise.

2 BPM and SOA Today

In this section we will look at conventional BPM, conventional SOA and the state of the art of integration of BPM and SOA.

2.1 *Conventional BPM*

Conventional BPM (Business Process Management) is a business discipline for the design, specification and optimization of repeatable business processes. BPM has

effectively existed in the business world for decades before the introduction of computers.

As computers were applied to automate many manual tasks, many business processes were embedded in the applications. The scope of applications expanded over time, and the embedded business processes became more pervasive. The result was institutionalization of many business processes reflecting the organization structures and business processes that existed when the applications were developed.

Continued expansion of automation resulted in the integration of enterprise applications so that embedded business processes now span the enterprise, increasing complexity, and increasing the cost and difficulty of changing the business processes, thus limiting the ability of the enterprise to adapt to changing technology and business demands.

Today, significant business changes are under way all the time. Many of the principles of good enterprise design have been obscured by inflexible, technology-oriented business solutions. Information technology must not only be removed as a barrier to change but it must also support change.

Within the last 20 years, business process management systems (BPMS) have emerged to define and execute business processes based on computer models. Within the last 10 years, BPMN (Business Process Model and Notation) has been accepted as the standard for specification of business process modeling, and is implemented in tools that support modeling as well as execution of the business processes to ensure compliance and improve accountability (Shapiro et al. 2011). The BPMN 2.0.2 specification defines extended modeling capabilities, robust execution semantics, and model portability standards (OMG 2013a).

The value of BPMS has generally been recognized by business people because the design of the processes is visible and the implementation can be changed relatively quickly for process improvement. Over time, business processes embedded in enterprise applications are being converted to BPMS implementations. This will become a necessity as businesses experience an increasing need for agility.

Nevertheless, the overall architecture of business process design tends to reflect traditional ways of doing business. Processes tend to be designed to support line-of-business silos. Business acquisitions tend to remain as process silos rather than being integrated for consistency and economies of scale. New lines of business tend to be implemented as new process silos.

Capabilities used by a process tend to be dedicated to that process. Typically a business transaction, such as a sales order, travels through a thread of activities and enterprise applications from receipt to delivery with each phase of fulfillment programmed to deal with all the possible requirements and complexities of each order. While BPMS improves the ability to change and improve business processes from an operational perspective, the processes are quite rigid. The ability of participants to deal with unanticipated circumstances or make ad hoc improvements is limited, and broader-scope business changes can be complex and expensive.

The automation of business processes has changed the workforce. Work that is repetitive and predictable has been automated, leaving work that requires human

action and decision-making to knowledge workers. This is true in the factories, and the delivery of services as well as the offices. The new workforce requires flexibility to be fully effective.

2.2 *Conventional SOA*

Like BPM, there have been aspects of SOA since the beginning of bureaucracies. The formation of accounting, human resource management, and procurement organizations represents the implementation of internal services, consolidating pervasive capabilities for economies of scale and control. In other areas, the concept of a customer order is effectively a basic request for service as are many other internal business forms such as a purchase request, a material requisition, a personnel requisition, a payment order, and a work order.

Business SOA has been obscured by adoption of information technology that hides and locks-in existing business processes. The disciplines for design of shared services such as those provided by accounting, purchasing, or human resources have been overshadowed by automation.

The information technology community has embraced SOA as an architecture for the design and integration of computer applications. Within the last 20 years, the expanding scope of automation drove the integration of enterprise applications. The cost and complexity of enterprise application integration (EAI) was first addressed as automation of the flow of business transactions through message brokers and transformation services. This increased the interdependency of applications and the barriers to business agility.

More recently, SOA was rediscovered by the information technology community. It emerged from the ability to engage computer-based services electronically, over the Internet. Technical standards and the Internet enable ad hoc interactions with systems implemented using diverse technologies. Loose coupling supports sharing of services. It is achieved through message exchanges where the implementation of a service is hidden from the consumer and the service is designed to be used by a diverse community.

SOA was hailed as the solution to the design and integration of applications, to improve flexibility and leverage shared components. Unfortunately, the adoption of SOA has been an IT strategy, not a business strategy.

SOA has been implemented for Internet-based services. A simple example is access to information such as stock quotes or maps from another organization through a request over the Internet. This is the typical web services model. Web technology supports “mashups” where a web page can be created that incorporates elements from other web services, such as maps, to create robust web pages for a particular business. However, this is a long way from the integration of shared business capabilities as services.

The OASIS (Organization for Advancement of Structured Information Systems) Reference Model for Service Oriented Architecture (OASIS 2006), describes an

approach to integration of systems where business capabilities are accessed across organizational boundaries. Though the development of SOA has been driven by the development of supporting technology, SOA should not be viewed as a technical discipline, but rather an approach to designing enterprises, including *collaborative enterprises* that engage multiple, collaborating companies, agencies, or institutions.

To some extent SOA exists in enterprise architectures because, before the advent of computer applications, it was good business to consolidate some business functions. While business-oriented SOA has been applied to some extent in recent years, it has been primarily focused on consolidation of specific business capabilities such as claims processing and field support where the business capability was already defined but provided by multiple organizations.

2.3 *BPM with SOA*

So where are the business processes in SOA? They are in the service units.

Many technical approaches to SOA position business processes above services, driving the use of services. While processes do, in fact, use services, these approaches fail to comprehend that the services also should be implemented with business processes, and that the business process that invokes a service may be part of yet another service implementation.

Figure 1 illustrates this relationship. We refer to the organization that provides the service and owns the capability as a *service unit*. Service unit A accepts two kinds of requests as indicated by the arrows entering from the top. Each of these invokes a business process – business processes X and Y, respectively. These business processes engage computer applications and people to apply the capability of the service unit. Business process X delegates some of its service responsibility to service unit B, which provides a different capability, potentially shared by other parts of the enterprise.

The service unit boundary is key to the appropriate division of responsibility. The service interface, the specification of interactions, and performance requirements define what a service unit must do to meet the needs of its consumers. The interface should be designed to preserve flexibility in the design of how the service unit actually performs the service.

Each of these service units has capabilities provided by business processes, people, applications, facilities, intellectual capital, and other resources such as tools and materials. Each also has a responsibility to maintain, improve, and adapt the capability to changing business circumstances.

The business processes start and end within the scope of the associated service unit. Thus, the business processes are “owned” by the service unit and can be adapted and refined to improve the operation of the service unit without involving other organizations. The discretion of the service unit manager is restricted by the interface specifications of other services it uses as well as the interface specifications for the services it provides. There also may be resource constraints if some




Fig. 1 Business processes and service units (Figure originally published in Cummins (2009, p. 97))

resources are shared with other service units to improve resource utilization. Later, we will discuss these optimization issues further.

Note that the business processes need not be automated, but there must be infrastructure that supports the integration with other service units. From the typical technology view of SOA, the rapid integration should be automated through web services technology, but integration could be through other forms of message exchange, including email, telephone or paper. Automation using XML (2013) message structures and (W3C 2014) electronic message exchange protocols will be preferred for speed, reliability, and flexibility.

As a result, the integration of business activities occurs through the integration of business processes rather than the integration of business applications. Business processes use applications to perform or support activities. SOA essentially provides a business process architecture. This business process integration must be through well-defined service interfaces that make the associated services accessible to a variety of consumers. The information technology infrastructure of the enterprise, and the Internet, provide the vehicle for exchange of messages both between service units within the enterprise and with services provided to customers or by outside suppliers, which could include outsourcing of accounting, human resource, and information technology services.

The business processes may be automated with different Business Process Management Systems (BPMS). Integration is through the Internet or a messaging infrastructure that insulates service units from differences in the implementation technologies of their consumers and providers.

Standards are nevertheless required for the format and content of messages exchanged. It is desirable that the format of all message types represent agreements

between participants, but integration facilities can be used to transform messages for compatibility if the content is equivalent. Nevertheless, the meanings of the data elements must be consistent to be properly interpreted even if they require conversion. In general, data exchanged between services within an enterprise should conform to an enterprise logical data model so that whether or not messages are translated, all services “speak” fundamentally the same language. If there is not a consistent enterprise logical data model, the ability to share and reconfigure the use of services will be significantly impaired.

There may be many different message types involved in a consumer–provider relationship. Interactions may involve more complex protocols than a simple request–response. These protocols must be specified with a *choreography*. BPMN 2.0.2 (OMG 2013a) represents choreography so that the exchanges between service units can be explicitly defined independent of the internal business processes by which services are performed and consumed. A choreography and the associated message types will generally be associated with a type of service. This enables consumers to easily engage alternative services of the same type.

3 Next Generation Enterprise Architecture


In this section we will look at the next generation of BPM, SOA and business modeling.

3.1 Next Generation BPM

BPM has focused on repeatable, predictable business processes. With computer applications and BPMS, most of these predictable processes have been automated and participation by humans has been minimized. The remaining work of humans may be characterized as adaptive physical operations (such as machine repair or personal services) and knowledge work such as product design or assessment of damage claims, but also management and professional activities such as contract negotiation and patient care. This remaining work involves adaptive processes. In his blog, One Common Definition for BPM (Swenson 2014), Keith Swenson has proposed an expanded definition of BPM to include adaptive processes.

Elements of a process may occur frequently, but when and/or how they are performed will vary. Typically, these processes may have some general structure in phases or based on particular requirements, but the actual work requires planning and coordination for each situation. Such processes have been described as *case management*. Henk de Man has described historical development of case management modeling (de Man 2009). Case management processes extend BPM and complement SOA.

Fig. 2 Case management flow of work



Case management generally revolves around management of services related to a particular business entity type, often a person. A case file represents the state of the case and is the focus of related actions, and various actions are taken as the status of the entity or related circumstances change. Integration of the process and the case file is a distinct change from conventional BPMS process models.

In conventional business processes, the process performs a number of predefined activities to achieve a desired result. In case management, there may be many actions that could be performed, but the selection of actions and the sequence in which they are performed may be different for each case. A case management model defines these potential planning elements and their dependencies—actions that must precede a selected element. A principal user will typically have primary responsibility for planning as the case proceeds but other participants may contribute to the plan, particularly for their own activities.

Figure 2 depicts the flow of work in case management. The case manager/leader selects elements from the pallet and places them in the plan. Arrows indicate dependencies so some activities must be completed before others can start. Some planning elements may be simple activities (boxes with rounded corners). Some elements are event watchers (circles) that are triggered by the expiration of a time delay or the occurrence of a condition in the case file. Some selectable elements may have defined conditions to validate subsequent actions. Some elements are commonly occurring clusters of activities or other elements called plan fragments that can be placed in the plan and modified if necessary. The pallet may change depending on the state of the case and the authority of the user.

The activities are initially part of the plan to be performed and they become part of the history of the plan as they are completed. There are no loops—if an activity is performed multiple times, then it appears in the plan and the history multiple times.

In many cases, the interchanges between participants extend over long periods of time, and the actions taken by participants depend upon and may be triggered by changing internal and environmental factors.

For example, a case is created for a hospital patient when admitted. As the patient is examined, tests may be performed and treatments administered. Various tests and treatments may be determined as the condition of the patient evolves, and

the case file tracks the patient status and associated actions. The case file is likely retained by the hospital and may be reactivated if and when the patient returns.

There are a variety of circumstances where a case management process may be appropriate. In addition to a hospital patient, an employee record could be viewed as a case file. The employee case may drive benefits, payroll, promotions, and other actions as the employee's status changes over time. Court cases or social services cases are other well-known examples involving people.

Maintenance of a machine could be managed as a case. Preventive maintenance should occur on a schedule. Periodic examinations may reveal deterioration that requires repairs. A failure will require diagnosis and repair. As the machine ages and repair costs escalate, the repair history may provide a basis for replacement.

An automobile repair history could be managed as a case, but more often, such a case begins when the automobile is brought in for repair and is completed when the automobile is returned to the owner. At the same time, there could be a lifetime case file maintained by the owner with individual cases for incidents of repair.

Projects for development or construction could be viewed as case management processes. Regardless of how well a project plan is prepared, there will be changes in the sequence of actions and the scheduling of resources, and there will be rework. At the same time, many of the actions may be predictable sequences of activities that can be described with conventional process models. This and many other applications of case management involve coordination of activities of a team: a medical care collaboration, a business transformation collaboration, a problem resolution task force. The case management system can coordinate conference calls, raise alerts for critical events or delays, and provide sharing of relevant information.

Case management also enables operating level innovation. Participants are not locked into a predefined process, but can react in more appropriate ways to deal with the situation at hand. At the same time, selection of process elements and actions such as initiating a purchase or prescribing a medication, can be validated in the context of the case file and restricted to certain roles.

Because of the flexibility of the process, the specification and tracking of activities can occur at a lower level of detail than for many current, automated business processes. Many current processes are defined at a high level because participants must have latitude to determine what actually needs to be done and do it. For example, a process for a loan application might have an activity for "qualify applicant," whereas a case management process might identify several potential steps for qualification and capture the results of each step resulting in better records and the ability of another person to step in if the initial participant is not available.

In all these examples, the case file is the focal point for determination of actions to be taken. Similar actions may be taken for similar cases, but the set of actions taken and the sequence in which they occur will vary. Some actions typically involve specialized capabilities that are provided as services in a SOA.

We may characterize some actions as the use of services. A case management service manages the case file and the performance of relevant services to achieve the objective of the case. The performance of services may be driven by an expert,

by rules, by a schedule, or by a combination of rules, schedule, and expertise. Nevertheless, a case process can engage a service in the same manner as a BPMS business process, and a BPMS process may request a case process the same as it would request another BPMS business process. Consequently, case management fits into SOA in the same manner as conventional business processes. Case Management Model and Notation (CMMN) is a specification of the Object Management Group (OMG 2014). In my blog, *A Knowledge-Worker Cockpit* (Cummins 2011b), I describe the potential impact of case management technology.

More complex interactions may be required for services envisioned in *service science* (Lusch et al. 2008) where a service may be expected to adapt its resources to the needs of the consumer rather than simply responding to a request. This adaptation is more likely to require a negotiation of requirements and value exchange. A case management process is typically driven by such evolving consumer requirements.

3.2 Next Generation SOA


SOA provides a framework for the design of business processes to promote consolidation of redundant business capabilities and an improved ability to adapt to changing business needs. At the same time, it can provide alignment of business processes with the organization structure, shared capabilities, and delivery of customer value.

The full potential of SOA is realized when it is applied as an architecture for business design. The failure of IT vendors and organizations to address SOA as a business design discipline has resulted in an assumption by business people that SOA is just another technology trend.

From a business perspective, a service is offered by an organization—a service unit—to provide a capability. The service unit must provide a well-defined interface for consumers to request and receive the service so the service is available to many consumers, and the implementation of the service does not depend on the unique requirements of individual consumers. This is important for the ability of the service unit to improve its service or adapt to new technology. It also allows the service unit to engage other services to perform some of its work if that other service unit can perform that work more effectively.

Figure 3 illustrates the impact of SOA on a typical, large enterprise. Different lines of business operate in separate organizational silos, each optimized for its particular line of business as depicted in Fig. 3a. The boxes represent different capabilities needed to perform the line of business. The capabilities are typically tightly integrated so that the boundaries and relationships are not nearly as clear as suggested by the diagram. When SOA principles are applied, similar capabilities from the different lines of business are combined as depicted in Fig. 3b. Each of the consolidated capabilities has an opportunity to achieve economies of scale that can improve speed, cost, and quality.

Fig. 3 From silos to services (Figure originally published in Cummins (2009, p. 14 and p. 15))



For example, a customer order is processed by an order processing service, which in turn uses an order fulfillment service to pack and package products and uses a transportation service to deliver the products to the original requester. Each service provider applies its capability in response to a request from another organization. Together, they satisfy the customer order. At the same time, because they provide services in a defined way, they may each respond to requests from other service consumers such as another LOB.

As an outsourcing provider, the transportation carrier can deliver goods for a variety of suppliers. Because it provides its capability to multiple suppliers, it can achieve economies of scale in the utilization of its resources and thus provide the service at a lower cost than each supplier could achieve on its own. It can also maintain a capacity that enables it to respond more quickly than a dedicated transportation capability. And by specializing, it can develop and maintain special skills and equipment that improve the quality of the service. These are the fundamental benefits of SOA: speed, lower cost, and quality. The same concepts can be applied to outsourcing of other business capabilities.

SOA for business involves a network of services engaging other services to deliver their results. A service may be as limited as a manufacturing operation or as broad as order fulfillment. What is important is that business capabilities are shared as services for multiple lines of business.

When SOA is applied as a business design discipline, the enterprise becomes a composition of capabilities that can each be employed in a variety of business contexts. The result of applying this architecture will be an enterprise that is more efficient and flexible – an agile enterprise. The agile enterprise is designed for change and optimization through specialization and sharing of capabilities.

In a SOA enterprise, a new line of business can be composed of the business processes unique to the new line of business, that engage existing services, and additional services not currently available to fill in the gaps. The cost, risks and time until product availability can be dramatically reduced.

Changes to operating technology or regulations can be more quickly and reliably implemented because the affected service units can be more easily identified, the scope of change may be more limited, and it is less likely that similar changes will need to be made in different systems and processes.

With well-defined service interfaces and capabilities, the enterprise is better positioned to consider outsourcing of commodity services. Outsourced services can realize greater economies of scale, provide specialized attention and skills to maintain and adapt the service to changing requirements and, relieve outsourcing management of the burden of managing a capability that otherwise may not provide any competitive advantage.

Cloud computing represents an opportunity to outsource a commodity computing and communications capability. Cloud computing provides the benefits of economies of scale and relieves management of the burden of managing information technology, but it also provides the ability to easily scale up or down as business demand changes or seasonal changes require more or less information services resources.

Information services can be shared in the cloud to be easily accessible. The enterprise can share a computing and communications infrastructure with outsourced services and business partners. Easy access will create a new marketplace in commodity information services. New services can be developed, integrated and tested without the need for clients to install computing and communications resources for that purpose.

Cloud computing will eventually become a pervasive, computing and communications utility infrastructure, like the telephone system, accessible anywhere over the Internet. Unfortunately, there is still a lack of technical standards along with regulatory and security issues to be resolved before mission critical applications can take advantage of cloud services.

3.3 Next Generation Business Modeling

Shared services make business more complex because lines of business compete for the same capabilities, and capabilities affect multiple lines of business. In addition, assessment of customer expectations and the ability to satisfy those expectations typically have not been considered in a disciplined manner. Customers expect differentiating values such as product features, quality, warranty, service and support, in addition to competitive price. Consequently, business leaders need a computer-based business analysis and design modeling capability to manage the complexity and develop well understood solutions to improve their competitive position and respond to changing technology and market demand.

An initial version of the VDML (Value Delivery Modeling Language) specification has been adopted by the Object Management Group (OMG [2013b](#)); some revisions will occur as refinements are identified by VDML tool implementers. VDML provides a modeling capability that integrates a number of business analysis and modeling techniques. It provides a business oriented conceptual model of the design of an enterprise that brings together participants, organizational relationships, capabilities, activities, flow of deliverables, resource management and

business values. An overview of VDML concepts is provided in “Value Delivery Modeling Language (VDML): An Update,” (Cummins 2013a).

VDML extends the concept of business organization with the more general concept of collaboration of participants in roles, and provides specialized forms of collaboration. The *organization units* of a traditional organization chart are collaborations of people and organizations. A *business network* collaboration represents the interactions between business entities in the exchange of goods and services. A loosely organized group such as a professional association or even a customer market segment is represented as a *community* collaboration. And a template that defines the activities and roles for a collaboration that delivers a capability is called a *capability method*.

Participants in collaborations fill roles and perform activities that produce deliverables. Participants provide the capability to perform their role. Capability methods are the primary focus for modeling activities and the flow of deliverables between roles because they effectively provide an abstraction of a service performed by a business process to deliver a capability, including case management. The VDML abstraction does not specify the details of process executions, but rather it represents the occurrence of activities, deliverables and their dependencies for a representative quantity of business transactions over time. So metrics associated with VDML elements are statistical measures (e.g., mean and standard deviation) for a sample of units of production. A unit of production may be, for example, an end product, a service rendered, a design developed or a machine repaired.

The conceptual foundation of VDML is the *value chain* defined by Michael Porter in his 1985 book (Porter 1985). While the initial concept aligns most easily to manufacturing enterprises, it has also been applied to other sectors (Stabell and Fjeldstad 1998). The value chain caused top management to focus on the delivery of value to the customer and evaluate the enterprise capabilities in that context, including supply chains. A primary value chain involves capabilities that are directly involved in the delivery of customer value. There are other value chains for support services with internal customers that are involved in the management and effective operation of the enterprise such as accounting and human resource management.

The value chain concept was enhanced as a *value stream* by James Martin in his book, *The Great Transition* (Martin 1995). A value stream links customer values back to the production activities and capabilities that contribute the values. VDML enhances the value stream concept with the *value proposition* to aggregate value measurements and translate them to levels of satisfaction for the intended recipient. VDML provides a robust model of activities and capabilities, linked to responsible organizations and the management of resources. The activities, deliverables and value contributions that feed a value proposition are the value stream for that value proposition.

VDML models a value proposition as an expression of the values delivered to a recipient—typically a customer. The value proposition expresses its values in terms of the level of satisfaction of the recipient—value from the recipient’s perspective. The values and associated deliverable(s) are the product of a collaboration of roles




Fig. 4 Value contributions and value proposition

performing activities (e.g., a capability method), generally representing a line of business. These activities may be performed by individuals or more specific capability methods that describe all the work that goes into applying capabilities to create the deliverable(s). In addition to producing deliverables, the model captures *value contributions* of the activities—the value added to the input of an activity to produce the output. A value proposition aggregates the values contributed in the production of its deliverable(s) and translates their aggregated values to levels of satisfaction based on the interests of the intended recipient. Values will typically include cost, duration, defects, and other aspects of the product or service that are of interest to the recipient. Different recipients, such as different market segments, may be given different value propositions to address differences in interests.

Figure 4 depicts an activity network with deliverable flows ending with a product. The activities contribute values (hexagons) of two different types which are each aggregated in the value proposition. Within the value proposition these are translated to recipient satisfaction levels.

As a result, values in the value proposition can be traced back to their sources in the network of activities and deliverables. The value contribution network supports identification of activities and the associated capabilities that are important to the success or failure of the value proposition. The VDML model provides the ability to explore changes to capabilities that affect value contributions. Changes may have different effects on the value propositions of different product lines, lines of business and market segments.

Value propositions can also be configured to represent values realized by the enterprise—the satisfaction of stockholders or other enterprise stakeholders.

A VDML model can represent different *scenarios* to reflect different circumstances. Each scenario contains a set of measurements for the measurable properties of elements in the model. In particular, there will be different value contribution measurements for different scenarios. Scenarios might represent the measurements associated with different product lines or lines of business. They might represent different product mixes based on different market segments. Or they might represent the effects of changing a capability or the frequency of occurrence of particular activities and deliverable flows. Scenarios provide a powerful tool for evaluation of alternatives and their effects on different products or services.




Fig. 5 Scenarios

Figure 5 depicts two different scenarios. The value contributions of the activities are different because they represent different scenarios—different business circumstances. The figure shows the model elements for both Scenario A and Scenario B for illustration purposes, but in an actual VDML model, except for the value contribution elements, they are the same model elements with a different set of measurements for each scenario. Scenarios provide a mechanism for exploring the value proposition impact of different operating circumstances and modifications to the value stream.

A value stream can include product development and marketing activities. Of course the unit of production of these activities is different. The product development unit of production is a product design and values should probably include development of product changes and new releases over the life of the product. The values contributed to the customer value proposition should reflect this difference in unit of production. The cost of product design development and revisions should be spread over the expected lifetime production of the product, whereas the value of certain features will be appreciated on each unit of production of the product. Similarly for marketing, costs must be allocated while development of market demand may be reflected in product pricing and market share.

The business capabilities represented in a VDML model are captured in a taxonomy. A common form of representation of such a taxonomy is a “capability map.” The VDML model provides support for identification of critical capabilities, and those can be reflected in a “capability heat map.”

The taxonomy helps identify where the same capability is being provided by different organizations. These are candidates for consolidation. The VDML model helps determine the consequences of consolidation—the differences in the implementations and the lines of business and value propositions that may be affected.

The next generation of enterprise architecture design and modeling capabilities should change the way business leaders think about and manage the evolution of the enterprise. VDML is key to the adoption of this new paradigm.

4 Next Generation Business Management

Advances in BPM, SOA and business modeling will spawn a next generation of business management. As former line of business silos become integrated through shared services, top management can no longer delegate as much responsibility and authority to each line of business. Top management must take responsibility for optimizing from an enterprise perspective and ensuring proper governance of shared capabilities independent of the demands of individual line-of-business interests.

In this section we will examine the organizational implications of the next generation of BPM, SOA and business modeling, discuss the potential for enterprise optimization, explore the opportunities for enterprise agility and consider the advent of the collaborative enterprise.

4.1 Matrix Organization

Traditionally, the design of enterprises has been an art guided by experience, iterative improvements, and survival of the fittest. Conventional organization structures are a product of this evolution. Each line of business is typically developed as a separate organization, and business processes are optimized for each line of business. Optimization will depend on the current state of the ecosystem and technology, so the optimum changes over time. The entanglement of business processes and organizations delays needed changes as expensive and disruptive undertakings and results in suboptimal operations. Change is further encumbered by the embedding of business processes in computer applications. In today's rapidly changing world, an enterprise must be able to continuously adapt and optimize its operations.

When a service is shared by multiple lines of business, the lines of business may have competing interests in the nature of the services and will likely, from time to time, be competing for resources of the shared service. If a shared service is created from an existing capability in one line of business and that line of business retains management of the shared capability, then clearly there will be conflicts of interest with regard to the quality and responsiveness of the service for other lines of business. Consequently, it is necessary to remove the shared service from the management of the lines of business to ensure unbiased delivery of services.

Of course, there is a trade-off. Each of the lines of business has less control over the shared service units. Each service unit potentially has multiple consumers to




Fig. 6 The matrix organization

satisfy. The organization that owns a service unit must take responsibility for meeting the needs of all of its consumers. At the same time, economies of scale should enable the shared service unit to achieve better results than capabilities dedicated to each line of business. Each line of business incorporates the services it needs to deliver value to its customers.

As the enterprise becomes more service-oriented, more and more capabilities will be implemented as sharable services. Eventually, much of the work of the enterprise will be done by shared services and each line of business will have a relatively high-level collaboration to engage and orchestrate its use of shared services and delivery its end product. A line of business should only manage directly those capabilities that are clearly unique to its needs.

The result of this evolution is a matrix organization, depicted in Fig. 6. Lines of business manage product development, marketing and delivery, using shared services. Shared services organizations manage the shared services, typically organized around resources, disciplines or business functions.

SOA changes the structure and dynamics of the business processes and organization. A business process can no longer be designed to define a single stream of activities by different organizations as they contribute value toward an end product. In a SOA, organizations may contribute to many different lines of business at different points in the value creation process. A process for a line of business must engage a variety of services that are shared with other lines of business, and those services may engage other services to support their efforts. Business process improvement must comprehend the various ways services are engaged to produce customer value for all lines of business.

Management of the business will require more collaboration where problems or changes affect multiple lines of business or multiple service units, and it will require corporate leadership to balance the competing interests.

4.2 *Enterprise Optimization*

Enterprise optimization should occur at three levels:

- Service unit management
- Line of business management
- Enterprise management

These levels recognize the differences in expertise and motivation while leveraging the different viewpoints to pursue diverse opportunities to improve the business.

4.2.1 Service Unit Management

Each service unit is responsible for optimization of its internal operations and processes. There are particular aspects of service unit management as discussed in the following paragraphs.

The qualifications, skills and techniques used by performers in the service unit are a fundamental concern. The service unit manager is responsible for maintaining a team with up-to-date capabilities.

Batch processing may be appropriate to reduce setup time. This is a trade-off between cost and timeliness. The service unit manager should collaborate with users of the service to ensure that this does not adversely affect some lines of business.

For example, in a manufacturing enterprise, a customer order could initiate the production of each of the parts that go into a finished assembly. This could result in significant delay in response to customer orders. On the other hand, many parts and potentially final assemblies may be produced in anticipation of customer orders. The affected lines of business must consider the trade-off between rapid response to customer orders and the cost of carrying inventory as well as the potential obsolescence of parts and assemblies that remain in inventory when new models enter production.

The service unit manager and the service unit management chain should be responsible for potential consolidation of capabilities across service units. This may involve the formation of specialized service units. For example, in a field service operation, special services may maintain inventories of commonly required parts, provide help-desk services to customers or maintain records of problems and solutions.

The service unit manager should be empowered to innovate within the scope of his/her service unit. The manager must collaborate with consumers of the service where a potential innovation will affect the service interface or certain values contributed by the service.

The service unit manager should ensure that resources are effectively utilized. This is a function of the availability of resources (personnel and machines) with key capabilities and balancing the workload to minimize bottlenecks.

The service unit management chain should also be responsible for efficient utilization of resources through the potential sharing of resources across multiple service units and working with line-of-business managers to plan for changes in market demand including seasonal fluctuations.

The service unit manager should be responsible for input to enterprise risk management. The service unit is positioned to be aware of potential problems with suppliers, events of various forms that may affect the operation of the service unit, and the need for reserves or redundancy for potential risks to suppliers or facilities.

4.2.2 Line of Business Management

A line of business (LOB) manager must work to optimize his or her value stream(s). This involves development of new or improved products, improvement of value propositions and responding to changes in market demands and opportunities. Of particular interest, here, is improvement of value propositions. Improvements to value propositions typically will require improvements to shared services.

The LOB manager must take a leadership role in planning for new or improved products. Typically, product development will also be a shared service that must often respond to requirements for new product technology and significant changes in workload. New or changed products may require adaptations of existing service units or the development of new capabilities that must be considered for new shared services. This requires collaboration with the shared services management organization(s) as well as top management strategic planning. This analysis and planning, in the long term, should be done in the context of an enterprise value delivery model (i.e., a VDML model).

The LOB manager must base efforts to improve shared services on an analysis of the value contributions to his or her value stream. This may include identification of those services that have a significant impact and evaluation of their value contributions compared to industry benchmarks.

The LOB manager then has three alternatives to consider for improving shared services:

- Advocate for changes to existing services
- Establish and manage a duplicate capability optimized for the line of business
- Look for opportunities to outsource the capability to more accommodating service providers.

The first alternative will involve collaboration with the service unit manager and other LOB managers that use the same services. Other LOB managers may not agree on the change. If there is agreement among the LOB managers then they must be able to justify and potentially bear the cost of the change.

The second alternative assumes that there is not support for the change by the service unit manager or other LOB managers. Creation of a duplicate capability requires that the benefits of the change more than offset the economies of scale realized by the shared service. The withdrawal from use of the shared service imposes some economy of scale penalty on the other lines of business. It also increases the LOB burden to manage and maintain the separate capability.

The third option, outsourcing, may be considered if the capability is essentially a commodity that provides no competitive advantage other than reduced cost or improved quality through economy of scale. If other LOB managers agree, then this is an appropriate action. If other LOB managers disagree, then the commodity characterization must be in question. If this is not a viable option and the existing service does not meet the LOB needs, then perhaps the LOB manager should work with enterprise management to define a new shared service or obtain approval to create the capability within the LOB.

The LOB manager also has a responsibility to support service unit planning for production volumes and introduction of product changes that may involve new technology or changes in resource requirements for a service unit.

The LOB manager must support enterprise strategic planning with on-going assessment of strengths, weaknesses, opportunities and threats (SWOT) for his or her line of business. This should include assessment of the value propositions of competitors and identification of opportunities to improve the LOB value proposition(s) to gain competitive advantage. This implies potential changes to shared services.

4.2.3 Enterprise Management

Top management must lead the effort to consolidate capabilities as shared services. LOB managers will be reluctant to support these changes because they lose the ability to adapt a shared service to their specific needs.

In support of the transition and for on-going support of decisions to invest in new or improved shared services, top management must establish an enterprise modeling team to develop and maintain an enterprise, value delivery model (i.e., VDML). The team must also use the model to evaluate proposals for new shared services, for improvement of existing shared services and to develop value stream models for evaluation of new lines of business, incorporating existing shared services. The models must support inquiries and analysis by service unit managers and LOB managers to assess their operations and understand their relationships with other organizations.

In order to support objective evaluation of the cost of shared services and its impact on particular value propositions, top management must ensure that the enterprise has a robust and objective costing system. When capabilities are consolidated, the costing system must ensure that it does not result in cost shifting or failure to consolidate all of the relevant resources from the participating lines of business. In the long term, costing will not only provide an appropriate assessment

of economy of scale, but it will be essential for price setting and assessment of profit for each product. The cost of a product will no longer be derived from the costs of the associated LOB silo.

For example, a manufacturing department operates a group of presses and has a team of people that performs maintenance and repair on those presses. Other departments with different manufacturing capabilities also have their own maintenance and repair teams. Consolidation of the maintenance and repair capability could yield economies of scale that would reduce cost and improve response time for repairs. When a consolidated service unit is proposed, its costs must be computed on the same basis as current costs in order to support an objective evaluation. If some departments are using production personnel to perform maintenance, or some overhead costs are not included for current maintenance and repair activities, then the cost of the current, dedicated capabilities will appear inappropriately low.

Costing must be applied to overhead, support services as well as primary (customer value stream) services, so that overhead costs can be properly applied. Because these costs apply to multiple units of production and multiple service units, each unit of production should carry an appropriate allocation. In addition, some costs of production may be different based on product mix and volume. Consequently, effective costing is an art. Costs of units of service will be approximations, but should reasonably reflect actual costs in order to provide proper support for management decision-making.

Enterprise management will mediate over competing interests of service unit managers and LOB managers, and must determine trade-offs between competing values. For example, one LOB may see competitive cost advantage if a service unit performs batch processing, while another LOB may see that change as a loss of competitive advantage due to delayed product delivery. The impact of a change may be more complicated involving changes to multiple values and value propositions. VDML provides the ability to develop alternative scenarios and assess the impact on value propositions from changes in value contributions from many activities in the affected value streams.

At the enterprise level, the consolidation and organizational grouping of capabilities and specification of services must be considered from an overall enterprise perspective. Top management leadership will be required to separate sharable capabilities from the lines of business or other organizations that depend on them—including services used by other services. In addition to efficiency, quality and timeliness, some consolidations may be implemented to improve consistency and control. These are important aspects of services provided by finance, human resource management, procurement, and information technology services.

Top management must also determine the appropriate organization structure for management of shared services. The organization hierarchy should bring together similar capabilities for economies of scale that go beyond individual service units. These economies may involve sharing of technology, people, facilities and/or capability improvement initiatives.

Finally, top management is responsible for governance. The enterprise value delivery model will clarify requirements of services and lines of business as a basis

to ensure that each organization is doing the right thing and doing it well. Top management must ensure regulatory compliance, and the model will help establish the organizations that must implement required practices. Top management is also responsible for enterprise risk management, and should establish the procedures and staff to consolidate risk factors identified by service unit managers and LOB managers as well as those from other support services such as finance, procurement, human resource and information technology services. Risk management must also consider the risks of a consolidated capability or a single supplier as a potential, single point of failure. In the long term, these enterprise support services should be modeled with internal value propositions much like the end customer value propositions.

4.3 Enterprise Agility

In this section we consider ways the next generation enterprise will have improved agility.

4.3.1 Adaptive Business Processes

Case management will improve agility in four ways: (1) it will make the predictable elements of case management processes more visible and reliable, (2) it will allow participants to adapt their efforts to the requirements of individual cases, (3) it will provide feedback of actual patterns of activity to help understand what works and how the case models should be improved, and (4) it will provide automation and coordination for management of transformation initiatives.

4.3.2 Business Building Blocks

Shared services are business building blocks. The building blocks can be assembled and orchestrated in different ways to achieve different results. Consolidation of specific capabilities enables changes to those capabilities to be immediately implemented for the consumers of those capabilities. In response to an opportunity for a new line of business, existing capabilities can be engaged as shared services to deliver much of the new value stream with minimal effort. Only the gaps need be filled in, and some of those may be outsourced (see e.g. vom Brocke [2007](#)) on a how to support such sourcing decisions.

4.3.3 Scalability

Scalability is enabled by shared resources and outsourcing. Consolidation for shared services and organizational grouping of similar services improves

economies of scale and workload balancing. An outsourcing provider will have capacity to serve many clients and fluctuations in the demand from one client will likely be a small percentage of the provider's business. Scalability is an important outsourcing provider's ability to get new business. This is particularly true of cloud computing. Information systems are often a critical element in expanding a growing business or cutting costs during downturns. Traditional information systems organizations cannot afford over-capacity and thus expansion of business scale can be a long and expensive undertaking. Cloud computing, with a multitude of clients and applications, must be able to supply capacity on demand.

4.3.4 Innovation

Employees throughout the organization are empowered to innovate as a result of the clarification of responsibility and authority achieved with a service oriented architecture. The development and maintenance of an enterprise VDML model provides clarity of requirements for collaboration and coordination as well as the impact of changes on end customer values. The VDML model also provides the ability to evaluate strategic changes and manage the transition as described in "Strategic Planning with VDML" (Cummins 2013b) and "VDML Support for Balanced Scorecards and Strategy Maps" (Cummins 2013c).

4.4 Advent of the Collaborative Enterprise

In addition to transformation to a matrix organization, large enterprises will be replaced by collaborative enterprises with multiple business entities participating in the delivery of a product or service. This is the ultimate in outsourcing and the age of opportunity for small to medium-sized businesses. Those capabilities that are consolidated across lines of business in a large corporation can become outsourced capabilities. This includes the enterprise support services of financial, procurement, human resources and information technology. What will remain is the lines of business that orchestrate the shared capabilities to support the core competencies required to produce a competitive product.

The distinction between suppliers and outsourcing providers disappears. Enterprises become the new joint ventures. Small businesses realize economies of scale currently unavailable to large companies because they use services shared by many other companies. The barriers to entry traditionally enjoyed by large corporations disappear except to the extent there are large investments in physical resources.

5 Conclusion

The beginning of this chapter established the complementary nature of BPM and SOA. This provided the basis for considering the next generation of business architecture emerging from the next generation of BPM, SOA and business modeling. Finally we considered the implications to business management in terms of organization, optimization, agility and collaboration of independent business entities.

These changes are enabled by technology, some of which is still emerging, but as these changes take hold, the momentum will build and the rate of change will accelerate. Much of this depends on the insight and initiative of business leaders since top management must both lead the transformations and take responsibility for a stronger role in the design and adaptation of the enterprise to respond to a rapidly changing world.

Strategic planning is no longer an annual exercise, but a continuous process responding to continuous changes in the business ecosystem as well as business challenges and opportunities. Leaders must engage knowledge workers throughout the enterprise to innovate and collaborate in order to make timely and effective improvements in operations, recognize market opportunities and challenges, and deliver more appealing value propositions. They must also establish support staff to perform the details of business modeling for business design, regulatory compliance, risk management, strategic planning and transformation management.

BPM and SOA are just the beginning. The technology is maturing and the pace of change is accelerating. We are now seeing the beginnings of a new era in business design and management enabled by computer-based business modeling.

References

- Cummins FA (2009) Building the agile enterprise with SOA, BPM and MBM. Elsevier/Morgan Kaufman Publications, Amsterdam/Boston
- Cummins FA (2011a) Rethinking business for a changing world. <http://fredacummins.blogspot.com/2011/07/rethinking-business-for-changing-world.html>
- Cummins FA (2011b) A knowledge worker cockpit. <http://fredacummins.blogspot.com/2011/07/knowledge-worker-cockpit.html>
- Cummins FA (2013a) Value Delivery Modeling Language (VDML): an update. http://fredacummins.blogspot.com/2013/02/value-delivery-modeling-language-vdml_4878.html
- Cummins FA (2013b) Strategic planning with VDML. <http://fredacummins.blogspot.com/2013/06/strategic-planning-with-vdml.html>
- Cummins FA (2013c) VDML support for balanced scorecards and strategy maps. <http://fredacummins.blogspot.com/2013/12/vdml-support-for-balanced-scorecards.html>
- de Man H (2009) Case management: a review of modeling approaches, BPTrends. <http://www.bptrends.com/case-management-a-review-of-modeling-approaches/>
- Lusch RF, Vargo SL, Wessels G (2008) Toward a conceptual foundation for service science: contributions from service-dominant logic. *IBM Syst J* 47(1):5–14

- Martin J (1995) *The great transition: using the seven disciplines of enterprise engineering to align people, technology and strategy*. AMACOM, New York
- OASIS (Organization for Advancement of Structured Information Systems) (2006) Reference model for service oriented architecture. <http://docs.oasis-open.org/soa-rm/v1.0/soa-rm.pdf>
- OMG (Object Management Group) (2013a) BPMN (Business Process Model and Notation) 2.0.2. <http://www.omg.org/spec/BPMN/2.0.2/>
- OMG (Object Management Group) (2013b) VDML (Value Delivery Modeling Language). <http://www.omg.org/cgi-bin/doc?bmi/13-11-03>
- OMG (Object Management Group) (2014) CMMN (Case Management Model and Notation). <http://www.omg.org/spec/CMMN/1.0/Beta1/PDF>
- Porter ME (1985) *Competitive advantage: creating and sustaining superior performance*. Free Press, New York
- Shapiro R, White SA, Bock C, Palmer N, zur Muehlen M, Brambilla M, Gagne D (2011) *BPMN 2.0 handbook second edition: methods, concepts, case studies and standards in business process modeling notation (BPMN)*. Future Strategies, Lighthouse Point
- Stabell CB, Fjeldstad OD (1998) Configuring value for competitive advantage: on chains, shops and networks. *Strat Manage J* 19(5):413–417, http://www.agbuscenter.ifas.ufl.edu/5188/miscellaneous/configuring_value.pdf
- Swenson K (2014) One common definition for BPM. <http://social-biz.org/2014/01/27/one-common-definition-for-bpm/>
- vom Brocke J (2007) Service portfolio measurement. Evaluating financial performance of service-oriented business processes. *Int J Web Serv Res (IJWSR)* 4(2):1–32
- W3C (World Wide Web Consortium) (2013) XML. <http://www3.org/XML/>
- W3C (World Wide Web Consortium) (2014) SOAP. http://www.w3.org/standards/techs/soap#w3c_all

From Business Process Models to Service Interfaces

Marlon Dumas and Thomas Kohlborn

Abstract Service-oriented architectures are often at the heart of modern enterprise information systems. Given that these systems are intended to support the day-to-day operations of an organization, a natural question to ask is how do we ensure that an organization's service-oriented architecture is aligned with its business processes? This chapter dives into this question by sketching a method for analyzing a business process in view of enabling its execution on top of a service-oriented application landscape. The chapter also provides an overview of technology standards and platforms for implementing business processes in the context of service-oriented architectures.

1 Introduction

As discussed in the previous chapter by Cummins (2014), Service-Oriented Architecture (SOA) is a paradigm for structuring information and software systems based on capabilities that parts of a system provide to other parts. A widely used definition of SOA, which we use as starting point in this chapter, is provided by the Organization for the Advancement of Structured Information Standards (OASIS) in its SOA Reference Model (OASIS 2006):

SOA is a paradigm for organising and utilising distributed capabilities that may be under the control of different ownership domains.

In this definition, the notion of capability refers both to capabilities that the business provides as well as capabilities provided by specific application systems. In this respect, this definition advocates the view that service-orientation is relevant

M. Dumas (✉)
Institute of Computer Science, University of Tartu, Tartu, Estonia
e-mail: marlon.dumas@ut.ee

both at a business level and at a technical level. In other words, SOA is meant to provide common abstractions and principles for structuring systems uniformly from the IT perspective as well as the business perspective. It is worth underscoring here that the term “service” is above all a business concept. The fact that the term has been turned into an IT concept reflects a desire to close the gap between business and IT and to achieve higher degrees of business – IT alignment.

Another key element of the above definition is the notion of ownership. Services need to be continuously delivered to exist. This entails that the resources encapsulated by a service need to exist at a particular location and need to be maintained and managed by a service provider for the purpose of delivering a capability to one or multiple service consumers. Service providers and consumers operate independently and may be located in different ownership domains. In the context of an organization, ownership domains may correspond for example to organizational units.

The imperative of ownership constitutes a force that by its nature pushes SOAs towards becoming functionally-oriented. Indeed, it is tempting to define SOAs along the functional viewpoint, in which case each organizational unit will offer their services to others. If left unchecked, this force may lead to the situation where the SOA reflects or even perpetuates the functional barriers that prevent the effective execution of end-to-end business processes.

It is therefore key in the development of an SOA to ensure an alignment between the organizational business processes and the services in the SOA. In particular, one needs to ensure that the SOA eases, and not hampers, communication and hand-overs across such a plurality of domains.

The previous chapter by Cummins (2014) introduced a conceptualization of the relations between business processes and SOAs, which can be summarized as follows. On the one hand, the execution of individual activities in a business process requires certain resources and capabilities. In this respect, services provide an abstraction to bridge activities with underlying resources and capabilities. On the other hand, entire business processes may be exposed as services so that they can be consumed by users or can be plugged into other business processes. In other words, a service may serve as an entry point to a business process (vom Brocke 2007). For example, an invoicing service may offer the capability to lodge an invoice, track its progress, withdraw or amend it, etc. Behind this invoicing service may lay one or multiple business processes. Successful case studies where SOAs have been aligned with business processes based on the above conceptualization have been reported in the literature (Brahe 2007).

One key question when designing services and linking them with business processes is that of service granularity (Haesen et al. 2008; vom Brocke et al. 2014). Should services be defined at the level of individual atomic activities (e.g., a service to cancel invoices)? Or should they be defined at the level of long-running business processes (e.g., an invoicing service that encapsulates the entire lifecycle of an invoice)? This is one of several considerations that need to be taken into account when making such design decisions.

In this chapter, we will use the term *service-enabled process design* to refer to the act of co-designing services and processes in view of producing an SOA that is aligned with a given business process or collection thereof. The chapter discusses several key principles and concepts for service-enabled process design as well as a method for identifying and delimiting the scope of services in an SOA, with an emphasis on services that are either linked to activities in a business process or that encapsulate entire processes or parts thereof. We will also discuss different view-points and languages for modeling services and their link with business processes at different levels of abstraction.

The chapter is organized as follows. First, we provide an overview of some concepts and principles underpinning service-oriented architectures and their link to business process management. Next, we introduce a method for identifying services and designing service interfaces based on business process models. We then provide a brief overview of languages for modeling service-enabled processes, and finally we draw conclusions and outline open perspectives.

2 Service-Oriented Architectures

Below, we introduce general concepts of service-oriented architectures and provide modeling principles for service-enabled processes.

2.1 *Service-Oriented Architecture Principles*

Based on the definition of SOA quoted above and in alignment with the World Wide Web Consortium (W3C), we characterize a service as an abstract resource that represents a capability (W3C 2004). For example, a capability may be to “correlate invoices with purchase orders”. This capability is offered by a service provider (an accounts payable unit within a financial department) who performs some action(s) on behalf of a service consumer at some time and place, and in doing so, it interacts with the consumer through some channel (Dumas et al. 2001).

Next to services, two other elements are of particular importance in the context of a SOA, namely a service bus and a service repository. The *service bus* is as a medium connecting the service provider and consumer, and consists of a number of technical infrastructure elements (e.g., Web application servers) (Bieberstein et al. 2005; Krafzig et al. 2006). Furthermore, the *service repository* facilitates the discovery of services and provides additional information about services, e.g., constraints and service levels (Krafzig et al. 2006).

According to (OASIS 2006), specific aspects of a SOA must be taken into account when analyzing and designing services for interaction, namely amongst others the visibility and interaction. One has to ensure that the service provider and consumer are able to interact with each other, regardless of whether these provider

and consumer entities are humans or applications, for example. For a successful interaction, the service consumer needs to know the type of inputs and outputs of the service and the actions that can be performed against the service as part of the service description (OASIS 2006).

Since the core elements of any SOA are services, they have to be designed carefully to leverage the proposed benefits of a SOA (Krafzig et al. 2006; Erl 2007). Five principles are applicable for the identification of services, namely contract orientation, cohesiveness, coupling, reusability and autonomy.

- *Contract orientation*: To allow services to interact with each other and to be invoked by their service consumers, they need to share a formal contract that defines the terms of information exchange and the commitments made by both parties to define a relationship (Legner and Vogel 2007; Erl 2005). The contract encompasses a description of the functional and non-functional characteristics of a service including a description of the exposed operations that can be invoked (O'Sullivan et al. 2002; Krafzig et al. 2006).
- *Cohesiveness*: Cohesiveness typically refers to the concept of grouping operations based on their functional relatedness to perform a certain task (Papazoglou and van den Heuvel 2006). One indicator for the cohesiveness of operations is the analysis of the underlying business object. High relatedness of the operations regarding one common business object indicates high cohesiveness. If operations within two different services are highly related, one should consider merging the two services.
- *Coupling*: This service principle describes the strength of interdependency between multiple services and service compositions. Services that are not dependent on the other services have a high reusability and maintainability potential. Thus, the coupling between services should be as loose as possible (Gold-Bernstein and Ruh 2004; Legner and Vogel 2007). As the levels of dependency can be minimized by minimizing the number of interactions between two services, one can consider merging two services if the degree of coupling is too strong. In practice, a balance has to be found between the design principles of cohesion and coupling as explicated by Erradi et al. (2007). Coarse-grained interaction might be preferable compared to fine-grained interaction as transactions involving large chunks of data typically result in fewer interactions than transmitting multiple smaller data chunks (Erradi et al. 2007).
- *Reusability*: The principle of reusability has a basic underlying concept as it advocates making the service useful in multiple scenarios. Thus, services should be applicable in different situations and, under unforeseen circumstances, be used by different service consumers (Erl 2007).
- *Autonomy*: Autonomy refers to the level of independence of a service. This means a purely autonomous service has full control over its environment, which results in increased reliability and predictability, since external unpredictable influences are minimized (Erl 2007). Data normalization techniques might be utilized to design the operations in a non-redundant manner (Feuerlicht 2005).

The described design principles are applicable for multiple types of services. In the following, we will describe the different types of services that we distinguish in this chapter.

2.2 *Types of Services*

Services at the core of any SOA can be classified according to the underlying SOA concept and their distinctive meaning. A fundamental distinction has to be made between business and software services that relate to the SOA concept applicable on the business and technical levels of an organization.

The term *business service* is used to represent the outcome of a “chunk of operation” in an organization (Sanz et al. 2006). Since the operations of an organization can be analyzed on different granularity levels, business services can represent these operations on different levels as well. Hereby, the business service can be aligned along the hierarchical structure of a company or they can be based on the actual business capabilities and domains (Bieberstein et al. 2005; Sehmi and Schwegler 2006; Jones 2006). A business service may or may not leverage existing IT infrastructure and is therefore distinguishable from a software service.

A *software service* describes part of an application system, which can be consumed separately by several entities. A software service may enable a business service or it may provide a capability that contributes to delivering a business service, but it may also have a technical (non-business) purpose.

A typology of software services [inspired from Legner and Vogel (2007)] is shown in Fig. 1. This typology includes business-related services and technical services. Business-related services are identified and specified based on business requirements. These requirements may refer to business processes, tasks or business entities (documents, resources, etc.). Technical services on the other hand are business-logic agnostic and include utility services providing generic functions used by other software services.

A service can be elementary (atomic) or it may be composed of other services (composite service). Elementary services can be further classified into task services (logic-driven), entity services (data-driven) and utility services. Composite services in turn can be classified into data-aggregation services and process-driven composite services.

Services may additionally be differentiated according to the style of interaction, according to the way of information exchange patterns and according to the way state information is managed. The accessibility of a service can be used to classify services based on their intended service consumers. Thus, a service may be exposed to external or to internal service consumers or to both.

In the following, we will provide a short description of the types of services that will be discussed further in the course of this chapter.

Service type	Business-related service		Technical-related service	
Granularity	Business process	Task	Entity	Utility
Composition	Composite service		Elementary service	
Interaction	Synchronous (<i>blocking</i>)		Asynchronous (<i>non-blocking</i>)	
Exchange patterns	Request/Response		Notification (one-way)	Conversational Interaction
State	Stateless		Stateful	
Accessibility	Intra-organizational		Inter-organizational	

Fig. 1 Software service typology (Adapted from Legner and Vogel 2007)

- *Utility services* are typically business-logic agnostic as their main objective is to provide reusable, cross-cutting functionalities related to processing data within legacy application environments (e.g., event-logging) (Erl 2007).
- *Entity services* are responsible for the creation and management of business entities (also known as business objects). An entity service typically provides Create-Read-Update-Delete (CRUD) operations over the business objects it manages and ensures that these operations comply with business rules (Legner and Vogel 2007). In accordance to Krafzig et al. (2006), entity services (or data-centric services) handle persistent data in a similar way to a traditional data access layer of traditional applications. However, “whereas a traditional data access layers manages data for the entire application, a data-centric service deals with one major business entity only” and thus enforces vertical layering of data (Krafzig et al. 2006). Any service that needs access to these data must use the respective entity service.
- *Task services* are directly related to business tasks of a process. They are modeled for specific processes to meet immediate requirements of the organization and therefore contain specific business logic (Erl 2005). Task services encompass business rules and functionality that can be provided centrally in a consistent manner throughout the organization, whereas traditionally, this information has been encapsulated in libraries and business frameworks (Krafzig et al. 2006).
- *Composite services* can act as the parent controller of a number of entity, task and utility services. Thus, they invoke their operations based on the process logic which they encapsulate (Erl 2005). Composite services control and maintain the state of the process for their clients and thus are stateful to a certain extent (Krafzig et al. 2006). As mentioned earlier, composite services include data aggregation services and process-driven services. In this chapter, we focus on process-driven composite services. Such services are typically implemented based on the concept of orchestration described in the following section.

2.3 *Relating Business Processes and Services: Choreography and Orchestration*

The relation between business processes and services – and subsequently the implementation of business processes in an SOA – can be conceptualized from two perspectives, namely *choreography* and *orchestration*.

A service choreography is a global model of the interactions that may or must occur between a set services in the context of a service-enabled business process (cf. Barros 2014). It captures a set of interactions as well as dependencies between these interactions, including control-flow dependencies (e.g., that a given interaction must occur before another one), data-flow dependencies (e.g., that the data produced by an interaction is used by another), time constraints and possibly also other quality-of-service constraints. A choreography is a high-level view of a service-enabled business process in the sense that:

1. It does not capture any internal action that occurs within a participating service that does not directly result in an externally visible effect. Internal actions include computational steps or data transformations.
2. It provides a global perspective: interactions can be described from a viewpoint of an ideal observer as opposed to be described from one of the participants.
3. Services referred to in the choreography are abstract, meaning that they do not necessarily correspond to an actual service deployed at a particular endpoint. Instead, services are abstracted as “roles”.

Figure 2 depicts a service choreography described using the Business Process Modeling Notation (BPMN). Four service roles are involved in this choreography: customer, supplier, warehouse and finance. The activities in the BPMN diagram represent business activities that result in interactions between services. For example, the activity “Place Order” undertaken by the customer results in a message being sent to the supplier (this is described as a textual note below the name of the action). Every “message send” action has a corresponding “message receive” action, but to avoid cluttering the diagram, only the send or the receive activity (not both) are shown for each message exchange.

In this BPMN diagram, we use swimlanes to represent each participant in the choreography. An alternative approach would be to use pools instead of swimlanes (one pool per service role) and to represent interactions using message flows. However, in this particular example, this would result in a more cluttered diagram, defeating the purpose of choreographies, which is to provide a high-level view of a service-enabled process that can be readily understood by all stakeholders.

If we take a choreography and we restrict it to one particular role, we obtain a contract that the service(s) implementing this interface is expected to fulfill. This contract should include descriptions of messages that the service in question is expected to send/receive, and relations between these messages. These messages carry information about business entities, such as for example invoices, shipment orders or shipment notices. We use the term behavioral interface (also called a




Fig. 2 Choreography view on a quote-to-delivery process

protocol by some authors) to refer to a view of a choreography restricted to one particular role. In the literature, the term interface is often used in a restrictive term: it generally refers exclusively to the operations offered by a service, and the inputs and outputs of these operations (which are captured as message types). But here, we use the term interface in a more inclusive way, in order to capture not only the types of messages and operations, but the way multiple service operations are related in the context of a process.

Figure 3 (excluding actions marked in dotted lines such as “prepare quote”) depicts the behavioral interface process that is required from a “sales service” to participate in the choreography of Fig. 2. A behavioral interface encompasses both the structure of the interactions in which a service can engage and the ordering dependencies between these interactions.

A service orchestration is a refinement of the behavioral interface. In addition to interactions, an orchestration may include internal actions that a service is required to perform. For example, the dashed activities in Fig. 3, such as “prepare quote”, represent internal actions that a “sales service” may need to perform. The figure also shows the point where these actions should be inserted. The entire diagram, including interactions and internal actions, represents an orchestration of a “sales service”. Compared to a choreography, an orchestration represents a lower-level and more focused view of a service-enabled process. With further refinements, an orchestration may give place to an executable service-enabled process, which can be described (for example) in BPMN itself or using the Web Services Business Process Execution Language (WS-BPEL) as discussed below.




Fig. 3 Behavioral Interface of Sales Process

Having identified the concepts of choreography and orchestration, we can define two approaches to service-enabled process design, namely: choreography-driven and orchestration-driven. The choreography-driven service design approach involves the following steps:

- Design a choreography covering all the service roles in an end-to-end collaborative process. In some cases, it may be possible to adopt standard choreographies such as those defined by the RosettaNet consortium in the form of Partner Interface Processes (PIPs);
- From the choreography, derive the behavioral interface of the services that need to be further refined in the context of the project at hand;
- Refine these interfaces in order to obtain orchestrations that can then be taken as blueprints for implementation.

Meanwhile, the orchestration-driven approach involves the following steps:

- Define an orchestration of a service-enabled process that would fulfill a given goal (e.g., an invoicing service).
- Find appropriate sub-services to plug into the orchestration – for example, an invoicing service may need to interact with a customer account management service;

- Derive an interface from the orchestration – that is, a view of the orchestration without internal actions – and expose the service and its interface for further composition into a broader system.

Choreography-driven service design is a top-down approach, while orchestration-driven design corresponds to a bottom-up approach. In reality, these are just two ends of a spectrum of possible approaches. When designing service-enabled processes, one is confronted with design tasks at the level of the choreography and others at the level of orchestrations, and these may need to be pursued in parallel.

Typically, methods are utilized as a guideline for service analysis and design that prescribe the sequence of actions to be undertaken in order to derive a sound set of services. In the following, we will give a short presentation of different types of methods that can be utilized, before we will present one specific method in more detail.

2.4 *Methods for Service Identification and Design*

Based on different starting points that can be used for the identification and design of software services, different methods can be distinguished.

- *Domain-driven* methods utilize business models, enterprise architecture models or domain models to identify capabilities that should be exposed as services. The main focus lays on the identification of what the business of an organization is about and defines the boundaries of a service accordingly. Once these high-level services have been identified, they can be decomposed until elementary software services are derived (Jones 2006; Hess et al. 2007).
- *Process-driven* methods typically utilize business process models as a prerequisite for service identification. Based on the information provided by the models, e.g., the flow of information and objects, software service candidates can be derived that should be realized by IT (Erl 2005; Sewing et al. 2006).
- *Entity-driven* methods rely on models detailing the information entities within an organization. Thus, entity models, class diagrams, information models, taxonomies or simple brainstorming techniques about the main entities of an organization can be utilized to identify services that operate with/on these entities (Erl 2005).
- *Reference models* can also be used as an input for service identification. High-level reference models can provide first insights for the definition of appropriate service boundaries. As reference models are typically applicable in multiple scenarios and contexts, they do not reflect specific organizational requirements that need to be incorporated in the service identification phase (vom Brocke 2006; Rosemann and van der Aalst 2007). Thus, a mapping between reference models and organization-specific characteristics needs to take place if reference models are used for service identification (Sehmi and Schwegler 2006; APQC 2006; Supply-Chain Council 2008; Merrifield and Tobey 2006).

- *Hybrid methods* combine the aforementioned approaches. (Arsanjani 2004) proposes to combine business-driven approaches, such as domain decomposition or process analysis, with approaches that focus on the analysis of legacy systems for service identification (e.g., entity-driven methods). Additionally, goal-modeling should be integrated as well to identify and eliminate redundant services.

In this chapter, we will present a process-driven method for the identification and design software services. Although the method is mainly process-driven, elements of entity-driven approaches are included in the method as well.

3 Process-Driven Service Identification and Design


In this section, we describe a foundation to understand how processes and services relate to one another. Based on this foundation, we describe a method for process-driven identification and design of services and we illustrate it using an example.

3.1 Processes and Services

Before services are derived from the process model, one should understand the relationships between services, processes, operations and messages. Figure 4 illustrates the relationships between these elements.

A process is a logical sequence of activities related to the accomplishment of a business goal. In the case of service-enabled processes, the performance of these activities requires that certain operations are invoked. Operations are invoked by means of message exchanges. Operations are logically grouped into services, which

Fig. 4 Relationship between services and processes (Adapted from Erl 2005)



may be elementary services or composite services. The execution of composite services is driven by a process, which may require certain operations provided by other services.

In the next section, we will present a step-by-step method for identifying potential software services based on the analysis of business process models. For the identification of business services, other methods can be utilized (for example Jones 2006).

3.2 Service Identification and Design Method

Below, we discuss a method for identifying services and designing service interfaces based on business process models. This is not a completely new method, but rather a consolidation of other methods that have been developed and validated independently, mainly Erl (2005), Klose et al. (2007) and Sewing et al. (2006). This consolidation was undertaken by identifying commonalities and differences between these methods, and reconciling differences based on the SOA principles formulated above. The consolidated method was then tested using a quote-to-cash process of which we present several extracts below.

The method starts with the assumption that the scope for the service identification exercise has been defined beforehand, by means of an analysis aiming at pinpointing which processes and areas within an organization may benefit the most from service enablement. The identified processes and areas serve as input for the service identification and design method.

The output of the method is a set of identified services together with a service interface for each of them. At the level of abstraction that we consider, a service interface is a collection of operations together with a description of the inputs and outputs of each operation. Note that we do not go all the way to describing the data types of these inputs and outputs. This step should be carried out to obtain a complete service interface, but it is outside the scope of the process-driven service identification and design method hereby described.

In the rest of this section, we consider a sample process similar to (Klose et al. 2007) that starts when a request for a product or a product variant is received from a customer. The data necessary for creating a quote is entered into the quotation system. Subsequently, two automatic activities are executed in parallel. On the one hand, the price for the product is calculated; on the other hand, the delivery date is determined. Afterwards, both results are verified and modified if required. As the last step, the quote is copied to a local network folder that is accessible by the top- management for controlling purposes. The customer is allowed to enter his or her own quote data into the system. However, since it has to be ensured that the data provided is accurate and detailed enough, the input data has to comply with the product specification. Customers are allowed to calculate the delivery dates and prices independently of the availability of any account manager

or sales representative. Furthermore, customers have the possibility to gain insights into the details of their own quotes.

The method comprises seven steps described below.

3.2.1 Analyze Visibility and Handover of Process Steps

The process has to be decomposed into its most elementary process steps. Based on this decomposition, the process can then be analyzed regarding its visibility and interaction potential based on the following notions (Klose et al. 2007; Zeithaml and Bitner 2002):

- Line of interaction: specifies the parts or functions of the process that may be taken over by the service consumer. Especially with multiple channels facing the consumer, one has to decide what process functions may reside in the sphere of control of the service consumer.
- Line of visibility: defines how much of the process should be visible to the stakeholders. The stakeholders may comprise external business partners (e.g., customers, suppliers) and internal actors.

By analyzing functions based on their visibility and level of interaction with stakeholders, one can identify potential groupings of functionality that must/should be explicitly exposed to the organization's stakeholders by means of services.

Figure 5 shows the analysis of the sample process based on these considerations.


3.2.2 Identify Entity Services

Taking the process of the previous step as an input for the service identification, one should first identify entity services, since they are very generic and reusable in nature. They are not tightly coupled to processes, meaning that the provided interface of that service is not process-specific (Erl 2005). Since these services may not contain any process logic, they require a parent service or controller, which makes them dependent to a certain extent. To define the boundary of an entity service, one has to analyze the actual context of the service. This can be achieved by examining the selected process models. Processes might be analyzed to define the entities that are processed and the operations that are used for processing the entity.

In our case, the entity "Quote" can be identified as can preliminary entity service.

3.2.3 Identify Potential Service Operations

Once the process itself has been decomposed into its most granular process steps, one has to identify potential service operations. Each process step can be regarded as a potential service operation (Inaganti and Behara 2007). However, all process



Function to be evaluated	Inter-organisational unit / IT System	Line of interaction / visibility	Group of stakeholders		
			Logistics Company	Supplier	Customer
Enter quote data semi-automatic	Sales Quotation System	Takeover			X ₁
		Visibility			X ₂
X ₁ : Data based on specification X ₂ : Customer must only see own data					
Calculate price automatic	Quotation System	Takeover			X ₃
		Visibility			X ₂
X ₂ : Customer must only see own data X ₃ : Only customer-specific calculation					
Calculate delivery date automatic	Quotation System	Takeover			X ₃
		Visibility			X ₂
X ₂ : Customer must only see own data X ₃ : Only customer-specific calculation					
Verify, modify price/date semi-automatic	Sales Quotation System	Takeover			
		Visibility			
Copy quote automatic	Quotation System	Takeover			
		Visibility			

Fig. 5 Visibility and takeover analysis of sample process (Adapted from Klose et al. 2007)

steps that represent solely manual tasks or process steps that are executed by a legacy system that cannot be service-enabled have to be excluded from the potential logic that can be encompassed by a service (Sewing et al. 2006).

Since all operations in our sample process are at least semi-automatically executed, all process steps are regarded as potential service operations.

3.2.4 Define Logical Context(s)

The remaining process steps should be grouped based on their logical context (Erl 2005). Thus, the identified context confines the service boundary. Hereby, the

principle of service cohesion plays the most important role. The objective is to group operations together that are functionally related as this is seen as the strongest form of cohesion. The design principle of reusability can be applied to specify further operations within the boundary of a service. Depending on the scope of the service identification, one may define service operations that have the highest potential to be consumed in different scenarios (Erl 2007). However, the added operations should still relate to the logical boundary of the service. Especially, the entity services that have been identified during the second step should be analyzed regarding potential adjustments. As entity services represent business objects, they should include operations to create, read, update and delete (CRUD operations) these objects (Krafzig et al. 2006). The design principle of coupling can also be applied to identify sequential dependencies between operations. Sequential operations, which are only depended in one way, may be combined inside a service. One may also identify process steps that are recurring within that process, which can be grouped together into a single service. New services may be created as well depending on new logical contexts that may be identified. However, in Chang and Kim (2007), the authors propose to develop two different services, if different service consumers can invoke two different operations of a service in different time lines. Furthermore, one can identify services that are purely technology-related and business-logic agnostic. Thus, these services can be classified as utility services. At this stage, we have identified task, entity and utility services.

The first preliminary service candidate could be the entity service “quote” comprising all process steps. However, based on the principle of reusability, the operations “Calculate price” and “Calculate delivery date” are defined as two separate services. This way, both services can be utilized independently without invoking the complete entity service. Furthermore, both services are related to different underlying documents. For example, the “Calculate price” service is regarded as a task service that utilizes different documents about prices based on the specific customer. Given the two operations can be used independently of one another, the operations “Calculate price” and “Calculate delivery date” are split into two separate task services. The “Calculate price” operation is grouped together with the “Modify price” operation to form the “Price” task service. Similarly, the “Calculate delivery date” operation and the “Modify delivery date” are comprised by the “Delivery date” service. The “Copy quote” operation comprises purely business-agnostic logic. Hence, it is classified as a separate utility service.

3.2.5 Define Compositions

Once the services have been identified, they have to be “tested” to identify further potential for enhancements and adjustments. Scenarios have to be developed in order to identify any chances for composition and consolidation of services. This analysis allows one to evaluate the appropriateness of the service boundaries and to discover missing logic that can then be shifted to the task services or composite services (Erl 2005). Consequently, new services may be created. The main

objective is to specify composite services that bring together the task, entity and utility services related to the underlying process. Based on the visibility and interaction analysis, one may create composite services that are exposed to a specific set of stakeholders (Klose et al. 2007).

Based on a close business and IT alignment, the process is represented by one composite service that coordinates the entity and utility services as well as the task services. Furthermore, the composite service invokes the operations of the composed services based on the process flow. The interaction and takeover analysis of the process steps identified that the operations “Enter quote data”, “Calculate price” and “Calculate delivery date” are also executable by the customer. Thus, these operations are comprised in a second composite service that can be utilized by customers independently of any sales representatives or account managers.

3.2.6 Detail the Operations

Once the services have been identified, one should detail the operations in order to produce a service interface. Operations are detailed by specifying the input parameters and the output parameters. The following basic principle should be followed: The input data represented by the respective parameters should only be directly used by the operation in question (Feuerlicht 2005). Hereby, the aim is to maximize cohesiveness and to minimize coupling between operations. Another principle that needs to be followed is that of reusability. When the operations are too specific regarding their inputs, they need to be redesigned to provide more generic input parameters relative to the business requirements (Erl 2007). The decision about the generality of the interface of a service is a design choice that must be made with regards to the business requirements at hand.

Regarding our sample process, the utility service “Copy quote” should be made more reusable by extending the allowed parameters. Thus, the service should not only copy quotes, but different data types. The outcome of this step is a detailed description of each service. Tables 1 and 2 show the detailed service descriptions for the running example.

3.2.7 Perform Mapping

For each operation candidate within the identified service, one has to analyze the underlying processing requirements, especially the application logic that needs to be executed for each operation candidate (Erl 2005). Subsequently, one has to identify which application logic already exists in order to make decisions about the development of the specific logic, and the sourcing of the functionality by a third party service provider (Inaganti and Behara 2007). One may also break down the application logic requirements into smaller steps in order to identify new operation candidates within a proposed service, which can then be clustered in accordance to the design principle of cohesion and autonomy by grouping steps together

Table 1 Detailing elementary services (Adapted from Klose et al. 2007)

Elementary services	Operation	Input parameter	Output parameter	Service consumer
Quote (entity)	Create()	Quote data (payment and delivery conditions)	QuoteID	CU (customer)
	Update()	Quote data [payment and delivery conditions (delta)]	Notification	
	Read()	QuoteID	Quote data	CU
	Delete()	QuoteID	Notification	
Price (task)	CalculatePrice()	MaterialID, values	Price	CU
	ModifyPrice()	QuoteID, new Price	Notification	
Delivery date (task)	CalculateDeliveryDate()	MaterialID, values	Delivery date	CU
	ModifyDeliveryDate()	QuoteID, new delivery date	Notification	
Copy (utility)	Copy()	Data	Notification	

Table 2 Detailing of composite services (Adapted from Klose et al. 2007)

Composite service	Service consumer	Function	Service	Operation
Enter quote		Enter quote data	Quote	Create()
		Calculate price	Price	CalculatePrice()
		Calculate delivery date	Delivery date	CalculateDeliveryDate()
		Modify price, Delivery date	Price Delivery date	ModifyPrice() ModifyDeliveryDate()
		Copy	Copy	Copy()
Calculate quote	CU	Calculate price	Price	CalculatePrice()
		Calculate delivery date	Delivery date	CalculateDeliveryDate()
		Enter quote data	Quote	Create()

associated with a specific legacy system, for example Erl (2005). However, it may be possible that all the operation candidates identified in the previous phase are of sufficient granularity and supported by the application portfolio and do not need to be revised. If new services or operations have been identified, one needs to analyze the original service compositions and identify if any changes need to be made concerning the inclusion of new services or operations (Erl 2005). In our sample process, all operations are already executable by the existing applications. Thus, no changes have to be made in this step.

The presented method for service identification and design provides a systematic basis to identify service operations from business process models and to link task and composite services to entity services. Note that despite the step-by-step nature of the method, different service designers may end up identifying a different set of

services for the same business problem. Such differences arise most notably from the use of different ontologies, or from differences in the way SOA principles are prioritized in a given project (e.g., less emphasis on reuse versus more emphasis on loose coupling).

Having identified the different types of services, one needs to refine the service interfaces into service implementations. The following section provides an overview of different technologies and platforms that can be used to this end.

4 Languages and Technology for Service-Enabled Processes

Several languages can be used to specify service-enabled processes at different levels of abstraction. On the standards front, BPMN (as illustrated above) has become the lingua franca for describing business processes. BPMN can be used to capture choreographies and orchestrations at different levels abstraction – all the way from high-level BPMN models to support the analysis and design phases of the development lifecycle, down to executable BPMN models which can be used to describe service orchestrations that can be deployed in an execution engine. When it comes to service orchestrations, an alternative standard is OASIS's Web Services Business Process Execution Language (BPEL).¹ Also, BPEL can be used to specify process-oriented interfaces (called business protocols in BPEL).

WS-CDL (Web Service Choreography Description Language) was an attempt (now abandoned) to define a standard language for the specification of choreographies. One of the key issues with WS-CDL is that it treated choreographies as implementation artifacts, when in fact choreographies are design artifacts and higher-level languages are required to capture them. Another standardization proposal for a language for choreography and protocol modeling is OWL-S. OWL-S combines constructs from several sources, including logic-based languages (to capture preconditions and effects) and process algebra (to capture control-flow dependencies between operation invocations in a composite service).

Outside the standardization arena, an extension of BPEL, namely BPEL4Chor (Decker et al. 2007), has been proposed to support the specification of choreographies – since standard BPEL does not support the specification of choreographies. Another language proposed for specifying choreographies and service protocols is Let's Dance (Zaha et al. 2006). In Let's Dance, choreographies are described from a global perspective, while in BPEL4Chor, choreographies are described in the form of a collection of interconnected process-oriented interfaces.

¹ <http://www.oasis-open.org/committees/wsbpel/>




Fig. 6 Languages for service-enabled process design and implementation

In addition, researchers have studied choreographies, protocols and orchestrations on the basis of formalisms such as finite state machines, message sequence charts, process algebra and Petri nets, among others.

An overview of languages for specifying service interactions is depicted in Fig. 6. The languages plotted in this figure are classified according to two dimensions: (1) whether they are designed to capture choreographies, behavioral interfaces or orchestrations; and (2) whether they are intended for service implementation, formal analysis or high-level informal modeling of service interactions.

5 Conclusion

This chapter presented an overview of the principles of SOAs, as well as an operationalisation of these principles in the form of a method for designing SOAs on the basis of process models. A brief overview of modeling viewpoints (choreography, interface versus orchestration) and specification languages for service-enabled processes was also provided. A deeper discussion on the links between business processes and services at a more technical level will be provided in the following chapter by Gullledge (2014).

While the conceptual relations between SOA and BPM are by now fairly well understood, there is a need for further empirical studies to understand the interplay between SOA and BPM and the benefits of using these two paradigms in combination. Beyond a few case studies showing the benefits of SOAs in the context of business process management – mainly from a technical perspective – there is a lack of empirically grounded studies aimed at quantifying the long-term benefits that SOA and BPM alignment can generate in different types of organizations.

Another area that deserves further investigation is the applicability of combined SOA-BPM approaches in the context of wide-scale service ecosystems (Barros and Dumas 2006). In these environments, networks of services emerge in unpredictable manners based on ever-changing relationships between highly independent business stakeholders. The method outlined in this chapter assumes rather stable business relationships driven by the need to streamline the execution of a business process with long-term benefits in mind. An open question is how to enable business processes in more agile ways by tapping into dynamic networks of services, while still ensuring high levels of business predictability and reliability. Several proposals in this direction have emerged in recent years, including Process Spaces (Motahari-Nezhad et al. 2011) and Artifact-Centric Hubs (Hull et al. 2009; Dumas 2011).

Finally, the vigorous emergence and adoption of cloud computing and software-as-a-service platforms in recent years has created significant opportunities to share capabilities across organizational boundaries in a scalable manner (Motahari-Nezhad et al. 2009). The implications of these opportunities on the alignment of BPM and SOA are manifold and some are yet to be fully realized. In particular, the emergence of cloud computing has raised the prospect of multi-tenant processes, that is process management backbones that are offered as services on the cloud that can be configured to meet the needs of multiple organizations simultaneously (van der Aalst 2011). Further evolutions along this direction are to be expected in coming years.

Acknowledgements This research is funded by the EU Regional Development Fund via the Estonian Centre of Excellence in Computer Science and the European Commission via FP7 Project ACSI.

References

- APQC (2006) Process classification framework v4.0.0. <http://www.apqc.org/pcf>. Accessed 23 Nov 2007
- Arsanjani A (2004) Service-oriented modeling and architecture. How to identify, specify, and realize services for your SOA. <http://www.ibm.com/developerworks/library/ws-soa-design1/>. Accessed 20 Jan 2009
- Barros AP, Dumas M (2006) The rise of web service ecosystems. *IT Prof* 8(5):31–37
- Barros A (2014) Process choreography modelling. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 1, 2nd edn. Springer, Heidelberg, pp 279–300
- Bieberstein N, Bose S, Walker L, Lynch A (2005) Impact of service-oriented architecture on enterprise systems, organizational structures, and individuals. *IBM Syst J* 44(4):691–708
- Brahe S (2007) BPM on top of SOA: experiences from the financial industry. In: Alonso G, Dadam P, Rosemann M (eds) *BPM 2007, LNCS*, vol 4714. Springer, Berlin, Heidelberg, pp 96–111
- Chang SH, Kim SD (2007) A systematic approach to service-oriented analysis and design. In: *Proceedings of the 8th international conference on product-focused software process improvement (PROFES)*. Riga, Latvia, pp 374–388

- Cummins F (2014) BPM meets SOA: a new era in business design. In: vom Brocke J, Rosemann M (eds) Handbook on business process management, vol 1, 2nd edn. Springer, Heidelberg, pp 531–556
- Decker G, Kopp O, Leymann F, Weske M (2007) Extending BPEL for modeling choreographies. In: IEEE international conference on web services (ICWS). IEEE Computer Society, Salt Lake City, pp 296–303
- Dumas M (2011) On the convergence of data and process engineering. In: Proceedings of the 15th international conference on advances in databases and information systems (ADBIS). Springer, Vienna, Austria, pp 19–26
- Dumas M, O’Sullivan J, Heravizadeh M, Edmond D, ter Hofstede A (2001) Towards a semantic framework for service description. In: Meersman R, Aberer K, Dillon TS (eds) Proceedings of the IFIP TC2/WG2.6 9th working conference on database semantics: semantic issues in e-commerce systems, vol 239. Kluwer, B.V., Hong Kong, pp 277–291
- Erl T (2005) Service-oriented architecture. Concepts, technology, and design, vol 4. Prentice Hall, Upper Saddle River
- Erl T (2007) SOA: principles of service design. Prentice Hall, Upper Saddle River
- Erradi A, Kulkarni NN, Maheshwari P (2007) Service design process for reusable services: financial services case study. In: Proceedings of the 5th international conference on service-oriented computing (ICSOC). Springer, Vienna, Austria, pp 606–617
- Feuerlicht G (2005) Design of service interfaces for e-business applications using data normalization techniques. Inform Syst E Bus Manage 3(4):363–376
- Gold-Bernstein B, Ruh W (2004) Enterprise integration: the essential guide to integration solutions. Addison Wesley Longman, Redwood City
- Gulledge T (2014) Integrated business process and service management. In: vom Brocke J, Rosemann M (eds) Handbook on business process management, vol 1, 2nd edn. Springer, Heidelberg, pp 579–595
- Haesen R, Snoek M, Lemahieu W, Poelmans S (2008) On the definition of service granularity and its architectural impact. In: 20th international conference on advanced information systems engineering (CAiSE). Springer, Montpellier, France, pp 375–389
- Hess A, Humm B, Voss M, Engels G (2007) Structuring software cities – a multidimensional approach. In: Proceedings of the 11th IEEE international enterprise distributed object computing conference (EDOC). IEEE Computer Society, Washington, DC, p 122
- Hull R, Narendra N, Nigam A (2009) Facilitating workflow interoperation using artifact-centric hubs. In: Proceedings of the 7th international conference on service-oriented computing (ICSOC). Springer, Stockholm, Sweden, pp 1–18
- Inaganti S, Behara GK (2007) Service identification: BPM and SOA handshake. BPTrends 3:1–12
- Jones S (2006) Enterprise SOA adoption strategies. Using SOA to deliver IT to the business. C4Media, Lulu Enterprises, Raleigh
- Klose K, Knackstedt R, Beverungen D (2007) Identification of services – a stakeholder-based approach to SOA development and its application in the area of production planning. In: Österle H, Schelp J, Winter R (eds) Proceedings of the 15th European conference on information systems (ECIS). St. Gallen, pp 1802–1814
- Krafzig D, Banke K, Slama D (2006) Enterprise SOA. Service-oriented architecture best practices, 5th edn. Prentice Hall PTR, Upper Saddle River
- Legner C, Vogel T (2007) Design principles for B2B services – an evaluation of two alternative service designs. In: Proceedings of the IEEE international conference on services computing (SCC). Hawaii, HI, USA, pp 372–379
- Merrifield R, Tobey J (2006) Motion lite: a rapid application of the business architecture techniques used by Microsoft Motion. <http://msdn2.microsoft.com/en-us/library/bb736727.aspx>. Accessed 8 Nov 2007
- Motahari-Nezhad H, Stephenson B, Singhal S (2009) Outsourcing business to cloud computing services: opportunities and challenges. Technical report HPL-2009-23, HP Laboratories

- Motahari-Nezhad H, Benatallah B, Casati F, Saint-Paul R (2011) From business processes to process spaces. *IEEE Internet Comput* 15(1):22–30
- O’Sullivan J, Edmond D, ter Hofstede A (2002) What’s in a service? *Distrib Parallel Dat* 12(2–3):117–133
- OASIS (2006) Reference model for service oriented architecture 1.0. <http://docs.oasis-open.org/soa-rm/v1.0/soa-rm.pdf>. Accessed 20 Jan 2009
- Papazoglou MP, van den Heuvel W-J (2006) Service-oriented design and development methodology. *Int J Web Eng Technol* 2(4):412–442
- Rosemann M, van der Aalst WMP (2007) A configurable reference modelling language. *Inform Syst* 32(1):1–23
- Sanz J, Nayak N, Becker V (2006) Business services as a modeling approach for smart business networks. Technical report RJ10381 (A0606-001), IBM Research Division Almaden Research Center
- Sehmi A, Schwegler B (2006) Service-oriented modeling for connected systems – part 1. *Arch J* 7:33–41
- Sewing J-H, Rosemann M, Dumas M (2006) Process-oriented assessment of web services. *Int J E Bus Res* 2(1):19–44
- Supply-Chain Council (2008) Supply-chain operations reference-model (SCOR), <http://supply-chain.org/scor/11>. Accessed 20 Jan 2014
- van der Aalst WMP (2011) Business process configuration in the cloud: how to support and analyze multi-tenant processes? In: Proceedings of the 9th European conference on web services (ECOWS). IEEE Computer Society, Lugano, Switzerland, pp 3–10
- vom Brocke J (2006) Design principles for reference modelling. Reusing information models by means of aggregation, specialisation, instantiation, and analogy. In: Fettke P, Loos P (eds) *Reference modelling for business systems analysis*. IGI Global, Hershey, pp 47–75
- vom Brocke J (2007) Service portfolio measurement. Evaluating financial performance of service-oriented business processes. *Int J Web Serv Res* 4:1–32
- vom Brocke J, Braccini A, Sonnenberg C, Spagnoletti P (2014) Living IT infrastructures – an ontology-based approach to aligning IT infrastructure capacity and business needs. *Int J Acc Inf Syst (IJ AIS)* 15
- W3C (2004) Web services glossary. <http://www.w3.org/TR/ws-gloss/>. Accessed 20 Jan 2009
- Zaha JM, Dumas M, ter Hofstede AHM, Barros AP, Decker G (2006) Service interaction modeling: bridging global and local views. In: 10th IEEE international enterprise distributed object computing conference (EDOC). IEEE Computer Society, Hong Kong, China, pp 45–55
- Zeithaml V, Bitner M (2002) *Service marketing: integrating customer focus across the firm*, 3rd edn. McGraw-Hill, Boston

Integrated Business Process and Service Management

Thomas Gulledge

Abstract Service-oriented Architecture (SOA) is typically presented from a software development perspective, viewing the enterprise as an extension of the distributed network management model. The objective of this chapter is to demonstrate that the business value of SOA derives from aligning business services with business processes that are enabled as composite applications. This aligned approach to service-oriented implementation is called Business Process Management to SOA (BPM to SOA). This chapter describes BPM to SOA in some detail, including an implementation perspective that is based on successful project delivery. The business benefits of BPM to SOA are presented, and the chapter asserts that the business case for SOA cannot be completed without aligning business services to end-to-end business processes.

1 Introduction

Business Process Management (BPM) has received wide attention in the management and engineering literature. Managers, as part of their day-to-day activities, execute procedural logic that is embedded in business processes. Given this fact, it makes sense for managers to execute business process improvement initiatives, such as Lean Six Sigma, Continuous Process Improvement, Total Quality Management, and many others. However, process improvement projects do not always yield the results that were anticipated. The reasons are varied, and many of the critical success factors are documented e.g. by Bashein et al. (1994) and vom Brocke et al. (2014). However, as noted by Gulledge (2008), redesigned processes are only efficient if information flows are supported by systems that align with the

T. Gulledge (✉)

Enterprise Integration, Inc., Alexandria, VA, USA

Prof. Emeritus George Mason University, Alexandria, VA, USA

e-mail: thomas.gulledge@eiiisolutions.net

redesigned processes. If system realignment does not occur, there is a tendency to revert to the old way of business.

A current trend in the technology literature is Service-Oriented Architecture (SOA). SOA means different things to different audiences (Gulledge and Deller 2009), but SOA is only effective if it improves the quality of management information (Bugajski 2008). SOA as a technology concept is not very interesting, because managers are not keen to invest in “infrastructure refresh” projects with extended implementation time horizons (Manes 2008). SOA must add value to core business processes¹ or it will not be widely implemented.

The primary objective of this chapter is to demonstrate that the business value of SOA derives from aligning business services with business processes that are enabled as composite applications. Process innovation is widely accepted as an approach for enhancing business value (Davenport 1993). If SOA provides flexibility as argued in the literature, then the alignment with business processes should be a source of process innovation, and hence, directly correlate with the business value of SOA. This primary objective is accomplished by delineating the requisite foundational information on composite applications and linking BPM to SOA.

This chapter is not a case study, but we offer the following references for a project that was implemented using the advocated concepts. The project was implemented in a complex Product Lifecycle Management environment in the U.S. Army.² The general approach and the requirements definition layer are presented by Gulledge et al. (2008). An overview of the complete solution is provided by Gulledge et al. (2009). The details of the case study are not presented in this chapter, but these references are provided as supporting empirical evidence. Furthermore, many commercial software providers offer products for implementing the concepts that are described in this chapter, and contributions of some of the providers are described below.

2 The Basic Concept

A critical assertion is that BPM is a concept that must be understood in any discussions of service orientation. The term BPM is confusing, because it has one meaning for managers and another for technologists. It is necessary to separate the two definitions, and to add clarity, the two definitions are discussed in some detail. The term “Business BPM” is used to represent the manager’s definition of BPM, and the term “Technical BPM” represents the technologist’s definition of BPM. The concepts are discussed here, but they are covered in more detail in Gulledge (2008).

Managers must have a business process orientation. Since business processes define how work is executed, managers are constantly trying to improve business processes in an attempt to increase organizational performance. A typical approach

¹Earl (1994) defines core processes as those business processes that add value directly to the customer.

²Iyer and Gulledge (2005) provide a general description of the environment.




Fig. 1 Business and technical BPM

involves interviewing subject matter experts and documenting the business processes for study and analyses. The concept is simple – you cannot improve what you do not understand, so managers are constantly striving for improvement. These management-oriented processes are typically not documented using the technical notation of a system developer or integrator, but are documented in a notation that is comfortable to managers and using common business terminology (e.g., BPMN or EPCs). Since Business BPM describes how managers desire to execute their business, Business BPM represents the business process requirements of the organization. If the underlying systems do not support these requirements with pertinent information, an “organizational requirements gap” must be filled.³

Technical BPM is a software concept. It depicts the execution flow as objects (data and code) flow across systems. Technical BPM can be documented in a standard notation, and the most widely accepted standard is the Business Process Execution Language (BPEL). The processes that are documented in BPEL must perfectly align with the Business BPM processes, or business process requirements are not realized. The implication is that Business BPM dominates Technical BPM. Many information system projects are initiated at the Technical BPM level. While such an approach is practical from a technical point-of-view, there is no indication (much less guarantee) that business process requirements (defined by managers) will be realized if the requirements are defined from an IT point-of-view. Figure 1 depicts the relationship between Business and Technical BPM. Both concepts reflect processes, but their orientation is different. Business BPM is a management approach for documenting, analyzing, improving, and ultimately codifying a set of business

³Gulledge (2006) for a discussion of business process oriented gap analysis.




Fig. 2 Business and technical BPM in a logistics order-to-cash implementation project

process requirements. These requirements are often organized in an integrated repository, and in the form of a Business Process Management Framework.

As asserted, Technical BPM is a technology approach for documenting the flow of control within or across information systems. Technical BPM must align with Business BPM in order to realize business process requirements. Managers execute Business BPM, and system developers execute Technical BPM; however, the two concepts are tightly linked. Managers and technologists must work together while defining and realizing requirements.

Figure 2 presents the concept in an actual implementation that was completed in early 2008.

While the figure is conceptual, it describes the relationship that is more clearly delineated in the subsequent sections of the chapter. The organization has one set of desired business processes, and they are documented using a method that is useful for managers. The organization has many systems, and these systems provide information to support the business processes. The top layer of Fig. 2 represents the business process requirements and the lower level represents the supporting information systems. If the top and bottom are not aligned, the gap must be closed. Technical BPM (center section of Fig. 2) provides the linkage between Business BPM and the systems that provide the required information to automate the Business BPM processes.

3 The Link to Service Orientation

It is noted that Fig. 2 is only one view of SOA. Other views are discussed in detail by Gulledge and Deller (2009) and are not repeated here. We admit that these

different views of SOA are confusing, and a common understanding is difficult, because managers and technologists usually have different views of the business. A complete understanding of SOA requires that all views be understood and reconciled.

However, we assert that the concept in Fig. 2 is the most practical for achieving successful service-oriented solutions that directly enable the value-adding processes of the business. This assertion has been noted by the superplatform vendors,⁴ and they have responded with products that enable the model described in Fig. 2. The distinguishing characteristic of Fig. 2 is the business process-oriented view of service-orientation. That is, the major vendors are taking a business management approach to SOA implementation as opposed to the more technology-oriented view that has emerged in the software engineering community. This is an important point that requires reiteration. The elegance of the technology does not matter if the technology does not add business value. While the technology community may feel that they have made the appropriate business case for SOA, managers are still cautious.

It should also be noted that some of the smaller mid-tier vendors are providing service-oriented software products, but they are limited in scope and scale. This chapter does not describe the details of all the vendors, but we note without reference that all are adopting similar architectures for managing the layers in Fig. 2. To explain the architecture and specifically the linkage to business process, any of these vendors could be selected for a case study, but we use the Oracle solution as implemented in their Fusion Middleware product to show how BPM can be aligned with SOA and enabled through total business process integration. We select the Oracle solution because Oracle positioned a production solution in the summer of 2007, well ahead of the other vendors, and consequently there has been more time to understand the details of their solution. Other vendors are rapidly closing the gap, but for the purposes of this chapter, we selected a single vendor to delineate how a baseline architecture can actually be implemented.⁵

The Oracle-specific version of Fig. 2 is presented in Fig. 3, which is reproduced from Scharstein (2007).

The Oracle solution contains an integrated tool, within Fusion Middleware, for documenting Business BPM using notation that is useful and familiar to managers. Specifically, Oracle supports event-driven process chains (EPCs) or Business Process Modeling Notation (BPMN). These Business BPM models are automatically converted into a “first cut” Technical BPM layer that Oracle calls the Technical Blueprint. The Technical Blueprint is an automatically generated first draft BPEL model that represents the baseline for the Technical BPM layer. It is important to note that the Technical Blueprint is not executable BPEL or BPMN, but a “first cut” model that can be converted into executable BPEL or BPMN.

⁴The superplatform vendors are Oracle, SAP, IBM, Microsoft, and RedHat/JBOSS.

⁵An SAP version of the concept is presented by Stiehl (2007). An IBM view is provided by Ferguson and Stockton (2006).




Fig. 3 BPM to SOA in oracle fusion middleware

The Blueprint can be revised and realigned with the Business BPM models, but a one-to-one relationship between the Blueprint and the Business BPM models is always preserved. In the SOA literature, this concept is known as the "round trip." Fusion Middleware manages the linkage between Business and Technical BPM in a single repository. Any number of iterations between business analysts and technical architects can occur before an "implementable" compromise is reached. The important concept is that the relationship between Business BPM and Technical BPM is maintained for each step in the iterative process. Some researchers call this interaction "Closed Loop BPM."

For the next step in the implementation process, the stabilized Blueprint is automatically passed into the Oracle development environment. In this environment, services may be developed or discovered for linking to the BPEL models for deployment on the Oracle application server. To create this executable BPEL model, development effort is required, but once again, the one-to-one relationship between Business and Technical BPM at each step of the iterative process is preserved, completing the "round trip." The process is described in detail by Oracle Corporation (2008).

The "round trip" implementation is not completely automated (i.e., iterations are required), but it is possible to visualize the early stages of how an executable architecture might be developed and deployed. At a minimum, there is a mechanism for ensuring that business requirements are actually implemented and the process is properly enabled by the systems that fall at a lower level. This is the technical link between service-orientation and Business BPM.


4 What Are the Services that Are Aligned with Business and Technical BPM Processes?

A service is conveniently described as a small application. Applications are comprised of code (logic), and they must have data in order to execute. For services to communicate with each other, the data must align and communicate through an interface. The situation is depicted in Fig. 4.

This definition (i.e., services as an application) is consistent with the definition of business services as opposed to technical services. Business services are aggregations of functionality that execute specific business tasks; e.g., process an order, check inventory, etc. A business service may be comprised as an aggregation of technical or infrastructure services, or even as wrapped transactions as with SAP Enterprise Services. The distinction used in this chapter is similar to that used by Werth et al. (2007).

Figure 4 also points out the critical role of data as an important characteristic of service interoperability. For the transfer of information in Fig. 4, the data must be complete, harmonized, and of high quality.⁶ Organizations with fragmented and missing data should initiate a data readiness study prior to considering service-oriented implementation projects, or the implementation effort is likely to fail. That is, one could spend significant resources designing and developing a

In order to communicate, the output of service I must align with the input of service II



With Web services, the code and data are wrapped with a “smart” XML-based interface

Fig. 4 Relationship between code and data in web services

⁶Data quality, as referenced in this chapter, is a practical concept that is focused on the ability of enterprise applications to have appropriate data to execute in accordance with business requirements. This definition is clarified by Xu et al. (2002).




Fig. 5 Two representations of service oriented architectures

service-oriented solution, only to discover that the detailed data required to support the application are not available.⁷

Service-Oriented Architecture (SOA) is an architecture built around a collection of reusable components (i.e., services) with well-defined interfaces. Services are groups of components that are executed within business processes; for example, verifying a credit card transaction or processing a purchase order. In other words, at the technical level a SOA is a collection of services that communicate with one another. The services are loosely coupled (meaning that an application does not have to know the technical details of another application in order to talk to it), have well-defined and platform-independent interfaces, and are reusable. SOA is a higher level of application development (also referred to as coarse granularity) that, by focusing on business processes and using standard interfaces, helps mask the underlying technical complexity of the IT environment. See the reference by Datz (2004). Figure 5 provides two similar views of Service-Oriented Architectures from a technical point-of-view.

The views in Fig. 5 are reproduced from Linthicum (2007) and McDowell (2006). While slightly different, the SOAs include all components and standards at a technical level that are necessary to “orchestrate” services into an application. There are a number of SOA reference architectures, and while one could argue

⁷It is noted that an enterprise wide data model is not required to implement composite applications; a canonical data model is sufficient. The canonical model can be expanded as additional processes are implemented.

about the components, one thing is certain. SOA, as presented in the trade literature, is not in the form of a business process architecture, nor is it presented from a business perspective. This is not a statement of right or wrong, but Fig. 5 presents two typical presentations of SOA. In both cases, the architecture is presented from a technical point-of-view. Technical BPM is the highest level in both architecture presentations. In Fact, Fig. 5 is a software developer’s view of the enterprise that applies the basic concepts of distributed networking to the management of enterprise objects. By and large, the IT literature addresses the technical aspects of service orchestration, but not the business aspects. This lack of a business view is what distinguishes some interpretations of SOA from the business process-oriented approach that is presented in this chapter.

The considerations are paramount. Before the technology view of SOA will be widely accepted by management, SOA models similar to those in Fig. 5 must be aligned with management’s orientation, which is the execution of end-to-end business processes that add value to the customer. Otherwise, SOA implementation will always be viewed as a costly technology project that is focused on infrastructure refresh, and such a “refresh model” cannot be easily reconciled with customer value-adding processes.

5 Implementing from the Technical Level

Many companies provide solutions for implementing Technical BPM. That is, the Business BPM requirements could be ignored and one could directly implement from a BPEL representation of the Technical BPM. This is certainly possible, and many implementation projects are initiated at this level. However, there is evidence that this implementation approach is not preferred. Table 1 contains data from a recent study reported by Ellis (2008).

A quick analysis of Table 1 indicates that none of the data are encouraging; a sure indication that a requirements gap does exist. If the IT organization or non-IT business owns the requirements, overruns are prevalent. The numbers are slightly better when the IT organization owns the requirements, which is logical. The IT organization knows the “easiest path to deployment,” and the requirements are tailored to leverage this knowledge. The striking characteristic of Table 1, however,

Table 1 Diagnosing requirements failure (Ellis 2008)

Joint ownership of requirements is most effective				
Who owned primary responsibility for requirements?	Budget % of target	Time % of target	Functionality % of target	Stakeholder time % of target
IT organization	162.9	172.0	91.4	172.9
Non-IT business	196.5	245.3	110.1	201.3
Jointly owned	143.4	159.3	103.7	163.4

N = 109

Source: IAG business analysis benchmark, 2008.

is that when the requirements are jointly owned, the numbers are improved in all categories.

One research study is insufficient to draw conclusions, but from a practical point of view, one would expect the outcome that is presented in Table 1. Furthermore, Joint Ownership is a requirement for aligning Business BPM with Technical BPM while preserving the “round trip.”

6 The BPM to SOA Implementation Process

To formalize the theoretical relationships advanced in this chapter, an implementation roadmap that has been effectively developed, documented, and implemented at the project level is presented. This model has been refined over a 2-year period by researchers at Leonardo Consulting (Australia) and Enterprise Integration, Inc (USA). The roadmap combines an implementation methodology with a project planning structure to provide an approach to implementing Business BPM processes that are enabled by business services from multiple information systems. An overview of the roadmap is presented in Fig. 6.




Fig. 6 Overview of BPM to SOA implementation roadmap




Fig. 7 Design phase decomposition for BPM to SOA roadmap

The roadmap is organized around a lifecycle model – discover, design, build, and deploy. Within this model, certain activities have to be performed, and the activities must be divided between technologists and managers. Each high level chevron in Fig. 6 is decomposable into more granular tasks. For example, Fig. 7 provides a decomposition of the design phase.

Space will not permit a detailed analysis of every step in every phase, but the point is that there is a well-defined roadmap that when properly followed does lead to successful implementation. An overview from a different perspective is presented in Fig. 8.

If the roadmap is followed, the implementation structure is hierarchical with Business BPM providing the requirements for the deployment at the implementation level. The linkage that aligns the business BPM requirements with the deployed solution is the Technical BPM layer. These linkages are from Business BPM to deployment as depicted in Fig. 9.

The relative positioning in the hierarchy can be described in a simple governance model as presented in Fig. 10.

The model requires business process governance at the business requirements level and business service governance and the execution level. The round trip is completely preserved by this model and business requirements are completely aligned with technology requirements.




Fig. 8 BPM to SOA overview from a network perspective

7 Review and Analysis

As a review, it is noted that this model is only one view of SOA. Gulledge and Deller (2009) presented three possible views, and BPM to SOA represents only one of those views. Our assertion is that this view is more closely aligned with management activities than other views, but this assertion is biased by the strong belief that IT projects should support business outcomes.

BPM to SOA falls into a general class of solutions that is known as composite applications. We have extended the literature on composite applications through project implementation and the development of a top-to-bottom implementation roadmap. The assertion is that there is a successful path to business-value-adding SOA through composite applications as described in this chapter.

The key concept is the alignment of a three-layered model that is characterized by:

- Business process requirements as modeled in a Business BPM layer,
- Technical business process and flow control as modeled in a Technical BPM layer, and
- A service execution and deployment layer (as implemented in a modern SOA Suite such as the Oracle SOA Suite) that consumes services from multiple information systems.

From Business to Technology




Fig. 9 Transition from business BPM to Service-oriented development and deployment

The benefits of BPM to SOA are numerous. These are some of the most obvious benefits:

- Business process requirements are aligned with system implementation requirements.
- The composite application structure provides a framework for executing the SOA round trip to rapidly realign business processes to accommodate changing requirements, as indicated in Oracle Corporation (2007).
- The solution is deployed using state-of-the art SOA methodologies and technologies.
- The solution is complete and integrated.
 - Business and Technical BPM are managed in a single implementation environment without complex interfacing and synchronization across the layers.
- The business processes, defined in management terms, provide “control” over the technology landscape.
 - Since the middleware provides top-to-bottom integration, one can have confidence that end-to-end business processes are actually implemented in accordance with business requirements.
 - Technologists have confidence that they are developing and deploying in accordance with business requirements.
- All aspects of the solution are standards based, and the solution accommodates services provided by any vendor that adheres to the WS-* standards.




Fig. 10 Layered architecture that aligns BPM with service execution

- The solution allows for the reuse of existing services or the development of new services.
- The solution allows for BPEL segmentation for reuse.
- The solution allows for canonical data model extensions that are reusable.
- The architecture leverages the investment in existing systems
- No one vendor dominates the technology landscape.
 - This is consistent with the technology landscape in most large organizations.
- Implementation does not require a “big bang” approach.
 - The deployment is on a process-by-process basis. This characteristic allows one to begin with smaller initiatives while moving to larger initiatives as experience matures.

The documentation and analyses of these derived benefits are the foci of our ongoing research efforts.

8 Conclusions

Service-orientation can be presented within a distributed network management framework, but at risk of overlooking the true value of SOA to the business. Managers are focused on the execution of end-to-end business processes that add

customer value.⁸ If SOA can enable these business processes with higher quality and more timely information, then the business value of SOA is defined.

This chapter presents a composite application approach for aligning a service-oriented model with value-adding business processes. The approach can be implemented using multiple vendor product suites, and the implementation roadmap is defined and documented in a procedural model.

BPM to SOA supports the complete alignment of business requirements to implemented processes in a round trip model. This structure generates many benefits over and above traditional approaches to aligning requirements with implementation projects. While manual intervention is still required, it is clear that the system implementation landscape is evolving to a new paradigm. The old paradigm was characterized by an enterprise architecture that is not formally connected with implemented systems. Therefore, plans that are documented in the architecture are seldom realized at the implementation level. With an executable architecture, the plan is directly linked to the implementation layer, ensuring that business requirements are realized.

References

- Bashein BJ, Markus L, Riley P (1994) Preconditions for BPR success and how to prevent failures. *Inform Syst Manage* 11(2):7–13
- Bugajski J (2008) Master data management: a pivotal process. The Burton Group, Midvale, Utah
- Datz T (2004) What you need to know about service-oriented architectures. *CIO Mag* 17(7):78–85
- Davenport TH (1993) *Process innovation: reengineering work through information technology*. Harvard Business School Press, Boston
- Earl MJ (1994) The new and the old of business process redesign. *J Strat Inform Syst* 3(1):5–22
- Ellis K (2008) *Diagnosing requirements failure*. IAG, New Castle, Delaware
- Ferguson DF, Stockton M (2006) *Enterprise business process management: architecture, technology, and standards*. In: Dustdar S et al. (eds) *BPM 2006*. Springer-Verlag, Heidelberg
- Gulledge T (2006) ERP Gap-fit analysis from a business process orientation. *Int J Serv Stand* 2(4):339–348
- Gulledge T (2008) Architecture-driven enterprise integration. *Int J Manage Enterp Dev* 5(3):265–309
- Gulledge T, Deller G (2009) Service-oriented concepts: bridging between managers and technologists. *Ind Manage Data Syst* 109(1):5–15
- Gulledge T, Iyer R, Hiroshige S, Johansson M, Rosén J (2008) Modeling an enterprise services enabled product improvement process for military vehicles. In: *Proceedings of the ASME 2008 international design engineering technical conferences & computers in engineering conference*. American Society of Mechanical Engineers, New York
- Gulledge T, Hiroshige S, Iyer R (2009) Conditioned-based maintenance and the product improvement process. *Comput Ind* (forthcoming)
- Iyer R, Gulledge TR (2005) Product lifecycle management for U.S. army weapon system acquisition. In: *Proceedings of the international conference on product lifecycle management PLM 05*, Lyon, France

⁸Value considerations are focused on in more detail in the second volume of the BPM handbook. You may want to refer to the chapters on Strategic Alignment and Government (vom Brocke and Rosemann 2014).

- Linthicum DS (2007) Extending your SOA outside of your enterprise to enable service provider integration (presentation). Bridgewater Technologies
- Manes AT (2008) SOA report card, presentation at the burton group catalyst conference
- McDowell J (2006) Long-running transactions: mapping conversations in the asynchronous enterprise (presentation). Grand Central Communications
- Oracle Corporation (2008) Composite application management: bridging the IT visibility gap in complex composite applications, an Oracle white paper. Redwood Shores, California
- Scharstein P (2007) Oracle business process analysis suite, presentation at Nordic process days, Stockholm
- Stiehl V (2007) Composite applications: Neue Verfahren für Flexible Geschäftsprozesse. *Inform Spektrum* 30(6):413–418
- vom Brocke J, Rosemann M (2014) Handbook on business process management: strategic alignment, governance, people and culture, vol 2, 2nd edn. Springer, Heidelberg
- vom Brocke J, Schmiedel T, Recker J, Trkman P, Mertens W, Viaene S (2014) Ten principles of good business process management. *Bus Process Manage J (BPMJ)* 20(4)
- Werth D, Leyking K, Dreifus F, Ziemann J, Martin A (2007) Managing SOA through business services: a business-oriented approach to service-oriented architectures. In: Georgakopoulos D et al. (eds) *Proceedings, ICSOC 2006*. Springer, Heidelberg
- Xu H, Nord JH, Brown N, Nord GD (2002) Data quality issues in implementing and ERP. *Ind Manage Data Syst* 102(1):47–58

Business Process Management Standards

Frank Leymann, Dimka Karastoyanova, and Michael P. Papazoglou

Abstract This chapter discusses the evolution of standards for BPM. The focus is on technology-related standards, especially on standards for specifying process models. A discussion of the two fundamental approaches for modeling processes, graph-based and operator-based, supports a better understanding of the evolution of standards. For each standard discussed, we describe its core concepts and its impact on the evolution of standards. The corresponding influence on the overall architecture of BPM environments is worked out.

1 Introduction

There are a variety of reasons why standards in the area of Business Process Management is important today for both users of such systems as well as builders of such systems. We sketch the key reasons for this in what follows.

Users of Business Process Management suites are looking for investment protection by requiring the ability to port their process-based applications across different BPM environments. Portability includes both porting such applications across runtime environments as well as across build time environments (a.k.a. tool interoperability). This is needed because process-based applications support key business processes of a company, that is, the applications must be supported independent from the vendor environment chosen. The vendor providing the BPM environment actually in use may cease to exist or it may be decided to abandon the relation with that vendor. Thus, existing process-based applications

F. Leymann (✉)

Institute of Architecture of Application Systems (IAAS), University of Stuttgart, Stuttgart, Germany

e-mail: leymann@iaas.uni-stuttgart.de

must be able to be ported from one BPM environment to another with as less effort as possible.

A BPM environment itself is complex, consisting of many components: modeling tools, execution engine, monitoring tools, etc. These components must interoperate, that is, they must be able to be mixed resulting in an overall BPM environment. For example, companies using BPM technology often have a “best of breed” strategy, that is, components of the BPM environment from different vendors must be able to be mixed. Consequently, standards are needed to allow building a BPM environment out of components from different vendors in a “mix-and-match” mode.

Large companies often have a multivendor setup, that is, they run the same type of BPM component (or even complete BPM environments) from different vendors. For example, two different organizational units of a company may run two different execution engines from two different vendors, or they may run two different modeling tools from two different vendors. Thus, interoperability is a must because business processes often span organizational units within a company, and standards have to support this interoperability.

Major components of a BPM environment (e.g., a process engine) have become key ingredients of today’s middleware stack. Process engines, especially, have importance comparable to application servers or even database management systems. Thus, many applications make use of BPM technology.

Standardization of BPM features will significantly contribute to skill reuse of the personnel involved in building process-based applications, running, and managing an overall BPM environment.

Also, accepted standards are a strong indicator of the maturity of a technology. When most vendors implement the standards covering a technology, this technology is typically established and proven. At that point in time, even companies not being early adopters of the technology begin to use the technology in their environments: the technology becomes an accepted element of the overall IT stack.

This chapter presents multiple standards, both standards of the past and standards that are actually implemented in products. Not all standards that have been proposed are presented but only a subset thereof. Note explicitly that this chapter is subjective, and it shows personal opinions: one of the authors is active in the field of Business Process Management and its standardization since more than two decades. The implication of this is that some background information is given in this chapter, but neutrality is not always ensured (although tried hard). Even the selection of standards covered may already be seen as subjective; note that the focus of the standards discussed will be on languages, not on the various APIs proposed. Because BPM standards are complex, this chapter cannot be a tutorial on any of the standards touched – for most of these standards, such a tutorial would fill a whole book. Instead, we sketch the main features of each standard discussed and its main contributions to the evolution of BPM standards as a whole. Evolution is a historic process, thus, we also discuss standards that are no longer pursued but that have a deep impact on today’s accepted standards.

2 Workflow Management Coalition

The Workflow Management Coalition (WfMC) released a set of specifications, but the most influential of these specifications is the so-called “WfMC Reference Model” (Workflow Management Coalition 1995): This reference model describes the major components of a BPM environment and the interfaces between these components. The other standards published by the WfMC specify the details of these interfaces.

Figure 1 is an adapted variant of the architecture described by the reference model. The center of each BPM environment is the *execution engine*, which instantiates and executes models of business processes. Such models are created by a *process modeling tool* and are imported into the execution engine via a corresponding interface. Especially, a process model specifies whether an activity is to be performed by a human being (so-called “people activity”) or directly by a program (so-called “automatic activity”). Correspondingly, when executing a process, the execution engine generates requests to human beings to perform a particular activity (so-called “workitems”) or it ensures the immediate execution of the respective program. The component responsible for managing workitems is the *workitem manager*, while the *application invocation* component is in charge of dealing with all of the idiosyncrasies of communicating with a program performing an automatic activity. In cases where an activity is realized as another process (so-called “subprocess”) performed by a second execution engine, a corresponding interface has to furnish this. Finally, the management of (actual and past) processes as well as artifacts related to process is performed via the *management tool*.

The importance of the reference model can be seen in having provided a clear mental model about the key ingredients of a process management environment.




Fig. 1 BPM environment (adaptation of Workflow Management Coalition 1995)




Fig. 2 Some relations between business process languages

This mental model is still applicable in today’s service-oriented environment as we will show in Sect. 7.

Before discussing standards for specifying business processes in more detail in the rest of this chapter, we present the influence of one standard on other standards in the next section (see Fig. 2). We also introduce the two fundamental approaches to specify process models, namely the graph-based approach and the operator-based approach.

3 Some Influential Standards of the Past

When talking about “standards,” both de facto and de jure standards must be considered in the area of BPM: a *de facto standard* is defined by a single vendor or a small group of vendors, and by the joint market share of these vendors, the specification becomes a standard within that market segment; a *de jure standard* is defined by a public (official) standardization body consisting of many different vendors and interest groups who jointly work on a specification and release it as standard based on majority agreement. But it must be noted that, in general, no conclusion can be made about the support of a certain standard in the industry in terms of its implementation or use based on the fact that a standard is de jure. Based on the motivation for BPM standards given in the introduction, a relevant standard should be supported by “many” vendors. The standard supported by most vendors today (i.e., at the time of publication of this book) is BPEL: it began as a de facto

standard and transitioned into a de jure standard. This transition took place in order to enable to reflect input from as many parties as possible to cover requirements from many different areas.

Two main approaches are found in standards to specify process models: a graph-oriented approach (see Sect. 3.1) and an operator-based approach (see Sect. 3.2). Different vendors followed either of these approaches. End of the last century, this resulted in the jeopardy of splitting the BPM market into two different segments, since both approaches seemed to be very different. One very important aspect of BPEL (see Sect. 4) is that it combines both of these approaches, and by doing so, BPEL avoids this split resulting in a single BPM market.

The graph-based approach to process modeling is mostly influenced by PM-graphs and Petri-Nets: the flavor of graph-based approach described in Sect. 3.1 is the basis for languages such as FDL and WSFL (and thus, BPEL), and it has its origins in Process Model graphs (PM graphs for short) introduced in Leymann (1992) and refined in Leymann and Altenhuber (1994). Also, (high-level) Petri-Nets (Jensen and Rozenberg 1991) had a lot of influences on process modeling, mostly within the research community. Various calculi are the foundations of the operator- or calculus-based approach (see Sect. 3.2), the most influential one being the π -calculus (Milner 1999). Figure 2 depicts the relations between the most relevant process modeling languages and their origins; the arrows between two modeling languages indicate that the target of the arrow is based on the source of the arrow. FDL [described in more detail in Leymann and Roller (2000)] was the modeling language of former IBM workflow management products and this language is a textual rendering of PM graphs. This language was extended into FDML, which in turn evolved into WSFL (Leymann 2001), the latter of which supports both, what are today called orchestrations as well as choreographies (see Sect. 3.4). Many concepts of XPD (Workflow Management Coalition 2005) (the process modeling language published by WfMC) are found in FDL before. π -calculus became the basis of a language developed by Microsoft, which is sometimes referred to a Pi-Calculus++ (Thatte 2008); this language was the predecessor of XLANG (Thatte 2001), which was implemented by Microsoft workflow products. Also, π -calculus is at the underpinnings of WS-CDL (W3C Candidate Recommendation 2005). BPEL resulted by combining WSFL (more precisely: its orchestration aspects) and XLANG. BPEL has been designed to be extensible from the outset; thus, it is the root of a series of specifications (like BPEL4People, for example) that might finally cover the complete space of BPM; we discuss some of these extensions below. In order to support workflow management in a Grid environment, WSFL was the basis for GSFL, which in turn got the foundation together with BPEL for GPEL. Petri-Nets have been exploited to propose process modeling languages out of research like YAWL, and BPMN has an operational semantics, which based on Petri-nets too. We will sketch the essentials of most of these languages below; readers interested in more details about these language but who do not want to read the original specification are referred to (Havey 2005).

3.1 Graph-Based Approach

In a graph-based approach, a process model is specified as an acyclic-directed graph. The *activities* of a process model are represented as nodes of the corresponding graph. The directed edges of the graph (*control connectors*) represent the potential flow of control between two different activities. The data consumed as input and produced as output (input and output *container*) of each of the activities of a process model is referred to as *process context*. To determine the actual control flow within an instance of the corresponding process model at runtime, the control connectors are weighted by *transition conditions*, that is, Boolean conditions in the “process context.” Each of the activities is defined to be either a people activity or an automatic activity. A *people activity* is associated with a *staff query* that is used at runtime to find the human beings having the skills or duties to perform the work represented by the activity. An *automatic activity* is associated with a *locator*, which is a query to be used at runtime to find an appropriate program that will automatically complete the work of the activity. Note that because of these assignments to an activity, the graph is often referred to as *colored graph*. To specify how the input container of an activity is computed out of the process context, data connectors are used: a *data connector* is a directed edge (of another type than control connectors) between activities that indicate that the input container of its target activity gets some input data from the output container of its source activity. Like in Fig. 3, control connectors are drawn as solid lines, while data connectors are drawn as dotted lines. Not all approaches to process modeling have such an explicit means to specify the data flow between activities (like FDL or WSFL has); some approaches have no explicit data flow features at all, and some others support at least implicit data flow specifications, for example, by providing special types of activities that allow to define how input data for “regular” activities are materialized (like BPEL).




Fig. 3 A process model graph

A running process is created from a process model by *instantiating* the process model graph, which basically creates the (potentially empty) process context, determines the activities with no incoming control connectors (*start activities* – activity A1 in Fig. 3), and schedules them. *Scheduling* an activity means to evaluate its staff query or locator and to create either a work request (*workitem*) for the qualifying human beings (in case of a people activity) or to directly invoke one of the corresponding programs qualifying under the locator (in case of a program activity), respectively. The data connectors targeting at the activity are followed backwards and the data from the output containers of the sources of the data connectors are retrieved to compute the input of the activity. This input is then passed to the workitem or program, respectively. Once the workitem or the program completed, its output data will be copied into the process context; in such a way, the process context is highly dynamic and especially instance dependent. Next, the process engine will determine all outgoing control connectors of this activity, evaluate their transition conditions in the actual process context of the process instance, and will determine the activities being endpoints of those control connectors whose transition conditions evaluated to true. Those activities will be scheduled next. Because of the instance dependency of the process context, the subset of actual paths taken out of the set of potential paths defined by a process model may vary significantly from one instance to the other of a given process model.

When an activity has more than one outgoing control connector, it may be the cause of parallel work being performed in an instance of the process model, namely if more than one of the corresponding transition conditions evaluates to true in the actual process context. Such an activity is called a *fork* activity (A₁ in Fig. 3). In turn, an activity with more than one incoming control connector is referred to as a *join* activity (A₅ in Fig. 3). When the process engine reaches a join activity via a particular control connector, it waits until all other incoming control connectors are traversed and their transition conditions are evaluated before considering scheduling the join activity: thus, effectively, a join activity is a means to synchronize parallel work within a process model. “Considering” to schedule a join activity is based on a join condition associated with each join activity: a join condition is a Boolean condition in the truth values of the incoming transition conditions; the join condition must be true in order to schedule the join activity. The purpose of such a join condition is to define possible combinations of parallel paths at least one of which must have been successfully taken in order to properly perform the join activity. The actual truth value of the transition condition of a control connector targeted at the join activity is assumed to indicate the success of the whole path ending with the corresponding control connector. Thus, if the join condition is true, at least of these combinations of parallel paths has been successfully taken.

In case one of the incoming control connectors of a join activity is not traversed at all, the process engine waits forever blocking the execution of the join activity – a situation that must be avoided. For example, if p' in Fig. 3 evaluates to false, A₄ will never be scheduled and, thus, will never complete, which in turn means that the control connector (A₄, A₅) will never be traversed and A₅ will be blocked. The way how such blocking activities are avoided in the graph-based approach is referred to

as *dead path elimination* (DPE): when the process engine detects that an activity will not be performed at all (such an activity is called *dead*), it determines all leaving control connectors of this activity and sets the transition condition of these control connectors to “false,” and this happens in a transitive manner. The reason why the transition condition is set to “false” instead of “true” is that a “true” transition condition would indicate that the corresponding path has been successfully taken, which is not the case. Performing DPE in a transitive manner ensures that all transition conditions of join activities will be evaluated, and the process engine can decide to schedule the activity or continue with dead path elimination. The behavior of dead path elimination is part of standards like FDL, WSFL, BPEL, etc. The above sketched way of how a process engine interprets a process model graph based on the actual process context of a process instance is referred to as *navigation*; navigation is an integral aspect of PM graphs and defines its operational semantics. For details of PM Graphs (Leymann and Roller 2000).

3.2 Operator- or Calculus-Based Approach

While the graph-based approach is very much related to the drawing style familiar to process modelers who are (business) domain experts, the operator- (or calculus-) based approach is much more geared towards a programming-like style of IT-level modelers.

Thus, the operator-based approach provides “constructs” (the operators – see below) that represent control flow mechanisms familiar to programmers to structure the control flow between activities like “sequence” or “loop.” Operators have activities as parameters. At runtime when a process engine applies an operator to its parameter activities, it schedules these activities in the order specified by the control flow semantics of the operator. At the modeling level, applying an operator to its argument activities results in a new activity, that is, the operator-based approach is recursive in nature.

More precisely: Let U be the set of all *activities*; activities act as parameters of operators and they represent the steps performed within a business process. An (*control flow*) operator ω (or operator for short) produces out of a set of parameter activities $\{A_1, \dots, A_n\}$ a new activity $\omega(A_1, \dots, A_n)$, that is, an operator is a map $\omega: \wp(U) \rightarrow U$, where $\wp(U)$ denotes the powerset of a set U . For example:

- The sequence operator Σ produces out of the activities A_1, \dots, A_n the activity $\Sigma(A_1, \dots, A_n)$, which results at runtime in the sequential unconditional execution of all of the activities A_1, \dots, A_n .
- The parallel operator Π specifies an activity where its constituting parameter activities are performed concurrently, that is, at runtime $\Pi(A_1, \dots, A_n)$ in an unconditional parallel execution of its parameter activities A_1, \dots, A_n .
- The decision operator Δ represents an act of decision that chooses one of its parameter activities, that is, $\Delta(A_1, \dots, A_n)$ selects at runtime exactly one of the activities A_1, \dots, A_n for execution.

The decision as to which of the parameter activities of a Δ operator will be executed depends on conditions that guard each of the activities, and these conditions are further dependent on data produced by the activities that run before the Δ operator, that is, operators may have more complex parameters, but this is not relevant for our discussion. Also, there are more operators than the ones we listed above, that is, if Ω denotes the set of all operators, $\Omega \supseteq \{\Sigma, \Pi, \Delta\}$.

Since operators produce new activities from existing ones, operators can be applied to the result of operators. Especially, operators can be nested by providing an activity produced by an operator as one of the parameter activities of another operator. For example, $A = \Pi(\Sigma(A_1, \Delta(A_4, A_5)), \Sigma(A_2, A_3))$ is an activity that runs two activities in parallel, namely the activity $\Sigma(A_1, \Delta(A_4, A_5))$ and the activity $\Sigma(A_2, A_3)$. Activity $\Sigma(A_1, \Delta(A_4, A_5))$ executes activity A_1 first, followed by activity $\Delta(A_4, A_5)$. Activity $\Delta(A_4, A_5)$ chooses whether activity A_4 or activity A_5 will be performed; this depends on two conditions p and p' , which are not shown as parameters in the operator Δ . $\Sigma(A_2, A_3)$ will perform activity A_2 unconditionally followed by A_3 . The control flow structure, that is, the potential flow of control within activity A is depicted in Fig. 4 as a graph.

The operator- or calculus-based approach has its origins in the various process calculi that have been developed since the early seventies of the last century. One of the distinguishing features that process calculi introduced is the ability to communicate via messages instead of communication based on shared variables considered before. Not assuming variables that are explicitly shared has several advantages, for example, contributing to information hiding because no internals of the communicating processes must be made visible to the outside, thus significantly increasing the dynamics of the set of communicating processes. Messages are exchanged via channels between (possibly concurrently executing) processes. The π -calculus even supports the exchange of channels (i.e., their names) between processes, which allows the description of highly dynamic process topologies; this feature of the π -calculus is referred to as *mobility*. Mobility becomes important in loosely coupled systems where the communicating participants do not know each other, thus having to exchange their communication channels amongst each other. Because systems based on SOA are loosely coupled by definition, mobility is important in SOA. Thus, the π -calculus had an impact on process modeling languages that have been proposed at the time SOA became dominant, that is, the early part of this century. For more details about the π -calculus (Milner 1999).




Fig. 4 Nested operators in graph representation

3.3 *Running Sample*

In the following sections, we describe some de facto or de jure standards, respectively, which had a broader impact on industry and academia. For this purpose, we show how some aspects of the following simple process model from Fig. 5 is represented in the corresponding standards. The sample process model is a simplified variant of the ubiquitous travel booking process. The process begins with an activity that receives the information about the itinerary the client wants to book; the fact that this activity has no incoming control connectors indicates that it is a start activity where each process instance begins. Once the itinerary has been received, the process continues with booking the corresponding flights and booking the hotel rooms required for trips staying overnight. Because not all trips are overnight trips, a corresponding transition condition that checks whether or not the trip is overnight is associated with the control connector between the Get Itinerary activity and the Book Hotel activity. Control flows from the Get Itinerary activity and the Book Flight activity unconditionally (assuming that travel is done by plane). Charge Credit Card is a join activity, that is, it is only scheduled once the Book Flight activity and the Book Hotel activity are completed (or handled by dead path elimination in case the trip does not require the booking of hotel rooms). The running example does not specify whether an activity is an automatic activity or a people activity because the standards we discuss differ in the support of specifying these kinds of activities. Also, the running example does not specify the data flow between the activities explicitly because of the significant differences in the corresponding support in the various standards.

3.4 *FDL*

Flow Definition Language (FDL) is a graph-based process modeling language that has been developed by IBM in the early nineties. It became a de facto standard




Fig. 5 Running example

supported by IBM Flowmark, IBM MQSeries Workflow, and other products of other vendors. It is a tag-based language that provides tags for all the elements of the modeling constructs of the metamodel behind the language (Leymann and Roller 2000 for a detailed discussion of this metamodel and FDL). It is one of the first (if not the first) language for modeling business processes implemented by a product and that has been supported by multiple vendors.

Listing 1 renders the running sample in FDL. Elements of the metamodel of FDL are specified enclosed by corresponding tags (e.g., by a STRUCTURE tag or a PROGRAM_ACTIVITY tag). Most tags require to name the element to be defined, and this name is used together with a preceding END tag to close the

```

1  STRUCTURE 'Order'
2    ...
3  END 'Order'
   ...
4  PROGRAM_ACTIVITY 'Get Itinerary' ('Order', 'Confirmation')
5    PROGRAM 'GetItin'
6    DONE_BY MEMBER OF ROLE 'Customer Client'
7    ...
8  END 'Get Itinerary'

9  PROGRAM_ACTIVITY 'Book Flight' (...)
10   ...
11END 'Book Flight'

12PROGRAM_ACTIVITY 'Book Hotel' (...)
13   ...
14END 'Book Hotel'
15PROGRAM_ACTIVITY 'Charge Credit Card' (...)
16   START AUTOMATIC WHEN AT_LEAST_ONE_CONNECTOR TRUE
17   ...
18END 'Charge Credit Card'
19CONTROL
20   FROM 'Get Itinerary'
21   TO 'Book Hotel'
22   WHEN '"Overnight" = "Yes"'

23CONTROL
24   FROM 'Get Itinerary'
25   TO 'Book Flight'

26DATA
27   FROM 'Get Itinerary'
28   TO 'Book Flight'
29   MAP 'FlightDate' TO 'DepartureDate'
30 ...

```

Listing 1 Running sample in FDL rendering

corresponding element definition. Today, XML tags would be used instead (e.g., a `<programActivity>` tag) properly paired with a corresponding end tag.

Activities are specified via the `PROGRAM_ACTIVITY` element or a `PROCESS_ACTIVITY` element; while program activities are implemented (or supported) by a program, a process activity in turn is implemented by another process, that is, a subprocess. For example, lines 4–8 define the Get Itinerary activity as a program activity. In line 4, this activity is defined to get an Order container as input and to produce a Confirmation container as output. These containers are specified in FDL via corresponding `STRUCTURE` elements, for example, in lines 1–3 the Order container is defined (leaving out the details on how structures are actually defined in FDL). Line 5 points by name to the program that implements this activity via the `PROGRAM` clause. FDL provides a separate `PROGRAM` element (not shown in the listing) to specify the details about the program, for example, what kind of executable it is, the environment it runs in, etc.; the name of this element is used within the definition of a program activity to refer to the implementation of the program activity by name. The Get Itinerary activity is a people activity, which is specified by adding the `DONE_BY` clause in line 6: this clause allows to specify the staff query to determine the people who may work on the activity. Note that the `DONE_BY` clause is similar to a logical people link in BPEL4People (see Sect. 4.1). Line 9–14 add the definitions of the Book Flight and Book Hotel activity. The Charge Credit Card activity (defined in line 15–18) is a join activity having more one incoming control connector targeted at it (see next); for a join activity, a join condition can be specified by a Boolean condition in the transition conditions of the incoming control connectors. The join condition of the Charge Credit Card activity is specified in line 16 by the `START` clause, and the actual join condition defined requires that at least one transition condition must be true.

Control connectors are defined by using the `CONTROL` element. It has a `FROM` clause used to specify the source activity of the connector, a `TO` clause for defining its target activity, and a `WHEN` to specify the transition condition of the control connector; in case no `WHEN` clause is defined (as for the control connector in lines 23–25), the transition condition defaults to constant true. The control connector in lines 19–22 defines a transition condition that uses the `Overnight` field in the output container of the target activity of the connector. Finally, Listing 1 shows in lines 26–29 a sample data flow connector defined via a `DATA` element. Like for control connectors, its nested `FROM` and `TO` clauses define its source and target activity, respectively. Several `MAP` clauses may be nested in a data element that are used to specify fieldwise copy statements from a field from the output container of the source activity to a field of the input container of the target activity. Omitting `MAP` clauses assumes that the containers have identical structure and that all values are copied one-to-one. Note that `MAP` clauses are similar to BPEL `<assign>` activities (see Sect. 4).

It should be noted that FDL programs are bound to program activities in an early fashion. In BPEL, the `PROGRAM` clause of a program activity is substituted by a partner link (see Section 4). The program associated with an activity in BPEL is late bound and discovered at runtime based on information assigned to a partner link

during deployment time. The middleware assumed to perform the discovery and binding is no longer the process engine itself but the so-called *enterprise service bus* (ESB). Thus, as expected, technological advancements have their impact on the evolution of standards (see Sect. 7 for more details).

3.5 WSFL

WSFL is a graph-based language proposed by IBM in 2001 (Leymann 2001). In contrast to FDL, WSFL is geared towards Web services, that is, implementations of activities are assumed to be defined via WSDL port types and provided via WSDL ports. Furthermore, WSFL binds implementation in a late manner, that is, activities specify the port types providing the functionality they expect at runtime, and implementations of these port types must be bound at runtime to a particular process instance. WSFL consists of two parts: an XML rendering of FDL (plus some extensions) defining business processes for a single partner side (called flow models) and a choreography language to wire together business processes of different partners (called a global model – not covered here). Listing 2 is the WSFL rendering of the running example; the similarities to the corresponding FDL definitions should be obvious.

Activities are specified via the `<activity>` element: an activity has a name, which is assigned via a corresponding attribute (line 1). Input and output data of an activity is defined by `<input>` and `<output>` elements nested in the corresponding activity specification (line 2 and line 3). Data is defined as messages consumed or produced, respectively, by an activity; the messages correspond to FDL containers. Data connectors correspond to WSFL data links that specify which activities contribute via their output message to the input message of the target activity of the data link (see lines 29–31) and how this input message is composed (line 30). Participants within a business process are referred to as *service providers* because participants have the obligation to provide an implementation of a service required as implementation of an activity. Communication between a business process and its partners is via exchanging messages through activities implemented by services consuming or providing the corresponding data. The type of implementation required by an activity is specified by the `<implement>` element nested within the activity (line 5). The type of partner obliged to provide this implementation is defined in the `<performedBy>` element of the activity. The concrete partner used by a particular instance of the process model can be bound both in an early manner or in a late manner; late and dynamic binding is supported in WSFL via a *locator* (e.g., line 14) that allows to specify a query that is evaluated at runtime to discover and select an implementation of the port type required by the activity (defined by the `<target>` element in line 14).

In Listing 2, the `GetItinerary` activity gets an `Order` message as input and produces a `Confirmation` message as output. It is performed by a service provider called `TravelAgent`, and the port type to be implemented by the `TravelAgent` and its

```

1 <activity name="GetItinerary">
2   <input message="Order" />
3   <output message="Confirmation" />
4   <performedBy serviceProvider="TravelAgent" />
5   <implement>...</implement>
6 </activity>

7 <activity name="BookFlight">
8 ...
9 </activity>

10<activity name="BookHotel">
11 ...
12 <plugLink>
13   <target portType="HotelPT" operation="Book" />
14   <locator ... />
15 </plugLink>
16</activity>

17<activity name="ChargeCreditCard">
18 ...
19 <join condition="flight_to_charge OR hotel_to_charge" />
20</activity>

21<controlLink source="GetItinerary" target="BookFlight" />
22
23<controlLink source="GetItinerary" target="BookHotel"
24   transitionCondition="Order/ReturnDate &gt;
     Order/DepartureDate" />

25<controlLink name="flight_to_charge"
26   source="BookFlight" target="ChargeCreditCard" />

27<controlLink name="hotel_to_charge"
28   source="BookHotel" target="ChargeCreditCard" />

29<dataLink source="GetItinerary" target="BookFlight">
30 <map ... />
31</dataLink>

```

Listing 2 Running sample in WSFL rendering

operation used to realize the GetItinerary activity is defined in the corresponding `<implement>` element. The control link of line 21 specifies that once the GetItinerary activity is completed, the activity BookFlight (defined in lines 7–9) can be performed. The control link in lines 23 and 24 prescribes that after completion of GetItinerary, the activity BookHotel (defined in lines 10–16) is to be performed, but only if the transition condition associated with that control link (line 24) is evaluated to true (in the example, the transition condition checks whether the

ReturnDate field of the Order message is greater than the DepartureDate field of the same message). The definition of the BookHotel activity contains a <locator> element (line 14) used at runtime to determine the actual port to be used as implementation of the activity. While activities BookFlight and BookHotel run in parallel, the activity ChargeCreditCard (lines 17 to 20) can only be performed after these activities – as defined by control links pointing to it (lines 25–26 and lines 27–28). Furthermore, the join condition in line 19 specifies that one of these two control links must have a transition condition that evaluates to true; otherwise, the Charge Credit Card activity will not be performed at all. Since WSFL supports dead path elimination (see Sect. 3.1), the join condition ensures that the credit card will not be charged if neither a hotel nor a flight has been booked.

WSFL has been published in a single version only (like XLANG – see next), and this version has been abandoned by IBM in favor of BPEL (just like Microsoft abandoned XLANG in favor of BPEL). Like XLANG, WSFL ignores people as performer of activities, that is, it focuses on composing automatic interactions of services. Besides flow models, WSFL allows to specify global models that define which partner produces messages consumed by which other partner, independent of the fact whether or not the partners are specified transparently via process models or in an opaque manner by the port types participating in their joint interaction. Furthermore, WSFL global models allow to deploy the partner configuration making up an application: partners are represented in a WSFL global model at the type level and are bound to concrete partners during deployment. From this perspective, WSFL may be seen as a forerunner of SCA (OASIS Standard 2007a). Together, flow models and global models allow to specify choreographies.

3.6 XLANG

XLANG is an operator-based language that has been proposed by Microsoft in 2001 (Thatte 2001), and which is influenced by the π -calculus. It provides operators for sequential, parallel, and conditional execution of steps in a business process; operators can be nested to support more complex behaviors. Activities are referred to as actions and represent the basic steps to be performed within a business process. Like WSFL, XLANG is based on WSDL, which is the underlying language for defining the services used by actions that are composed into a process. XLANG provides XML tags to define processes based on operators and actions.

Sequential behavior is defined by the <sequence> tag (line 1): all actions or operators are performed sequentially in the order specified within this tag. Actions or operators directly included within an <all> tag (line 4) are executed concurrently. The <switch> tag (line 6) consists of branches (e.g., line 7) each of which is guarded by a condition (denoted by a QName in an enclosing <case> tag – line 9 and line 8, respectively); the conditions of the branches are evaluated in order and the first branch evaluated to true will be performed (all other true branches will be

```

1 <sequence>
2   <action operation="SubmitItinerary" port="pTravelAgent"
3     activation="true" />
4   <all>
5     <action operation="Book" port="pAirline" ... />
6     <switch>
7       <branch>
8         <case>
9           fl:OvernightTrip
10          </case>
11          <sequence>
12            <action operation="Book" port="pHotel" ... />
13          </sequence>
14        </branch>
15      </switch>
16    </all>
17    <action operation="Charge" port="pCardCompany" ... />
18  </sequence>

```

Listing 3 Running sample in XLANG rendering

ignored). If no branch evaluates to true, no action of the corresponding `<switch>` will be performed at all.

While the approaches discussed until now assume a single kind of activity (namely one that represents work to be performed by a program or a human being), XLANG introduces different kinds of activities: the operation action (in lines 2–3, and lines 5, 12, 17) refers to the operation of a port that provides the proper service performing the activity. Other kinds of actions delay the execution along a path in the process for a certain time, or signal exceptions, for example.

The process in Listing 3 is at its outmost level a sequential execution. The first activity performed is the operation action in line 2: this action expects that the `SubmitItinerary` operation of the `pTravelAgent` port is used to send a message to the process. The attribute `activation` (line 3) – when set to `true` – indicates that by using this action, a new instance of the process model is to be created. The next activity performed in the outmost sequence is an `<all>` operator: this operator performs the operation action of line 5 (which use the `Book` operation of the `pAirline` port) and concurrently the `<switch>` operator of line 6–15. This operator consists of a single branch only (line 7–14), which is guarded by the `fl:OvernightTrip` condition (line 9) referred to by the `<case>` tag in line 8–10. Note that it is expected that an engine executing the XLANG process understands which concrete predicate is denoted by the corresponding QName in line 9. The single branch of the `<switch>` is structured as a `<sequence>` (line 11–13) consisting of the single operation actions (line 12) invoking the `Book` operation of the `pHotel` port. Effectively, the hotel is booked if and only if the `OvernightTrip` condition is true. Once the `<all>` operator is finished, the operation action in line 17 is

performed, which invokes the Charge operation of the pCardCompany port. After that, the whole process is finished.

XLANG has been published in a single version only (like WSFL), and this version has been abandoned by Microsoft in favor of BPEL (just like IBM abandoned WSFL in favor of BPEL). While WSFL supports dynamic binding, XLANG is binding the services used by a process model statically by referencing the concrete port to be used in an operation action. XLANG ignores people activities, that is, it allows composing automatic interactions between services only. Besides providing the ability to specify the business process of a single partner, XLANG also defines language constructs used to wire single-side business processes into a choreography.

3.7 XPDL

XPDL is a graph-based language published by the WfMC in 2005 (Workflow Management Coalition 2005). It defines activities as the basic steps to be performed within a business process. Activities are connected by so-called transitions that define the control flow between activities. Activities may be realized by programs and even by people and by other processes (in contrast to WSFL and XLANG that only support programs/services as implementation of activities). From that perspective, XPDL is close to FDL, that is, XPDL can be easily understood based on an understanding of FDL or WSFL flow models – thus, we are not providing an XPDL rendering of the running example.

While XPDL provides a process modeling language, it is positioned in the specification as an exchange format for BPMN (see Sect. 6): BPMN 1.1 does not specify a dedicated exchange format for process models defined in BPMN, but such an exchange format is required for export from or import into BPMN tools. Because of this, XPDL contains XML renderings of BPMN constructs not found in FDL or WSFL or XLANG. The rationale of the WfMS to relate XPDL close to BPMN may be based on the ubiquitous support of BPEL by all major vendors: it seems to be unlikely that vendors supporting BPEL would support a second (competing) standard. But there is the danger that BPMN will finally provide its own exchange format, in which case XPDL would lose its justification.

4 BPEL

BPEL has been published by IBM and Microsoft in 2001 (Curbera et al. 2002). A refined version of BPEL has been submitted to OASIS and got finally published in 2007 (OASIS Standard 2007b). From a language perspective, the most important aspect of BPEL is its existence: BPEL combines the graph-based approach and operator-based approach, thus getting rid of the need to choose between one or the

other of the two different modeling approaches – within one and the same process model language elements of the two approaches can even be combined (and are in fact combined in practice). From a standard perspective, the most important aspect of BPEL is unanimous vendor support: BPEL enables portability of process models between different modeling tools as well as runtime environments – based on its well-defined operational semantics, a process model is performed the same way even in process engines of different vendors. Note that the latter requires some discipline avoiding vendor-specific extensions of BPEL (discussed below). Together, BPEL merged otherwise diverging markets and satisfied the hard requirements discussed in the introduction.

Like XLANG, BPEL distinguishes different kinds of activities: `<receive>` activities consume messages from the outside. `<reply>` activities send messages to the outside as “synchronous” responses to requests that have been received before. `<invoke>` activities are used to call operations by sending a message to the operation of a corresponding service and receiving a response from the same operation and service “synchronously.” A variant of `<invoke>` simply sends a message to the outside; this message may be an asynchronous response to a formerly received message, or it may just be the submission of an unsolicited message. There are other kinds of basic activities that are not communicating with the outside, the most important of which is the `<assign>` activity. An assign activity is used to construct data within a process; it takes data stored within the process as input and produces data stored within the process as output. Typically, such data is stored in the so-called variables; a variable typically contains a message received or a message to be sent out, and such a latter message has to be constructed via an assign activity. Other basic kinds of activities allow to signal faults that occurred within a process (`<throw>`), to delay processing along a certain path of control (`<wait>`), or to immediately end the processing of the complete process (`<exit>`), for example.

The running sample is represented in BPEL in Listing 4. The `<flow>` element (line 1 and corresponding closing tag in line 44) specifies that a graph is used to structure the encompassed activities; a graph is simply referred to as a *flow* in BPEL. A flow starts with listing all control connectors required by the modeled graph; because only control flow connectors and no data flow connectors are supported, control connectors are simply called *links* and are specified by corresponding `<link>` elements (lines 2–7). Each link has a name that is used within activities to specify whether an activity is a start node (source) or an end node (target) of the edge represented by the link (e.g., based on line 13, the `GetItinerary` activity is the start node of the `itin_to_flight` link); effectively, one activity is connected with another activity in a flow by specifying one activity as source and one activity as target of the same link. Link names are also used to retrieve the actual truth value of an associated transition condition via a BPEL-provided function (`getLinkStatus()` in line 40, for example).

The first activity specified in the flow is the `GetItinerary` activity (lines 8–17): it is the source of the `itin_to_flight` and the `itin_to_hotel` link (lines 13–15). The `itin_to_hotel` link has a transition condition (lines 15 and 16) that compares the

```

1 flow>

2 <links>
3   <link name="itin_to_hotel"/>
4   <link name="itin_to_flight"/>
5   <link name="flight_to_charge"/>
6   <link name="hotel_to_charge"/>
7 </links>

8 <receive name="GetItinerary"
9   partnerLink="Customer"
10  portType="TravelAgentPT"
11  operation="SubmitItinerary"
12  variable="Order">
13  <source linkName="itin_to_flight"/>
14  <source linkName="itin_to_hotel"
15    transitionCondition=
16    "$Order/ReturnDate > $Order/DepartureDate"/>
17</receive>

18<invoke name="BookHotel"
19  partnerLink="Hotel"
20  portType="HotelPT"
21  operation="Book"
22  inputVariable="Hotel">
23  <target linkName="itin_to_hotel"/>
24  <source linkName="hotel_to_charge"/>
25</invoke>

26<invoke name="BookFlight"
27  partnerLink="Airline"
28  portType="AirlinePT"
29  operation="Book"
30  inputVariable="Flight">
31  <target linkName="itin_to_flight"/>
32  <source linkName="flight_to_charge"/>
33</invoke>

34<invoke name="ChargeCreditCard"
35  partnerLink="Billing"
36  portType="CardCompanyPT"
37  operation="Charge"
38  inputVariable="Payment"
39  joinCondition="getLinkStatus('hotel_to_charge')
40                or getLinkStatus('flight_to_charge')">
41  <target linkName="hotel_to_charge"/>
42  <target linkName="flight_to_charge"/>
43</invoke>

44</flow>

```

Listing 4 Running sample in BPEL rendering

Return Date and the Departure Date from the Order message received (line 16) to identify overnight trips. The partner Link attribute in line 9 defines the “channel” through which the Order message is received. In general, a *partner link* is defined by a pair of port types, one of which is provided by the process and the other is provided by an external partner communicating with the process; the operations of these port types effectively define the messages that may be exchanged between the process and its corresponding partner. The port type (line 10) and operation (line 11) define which service the external partner has to use to submit the message to be received by the process. The variable attribute in line 12 specifies where the message received will be stored persistently (and become part of the process context). The BookHotel activity (lines 18–25) is an invoke activity, sending a message to an external Hotel partner (define in line 19); the variable containing the message to be sent is defined in line 22. The port type expected to be provided by the partner is defined in line 20 and the operation to be used by the process to send the message to the partner is defined in line 21. BookHotel is the target of the *itin_to_hotel* link (line 23), that is, it is the end node of the corresponding link starting at the *GetItinerary* activity. The *hotel_to_charge* link starts at the BookHotel activity (line 24). The definition of the BookFlight activity (lines 26–33) should now be obvious. The ChargeCreditCard activity (lines 34–43) is a join activity being the target of more than one incoming link (lines 41 and 42); thus, a join condition is specified (lines 39 and 40) that makes sure that the activity is only performed if the *hotel_to_charge* link or the *flight_to_charge* link is true.

Note that BPEL supports to specify the port type (not the actual port) used to exchange messages, but not the actual port (like in XLANG). It is assumed that during deployment time of a BPEL process model, enough information is associated with each partner link that at runtime the infrastructure can determine the actual port of the communication partner. This deployment information can be a static address of the corresponding port or a locator (see above) that allows dynamic discovery of the corresponding port. Thus, BPEL supports both early binding as well as late binding of services to processes.

The operator-based approach is supported in BPEL by providing operators for sequential execution (<sequence>), conditional execution (<if>), looping (<while> and <repeatUntil>), and multiple concurrent instantiation of activities of identical type (<forEach>). Operators can be nested, that is, they can be used again as parameters of operators. Note especially that <flow> is considered an operator too: without any links (that is, discrete graphs), this is the operator that corresponds to XLANG’s <all> operator. But even with links (i.e. “regular” graphs), a <flow> can be nested in any of the other operators and vice versa, and it can be used to build graphs of operators (mixed with atomic activities). Thus, BPEL supports a hybrid approach to model business processes – and this is in fact often used on practice.

Transactional boundaries can be defined in BPEL via scopes based on the <scope> operator: the activities and operators within a scope share a joint exception handling. When a fault happens within a scope, all work in this scope stops and its corresponding fault handler gets control. The fault handler attempts to repair the

faulty situation such that the work meant to be performed within the scope can be continued as determined by the fault handler. If the fault handler cannot repair the fault, the already performed work within the scope is undone by running compensation actions. This concept is based on the notion of compensation spheres (Leymann and Roller 2000); a variant of spheres support regular (i.e., ACID) distributed transactions and has been proposed as an extension of scopes in BPELJ (Blow et al. 2004).

As another important feature, mobility (as introduced by the π -calculus) is supported in BPEL too. This is achieved as follows: References to services are represented by so-called endpoint references (Weerawarana et al. 2005). An endpoint reference can be sent within a message to a process instance. An `<assign>` can then be used to copy the endpoint reference to a partner link. The partner link will then refer to the specified service: this is a very dynamic variant of late binding allowing partners of a process to specify at runtime which service to use.

Finally, BPEL is specified to be extensible. Various elements of the language can be extended. New types of activities may even be defined by means of the `<extensionActivity>` element that functions as container for newly defined activity types – BPEL4People, for example, makes use of the extensibility capabilities of BPEL (see next section). BPEL itself covers only a subset of the whole BPM spectrum, for example, it does not support monitoring of business processes; to support a phased roll-out of additional standards that together may finally cover all of BPM, extensibility of BPEL is key. The extensibility feature of BPEL is also the basis for vendor-specific extensions; but it must be noted that vendor-specific extensions are obstructions to portability. To be able to avoid such obstructions, BPEL allows to specify specific extensions used in defining a process model as “optional”: all extensions used must be listed in the `<extension>` element, and extensions can be marked via the `mustUnderstand` attribute as optional. For more details about BPEL (Weerawarana et al. 2005).

4.1 BPEL4People

BPEL4People has been published by BEA, IBM, Oracle, and SAP in 2007 (Kloppmann et al. 2005a, b). Since 2008, OASIS is working on a corresponding de jure standard (OASIS WS-BPEL). The specification consists of two specifications, namely WS-HumanTask and BPEL4People proper. This split is based on the guiding principle that most Web service standards adhere to: modularity and composability. “Modularity” here means that a standard should carefully identify technologies that have a broader area of applicability, that is, technologies that can be used outside of the domain of the standard originally addressed, and that technologies should be split into a separate specification. That happened to the concept of a task: a *task* is a work request to a human being and such a request may originate not only from a process engine but also from other sources. Thus, task technology was specified independent from process technology (as WS-HumanTask)

and in a “composable” manner, that is, in a way that it can be composed with the other standards of the Web service stacks (Weerawarana et al. 2005). BPEL4People makes immediate use of WS-HumanTask to specify how activities to be performed by human beings are realized by tasks.

As a consequence, BPEL4People has an impact on the overall architecture of the Web service stack in general and on process engines in particular. Via WS-HumanTask, services that are realized by human beings having the ability to impact the real world enter the domain of Web services as a new kind of service (namely tasks) managed by an infrastructure for such tasks also specified by WS-HumanTask (namely the *Task Manager*). Via BPEL4People, tasks become the representation of activities performed by human beings and the special component (a.k.a. workitem manager) provided by process engines to manage the corresponding work requests are now substituted by the task manager and by corresponding proper interactions between the (reduced) process engine and the task manager. Figure 6 depicts this situation: the left part of the figure shows the core components of the process execution engine, namely the navigator and the workitem manager. The workitem manager provides a workitem interface to be used by applications that render workitems for human beings, for example, work list clients. The right side of the figure shows that the process execution engine no longer contains a specific workitem manager; instead, it communicates with a new component, i.e. that is, the task manager. While earlier the navigator communicated with the workitem manager to create a workitem, it now uses a




Fig. 6 Workitem manager becomes separate task manager


```

1 <logicalPeopleGroup name="FlightAgent">
2   <parameter name="Company" type="xsd:string" />
3 </logicalPeopleGroup>

4 <task name="BookFlight">
5   <interface portType="AirlinePT"
6     operation="Book".../>
7   <potentialOwners>
8     <from logicalPeopleGroup="FlightAgent">
9       <argument name="Company">
10        getInput("Flight")/Company
11      </argument>
12    </from>
13  </potentialOwners>
14</task>

```

Listing 5 Sample human task

task type-specific interface to create an instance of the task, that is, tasks are represented by task specific port types one of the operations of which is used by the navigator to create an instance of the corresponding task. The task manager now provides a standardized task client interface that can be used by applications to make task lists accessible to human beings. Because tasks are artifacts that are tightly coupled to particular process instances, WS-HumanTask specifies an agreement protocol between the process execution engine and the task manager; this agreement protocol is run to make sure that the lifecycle of a task is dependent on the lifecycle of the associated process instance (the figure of protocol handler component indicates this).

A sample task definition is given in Listing 5. We assume that the airline partner from the running example reserves flights by assigning an incoming order to a human being, the flight agent. The corresponding task named BookFlight is defined in lines 4–14. The task-specific interface to be used to create an instance of the task is defined in lines 5–6; as before the port type AirlinePT in the operation Book is used for that purpose. In lines 1–3, the logical people group named FlightAgent is defined: a *logical people group* represents a role (or an organizational entity, in general), that is, a declaratively defined set of employees at the airline partner in charge of making flight reservations. The Company parameter defined in line 2 is used to narrow down the appropriate employees. Logical people groups are deployment artifacts: at deployment time, they are associated with proper queries on organizational databases that are to be used at runtime to determine the actual employees playing the corresponding role; possible parameters defined for the logical people group are passed as actual arguments to those queries. For example, the Company parameter of the FlightAgent logical people group will be used at runtime to determine the flight agents that are making reservations for a specific company. The <potentialOwners> element in line 7–13 of the task definition connects the task with the people who may actually perform the task: the people represented by the logical people group FlightAgent. Lines 9–11 specify where the

Listing 6 Sample people activity

```

1 <extensionActivity>
2   <peopleActivity name="BookFlight"
3     inputVariable="Flight"...>
4     <remoteTask
5       partnerLink="Airline"
6       portType="AirlinePT"
7       operation="Book"...>
8     </remoteTask>
9   </peopleActivity>
10</extensionActivity>

```


actual value of the Company parameter required by FlightAgent comes from; in this case, it is a field in the input message of the operation creating the task.

Listing 6 shows how the task defined before is used for defining a people activity. Since people activities are new kinds of activities not defined by BPEL itself, the `<extensionActivity>` element (line 1) must be used within a BPEL model to wrapper the `<peopleActivity>` element (lines 2–9) that used to define people activities within BPEL. Here, it is assumed that the BookFlight activity from the running sample is a people activity. The task representing the work to be performed by a human being is specified in line 4–8 via the `<remoteTask>` element: A *remote task* assumes that the details of a corresponding task has been defined somewhere (in a separate file); thus, the `<remoteTask>` element simply specifies the task specific interface to be used for creating the task (lines 6 and 7) and the partner link used to find the corresponding port at run time (line 5). The message to be sent to the creating operation is defined in line 3; note that according to BPEL mechanics, this message is derived from the context of the process instance, that is, from the variables (possibly by means of additional `<assign>` activities). Besides remote tasks, BPEL4People supports the definition of tasks directly within a people activity (*inline task*) or within a process model in the same environment of the referencing people activity (*local task*). Note that remote task supports interoperability at runtime, that is, the process engine hosting a particular process instance and the task manager hosting a remote task may in different environments, especially from different vendors.

5 Choreography

What we discussed until now have been process models that describe the behavior of a single partner only. Such a process model is referred to as *orchestration*. But business processes typically involve multiple partners and often, it is not sufficient to understand the behavior of a single partner only. Instead, an understanding of the behavior of all partners as a whole is needed as well as how they interact to achieve a common goal. Such an overarching process model is referred to as *choreography*. Figure 7 depicts a choreography between three partners: the process models P₁, P₂,

Fig. 7 Choreography and orchestrations



and P₃ show how each individual partner performs in the overarching business process (each of the individual process model is an orchestration). The *local* process models P₁, P₂, and P₃ are connected by a new kind of link (dashed arrows in the figure) resulting in the *global* process model. Note that no accepted term has been introduced for that kind of link, so here we simply call it *wire*. In a nutshell, a choreography results from wiring orchestrations. For example, activity A₄ of process model P₁ is wired with activity C₂ in process model P₃. The meaning of the wire (A₄, C₂) is that A₄ produces data that are required by C₂ before it can start. Thus, wires introduce a new kind dependency between activities of process models of different partners: from one point of view, a wire can be interpreted as a data flow connector; from another point of view, a wire can be interpreted as a control connector used to synchronize work.

Although W3C has published a standard called WS-CDL (W3C Candidate Recommendation 2005) for choreographies, this standard has no real acceptance in the industry: none of the major vendors has implemented WS-CDL in a product. The reason for this nonacceptance seems manifold (e.g., the current focus of users is on realizing their own internal processes). But one reason is the dominance of BPEL in the area of BPM, and WS-CDL has no clear positioning to BPEL. Amongst many other things, WS-CDL defines constructs like <sequence> that compete with corresponding BPEL constructs, thus making a positioning of BPEL and WS-CDL even more difficult. Especially, this overlap is in conflict with the modularity and composability principle guiding the creation of Web service standards. From that perspective, a choreography standard that is based on BPEL (may be an extension of BPEL itself) would be desirable.

The local processes being wired into a choreography are not necessarily full-fledged business processes. Often, models of the behavior of the individual partner suffice that allow to understand how the partner interacts with the other partners: other internal processing can be hidden. Thus, only those parts of the “real” internal business processes need to be specified for a choreography that is required for that understanding. In that sense, for each partner of a choreography, the *public view* on the corresponding internal process is defined. BPEL defines

the concept of an *abstract process* that is intended for defining such public views. Thus, a potential choreography standard may be based on BPEL abstract processes.

6 BPMN

The languages discussed above make no assumptions at all about the graphical representations of the language elements they specify. For example, a <receive> activity in BPEL may be depicted as a simple rectangle or as a socket or somehow else. As a consequence, a graphical tool supporting one of the process modeling languages discussed before has its own proprietary graphical rendering for the elements of the supported language, but none of these graphical representations had been standardized, that is, the process modeling languages discussed before are not including standardized graphical representations of the elements making up the language proper. This is understandable, since these languages define virtual machines representing the execution engines for the languages, especially defining their operational behavior. As a consequence, those languages are “low level” and lack high-level features demanded by business modelers. Especially, it turned out over the last few years that the process modeling languages discussed before are too technical for business-oriented modelers.

As a consequence, process modeling is “moving up the stack” towards non-IT users. This happened earlier, for example, in the area of data modeling. The right part of Fig. 8 shows that data modeling takes place at (at least) two different layers:




Fig. 8 Analogy process management and data management

the conceptual layer addressing the needs of nondatabase specialist by providing graphical languages like Entity-Relationship diagrams or UML diagrams, for example; the logical layer offering features and precision for database specialist to define data models based on SQL, for example. The same layering is occurring in process modeling, as shown in the left part of the figure: the logical layer offers all the capabilities discussed before addressing process modelers with a certain degree of IT skills; above that, a conceptual layer provides graphical languages offering the high-level constructs required by process models with none of the (or at least just a few) IT skills. The most prominent language at the layer is BPMN sketched next.

BPMN is a standard defining a graphical notation (the “N” in BPMN) for modeling business processes. Activities are represented as rectangles with rounded edges. Control flow is modeled by drawing directed edges between activities. Often recurring control flow patterns are supported by *gateways* that allow to define the special split- or convergence behavior of the control flow. For example, Fig. 9 is a rendering of the running example in BPMN. Control flows from the Get Itinerary activity to the Book Flight and Book Hotel activities; a gateway (the diamond) specifies that control can flow to one or both of the activities (as indicated by the circle within the diamond); this kind of gateway is called an inclusive gateway. Gateways with other behavior are defined in BPMN like exclusive gateways (where control can flow only through one of the outgoing edges), for example. Many other graphical elements exist, making BPMN a powerful notation for drawing diagrams of business processes.

BPMN allows a lot of flexibility in combing the graphical elements. As a consequence, it is very easy to model processes that have a faulty runtime behavior: Deadlocks may easily occur and lack of synchronization is easily introduced. Well-behaved models, that is, such without deadlocks and without lack of synchronization are called *sound* models. Sound models can often be transformed into BPEL. Thus, the state of practice is to use BPMN to graphically model business processes by business users. These graphical models are then transformed into fragments of BPEL process models that are then refined by process modelers with more IT skills in order to turn to BPEL fragments into executable BPEL process models.




Fig. 9 Running sample in BPMN rendering

While writing this text, work is going on at OMG to create version 2 of BPMN. Significant changes are expected, but details are not publicly available yet. It is expected that BPMN will precisely define its metamodel and a corresponding operational semantics. As a consequence, reliable predictions of the behavior of process models will be possible (especially facilitating the detection of faults in models, for example) and misinterpretations of the meaning of a process model are reduced. Also, the definition of an operational semantics enables implementations of special BPMN-based process engines, that is, a positioning to BPEL becomes an interesting issue. Furthermore, it is expected that BPMN will define its own exchange format facilitating tool interoperability; the positioning of XPDL as exchange format for BPMN will be a challenge. Many clarifications or extensions are expected too, for example, the mapping of BPMN to BPEL, choreography features and so on.

7 Refined View on the WfMC Reference Model

SOA in general and Web services in particular resulted in a refined view on the WfMC reference model (Fig. 10). First, process modeling is seen to be a multistep endeavor in which business experts create a process model with their own notation (conceptual process model), which is then transformed into an executable format (logical process model) that can be performed by a process engine. Note that topologies different from that shown in Fig. 10 are possible, for example, the Logical Process Model layer could be part of the execution engine. Workitem




Fig. 10 The reference model in today's environment

Management in the original reference model (Fig. 1) is substituted by generic Task Management. Application Invocation is the duty of a generic Service Bus [based on the various Web Service standards (Weerawarana et al. 2005)]. The communication between execution engines for the purpose of subprocess execution is proposed to be based on BPEL extensions (Kloppmann et al. 2005b).

8 Conclusion

BPM technology is a key technology used in most enterprises today. This requires standards allowing interoperability and portability of BPM solutions. We sketched the evolution of those standards and provided an overview of standards that have been influential in the development of BPM technology. Besides giving selective details for some of the standards, we judged also their impact on BPM architecture and markets.

The pressure on vendors of BPM technology increased to jointly build and support a coherent stack of BPM standards covering the complete BPM lifecycle. Thus, it is likely that in a few years, all major features of BPM are specified by corresponding standards, just like database management is basically standardized via SQL. Since BPM shifts the focus of IT towards business (i.e., away from technology), modeling standards supporting non-IT professionals will likely be supported by most major vendors. Furthermore, domain specific business process models will be standardized that describe best practices in all major areas of business activities.

References

- Blow M, Goland Y, Kloppmann M, Leymann F, Pfau G, Roller D, Rowley M (2004) BPELJ: BPEL for Java. BEA & IBM
- Curbera F, Klein J, Leymann F, Roller D, Thatte S, Weerawarana S (2002) Business process execution language for web services Version 1.0. IBM & Microsoft
- Havey M (2005) Essential business process modeling. O'Reilly, Hoboken, New Jersey, USA
- Jensen K, Rozenberg G (eds) (1991) High-level petri nets: theory and applications. Springer, Berlin; Heidelberg [u.a.], Germany
- Kloppmann M, Koenig D, Leymann F, Pfau G, Rickayzen A, von Riegen C, Schmidt P, Trickovic I (2005a) WS-BPEL extension for people (BPEL4People). IBM & SAP
- Kloppmann M, Koenig D, Leymann F, Pfau G, Rickayzen A, von Riegen C, Schmidt P, Trickovic I (2005b) WS-BPEL extension for subprocesses (BPEL-SPE). IBM & SAP
- Leymann F (1992) A meta model to support the modelling and execution of processes. In: Proceedings of the 11th European meeting on cybernetics and systems research Vienna, Austria, April 1992
- Leymann F (2001) Web services flow language WSFL. IBM Corporation, New York, USA
- Leymann F, Altenhuber W (1994) Managing business processes as information resources. IBM Syst J 33(2):326–348

- Leymann F, Roller D (2000) Production workflow. Prentice Hall, Upper Saddle River, New Jersey, USA
- Milner R (1999) Communication and mobile systems: the π -calculus. Cambridge University Press, Cambridge, UK
- OASIS WS-BPEL extension for people (BPEL4People) TC. http://www.oasis-open.org/committees/tc_home.php?wg_abbrev=bpel4people. Accessed 10 Sept 2008
- OASIS Standard (2007a) Service component architecture – assembly model specification, SCA Version 1.00
- OASIS Standard (2007b) Web services business process execution language Version 2.0
- Thatte S (2001) XLANG – web services for business process design. Microsoft Corporation
- Thatte S (2008) Private communication
- W3C Candidate Recommendation (2005) Web services choreography description language
- Weerawarana S, Curbera F, Leymann F, Storey T, Ferguson DF (2005) Web services platform architecture. Prentice Hall, Upper Saddle River, New Jersey, USA; Munich [u.a.], Germany
- Workflow Management Coalition (1995) The workflow reference model. Document number TC00-1003
- Workflow Management Coalition (2005) Process definition interface – XML process definition language. Document number WfMC-TC-1025

The UN/CEFACT Modeling Methodology UMM 2.0: Choreographing Business Document Exchanges

Marco Zapletal, Rainer Schuster, Philipp Liegl, Christian Huemer,
and Birgit Hofreiter

Abstract Trade transactions between companies usually require the exchange of business documents. When public administration is involved documents for certain reports have to be exchanged. In any case, these documents have to be exchange in some agreed order. Accordingly, the business document exchanges must be defined by a corresponding choreography. A choreography language for this purpose is delivered by the United Nation's Centre for Trade Facilitation and Electronic Business (UN/CEFACT) which is an e-business standardization body known for its work on UN/EDIFACT and ebXML. The result – UN/CEFACT's Modeling Methodology (UMM) 2.0 – is presented in this chapter.

1 Introduction

The concept of automating the exchange of business documents between business partners has existed for a while. In the early days of electronic data interchange (EDI), the focus was limited to standardizing the business document types (Hill and Ferguson 1989). The most significant revolution in this area happened when XML entered the market. A lot of XML-based business document standards have been developed (Liegl et al. 2010) and more and more companies became interested in business-to-business interactions.

In addition to standardizing business document types, approaches supporting more advanced aspects of a B2B partnership appeared. ISO's Open-edi reference model (ISO 2004) suggests the separation of the business logic in the *business operational view* from its implementation in the *functional service view*. In other

C. Huemer (✉)

Institute of Software Technology and Interactive Systems, Vienna University of Technology,
Vienna, Austria

e-mail: christian.huemer@tuwien.ac.at

words, the business operational view targets conceptual models of business-to-business interactions, whereas the functional service view addresses the implementation of these models by means of Web Services, ebXML, UN/EDIFACT, and/or XML-based business document standards, such as UBL.

The conceptual models should not only describe the static structure of the business document types that are exchanged between business partners. Rather these models should also capture the flow of business document exchanges between business partners. Thus, it requires a choreography language describing the interactions in a peer-to-peer manner. The United Nation's Centre for Trade Facilitation and Electronic Business (UN/CEFACT), known for its standardization work in the field of UN/EDIFACT and ebXML (Huemer and Naujok 2008), took up the endeavor and started research for such a development process for interorganizational systems. This work resulted in UN/CEFACT's Modeling Methodology (UMM).

UMM is specified as a UML profile, i.e. a set of stereotypes, tagged values and constraints for customizing UML. This means the general-purpose language UML is customized for the specific purpose of inter-organizational systems. Thereby, UMM puts UML in a very strict corset. The resulting artifacts are well defined. Each artifact is restricted to a number of precisely defined modeling elements (stereotypes) and the relationships among them is also fixed.

2 Related Work

UMM enables the capture of business knowledge independent of the underlying implementation technology, such as Web Services or ebXML. The goal is developing the design of an interorganizational system that serves as an "agreement" between the participating business partners in the respective collaboration. Unlike other choreography approaches such as WS-CDL (W3C 2005), UMM is not bound to a specific implementation platform. In fact, a UMM model may be deployed to different platforms. In the past, bindings to popular deployment platforms such as BPEL (Hofreiter et al. 2007), ebXML BPSS (Hofreiter et al. 2006), and Windows Workflow (Zapletal 2008) have already been defined.

Barros (2014) introduce the notion of choreography in the area of business process modeling. Thereby, they highlight the need to specify a choreography from a global perspective, which is independent of the perspective of individual partners. In this Chapter, we elaborate on the UMM – a UML-based description technique for specifying global choreographies. Being a UN/CEFACT standard, UMM has a business-driven focus on describing B2B choreographies. Barros (2014) identify three requirements for extending choreography languages in their chapter: (1) functional scoping; (2) stepwise refinement; (3) conversation

semantics. As we will see in the remainder of this Chapter, UMM satisfies these requirements: (1) functional scoping may be conducted during requirements elicitation in the business domain view (BDV). (2) Stepwise refinement is supported by nesting *business collaborations* and *business transactions* (as well as by nesting *business collaborations* recursively). Requirement (3) – conversation semantics – is addressed by the concept of a *business transaction*.

In the field of choreography modeling, two major styles have evolved: interconnection models and interaction models. According to (Decker et al. 2008), the former modeling style describes the control-flow per each participant together with the information exchanges between them. On the contrary, models following the latter style are composed of so-called interactions, whereby an interaction defines request-response relationships between exactly two participants. The Business Process Modeling Notation (BPMN) (OMG 2009) as well as approaches such as BPEL4Chor (Decker et al. 2007) follow the interconnection modeling style. UMM as well as other modeling approaches like WS-CDL (W3C 2005), ebXML BPSS (UN/CEFACT 2003), iBPMN (Decker and Barros 2008), and Let’s Dance (Zaha et al. 2006) go into the category of interactions models. In (Decker et al. 2009), the authors propose a requirements framework for assessing choreography languages and evaluate the aforementioned languages against it.

3 UN/CEFACT’s Modeling Methodology 2.0

In this section we go through the three main views of the UMM 2.0: *business requirements view* (*bRequirementsV*), *business choreography view* (*bChoreographyV*) and *business information view* (*bInformationV*). Note, throughout the paper the stereotype names are shown in parentheses, which are abbreviated forms of the views’ full names. However, in the text we use the full name.

3.1 Business Requirements View

The business requirements view is the first view to be constructed during the elaboration of a UMM model. Figure 1 shows the package structure of the *business requirements view* and its three subviews *business domain view* (*bDomainV*), *business entity view* (*bEntityV*), and *business partner view* (*bPartnerV*). The alphabetically numbered dots associate the example diagrams with the respective packages they belong to, e.g. Fig. 3 shows the detailed view of A in Fig. 1.

Fig. 1 Overview of the business requirements view



3.1.1 Business Domain View

At the beginning of the UMM development process, the business analyst gathers domain knowledge and existing process knowledge of the business domain under consideration. The analyst has to capture the justification of the project and has to determine its scope. He interviews business experts and other stakeholders to get an understanding of the existing business processes in the domain. Thereby, worksheets are a popular mechanism to guide the interview and to capture business know-how. Worksheets are structured forms for the elicitation of specific requirements. It is important that the analyst does not influence the business expert. The interview has to take place in the language of the business domain expert; technical and modeling terms should be avoided. The interviews ensure that all involved parties share a common understanding of the business domain. In this step, the analyst discovers intra- and interorganizational business processes as existing or desired by individual parties. A simplified example for the output of an interview kept in a worksheet is depicted in Fig. 2.

The results of the interviews are transformed into a UML notation. Each worksheet describing a business process results in a *business process uses cases* (*bProcessUC*). Business processes are classified according to UN/CEFACT's Catalog of Common Business Processes (CBPC), the Supply Chain Reference Model (SCOR) or Porter's Value Chain (PVC). Classifying business processes facilitates the understanding of the business domain as well as its scope. A hierarchical

Form: <i>BusinessProcess</i>	
General	
Business Process Name	Manage End-to-End Waste Transport
Definition	A waste transport taking place between an export authority and an import authority.
Description	Subject of the business process is the waste transport between different countries. The export authority of the export country pre-informs the import authority of the import country about a waste transport. Upon successful receipt of the waste transport the import authority informs the export authority.
Participants	ImportAuthority, ExportAuthority
Stakeholder	Tax Agency
Reference	Waste Management
Start/End Characteristics	
Pre-condition	The waste is ready for transport.
Post-condition	- The waste has been moved from the export country to the import country. - No waste transport took place.
Begins When	Export authority receives the order to initiate the waste transport.
Ends When	The export authority receives the transport arrival receipt from the import authority.
Actions	- Pre-inform on waste transport - Inform on waste receipt
Exceptions	-
Relationships	
Included Business Processes	none
Affected Business Entities	WasteTransport

Fig. 2 Business process worksheet: manage end-to-end waste transport

composition of business areas and process areas is used to represent the classification as shown in Fig. 1. In this example we only show one *business area* logistics which includes the *process area* actualization. In reality, a *business domain view* comprises additional *business* and *process areas*.

The *business process use case* manage end-to-end waste transport is assigned to the process area actualization within the business area logistics (A in Fig. 1). The corresponding use case diagram is shown in Fig. 3. In general, *business partners* participating in the business processes and *stakeholders* who have an interest in them are associated to the *business process use cases*. In our example, the *business partners* exporter, export authority, import authority, and importer participate in manage end-to-end waste transport, whereas the *stakeholders* customs authority and tax agency have an interest in it.

Once all business processes are discovered, a review cycle is initiated in order to identify those who in fact have a relevance for the business collaboration to be developed. These business processes are further detailed by an activity diagram according to the requirements specified in the respective worksheet. The activity diagram becomes a child of the *business process use case*. In our example, we show the activity diagram for manage end-to-end waste transport in Fig. 4. According to Fig. 1, this activity diagram (B) is a child of the corresponding *business process use case* (A).

The following business semantics are kept in the activity diagram: An exporter informs the export authority about a waste transport. The export authority in turn informs the import authority about the




Fig. 3 Business process use case: manage end-to-end waste transport

incoming waste transport. The import authority then informs the importer. The flow of accepting or rejecting the waste transport is going into the reverse direction. In case the waste transport announcement is accepted the waste transport starts. Upon arrival of the waste in the import country, the flow of informing partners on its receipt is also going the reverse direction. Due to space limitations, we only show the activities between the export authority and the import authority in detail, whereas the other activities are only rudimentarily outlined.

The exchange of information must always lead to a synchronization of changed *business entity states* at each partner’s side. Thus, the object flow between activities is denoted by a *shared business entity state*, which is further discussed below in the subsection on the *business entity view*. The concept of *shared business entity states* denotes the need for communication between business partners. Thus, *shared*




Fig. 4 Business process activity model: manage end-to-end waste transport

business entity states are a strong indicator for requiring information exchanges in later designed business collaborations.

3.1.2 Business Entity View

A *business entity* is a real-world thing having business significance that is shared between two or more business partners in a collaborative business process (e.g. “order”, “account”, etc.). In our example, the information exchanged is about the *business entity* waste transport.

A *business entity lifecycle* is described by a UML state diagram as part of the *business entity view* (cf. C in Fig. 1). It delineates the states a *business entity* may obtain as well as the flow between them. The lifecycle is designed in accordance with the activity diagrams in the *business domain view*. The object flow in the activity diagrams is based on *shared business entity states* (cf. Fig. 4). Each *shared business entity state* reflects a *business entity state* in the *business entity lifecycle* (cf. Fig. 5). Thus, the order of changing *business entity states* in the activity diagrams must be kept in the *business entity lifecycle*.

The *business entity lifecycle* depicted in Fig. 5 represents the states of the *business entity* waste transport. It is created with state announced. The pending state announced is either set to approved or rejected. After the approved transport happened, the *business entity* is set to arrived. These four *business entity states* are referenced by the four *shared business entity states* of the activity diagram in Fig. 4.

Business partners identified in the business requirements view are modeled in diagrams that belong to the business domain view. However, for the sake of an easier re-use, *business partners* and *stakeholders* are kept in a dedicated container called *business partner view* (D) in Fig. 1). The *business partner view* may also be used to analyze relationships between the *business partners* and/or *stakeholders* in optional role models, which are not further elaborated here.

Fig. 5 Business entity life cycle: waste transport





Fig. 6 Overview of the business choreography view



3.2 Business Choreography View

In the *business choreography view* the analyst builds upon the previously created artifacts in order to develop models describing a global choreography. According to Fig. 6, it consists of three subviews: *business transaction view* (*bTransactionV*), *business collaboration view* (*bCollaborationV*) and *business realization view* (*bRealizationV*). The *business transaction view* models the basic building blocks of a choreography which correspond to a single business document exchange and returning an optional business document as a response. The *business collaboration view* models a global choreography built by these basic building blocks. A *business realization view* is used if the same choreography is realized between different sets of business partners.

3.2.1 Business Transaction View

The basic building blocks of a UMM choreography are *business transactions*. The goal of a *business transaction* is synchronizing the *business entity states* between

two parties. Synchronization of states is either required in a uni-directional or in a bi-directional way. In the former case, the initiator of the *business transaction* informs the other party about an already irreversible state change the other party has to accept, e.g., the notification that the waste has arrived. It follows, that responding in such a scenario is neither required nor reasonable. In the latter case, the initiating party sets a *business entity* to an interim state and the responding party decides about its final state – consider a request for a waste transport that the responder might either accept or refuse.

The synchronization takes place by exchanging business information. According to the definitions above, an exchange takes always place between exactly two parties. It is either a uni-directional exchange or a bi-directional exchange including a response. The activity diagrams created in the *business domain view* (cf. Fig. 4) already indicate the need for exchanging *business information* to synchronize *business entities* by the concept of *shared business entity states*. However, these activity diagrams are not necessarily consolidated between the various parties and are just used for requirements elicitation. The business transaction has to present a consolidated view on the basic building blocks. Thus, it has to identify the commonly agreed *shared business entity states* and, possibly, aggregate two of them in a bi-directional *business information* exchange.

This identification and consolidation process leads to a number of *business transaction use cases* and the two *authorized roles* participating in the use case. According to Fig. 6, each *business transaction use case* (E) and the two participating *authorized roles* are placed in their own *business transaction view*. Figure 7 depicts the *business transaction use case* announce waste transport which involves the participating *authorized roles* notifier and notified. Note, we use the abstract concepts of *authorized roles* instead of *business partners*, because *business transactions* and their use cases may be realized between different sets of *business partners*.

The requirements of a *business transaction* are further elaborated using the concept of an activity diagram. For each *business transaction use case* an activity diagram is created and placed as a child underneath the respective use case, e.g., in Fig. 6 the *business transaction use case* announce waste transport (E) is refined using the activity diagram (F).

The main purpose of this activity diagram is to formally describe a UMM business transaction. It is important to notice, that a *business transaction* always follows the same basic pattern. This basic pattern thereby defines the type of a legally binding interaction between two decision making applications as defined in Open-edi (ISO 2004). We distinguish between two one-way (information distribution, notification) and four two-way (query/response, request/response, request/confirm, commercial transaction) types of *business transactions*.

The basic building blocks of a *business transaction* are activity partitions, which are used to denote the *authorized roles*, participating in the transaction. Furthermore, a *business transaction* contains exactly two actions – a *requesting action* and a *responding action* – one on each business partner's side. Between the different actions the *business information* exchange is denoted using the concepts of *object*

Fig. 7 Business transaction use case: announce waste transport



flows and action pins. There is always exactly one *object flow* from the *requesting action* to the *responding action*. In a one-way *business transaction* there is no flow in the reverse direction. In case of a two-way *business transaction* there are one or more *object flows* in the reverse direction. In case of two or more *object flows* they are considered as alternatives. The type of the *action pins* in the *business transaction* is set using *business documents* from the *business information view* (see Sect. 3.3).

Figure 8 shows the *business transaction* announce waste transport. On the left hand side the *business transaction partition* (*bTPartition*) of the *requesting role* is shown and on the right hand side the one of the *responding role*. The owner of a *business transaction partition* is determined by the *authorized roles* participating in the corresponding *business transaction use case*. In Fig. 8 the owner of the *requesting partition* is set to the *authorized role* notifier and the owner of the *responding partition* is set to the *authorized role* notifiee.

The *requesting partition* contains a so called *requesting action* (*ReqAction*) and the *responding partition* a *responding action* (*ResAction*). In the example shown in Fig. 8 the notifier starts the *business transaction* by sending a waste movement form to the notifiee. Since the transaction is bi-directional the *business entity* waste transport is set to an interim state. Depending on the response of the notifiee, the *business entity* is set to its final state.

After the notifiee has processed the request from the notifier he either replies with a waste movement accepted form or with a waste movement rejected form. In the notifier's partition two *shared business entity states* of waste transport are shown together with guard conditions leading to the *shared business entity states*. Depending on the reply of the notifiee the *shared business entity state* waste transport is either set to the final state accepted or rejected. In case a control failure occurs during the transaction the *business transaction* results in a control failure as shown on the left hand side of Fig. 8.

At the bottom of Fig. 8 the tagged values containing the different business signal information of the *requesting* and the *responding action* are shown e.g. *time to acknowledge receipt* indicates the maximum time within the responding party has to confirm a successful/unsuccessful validation of a syntax, grammar, and sequence check. Further tagged values are: *is authorization required*, *is non-repudiation required*, *time to perform*, *time to acknowledge receipt*, *time to acknowledge acceptance*, *is non-repudiation of receipt required* and *retry count*. These tagged values are considered as self-explanatory and are explained in detail in the UMM specification (UN/CEFACT 2011).

F




Fig. 8 Business transaction: announce waste transport

As shown in Fig. 6, the waste management example consist of exactly two *business transactions*: announce waste transport (Fig. 8) and announce transport arrival. The latter one is a one-way transaction and is not explained in detail here.

3.2.2 Business Collaboration View

After the identification of the different *business transactions* the modeler continues with creating *business collaborations*. A *business collaboration* choreographs the

execution order of different *business transactions* and *business collaborations* (since *business collaborations* can be recursively nested).

Each *business collaboration view* contains exactly one *business collaboration use case* and two *authorized roles* participating in the use case (E in Fig. 6). By definition a *business collaboration* consists of different *business transactions* and/or *business collaborations*. Included *business transactions/collaborations* are denoted using the concept of *include dependencies*. Each included *business transaction* is defined in its own *business transaction view* and each included *business collaboration* is defined in its own *business collaboration view*.

As shown in Fig. 9 the *business collaboration use case* manage waste transport includes two *business transactions*, namely announce waste transport and announce transport arrival. Again the abstract concept of *authorized roles* is used instead of *business partners* because *business collaborations* may be realized between different sets of *business partners*.

Similar to the concept of a *business transaction use case* a *business collaboration use case* is further elaborated using the concept of a so called *business collaboration protocol*. For each *business collaboration use case* a *business collaboration protocol* is created and placed as a child under the respective use case, e.g. in Fig. 6 the *business collaboration use case* manage waste transport (G) is refined using the *business collaboration protocol* (H). Consequently, a *business collaboration use case* is always the parent of exactly one *business collaboration protocol*.

The main aim of a *business collaboration protocol* is to describe a *business collaboration* on a formal basis. Thereby, a *business collaboration protocol* is built using *business transaction actions* and *business collaboration actions*. A *business transaction action* calls a *business transaction* and a *business collaboration action* calls a *business collaboration*. In order to depict the *authorized roles* participating in a *business collaboration*, a *business collaboration protocol* uses the concept of partitions. For each *authorized role* exactly one partition is created. In some cases an *authorized role*, during the course of a *business collaboration*, might internally execute another *business collaboration*. In this case the concept of a so called *nested business collaboration* is used. *Nested business collaborations* are defined in another *business collaboration view*. In order to denote the execution order of different *business transaction actions* and *business collaboration actions* the concept of *initFlows* and *reFlows* is used. Thereby an *initFlow* can either lead to a partition or – this in case a *nested collaboration* is used – to a *nested business collaboration*. The same applies to *reFlows*. Guard conditions attached to the different object flows within the *business collaboration protocol* determine the exact execution sequence.

The *business collaboration protocol* in Fig. 10 defines the exact choreography of the manage waste transport collaboration. Using the concept of two *business collaboration partitions* (*bCPartition*) the two *authorized roles* outbound role and inbound role participating in the business collaboration are shown. The *business collaboration* management waste transport starts with the *business transaction* announce waste transport. The *initFlow* dependency




Fig. 9 Business collaboration use case: manage waste transport

between the outbound role and the *business transaction action* announce waste transport in Fig. 10 indicates, that the outbound role initiates the *business transaction*. Since there is a *reFlow* dependency from the *nested business collaboration* within the partition of the inbound role to the *business transaction action* and the outbound role, the *business transaction* is a two-way transaction. The inbound role informs the customs authority about the waste transport announcement of the outbound role. If the customs authority rejects the waste transport, the inbound role rejects the waste transport as well and sends a waste movement rejected form to the outbound role.

If the *business transaction* announce waste transport fails, because the inbound role or the customs authority has rejected the transport, the *business collaboration* manage waste transport also fails. In Fig. 10 this is indicated by the control flow with the guard condition `WasteTransport.rejected` leading from the *business transaction action* to the final state `Failure`. Please note, that the guard conditions of the control flows directly match to the *shared business entity states* of the underlying *business transaction* (see Fig. 8).

In case the *business transaction* announce waste transport was successful, the guard condition `WasteTransport.accepted` evaluates true and the *business transaction* announce transport arrival starts. Please note that now the inbound role is the initiator of the *business transaction*. The inbound role has received the waste from the outbound role and now informs the *business partner* about this irreversible state. As shown in Fig. 10 this is indicated by the *initFlow* dependency between the inbound role and the *business transaction action* announce transport arrival. The *business collaboration* finally ends with the *business entity* waste transport being in state `arrived`.




Fig. 10 Business collaboration protocol: manage waste transport

3.2.3 Business Realization View

We have seen so far, that *business transactions* and *business collaborations* are executed between *authorized roles* instead of specific *business partners*. By using the concept of authorized roles, the same *business collaboration/transaction* may be re-used between different sets of specific *business partners*. This enables the standardization of business collaboration models and, in turn, fosters re-use, which is one of the key goals of UN/CEFACT.

In order to bind a *business collaboration* (and implicitly the *business transactions* it consists of) to a set of *business partners*, UMM provides the concept of so called *business realizations*. Figure 11 shows a possible *business realization* for the *business collaboration* manage waste transport.

On the lower left hand side of Fig. 11 the *business collaboration* manage waste transport is shown between the two *authorized roles* outbound role and inbound role. A *business realization* is connected to a specific *business collaboration use case* using a *realize* connection. In Fig. 11 the *business realization* manage waste transport ExA-ImA realizes the *business collaboration use case* manage waste transport. The *business realization* again has two *authorized roles* outbound role and inbound role. Finally, *business partners* identified in the *business partner view* are bound to *authorized roles* by connecting them via *mapsTo* dependencies.

1




Fig. 11 Business realization: manage waste transport between export authority and import authority

The benefit of this concept is easily demonstrated by our example. As we learned in Sect. 3.1, our example business collaboration between export authority and import authority is identical to the one performed between exporter and export authority as well as to the one between import authority and importer. This issue is modeled by introducing two additional business realizations, which both realize the *business collaboration use case* manage waste transport. One of them is performed between the exporter and the export authority and the other one between the import authority and the importer. Thus, the concept of *business realizations* evidently contributes to the re-use of modeling artifacts.

With the completion of the *business realization view* the business modeler has finished the business process perspective of the UMM.

3.3 Business Information View

The final view of UMM is the so called *business information view*. Within the *business information view* the business documents, which are exchanged in the different *business transactions* of UMM are defined. UMM does not mandate to use

a specific business document modeling technique in this view, but leaves it up to the modeler which technology to use. It is, however, strongly suggested to use UN/CEFACT's Core Components (UN/CEFACT 2009a) for the modeling of the exchanged business documents. Core components are syntax independent, reusable building blocks, standardized by UN/CEFACT for the modeling of business documents. In order to allow for an integration of core components into a UML modeling tool, UN/CEFACT has developed the UML Profile for Core Components (UPCC) (UN/CEFACT 2009b). In the following we outline how the example business document waste movement form envelope is created using the UPCC. The model shown in Fig. 12 denotes the relevant UPCC packages, already embedded in the UMM model.


We assume that a waste movement form envelope is exchanged between an exporter, export authorities, import authorities, as well as the importer. A *waste movement form envelope* consists of several *waste movement forms*. Waste movement forms contain one to many *consignments*, each representing a waste consignment. Thus, the first task of a business document modeler is to search for an appropriate core component representation of a consignment in the Core Component Library, maintained by UN/CEFACT. There is indeed a core component *consignment*, and we therefore build our following example around this core component.

Figure 13 shows a simplified version of the core component consignment with its association core component properties and basic core component properties as defined in the core component library of UN/CEFACT. A consignment has zero to many consignment items. Every consignment item has one or more importation and export countries, as shown on the right hand side of Fig. 13. Additionally, zero to many transit countries may be specified by the business document modeler. Each consignment item has zero or more physical shipping marks, identifying the consignment item. A shipping mark may include either a bar code, or a radio frequency identification (RFID) tag, or both. Furthermore, each consignment item has zero to many despatch parties and zero to many delivery parties. In the final business document model, core components are aggregated in core component libraries (CCLibrary). Compare mark A in Figs. 12 and 13 to find the matching package in the business document model overview.

As shown in Fig. 13, *association core components (ACC)* are represented as classes. *Basic core component properties (BCC properties)* are represented by class attributes and the type of the class attribute. Thereby, a basic core component property consists of a *property term* and a *representation term*. We take the first attribute from the ACC consignment item in Fig. 13 as example: *identification = property term*, *identifier = representation term*. Together the *property term* and the *representation term* are the *BCC property*. Since the BCC property is part of the ACC consignment item, it becomes a basic core component (BCC).

Association core component properties (ASCC properties) are represented by association role names and the name of the class, the association is pointing

Fig. 12 Business information view: example package structure of UPCC



to. Because each association core component property is part of an *aggregate core component (ACC)*, it becomes an *association core component (ASCC)*. We take the first association of the ACC `consignment item` on the upper right hand side of Fig. 13 as example: `importation` = property term, `country` = associated aggregate core component object class term. Together the *property term* and the name of the *associated aggregate core component* are the *association core component property*. Similar to basic core component properties, we cannot explicitly model association core component properties due to limitations in UML modeling tools, i.e., an association may only exist if there is a source and a target class. Thus, the UPCC does not make a distinction between ASCC properties and ASCCs, but uses only ASCCs. Similar to BCC properties, tools may be used to extract ASCC property definitions from ASCCs. In order to set the allowed value domain of a basic core component, the concept of a *core data type* is used.

In addition to *core data types*, *business data types* as well as *primitive types* and *enumeration types* are defined using the UPCC. Due to space limitations these concepts are not elaborated in detail here, but we continue on the relationship between *core components* and *business information entities* instead.

The core component `consignment`, as shown in Fig. 13, represents the generic concept of a `consignment`, independent of any application or business domain. However, not all of the association core components and basic core components are needed for our waste management use case. Thus, the generic core component model is tailored to the specific needs of the waste management domain. If a core component is restricted to a certain domain, it becomes a *business information entity*. Note, that a business information entity may only restrict a core component, but may never extend it – i.e., no new attributes or associations may be




Fig. 13 Core component library example

added. In modeling terms, the business document modeler simply takes an existing core component, copies it, and renames it to the correct business information entity terms, including all attributes and associations. The core data types, used to set the value domain of the different basic core components, are becoming business data types. Consequently, it must be ensured that the business data type is always a subset of the underlying core data type.

The automatically derived business information entities are aggregated in *business information entity libraries (BIELibrary)*. Thus, a BIELibrary contains all necessary building blocks for assembling the final business document. Figure 14 gives an overview of the business information entities, which have been derived from the core components in Fig. 13.

The representation of business information entity concepts is similar to the representation of core component concepts. An *aggregate business information entity (ABIE)* is represented using a UML class. *Basic business information entity properties (BBIE properties)* are represented using UML attributes. Finally, *association business information entity properties (ASBIE properties)* are represented using associations between different ABIEs. In regard to ASBIE properties and BBIE properties, the UPCC follows the same concept as for ASCC properties and BCC properties. Since UML tools do not support attributes without an embracing class, and associations without source and target elements, the UPCC does not consider ASBIE properties and BBIE properties, but uses ASBIEs and BBIEs only. However, a business document modeler may still use tools to extract the attribute definitions from aggregate core components to indicate reusable BBIE and ASBIE properties.

Note that for all three artifact types the qualifier `waste_` has been used, to indicate the waste management domain. Thereby, business information entities restrict their underlying core components by putting them in the waste management context. We outline the restriction mechanism using the ABIE `waste_ consignment item`, which is based on the underlying core component `consignment item`, shown in Fig. 13. From the basic core components of the underlying ACC, the ABIE `waste_ consignment item` omits FOB (free on board), damage remarks and total export exit to import entry charge. Another restriction is applied to the number of association core components of the ACC shipping marks. The derived aggregate business information entity `waste_ shipping marks` has only one association business information entity `waste_ RFID` and omits `bar code`. Note, that all basic business information entities in Fig. 14 have their own designated business data type. Similar to the relationship between *core components* and *business information entities*, *business data types* are derived from *core data types* by restriction.

After the business document modeler has created all necessary business information entities and business data types, the final business document may be assembled. Business documents are assembled in *business document libraries (DOCLibrary)* (cf. Fig. 15). In the final phase of the business document modeling process, a business document modeler may encounter one major issue when assembling business information entities to a final business document. It is not




Fig. 14 Business information entity library example

allowed to draw arbitrary *association business information entities* between different *aggregate business information entities*. Recall that every *business information entity* must be based on a respective underlying *core component* concept. Thus, *association business information entities* may only be used if there is an *association core component* specified on the core component level. However, even if the core components defined in the core component library are very generic and aim at meeting as many requirements as possible, it cannot be guaranteed that the correct *association core component* may be found. Nevertheless, in some use cases the business document modeler may want to assemble existing *aggregate business*




Fig. 15 Business document library example

information entities to a new business document, even if there exists no predefined association between the aggregate business information entities.

To meet these requirements, the UML Profile for Core Components introduces two new stereotypes for the document library: *message assembly (MA)* and *association message assembly (ASMA)*. A *message assembly* is used to aggregate different *aggregate business information entities*, without the prerequisite of having a respective core component construct underneath. Thereby, *association message assemblies* are used to associate a *message assembly* to an *aggregate business*

information entity. Figure 15 shows the final waste movement form business document.

On the upper left hand side of Fig. 15 the message assembly waste movement form is shown. Using an association message assembly, a waste movement form aggregates one to many attached `waste_consignments`. Note that a waste movement form *message assembly* may aggregate even more *aggregate business information entities*. Thus, complex business document definitions may be built, based on reusable business information entity building blocks. With the finalization of the business document library artifacts, the conceptual business document modeling part is completed.

With the final and validated core component model all necessary business document requirements are captured in an unambiguous manner. The finalized UML-based core component model may now serve as input for the generation of further deployment artifacts such as XML Schema.

4 Conclusion

In this chapter, we have presented UN/CEFACT's Modeling Methodology – an approach for unambiguously describing the choreography of business document exchanges. UMM consists of three main views in order to describe an interorganizational process supported by the exchange of business documents. Firstly, the business requirements view provides a framework for elaborating on the business processes and main actors in a certain business domain. Secondly, the business choreography view identifies and describes a flow of business document exchanges. This choreography is built by a composition of a number of business transactions each representing a single business documents exchange with an optional response. Thirdly, the business information view describes the static structure of the business documents. By referencing UN/CEFACT core components approach, this structure is built by assembling and customizing re-usable semantic building blocks.

UMM is defined as a profile on top of UML 2.0. This guarantees an easy integration into any UML modeling tool of choice. In this line, we have been developing the VIENNA Add-In¹ on top of the UML modeling tool Enterprise Architect. The VIENNA Add-In comprises a set of features such as model validation, semi-automatic generation of model artifacts, built in worksheet support, and the automatic derivation of deployment artifacts such as BPEL and WSDL.

¹ <http://vienna-add-in.googlecode.com>

References

- Barros A (2014) Process choreography modelling. In: vom Brocke J, Rosemann M (eds) *Handbook on business process management*, vol 1, 2nd edn. Springer, Heidelberg, pp 279–300
- Decker G, Barros A (2008) Interaction modeling using BPMN. In: *Business process management workshops*, Brisbane, Australia. *Lecture notes in computer science*, vol 4928. Springer, Berlin/Heidelberg, pp 208–219
- Decker G, Kopp O, Leymann F, Weske M (2007) BPEL4Chor: extending BPEL for modeling choreographies. In: *Proceedings of the IEEE international conference on web services ICWS 2007*, Salt Lake City, UT, pp 296–303
- Decker G, Kopp O, Alistair B (2008) An introduction to service choreographies. *Inform Technol* 50(2):122–127
- Decker G, Kopp O, Leymann F, Weske M (2009) Interacting services: from specification to execution. *Data Knowl Eng* 68(10):946–972
- Hill NC, Ferguson DM (1989) Electronic data interchange: a definition and perspective. *EDI Forum J Electron Data Interchange* 1(1):5–12
- Hofreiter B, Huemer C, Kim J-H (2006) Choreography of ebXML business collaborations. *Inform Syst E Bus Manage* 4(3):221–243
- Hofreiter B, Huemer C, Liegl P, Schuster R, Zapletal M (2007) Deriving executable BPEL from UMM business transactions. In: *Proceedings of the IEEE international conference on services computing SCC 2007*, Salt Lake City, UT, pp 178–186
- Huemer C, Naujok K-D (2008) Designing ebXML – the work of UN/CEFACT (chapter 4). In: Rebstock M, Fengel J, Paulheim J (eds) *Ontologies-based business integration*. Springer, Berlin/Heidelberg, pp 79–93
- ISO (2004) Open-edi reference model. ISO/IEC JTC 1/SC30, ISO standard 14662, second edition
- Liegl P, Zapletal M, Pichler C, Strommer M (2010) State-of-the-art in business document standards. In: *8th IEEE International Conference on Industrial Informatics (INDIN)*, Osaka, Japan, pp 234–241
- OMG (2009) Business process modeling notation specification (BPMN). Version 1.2
- UN/CEFACT (2003) UN/CEFACT – ebXML business process specification schema. Version 1.10
- UN/CEFACT (2009a) Core components technical specification (CCTS) 3.0
- UN/CEFACT (2009b) UML profile for core components technical specification (UPCC) 3.0
- UN/CEFACT (2011) UML profile for UN/CEFACT’s modeling methodology (UMM) – foundation module. Technical specification version 2.0
- W3C (2005) Web services choreography description language. Version 1.0, W3C candidate recommendation
- Zaha JM, Barros A, Dumas M, ter Hofstede A (2006) Let’s dance: a language for service behavior modeling. In: *On the move to meaningful internet systems 2006: CoopIS, DOA, GADA, and ODBASE*, Montpellier, France. *Lecture notes in computer science*, vol 4275. Springer, Berlin/Heidelberg, pp 145–162
- Zapletal M (2008) Deriving business service interfaces in windows workflow from UMM transactions. In: *ICSOC’08: proceedings of the 6th international conference on service-oriented computing*. Sydney, Australia. Springer, pp 498–504

Who Is Who

Dr. Gustav Aagesen

Norwegian State Educational Loan Fund
Trondheim, Norway
gustav.aagesen@lanekassen.no

Gustav Aagesen holds a Ph.D. (2012) in information systems and an M.Sc. (2001) in telematics from the Norwegian University of Science and Technology. Through previous work as a consultant he has experience as a system architect, programmer, and project manager for public and private organizations. He is currently a senior advisor and information architect at the Norwegian State Educational Loan Fund.



Dr. Michael Adams

Queensland University of Technology
Business Process Management Group
Brisbane, QLD, Australia
mj.adams@qut.edu.au

Michael Adams is a senior researcher within the BPM group at the Queensland University of Technology in Brisbane, Australia, and was awarded his Ph.D. in 2007. He is currently directly responsible for the ongoing development and maintenance of the YAWL project. He designed, developed, and implemented two core YAWL services: the Worklet Service, which provides support for dynamic flexibility and exception handling; and the Resource Service, which provides for resource allocation and task routing, integrating a built-in worklist handler, dynamic forms generation, and administration tools. He is additionally responsible for various improvements to the YAWL Engine and Process Editor and is the primary developer of YAWL Release 2.0.



Dr. Chris Aitken

QIC

Brisbane, QLD, Australia

c.aitken@qic.com

Chris Aitken holds a Ph.D. in Psychophysiology and has worked with a variety of government agencies over the last 15 years in both clinical and IM and IT roles. During the last 11 years, he has held a number of quality improvement and IM- and IT-related positions within the public sector, health, and financial industries and is currently Enterprise Architect with QIC in Brisbane, Australia. Chris' clinical applied research background means that he brings a combination of a strong human service delivery perspective and a keen logical rigor to his approach to enterprise architecture and IM and IT planning and implementation. Chris' current interests include topics as varied as: the development of an abstract enterprise meta-model, business process management, and the psychology of human behavior, enterprise interoperability, and the integration of IM and IT strategic planning, and BPM with enterprise architecture.

**Dr. Yvonne Lederer Antonucci**

Widener University

School of Business

Chester, PA, USA

yantonacci@mail.widener.edu

Yvonne Lederer Antonucci, Ph.D., is Full Professor at Widener University in Chester, Pennsylvania, USA, where she is also the Director of the Business Process Innovation Center of Excellence and the SAP alliance coordinator. Yvonne has developed and taught courses on process analysis, modeling, and automation for over 15 years, and has received several teaching awards and industry grants related to business process management (BPM), process analysis and business-to-business collaboration. She has published in numerous international journals, books and conferences in the area of BPM, IT outsourcing, inter-organizational trust and collaboration, workflow management, and enterprise systems, and has been a frequent invited speaker to various international BPM industry events. Yvonne works with the BPM community where she has been involved in several BPM consulting and training activities. She is one of the founders of the Philadelphia Association of Business Process Management Professionals (ABPMP) chapter, and a contributor to the USA National ABPMP BPM CBOK™.



Dr. Wasana Bandara

Queensland University of Technology
Business Process Management Discipline
Brisbane, QLD, Australia
w.bandara@qut.edu.au

Dr. Bandara is a Senior Lecturer in Information Systems, specializing in BPM, in the Science and Engineering Faculty at the Queensland University of Technology, Brisbane, Australia. Dr. Bandara received her Ph.D. from Queensland University of Technology in 2007 for the thesis titled “Process Modelling Critical Success Factors and Measures”. She was the winner of the Australian Council of Professors and Heads of Information Systems (ACPHIS) Information Systems Doctoral Thesis Award Competition in 2007. Her research interests include business process management, process modeling, BPM expertise, BPM education, research methods and BPM/ICT in development. She is author/co-author of over 60 refereed publications. Dr. Bandara is a regularly invited speaker at BPM practitioner conferences and forums. Dr. Bandara has been a BPM educator for 12 years. In this time, she has received eight university awards for teaching and learning, and a national award from the Australian Learning and Teaching Council for teaching excellence.

**Dr. Alistair Barros**

Queensland University of Technology
Science and Engineering Faculty
Services Science Discipline
Brisbane, QLD, Australia
alistair.barros@qut.edu.au

Alistair Barros is a Full Professor and Head of Services Science Discipline, Information Systems School, Queensland University of Technology. He has a Ph.D. from the University of Queensland and 27 years ICT experience in industry, technology vendor and research roles, including Global Research Leader and Chief Development Architect at SAP and Database Manager at CITEC in Queensland Government. His research has contributed to standards/references in BPM and Service Science, including: workflow, service interaction, complex event and correlation patterns; BPMN 2.0; WS-CDL; and Unified Service Description Language. He has led large research proposals/projects across Europe and Australia including Smart Services Collaboration Research Centre, Internet of Services projects in EU Framework Program 7 and German BMBF and a number of Australian Research Council projects. Barros has served on several program committees and in 2012 was program committee chair of BPM 2012.



Prof. Dr. Thomas Bauer

Neu-Ulm University of Applied Sciences
Department for Information Management
Neu-Ulm, Germany
thomas.bauer@hs-neu-ulm.de



Thomas Bauer is Full Professor for Business Informatics at the University of Applied Sciences in Neu-Ulm, Germany. Until 2011 he was a senior researcher at the Daimler Research Centre in Ulm where he was working in the areas of methods for vehicle engineering and business process management. Before 2002, he was a member of the Department Databases and Information Systems at the University of Ulm where he finished his Ph.D. thesis on the efficient enactment of enterprise-wide workflows. Current research interests and teaching areas include business process management, service-oriented architectures, database systems, and business intelligence.

Prof. Dr. Ulrike Baumöl

University of Hagen
Hagen, Germany
ulrike.baumoel@fernuni-hagen.de



Ulrike Baumöl is a Professor of Information Management at the University of Hagen. Her research areas are business engineering, business process management, organizational change management, and intelligent decision systems. Before joining the University of Hagen, she worked as vice director for an insurance company and was responsible for business/IT-alignment projects. She is co-publisher of a journal on performance management and accounting. Dr. Baumöl's Ph.D. students work on subjects such as process management for organizational flexibility, collective intelligence in value networks, quality management and architecture design patterns for service networks, and the simulation of large networks with various graphs. She regularly conducts executive trainings in business engineering, process management, and information management, as well as business intelligence and provides advice to organizations from the financial services industry, retail, and logistics.

Dr. Alaa Al Beayez

University of North Texas
Denton, TX, USA
alaa.albeayez@unt.edu



Alaa Al Beayez is a Lecturer at King Saud bin Abdulaziz University for Health Sciences in Riyadh, Saudi Arabia. She has earned her Ph.D. in Business Computer Information Systems at the University of North Texas. Her research interests include business processes and healthcare information systems. She has presented papers at various Information System conferences and workshops. She has experience with large government IT projects in areas such as healthcare and the Saudi stock exchange.

Prof. Dr. Jörg Becker

University of Muenster
European Research Center for Information Systems
Muenster, Germany
becker@ercis.uni-muenster.de



Jörg Becker is Professor for Information Systems and Information Management and Head of Department of Information Systems at the University of Muenster. Since 2004 he has been Managing Director of the European Research Center for Information Systems, since 2008 he has been Prorector for Structure, Planning and Quality of the University of Münster. He is member of the Northrhine-Westphalian Academy of Sciences. His research and teaching fields encompass conceptual modelling, semantic business process modelling, business process management, information modelling, reference modelling, management information systems, retail –IS, IS for manufacturing industries, Service Science and E-Government. Jörg has published his work in more than 350 refereed papers at international conferences and in scientific journals. In addition, he is author/editor of several books, in particular project management, and he regularly serves in the editorial board of internationally perceived conferences and journals.

Jyoti M. Bhat

Indian Institute of Management
Information Systems
Bangalore, India
jyoti.bhat@iimb.ernet.in

Jyoti M. Bhat is a doctoral candidate in the Information Systems Area at Indian Institute of Management, Bangalore (IIMB). Jyoti's current research interests are interorganizational systems, IT governance, IT-enabled innovation and outsourcing. Before joining IIMB, Jyoti used to head the BPM Research Group within Infosys Labs. She has 18 years of industry experience in software delivery, research and process consulting. She has expertise in several areas of process management, change management, software engineering, requirements analysis and business process management. She is a certified CMMI Assessor and ISO Auditor. She has several peer-reviewed publications on process management, enterprise systems and software engineering. Jyoti has a bachelor's degree in Engineering (Electronics and Communication) from Bangalore University, India.

**Markus Brenner**

Horváth and Partners Management Consultants
Stuttgart, Germany
mbrenner@horvath-partners.com

Markus Brenner is Principal at Horváth and Partners Management Consultants and is responsible for the business segment "business process management/operations for services". He has more than 14 years' experience as a Management Consultant regarding strategic management, business process management and controlling. He implemented or improved the BPM approaches of several DAX 30 corporations. Furthermore, he successfully conducted CMMI for services appraisals for a leading financial institution. In addition, he has a strong teaching background as a lecturer at various universities. He published several articles covering activity-based costing and business process management.



Ryan Brinkworth

Emirates Group
Dubai, United Arab Emirates
ryan.brinkworth@emirates.com

Ryan Brinkworth is an Enterprise Solution Architect working for Emirates Group. Ryan has experience in the public sector, working as a developer, system administrator, business analyst, information manager, and combining these roles as enterprise architect.

**Dr. Tobias Bucher**

PHOENIX Pharma-Einkauf GmbH
Mannheim, Germany
tobias.bucher@alumni.unisg.ch

Tobias Bucher is Managing Director of PHOENIX Pharma-Einkauf GmbH and Head of Corporate General Procurement for the Mannheim-based PHOENIX group, a leading European pharmaceutical wholesaler and retailer. He holds a master's degree in economics from the University of Freiburg, Germany, and a Ph.D. from the University of St. Gallen, Switzerland, where he has previously been active as research assistant at the Institute of Information Management, Chair of Prof. Dr. Robert Winter. His research interests include business engineering methods and models and business process management.

**Roger Burlton**

BPTrends Associates
Process Renewal Group
Vancouver, BC, Canada
rburlton@uniserve.com

Roger is a founder of BPTrends Associates, the professional services firm of the industry-leading BPTrends.com, the world's largest Business Process Management (BPM) knowledge portal. He started the pioneering Process Renewal Group (PRG) in 1993. He is regarded globally as a top thought leader and dynamic practitioner who can bring reason, clarity, and practicality to ways of managing complex BPM challenges. Roger's insights can be found in his acclaimed book: *Business Process Management: Profiting from Process*, the recently published *Business Process Manifesto* and other publications including his articles in BPTrends.com. Roger is a seasoned practitioner and has led over a hundred major consulting initiatives where he has applied the concepts in his book chapter.



Prof. DSc. Heitor Caulliraux

Federal University of Rio de Janeiro
Rio de Janeiro, Brazil
heitor.caulliraux@gpi.ufrj.br

Heitor Caulliraux is a Professor of Industrial Engineering at Federal University of Rio de Janeiro (UFRJ), Brazil. He holds a Doctoral Degree in Electric Engineering at Pontifical Catholic University, Rio de Janeiro, Brazil (1990), and specializations at the Instituto Per La Ricostruzioni Italiana, Italy (1983) and Politecnico Di Milano, Italy (1988). Professor Caulliraux coordinates a Research Group within UFRJ and has several publications in the fields of operations management and business process management. He is an Editorial Board Member for international workshops and conferences.



Jim Champy

Perot Systems Corporation's
Boston, MA, USA
jim.champy@ps.net

Jim Champy, Chairman of Perot Systems' consulting practice, is recognized throughout the world for his work on leadership and management issues and on organizational change and business reengineering. He is the co-author with Michael Hammer of *Reengineering the Corporation: A Manifesto for Business Revolution*, the book that introduced the world to the concept of reengineering. That book sold more than 3 million copies and spent more than a year on *The New York Times* best seller list. Champy was also a founder and CEO of Index Systems, later CSC/Index. Much of the original research and practice of reengineering was developed at Index, in collaboration with Hammer. Champy's latest writing is a series of books for the Financial Times Press. The first volume, *Outsmart!*, was published in April of 2008, and shows how to achieve breakthrough growth by consistently outsmarting your competition. The second volume in the series, *Inspire!: Why Customers Come Back*, was published in April 2009. Champy earned his BS in 1963 and his MS in Civil Engineering in 1965 from M.I.T., and a JD degree from Boston College Law School in 1968. Champy is a life member of the MIT Corporation, Massachusetts Institute of Technology's Board of Trustees, and serves on the Board of Overseers of the Boston College Law School. He is also a member of the Board of Directors of Analog Devices, Inc.



Prof. Dr. André Coners

South Westphalia University of Applied Sciences
Hagen, Germany
coners@fh-swf.de

Dr. Coners is a Professor at South Westphalia University of Applied Sciences, Germany. Before joining the South Westphalia University of Applied Sciences he was Principal at Horváth and Partners Management Consultants and responsible for the business segment business process management.

André Coners has more than 10 years experience as a Management Consultant regarding strategic management, business process management, and controlling. In addition, he holds a lectureship at the University of Münster. He published books and articles about strategic management, process mining, activity-based costing, cost management and process management.

**Dr. Sue Conger**

University of Dallas
College of Business
Irving, TX, USA
sconger@udallas.edu

Sue Conger has a Ph.D. in Computer Information Systems from the Stern School of Management at New York University. She is currently on the faculty of University of Dallas where she manages the Information and Technology Management program. Professor Conger is an active member of the Association of Information Systems (AIS) and its special interest groups on IT Services (AIS SIGSVC) and Security and Privacy (AIS SIGSEC). She is a member of ITSMF-USA, a practitioner organization, the Association for Computing Machinery (ACM), and IEEE. She is on several editorial boards and the program and planning committees for several conferences. In addition to process and services research, Dr. Conger conducts research on remote rural technology users in South Africa for initiatives relating to the Living Labs in South Africa (LLiSA) and other projects monitored through the Council for Scientific and Industrial Research in Pretoria, South Africa.



Paul Coogans

Sandvik Mining
Brisbane, QLD, Australia
paul.coogans@sandvik.com

Paul Coogans is Global E-Business Coordinator for Sandvik Mining where his remit covers APAC and Northern Europe. He is a qualified Six Sigma Black Belt and prior to moving into the mining industry, held a variety process improvement positions over the previous 10 years in the financial services industry in the UK, Hong Kong and Australia, first in stock-broking, then offshore wealth management and finally investment banking. Paul has worked for a number of large international companies, including Barclays and Credit Suisse.



David Court

Australian Film, Television and Radio School (AFTRS)
Centre for Screen Business
Sydney, Australia
david.court@aftrs.edu.au

David Court is the founding Director of the Centre for Screen Business at the Australian Film Television & Radio School. He has been involved in the financing of more than a dozen film and television productions including Baz Luhrmann's *Strictly Ballroom*, Robert Connolly's *The Bank* and John Weiley's IMAX film *Antarctica*. He was the publisher of the authoritative industry newsletter *Entertainment Business Review*. As author of *Film Assistance: Future Options* (Allen & Unwin, 1986). David was the policy architect of the Film Finance Corporation, established by the Australian Government in 1988. With Sir Peter Jackson, he recently completed a review of the New Zealand Film Commission for the NZ Government.



Fred A. Cummins

Agile Enterprise Design
Pinckney, MI, USA
fred.a.cummins@gmail.com

Fred Cummins is a former EDS and HP Fellow with a long career in information systems development and consulting. Throughout his career, Fred has worked with leading-edge technologies and their impact on business including



distributed systems architecture and integration, object-oriented systems, knowledge-based systems, computer-based modeling and technology strategy. He has developed systems or functioned as a technical advisor across multiple industries including manufacturing and distribution, financial services, transportation, insurance, healthcare and government. He has been an active participant in the Object Management Group (OMG) for 20 years and co-chair of the Business Modeling and Integration Task Force for the last 15 years. He is currently a leader in the development of specifications for VDML (Value Delivery Modeling Language) and CMMN (Case Management Model and Notation) that have been adopted in practice. Fred has authored numerous papers and 3 books, most recently *Building the Agile Enterprise with SOA, BPM and MBM* (Elsevier, 2009).

Matthias Czerwonka

PICTURE GmbH
Muenster, Germany
czerwonka@picture-gmbh.de

Matthias Czerwonka is a Senior Consultant at PICTURE GmbH, based in Muenster Germany. The company provides consultancy services in the areas of BPM, IT-service design, and implementation for public administrations. Clients include governmental agencies from the municipal to the federal level. Matthias holds a master and bachelor degree in information systems from the University of Muenster and is a currently enrolled as Ph.D. student in the Business Process Management Research Group at the European Research Center for Information Systems. His research activities focus on the application of Business Process Model and Notation (BPMN) within public administrations and especially how domain-specific characteristics of business processes can enhance the application of a standardized modeling language, such as BPMN.



Prof. Dr. Tom Davenport

Babson College
Wellesley, MA, USA
tdavenport@babson.edu

Tom Davenport holds the President's Chair in Information Technology and Management at Babson College. He has published widely on the topics of analytics in business, process management, information and knowledge management, and enterprise systems. His most recent book is *Big Data at Work*. On process management topics, he wrote *Process Innovation* in 1993, and *Thinking for a Living* in 2005. He wrote or edited 18 books in total and has written over 100 articles for



such publications as *Harvard Business Review*, *Sloan Management Review*, the *Financial Times*, and many other publications. Tom has also been a columnist for *CIO*, *InformationWeek*, and *Darwin* magazines, and currently is a guest columnist for the *Wall Street Journal*. He has been named one of the world's "Top 25 Consultants" by *Consulting* magazine, one of the most 100 influential people in the information technology industry by *Ziff-Davis* magazines, and one of the top 50 business school professors by *Fortune* magazine.

Islay Davies

Organisational Improvement Advisor
Freelance
Brisbane, Australia
islaydavies@hotmail.com



Islay Davies was the BPM Advisor for the Future Courts Program at the Department of Justice and Attorney-General, Brisbane, Australia, from 2007 to 2010. She then led the BPM capability development and continuous improvement programs for the Department of Science, Information Technology, Innovation and the Arts, Brisbane, Australia, from 2010 to 2013. Islay has taught tertiary level courses on systems analysis and design, and conducted research in the area of business process modelling, towards a Ph.D. with the Business Process Management Group at Queensland University of Technology, Brisbane, Australia. Her work has been published in a number of international journals, conference proceedings and book chapters. She has also reviewed conference and journal submissions for a number of academic outlets and received a Highly Commended Reviewer award from the Australasian Conference on Information Systems in 2005. Since 2013, Islay has focused on applied strategic organisational change, helping organisations develop a culture that allows alignment of organisational attitudes and behaviours with organisational objectives.

Dr. Tonia de Bruin

Department of Public Works
Shared Service Agency
Brisbane, QLD, Australia
tonia.debruin@ssa.qld.gov.au



Tonia de Bruin completed her Ph.D. entitled "Business Process Management: Theory on Progression and Maturity" with Queensland University of Technology, Brisbane, Australia, in 2009. Tonia is currently the BPM Manager at the Shared Service Agency within the Department of Public Works in Queensland State Government, and a CPA-qualified accountant. Her research interest lies in the progression and measurement of BPM Initiatives including the

development of organizational capability to enable such progression. Tonia has more than 20 conference papers and book chapters and has presented her research in America, Europe, and Australia. Tonia conducts executive training in BPM (www.bpm-training.com) and provides advice to organizations regarding the adoption and implementation of BPM Initiatives. She is an active member of the Australian BPM Roundtable and the Queensland BPTrends Chapter.

Gaby Doebeli

Brisbane, QLD, Australia
gaby.doebeli@onthenet.com.au

Gaby is a member of Australia's Business Process Management and Business Architecture Communities. She is actively contributing to Australia's BPM Roundtable, Queensland's Enterprise Architecture Council (QEAC) and has been chairing the BPLink Brisbane Community since 2005. She has presented at several conferences and published articles in the last few years, sharing her knowledge and experience with others. Gaby's current focus is on BPM governance and strategy, where she is further investigating the capability areas of process management decision making and roles and responsibilities.



Prof. Dr. Marlon Dumas

University of Tartu
Institute of Computer Science
Tartu, Estonia
marlon.dumas@ut.ee

Marlon Dumas is Professor of Software Engineering at University of Tartu, Estonia. Earlier, he worked in the Business Process Management research group at Queensland University of Technology (Australia). He has also been visiting professor at University of Grenoble (France), University of Nancy (France), University of Macau, and Visiting Researcher at SAP Research. Professor Dumas has been co-recipient of best paper awards at ETAPS'2006, BPM'2010 and BPM'2013. He is co-inventor of four patents in the field of business process technologies and co-author of a textbook (*Fundamentals of Business Process Management*, Springer).



Didier Elzinga


Culture Amp
Melbourne, VIC, Australia
didier@cultureamp.com

Didier Elzinga is an entrepreneur with a wide range of experience in building media and technology companies. Trained as a software engineer (B.A. Maths and Computer Science, Adelaide University), he is the CEO and founder of software startup Culture Amp, focusing on improving the performance of people related processes in fast growing companies. He is the ex CEO of Hollywood visual effects company Rising Sun Pictures (Australian National Export Awards winner for 2006) and co-founder and chairman of visual software company Rising Sun Research (Anthill's "Coolest company in Australia 2007"). Didier is a Director of the Atlassian Foundation, Slingsby Theatre Company Ltd and Brink Productions and also acts in an advisory capacity for several startups.

**Dr. Thorsten Falk**

University of Muenster
European Research Center for Information Systems
PICTURE GmbH
E-Government Research-Group
Muenster, Germany
falk@picture-gmbh.de

Thorsten Falk is co-founder and CEO of the PICTURE GmbH, based in Muenster, Germany. The company provides consultancy services in the areas of BPM, IT-service design, and implementation for public administrations. Clients include governmental agencies from the municipal to the federal level. Thorsten holds a doctorate from the University of Muenster and has a background in BPM research, teaching, and consultancy. With his colleague, and co-founder, Dr. Lars Algermissen, Thorsten has been the creative force behind the development of the PICTURE methodology. The approach supports the analysis and design of business processes in public administration and has been successfully applied for more than 5 years. Thorsten has published more than 30 peer-reviewed papers on domain-specific BPM for public administrations at major international conferences, as well as in journals and books.



Jude Fernandez

Infosys Technologies Limited
SETLabs
BPM Research Group
Bangalore, India
judef@infosys.com



Jude leads research projects within the BPM Research Group at the Software Engineering and Technology Labs (SETLabs) in Infosys. His current research focuses on areas of distributed work patterns, process-based compliance, among others. Jude has about 15 years of varied experience in the process arena both as an internal and as an external consultant. He was a key member of the Corporate Quality team at Infosys and anchored key initiatives such as the Malcolm Baldrige assessments for Infosys and Six Sigma based BPR projects for key Infosys business processes. He also helped set up the Infosys Customer Satisfaction Survey process. Jude's consulting experience covers different areas including balanced scorecard, process analysis and improvement, BPR, etc. He was the chairperson of the first International Workshop on BPM Governance (co-located with BPM 2007 in Brisbane).

Dr. Peter Fettke

German Research Center for Artificial Intelligence (DFKI)
Institute for Information Systems (IW_i)
Saarbrücken, Germany
peter.fettke@iwi.dfki.de



Peter Fettke obtained a master's degree in Information Systems from the University of Münster, Germany, a Ph.D. Degree in Information Systems from the Johannes Gutenberg-University Mainz, Germany, and a Habilitation Degree in Information Systems from the Saarland University, Germany. Currently, he is the deputy chair of the Institute for Information Systems (IW_i) at the German Research Center for Artificial Intelligence (DFKI), Saarbrücken. In 2013 he became a DFKI Research Fellow. Peter has taught and researched previously at the Technical University of Chemnitz and the University Mainz, Germany. His research interests include enterprise and reference modeling, business process management, and business engineering. He uses both design-oriented and experimental research methods.

Albert Fleischmann

Metasonic AG
Pfaffenhofen, Germany
albert.fleischmann@metasonic.de

Albert Fleischmann is an independent scientific advisor. He has been an accomplished software engineer for over 30 years, and has extensive experience in business process management. In theory and practice he successfully realizes initiatives of projects, processes and quality management in enterprises. Based on his experience in process management and software development he developed the subject oriented business management (S-BPM) approach. Together with some friends he founded a company now called Metasonic. This company offers a complete product suite based on S-BPM. Currently he is working for further enhancements of the S-BPM concept and together with researchers from universities he publishes regularly the corresponding results at several conferences. Albert Fleischmann is lecturer at several universities. He holds a doctoral degree in computer science.



Sukriti Goel

BPM Research Group, SETLabs
Infosys Technologies Limited
Bangalore, India
sukriti_goel@infosys.com

Sukriti Goel is a Senior Research Scientist at Infosys Labs (SETLabs) at Infosys Limited, India. Her research areas are business process management systems (BPMS), process modeling, process monitoring, and process extraction. Earlier, she worked as the Architect for the BPM technology team working on different tools, including BPM execution engine and process monitoring among others. She has considerable experience in BPM and BPMS implementations in different scenarios including BPO and banking sector.



Prof. Guido Governatori

NICTA
Software Systems Research Group
Brisbane, Australia
guido.governatori@nicta.com.au

Guido Governatori received his Ph.D. in Computer Science and Law from the University of Bologna in 1997. Since then he has held academic and research positions at Imperial




College, Griffith University, Queensland University of Technology, the University of Queensland, and NICTA. He has published more than 200 scientific papers in logic, artificial intelligence, and database and information systems. His current research interests include modal and nonclassical logics, defeasible reasoning and its application to normative reasoning and e-commerce, agent and multi-agent systems, and business process modeling for regulatory compliance. He is the editor in charge of the agents and norms section of the *Artificial Intelligence and Law* journal, co-editor of the Deontic Logic Corner of the *Journal of Logic and Computation*. He has served as co-chair of the OASIS LegalRuleML technical committee.

Alain Guillemain

Inexure
Stones Corner, QLD, Australia
inexure.com

Alain Guillemain is Managing Director of Inexure, a firm specialising in strategic planning and process improvement. He has worked in-house and externally, providing consulting services to an eclectic mix of clients, ranging from micro-businesses to large corporations in industries as diverse as finance, education and logistics. Alain is qualified with an MBA, a Master of Commerce (Finance) and a Bachelor of Multimedia. An avid believer in the non-separability of the private and public selves, Alain's approach to work and life is a holistic one. He presently lives and works from on a five-acre hobby farm in the Somerset Region and is undertaking graduate studies in Philosophy.



Dr. Thomas Gulledge

Enterprise Integration, Inc.
Alexandria, VA, USA
thomas.gulledge@eiiolutions.net

Thomas Gulledge is the President of Enterprise Integration, Inc. and Enterprise Integration Pte Ltd. He is also Professor Emeritus of Public Policy and Engineering at George Mason University. For over 30 years, he has worked on the management and technical aspects of Enterprise Integration. Through his university research laboratory, he managed an extensive research program in extended enterprise integration, with a special emphasis on back-office integration, product lifecycle management, and supply chain integration and management. Through Enterprise Integration, Inc., he has transferred many of these research concepts into reality with many projects in the USA, Europe, and the Asia-Pacific region. He is the developer of the architecture-driven enterprise integration methodology, and



he has published extensively on that subject. EII is currently designing and implementing executable architecture solutions in the USA and Asia.

Dr. Alena Hallerbach

Daimler TSS GmbH
Ulm, Germany
alena.hallerbach@daimler.com



Alena Hallerbach studied Computer Science at the University of Ulm from 2001 to 2006. Since 2004, she has been working at the Daimler AG at the Department of Data and Process Management. After passing the Daimler CAREer Programm in 2010 she joined the Daimler TSS GmbH as Consultant Requirements Engineer. Her research areas include the modularization of development processes and the optimization of processes for product quality. She is currently developing new approaches for the management of process variants.

Dr. Michael Hammer

Hammer and Company, Inc.
Cambridge, MA, USA



Dr. Michael Hammer has been the driving force behind the business process revolution. He was the originator of both reengineering and the process enterprise, concepts that have changed how businesses around the world do business. Thousands of companies have turned his ideas into practice and profit. Dr. Hammer was the author of four books, including the international best-seller *Reengineering the Corporation*, which Forbes ranked as one of the three most important business books of the past 20 years. His articles have appeared in periodicals from *Harvard Business Review* to *The Economist*, and his work has been featured in every major business publication. An engineer by training, Dr. Hammer's research and teachings focused on how to transform business operations; his work was relentlessly pragmatic and immediately applicable. Dr. Hammer was, for many years, a Professor of Computer Science at the Massachusetts Institute of Technology and has been a Visiting Professor at MIT and a Fellow at Oxford University. He was a founder of several high-technology companies, and he was named by *Time* as one of America's twenty-five most influential individuals. Dr. Hammer passed away in September 2008.

Paul Harmon

BPTrends Associates
Business Process Trends
San Francisco, CA, USA
pharmon@bptrends.com



Paul Harmon is a Co-Founder, the Executive Editor, and Senior Market Analyst at Business Process Trends – <http://www.bptrends.com> – a popular website that provides free information on trends, directions, and best practices in business process management. He is also a Co-Founder and Chief Methodologist of BPTrends Associates, a professional services company providing executive education, training, and consulting services for organizations interested in understanding and implementing business process management. Paul is the author of some 15 books, including *Business Process Change: A Business Process Management Guide for Managers and Process Professionals, Third Edition*. Paul’s business process activities began in the late 60s when he worked with Geary Rummler, managing the overall development and delivery of performance improvement programs. He has worked on major process change programs at Bank of America, Wells Fargo, Prudential, and Citibank, to name a few. He is a widely respected keynote speaker and has delivered executive seminars, workshops, briefings, and keynote addresses to conferences and organizations throughout the world.

Keith Harrison-Broninski

Role Modellers Limited
Bath, United Kingdom
khh@rolemodellers.com



Keith Harrison-Broninski’s 2005 book *Human Interactions* introduced the theory of Human Interaction Management (HIM), now taught on MBA and Computer Science courses. In recent years, Keith developed the change management methodology Goal-Oriented Organization Design (GOOD), which uses HIM principles to introduce change according to needs at low cost, with maximum benefits and without disruption. Keith writes the column “Human Processes” for www.bptrends.com and regularly gives keynote lectures to business, IT, and academic audiences. Keith is CTO of Role Modellers, whose cloud software HumanEdj helps plan, carry out, monitor and improve business change across multiple organizations.

Dr. Diana Heckl

McKinsey & Company, Inc.
Frankfurt a.M., Germany
d.heckl@frankfurt-school.de

Diana Heckl is an Engagement Manager at McKinsey & Company and part of the Service Operations Practice. She has more than 5 years of experience as a Management Consultant regarding strategic management, business process management, and organizational development, especially in the Financial Services Sector. Before joining McKinsey she worked and graduated at the research center ProcessLab at Frankfurt School of Finance & Management. Her studies supported the idea of increasing productivity in banks and bank-related companies by transferring concepts such as Business Reengineering or Six Sigma to the service processes area. She published numerous articles for books, journals and conference proceedings covering business process steering and organizational change concepts. In addition, she has a strong teaching background as a lecturer – from discussing organizational research questions with students to conducting executive trainings.

**Michael Hoffmann**

Scheer Management GmbH
Saarbrücken, Germany
michael.hoffmann@scheer-management.com

Michael Hoffmann started his professional career as a research fellow of Prof. Dr. Dr. h.c. August-Wilhelm Scheer at the Institute for Information Systems (IWi) at the Saarland University. Until 2011 he served in a variety of positions and business units at the IDS Scheer Group with more and more increasing management responsibility. As global solution leader for governance-, risk- and compliance management comprises overall responsibility for business development, product roll out and consulting solutions in this topic area. Currently he is Associated Partner and Head of Research at Scheer Management GmbH, Saarbrücken. He is author and co-author of scientific papers and speaker at national and international conferences; topics are BPM, the 4th industrial revolution, product- and service management, and IT-management.



Dr. Birgit Hofreiter

Vienna University of Technology
 Institute for Software Technology and Interactive Systems
 E-Commerce Group
 Vienna, Austria
birgit.hofreiter@tuwien.ac.at



Birgit Hofreiter is Assistant Professor at the Institute for Software Technology and Interactive Systems of the Vienna University of Technology. Furthermore, she is Head of the Informatics Innovation Center (i2c) of the Faculty of Informatics at Vienna University of Technology. Birgit finished her master in business informatics at Vienna University of Technology, received her doctor's degree from the University of Vienna, is an Erwin Schrödinger Awardee (Austrian Science Fund), Research Fellow at University of Technology Sydney (UTS), has been Assistant Professor at the Chair of Business Process Management at the University of Liechtenstein, and guest researcher at several international universities. Birgit has a long time working experience in Business-to-Business and e-Government interoperability by working for the United Nations Center for Trade Facilitation and e-Business (UN/CEFACT) to develop standards and recommendations for interoperability used in inter-organizational projects. In particular, she was contributor to UN/CEFACT's Techniques and Methodologies Group (TMG) and in this role co-editor of UN/CEFACT's Modeling Methodology – a UML-based approach towards B2B and e-Government system design. Furthermore, Birgit is on the PC/organizing committee of several major e-business related conferences. She is co-initiator and member of the steering committee of the IEEE Conference on Business Informatics (CBI) as well as of the IEEE Technical Committee on Business Informatics Systems (formerly Electronic Commerce). Additionally, she is on the editorial board of community related journals.

Constantin Houy

German Research Center for Artificial Intelligence (DFKI)
 Saarland University
 Institute for Information Systems (IWi)
 Saarbrücken, Germany
constantin.houy@iwi.dfki.de



Constantin Houy has been a researcher at the Institute for Information Systems (IWi) at the German Research Center for Artificial Intelligence (DFKI) since 2009. He obtained the Degree of Diplom-Wirtschaftsinformatiker (DH) (Diploma in Information Systems) from the Baden-Wuerttemberg Cooperative State University in Mannheim and a master's degree in Information Science (Magister Artium) from Saarland University in Saarbrücken, Germany. During his studies in Mannheim, Constantin worked for 3 years as a student trainee at Heidelberger Druckmaschinen AG. His research interests include

business process management, conceptual modeling, text mining as well as methods of artificial intelligence supporting research and theory building in information systems. Constantin has published more than 40 contributions and the findings from his research have been published in outlets such as the *Business Process Management Journal* (BPMJ), *Business and Information Systems Engineering* (BISE) and on conferences such as ER, ECIS, WI or HICSS.

Dr. Christian Huemer

Vienna University of Technology
 Institute of Software Technology and Interactive Systems
 Vienna, Austria
huemer@big.tuwien.ac.at



Christian Huemer is an Associate Professor at the Institute for Software Technology and Interactive Systems of the Vienna University of Technology. In addition, he acts as the director of the Studio Interorganizational Systems of Research Studios Austria, a national research agency. Currently, he is Chair of UN/CEFACT's Techniques and Methodologies Group (TMG) and member of UN/CEFACT's Forum Management. Furthermore, he is also leading its efforts on the UN/CEFACT's Modeling Methodology (UMM). He is the Chief Standards Officer (CSO) of Austria Pro/Austrian Chamber of Commerce and serves on its board of directors. In addition, he is leading the section on e-Commerce of the German computer society, Gesellschaft für Informatik (GI).

Dr. Dax D. Jacobson

California State University Channel Islands
 MVS School of Business & Economics
 Camarillo, CA, USA
dax.jacobson@csuci.edu



Dax is an Assistant Professor of Management Information Systems at California State University Channel Islands. Dax's interests broadly cover the management and use of information technology in both public and private organizations. More specifically, he is interested in IT and interorganizational governance, organizational design, business processes and technology in education. He teaches management information systems, management and business process management. He is currently part of a National Science Foundation (NSF) – funded team studying IT governance in US state government. He was previously a research associate on an NSF-funded team studying public safety networks. Dax earned a Ph.D. in Business Administration with an emphasis in Management Information Systems as well as an MBA from Bentley University in Waltham, MA. Dax also

holds a Dual BA in History and Finance from Utah State University. Dax has worked in corporate sales and marketing for an Internet service provider and for the US Air Force as a contract specialist.

Leandro Jesus

ELO Group
Rio de Janeiro, Brazil
leandro.jesus@elogroup.com.br



Leandro Jesus is a Managing Partner at ELO Group, a Brazilian management consulting and training firm. Consultant with a wide experience in business process management (BPM) and service design, with recent projects focused on business transformation and on the establishment of process architecture and governance mechanisms in several industries. He holds a master's degree in Industrial Engineering at Federal University of Rio de Janeiro (UFRJ). Researcher and Lecturer of BPM and Service Management courses at renowned post-graduate courses in Brazil. Co-author of the book *Establishing the Office of BPM* and also many publications on the field. He is also a Vice-President for the Brazil Chapter at the Association of Business Process Management Professionals (ABPMP).

Dr. Florian Johannsen

Universität Regensburg
Department of Management Information Systems
Regensburg, Germany
florian.johannsen@wiwi.uni-regensburg.de



Florian Johannsen is a senior research associate at the Department of Management Information Systems, particularly Business Engineering at Universität Regensburg, Germany. He received his doctorate from the Universität Regensburg in 2011. His main topics of research are quality management (especially six Sigma), business process modelling as well as business process model quality. During his research he has supervised and conducted several cooperation projects with partners from industry but also from the public sector. His work is presented at international conferences but also published in highly regarded scientific journals. Further, he regularly serves as reviewer or associate editor for international conferences.

Prof. Dr. Dimitris Karagiannis

University of Vienna
Institute for Business and Knowledge Engineering
Vienna, Austria
dk@dke.univie.ac.at



Dimitris Karagiannis studied Computer Science at the Technical University of Berlin and was visiting scientist at research institutions in the USA and Japan. From 1987 to 1992, he was scientific director for Business Information Systems at the Research Institute for Applied Knowledge Management in Ulm. Since 1993, he has been Full Professor at the Faculty of Computer Science at the University of Vienna. As head of the Institute for Business and Knowledge Engineering, his main research areas are knowledge management, business intelligence, and meta-modeling. Besides his engagement in national and EU-funded research projects, Dimitris Karagiannis is the author of research papers and books on knowledge databases, expert systems, business process management, workflow-systems, and knowledge management. He is the founder of the European software and consulting company BOC (<http://www.boc-group.com>), which implements software tools based on the meta-modeling approach. Recently, he established the Open Model Initiative (www.omilab.org) in Austria.

Dr. Dimka Karastoyanova

University of Stuttgart
Institute of Architecture of Application Systems
Stuttgart, Germany
dimka.karastoyanova@iaas.uni-stuttgart.de



Dimka Karastoyanova is a staff junior professor at the Cluster of Excellence “Simulation Technology” and the Institute of Architecture of Application Systems (IAAS) at the University of Stuttgart, Germany. She holds a Ph.D. in Computer Science from the Technical University Darmstadt, Germany, and a M.Sc. degree in Computational Engineering from the University of Erlangen-Nuernberg, Germany. Her research focus is on applying workflow technology for business applications and scientific simulations in a service-oriented environment and on the Grid. Additionally, she is interested in extending service-based middleware and the workflow technology to enable flexible service compositions. Her current research work is in the area of service-based scientific workflows. She is a member of several European projects involving industry and academia that deal with open issues in service middleware, business process management, semantics, and fundamental research in SOC (Service-Oriented Computing) driven by the BPM, SOC, Grid, and software engineering communities.

Daniel Karrer

ELO Group
Rio de Janeiro, Brazil
daniel.karrer@elogroup.com.br

Daniel Karrer is a Managing Partner at ELO Group, a Brazilian management consulting and training firm. Consultant with a wide experience in strategy, business models, innovation and business process management. He holds a master's degree in Industrial Engineering at Federal University of Rio de Janeiro (UFRJ) and is currently a Ph.D. candidate in Growth and Strategy at COPPEAD. He is currently a member of the Strategic Management Society (SMS) and acts frequently as a Lecturer of strategy, business model generation, risk management, business process management, and IT services engineering in short courses and MBAs at UFRJ's Graduate School.

**Sandy Kemsley**

Kemsley Design Ltd.
Toronto, Canada
sandy@kemsleydesign.com

Sandy Kemsley is an independent analyst and systems architect specializing in business process management and the social enterprise. During her career of more than 25 years, she founded and ran product and service companies in the area of content management, process management and e-commerce, and held the position of BPM evangelist for a major BPM vendor. Currently, she practices as a BPM industry analyst and process architect, performing engagements for end-user organizations and BPM vendors. She writes the popular "Column 2" BPM blog at www.column2.com, and is a featured conference speaker on BPM. She holds a degree in Systems Design Engineering from the University of Waterloo.

**Dr. Mathias Kirchmer**

BPM-D - Enabling the next Generation Enterprise
West Chester, PA, USA
mathias.kirchmer@bpm-d.com

Dr. Kirchmer is an innovative executive and thought leader in the ever evolving world of business process management (BPM). Over the last 26 years, Dr. Kirchmer has combined his broad practical business experience with his extensive academic research. This systematic integration has led to pioneering management approaches that have proven to be both sustainable and provide immediate benefits.



Most recently, Dr. Kirchmer has founded BPM-D, a company focused on enabling the next generation enterprise by leveraging the discipline of BPM. He is now Managing Director and Co-CEO of this organization. Earlier Dr. Kirchmer has been Accenture's Managing Director & Global Lead for BPM. He developed inventive BPM services across industries and geographies resulting in significant revenue growth. Dr. Kirchmer's major process initiatives transformed business for his clients and created significant assets internally at Accenture. He became the face of Accenture's BPM Practice, authoring two books as well as numerous thought leadership pieces. Prior to joining Accenture, Dr. Kirchmer was the CEO of the Americas & Japan and The Chief Innovation & Marketing Officer for IDS Scheer, a leading provider of software and consulting solutions for BPM. In these roles, Dr. Kirchmer was successful in growing the company, attracting top talent and improving retention rates while increasing revenues significantly. He established key partnerships, integrated IDS Scheer operating units in North and South America and set up a vibrant mid-market business. Dr. Kirchmer's career is exemplified by his intellectual and practical approach to BPM business solutions. His deep and layered knowledge of BPM methodology has proven successful with small and large companies in various industries around the world, including Germany, France, USA, Brazil, Chile, Japan, and India. He speaks German, English and French. Dr. Kirchmer remains involved in academia as an affiliated faculty member at the University of Pennsylvania since 1998, the Business School of Widener University, Philadelphia University and the Universidad of Chile as a visiting professor. In 1984, he received a research and teaching fellowship from the Japan Society for the Promotion of Science. Dr. Kirchmer is a published authority of BPM authoring six books and numerous articles for a variety of publications making him a much sought after speaker and expert. Dr. Kirchmer holds a Ph.D. in Information Systems from Saarbrücken University, a Master in Business Administration and Computer Science from Karlsruhe Technical University, as well as a Master in Economics from Paris-IX-Dauphine University. He resides in West Chester, Pennsylvania.

Dr. Thomas Kohlborn

Queensland University of Technology
 Faculty of Science and Technology
 BPM Group
 Brisbane, QLD, Australia
 t.kohlborn@qut.edu.au



Thomas Kohlborn is a Post-Doctoral Research Fellow at the Woolworths Chair of Retail Innovation, Business Process Management Discipline at the Queensland University of Technology (QUT) in Brisbane, Australia. His recent research interests are in business process management, innovation management, and IS adoption as well as in e-government. He

received his master's degree in Information Systems and bachelor's degree in Information Systems from the University of Muenster, Germany. His Ph.D. studies focused on service and process management in the public domain; in particular, it focused on the conceptualization of innovative methods/processes for the derivation of service bundles for governmental one-stop portals.

Alexandra Kokkonen

Johnson and Johnson
IT Global Finance
akokkone@yahoo.com.au



Alex has significant international and multi-industry experience in the BPM field. Prior to joining Johnson and Johnson, she held a variety of commercial, financial, and project management positions with other multinational companies in Europe, North America, and the Asia/Pacific regions. Alex is finalizing her Ph.D. in Information Systems: Business Process Management with Queensland University of Technology and her DBA with Deakin University. She is a Fellow of the Chartered Institute of Management Accountants (FCMA), a Chartered Practicing Project Director (CPPD), and member of the Association of Corporate Treasurers (ACT). She holds a Master in Educational Leadership and Management from RMIT, Melbourne, an MBA from Deakin University, Melbourne, and a Master in Applied Social Science (Counseling) and Graduate Diploma in Counseling (Performance Psychology) from the Australian College of Applied Psychology, Sydney.

Dr. Agnes Koschmider

Karlsruhe Institute of Technology
Institute of Applied Informatics and Formal
Description Methods – AIFB
Karlsruhe, Germany
agnes.koschmider@kit.edu



Agnes Koschmider is a senior researcher (PostDoc) at the Institute of Applied Informatics and Formal Description Methods at Karlsruhe Institute of Technology (KIT). Her current research concentrates on process reuse, modeling support techniques, empirical BPM and on mashup engineering. From 2010 to 2011, Agnes received a PostDoctoral Fellowship from the University of Pretoria (South Africa). Agnes Koschmider has served as a reviewer in many international conferences and journals and co-organized national and international conferences. In September 2013 she has been awarded as junior fellow of the German Society of Informatics (GI).

Prof. Dr. John Krogstie

Norwegian University of Science and Technology
Trondheim, Norway
krogstie@idi.ntnu.no

John Krogstie holds a Ph.D. (1995) and an M.Sc. (1991) in Information Systems from the Norwegian University of Science and Technology (NTNU), where he is currently a full professor in information systems. John Krogstie is the Norwegian representative for IFIP TC8 and chair of IFIP WG 8.1 on information system design and evaluations. He has published around 200 refereed papers in journals, books, and archival proceedings since 1991.

**Dr. Jens Krüeger**

SAP AG
Lob Finance and SAP Innovation Center
Potsdam, Germany
jens.krueger@sap.com

Jens Krüeger has co-headed the SAP Innovation Center since September 2013. Working closely together with customers and partners, he is dedicated to bringing innovation into SAP's flagship product family, the SAP Business Suite. In February 2014, Jens was appointed as head of Line of Business Finance at SAP. In this role, he is responsible for the development, product design, globalization and installed base maintenance of SAP's Financials solutions powered by SAP HANA. Prior to joining SAP in September 2013, he was a member of the research group of Prof. Dr. Hasso Plattner at the Hasso Plattner Institute for Software Systems Engineering. He was one of the founding members of the research project, which – in collaboration with SAP – proved the feasibility and built the first prototype of SAP's award winning in-memory platform SAP HANA. In 2011, Jens Krüeger was appointed representative of Prof. Plattner's research chair. He holds a master's degree in business administration from the Free University of Berlin, Germany, and received a doctorate degree for his dissertation "Enterprise-specific In-Memory Data Management" from the Hasso Plattner Institute at the University of Potsdam.



Prof. Dr. Akhil Kumar

Penn State University
Smeal College of Business
Department of Supply Chain and Information Systems
University Park, PA, USA
akhilkumar@psu.edu



Akhil Kumar is a Professor of Information Systems at the Smeal College of Business at Penn State University. He received his Ph.D. from the University of California, Berkeley, and has previously been on the faculties at Cornell University and the University of Colorado, and also spent 1 year at Bell Labs, Murray Hill, NJ. His research interests are in workflow systems, Web services, distributed information systems, and intelligent systems. He has published more than 70 papers in academic journals and international conferences. His work has appeared in *Information Systems Research*, *Journal of MIS*, *Management Science*, *ACM Transactions on Database Management*, *IEEE Transactions*, *Decision Support Systems*, and *INFORMS Journal on Computing*. He also serves on several editorial boards and program committees.

Dr. Manish Kumar

Infosys Labs, Infosys Technologies Limited
Bangalore, India
manish_kumar28@infosys.com



Manish Kumar is currently consulting a multinational mining company in railways domain. He worked on Business Process Simulation research in the Infosys Labs of Infosys. He developed business process simulation tools for process design and process monitoring. He is also involved in consulting around information technology strategy and change management. Manish was earlier a faculty member at the Management Development Institute Gurgaon, India, where he taught management graduates, consulted organizations on IT Strategy and also conducted management development programs for senior executives on knowledge management (KM). He has published in the areas of BPM and knowledge management. Manish has considerable experience of over 13 years with the Indian Railways and was involved in institutionalization of processes for managing large number of employees across several locations with minimal monitoring. Manish Kumar is a Fellow of the Indian Institute of Management, Calcutta, holds a master's degree in Technology in Power Systems from the Indian Institute of Technology, Delhi, and holds a bachelor's degree in Technology in Electrical Engineering from HBTI Kanpur.

Prof. Dr. Susanne Leist

Universität Regensburg
Department of Management Information Systems
Regensburg, Germany
susanne.leist@wiwi.uni-regensburg.de



Susanne Leist took over the chair of Business Engineering at the Department of Management Information Systems at Universität Regensburg in December 2004. Prior, she had worked in several research and business projects and taught at several universities in Germany and Switzerland. Her main research and teaching fields comprise methods and techniques in business engineering, especially process and quality management, method engineering, and enterprise architecture. She is the spokeswoman of the section Information Systems in the Financial Management of the Gesellschaft fuer Informatik, a partner of the Virtual Global University, is a member of the Editorial Boards of the journals *Business & Information Systems Engineering* and *Banking and Information Technology*, and acts regularly as a reviewer in or associate editor for several international conferences and scientific journals.

Dr. Michael Leyer

Frankfurt School of Finance & Management
ProcessLab
Frankfurt a.M., Germany
m.leyer@fs.de



Michael Leyer is a Lecturer at Frankfurt School of Finance & Management with the focus on process management in services. He received his Ph.D. in 2012 at Frankfurt School of Finance & Management on the topic “Operational control of service processes: Methodology to enhance the productivity of information-centric service processes”. His research interests include lean management and Six Sigma in the service industry, process mining, operational control and simulation of service processes as well as knowledge management and learning in business processes. A major aspect of his research is the development and dissemination of results which are relevant for both theory and practice. The findings of his research are published in various conference proceedings and international journals.

Prof. Dr. Frank Leymann

University of Stuttgart
Institute of Architecture of Application Systems (IAAS)
Stuttgart, Germany
leymann@iaas.uni-stuttgart.de

Frank Leymann is a Full Professor of computer science and Director of the Institute of Architecture of Application Systems at the University of Stuttgart, Germany. His research interests include service-oriented computing and middleware, workflow- and business process management, programming in the large, transaction processing, integration technology, and architecture patterns. Before accepting his professor position in 2004, he worked for two decades for IBM Software Group building database and middleware products. Especially, since the late 1980s, he worked continuously on workflow technology and became the father of IBM's workflow product set. Also, he is co-author of many standard specification, including WSFL, the BPEL family, and BPMN 2.0. His third party-funded research projects are all in the area of SOA and workflow/process technology.

**Philipp Liegl**

Vienna University of Technology
Institute of Software Technology and Interactive Systems
Vienna, Austria
liegl@big.tuwien.ac.at

Philipp Liegl works as a research assistant at the Business Informatics group at the Vienna University of Technology, where he earned his master's degree in business informatics in 2006. In his Ph.D. thesis, Philipp examines different approaches for the definition of business documents and their integration into service-oriented systems. Philipp has published over 20 publications in international journals and conferences on the topic of interorganizational business processes and business document modeling. Since 2005, Philipp is also actively involved in the standardization efforts of the United Nations Center for Trade Facilitation and Electronic Business (UN/CEFACT). He co-edited UN/CEFACT's Modeling Methodology (UMM) and currently serves as the lead editor for the UML Profile for Core Components (UPCC).



Dr. Mikael Lind

Linköping University
University of Borås
Viktoria Institute
Gothenburg, Sweden
mikael.lind@hb.se



Associate Professor Mikael Lind is with the Viktoria Swedish ICT and Chalmers University of Technology, Sweden. He is the research manager of the sustainable transports group at Viktoria Swedish ICT (www.viktoria.se) and heads and/or has initiated several open innovation initiatives related to ICT for sustainable transports of people and goods, as e.g. cross-industrial design of intelligent infrastructure for electric vehicles, ICT-enabled innovation for sustainable everyday travel, and future airports focusing sustainable passenger flows based on ICT enabled multi-organizational collaboration throughout the door-to-door process. The research takes a pragmatic stance oriented towards open digital innovation, multi-organizational business innovation, and business process management. He is also one of the initiators of Maritime Informatics for applied research of digitalization in the maritime sector.

Prof. Dr. Peter Loos


Saarland University
German Research Center for Artificial Intelligence (DFKI)
Saarbrücken, Germany
loos@iwi.uni-sb.de



Peter Loos is Director of the Institute for Information Systems (IWi) at the German Research Institute for Artificial Intelligence (DFKI) and head of the chair of Information Systems at Saarland University. His research activities include business process management, information modeling, enterprise systems, and software development as well as implementation of information systems. During his earlier career, Prof. Loos had been chair of information systems and management at University of Mainz, chair of information systems and management at Chemnitz University of Technology, deputy chair at University of Münster as well as lecturer (Privatdozent) at Saarland University. Furthermore, he had worked for 6 years as manager of the software development department at the software and consulting company IDS Scheer. Professor Loos has written several books, contributed to 30 books and published more than 100 papers in journals and proceedings.

Jerry Luftman Ph.D.

Global Institute for IT Management LLC
Fort Lee, NJ, USA
jluftman@globaliim.com



Jerry Luftman's career includes strategic positions in management (information technology and consulting), management consulting, information systems, and education. Dr. Luftman's experience combines the strengths of practitioner, consultant, and academic. His proficiency in business-IT alignment, 18 books, published research, consulting, mentoring, and teaching/speaking engagements further exemplify Dr. Luftman's expertise and leadership in his field. After a notable 22-year career with IBM, he had an exemplary career for almost 20 years as Distinguished Professor, and Founder and Executive Director of the Stevens Institute Information Systems Programs; one of the largest in the world. Driven by the strong demand for a global executive education program focusing on managing information technology, Dr. Luftman has leveraged his experience as a CIO, IT management consultant, and leading academic, with his strong network of IT management associations, and prominent IT practitioners and academics, to provide a valuable and unique offering via Global Institute for IT Management.

André Macieira

ELO Group
Rio de Janeiro, Brazil
andre.macieira@elogroup.com.br



Andre Macieira is a Managing Partner at ELO Group, a Brazilian management consulting and training firm. He holds a master's degree in Industrial Engineering at Federal University of Rio de Janeiro (UFRJ). Member of international risk management discussion groups at ABNT/ISO and OCEG. Co-author of the book *Establishing the Office of BPM* and also many publications on the field. His main areas of interest are risk management and business process management.

Prof. Dr. M. Lynne Markus

Bentley University
Information and Process Management
Waltham, MA, USA
mlmarkus@bentley.edu



M. Lynne Markus is the John W. Poduska, Sr. Professor of Information and Process Management at Bentley University, a Visiting Professor at the London School of Economics and Political Science, and a Research Affiliate at MIT Sloan's Center for Information Systems Research. Professor Markus's research interests include IT governance and organizational design in government organizations and multinational enterprises, the societal consequences of financial information technology and Big Data, and IT-enabled interorganizational information sharing. She has published six books and over 100 journal articles. Her most recent NSF-funded research project ("The Art of the States" <http://blogs.bentley.edu/nsf/>) focuses on innovations in the management of IT in the 50 US States. She has also conducted sponsored research on the diffusion of data and process standards in various industries and on the governance of interorganizational network infrastructures in the public safety arena (<http://www.publicsafetynetworksstudy.org/>). Professor Markus was named a Fellow of the Association for Information Systems (AIS) in 2004 and, in 2008, received the AIS LEO Award for Exceptional Lifetime Achievement in Information Systems. In 2012, she received the Bentley Mee Family Prize for Research, a lifetime achievement award.

Benjamin Matthies

South Westphalia University of Applied Sciences
Hagen, Germany
matthies.benjamin@fh-swf.de



Benjamin Matthies is a research assistant at South Westphalia University of Applied Sciences, Germany, and holds a master's degree in business management. Before joining the South Westphalia University of Applied Sciences, he worked as business analyst for a multinational retail company and was involved in a variety of process improvement projects. His research interests include business process management, especially the business value of BPM, and business intelligence.

Prof. Dr. Jan Mendling

Wirtschaftsuniversität Wien
Institute for Information Business
Vienna, Austria
jan.mendling@wu.ac.at



Jan Mendling is a Full Professor and Head of the Institute for Information Business at WU Vienna. His research areas include business process management, conceptual modelling and enterprise systems. He studied Business Computer Science at University of Trier (Germany) and UFSIA Antwerpen (Belgium), and received a Ph.D. degree from WU Vienna (Austria). After being a postdoc with QUT Brisbane (Australia) and a junior professor at HU Berlin (Germany), he moved back to WU in 2011. He has published more than 200 research papers and articles, among others in *ACM Transactions on Software Engineering and Methodology*, *IEEE Transaction on Software Engineering*, *Information Systems*, *Data & Knowledge Engineering*, and *Decision Support Systems*. He is member of the editorial board of three international journals, one of the founders of the Berlin BPM Community of Practice (<http://www.bpmb.de>), organizer of several academic events on process management, member of the IEEE Task Force on Process Mining, and board member of the Austrian Gesellschaft für Prozessmanagement. His Ph.D. thesis has won the Heinz-Zemanek Award of the Austrian Computer Society and the German Targion Award for dissertations in the area of strategic information management.

Prof. Dr. Jürgen Moormann

Frankfurt School of Finance & Management
Frankfurt a.M., Germany
j.moormann@fs.de



Jürgen Moormann is Professor of Banking at Frankfurt School of Finance & Management. After completing an apprenticeship at Commerzbank AG, he studied Business Administration at the universities of Kiel and Zurich. Jürgen worked for 5 years as a consultant in the financial services industry before joining Frankfurt School of Finance & Management. Areas of research and teaching are strategy development, business engineering, and business process management in banks. He is founder and head of ProcessLab – a research center focusing on business process management in the financial services sector (www.processlab.info). Jürgen has been a Visiting Professor at the University of Colorado at Colorado Springs, the University of New South Wales, Sydney, the Queensland University of Technology, Brisbane, and the Hong Kong University. He is (co-)author and (co-)editor of eight books and numerous articles in academic and practice-oriented journals. He presented papers at international conferences such as ACIS, BPM, HICSS, and ICEIS.

Dr. Stefan Novotny

ThyssenKrupp Presta AG
Divison Manager Quality and Processes
Eschen, Liechtenstein
stefan.novotny@thyssenkrupp.com



Stefan Novotny is Divison Manager for Quality and Processes at ThyssenKrupp Presta AG, a manufacturer of steering systems for cars supplying big OEMs. He is responsible for quality and process management throughout the Presta Group with 15 locations worldwide. This comprises the buildup and corporate governance of the global business process management system, internal consulting for process improvement across the companies' disciplines, post-merger integration projects for acquired companies, and the respective internal and external auditing. With his group, Stefan drives Presta's process maturity along ISO TS 16949, ASPICE (ISO 15504), ISO 14001, and other international standards. BPM at Presta is done using a model-based and document-oriented approach to share knowledge about processes, compliances, and the related organizational structure corporate wide. His process knowledge is based on his technical background, including a Ph.D. in manufacturing engineering and work experience in product management and engineering as well as ERP-systems implementation. He also works as BPM-Expert for the University of Liechtenstein and contributes his knowledge to process management trainings.

Prof. Dr. Andreas Oberweis

Karlsruhe Institute of Technology
Institute of Applied Informatics and Formal
Description Methods – AIFB
Karlsruhe, Germany
andreas.oberweis@kit.edu



Andreas Oberweis received a Diploma Degree in Industrial Engineering from the University of Karlsruhe in 1984 and a Doctoral Degree in Computer Science from the University of Mannheim in 1990. From 1985 to 1995, he was Research Assistant at the Universities of Darmstadt, Mannheim, and Karlsruhe. In 1995, he received a Habilitation Degree in Applied Computer Science from the University of Karlsruhe. From 1995 to 2003, he was a Full Professor for Information Systems at Goethe-University in Frankfurt/Main. Since 2003, he is a Professor for Applied Informatics at the University of Karlsruhe. Since 2004, he is also a Director at the Research Center for Information Technologies (FZI) Karlsruhe. His research and teaching interests include business process engineering and software engineering, distributed information systems, digital libraries, and eCollaboration.

Dr. Chun Ouyang

Queensland University of Technology
Business Process Management Group
Brisbane, QLD, Australia
c.ouyang@qut.edu.au

Chun Ouyang is a researcher within the BPM Group at the Queensland University of Technology, Australia. She is also a member of the Australian Research Council Centre of Excellence for Creative Industries and Innovation. She received her Ph.D. in Computer Systems Engineering from the University of South Australia in 2004. Her research interests are in the areas of workflow management and its application, process modeling and analysis, workflow languages and formalization. Since 2006, she has actively undertaken research in application of YAWL to screen business.

**Prof. Dr. Michael P. Papazoglou**

Tilburg University
European Research Institute in Service Science
Tilburg, The Netherlands
mikep@uvt.nl

Michael P. Papazoglou is a Professor at Tilburg University where he is the Director of the European Research Institute in Service Science (ERISS) and the Scientific Director of the European Network of Excellence in Software Services and Systems (S-Cube). He is also an honorary professor at the University of Trento in Italy, and professorial fellow at the Universities Lyon (France), University of New South Wales (Australia) and Rey Juan Carlos, Madrid (Spain). Prior to this, he was Full Professor and Head of School of Information Systems at the Queensland University of Technology in Brisbane, Australia. His research interests lie in the areas of service-oriented computing, Web services, large-scale data sharing, business processes, and federated and distributed information systems. He has published 18 books in these topics and has authored well over 150 journal and conference papers. Most of his papers appeared in very selective and reputable conferences and journals. He is a golden core member and a distinguished visitor of the IEEE Computer Science section.



Hugh Peterken

Metro North Hospital and Health Service
Brisbane, Australia
peterken@theiet.org

Hugh Peterken is the Chief Information Officer for Metro North Hospital and Health Service, a collection of five public hospitals in Brisbane. In a previous role he was the Global Chief Information Officer of the International Red Cross and has extensive international experience in information and communications technology. He has worked in the government, not for profit organizations and commercial sector, helping businesses achieve success through technology. Peterken is highly qualified with a Masters of Engineering, is a registered professional engineer, holds the project management professional qualification and has been recognized for his work domestically (ITSMF Project of the Year 2012) and internationally (Computerworld Laureate 2007 and European Supply Chain Award 2006). Peterken's current interests are in the areas of business process management, IT governance and community accessibility to technology. He is a board member of Kamusi Project international, a project to develop ICT terminology in African languages.

**Dr. Martin Petry**

Hilti Corporation
Schaan, Liechtenstein
martin.petry@hilti.com

Dr. Martin Petry holds a Ph.D. in Applied Mathematics from Georg-August-University in Göttingen, Germany. He became Hilti's CIO in 2005 and is responsible for 360 IT employees based in Schaan (Liechtenstein), Tulsa (Oklahoma) and Kuala Lumpur (Malaysia). Since 2009 he is also in charge of Hilti's Business Excellence initiatives. Dr. Petry came to Hilti in 1993 and has held various leadership roles in Liechtenstein, Switzerland, Great Britain and Japan. He has developed Hilti's ground-breaking IT Strategy in 2000 and has led since then its implementation, in particular he continues to lead Hilti's global SAP implementation cum business transformation project (standard global data structures and business processes supported by a global single system/single instance SAP system with ERP, BI, CRM and SCM now being used by 18,000 Hilti employees in more than 50 countries). Recently Dr. Petry has initiated various cloud computing/SaaS initiatives at Hilti, including the implementation of SAP Business ByDesign in Hilti's smaller sales organizations.



Dr. Daniel Pfeiffer

Munich, Germany
mail@daniel-pfeiffer.de

Daniel Pfeiffer holds a Ph.D. in Information Systems from Westfälische Wilhelms-Universität Münster and master's degree (Dipl.-Wirt.-Inf.) in Information Systems from Dresden University of Technology. Daniel's main research interests are in the area of business process modeling and analysis as well as in the field of method engineering. He has written more than 50 refereed papers that have been published in major IS-journals and at leading IS-conferences. He has worked as visiting assistant in research at Yale University, as research associate at the European Research Center for Information Systems (ERCIS), and as freelance consultant. Since March 2009 Daniel works as a project leader in the Munich office of the Boston Consulting Group. Daniel is specialized in IT sourcing and organization topics in banking, insurance, and the industrial goods sector.

**Prof. Dr. h. c. mult. Hasso Plattner**

Hasso Plattner Institute
Potsdam, Germany
hasso.plattner@hpi.uni-potsdam.de

Prof. Dr. h.c. mult. Hasso Plattner is one of the co-founders of SAP AG and has been Chairman of the Supervisory Board since May 2003. In this role and as Chief Software Advisor, he concentrates on defining the medium- and longterm technology strategy and direction of SAP. He also heads the Technology Committee of the SAP Supervisory Board. In 1972, Hasso Plattner and four colleagues left IBM in Mannheim, Germany, to found SAP (Systems, Applications, Products in Data Processing). Based in Walldorf, Germany, SAP AG is today the leading provider of enterprise software solutions integrating processes within and among enterprises and business communities. When SAP went public in 1988, Hasso Plattner was appointed Vice Chairman of the Executive Board. From 1997 to May 2003, he was Chairman of the Executive Board and CEO of SAP. In May 2003, he was elected to the SAP Supervisory Board and took over the chairmanship from co-founder Dietmar Hopp. Hasso Plattner received his Master's Degree in Communications Engineering from the University of Karlsruhe. In 1990, the University of Saarbrücken awarded him an honorary doctorate, and in 1994 he was granted an honorary full professorship. In 1997, as chairman of SAP America, Inc., co-chairman of SAP and the chief architect of SAP R/3, Hasso Plattner received the Information Technology Leadership Award for Global Integration as part of the Computerworld Smithsonian Awards Program. In 1998, he was inducted into the German Hall of Fame. In 2002, Hasso Plattner was appointed Honorary Doctor, and in 2004 Honorary Professor by the University of



Potsdam. Hasso Plattner also founded the Hasso Plattner Institute (HPI) for IT Systems Engineering at the University of Potsdam in 1998 with the largest single private contribution to a university ever made in Germany. Through his continuing financial support, he is helping the HPI in its efforts to become a center for the education of world-class software specialists.

Dr. Artem Polyvyanyy

Queensland University of Technology
Business Process Management Group
Brisbane, QLD, Australia
artem.polyvyanyy@qut.edu.au



Dr. Artem Polyvyanyy is a research fellow at the Business Process Management Discipline, Information Systems School, Science and Engineering Faculty, of the Queensland University of Technology, Brisbane, Australia. He has strong background in computer science, software engineering, and business process management from the National University of Kyiv-Mohyla Academy, Kyiv, Ukraine, and the Hasso Plattner Institute, Potsdam, Germany. In March 2012, he received a Ph.D. degree (Dr. rer. nat.) in the scientific discipline of practical computer science from the University of Potsdam, Germany. His research and teaching interests include distributed and parallel systems, automata theory, formal analysis, information systems, software engineering, and workflow management. He has published more than 30 scientific works on these topics in academic book chapters, journal articles, and conference papers.

David Raber

University of St. Gallen
Institute of Information Management
Gallen, Switzerland
david.raber@unisg.ch



David Raber is research assistant and doctoral student in a collaborative setting between the Institute of Information Management, Chair of Prof. Dr. Robert Winter, University of St. Gallen and SAP (Switzerland) AG. He holds a master's degree in computer science from Saarland University, Germany. His research interests include business intelligence, data warehousing, business process management, and maturity models.

Dr. Michael Räckers

University of Muenster
European Research Center for Information Systems
Muenster, Germany
michael.raeckers@ercis.uni-muenster.de



Michael Räckers holds a Ph.D. in Information Systems from Westfälische Wilhelms-Universität Münster. Furthermore, he received his bachelor's and master's degree in Information Systems from University of Münster. Actually, he is an Assistant Professor (Akademischer Rat) at ERCIS at the University of Münster. Michael was the coordinator of several research projects, funded by national and international funding organizations, especially on the topics of conceptual modeling, domain specific business process modeling and semantic business process modeling in the public sector domain. His work comprises more than 50 scientific papers which have appeared in high ranked international proceedings and journals. His main research interests are semantic business process management, domain specific business process management, e-government, IT-acceptance in the public sector and use of social media in the public sector.

Alan J. Ramias

Performance Design Lab
Chandler, AZ, USA
aramias@thepdlab.c



Alan Ramias is a Partner of the Performance Design Lab (PDL). PDL is a consulting and training organization with decades of experience in applying BPM and performance improvement. The founder of PDL was the late Dr. Geary Rummler. PDL continues to evolve and expand the theory base and methodologies introduced in Rummler's book, *Improving Performance*. Alan started Motorola, where he worked for 10 years as an internal consultant. He was a member of the team that founded Motorola University and was the first person to introduce Geary Rummler's pioneering concepts in process improvement and management to business units within Motorola. Alan joined The Rummler-Brache Group in 1991 and was a project leader at companies like Shell, Hewlett-Packard, 3M, Citibank, Motorola, Steelcase, Citgo, Hermann Miller, Louisiana-Pacific, and Bank One. He became a partner and Managing Director of Consulting Services at RBG and was responsible for selecting, training and overseeing RBG's consultant teams.

Prof. Dr. Jan Recker

Queensland University of Technology
 Information Systems School
 Brisbane, QLD, Australia
j.recker@qut.edu.au



Jan Recker is the Woolworths Chair of Retail Innovation, Alexander-von-Humboldt Fellow and a Full Professor for Information Systems at Queensland University of Technology. His research focuses on organizational innovation, process management in organizational practice, and IT-enabled business transformations. Jan has written over 130 journal articles and conference papers on these and other topics and published three books on process management and research. His work has received funding in excess of \$2 million, from government and several large organizations, including SAP, Woolworths, Hargreaves, Suncorp, IP Australia, Australian Federal Police, Ergon, Stanwell, Federal and State Government, and others.

Micheal Reeves

Queensland Courts
 Department of Justice and Attorney-General
 Brisbane, QLD, Australia
micheal.reeves@justice.qld.gov.au



Micheal Reeves is a Business Process Expert with the Future Courts Program at the Department of Justice and Attorney-General, Brisbane, Australia. His 28 year career has encompassed all levels of the Queensland Courts system resulting in a wide range of experience and skills. He currently utilizes those skills in the analysis, modeling, and design/redesign of business processes, rules, and workflows to develop improved operational processes.

Prof. Dr. Manfred Reichert

University of Ulm
 Institute of Databases and Information Systems
 Ulm, Germany
manfred.reichert@uni-ulm.de



Manfred Reichert holds a Ph.D. in Computer Science and a Diploma in Mathematics. Since 2008 he has been appointed as

Full Professor at the University of Ulm, where he is director of the Institute of Databases and Information Systems. Before, he was working as Associate Professor at the University of Twente in the Netherlands. There, he was also a member of the management board of the Centre for Telematics and Information Technology, which is one of the largest academic ICT research institutes in Europe. Manfred's research interests include business process management, service-oriented computing, and e-health. He has been PC Co-chair of the BPM'08, CoopIS'11, EMISA'13 and EDOC'13 conferences, and General Chair of the BPM'09 and EDOC'14 conferences. In 2013, he received the BPM Best of Time Award.

Prof. Dr. Hajo A. Reijers

Eindhoven University of Technology
Department of Mathematics and Computer Science
Eindhoven, The Netherlands
h.a.reijers@tue.nl



Hajo Reijers is a Full Professor of Information Systems at Eindhoven University of Technology, as well as the head of BPM Research of Perceptive Software. His research focus is on business process management topics, specifically business process redesign, business process modeling, workflow management technology, and simulation. On these topics, he published over 150 scientific papers, chapters in edited books, and articles in professional journals. He also co-authored a textbook on BPM, *Fundamentals of Business Process Management*, which was released in 2013. Hajo is one of the founders of the Dutch BPM-Forum (<http://www.bpmforum.org>) and the managing director of the European BPM Round Table initiative (<http://bpmroundtable.eu/>).

Nicholas Rohmann

4C Group AG
Munich, Germany
nrohmann@4cgroup.com



Nicholas Rohmann is a consultant at one of the leading and independent Top-Management consulting firms specialized in cost and performance management and innovative corporate management systems. With a unique broad approach – starting from the business concept and covering all organizational and IT-technological implementation aspects as well as tailor-made management coaching – 4C Group ensures a lasting effect on overall corporate performance for companies in different industries. During his time at the ThyssenKrupp Presta, a leading automotive supplier for steering systems, Nicholas Rohmann was involved in setting up a department for corporate governance on business process management. Within

that department, he had with his team the responsibility for the corporate process management system. He developed a combined model-based and document-oriented approach to sharing knowledge about processes, compliances, and the related organizational structure corporate wide. Besides, he implemented an integrated lean product-portfolio management and management reporting system as well as a resource and order management system in the prototype shops. Today he focuses on project governance for large process and IT-system renewal programs.

Prof. Dr. Michael Rosemann

Queensland University of Technology
Faculty of Science and Engineering
Brisbane, QLD, Australia
m.rosemann@qut.edu.au



Dr. Michael Rosemann is Professor and Head of the Information Systems School at Queensland University of Technology, Brisbane, Australia. This School includes QUT's Business Process Management Discipline, which he jointly founded with Prof. Arthur ter Hofstede in 2004. Dr. Rosemann is the author/editor of seven books and more than 200 refereed papers including publications in MISQ, JAIS and EJIS, and is Editorial Board member of ten international journals. His main research interests are strategic alignment of BPM, process innovation, BPM governance and BPM governance. Dr. Rosemann has been the Chair of the first International Conference on Business Process Management outside Europe (2007) and keynote speaker at all major BPM conferences in the world. His research projects received funding from industry partners such as Accenture, Infosys, Rio Tinto, SAP and Woolworths. Dr. Rosemann has been instrumental in the design of QUT's Masters in Business Process Management.

Geary A. Rummler

Performance Design Lab
Tucson, AZ, USA



Dr. Geary A. Rummler was the founding Partner of the Performance Design Lab (PDL), where he was continuing his lifelong work on organizational performance improvement in complex systems until his death in October 2008. Prior to founding the Performance Design Lab, Geary was the founding partner of The Rummler–Brache Group, an organization that became a leader in the business process improvement and management business in the 1980s and 1990s. Prior to that, Geary was President of the Kepner–Tregoe Strategy Group, specialists in strategic decision making; co-founder and president of Praxis Corporation, an innovator in the analysis and improvement of human performance;

co-founder and director of the University of Michigan's Center for Programmed Learning for Business. In addition to consulting and teaching, Geary published a steady stream of articles and a variety of books. In 1988, he co-authored *Training and Development: A Guide for Professionals*, with George S. Odiorne. In 1990, he co-authored *Improving Performance, How to Manage the White Space on the Organization Chart* with Alan P. Brache. Geary received his MBA and Ph.D. from the University of Michigan.

Dr. Shazia Sadiq

The University of Queensland
School of Information Technology and Electrical Engineering
Brisbane, QLD, Australia
shazia@itee.uq.edu.au



Shazia Sadiq is Professor of Computer Science at the University of Queensland, where she undertakes teaching and research on business information systems with a particular focus on data quality, business processes management, and risk and compliance modelling. She is co-leader of the Data and Knowledge Engineering Research group (www.itee.uq.edu.au/dke) at the University of Queensland. Her research is published widely in computer science and information systems journals and conferences including ISJ, TKDE, WWWJ, VLDBJ, ER, CAiSE, BPM and SIGMOD. Shazia holds a Ph.D. from The University of Queensland and a master's degree in Computer Science from the Asian Institute of Technology, Bangkok, Thailand.

Prof. Dr. August-Wilhelm Scheer

German Research Center for Artificial Intelligence
Institute for Information Systems (IWi)
Saarbrücken, Germany
scheer@iwi.uni-sb.de



Dr. August-Wilhelm Scheer is the founder of IDS Scheer AG and imc AG. Since its IPO in 1999 until its acquisition by Software AG in September 2009, he was chairman of the Supervisory Board of the IDS Scheer AG and still is chairman of the imc AG. Moreover, from 1975 until 2005 he was Director of the Institute for Information Systems (IWi) at Saarland University. His research activities focus on information and business process management in industry, the services sector, and in public administration. His publications, translated into eight languages, have gained worldwide attention. In 2000, he founded the Scheer Group GmbH which participates in innovative high tech companies. In 2003, he received the Philip

Morris Research award and was named Entrepreneur of the year. From 2006 to 2008, he was member of the council for innovation and growth of the Federal Government. Professor Scheer was president of the German Federal Association for Information Economy, Telecommunications, and New Media (BITKOM), vice president of the Bundesverband der Deutschen Industrie e.v. (BDI) and was member of the Research Union Economy – Science.

Prof. Dr. Werner Schmidt

Technische Hochschule Ingolstadt Business School
Ingolstadt, Germany
werner.schmidt@thi.de



Werner Schmidt is a Professor of Business Informatics at the Technische Hochschule Ingolstadt (THI) Business School, Germany. His teaching and research areas include business process management and IT management. In these areas he is (co-) author/editor of some books, conference proceedings and numerous research papers. He has organized and chaired several academic events and is regularly serving on the program committee of several conferences (e.g., www.s-bpm-one.org). Werner is co-founder and chair person of the Institute of Innovative Process Management (www.i2pm.org) and partner of BayTech (www.baytech.de), a technology transfer institution of the Bavarian Ministry of Economic Affairs, Infrastructure, Transport and Technology. He has many years of industry experience in BPM and software development projects, gained while working for software and service providers such as Datev eG.

Dr. Theresa Schmiedel

University of Liechtenstein
Institute of Information Systems
Hilti Chair of Business Process Management
Vaduz, Liechtenstein
theresa.schmiedel@uni.li



Theresa Schmiedel is Assistant Professor at the Hilti Chair of Business Process Management at University of Liechtenstein. She holds a Ph.D. in business economics from the University of Liechtenstein and a Diploma in economics from University of Hohenheim, Stuttgart, Germany, which she conducted partially at York University, Toronto, Canada. She worked as a Research Assistant at the Department for Sociology and Empirical Social Research, University of Hohenheim, and the Centre for Cultural and General Studies, Universität Karlsruhe, Germany. Her research focuses on the social phenomena in IS research. Her work has been published in *Information & Management*, *Business Process Management Journal*, academic books and conferences.

Rainer Schuster


Vienna University of Technology
Vienna, Austria
schuster@ec.tuwien.ac.at

Rainer Schuster received his M.Sc. in Business Informatics at the Vienna University of Technology in 2006. His master thesis focuses on his work within the UN/CEFACT (United Nations Centre for Trade Facilitation and Electronic Business) standardization group and is located in the field of B2B. It was supervised at the Department of Distributed and Multimedia Systems at the University of Vienna and was awarded with the 1st prize of the INITS award 2006. Currently, he is working on his Ph.D. thesis and employed as a researcher at the Institute for Software Technology and Interactive Systems (Electronic Commerce Group) at the Vienna University of Technology. His research interest focuses on business modeling and business process modeling methodologies within the field of inter-organizational data exchange between information systems.

**Dr. Stefan Seidel**

University of Liechtenstein
Institute of Information Systems
Hilti Chair of Business Process Management
Vaduz, Liechtenstein
stefan.seidel@uni.li

Dr. Stefan Seidel is an Assistant Professor of Information Systems and Business Process Management at the Institute of Information Systems at the University of Liechtenstein. His research interests include green information systems and sustainable development, organizational creativity and innovation, IT-enabled change and transformation, business process management, and theory development in information systems research. His research has appeared in major international journals, among others, *Management Information Systems Quarterly*, *Journal of the Association for Information Systems*, and *Journal of Information Technology*. Stefan is co-editor and co-author of the book *Green Business Process Management: Towards the Sustainable Enterprise*, a resource of state-of-the-art knowledge on green business process management. He received his doctoral degree from the University of Muenster, Germany.



Prof. Dr. Ulf Seigerroth

Jönköping University
Sweden
ulf.seigerroth@jth.hj.se


Associate Professor Ulf Seigerroth is with Jönköping University, School of Engineering (JTH), Sweden. Seigerroth is since 2010 director of the research environment Information Engineering at JTH (<http://hj.se/jth/en/research/research-areas/information-engineering.html>). Before this, Seigerroth was Head of Department of Informatics at Jönköping International Business School. Seigerroth was one of the co-founders of GSI (Graduate School of Informatics) that was launched in April 2008. Seigerroth's current research is directed towards enterprise modeling, business and IT-alignment and transformation. Within this area more specific issues are enterprise architecture, information logistics, competence supply, method engineering, and collaborative practice. His research is characterised by empirically driven and theory, method informed development (action research), and artefact centred evaluation and development (design science).



Robert Shapiro

Process Analytica
Wellfleet, MA, USA
rshapiro@processanalytica.com

Robert Shapiro is founder and manager of Process Analytica. He is also Senior Vice President: Research, for Global 360. He founded Cape Visions, which was acquired by Global in 2005. At Cape Visions, he directed the development of Analytics and Simulation software used by FileNet/IBM, Fujitsu, PegaSystems, and Global 360 Business Process Management products. Prior to founding Cape Visions, as founder and CEO of Meta Software Corporation, he directed the implementation of a unique suite of graphical modeling and optimization tools for enterprise-wide business process improvement. Products based on these tools are used by Bank America, Wells Fargo, JPMChase, and other major banks to optimize their check processing and Lock Box operations. As a participant in the workflow management coalition and chair of the working groups on conformance and process definition interchange, he plays a critical role in the development of international standards for workflow and business process management. In 2005, he was awarded the Marvin L. Manheim Award for outstanding contributions in the field of workflow.



Katherine Shortland

Centre for Screen Business
Sydney, Australia
katherine.shortland@gmail.com



Katherine Shortland has worked across all aspects of the arts, including arts funding, digital broadcasting, publicity and marketing, public broadcasting, and film production. Katherine completed her B.A. (Hons) at the University of NSW, after receiving a research scholarship to the University of Exeter, UK. In 2005, she completed her M.A. in Film Producing at AFTRS. She was the inaugural Research Fellow with Centre for Screen Business, AFTRS, where she successfully implemented the film production software developed in association with the BPM Group QUT, on the feature film “Prime Mover.” Katherine also worked with Caltech, California, into predictive market theory. Katherine has published in a number of academic journals and presented at international conferences on new approaches to the screen industry. Katherine continues to work as a freelance producer with advertising agencies and film/TV production companies. She is currently the Business Affairs Manager at both The Wiggles and Cordell Jigsaw Productions in Sydney. In 2009, Katherine, along with her partner, launched a wine label, Seven Sundays.

Dr. Anna Sidorova

University of North Texas
College of Business
Department of Information Technology and Decision Sciences
Denton, TX, USA
anna.sidorova@unt.edu



Anna Sidorova is an Associate Professor of business information systems at the University of North Texas. Her research and professional interests include business process management, business intelligence and open source software development. Her research has appeared in such journals as *MIS Quarterly*, *Journal of Management Information Systems*, *Journal of the Association for Information Systems*, *Decision Support Systems*, *Information and Management*, and *Business Process Management Journal*. Prior to joining UNT, Anna Sidorova worked as a senior consultant on process improvement projects at PricewaterhouseCoopers in Moscow, Russia, and as an Assistant Professor at the University at Albany, SUNY. Anna Sidorova received her Ph.D. in MIS from Washington State University.

Sergey Smirnov

University of Potsdam
Hasso Plattner Institute of IT Systems Engineering
Business Process Technology Group
Potsdam, Germany
sergey.smirnov@hpi.uni-potsdam.de

Sergey Smirnov is a researcher at SAP AG, Germany. He develops innovative software applications enabling cross enterprise collaboration. Sergey's professional interests include business process modeling methodologies and enablement of cross enterprise processes. Sergey graduated with honors from Saratov State University, Russia and earned a Master of Science degree in software engineering from Hasso Plattner Institute of IT Systems Engineering at the University of Potsdam, Germany. A subsequent internship at SAP Labs in Palo Alto, USA, enriched his professional experience. Afterwards, Sergey joined Business Process Technology Group at Hasso Plattner Institute as a doctoral student. He published several conference papers and journal articles on process model transformation and quality of business process models. In 2012 Sergey defended with honors the doctoral thesis titled "Business Process Model Abstraction" and joined SAP.

**Dr. Christian Sonnenberg**

University of Liechtenstein
Institute of Information Systems
Hilti Chair of Business Process Management
Vaduz, Liechtenstein
christian.sonnenberg@uni.li

Christian Sonnenberg is an associated researcher at the Institute of Information Systems at the University of Liechtenstein. Christian's areas of research include business process analysis and the facilitation of business process analysis tasks through process-oriented accounting information systems. After working as a Research Assistant at the European Research Center for Information Systems (ERCIS), Christian joined the BPM research group at the Institute of Information Systems at the University of Liechtenstein in 2007. Since his time at the University of Liechtenstein he served as an IT systems architect of the "EU Network of Excellence on Global Governance, Regionalization and Regulation (GARNET)" and has been teaching in the international Master Program in Business Process Management at the University of Liechtenstein (www.bpm-master.com). Christian's research has been published in renowned international conferences and journals in the fields of business process management and (accounting) information systems. After receiving his Ph.D. (Dr. rer. oec.) from the University of Liechtenstein in 2013, he is now working as a BPM



consultant. Christian is the founder of BPMOffice.com (www.bpmoffice.com), which aims at providing application and consulting services in support of major business process analysis tasks along the BPM lifecycle.

Andrew Spanyi

Spanyi International Inc.
Oakville, ON, Canada
andrew@spanyi.com



Andrew Spanyi's work in the area of business process management is recognized internationally. He advises organizations on transformation and the behavioral aspects of process governance. He is the author of three books: *More for Less: The Power of Process Management*, *Business Process Management Is a Team Sport: Play It to Win!* and *Operational Leadership*. He has delivered keynote speeches at conferences in Canada, the USA, and in Europe (England, Ireland, Belgium, and Slovenia). He has published articles on process issues in a broad cross-section of magazines. He has managed and/or consulted on over 100 major improvement projects and has participated in the development and delivery of dozens of sales and management training programs. He was formerly an editorial board member with the BPM Institute, and a Research Associate at the Process Management Research Center, Babson College. He is on the Advisory Board at the Association of Business Process Management Professional. He regularly conducts executive training in BPM (www.spanyi.com) and provides advice to organizations in industries such as telecommunications, banking, insurance, electric utilities, pharmaceuticals, and chemicals.

Prof. Dr. Christian Stary

Johannes Kepler University of Linz
Knowledge Management Competence Center
Department of Business Information Systems –
Communications Engineering
christian.stary@jku.at



As a computer scientist he completed his Ph.D. in Usability Engineering 1988 at the Vienna University of Technology, while studying philosophy of science and psychology at the University of Vienna. He has been promoted in Applied Computer Science for associate professorship at the Vienna University of Technology before holding a visiting position at Florida International University and being appointed in Linz in 1995. His research interests are interactive knowledge elicitation, learning, and knowledge processing. Besides teaching fundamentals and applications of interactive knowledge management techniques and

distributed technologies, he is principal investigator in national and international research and development projects, such as, TwinTide (design and evaluation method transferability across industry sectors) or SoPCPro (Subject-Oriented for People-Centered Production).

Christine Stephenson

Enterprise Architects
Brisbane, QLD, Australia
christine.stephenson@emirates.com

Christine Stephenson is the Manager of Enterprise Architecture for the Emirates Group of Companies in Dubai, which includes Emirates Airlines. She has a vast knowledge of Enterprise Architecture, having worked in the public and private sector as a practitioner in Australia and now overseas. Christine has a background in business analysis and is passionate about integrating business process management and enterprise architecture frameworks to get better alignment between the business and IT.



Prof. Dr. Arthur H.M. ter Hofstede

Queensland University of Technology
Brisbane, QLD, Australia
arthur@yawlfoundation.org

Arthur ter Hofstede received his Ph.D. in Computer Science from the University of Nijmegen in the Netherlands in 1993. Currently, he works as a Professor in the Information Systems Discipline of Queensland University of Technology in Brisbane, Australia, where he is co-leader of the BPM group. His main research interests are in the conceptual and formal foundations of workflow. He is involved in both the Workflow Patterns Initiative (<http://www.workflowpatterns.com>) and the YAWL (Yet Another Workflow Language) Initiative (<http://www.yawl-system.com>).



Russell Torres

Accenture
Dallas, TX, USA
russell.r.torres@accenture.com

Russell Torres is a Senior Manager in Accenture's Architecture, Development, and Integration practice and focuses on the design, development, and delivery of custom applica-



tions to support business critical operations. Russell is a certified Senior Technical Architect and has implemented solutions for numerous clients in industries such as aerospace, financial services, telecommunications, and government. Russell is currently working towards a Ph.D. in Business Computing Information Systems at the University of North Texas. His research interests include the role of IT in Business Process Management and the organizational impact of Open Source Software adoption and use. In addition to refereed conference proceedings, workshops, and symposiums, his work can be found in the *Journal of Computing Information Systems*. Russell is a co-author of *A Survey of Core Research in Information Systems* (Springer 2013).

Roger Tregear

Leonardo Consulting
Canberra, Australia
r.tregear@leonardo.com.au

Roger Tregear is a Consulting Director with Australian BPM services company, Leonardo Consulting. Often working as a “thinking partner” and mentor, he provides BPM consulting and education services in Australia and overseas. Roger’s consulting work over the years has covered a wide variety of situations and organization types. The common thread in all of this diversity has been the identification and resolution of complex business problems. Whether in strategic planning, project rescue, performance analysis, or innovation, the key task has been to first determine what the real questions are and then to answer them in meaningful and pragmatic ways. An active educator in BPM, Roger has delivered training courses and presentations in Saudi Arabia, Bahrain, UK, Africa, Australia, and New Zealand. A frequent writer on BPM topics, Roger is a regular columnist at www.bptrends.com.



Prof. Dr. Wil van der Aalst

Eindhoven University of Technology
Eindhoven, The Netherlands
w.m.p.v.d.aalst@tue.nl

Prof.dr.ir. Wil van der Aalst is a Full Professor of Information Systems at the Technische Universiteit Eindhoven (TU/e). He is also the Academic Supervisor of the International Laboratory of Process-Aware Information Systems of the National Research University, Higher School of Economics in Moscow. Moreover, since 2003 he has a part-time appointment at Queensland University of Technology (QUT). His research interests include workflow management, process



mining, Petri nets, business process management, process modeling, and process analysis. Many of his papers are highly cited (he has an H-index of more than 104 according to Google Scholar, making him the European computer scientist with the highest H-index) and his ideas have influenced researchers, software developers, and standardization committees working on process support. In 2012, he received the degree of doctor honoris causa from Hasselt University. In 2013, he was appointed as Distinguished University Professor of TU/e and was awarded an honorary guest professorship at Tsinghua University. He is also a member of the Royal Holland Society of Sciences and Humanities (Koninklijke Hollandsche Maatschappij der Wetenschappen) and the Academy of Europe (Academia Europaea).

Prof. Dr. Jan vom Brocke

University of Liechtenstein
 Institute of Information Systems
 Hilti Chair of Business Process Management
 Vaduz, Liechtenstein
 jan.vom.brocke@uni.li



Jan vom Brocke is head of the BPM group in Liechtenstein. He is Professor of Information Systems, the Hilti Chair of Business Process Management, and Director of the Institute of Information Systems. He is Founder and Co-Director of the *International Master Program in IT and Business Process Management* and Director of the *PhD Program in Information and Process Management* at the University of Liechtenstein (see: www.bpm-education.org). Since 2012 he has been appointed Vice-President of the University of Liechtenstein responsible for research and innovation. Jan has over 15 years of experience in IT and BPM projects and he has published more than 200 papers in renowned outlets, including *MIS Quarterly (MISQ)*, the *Journal of Management Information Systems (JMIS)* and the *Business Process Management Journal (BPMJ)*. He serves on the editorial review board of the *Journal of Information Systems (JAIS)*, and he is Associate Editor of *Business and Information Systems Engineering (BISE)*, Co-Editor-in-Chief of the *Journal of Information Technology Theory and Application (JITTA)*, and Editor-in-Chief of *Springer Briefs in Business Process Management*. He has authored and edited 20 books, including *Business Process Management: Driving Innovation in a Digital World* and *Green BPM: Towards the Sustainable Enterprise*. Jan is an invited speaker and trusted advisor on BPM serving many organizations around the world.

Jianrui Wang


Pennsylvania State University
Department of Industrial and Manufacturing Engineering
University Park, PA, USA
jerrywang@psu.edu

Jianrui Wang is a Ph.D. student at Department of Industrial and Manufacturing Engineering at Pennsylvania State University at University Park. His research areas are business process management, supply chain management, and systems modeling and simulation.

**Prof. Dr. Mathias Weske**

University of Potsdam
Hasso Plattner Institute
Business Process Technology
Potsdam, Germany
mathias.weske@hpi.uni-potsdam.de

Professor Dr. Mathias Weske is chair of the business process technology research group at Hasso Plattner Institute of IT Systems Engineering at the University of Potsdam, Germany. His research interests include business process management, process choreographies, process modeling methodologies, and service oriented computing. During 2009, he held a Visiting Professor position at the University of California Davis. Dr. Weske has published 12 books and over 100 scientific papers in journals and conferences. He is on the steering committee of the BPM conference series, a member of ACM, IEEE, and GI. From 2006 through 2012, Dr. Weske was the chairperson of EMISA, the German Computer Science Society Special Interest Group on Development Methods for Information Systems and their Application. Dr. Weske has published a textbook on business process management. He is a co-founder of Berlin-based software company Signavio and chair person of the Business Process Management Academic Initiative, which aims at strengthening teaching and research in business process management.

**Prof. Dr. Robert Winter**

University of St. Gallen
Institute of Information Management
Gallen, Switzerland
robert.winter@unisg.ch

Prof. Dr. Robert Winter is tenured Chair of Business and Information Systems Engineering at University of St. Gallen (HSG), Director of HSG's Institute of Information



Management, Founding Academic Director of HSG's Executive Master of Business Engineering programme and Academic Director of HSG's Ph.D. in Management programme. He received Master degrees in Business Administration and Business Education as well as a doctorate in Social Sciences from Goethe University, Frankfurt, Germany. After 11 years as a researcher and deputy chair in information systems in Germany, he joined HSG in 1996. His research areas include situational method engineering, enterprise architecture management, transformation management, healthcare network management and corporate controlling systems. He is vice editor-in-chief of *Business & Information Systems Engineering* (formerly "Wirtschaftsinformatik") as well as member of the editorial boards of *European Journal of Information Systems*, *Information Systems and e-Business Management* and *Enterprise Modelling and Information Systems Architectures*.

Dr. Robert Woitsch

University of Vienna
 Department of Knowledge and Business Engineering
 Vienna, Austria
 robert.woitsch@dke.univie.ac.at



Robert Woitsch holds a Ph.D. in Business Informatics and is currently responsible for European and National research projects within the consulting company BOC (www.boc-group.com) in Vienna, in the domain of knowledge management and technology-enhanced learning. He has been dealing with KM-projects since 2000, starting with the EU-funded projects PROMOTE, and EKMF and has recently been working on KM-aspects in about 20 EU-projects. Mr. Woitsch is also involved in commercial KM projects, especially in the security domain for the design of documentation processes, skill management, and knowledge balances and is a member of the Austrian Standardization Institute contributing to the ON-Workshop 1144 "Knowledge Management". Besides his engagement at BOC, he teaches at the Department of Knowledge and Business Engineering at the Faculty of Computer Science at the University of Vienna. The tight coupling between BOC and the University of Vienna is expressed in about 40 joined papers. Recently, he is responsible for the meta-modeling platform www.adox.org.

Dr. Moe Thandar Wynn

Queensland University of Technology
 Business Process Management Group
 Brisbane, QLD, Australia
 m.wynn@qut.edu.au



Moe Thandar Wynn is a researcher within the BPM Group at Queensland University of Technology, Brisbane, Australia.

She received her Ph.D. degree in the area of workflows with cancellation regions and OR-joins in 2007. She has been actively involved in the Yet Another Workflow Language (YAWL) research initiative (<http://www.yawlfoundation.org>) since 2004. Her main research interests include process automation, process verification, process simulation, process mining, Petri nets and Reset nets, service-oriented architectures, workflow patterns, and YAWL. She has published more than 20 referred papers on the topics of advanced synchronization (OR-join), reduction rules, workflow verification, and process simulation. She also conducts executive training on Business Process Modelling Notation (BPMN) for a number of Queensland government agencies.

Dr. Marco Zapletal

Vienna University of Technology
Institute of Software Technology and Interactive Systems
Electronic Commerce Group
Vienna, Austria
marco@ec.tuwien.ac.at



Marco Zapletal received his Ph.D. in “business informatics” from the Vienna University of Technology in 2009. There, he is currently employed as a university assistant at the Electronic Commerce Group. Furthermore, during his first Ph.D. year, he was working as an Enterprise Architect at T-Mobile Austria. He was granted a Siemens scholarship for visiting TU Eindhoven in 2009. His research interests focus on electronic data interchange (EDI) and business-to-business electronic commerce (B2B), business process modeling, service-oriented architectures, and the derivation of deployment artifacts (e.g., Web service choreographies) from business process models. Marco has published over 20 publications in international journals and conferences. He chairs the Business Process Working Group (BPWG) within the United Nations Center for Trade Facilitation and Electronic Business (UN/CEFACT) and co-authors the UN/CEFACT’s Modeling Methodology (UMM).

Dr. Gregor Zellner

ibi research at the Universität Regensburg GmbH
Regensburg, Germany
gregor.zellner@wiwi.uni-regensburg.de

Gregor Zellner is Research Director for the competence centre Governance & Controlling at the ibi research institute at the Universität Regensburg, Germany. He has earned his doctorate from the University of St. Gallen in 2003 and is Associate Professor for business informatics at the



Universität Regensburg since 2011. His research and consulting areas are within the field of business engineering with a focus on quality management (especially Six Sigma), business process management, and enterprise architecture. He has international contacts with the BPM Group at Queensland University of Technology, Brisbane, Australia, and cooperates with the Dublin City University in the field of business process management. His research is internationally published and presented at conferences (e.g., ICIS, ACM (SAC), HICSS), where he regularly serves as associate editor.

Prof. Dr. Michael zur Muehlen

Stevens Institute of Technology
Hoboken, NJ, USA
mzurmuehlen@stevens.edu



Michael zur Muehlen is Associate Dean of Graduate Studies and Associate Professor of Information Systems at Stevens Institute of Technology, where he directs the Research Center on Business Process Innovation and is responsible for the graduate curriculum in Business Process Management and Service Innovation. Michael has over 15 years of experience in process automation and workflow management and has conducted numerous reengineering projects in the public and private sector, both in the USA and Europe. He serves as an advisor to the Chief Architect and Chief Technology Officer of the U.S. Department of Defense's Business Mission Area. Michael actively participates in BPM standardization efforts and in 2004 was named a fellow of the Workflow Management Coalition, where he chairs the working group "Management and Audit". His research focuses on the practical use of process modeling standards, techniques to manage operational risks in business processes, and the integration of business processes and business rules. He is the author of a book on workflow-based process controlling and numerous articles on process management and workflow automation.

Jörg Zwicker

German Research Center for Artificial Intelligence (DFKI)
Institute for Information Systems (IWi)
Saarbrücken, Germany
joerg.zwicker@iwi.dfki.de



Jörg Zwicker received a Master's Degree in Information Systems from the Chemnitz University of Technology, Germany in 2004. He worked as a research assistant at the Chair of Information Systems and Business Administration, Johannes Gutenberg-University Mainz, Germany. Since 2005, he has been researcher and Ph.D. student

at the Institute for Information Systems (IWi) at the German Research Center for Artificial Intelligence (DFKI). There, he manages and works on research and consulting projects in the field of Information System sciences and public administration. Jörg's research interests include business process management, especially BPM assessment and optimization, using maturity models, electronic government, and conceptual modeling. Jörg has published several papers at national and international conferences, and in journals. Furthermore, he organized the First European eGovernment Symposium SaarLorLux in 2008.

Index¹

A

- ABB, 30
- ABPMP, 77
- Abstraction, 147–164, 178
 - block, 156–157
 - conflicts, 199
 - criteria, 149
 - dead end, 158–159
 - loop, 157–158
 - scenarios, 148–149
 - sequential, 155
 - slider, 148, 151
 - strategy, 159
 - threshold, 152
- Abstraction strategy, 159
 - advanced abstraction strategies, 159
 - basic abstraction strategy, 159
- Abstract processes,
- Accountability, 57–58, 335, 342–344, 347, 753–756
 - framework, 374
- Action research,
- Action support, 434–435
- Activities, 224, 552
- Activity-based costing, 231
- Activity diagrams, 232
- Activity stream, 469
- Adaptation, 257, 491. *See also* Process model
 - adaptation
 - pattern, 258–259
- Adaptive processes
 - collaborative, 577
 - step-by-step, 577
- ADEPT2, 491
- Ad hoc process definition, 468
- ADOxx, 631–633, 646
- Agents, 617
- Aggregation, 153, 178
- Agile
 - methods, 28–29
 - scrum, 580
- Agility, 80
- AIM, 586
- Alignment, 5–10
- Alignment dimensions, 306–307
- Alignment maturity, 9, 11, 36–41
 - Level 1, 12
 - Level 2, 12–13
 - Level 3, 13
 - Level 4, 13–14
 - Level 5, 14
- Altshuller, Genrich, 70
- American Productivity and Quality Commission (APQC), 181, 183, 197
- American Productivity & Quality Center (APQC), 169, 338
- American Society for Quality (ASQ), 40, 77
- American Society of Mechanical Engineers, 40
- Analysis
 - conflicts, 197
 - latency, 253
 - steady-state, 353
 - transient, 353
- Analyst, 561
- Analytical modeling, 224
- Analytical models, 339

¹ Note: Page numbers in Roman represent Volume 1. Those in *italics* are in Volume 2.

- Analytics, 548
 process, 564
 Annotation conflicts, 199–200
 Anthropologist, 26
 Application system architecture, 81
 Approaches for the automated analysis, 194
 APQC Process Classification Framework, 169
 AQPC, 63
 ArchiMate, 591
 Architecture
 business (*see* Business architecture)
 enabling, 99–100
 enterprise (*see* Enterprise architecture)
 human performance, 102
 IT, 308
 technology performance, 100–102
 value creation, 83, 102
 Architecture of Integrated Information Systems
 (ARIS), 160, 161
 ARIS, 255, 382–390, 80
 ARIS house, 183
 ARIS markup language (AML), 158
 Artifact, 221
 constructs, 206
 instantiations, 206
 methods, 206
 models, 206
 ‘As-is’ model, 220
 Assessment, 590
 maturity, 15
 tool, 657
 Audits, 266
 Autocompletion system, 328
 Automation, 141
 analyses, 130
 process automation software, 141
 Automotive bank, 405
 Automotive supplier, 471, 472
 Autopoietic theory, 589
- B**
- Babson College, 335, 346
 Balanced Scorecard (BSC), 48, 66, 56
 methodology, 48
 BAM. *See* Business activity monitoring (BAM)
 B2B,
 B2B choreographies, 626
 Behavior, 605, 606
 Behavioral research, 205
 Benchmarking, 657
 Benefits
 operational, 7
 strategic, 7
- Benz, Karl, 39
 Best practices, 47, 164
 BizPAD. *See* Business process management
 adoption (BizPAD)
 BP analyst, 562, 566, 570
 BP-deployment, 625, 639–642
 BPEL. *See* Business process execution
 language (BPEL)
 BPEL4Chor, 290, 574, 598
 BPEL4People, 616–618
 BP-frameworks, 625–634
 BPM. *See* Business process management (BPM)
 BPM activities, 551
 process transformation, 565
 project management, 568
 BP management methods, 625
 BPM Center of Excellence (BPM CoE),
 399–419
 BPM certification, 548
 BPM CoE. *See* BPM Center of Excellence
 (BPM CoE)
 BPM culture, 656, 658–662
 BPM-culture-model, 653, 654
 BPM curriculum, 548, 557
 BPM elements, 764, 765
 BPM factors
 culture, 493, 498
 governance, 493, 496
 information technology, 493, 497
 methods, 493, 496–497
 people, 493, 497–498
 strategic alignment, 493, 495–496
 BPM governance, 333–335, 337, 340, 342,
 344–348, 403, 407–409,
 412–413, 419
 BPM intermediate, 220
 BPM knowledge, 550
 BPM lifecycle, 344, 345, 155
 business process controlling phase, 360–362
 business process design, 356–359
 business process implementation, 359–360
 business process strategy, 355–356
 Scheer Process Tailor[©], 356, 357
 BPM maturity, 222
 BPM maturity models (BPM²), 65, 205
 BPMN 2.0, 221, 468
 BPM objectives, 651
 BP modeling methods
 BPMN, 562
 process analysis, 562
 BPM practices
 analysis, 561–567
 business process modeling, 561–567
 compliance, 557

- control, 557
- design, 561–567
- governance, 557, 561
- innovation, 558
- measurement, 557
- modeling, 562
- process analysis, 563
- process analytics, 557
- process change management, 557
- process design, 557, 564
- process implementation, 557, 564
- process modeling, 557, 562
- process planning, 557, 561
- strategy, 557, 561
- transformation, 558
- BPM realization approaches
 - collectivist, 212–215, 217, 219, 220, 222
 - freshman, 212, 214, 215, 217, 219, 220, 222
 - individualist, 212–217, 219, 220, 222
 - intermediate, 212, 214–217, 219, 222
- BPM success, 649–662
- BPM suite, 73
- BPM training, 548
- BPO. *See* Business process outsourcing (BPO)
- BPR. *See* Business process reengineering (BPR)
- BPTrends associates pyramid, 48, 49
- Brache, A., 44
- BSC. *See* Balanced Scorecard (BSC)
- Building blocks of BPM
 - culture, 204
 - governance, 204
 - IT, 204
 - methods, 204
 - people, 204
 - strategic alignment, 204
- Bunge–Wand–Weber (BWW) framework, 229
- Burlton, R., 63
- Burlton Hexagon, 49
- Business act
 - communicative act, 307
 - social act, 307
- Business Activity Management (BAM), 434
- Business activity monitoring (BAM), 586, 253, 255, 256, 260
- Business analyst, 549, 550
- Business architecture, 55, 81, 86, 674
- Business case, 136
- Business collaboration, 632
- Business context, 59
- Business document modeling, 646
- Business event, 619
- Business information entity, 643
- Business Intelligence (BI), 424
- Business model, 58, 86, 53, 694–703
- Business model innovation, 85
- Business motivation model (BMM), 53, 200
- Business network transformation, 633
- Business objectives, 267
- Business performance, 36–41
- Business process (BP), 127, 128
 - analyst curriculum, 557–568
 - analysts, 552
 - analytics, 243–262
 - architecture, 57, 86, 90, 215, 369, 551
 - change, 695
 - consultant, 552
 - design, 303
 - development, 472
 - diagram,
 - director, 551, 552
 - excellence, 80, 96, 393–396, 401, 406, 415, 416, 419
 - experts, 375
 - frameworks, 60, 153, 627
 - human-centric,
 - indirect business areas, 472
 - information, 426
 - instance, 155, 158
 - instance level business information, 426
 - instance level process information, 427
 - method, 635–637
 - modeling, 203
 - moniker, 772
 - professional, 548
 - reference level business information, 426, 427
 - reference level process information, 428
 - requirements, 581
 - schema, 155, 158
 - simulation, 337–369 (*see also* Process simulation)
 - standardization, 421–440, 596
 - strategy, 355
 - transformation, 122
 - variation, 251, 423–424
- Business process analytics format (BPAF), 247
- Business Process Definition MetaModel, 183
- Business process execution language (BPEL), 223, 477, 598, 611–617
- Business process governance (BPG), 10, 92–96, 311–331

- Business process management (BPM), 54, 75, 77, 127–145, 188, 219, 290, 291, 338, 343, 79, 474, 602
- approaches taxonomy, 205
 - for BP and IT experts,
 - business process, 352
 - capability, 9–10, 41, 107, 741
 - center of excellence, 84, 366, 381–397
 - center of expertise, 71
 - certification, 549
 - for communities,
 - creativity aware, 727–738
 - culture, 10, 67, 112, 401, 757–758
 - curriculum, 547–570
 - design factors, 210–211
 - for end users,
 - expert, 10, 375–376, 517–540
 - expertise, 10
 - framework, 60, 105, 431, 443, 445, 447–448, 466–468, 626–634
 - governance, 10, 111, 290, 333–348, 399, 403, 750, 756
 - group, 400
 - information technology, 111, 346–347, 757
 - initiatives, 747
 - convergence, 402–404
 - portfolio, 404
 - knowledge, 549
 - knowledge-sensitive, 623
 - leadership, 367
 - lifecycle, 353, 354
 - management discipline, 353
 - maturity, 368, 492–494, 747
 - maturity model, 65–66, 105, 205
 - culture, 10, 67, 112, 498, 693–694, 757–758
 - governance, 10, 111, 496, 750, 756
 - information technology, 111, 497, 757
 - methods, 111, 496–497, 756–757
 - people, 111–112, 497–498, 757
 - strategic alignment, 110–111, 495–496, 750, 755–756
 - method adaptation mechanism, 222
 - methods, 28–29, 111, 496–497, 756–757
 - office, 400
 - people, 111–112, 497–498, 757
 - practice, 550–557
 - principles, 11–12
 - professional, 548
 - project support, 372
 - project types, 214
 - realization approaches, 211–213
 - regulatory framework, 369
 - related initiative, 352
 - repository, 370
 - services, 367, 404, 408
 - offerings, 367
 - portfolio, 367
 - situational aspects,
 - software, 75
 - sponsor, 374
 - steering committee, 375
 - strategic alignment, 110–111, 309, 495, 750, 755–756
 - system, 13, 565–566
 - taxonomy, 203–222
 - tool
 - application invocation, 597
 - execution engine, 597
 - management tool, 597
 - process modeling, 597
 - selection, 371, 376
 - workitem manager, 597
 - training, 548
 - training and communication, 373
 - use cases, 353
- Business Process Management Adoption (BizPAD), 448, 449, 461, 466
- Business Process Management Initiative (BPMI), 164
- Business Process Management Systems (BPMS), 73–76, 466, 575
- BP-management methods, 637–639
 - execution process, 635–636
 - performance evaluation, 636
 - re-engineering, 635
 - resource allocation, 635
 - strategic decision, 635
- Business process manager. *See* Process manager
- Business process maturity model, 65
- Business process model abstraction, 148, 149
- best effort abstraction, 154
 - property preserving abstractions, 154
- Business Process Model and Notation (BPMN), 76, 124, 127, 157, 163. *See also* Business process modeling notation (BPMN)
- role, 575
 - swim lane, 574
- Business process modeling grammar (BPMG), 195
- Business Process Modeling Language (BPML), 222, 164
- Business Process Modeling Notation (BPMN), 219–247, 279, 341, 373–374, 477, 563, 620–622

- Business process outsourcing (BPO), 32, 536, 443–468
 - offshore, 33
- Business process reengineering (BPR), 4, 37, 48–49, 51, 219, 204, 216
 - method, 217
- Business rule, 52–53
 - management, 431
- Business scenario analysis, 55
- Business services, 585
- Business strategies, 7
- Business value score (BVS) 293, 294, 299, 301–303
 - calculation, 295, 298
 - formula, 295, 299, 304
 - model, 295, 303, 304
 - Notional business value score, 302, 303
 - score, 296, 298, 301
 - tool, 294–304
 - value, 299, 300
- BWW, 229

- C**
- Capability, 9–10, 41, 549, 47
- Capability Maturity Model (CMM), 9–10, 19, 41, 42, 54, 65, 107, 499
- Capability Maturity Model Integration (CMMI), 42, 65
- Capability roadmap, 758
- Case management, 538, 576
- CASE tools, 52
- Cause and effect diagram,
- Center of business process excellence, 365, 399, 400
 - capabilities, 400–405
 - responsibilities, 367
- Center of excellence (CoE), 94–96
- Central limit theorem, 353
- CERT values, 655–657
- Champy, James, 50
- Change culture, 10, 665–690, 693
- Change management, 82, 666
- Change method, 666
 - construction methodology, 668
 - construction process, 669
 - engineering, 667
 - situational change method, 669
- Change method engineering (CME), 667
- Change process, 666, 693. *See also* Organizational change
 - emotional change process, 668
- Change project, 667
 - context, 674
 - success factors, 671
- Charity navigator, 773
- Check sheet,
- Chief process officer, 10, 374
- Choreography, 537, 563, 618–620
 - domain, 287
 - error detection, 296–298
 - at high-level process analysis, 287–292
 - modeling, 279–299
 - process languages, 281–287
- Chrysler, 24
- Clients, 296
- Closed Loop BPM, 584
- Cloud BPM,
- Cluster analysis, 210
- CME. *See* Change method engineering (CME)
- CMM. *See* Capability maturity model (CMM)
- Codes of practice, 265
- Cognitive task analysis, 73
- Cognizant, 33
- Collaboration, 472, 573
 - processes, 223
- Collaborative process modeling, 303, 467
 - coordinative dimensions, 307
 - interactive dimensions, 307
 - transformative dimensions, 307
- Collaborative transaction, 588
- Commitment, 658
- Common databases, 472
- Communication plan, 345
- Communication processes, 435
 - human, 425, 436–438
 - system-to-system, 425, 436, 438
- Communications, 6, 11, 21, 424–425, 435–438, 441
- Comparative view, 486
- Competency, 698
- Competency/value measurements, 12, 22–23
- Competing values framework (CVF), 655
- Competitive advantage, 45, 47
- Competitive forces, 47
- Compliance, 243, 265–286, 296
 - degree, 273
 - by design, 266, 698
 - directives, 270
- Component Business Models (CBM), 57
- Computer aided design (CAD), 423
- Computer Aided Software Engineering (CASE), 52
- Computer-assisted analysis, 221

- Computer Integrated Manufacturing Open System Architecture (CIMOSA), 160, 162
 - Concentration, 698
 - Concept development, 655
 - Concept drift, 361
 - Conceptual alignment, 643
 - Conceptual level, 186
 - Conceptual models, 220
 - Confidence interval, 354, 355
 - Configuration, 256, 261–264
 - Construction, 610
 - Consumer social software–Web 2.0, 463
 - Context, 604
 - model, 260–261
 - types (CT), 207, 208
 - Contextual level, 186
 - Contingency model, 206
 - Continuous distributions, 349
 - Continuous improvement, 49, 75, 83, 262, 590, 658
 - Continuous process improvement, 334
 - Contracts, 265
 - Control flow conflicts, 199
 - Control objectives, 267,
 - Control Objectives for Information and Related Technology (COBIT), 63, 160
 - Controls directory, 271
 - Controls management, 269
 - Controls modeling, 272
 - Conveyance, 425, 436–438
 - Co-production, 130, 140, 141
 - Core competencies, 113, 136
 - Core components, 640
 - Core process, 11, 137, 139, 145, 148
 - Corning's R&D lab, 23
 - Corporate culture, 694
 - Corporate process management, 473
 - Corporate strategy, 13
 - Corporate values, 693, 697
 - COSA, 491
 - Cost
 - calculations, 298
 - of process variations, 429
 - of service,
 - Cost/benefit analysis, 73, 290
 - Courses, 557, 561
 - CPN tools, 341
 - CPO. *See* Chief process officer
 - Creativity-aware business process, 715–738
 - Creativity-intensive processes
 - measurement, 737
 - properties, 724–725
 - roles, 725–727
 - Critical process success factors (CPSF),
 - Critical success factors, 61
 - Cross-boundary processes, 590, 596
 - Cross-functional business processes, 333, 336, 340, 345, 347
 - map, 88, 90, 92
 - Cross-functional collaboration, 334, 337, 338, 342, 343
 - Cross-functional value creation system map, 86, 89
 - Cultural change, 665–690, 693
 - Cultural context, 653
 - Cultural fit, 653, 654
 - Cultural identities, 652
 - Cultural leverage, 707–710
 - Cultural values, 652
 - Culture, 10, 112, 649–662, 674, 693
 - assessment, 660
 - change, 69
 - development strategies, 657
 - journey, 697, 700–702, 708
 - values, 10
 - Curriculum, 550, 557, 558, 562, 569, 570
 - Customer(s), 132
 - internal,
 - orientation, 656, 658
 - relationship lifecycle, 46, 705
 - relationship management, 48
 - Customized BPM method, 222
- D**
- Data
 - latency, 252
 - management, 620
 - mining, 256, 260–261
 - model, 537, 590, 620
 - Data analysis
 - cluster analysis, 210
 - factor analysis, 209–210
 - regression analysis, 210
 - Davenport, T., 17, 50, 52, 65
 - de Bruin, Tonia, 65
 - Decision, 434–435
 - and action support, 425, 434
 - latency, 253
 - Decision Management Notation (DMN), 53
 - Decision support, 424
 - systems, 424
 - Decomposition, 178
 - Definitional rules, 277
 - Deliverables, 575
 - Delphi study, 655
 - Deming, W.E., 3, 6, 40, 128, 395

- Deontic logic, 276
 - Dependency analysis, 518
 - Deployment and execution, 264
 - Descriptive modeling, 224, 228
 - Descriptive view, 486
 - Design-by-doing, 597
 - Design factors, 209, 216, 221, 222
 - degree of performance measurement, 211
 - factor analysis, 210
 - impact of process managers, 211
 - professionalism of process management, 211
 - usage of methodology and standards, 211
 - Design research (DR), 205–206
 - processes, 205, 206
 - products, 205, 206
 - Design science, 302, 487
 - Design types, 214
 - Diagram layout, 232
 - Disasters, 762
 - earthquake, 778
 - Tsunami, 778
 - Discontinuous Innovation, 71
 - Discrete probability distributions, 349
 - Disruptive events,
 - Distributed peer-to-peer, 590
 - DMADV, 129
 - DMAIC, 129, 394
 - Documentation model, 217
 - Document management system (DMS), 430
 - Domain, 628
 - language statements, 188, 190
 - ontology, 197, 199, 272
 - statement, 196
 - Domain-specific language PICTURE, 189
 - Donors, 773
 - DOWNTIME, 134, 135
 - Drucker, P., 18
 - Due diligence, 267
 - Dynamic workflow. *See* Workflow
- E**
- eBusiness Extensible Markup Language (ebXML), 163–164, 626
 - ebXML Business Process (ebBP), 160, 163
 - Economic, 7
 - objects, 107
 - reality, 107
 - Economic value
 - exchange value, 108
 - use value, 108
 - EDA. *See* Event driven architecture
 - Education, 550, 557, 561
 - EEML, 232
 - Effectiveness, 591, 650
 - Efficiency, 591, 650
 - EFQM approach, 217, 220
 - e-Government, 501
 - e-Government stage model, 501
 - Electronic data interchange (EDI), 424, 625
 - Elementary abstraction, 155
 - block abstraction, 156
 - dead end abstraction, 158
 - loop abstraction, 157
 - sequential abstraction, 155
 - Elimination, 153
 - Email, 577, 597
 - Enabling (or support) processes, 11
 - End-to-end processes, 4, 85, 66
 - Enhanced Telecom Operations Map (eTOM), 63, 168
 - Enterprise, 189
 - agility, 28, 533, 552–553
 - architecture, 55–56, 81, 48
 - level, 46
 - level concerns, 77
 - modeling, 303
 - optimization, 548–552
 - process map, 355
 - process model, 12
 - social software, 463
 - Enterprise 2.0, 463, 464, 90–92, 95
 - Enterprise application integration (EAI), 75
 - Enterprise integration bus (EIB), 777
 - Enterprise resource planning (ERP), 52, 58, 59, 48, 83, 85, 88–89, 93
 - systems, 431
 - EPC. *See* Event-driven process chain (EPC)
 - ERP. *See* Enterprise resource planning (ERP)
 - Ethnographer. *See* Anthropologist
 - Evaluation statements, 112
 - expression, 106
 - E-Valueserve, 33
 - Event, 225, 244, 602
 - log, 365
 - Event-driven architecture,
 - Event-driven process chain (EPC), 341, 477, 157, 158
 - Event-driven Process Chain Markup Language (EPML), 158
 - Excellence, 656, 658
 - Exceptions, 522–524
 - Exchange patterns, 561
 - Executable modeling, 224
 - Execution, 80, 618–619
 - architecture, 521

Expertise, 10
 Expert systems, 52–53, 72, 424
 Extensible markup language (XML), 424–425
 External context, 361
 Extract from list of compiled quality techniques, 399
 Extraction method
 principal component analysis (PCA), 210
 Extreme programming, 28

F

Factor analysis, 209–210
 Failure mode event analysis (FMEA), 144, 396
 FDL. *See* Flow definition language (FDL)
 Federal Enterprise Architecture Framework (FEAF), 56
 Feedback, 590
 Film production, automation, 501
 Financial opportunity, 296
 Financial services, 393
 provider, 393
 Fingar, P., 75
 Fit dependencies, 510
 Flexible construction, 668
 Flow definition language (FDL), 604–607
 Flow dependency, 510
 Flow objects, 224
 Ford, H., 39
 Formal contract language (FCL), 276
 Formal dimension, 315
 Formal governance, 314, 315, 323, 324, 326
 mechanisms, 331
 Formal hierarchical authority, 313
 Formal interactions, 331
 Formal language, 158
 Formal lateral coordination, 319
 Formal lateral mechanisms, 318
 Formal lateral relations, 331
 Formal liaison roles/coordination units, 322
 Formal mechanisms, 314, 324, 327
 Formal personal governance mechanisms, 318
 Framework, 159, 179
 Frederick Winslow Taylor, 38
 Functional control, 199
 Functional domains, 198, 199
 Functional perspective, 181
 Functional reference model, 191, 197
 Functions, 189

G

GAIN, 72
 Gateways, 226

Genba kanri,
 General Electric (GE), 41
 capital, 33
 corporate research, 23
 Generalization, 178
 General Motors, 25
 Generic process redesign method, 221
 Genpact, 33
 Geography and Industry, 26
 Global BPM, 472
 Global business process management, 435–436
 Global choreographies, 284
 Global processes, 619, 421, 445, 471–483
 landscape, 472
 Goal and rule models, 245
 Goal-oriented business process modeling, 114
 Goal-oriented organization design (GOOD), 580, 591–592
 Goal-oriented process modeling
 *i**, 119
 value-focused business process engineering, 119
 Goals, 9, 44, 66–67, 94, 46, 48, 53, 54, 60, 68, 71, 73, 315, 322
 GOOD. *See* Goal-oriented organization design (GOOD)
 Gottlieb Daimler, 39
 Governance, 6, 10, 12, 23, 92–96, 311–331, 333–348, 385, 386, 390, 391, 393, 399, 401, 403, 407, 422, 423, 430, 435, 444–447, 465–467, 473, 579, 768–769
 design, 407–409
 levels of control, 588
 process, 374
 Governance mechanisms, 323–325
 formal governance, 324
 hierarchical authority, 323
 horizontal relations, 323
 impersonal governance, 323
 informal governance, 323
 lateral relations, 323
 liaison roles, 324
 organizational restructuring, 324
 personal governance, 323
 process coordination units, 324
 process organizational structure, 325
 process organizational unit, 324
 process owner strategy, 324
 standing committees, 324
 vertical authority, 323
 Governance, risk, and compliance (GRC), 275
 Graham, Ben, 40

GRC. *See* Governance, risk, and compliance (GRC)

Green BPM, 119

Guard constraints, 525

Guidelines of modeling,

H

Hammer, Michael, 3, 50, 56, 70

Harmonization

IT-system, 477

matrix, 434

process, 477

Harrison-Broninski, K., 72

Head of BPM, 374–375

Health care industry, 20, 31

Health treatment

process composition model, 196

service model, 196

Help desk, 130

Henry Ford, 39

Herbert A. Simon's Human Problem Solving, 73

Hess, A., 23

Hierarchical authority, 330

HIM. *See* Human interaction management (HIM)

HIMS. *See* Human interaction management system (HIMS)

Holistic BPM approach, 363–366

Holistic Model for BPM Maturity, 65

Holistic understanding, 651

Homonym conflicts, 199

Horizontal coordination, 313

mechanisms, 313

Horizontal dimensions, 313, 315

Horizontal governance mechanisms, 314

Horizontal relations, 323

House of quality,

48-H-service promise, 486

Human communication processes, 437

Human-driven process, 573–598

HumanEdj, 588

Human factor, 626, 629, 669

Human interaction management (HIM), 573, 577, 580–588

AIM, 585

communication, 583

knowledge, 583

levels of control, 583

plans, 583

principles, 583

REACT, 585

stage, 588

teams, 583

time, 583

Human interaction management system (HIMS), 577, 583, 588–591

Humanitarian logistics system (HLS) disasters, 778

impacts, 779–780

Humanitarian response, 764, 765

Humanitarian supply chain, 776–780

Human performance architecture, 102

Human resources, 6, 117, 514, 296

Humphrey, Watts, 31, 41

I

IBM's Watson Labs, 23

ICT support requirements, 442

IDEF, 64

IDEO, 23

IGOE, 64, 65

Implementation latency, 254

Implementation level concerns, 78

Improvement, 768

Improving performance, 44

Incremental innovations, 71

Individualized processes

ProcessApps, 362

process tailoring, 362

process variants, 362

Scheer Process Tailor[®], 363

Industrial engineering, 38

Informal conflicts, 318

Informal coordination, 322, 323

Informal dimension, 314–315

Informal governance, 314, 323

dimensions, 318

mechanisms, 331

Informal interactions, 327, 331

Informal lateral relations, 318, 321

Informal mechanisms, 314

Informal peer-to-peer collaboration, 326

Informal personal governance mechanisms, 318

Information, 426, 442

access, 425, 442

ambiguity, 438

capture, 425, 429, 442

domain, 422, 426

instance level business, 422, 426, 429, 436, 438, 440

instance level process, 422, 426–428, 430, 434, 437

level, 422, 426

management, 422–423, 425, 429–432, 443

- Information (*cont.*)
 manipulation, 425, 432
 presentation, 425, 433–434
 processing, 423, 425, 432–435
 reference level business, 422, 426–428,
 430, 431, 434, 435, 437, 440
 reference level process, 426, 428, 431, 437
 storage, 425, 442
- Information management capabilities
 business, 430–431
 instance level business information,
 429–430
 process, 430
 RDBMS, 430
 reference level, 431
- Information technology (IT), 421–443, 770–772
- Information Technology Infrastructure Library
 (ITIL), 63, 130, 160, 166
- Information technology tradition, 49–53
- Infosys, 33
- INGOs, 766
- Innovation, 70, 79–98, 658
 process, 86
- In-process collaboration, 468
- Input pool, 605
- Inputs, 132
- Instance context, 360–361
- Instant messaging,
- Institute of Industrial Engineers (IIE), 40
- Intangible assets, 134
- Interaction,
- Inter-enterprise processes, 15
- Interfaces, 616
 optimization, 472
- Internal controls, 268
- Internal functions, 605, 608
- Internal rate of return (IRR), 124
- International humanitarian aid, 762
- International overseas aid, 762
- Internet, 49
 of services,
 of things,
- Interoperability, 595
 semantic,
- Inter-organizational business processes, 628,
 312, 326
- Inter-organizational contexts, 313, 314
- Inter-organizational governance, 314, 327
- Inter-organizational processes, 314, 328, 330,
 331
- Inter-organizational process governance,
- Intersport, 307–309
- Intra-organizational business processes, 315
- Intra-organizational business process
 governance, 313, 326
- Intra-organizational contexts, 313, 314
- Intra-organizational governance, 313
- Intra-organizational lines, 323
- Intra-organizational process, 314, 330, 331
- Ishikawa analysis,
- ISO 9000, 31
- ISO 9001 compliances, 474
- IT, 88, 346
 architecture, 308
 capability(ies), 422–425, 429
 infrastructure, 207
 investments, 346
 organization, 347
 projects, 347
 strategy, 308
 subject matter experts, 347
 tradition, 38, 49
- IT Infrastructure Library (ITIL[®]). *See*
 Information Technology
 Infrastructure Library (ITIL)
- IT service management (ITSM), 166
- IT support
 activity sequences, 438–440
 business information requirements, 440
 ICT requirements, 441
 information types, 441
 process information, 438–439
- J**
- Juran, Joseph M., 43
- Juran's Quality Control Handbook, 40
- K**
- Kaizen, 47
- Kao Corporation, 34
- Kaplan, Robert S., 48
- Key performance indicator (KPI), 255, 260,
 262, 342, 360
- Knowledge
 application, 24–25
 asset reuse, 25
 assets, 82
 creation, 22–24
 distribution, 24
 process outsourcing, 32
 space, 629–630
 work, 573
 workers, 17, 73
- Knowledge engineering, 623–646
 model-based approach, 630
- Knowledge management (KM), 30, 32, 626, 629
- Known errors database (KEDB), 131
- KPI. *See* Key performance indicator (KPI)

L

Lack of comparability, 192
 Leadership, 9–10
 behaviors, 337, 340
 Lean, 40, 41, 334
 management, 47, 433
 manufacturing, 574
 Six Sigma, 128, 129, 144, 334, 574
 Learning, 590
 objectives, 559, 561–563, 565, 567–569
 Levels of abstraction, 178, 191
 Linear Temporal Logic (LTL), 284
 Linguistic community, 190
 Local business process management, 436
 Local processes, 421
 Logical level, 187
 Logs
 event logs, 494
 process logs, 476
 Lufthansa, 148–150

M

3M, 69
The Machine That Changed the World, 40
 Management accountability, 343–344
 Management calendar, 98
 Management domain matrix, 98
 Management processes, 11
 Management system, 95–99, 472
 Management tradition, 38, 43
 Mapping, 171
 Market reach, 698
 MarketRX, 33
 Mashups, 464
 Massachusetts Institute of Technology (MIT), 338
 Maturity, 485–510
 Maturity model(s), 67, 155, 205, 499–501, 747
 BPM, 105, 499
 capability maturity model (CMM), 499
 demonstration, 507–509
 domain-specific, 485
 e-government, 501
 evaluation, 507–509
 SOA,
 McNerney, James, 69
 Measurement
 chain, 97
 instrument, 657
 Mental model, 669
 properties, 677
 Message, 604
 exchange, 283

Meta model(s), 631–632, 643, 644
 frameworks, 631–632
 Method engineering (ME), 205, 206. *See also*
 Situational method engineering
 Method fragments, 207, 208, 217, 219, 221, 222
 process description, 207
 product description, 207
 Metrics, 335, 341, 342, 344, 345, 347
 financial metrics, 336
 performance metrics, 336
 Microblogging,
 Microsoft Outlook, 425
 Mindset Study, 335, 344
 Mission critical, 52
 Mobile interface, 469
 Model deployment and activation, 221
 Model-driven development, 466
 Model-driven enforcement, 274
 Modeling, 601
 by construction, 610–612
 convention, 370
 language, 190, 631
 methods, 564
 purpose, 326
 by restriction, 612–614
 tangible, 615–616
 tool, 323, 374–376, 378, 382, 386, 388
 Modeling support system, 323, 324
 query interface, 328
 the recommendation-based modeling
 support system, 324
 recommender component, 328
 Model processing, 628–629
 Model quality, 165, 173
 certification, 177–178
 pragmatic, 175
 semantic, 174–175
 syntactic, 173, 174
 validation, 177
 verification, 176
 Models, 335, 338, 342, 343, 609
 complex maturity models, 340
 process maturity models, 338, 340
 process reference models, 337, 338
 Motorola, 128
 Multi-agent system, 590
 Multi-Perspective Enterprise Modelling (MEMo), 162
 Mu Sigma, 33

N
 Natural language, 609
 processing, 190

- Net present value (NPV), 124
 Newell, A., 73
 Nondeterministic event, 606
 Normative advice, 650
 Normative requirements, 276
 Normative rules, 277
 Norton, D.P., 48
- O**
- Object, 604
 connecting, 226
 flow, 224
 Objectives, process, 482
 Obligations, 268
 Ohno, T., 40
 Oil and gas company, 97
 OMG, 76
 Ontological
 clarity, 229
 completeness, 229
 Ontology, 272
 Open-edi reference model, 625
 Open models, 631, 644
 Operational decision making, 367
 Operational effectiveness, 46
 Operation Reference Frameworks, 60
 Oracle, 583
 BPEL Process Manager, 494
 Orchestration, 563, 564
 Order conflicts, 200
 O'Reilly III, Charles A., 70
 Organization
 boundaries, 573
 goals, 573
 memory, 573
 Organizational approach, 758
 Organizational behavior, 177–201
 classification and modeling framework, 77
 Organizational capabilities, 9–10
 change management issues, 548
 culture, 548
 governance, 548
 measurement, 548
 process, 548
 technology, 548
 Organizational change, 666
 process, 666
 responsiveness, 666
 Organizational cultures, 468, 657–658
 Organizational design, 321–326
 Organization in focus (OIF), 54
 Organization transformation, 67
Out of the Crisis, 40
 Outputs, 132
- Outside-in perspective, 47–48
 Outsourcing, 130, 139–140, 596
- P**
- Pareto analysis, 129, 138–139
 Pareto diagram, 138, 139
 Pareto distribution, 138
 Partnering, 596
 Partners HealthCare, 32
 Partnership, 6, 12, 24
 Patterns, 211
 Pattern search, 204, 211
 PDCA. *See* Plan-Do-Check-Act-Cycle (PDCA)
 People
 knowledge, 772
 skills, 772
 staff perspective, 772, 773
 Performance, 227–239, 243
 design lab, 90
 figures, 229
 indicators, 229, 231–232, 255, 260, 262
 measurements, 29–31, 66, 67–69, 227–239,
 674
 measures, 228, 249
 support, 32
 traceability, 67
 trackers, 97
 Performatives, 605
 Permissions, 276
 PEST model,
 Petri nets, 236, 239, 244, 328, 341, 477, 583, 599
 colored,
 marking, 481
 places, 481
 tokens, 481
 transitions, 481
 with reset arcs, 488
 Physical level, 188
 Pi-calculus, 583
 PICTURE, 202, 205
 patterns, 204
 process platform, 206, 207
 Plan, 583
 activities, 579
 deliverables, 579
 roles, 579
 stages, 579
 Plan-Do-Check-Act-Cycle (PDCA), 6
 Pockets of creativity, 721–723
 Poisson arrival process, 349
 Porter, M., 45, 47, 59
 Positions, 550
 analyst, 551, 552
 architect, 551, 552, 561

- consultant, 551, 552, 561
- director, 551, 552
- Positive deviance, 31
- Post-merger integration, 472
- Practice, 660–661
- Practice vs. process, 25–27
- Predicate, 604
- Prescriptive view, 486
- Primary processing systems, 84
- Principles-based regulation, 268
- Principles of Process Management, 11–12
- Private business processes, 223
- Private sector, 775
- Probability distributions, 346, 348–350
- Procedure models, 205, 217
- Process, 4, 132, 155, 601. *See also* Business process
 - abstraction, 150
 - analysis, 357, 563–564
 - annotation, 273
 - architecture, 178, 193
 - automation, 89
 - maturity, 474
- Process accounting model (PAM), 118
- Process and Enterprise Maturity Model (PEMM), 340
- Process architecture framework, 182
- Process architectures, 86, 90, 113, 589, 46, 177, 178, 190–196, 369, 566. *See also* Reference frameworks
- Process-aware information system (PAIS),
- Process building block (PBB), 196
- Process capability, 9–10
 - alignment, 76–77
 - migration strategy grid, 75
- Process capital, 134
- Process capital management (PCM), 140–147
- Process classification framework, 189
- Process composition, 198
 - model template, 194
 - template, 198
- Process configuration, 256, 489, 550
- Process context, 256, 361
- Process controlling, 244, 360, 551
 - internal control systems, 360
- Process convention handbook, 370
- Process coordinator, 376
- Process Council, 10
- Process culture, 473
- Process descriptions, 476
- Process design, 8, 115, 128, 304, 309, 315, 319, 214, 550, 564
- Process diagram, 223, 423
- Process documentation, 473
- Process excellence, 79
- Process execution, 264–265, 550
- Process executive, 70
- Process factory, 82–84, 86, 90, 95, 96
- Process governance, 10, 11, 92–96, 330–331, 551
- Process hierarchy, 90, 113, 64, 178, 364, 371
- Process implementation, 359–360, 550, 564
- Process improvement, 27–28, 289, 293, 304, 393, 481–483
 - management,
 - prioritization, 70, 289–305
- Process infrastructure, 9
- Process innovation, 50, 84, 216–222
- Process intelligence, 244, 565
- Process interoperability, 568
- Process landscapes, 188
- Process level concerns, 78
- Process level initiatives, 70
- Process lifecycle, 255, 256
- Process lifecycle management, 81
- Process management
 - council, 70 (*see also* Process management forum)
 - cycle, 4–9, 5
 - forum,
 - operative, 476
 - plan, 345–346
 - strategic, 476
 - systems, 13
- Process manager, 70
 - influence, 346
- Process maps, 130
- Process maturity, 19, 105, 67, 214, 747, 749, 553
- Process metrics, 9, 243, 249–252, 254, 262
- Process mining, 366, 368, 476, 494, 244
 - ProM framework, 494
 - tool, 489
- Process model(s), 169, 365, 82
 - abstraction, 151
 - abstraction slider, 152
 - adaptation, 257
 - formal, 157
 - informal, 157
 - instance, 619
 - interconnection, 282
 - properties, 326
 - quality (*see* Model quality)
 - repository, 332
 - semi-formal, 157
 - transformation, 153–159
 - variants, 251
- Process modeler, 378

- Process modeling, 168–171, 219, 177, 477–479, 550, 558, 562
 - collaborative, 301–319, 487
 - tool support, 371
 - Process model transformation, 153
 - aggregation, 153
 - elimination, 153
 - Process monitoring, 551
 - Process objectives,
 - Process office, 10
 - Process of process management, 80
 - Process optimization, 262
 - Process organization, 479
 - Process-oriented accounting, 118
 - Process owner, 9, 376
 - Process performance, 4–5, 113, 239
 - Process performance-gap matrix (PAIN), 74
 - Process performance management, 361
 - Process performance measurement, 29, 66, 390–391
 - system, 230
 - Process performers, 9
 - Process planning, 550
 - Process priorities, 301
 - Process redesign, 49–50, 130, 142–143, 312
 - Process renewal group, The, 49
 - Process responsibility, 551
 - Process Scope Diagrams, 64
 - Process selection, 290, 291, 294
 - Process simulation, 337, 488, 358. *See also* Simulation
 - tool, 489
 - Process sponsorship, 551
 - Process stakeholder, 93–95, 340, 368, 468
 - performance gap matrix, 74
 - value matrix, 73
 - Process standardization, 155, 421
 - Process state, 365
 - Process steward, 70
 - Process template, 194
 - Process thinking culture, 118, 693, 752
 - Process transformation, 565
 - Process transformation leadership, 549
 - Process value, 118, 128
 - Process visualization,
 - Product development, 22
 - Productivity, 29
 - Product portfolio management process, 698
 - Professional development, 548
 - Professional services, 699
 - Progress measurement, 333
 - Prohibitions, 276
 - Project failure, 649
 - Project management, 576
 - Project prioritization, 292, 293, 299, 302, 314
 - Project types, 207, 208, 210, 215, 216, 220–222
 - BPM collectivist turning into BPM individualist, 213
 - BPM freshman turning into BPM collectivist, 214
 - BPM freshman turning into BPM individualist, 213
 - BPM intermediate turning into BPM individualist, 214
 - impact of process managers, 222
 - overall professionalism of process management, 222
 - performance measurement, 222
 - utilization of established methodology and standards, 222
 - ProM,
 - ProMet, 163
 - Provop approach, 256–257
 - configuration, 261–264
 - deployment, 264–265
 - execution, 264–265
 - maintenance, 265
 - modeling, 257–261
 - optimization, 265
 - Pseudo-random numbers, 346–348
 - Public administration, 202, 485–510
 - modernization, 485
 - Public sector, 581
 - Public services, 488
 - Pull mode, 514
 - Purposes and values, 696
 - Push mode, 514
- Q**
- Quality, 30, 472
 - assurance, 221
 - control tradition, 38
 - improvement roadmap, 400
 - management, 4, 394
 - techniques, 393, 396
 - tool, 396
 - Quality Control Handbook, 43
 - Quality function deployment (QFD), 22, 396
 - Query interface, 330
- R**
- Radio-frequency identification (RFID) sensors, 422, 430
 - Random generator, 347

- Random variable, 348
 - Ranking, 332
 - RCA. *See* Root cause analysis (RCA)
 - REACT, 585–586
 - Realization approach, 222
 - Recommendation-based editor, 324
 - Recommendation system, 334
 - Recommender system, 324
 - collaborative recommender systems, 325
 - content-based recommender system, 325
 - hybrid recommender system, 336
 - Red Cross/Red Crescent, 780–782
 - Reengineering the Corporation, 50
 - Reference frameworks, 46, 64
 - domain-specific, 66
 - generic enterprise models, 65
 - industry-specific models, 65–66
 - lifecycle models, 66–67
 - process models, 66–67
 - value chain models, 66–67 (*See also* Value chain)
 - Reference Model for Open Distributed Processing (RM-ODP), 183
 - Reference models, 306, 489, 704
 - Reference scenario, 675
 - Regulation(s), 266, 268, 296, 628
 - principles-based, 268
 - Regulatory bodies, 265
 - Regulatory compliance, 265
 - Regulatory framework, 369
 - policy, 369
 - process hierarchy, 370
 - standards, 369
 - Relational Database Management System (RDBMS), 430
 - Report, 210
 - Repository(ies), 324, 84
 - Reputation, 296
 - Research, 658–660
 - Resource availability,
 - Resource-driven workflows, 507–528. *See also* Workflow
 - Resource model, 365
 - Responsibility, 656, 658
 - Restriction, 612
 - Retrieval, 335
 - Return on investment (ROI), 365
 - Return on process transformation (ROPT), 121
 - calculation scheme, 123
 - Reusability, 164
 - Rich user interfaces, 469
 - Risk appetite, 268
 - Risk management, 268
 - Roadmap, 400
 - Role, 551
 - Role activity diagrams, 583
 - Role responsibility matrix, 90
 - Roles, 374, 552, 616–618
 - Roles, BPM organization
 - BPM Sponsor, 374
 - BPM Steering Committee, 375
 - Business Process Experts, 376
 - Center of Excellence, 375
 - Head of BPM, 374
 - Process Coordinator, 376
 - Process Modeler, 378
 - Process Owner, 376
 - Roll back, 522
 - Root cause analysis (RCA), 129, 130, 135–138, 144
 - RCA team, 137
 - Rosemann, M., 65
 - RSS feeds, 469
 - Rule modeling, 276
 - Rummler, Geary, 44
- S**
- Sales, 580
 - Sample
 - mean, 351
 - variance, 351
 - SAP
 - CRM, 705
 - ERP, 704
 - global solution, 704
 - governance, risk and compliance (GRC), 280
 - implementation, 704
 - reference model, 158, 165
 - Satyam, 33
 - Scientific management, 39, 574
 - Scope & architecture, 12, 24–25
 - SCOR framework, 61–62
 - Segregation-of-duty, 271
 - Semantic analysis, 189, 204
 - Semantic analysis conflicts, 190–193, 196
 - description, 192
 - Semantic building block-based approach, 189, 194–201
 - Semantic building block-based languages (SBBL), 196
 - Semantic business process management (SBPM), 195
 - Semantic Object Model (SOM), 162
 - Semantic rules, 200

- Semantics of Business Vocabulary and Business Rules (SBVR), 200
- Semiotic evaluations, 231
- Semiotic framework, 272
- Semiotic quality (SEQUAL), 181, 231, 238, 240, 242
 - framework, 231
- Separation conflicts, 200–201
- Service, 558, 608
 - bus, 559
 - business service, 561
 - choreography, 537, 562, 618
 - composite service, 562
 - consumer, 534
 - design, 566
 - entity service, 562
 - granularity, 558
 - identification, 566–574
 - improvement, 486, 492
 - interfaces, 535, 536
 - model template, 194
 - orchestration, 564, 619
 - orientation, 580, 582, 485, 487
 - perspective, 181
 - provider, 541
 - reference model, 191
 - repository, 559
 - science, 540
 - software service, 561
 - task service, 562
 - typology, 561
 - unit, 535
 - unit manager, 535
- Service oriented architecture (SOA), 58, 76, 534, 557, 579, 48, 83, 86, 88–90, 98, 608
 - business impact, 560
 - business value, 580
 - implementation, 588–591
 - matrix management,
 - maturity model,
 - messaging infrastructure, 536
 - roadmap, 588
 - service repository, 559
- Seven process modeling guidelines (7PMG), 179, 236
- Shared service, 329–330
- Shared values, 651
- Sharing dependency, 510
- Shingo, S., 39, 40
- Short, J., 50
- Short-term simulation, 367
- Similarity, 204
- Simulation, 337, 338, 488, 256
 - advanced, 364–368
 - advantages, 339
 - arrival rate, 257
 - disadvantages, 339
 - language, 340
 - models, 338, 340–343
 - Monte Carlo simulation, 337
 - package, 340
 - quantitative modeling, 488
 - scenario, 257
 - short term, 339
 - short-term simulation, 488
 - tools, 340
 - traditional, 365
 - typical pitfalls, 356
- SIPOC. *See* Suppliers, Inputs, Process, Outputs, Customers (SIPOC)
- SIQ framework, 171, 173–180
- Situational method, 205, 208, 221, 683
- Situational method engineering (SME), 205–208, 222
 - context type, 265, 207
 - development situation, 207
 - method fragment, 207–208, 217
 - project type (PT), 207
- Six Core Elements of BPM, 155
- Six Sigma, 3, 24, 37, 41, 68, 69, 127–145, 128, 129, 133, 144, 145, 334, 339, 340, 574
 - cycle, 394
 - DMADV, 129
 - DMAIC, 129, 394–396
 - drawbacks to Six Sigma, 144
 - implementation, 393
 - Ishikawa analysis, methods, 395
 - Pareto analysis, 138–139
 - process cleaning, 135–139
 - process elaboration, 132
 - quality function deployment (QFD), root cause analysis, 135–138
 - SIPOC, 132
 - techniques, 406
 - value added analysis (VAA), 132–135
- Skills, 12, 25–26, 547, 548, 550, 557, 563, 565
 - collaborate, 561
 - communicate(ion), 553, 561
 - knowledge, 553
 - lead, 553
 - management, 553

- SME. *See* Situational method engineering (SME)
- Smith, Howard, 70, 75
- SOA. *See* Service-oriented architecture (SOA)
- Social BPM, 465–466, 567
- Social-constructive view, 302
- Social context, 361
- Social enterprise, 463–473
- Social interaction, 464
- Social production, 464
- Social software, 463
- Software-as-a-service, 463, 471
- Software Engineering Institute (SEI), 31, 41
- Speech acts, 588–590
- Speech act theory, 605
- Stages gates, 22
- Stakeholder, 368, 602
 - charter, 61
 - responsibilities, 579
- Stakeholder analysis, 57
 - critical success factor, 61
 - expectation, 60
 - goals, 60
 - relationship analysis, 59
 - relationship performance measurement, 60
 - stakeholder business context, 59
- Standard deontic logic (SDL), 276
- Standard deviation, 349
- Standardization, 473
- Standards, 76, 595, 265, 421, 422, 424, 425, 428, 430, 431, 433, 434, 437–440
 - BPEL,
 - BPEL4Chor, 290, 574, 598
 - BPEL4People, 615–618
 - FDL, 602
 - FDML, 599
 - GPEL, 599
 - graph-based approach, 600–602
 - GSFL, 599
 - operator-or calculus-based approach, 602–603
 - software, 88
 - WS-BPEL, 564
 - WS-CDL, 599
 - WSFL, 607–609
 - XLANG, 609–611
 - XPDL, 611
 - YAWL, 599
- State, 605
- State transitions, 611
- Statistical process control, 3
- Statistical quality control, 574
- Steady-state behavior, 352
- Strategic agility, 673
- Strategic alignment, 105, 303, 33–36, 49, 750, 752, 755–756, 766–768
- Strategic alignment maturity (SAM), 6, 10–16, 31–32
 - Level 1, 27
 - Level 2, 28
 - Level 3, 28–29
 - Level 4, 29–30
 - Level 5, 30–31
- Strategic culture change, 67
- Strategic intent, 46
- Strategic plans, 46
- Strategic positioning, 46
- Strategic process alignment matrix (SPA matrix), 139
- Strategy, 80, 136
- Strategy implementation, 138–140
- Student's t-distribution, 355
- Subcontracting, 596
- Subject, 603–605
- Subject-oriented business process management (S-BPM), 602
- Sub-plans, 590
- Subrun length, 343
- Subruns, 351
- Super-system, 83
- Suppliers, Inputs, Process, Outputs, Customers (SIPOC), 129, 130, 132
- Supply Chain Council (SCC), 61
- Supply chain management, 698–699
- Supply-chain operations reference (SCOR) model, 66, 160, 165, 182, 343, 426
- Support services, 389–390
- Survey instrument, 657
- Survey tool, 660
- Sustainability, 142, 472
- Swimlanes, 88, 226
- SWOT analysis, 550
- Synergy, 472
- Synonym conflicts, 198
- System-to-system communication, 438
- T**
- Task, 477, 616, 184, 193, 487, 550, 551
 - atomic, 484
 - cognitive, 73
 - composite, 484
 - deferral, 522
 - effort analysis,
 - human, 617
 - manager, 614

- Taxonomy of BPM approaches, 203–222
 - Taylor, F.W., 38, 394
 - Teamwork, 656, 658
 - Technical alignment, 644–646
 - Technology acceptance model (TAM), 400, 401
 - Technology company, 96
 - Technology innovation, 85
 - Technology performance architecture, 100
 - Technology scope, 6
 - Telecommunications industry, 168
 - TeleManagement Forum, 62
 - Text messaging,
 - The Open Group Architecture Framework (TOGAF)*, 163
 - The Queensland University of Technology, 346
 - Thyssen-Krupp Presta, 471–483
 - Tibco iprocess suite, 491
 - ‘To be’ model, 220
 - Tool support, 240
 - Total quality management (TQM), 41, 574
 - Toyota production system, 39–41
 - Training, 550, 561
 - and communication, 373
 - Transformation, 306–307
 - portfolio, 76
 - program, 76
 - Transient behavior, 352
 - Translating, 769–770
 - Transparency, 472
 - TRIZ, 70
 - Troubleshooting logic diagrams, 97
 - Tushman, M.L., 71
 - Type conflicts, 198
- U**
- UN/CEFACT’s modeling methodology (UMM), 626
 - business areas, 629
 - business choreography view, 632
 - business collaboration, 636
 - business collaboration protocol, 636
 - business collaboration use case, 636
 - business domain view, 629
 - business entity, 631
 - business entity lifecycle, 631
 - business information view, 639
 - business partner view, 631
 - business process uses cases, 628
 - business realization, 638
 - business transaction, 633
 - process areas, 629
 - UML profile, 626
 - UN/EDIFACT, 626
 - Unified modeling language (UML), 222
 - activity diagrams, 232, 342, 629, 633, 157
 - profile, 626
 - profile for core components, 640
 - profile for ODP, 200
 - sequence diagrams,
 - state diagram, 631
 - United Nation’s Centre for Trade Facilitation and Electronic Business (UN/ CEFACT), 626
 - Use case, 100
 - User history, 332
 - User-interface, 245
- V**
- Value
 - being-conditions, 103–106
 - metaphysical idea, 102–103
 - metrics, 6
 - nets, 56–60
 - ontology, 103
 - proposition, 46, 55–56
 - Value added analysis (VAA), 129, 130, 132–135
 - Value-based business process management, 117
 - Value-based management, 108, 117
 - Value chain, 45, 49, 56, 60, 48
 - dependency network,
 - Value claim
 - could be, 105, 121
 - ought to be, 105, 119, 121
 - should be, 105, 109, 115, 116, 121
 - Value creation, 108
 - architecture, 81, 102
 - hierarchy, 83–85
 - management system, 92
 - system, 82
 - Value-driven business process management, 79
 - Value-oriented BPM, 118–121
 - Value reference model (VRM), 62
 - architecture, 62
 - Value statements, 108, 109, 116, 121
 - expression, 105
 - Value stream, 46
 - Value system, 120
 - Variant configuration, 256, 261–264
 - Version control systems, 430
 - Vertical authority, 313, 314, 323, 326, 327, 330
 - Vertical dimensions, 313, 315
 - Violations, 276
 - Virtual enterprise, 578
 - Vision, process, 482

Visualization of Financial Implications
(VOFI), 124
Visual work flow, 494

W

Wal-Mart, 46
Warm-up period, 343, 352, 353
Web 2.0, 88, 90–92, 95
Web Services Business Process Execution
Language (WS-BPEL), 564, 163
Web Services Description Language
(WSDL), 438
WebSphere MQ Work flow, 494
Welsh, Jack, 41, 69
WfMC. *See* Work flow Management Coalition
(WfMC)
WfMS. *See* Work flow management system
(WfMS)
Wipro, 33
Womack, J.P., 40
Work
 collaboration, 20
 expert, 21
 integration, 21
 transaction, 20
Worker rewards and incentives, 473
Workflow, 75, 476, 576
 automation, 434, 435
 control-flow patterns, 478
 control-flow perspective, 476
 data dependencies, 517–519
 data patterns, 479
 data perspective, 476
 design-time, 481
 dynamic, 490, 491
 enactment service, 496
 exception handling, 479, 490, 491
 instance, 481
 languages, 478
 management, 475, 244
 monitoring, 493
 nets, 483
 open source work flow systems, 494
 patterns, 230, 477, 508
 resource dependencies, 510
 resource-driven, 507–528
 resource patterns, 479
 resource perspective, 476
 resource taxonomy, 514
 runtime, 481, 499
 simulation, 488
 soundness, 487
 task analysis, 515–517
 verification, 486

Workflow Management Coalition (WfMC),
163, 222, 496, 597–598
Workflow management system (WfMS), 338,
476, 494–497
Work flow reference model (WRM), 496,
622–623
Workflow-XML (Wf-XML), 164
Work shift, 258
Work simplification, 37, 38, 40
Work system (WS), 206
WS-BPEL. *See* Web Services Business Process
Execution Language (WS-BPEL)
WS-BPEL Extension for People
(BPEL4People), 163
WS-CDL, 283, 574, 598–599, 619
WSFL, 607–609

X

XLANG, 609–611
XML, 496
XML Process Definition Language (XPDL),
160, 163, 611

Y

YAWL. *See* Yet Another Workflow Language
(YAWL)
Y-CIM model, 165
Yerkes-Dodson Law, 364
Yerkes-Dodson Law of Arousal, 363, 364
Yet Another Work flow Language (YAWL),
235, 477, 481, 484
 administration tool, 496
 atomic tasks, 484
 cancellation region, 484
 composite tasks, 484
 conditions, 484
 configurable, 489
 custom services, 495–496
 engine, 499
 input condition, 484
 multiple instance tasks, 484
 resource service, 496
 specification, 498
 tasks, 484
 unique output, 484
Web Services Invoker, 496, 497
workflow engine, 495
worklet service, 493, 496, 497
worklist handler, 496

Z

Zachman framework, 55, 160, 162, 519
Zachman, John A., 55