

Decidable and Expressive Classes of Probabilistic Automata

Rohit Chadha¹, A. Prasad Sistla², Mahesh Viswanathan³, and Yue Ben²

¹ University of Missouri, USA

² Univ. of Illinois, Chicago, USA

³ Univ. of Illinois, Urbana-Champaign, USA

Abstract. Hierarchical probabilistic automata (HPA) are probabilistic automata whose states are partitioned into levels such that for any state and input symbol, at most one transition with non-zero probability goes to a state at the same level, and all others go to states at a higher level. We present expressiveness and decidability results for 1-level HPAs that work on both finite and infinite length input strings; in a 1-level HPA states are divided into only two levels (0 and 1). Our first result shows that 1-level HPAs, with acceptance threshold $1/2$ (both in the finite and infinite word cases), can recognize non-regular languages. This result is surprising in the light of the following two facts. First, all earlier proofs demonstrating the recognition of non-regular languages by probabilistic automata employ either more complex automata or irrational acceptance thresholds or HPAs with more than two levels. Second, it has been previously shown that simple probabilistic automata (SPA), which are 1-level HPAs whose accepting states are all at level 0, recognize only regular languages. We show that even though 1-level HPAs with threshold $1/2$ are very expressive (in that they recognize non-regular languages), the non-emptiness and non-universality problems are both decidable in **EXPTIME**. To the best of our knowledge, this is the first such decidability result for any subclass of probabilistic automata that accept non-regular languages. We prove that these decision problems are also **PSPACE**-hard. Next, we present a new sufficient condition when 1-level HPAs recognize regular languages (in both the finite and infinite cases). Finally, we show that the emptiness and universality problems for this special class of HPAs is **PSPACE**-complete.

1 Introduction

Probabilistic automata (PA) [13,12,1,10] are finite state machines that have probabilistic transitions on input symbols. Such machines can either recognize a language of finite words (probabilistic finite automata PFA [13,12]) or a language of infinite words (probabilistic Büchi/Rabin/Muller automata [1,10,6]) depending on the notion of accepting run; on finite input words, an accepting run is one that reaches a final state, while on an infinite input, an accepting run is one whose set of states visited infinitely often satisfy a Büchi, Rabin, or Muller acceptance condition. The set of accepting runs in all these cases can be shown to be measurable and the probability of this set is taken to be probability of accepting the input word. Given an acceptance threshold x , the language $L_{>x}(\mathcal{A})$ ($L_{\geq x}(\mathcal{A})$) of a PA \mathcal{A} is the set of all inputs whose acceptance probability is $> x$ ($\geq x$). In this paper the threshold x is always a rational number in $(0, 1)$.

Hierarchical probabilistic automata (HPA) are a syntactic subclass of probabilistic automata that are computationally more tractable for extremal thresholds [5] — problems of emptiness and universality which are undecidable for PAs on infinite words with threshold 0 become decidable for HPAs. Over finite words, the problem of deciding whether the infimum of acceptance probabilities is 0 also becomes decidable for HPAs [8], even though it is undecidable for general PAs [9]. Intuitively, a HPA is a PA whose states are stratified into (totally) ordered levels with the property that from any state q , and input a , the machine can transition with non-zero probability to at most one state in the same level as q , and all other probabilistic successors belong to a higher level. Such automata arise naturally as models of *client-server systems*. Consider such a system where clients can request services of multiple servers that can fail (catastrophically) with some probability. The state of the automaton models the global state of all the servers and inputs to the machine correspond to requests from the client to the servers. The levels of the automaton correspond to the number of failed servers, with the lowest level modeling no failures. Since failed servers can't come back, the transitions in such a system satisfy the hierarchical nature. While HPAs are tractable with extremal thresholds, the emptiness and universality problems are undecidable for HPA with threshold $\frac{1}{2}$ [4]. In fact, solving these decision problems for 6-level HPAs is undecidable [4]. In this paper, we investigate how the landscape changes when we restrict our attention to 1-level HPAs.

1-level HPAs (henceforth simply called HPAs) are machines whose states are partitioned into two levels (0 and 1), with initial state in level 0, and transitions satisfying the hierarchical structure. These automata model client-server systems where only one server failure is allowed. Despite their extremely simple structure, we show that (1-level) HPAs turn out to be surprisingly powerful — they can recognize non-regular languages over finite and infinite words (even with threshold $\frac{1}{2}$). This result is significant because all earlier constructions of PFAs [12,13] and probabilistic Büchi automata [10,2] recognizing non-regular languages use either more complex automata or irrational acceptance thresholds or HPAs with more than two levels. Moreover, this result is also unexpected because it was previously shown that *simple probabilistic automata* only recognize regular languages [4,5]. The only difference between (1-level) HPAs and simple probabilistic automata is that all accepting states of a simple probabilistic automaton are required to be in level 0 (same level as the initial state).

Next, we consider the canonical decision problems of emptiness and universality for (1-level) HPAs with threshold x . Decision problems for PAs with non-extremal thresholds are often computationally harder than similar questions when the threshold is extremal (either 0 or 1), and the problems are always undecidable [7,5,2,12]. Even though 1-level HPAs are expressive, we show that both emptiness and universality problems for 1-level HPAs are decidable in **EXPTIME** and are **PSPACE**-hard. As far as we know, this is the first decidability result for any subclass of PAs with non-extremal thresholds that can recognize non-regular languages. Our decision procedure relies on observing that when the language of a HPA \mathcal{A} is non-empty (or non-universal), then there is an input whose length is exponentially bounded in the size of the HPA that witnesses this fact.

Finally, we introduce a special subclass of (1-level) HPAs called *integer HPAs*. Integer HPA are HPAs where from any level 0 state q , on any input a , the probability of transitioning to a level 1 state is an integer multiple of the probability of the (unique) transition to a level 0 state on a from q . With this restriction, we can show that integer HPA with threshold x only recognize regular languages (over finite and infinite words). For integer HPAs, we show that the canonical decision problems of emptiness and universality are **PSPACE**-complete.

The rest of the paper is organized as follows. Section 2 has basic definitions, and introduces HPAs along with some useful propositions. The results characterizing the expressiveness and decidability of HPAs are presented in Section 3. The results on integer HPAs are presented in Section 4. Section 5 contains concluding remarks.

2 Preliminaries

We assume that the reader is familiar with finite state automata, regular languages, Büchi automata, Muller automata and ω -regular languages. The set of natural numbers will be denoted by \mathbb{N} , the closed unit interval by $[0, 1]$ and the open unit interval by $(0, 1)$. The power-set of a set X will be denoted by 2^X .

Sequences. Given a finite set S , $|S|$ denotes the cardinality of S . Given a sequence (finite or infinite) $\kappa = s_0s_1 \dots$ over S , $|\kappa|$ will denote the length of the sequence (for infinite sequence $|\kappa|$ will be ω), and $\kappa[i]$ will denote the i th element s_i of the sequence. As usual S^* will denote the set of all finite sequences/strings/words over S , S^+ will denote the set of all finite non-empty sequences/strings/words over S and S^ω will denote the set of all infinite sequences/strings/words over S . We will use u, v, w to range over elements of S^* , α, β, γ to range over infinite words over S^ω .

Given $\kappa \in S^* \cup S^\omega$, natural numbers $i, j \leq |\kappa|$, $\kappa[i : j]$ is the finite sequence $s_i \dots s_j$ and $\kappa[i : \infty]$ is the infinite sequence $s_i s_{i+1} \dots$, where $s_k = \kappa[k]$. The set of *finite prefixes* of κ is the set $\text{Pref}(\kappa) = \{\kappa[0 : j] \mid j \in \mathbb{N}, j \leq |\kappa|\}$. Given $u \in S^*$ and $\kappa \in S^* \cup S^\omega$, $u\kappa$ is the sequence obtained by concatenating the two sequences in order. Given $L_1 \subseteq \Sigma^*$ and $L_2 \subseteq S^* \cup \Sigma^\omega$, the set L_1L_2 is defined to be $\{u\kappa \mid u \in L_1 \text{ and } \kappa \in L_2\}$. Given $u \in S^+$, the word u^ω is the unique infinite sequence formed by repeating u infinitely often. An infinite word $\alpha \in S^\omega$ is said to be *ultimately* periodic if there are finite words $u \in S^*$ and $v \in S^+$ such that $\alpha = uv^\omega$. For an infinite word $\alpha \in S^\omega$, we write $\text{inf}(\alpha) = \{s \in S \mid s = \alpha[i] \text{ for infinitely many } i\}$.

Languages. Given a finite alphabet Σ , a language L of finite words is a subset of Σ^* . A language L of infinite words over a finite alphabet Σ is a subset of Σ^ω . We restrict only to finite alphabets.

Probabilistic Automaton (PA). Informally, a PA is like a finite-state deterministic automaton except that the transition function from a state on a given input is described as a probability distribution which determines the probability of the next state.

Definition 1. A *finite state probabilistic automata (PA)* over a finite alphabet Σ is a tuple $\mathcal{A} = (Q, q_s, \delta, \text{Acc})$ where Q is a finite set of *states*, $q_s \in Q$ is the *initial state*,

$\delta : Q \times \Sigma \times Q \rightarrow [0, 1]$ is the *transition relation* such that for all $q \in Q$ and $a \in \Sigma$, $\delta(q, a, q')$ is a rational number and $\sum_{q' \in Q} \delta(q, a, q') = 1$, and Acc is an *acceptance condition*.

Notation: The transition function δ of PA \mathcal{A} on input a can be seen as a square matrix δ_a of order $|Q|$ with the rows labeled by “current” state, columns labeled by “next state” and the entry $\delta_a(q, q')$ equal to $\delta(q, a, q')$. Given a word $u = a_0 a_1 \dots a_n \in \Sigma^+$, δ_u is the matrix product $\delta_{a_0} \delta_{a_1} \dots \delta_{a_n}$. For an empty word $\epsilon \in \Sigma^*$ we take δ_ϵ to be the identity matrix. Finally for any $Q_0 \subseteq Q$, we say that $\delta_u(q, Q_0) = \sum_{q' \in Q_0} \delta_u(q, q')$. Given a state $q \in Q$ and a word $u \in \Sigma^+$, $\text{post}(q, u) = \{q' \mid \delta_u(q, q') > 0\}$. For a set $C \subseteq Q$, $\text{post}(C, u) = \cup_{q \in C} \text{post}(q, u)$.

Intuitively, the PA starts in the initial state q_s and if after reading $a_0, a_1 \dots, a_i$ results in state q , then it moves to state q' with probability $\delta_{a_{i+1}}(q, q')$ on symbol a_{i+1} . A *run* of the PA \mathcal{A} starting in a state $q \in Q$ on an input $\kappa \in \Sigma^* \cup \Sigma^\omega$ is a sequence $\rho \in Q^* \cup Q^\omega$ such that $|\rho| = 1 + |\kappa|$, $\rho[0] = q$ and for each $i \geq 0$, $\delta_{\kappa[i]}(\rho[i], \rho[i+1]) > 0$.

Given a word $\kappa \in \Sigma^* \cup \Sigma^\omega$, the PA \mathcal{A} can be thought of as a (possibly infinite-state) (sub)-Markov chain. The set of states of this (sub)-Markov Chain is the set $\{(q, v) \mid q \in Q, v \in \text{Pref}(\kappa)\}$ and the probability of transitioning from (q, v) to (q', u) is $\delta_a(q, q')$ if $u = va$ for some $a \in \Sigma$ and 0 otherwise. This gives rise to the standard σ -algebra on Q^ω defined using cylinders and the standard probability measure on (sub)-Markov chains [14,11]. We shall henceforth denote the σ -algebra as $\mathcal{F}_{\mathcal{A}, \kappa}$ and the probability measure as $\mu_{\mathcal{A}, \kappa}$.

Acceptance Conditions and PA Languages. The language of a PA $\mathcal{A} = (Q, q_s, \delta, \text{Acc})$ over an alphabet Σ is defined with respect to the acceptance condition Acc and a threshold $x \in [0, 1]$. We consider three kinds of acceptance conditions.

Finite acceptance: When defining languages over finite words, the acceptance condition Acc is given in terms of a finite set $Q_f \subseteq Q$. In this case we call the PA \mathcal{A} , a probabilistic finite automaton (PFA). Given a finite acceptance condition $Q_f \subseteq Q$ and a finite word $u \in \Sigma^*$, a run ρ of \mathcal{A} on u is said to be *accepting* if the last state of ρ is in Q_f . The set of accepting runs on $u \in \Sigma^*$ is measurable [14] and we shall denote its measure by $\mu_{\mathcal{A}, u}^{\text{acc}, f}$. Note that $\mu_{\mathcal{A}, u}^{\text{acc}, f} = \delta_u(q_s, Q_f)$. Given a rational threshold $x \in [0, 1]$ and $\triangleright \in \{\geq, >\}$, the language of finite words $L_{\triangleright x}^f(\mathcal{A}) = \{u \in \Sigma^* \mid \mu_{\mathcal{A}, u}^{\text{acc}, f} \triangleright x\}$ is the set of finite words accepted by \mathcal{A} with probability $\triangleright x$.

Büchi acceptance: Büchi acceptance condition defines languages over infinite words. For Büchi acceptance, the acceptance condition Acc is given in terms of a finite set $Q_f \subseteq Q$. In this case, we call the PA \mathcal{A} , a probabilistic Büchi automaton (PBA). Given a Büchi acceptance condition Q_f , a run ρ of \mathcal{A} on an infinite word $\alpha \in \Sigma^\omega$ is said to be *accepting* if $\text{inf}(\rho) \cap Q_f \neq \emptyset$. The set of accepting runs on $\alpha \in \Sigma^\omega$ is once again measurable [14] and we shall denote its measure by $\mu_{\mathcal{A}, \alpha}^{\text{acc}, b}$. Given a rational threshold $x \in [0, 1]$ and $\triangleright \in \{\geq, >\}$, the language of infinite words $L_{\triangleright x}^b(\mathcal{A}) = \{\alpha \in \Sigma^\omega \mid \mu_{\mathcal{A}, \alpha}^{\text{acc}, b} \triangleright x\}$ is the set of infinite words accepted by PBA \mathcal{A} with probability $\triangleright x$.

Muller acceptance: For Muller acceptance, the acceptance condition Acc is given in terms of a finite set $F \subseteq 2^Q$. In this case, we call the PA \mathcal{A} , a probabilistic Muller




Fig. 1. PA \mathcal{A}_{int}




Fig. 2. PA $\mathcal{A}_{\frac{1}{3}}$




Fig. 3. PA $\mathcal{A}_{\text{Rabin}}$

automaton (PMA). Given a Muller acceptance condition $F \subseteq 2^Q$, a run ρ of \mathcal{A} on an infinite word $\alpha \in \mathcal{A}$ is said to be *accepting* if $\text{inf}(\rho) \in F$. Once again, the set of accepting runs are measurable [14]. Given a word α , the measure of the set of accepting runs is denoted by $\mu_{\mathcal{A}, \alpha}^{\text{acc}, m}$. Given a threshold $x \in [0, 1]$ and $\triangleright \in \{\geq, >\}$, the language of infinite words $L^m_{\triangleright x}(\mathcal{A}) = \{\alpha \in \Sigma^\omega \mid \mu_{\mathcal{A}, \alpha}^{\text{acc}, m} \triangleright x\}$ is the set of infinite words accepted by PMA \mathcal{A} with probability $\triangleright x$.

2.1 Hierarchical Probabilistic Automata

Intuitively, a hierarchical probabilistic automaton is a PA such that the set of its states can be stratified into (totally) ordered levels. From a state q , for each letter a , the machine can transition with non-zero probability to at most one state in the same level as q , and all other probabilistic successors belong to a higher level. We define such automata for the special case when the states are partitioned into two levels (level 0 and level 1).

Definition 2. A 1-level hierarchical probabilistic automaton HPA is a probabilistic automaton $\mathcal{A} = (Q, q_s, \delta, \text{Acc})$ over alphabet Σ such that Q can be partitioned into two sets Q_0 and Q_1 with the following properties.

- $q_s \in Q_0$,
- For every $q \in Q_0$ and $a \in \Sigma$, $|\text{post}(q, a) \cap Q_0| \leq 1$
- For every $q \in Q_1$ and $a \in \Sigma$, $\text{post}(q, a) \subseteq Q_1$ and $|\text{post}(q, a)| = 1$.

Given a 1-level HPA \mathcal{A} , we will denote the level 0 and level 1 states by the sets Q_0 and Q_1 respectively.

Example 1. Consider the PAs \mathcal{A}_{int} , $\mathcal{A}_{\frac{1}{3}}$, and $\mathcal{A}_{\text{Rabin}}$ shown in Figs. 1, 2, and 3 respectively. All three automata have the same set of states ($\{q_s, q_{\text{acc}}, q_{\text{rej}}\}$), same initial state (q_s), same alphabet ($\{0, 1\}$), the same acceptance condition ($Q_f = \{q_{\text{acc}}\}$) if

finite/Büchi, and $F = \{\{q_{\text{acc}}\}\}$ if Muller) and the same transition structure. The only difference is in the probability of transitions out of q_s . All three of these automata are (1-level) HPAs; we can take $Q_0 = \{q_s\}$, and $Q_1 = \{q_{\text{acc}}, q_{\text{rej}}\}$. Though all three are very similar automata, we will show that \mathcal{A}_{int} and $\mathcal{A}_{\text{Rabin}}$ are symptomatic of automata that accept only regular languages (with rational thresholds), while the other ($\mathcal{A}_{\frac{1}{3}}$) accepts non-regular languages (with rational thresholds). The automata $\mathcal{A}_{\text{Rabin}}$ was originally presented in [13] and it is known to accept a non-regular language with an *irrational threshold* [13,3]. Similarly it can be shown that \mathcal{A}_{int} also accepts a non-regular language with an irrational threshold.

Notation: For the rest of the paper, by a HPA we shall mean 1-level HPA, unless otherwise stated.

Let us fix a HPA $\mathcal{A} = (Q, q_s, \delta, \text{Acc})$ over alphabet Σ with Q_0 and Q_1 being the level 0 and level 1 states. Observe that given any state $q \in Q_0$ and any word $\kappa \in \Sigma^* \cup \Sigma^\omega$, \mathcal{A} has at most one run ρ on κ where all states in ρ belong to Q_0 . We now present a couple of useful definitions. A set $W \subseteq Q$ is said to be a *witness set* if W has at most one level 0 state, i.e., $|W \cap Q_0| \leq 1$. Observe that for any word $u \in \Sigma^*$, $\text{post}(q_s, u)$ is a witness set, i.e., $|\text{post}(q_s, u) \cap Q_0| \leq 1$. We will say a word $\kappa \in \Sigma^* \cup \Sigma^\omega$ (depending on whether \mathcal{A} is an automaton on finite or infinite words) is *definitely accepted* from witness set W iff for every $q \in W$ with $q \in Q_i$ (for $i \in \{0, 1\}$) there is an accepting run ρ on κ starting from q such that for every j , $\rho[j] \in Q_i$ and $\delta_{\kappa[j]}(\rho[j], \rho[j+1]) = 1$. In other words, κ is definitely accepted from witness set W if and only if κ is accepted from every state q in W by a run where you stay in the same level as q , and all transitions in the run are taken with probability 1. Observe that the set of all words definitely accepted from a witness set W is regular.

Proposition 1. *For any HPA \mathcal{A} and witness set W , the language*

$$L_W = \{\kappa \mid \kappa \text{ is definitely accepted by } \mathcal{A} \text{ from } W\}$$

is regular.

Observe that $L_W = \bigcap_{q \in W} L_{\{q\}}$ and L_\emptyset (as defined above) is the set of all strings. Thus, the emptiness of L_W can be checked in **PSPACE**.

Proposition 2. *For any HPA \mathcal{A} and witness set W , the problem of checking the emptiness of L_W (as defined in Proposition 1) is in **PSPACE**.*

For a set $C \subseteq Q_1$, a threshold $x \in (0, 1)$, and a word $u \in \Sigma^*$, we will find it useful to define the following quantity $\text{val}(C, x, u)$ given as follows. If $\delta_u(q_s, Q_0) \neq 0$ then

$$\text{val}(C, x, u) = \frac{x - \delta_u(q_s, C)}{\delta_u(q_s, Q_0)}.$$

On the other hand, if $\delta_u(q_s, Q_0) = 0$ then

$$\text{val}(C, x, u) = \begin{cases} +\infty & \text{if } \delta_u(q_s, C) < x \\ 0 & \text{if } \delta_u(q_s, C) = x \\ -\infty & \text{if } \delta_u(q_s, C) > x \end{cases}$$

The quantity $\text{val}(C, x, u)$ measures the fraction of $\delta_u(q_s, Q_0)$ that still needs to move to C such that the probability of reaching C exceeds the threshold x . This intuition is captured by the following proposition whose proof follows immediately from the definition of $\text{val}(C, x, u)$.

Proposition 3. *Consider a HPA \mathcal{A} with threshold x , and words $u, v \in \Sigma^*$. Let $C, D \subseteq Q_1$ such that $\text{post}(C, v) = D$. The following properties hold.*

- If $\text{val}(C, x, u) < 0$ then $\delta_{uv}(q_s, D) > x$.
- If $\text{val}(C, x, u) = 0$ then $\delta_u(q_s, C) = x$.

Witness sets and the value function play an important role in deciding whether a word κ is accepted by a HPA. In particular, κ is accepted iff κ can be divided into strings u, κ' such that \mathcal{A} reaches a witness set W with “sufficient probability” on u , and κ' is definitely accepted from W . We state this intuition precisely next.

Proposition 4. *For a HPA \mathcal{A} , threshold $x \in [0, 1]$, and word $\kappa, \kappa' \in \mathbb{L}^a_{>x}(\mathcal{A})$ (where $a \in \{f, b, m\}$) if and only if there is a witness set $W, u \in \Sigma^*$ and $\kappa' \in \Sigma^* \cup \Sigma^\omega$ such that $\kappa = u\kappa', \kappa'$ is definitely accepted by \mathcal{A} from W , and one of the following holds.*

- Either $W \subseteq Q_1$ and $\text{val}(W, x, u) < 0$, or
- $W \cap Q_0 \neq \emptyset$ and $0 \leq \text{val}(W \cap Q_1, x, u) < 1$.

3 Expressiveness and Decidability

One-level HPAs have a very simple transition structure. In spite of this, we will show that HPA can recognize non-regular languages (Section 3.1). Even though it has been shown before that PFAs [12,13] and PBAs [10,2] recognize non-regular languages, all the examples before, use either more complex automata or irrational acceptance thresholds or HPAs with more than two levels. We shall then show that even though HPAs can recognize non-regular languages, nevertheless the emptiness and universality problems of HPAs are decidable (Section 3.2).

3.1 Non-regular Languages Expressed by 1-level HPA

We will now show that HPA can recognize non-regular languages, under both finite acceptance and Büchi acceptance conditions. We consider a special type of HPA which we shall call *simple absorbing HPA* (SAHPA).

Definition 3. *Let $\mathcal{A} = (Q, q_s, \delta, \text{Acc})$ be a HPA over an alphabet Σ with Q_0 and Q_1 as the sets of states at level 0 and 1 respectively. \mathcal{A} is said to be a simple absorbing HPA (SAHPA) if*

- $Q_0 = \{q_s\}, Q_1 = \{q_{\text{acc}}, q_{\text{rej}}\}$.
- The states $q_{\text{acc}}, q_{\text{rej}}$ are absorbing, i.e., for each $a \in \Sigma, \delta_a(q_{\text{acc}}, q_{\text{acc}}) = 1$ and $\delta_a(q_{\text{rej}}, q_{\text{rej}}) = 1$.

For an $\kappa \in \Sigma^* \cup \Sigma^\omega$, $\text{GoodRuns}(\kappa)$ is the set of runs ρ of \mathcal{A} on κ such there is an $i \geq 0$ with $\rho(j) = q_{\text{acc}}$ for all $i \leq j \leq |\kappa|$. A word $\alpha \in \Sigma^\omega$ is said to be always alive for \mathcal{A} if for each $i > 0$, $\delta_{\alpha[0:i]}(q_s, q_s) > 0$.

Example 2. All three automata \mathcal{A}_{int} , $\mathcal{A}_{\frac{1}{3}}$ and $\mathcal{A}_{\text{Rabin}}$ (Example 1) shown in Figs. 1, 2, and 3 are simple absorbing HPAs.

The following lemma states some important properties satisfied by SAHPA.

Lemma 1. *Let $\mathcal{A} = (Q, q_s, \delta, \text{Acc})$ be a SAHPA over an alphabet Σ with Q_0 and Q_1 as the sets of states at level 0 and 1 respectively. For any always alive $\alpha \in \Sigma^\omega$,*

1. *if α is ultimately periodic and $\mu_{\mathcal{A}, \alpha}(\text{GoodRuns}(\alpha)) = x$ then the set $\{\text{val}(\{q_{\text{acc}}\}, x, \alpha[0:i]) \mid i \in \mathbb{N}, i \geq 0\}$ is a finite set,*
2. *if $\lim_{i \rightarrow \infty} \delta_{\alpha[0:i]}(q_s, q_s) = 0$ and $x \in (0, 1)$ then $\mu_{\mathcal{A}, \alpha}(\text{GoodRuns}(\alpha)) = x \Leftrightarrow \forall i \geq 0, \text{val}(\{q_{\text{acc}}\}, x, \alpha[0:i]) \in [0, 1]$.*

Now, we shall show that SAHPA can recognize non-regular languages. We start by recalling a result originally proved in [13]. Let $\Sigma = \{0, 1\}$. Any word $\kappa \in \Sigma^* \cup \Sigma^\omega$ can be thought of as the binary representation of a number in the unit interval $[0, 1]$ by placing a decimal in front of it. Formally,

Definition 4. *Let $\Sigma = \{0, 1\}$. The map $\Sigma^* \cup \Sigma^\omega \rightarrow [0, 1]$ is the unique map such that $\text{bin}(\epsilon) = 0$ and $\text{bin}(a\kappa_1) = \frac{a}{2} + \frac{1}{2}\text{bin}(\kappa_1)$, where $\bar{a} = 0$ if $a = 0$ and 1 otherwise.*

Note that $\text{bin}(\alpha)$ is irrational iff α is an infinite word which is not ultimately periodic. The following is shown in [13].

Theorem 1. *$\Sigma = \{0, 1\}$ and $\alpha \in \Sigma^\omega$ be a word which is not ultimately periodic. Given $\triangleright \in \{>, \geq\}$,*

- $\{u \in \Sigma^* \mid \text{bin}(u) \triangleright \text{bin}(\alpha)\}$ is not regular.
- $\{\gamma \in \Sigma^\omega \mid \text{bin}(\gamma) \triangleright \text{bin}(\alpha)\}$ is not ω -regular.

We make some observations about the automaton $\mathcal{A}_{\frac{1}{3}}$ shown in Fig. 2 in Lemma 2.

Lemma 2. *Let $\mathcal{A}_{\frac{1}{3}}$ be the SAHPA over the alphabet $\Sigma = \{0, 1\}$ defined in Example 1. Let $\alpha \in \Sigma^\omega$ be such that α is not an ultimately periodic word. We have that for each $\kappa \in \Sigma^* \cup \Sigma^\omega$,*

$$\text{bin}(\kappa) < \text{bin}(\alpha) \Leftrightarrow \mu_{\mathcal{A}, \kappa}(\text{GoodRuns}(\kappa)) < \mu_{\mathcal{A}, \alpha}(\text{GoodRuns}(\alpha))$$

and

$$\text{bin}(\kappa) > \text{bin}(\alpha) \Leftrightarrow \mu_{\mathcal{A}, \kappa}(\text{GoodRuns}(\kappa)) > \mu_{\mathcal{A}, \alpha}(\text{GoodRuns}(\alpha)).$$

We have:

Theorem 2. *Consider the SAHPA $\mathcal{A}_{\frac{1}{3}}$ over the alphabet $\Sigma = \{0, 1\}$ defined in Example 1. Consider the finite acceptance condition and the Büchi acceptance condition defined by setting $\text{Acc} = \{q_{\text{acc}}\}$. Given $\triangleright \in \{>, \geq\}$, we have that the language of finite words $\mathbb{L}_{\triangleright \frac{1}{2}}^f(\mathcal{A})$ is not regular and the language of infinite words $\mathbb{L}_{\triangleright \frac{1}{2}}^b(\mathcal{A})$ is not ω -regular.*

Proof. Given $u \in \Sigma^*$, we shall denote $\text{val}(\{q_{\text{acc}}\}, \frac{1}{2}, u)$ by val_u . We observe some properties of the value val_u .

Claim (A). For any $u \in \Sigma^*$,

- $\text{val}_{u0} = \frac{3}{2}\text{val}_u$ and $\text{val}_{u1} = 3\text{val}_u - 2$.
- If $\text{val}_u \in [0, 1]$ then it is of the form $\frac{p}{2^i}$ where p is an odd number and $i - 1$ is the number of occurrences of $\mathbf{0}$ in u .
- $\text{val}_u \notin \{0, 1, \frac{2}{3}\}$.

Proof. The first part of the claim follows from observing that $\delta_{u0}(q_s, q_s) = \frac{2}{3}\delta_u(q_s, q_s)$, $\delta_{u0}(q_s, q_{\text{acc}}) = \delta_u(q_s, q_{\text{acc}})$, $\delta_{u1}(q_s, q_s) = \frac{1}{3}\delta_u(q_s, q_s)$ and that $\delta_{u1}(q_s, q_{\text{acc}}) = \delta_u(q_s, q_{\text{acc}}) + \delta_u(q_s, q_s)\frac{2}{3}$. The second part can be shown easily by an induction on the length of u using the first part of the claim. (Observe that the base case is $\text{bin}(\epsilon) = \frac{1}{2}$). The third part of the claim is an easy consequence of the second part. (End: Proof of Claim (A)) \square

We now show that there is exactly one word $\beta \in \Sigma^\omega$ such that $\mu_{\mathcal{A}, \beta}(\text{GoodRuns}(\beta)) = \frac{1}{2}$. As each $\alpha \in \Sigma^\omega$ is always alive and $\lim_{i \rightarrow \infty} \delta_{\alpha[0:i]}(q_s, q_s) = 0$, it follows from Lemma 1 and Claim (A) that it suffices to show that there is exactly one word $\beta \in \Sigma^\omega$ such that $\forall i \geq 0, \text{val}_{\beta[0:i]} \in (0, 1)$.

We prove this by constructing β , starting from the empty word and showing that it can be extended one letter at a time in exactly one way. Clearly, thanks to Claim (A), since $\text{val}_0 = \frac{3}{4}$ and $\text{val}_1 = -\frac{1}{2}$, $\beta[0]$ should be $\mathbf{0}$. Suppose we have constructed $\beta[0 : i]$. Now, thanks to Claim (A) if $0 < \text{val}_{\beta[0:i]} < \frac{2}{3}$ then $0 < \text{val}_{\beta[0:i]0} < \frac{3}{2} \cdot \frac{2}{3} = 1$ and $\text{val}_{\beta[0:i]1} < 3 \cdot \frac{2}{3} - 2 < 0$. If $\frac{2}{3} < \text{val}_{\beta[0:i]} < 1$ then $\text{val}_{\beta[0:i]0} > \frac{3}{2} \cdot \frac{2}{3} = 1$ and $0 = 3 \cdot \frac{2}{3} - 2 < \text{val}_{\beta[0:i]1} < 3 \cdot 1 - 2 = 1$. Thus if $\text{val}_{\beta[0:i]} < \frac{2}{3}$ then $\beta[i+1]$ has to be $\mathbf{0}$, otherwise $\beta[i+1]$ has to be $\mathbf{1}$. Thus, we see that there is exactly one word $\beta \in \Sigma^\omega$ such that $\mu_{\mathcal{A}, \beta}(\text{GoodRuns}(\beta)) = \frac{1}{2}$. We shall now show that the values $\text{val}_{\beta[0:i]}$ are all distinct.

Claim (B). For each i, j such that $i \neq j$, $\text{val}_{\beta[0:i]} \neq \text{val}_{\beta[0:j]}$.

Proof. Fix i, j . Without loss of generality, we can assume that $j > i$. Note that thanks to Claim (A) that if there is an occurrence of $\mathbf{0}$ in $\beta[i+1 : j]$ then $\text{val}_{\beta[0:i]} \neq \text{val}_{\beta[0:j]}$. If there is no occurrence of $\mathbf{0}$ in $\beta[i+1 : j]$ then every letter of $\beta[i+1 : j]$ must be a $\mathbf{1}$. Thus, the result will follow if we can show that for each $i+1 \leq k < j$, we have that $\text{val}_{\beta[1:k]1} < \text{val}_{\beta[1:k]}$. Using Claim (A), we have that

$$\text{val}_{\beta[1:k]1} < \text{val}_{\beta[1:k]} \Leftrightarrow 3\text{val}_{\beta[1:k]} - 2 < \text{val}_{\beta[1:k]} \Leftrightarrow \text{val}_{\beta[1:k]} < 1.$$

Now $\text{val}_{\beta[1:k]} < 1$ by construction of β . The claim follows. (End: Proof of Claim (B)) \square

Now, thanks to Lemma 1 and Claim (B), we have that β is not ultimately periodic. The result follows from Lemma 2 and Theorem 1. \square

Remark 1. Note that since any Büchi acceptance condition can be converted into an equivalent Muller acceptance condition, HPAs also recognize non-regular languages under Muller acceptance conditions.

3.2 Decision Problems for 1-level HPA

We now show that the problems of checking emptiness and universality for HPAs are decidable, more specifically, they are in **EXPTIME**. We start by considering emptiness for the language $L^{a>x}(\mathcal{A})$ for a HPA \mathcal{A} . In order to construct the decision procedure for this language, we need to consider special kinds of witness sets. We will say that a witness set W is *good* if the language L_W defined in Proposition 1 is non-empty. We have the following.

Proposition 5. *Give a HPA $\mathcal{A} = (Q, q_s, \delta, \text{Acc})$, threshold $x \in [0, 1]$ and $a \in \{f, b, m\}$, the language $L^{a>x}(\mathcal{A}) \neq \emptyset$ iff there is a word $u \in \Sigma^*$ and a good non-empty set H such that $\delta_u(q_s, H) > x$.*

The decision procedure for checking emptiness (or rather non-emptiness) will search for a word u as in Proposition 5. The following lemma shows that, it is enough to search for words of exponential length.

Lemma 3. *Let $\mathcal{A} = (Q, q_s, \delta, \text{Acc})$ be an HPA with n states (i.e., $|Q| = n$) such that all the transition probabilities of \mathcal{A} have size at most r ¹. Let $x \in [0, 1]$ be a rational threshold of size at most r . For any $a \in \{f, b, m\}$, $L^{a>x}(\mathcal{A}) \neq \emptyset$ iff there is a finite word u and a good non-empty set H , such that $|u| \leq 4rn8^n$ and $\delta_u(q_s, H) > x$.*

Proof. Observe that if there is a finite word u and a good non-empty set H such that $\delta_u(q_s, H) > x$ then by Proposition 5, $L^{a>x}(\mathcal{A}) \neq \emptyset$. Thus, we only need to prove that nonemptiness of $L^{a>x}(\mathcal{A})$ guarantees the existence of u and H as in the lemma.

Let $gwords = \{(s, G) \mid G \neq \emptyset, G \text{ is good and } \delta_s(q_s, G) > x\}$. By Proposition 5, $gwords$ is non-empty. Fix $(s, G) \in gwords$ such that for every $(s_1, G_1) \in gwords$, $|s| \leq |s_1|$, i.e., s is the shortest word appearing in a pair in $gwords$. Note if $|s| \leq 2^n$ then the lemma follows.

Let us consider the case when $|s| > 2^n$. Let $k_1 = |s| - 1$. Observe that by our notation, $s = s[0 : k_1]$. Now, for any $0 \leq i \leq k_1$, let $Y_i = \text{post}(q_s, s[0 : i]) \cap Q_1$ and $X_i = \{q \in Y_i : \text{post}(q, s[i + 1 : k_1]) \subseteq G\}$. Note that $X_i \subseteq Y_i$ and is good. Since $|s| > 2^n$ and \mathcal{A} has n states, there must be i, j with $i < j \leq k_1$ such $X_i = X_j$ and $\text{post}(q_s, s[0 : i]) \cap Q_0 = \text{post}(q_s, s[0 : j]) \cap Q_0$. If $\text{post}(q_s, s[0 : i]) \cap Q_0 = \emptyset$ then it is easy to see that $(s[0 : i]s[j + 1 : k_1], G) \in gwords$ contradicting the fact that s is the shortest such word. Hence, fix j to be the smallest integer such that for some $i < j$, $X_i = X_j$ and $\text{post}(q_s, s[0 : i]) \cap Q_0 = \text{post}(q_s, s[0 : j]) \cap Q_0 \neq \emptyset$. Let q be the unique state in $\text{post}(q_s, s[0 : i]) \cap Q_0$.

Let $s[0 : i] = v, s[i + 1 : j] = w, s[j + 1 : k_1] = t$; thus, $s = vwt$. Now, let $z_1 = \delta_v(q_s, X_i)$ and $y_1 = \delta_v(q_s, Q_1)$. Similarly, let $z_2 = \delta_w(q, X_j), y_2 = \delta_w(q, Q_1)$ and $z_3 = \delta_t(q, G)$. Since $X_i, X_j \subseteq Q_1, z_1 \leq y_1$ and $z_2 \leq y_2$. Also note that $|w| > 0$ by construction of j and that $y_2 = \delta_w(q, Q_1) > 0$ (by the minimality of length of s).

For any integer $\ell \geq 0$, let $u_\ell = vw^\ell$ and $s_\ell = u_\ell t$. Note that $u_0 = v$ and $s_1 = s$. Let $\ell > 0$. We observe that

$$\delta_{s_\ell}(q_s, G) = \delta_{u_{\ell-1}}(q_s, X_i) + (1 - \delta_{u_{\ell-1}}(q_s, Q_1)) \cdot z_2 + (1 - \delta_{u_\ell}(q_s, Q_1)) \cdot z_3$$

¹ We say a rational number s has size r iff there are integers m, n such that $s = \frac{m}{n}$ and the binary representation of m and n has at most r -bits.

and

$$\delta_{s_{(\ell-1)}}(q_s, G) = \delta_{u_{(\ell-1)}}(q_s, X_i) + (1 - \delta_{u_{(\ell-1)}}(q_s, Q_1)) \cdot z_3. \quad (1)$$

Therefore,

$$\delta_{s_\ell}(q_s, G) - \delta_{s_{(\ell-1)}}(q_s, G) = (1 - \delta_{u_{(\ell-1)}}(q_s, Q_1)) \cdot z_2 - (\delta_{u_\ell}(q_s, Q_1) - \delta_{u_{(\ell-1)}}(q_s, Q_1)) \cdot z_3.$$

In addition, $\delta_{u_\ell}(q_s, Q_1) = \delta_{u_{(\ell-1)}}(q_s, Q_1) + (1 - \delta_{u_{(\ell-1)}}(q_s, Q_1)) \cdot y_2$ and hence $\delta_{u_\ell}(q_s, Q_1) - \delta_{u_{(\ell-1)}}(q_s, Q_1) = (1 - \delta_{u_{(\ell-1)}}(q_s, Q_1)) \cdot y_2$. Putting all the above together, we get for all $\ell > 0$,

$$\delta_{s_\ell}(q_s, G) - \delta_{s_{(\ell-1)}}(q_s, G) = (1 - \delta_{u_{(\ell-1)}}(q_s, Q_1)) \cdot (z_2 - y_2 \cdot z_3).$$

Since $s = s_1$ is the shortest word in g words and $s_0 = vt$ is a strictly smaller word than s_1 , we must have that $\delta_{s_0}(q_s, G) \leq x$ and hence $\delta_{s_1}(q_s, G) > \delta_{s_0}(q_s, G)$. From this and the above equality, we see that $(1 - \delta_{u_0}(q_s, Q_1)) > 0$ and that $(z_2 - y_2 \cdot z_3) > 0$. This also means that, for all $\ell > 0$, $\delta_{s_\ell}(q_s, G) \geq \delta_{s_{(\ell-1)}}(q_s, G)$. Hence, $\lim_{\ell \rightarrow \infty} \delta_{s_\ell}(q_s, G)$ exists and is $\geq \delta_{s_1}(q_s, G)$. Since $s_1 = s$, we get that $\lim_{\ell \rightarrow \infty} \delta_{s_\ell}(q_s, G) > x$.

Observe that $\delta_w(q, Q_1) > 0$. Hence, one can show that $\lim_{\ell \rightarrow \infty} (1 - \delta_{u_{(\ell-1)}}(q_s, Q_1)) = 0$. This along with Equation (1) means that $\lim_{\ell \rightarrow \infty} \delta_{s_\ell}(q_s, G) = \lim_{\ell \rightarrow \infty} \delta_{u_\ell}(q_s, X_i)$. The right hand side of this equation is seen to be $z_1 + (1 - y_1) \cdot \frac{z_2}{y_2}$ and since $\lim_{\ell \rightarrow \infty} \delta_{s_\ell}(q_s, G) > x$, we get that $z_1 + (1 - y_1) \cdot \frac{z_2}{y_2} > x$. Observe that X_i is a good set. Let m be the minimum ℓ such that $\delta_{u_\ell}(q_s, X_i) > x$. Now, we show that the length of u_m is bounded by $4rn8^n$ and hence the lemma is satisfied by taking u to be u_m and H to be X_i . Observe that

$$\delta_{u_\ell}(q_s, X_i) = z_1 + (1 - y_1) \cdot (1 - (1 - y_2)^\ell) \cdot \frac{z_2}{y_2}.$$

From this, we see that m is the minimum ℓ such that

$$(1 - y_2)^\ell < 1 - \frac{(x - z_1)y_2}{(1 - y_1)z_2}.$$

That is, m is the minimum ℓ such that $\ell > \frac{\log(n_1)}{\log(n_2)}$, where

$$n_1 = \frac{(1 - y_1)z_2}{(1 - y_1)z_2 - (x - z_1)y_2} \text{ and } n_2 = \frac{1}{(1 - y_2)}.$$

Now, observe that the probability of a run ρ of \mathcal{A} starting from any state, on an input string of length at most 2^n is a product of 2^n fractions of the form $\frac{m_i}{m_2}$ where m_i , for $i = 1, 2$, is an integer bounded by 2^r . Hence the probability of such a run is itself a fraction whose numerator and denominator are bounded by $2^{r \cdot 2^n}$. Second, in an HPA with n states, on any input of length k , there are at most kn different runs; this is because once the run reaches a state in Q_1 the future is deterministic, and for any prefix, there is at most one run in a state in Q_0 . Hence, $\delta_v(q_s, Q_1)$ is the sum of at most $n2^n$ such fractions. Therefore, y_1 is a fraction whose numerator and denominator are integers

bounded by 2^{rn4^n} . By a similar argument, we see that z_1, y_2, z_2 are also fractions whose numerators and denominators are similarly bounded. Now, it should be easy to see that n_1 is bounded by 2^{4rn4^n} and hence $m \leq 4rn4^n$. Now, the length of $u_m = |vw| + (m-1)|w|$ which is easily seen to be bounded $m2^n$ since $|vw|$ and $|w|$ are bounded by 2^n . Hence $u_m \leq 4rn8^n$. \square

Now, we have the following theorem.

Theorem 3. *Given a HPA $\mathcal{A} = (Q, q_s, \delta, \text{Acc})$, a rational threshold $x \in [0, 1]$ and $a \in \{f, b, m\}$, the problem of determining if $L^a_{>x}(\mathcal{A}) = \emptyset$ is in **EXPTIME**.*

Proof. It suffices to show that the problem of determining if $L^a_{>x}(\mathcal{A}) \neq \emptyset$ is in **EXPTIME**. Let \mathcal{X} be the collection of all witness sets U such that $U \cap Q_0 \neq \emptyset$ and $U \cap Q_1$ is a good set; for a witness set $U \in \mathcal{X}$, we will denote by q_U the unique state in $U \cap Q_0$. Let \mathcal{Y} be the collection of good witness sets. For $U \in \mathcal{X}$ and natural number $i > 0$, let

$$\text{Prob}(U, i) = \max\{\delta_u(q_U, W) \mid u \in \Sigma^*, W \in \mathcal{Y}, \text{post}(U \cap Q_1, u) \subseteq W, |u| \leq i\}.$$

In the above definition, we take the maximum of the empty set to be 0. Let k be the bound given by Lemma 3 for the length of the word u . Lemma 3 implies that $L^a_{>x}(\mathcal{A}) \neq \emptyset$ iff $\text{Prob}(\{q_s\}, k) > x$. This observation yields a simple algorithm to check non-emptiness: compute $\text{Prob}(\{q_s\}, k)$ and check if it is greater than x .

$\text{Prob}(\cdot, \cdot)$ can be computed by an iterative dynamic programming algorithm as follows.

$$\begin{aligned} \text{Prob}(U, 1) &= \max\{\delta_a(q_U, W) \mid a \in \Sigma, W \in \mathcal{Y}, \text{post}(U \cap Q_1, a) \subseteq W\} \\ \text{Prob}(U, i+1) &= \max\{\{\text{Prob}(U, i)\} \cup \\ &\quad \{\delta_a(q_U, q_V)\text{Prob}(V, i) + \delta_a(q_U, V \cap Q_1) \mid a \in \Sigma, V \in \mathcal{X}, \\ &\quad \text{post}(U \cap Q_1, a) \subseteq V\}\}. \end{aligned}$$

Let us analyze the algorithm computing $\text{Prob}(\cdot, \cdot)$. Let us assume that \mathcal{A} has n states, and that $\delta_a(p, q)$ is of size at most r for any $a \in \Sigma$ and $p, q \in Q$. Thus, \mathcal{X} and \mathcal{Y} have cardinality at most 2^n , and by Proposition 2, the sets \mathcal{X} and \mathcal{Y} can be computed in **EXPTIME** (in fact, even in **PSPACE**). In addition, because $|\mathcal{X}|, |\mathcal{Y}| \leq 2^n$, the maximum in the above equations for computing Prob is over at most $O(2^n)$ terms. Thus, we would get an exponential time bound provided the arithmetic operations needed to compute Prob can also be carried out in exponential time. This requires us to bound the size of the numbers involved in computing $\text{Prob}(U, i)$. Observe that for any witness set W and $q \in Q$, $\delta_a(q, W)$ is the sum of at most n rational numbers and so has size at most $r + n$. Hence, we can inductively show that the size of $\text{Prob}(U, i)$ (for any U) is a rational number of size at most $2i(r + n)$. Since $i \leq k$ and k is at most exponential in n (by Lemma 3), the dynamic programming algorithm is in **EXPTIME**. \square

The emptiness problem for the languages $L^a_{\geq x}(\mathcal{A})$ can be shown to be decidable using similar methods.

Theorem 4. *Given a HPA \mathcal{A} , a rational threshold $x \in [0, 1]$ and $a \in \{f, b, m\}$, the problem of determining if $L^a_{\geq x}(\mathcal{A}) = \emptyset$ is in **EXPTIME**.*

Now, we give the following lower bound results for checking non-emptiness of the languages $L^a_{\triangleright x}(\mathcal{A}) \neq \emptyset$ for $\triangleright \in \{>, \geq\}$.

Theorem 5. *Given a HPA \mathcal{A} , $a \in \{f, b, m\}$, $\triangleright \in \{>, \geq\}$, the problem of determining if $L^a_{\triangleright x}(\mathcal{A}) \neq \emptyset$ is **PSPACE-hard**.*

Theorem 3 and Theorem 4 yield that checking non-universality is also decidable.

Theorem 6. *Given a HPA \mathcal{A} , $a \in \{f, b, m\}$, $\triangleright \in \{>, \geq\}$, the problem of checking universality of the language $L^a_{\triangleright x}(\mathcal{A})$ is in **EXPTIME** and is **PSPACE-hard**.*

4 Integer HPAs

In the previous section we saw that even though (1-level) HPAs have a very simple transition structure, their ability to toss coins allows them to recognize non-regular languages. In this section, we will show that if we restrict the numbers that appear as transition probabilities in the automaton, then the HPA can only recognize regular languages (see Theorem 7). We will also show that the problems of checking emptiness and universality of this class of HPAs are **PSPACE-complete** (see Theorem 8). We will call this restricted class of HPAs, integer HPAs.

Definition 5. *An integer HPA is a (1-level) HPA $\mathcal{A} = (Q, q_s, \delta, \text{Acc})$ over alphabet Σ with Q_0 and Q_1 being the level 0 and level 1 states, respectively, such that for every $q \in Q_0$ and $a \in \Sigma$, if $\text{post}(q, a) \cap Q_0$ is non-empty and equal to $\{q'\}$, then for every $q'' \in Q_1$, $\delta_a(q, q'')$ is an integer multiple of $\delta_a(q, q')$.*

Example 3. Consider automata \mathcal{A}_{int} , $\mathcal{A}_{\frac{1}{3}}$, and $\mathcal{A}_{\text{Rabin}}$ from Example 1 that are shown in Figs. 1, 2, and 3. Observe that \mathcal{A}_{int} and $\mathcal{A}_{\text{Rabin}}$ are integer automata. On the other hand, $\mathcal{A}_{\frac{1}{3}}$, which was shown to accept non-regular languages in Section 3.1, is not an integer automaton. The reason is because of the transition from q_s on symbol 0; $\delta_0(q_s, q_{\text{rej}}) = \frac{1}{3}$ is not an integer multiple of $\delta_0(q_s, q_s) = \frac{2}{3}$.

The main result of this section is that for any integer HPA \mathcal{A} , and rational x , the language $L^a_{> x}(\mathcal{A})$ is regular (for $a \in \{f, b, m\}$). The proof of this result will rest on observations made in Proposition 4 that states that a word κ is accepted exactly when a prefix of κ reaches a witness set with sufficient probability, and the rest of the word κ is definitely accepted from the witness set. Proposition 1 states that the words definitely accepted from any witness set is regular. Thus, the crux of the proof will be to show that there is a way to maintain the $\text{val}(\cdot, x, \cdot)$ function for each witness set using only finite memory. This observation will rest on a few special properties of integer HPAs.

Proposition 6. *Let \mathcal{A} be an integer HPA over alphabet Σ with level 0 and level 1 sets Q_0 and Q_1 , $C \subseteq Q_1$, and x be a rational number $\frac{e}{d}$. For any $u \in \Sigma^*$, if $\text{val}(C, x, u) \in [0, 1]$ then there is $e \in \{0, 1, 2, \dots, d\}$ such that $\text{val}(C, x, u) = \frac{e}{d}$.*

The above proposition makes a very important observation — the set of relevant values that the function val can take are finite. Proposition 3 in Section 2.1 essentially says that when the function val takes on values either below 0 or above 1, either all

extensions of the current input will have sufficient probability among witness sets in Q_1 or no extension will have sufficient probability. Thus, when measuring the quantity val what matters is only whether it is strictly less than 0, strictly greater than 1 or its exact value when it is in $[0, 1]$. Proposition 6 above, guarantees that val is finite when it lies within $[0, 1]$. This allows us to keep track of val using finite memory. This is captured in the following Lemma.

Lemma 4. *Consider an integer HPA \mathcal{A} over alphabet Σ with Q_0 and Q_1 as level 0 and level 1 states. Let $x = \frac{e}{d}$ be a rational threshold. For an arbitrary $C \subseteq Q_1$, $q \in Q_0$, and $e \in \{0, 1, \dots, d\}$, the following six languages*

$$\begin{aligned} L_{(q,C,e)} &= \{u \in \Sigma^* \mid \text{post}(q_s, u) \cap Q_0 = \{q\} \text{ and } \text{val}(C, x, u) \leq \frac{e}{d}\} \\ L_{(q,C,-)} &= \{u \in \Sigma^* \mid \text{post}(q_s, u) \cap Q_0 = \{q\} \text{ and } \text{val}(C, x, u) < 0\} \\ L_{(q,C,+)} &= \{u \in \Sigma^* \mid \text{post}(q_s, u) \cap Q_0 = \{q\} \text{ and } \text{val}(C, x, u) > 1\} \\ L_{(*,C,e)} &= \{u \in \Sigma^* \mid \text{post}(q_s, u) \cap Q_0 = \emptyset \text{ and } \text{val}(C, x, u) \leq \frac{e}{d}\} \\ L_{(*,C,-)} &= \{u \in \Sigma^* \mid \text{post}(q_s, u) \cap Q_0 = \emptyset \text{ and } \text{val}(C, x, u) < 0\} \\ L_{(*,C,+)} &= \{u \in \Sigma^* \mid \text{post}(q_s, u) \cap Q_0 = \emptyset \text{ and } \text{val}(C, x, u) > 1\} \end{aligned}$$

are all regular.

We are ready to present the main result of this section.

Theorem 7. *For any integer HPA \mathcal{A} , rational threshold $x \in [0, 1]$, the languages $L^{a>x}(\mathcal{A})$ and $L^{a \geq x}(\mathcal{A})$ are regular (where $a \in \{f, b, m\}$).*

Proof. From Proposition 4, we can conclude that

$$L^{a>x}(\mathcal{A}) = \left(\bigcup_{C \subseteq Q_1, q \in Q_0 \cup \{*\}} L_{(q,C,-)} L_C \right) \cup \left(\bigcup_{C \subseteq Q_1, q \in Q_0, e \in [0,1]} L_{(q,C,e)} L_{C \cup \{q\}} \right)$$

where L_W is the set of words definitely accepted from witness set W , as defined in Proposition 1. From Proposition 1 and Lemma 4, we can conclude that each of the languages on the right hand side is regular, and therefore, $L^{a>x}(\mathcal{A})$ is regular. The proof of regularity of $L^{a \geq x}(\mathcal{A})$ is omitted for lack of space reasons. \square

The following theorem shows that the problems of checking emptiness and universality are **PSPACE**-complete for integer HPAs, thus giving a tight upper bound.

Theorem 8. *Given an integer HPA \mathcal{A} , $a \in \{f, b, m\}$, $\triangleright \in \{>, \geq\}$, the problem of determining if $L^{a \triangleright x}(\mathcal{A}) = \emptyset$ is **PSPACE**-complete. Similarly, the problem of checking universality is also **PSPACE**-complete.*

5 Conclusions

We investigated the expressiveness of (1-level) HPAs with non-extremal thresholds and showed, in spite of their very simple transition structure, they can recognize non-regular languages. Nevertheless, the canonical decision problems of emptiness and universality

for HPAs turn out to be decidable in **EXPTIME** and are **PSPACE**-hard. Imposing a very simple restriction on the transition probabilities result in automata that we call integer HPAs which recognize only regular languages. For integer HPAs, the canonical decision problems turn out to be **PSPACE**-complete.

There are a few problems left open by our investigations. The first one is of course the gap in the complexity of deciding emptiness and universality for these problems. Our investigations in this paper were motivated by understanding the relationship between the number of levels in HPAs and the tractability of the model. The results in [4] suggest that problems become hard for 6-level HPAs and non-extremal thresholds. Our results here suggest that 1-level HPAs (with non-extremal thresholds) are tractable. Exactly where the boundary between decidability and undecidability lies is still open. Finally, as argued in the Introduction, HPAs arise naturally as models of client-server systems, and it would be useful to apply the theoretical results here to such models.

Acknowledgements. Rohit Chadha was partially supported by NSF CNS 1314338. Mahesh Viswanathan was partially supported by NSF CNS 1314485. A. Prasad Sistla and Yue Ben were partially supported by CNS 1035914, CCF 1319754 and CNS 1314485.

References

1. Baier, C., Größer, M.: Recognizing ω -regular languages with probabilistic automata. In: 20th IEEE Symp. on Logic in Computer Science, pp. 137–146 (2005)
2. Baier, C., Größer, M., Bertrand, N.: Probabilistic ω -automata. *Journal of the ACM* 59(1), 1–52 (2012)
3. Chadha, R., Sistla, A.P., Viswanathan, M.: On the expressiveness and complexity of randomization in finite state monitors. *Journal of the ACM* 56(5) (2009)
4. Chadha, R., Sistla, A.P., Viswanathan, M.: Probabilistic Büchi automata with non-extremal acceptance thresholds. In: Jhala, R., Schmidt, D. (eds.) *VMCAI 2011*. LNCS, vol. 6538, pp. 103–117. Springer, Heidelberg (2011)
5. Chadha, R., Sistla, A.P., Viswanathan, M.: Power of randomization in automata on infinite strings. *Logical Methods in Computer Science* 7(3), 1–22 (2011)
6. Chatterjee, K., Henzinger, T.A.: Probabilistic automata on infinite words: Decidability and undecidability results. In: Bouajjani, A., Chin, W.-N. (eds.) *ATVA 2010*. LNCS, vol. 6252, pp. 1–16. Springer, Heidelberg (2010)
7. Condon, A., Lipton, R.J.: On the complexity of space bounded interactive proofs (extended abstract). In: *Symp. on Foundations of Computer Science*, pp. 462–467 (1989)
8. Fijalkow, N., Gimbert, H., Oualhadj, Y.: Deciding the value 1 problem for probabilistic leak-tight automata. In: *IEEE Symp. on Logic in Computer Science*, pp. 295–304 (2012)
9. Gimbert, H., Oualhadj, Y.: Probabilistic automata on finite words: Decidable and undecidable problems. In: Abramsky, S., Gavioille, C., Kirchner, C., Meyer auf der Heide, F., Spirakis, P.G. (eds.) *ICALP 2010, Part II*. LNCS, vol. 6199, pp. 527–538. Springer, Heidelberg (2010)
10. Größer, M.: *Reduction Methods for Probabilistic Model Checking*. PhD thesis, TU Dresden (2008)
11. Kemeny, J., Snell, J.: *Denumerable Markov Chains*. Springer (1976)
12. Paz, A.: *Introduction to Probabilistic Automata*. Academic Press (1971)
13. Rabin, M.O.: Probabilistic automata. *Inf. and Control* 6(3), 230–245 (1963)
14. Vardi, M.: Automatic verification of probabilistic concurrent finite-state programs. In: *Symp. on Foundations of Computer Science*, pp. 327–338 (1985)