

BIBLIOGRAPHY

Translated from *Khimicheskoe i Neftyanoe Mashinostroenie*, No. 10, pp. 47-48, October, 1965

D. S. Azbel'. Hydrodynamics of processes in bubbler type reactors. *Khim. prom.*, No. 7, 34-47 (1964).

V. S. Aliev, M. I. Rustamov, and E. M. Seid-Rzaev. Investigation of the gas-dynamical characteristics of finely dispersed materials in a straight upflow reactor. *Azerbaidzhan. khim. zhur.*, No. 3, 37-43 (1964).

S. A. Anisimov, and K. P. Seleznev. Efficiency of centrifugal compressors. *Trudy LPI (Leningrad. politekhn. inst.)*, No. 232, 52-58 (1964).

I. M. Aspis, A. A. Vezverkhii, and V. Ya. Andreeva. How the angle of inclination of a low-head hydrocyclone affects performance. *Koks i khimiya*, No. 8, 10-11 (1964).

Yu. P. Bass, and L. P. Rilyazetdinov. How to calculate the length of a carbon black reactor. *Inzhener.-fiz. zhur.*, 7, No. 8, 114-120 (1964).

N. K. Bakhchalova. Continuous-acting horizontal plate-insert helical-conveyor centrifuges. (For use in molasses and starch production.) *Trudy VNII Krakhmaloproduktov*, No. 9, 122-130 (1964).

V. P. Belousov, and I. P. Sokurenko. How to prevent corrosive failure of parts in air separation plants. *Bezopasnost' truda v prom.*, No. 1, 19-21 (1963).

V. V. Biryukov and V. V. Kafarov. Analog simulation of agitated chemical reactors. *Avtomatizatsiya khim., proizvod.*, No. 4, 13-19 (1963).

V. Burmak and A. Makhalov. How to improve the performance of oil dewaxers. *Neftyanik*, No. 1, 28-29 (1965).

E. D. Vertuzaev. Essentials of the end effects observed in extraction columns. *Khimiya i tekhnol. topliv i masel*, No. 7, 8-12 (1964).

V. I. Volchek, A. I. Kosarev, and V. A. Strel'tsov. Impact-action centrifugal crushers compared to rotary crushers. *Stroitel'nye i Dorozhnye Mashiny*, No. 9, 30-33 (1946).

R. I. Gavrilov. Study of the kinetics of a drying process with variable heat transfer and mass transfer coefficients. *Inzhener.-fiz. zhur.*, 7, No. 8, 37-42 (1964).

Yu. B. Galerkin and I. P. Suslina. Investigation of the blading of low-capacity centrifugal compressor stages. *Trudy LPI (Leningrad. politekhn. inst.)*, No. 232, 71-82 (1964).

V. M. Gorbunov. Air spraying of fluids in diffusors of nozzles. *Elektrifikatsiya sel'skogo khozyaistva*, 13, 209-222 (1964).

I. V. Davydov. New sealed electric pumps for transfer of flammable and explosive fluids. *Bezopasnost' truda v prom.*, No. 8, 46-51 (1964).

K. P. Dvoretiskii and A. A. Luk'yanov. Throttling characteristics of a vaned-diffuser centrifugal compressor. *Trudy LPI (Leningrad. politekhn. inst.)*, No. 232, 99-105 (1964).

A. I. Emel'yanov. Automating the furnace section of a sulfuric acid shop. *Mekh. i avtomat. prozv.*, No. 9, 9-11 (1964).

G. A. Eeres'ko. Steam heating of liquid jets, *Izvestiya vyssh. ucheb. zaved. Energetika*, No. 1, 83-87 (1965).

I. I. Zharikov. Two thermobarochambers working with a single refrigeration plant. *Kholod. tekhnika*, No. 4, 63-64 (1964).

E. K. Kanashkin. Calculating heat performance of a rectification tower with weight change of internal flow considered. *Izvestiya vyssh. ucheb. zaved. Neft' i gaz*, No. 8, 63-67 (1964).

E. E. Karpis. Air conditioning in the chemical process industry and conditioner design problems. *Vodosnabzhenie i sanitarn. tekhn.*, No. 1, 1-3 (1965).

V. L. Kolin and O. S. Okhrimenko. Note on the effectiveness of grinding pigment pastes in a blade-agitated vertical ball mill. *Lakokrasochnye materialy i ikh primenenie*, No. 3, 51-54 (1964).

G. G. Kornilov, and V. I. Chernikin. Hydraulic design of piping for gas-liquid mixtures. *Neftyanoe khoz.*, No. 8, 51-55 (1964).

A. M. Krapivin. Effect of various factors on the performance of water-jet heat exchangers. *Trudy Dnepropetrovsk. inst. inzhener. zheleznodor. transporta*, No. 48, 35-48 (1964).

I. V. Kuz'min, A. M. Baklastov, Zh. F. Sergazin, and V. P. Mayakin. Estimating turbulence in the channels of heat exchanger plants. *Teploenergetika*, No. 12, 82-84 (1964).

A. M. Levin and S. Salikhodzhaev. Design and testing of a burner with a metal gauze heat emitter. *Gaz. prom.*, No. 2, 14-18 (1965).

A. T. Litvinov. Drag and efficiency of a turbulent washer. *Khim. prom.*, No. 8, 64-69 (1964).

E. T. Lukhakooder and E. K. Siirde. How to design propeller-agitated extractors. Report No. 2. *Trudy Tallin. politekhn. inst. Series A*, No. 210. *Sbornik statei po khim. tekhnol.*, No. 10, 179-192 (1964).

E. T. Lukhakooder and E. K. Siirde. How to design (mixer-settler type) extractors for removing phenol from tar water. Report No. 4, *Trudy Tallin. politekhn. inst. Series A*, No. 210. *Khim. i khim. tekhnol.*, No. 10, 206-212 (1964).

E. B. Manusov. Feasible level of automation for several types of batch reactors. *Masloboino-zhirovaya prom.*, No. 9, 38-41 (1964).

L. E. Medovar. Some design features in sophisticated packless compressors. *Kholod. tekhnika*, No. 4, 72-74 (1964).

Yu. N. Mikhailov. Rectification towers as controlled systems. *Trudy Mosk. inst. neftekhim. i gaz. prom.*, No. 52, 9-23 (1964).

Yu. K. Molokanov. Design of columns with perforated and turbogrid downcomer trays. *Khimiya i tekhnol. topliv i masel*, No. 7, 50-54 (1964).

Yu. V. Nabatov. Replacing parts that wear out fast in ring valves (of refrigeration compressors). *Kholod. tekhnika*, No. 4, 61-62 (1964).

A. L. Pavlovskii. How to design thermal radiation type dryers for drying paint coatings. *Lakokrasochnye materialy i ikh primenenie*, No. 4, 78-82 (1964).

V. I. Parshenkov. Some aspects of the dynamics of rotary impact centrifugal mills with no grinding bodies. *Trudy NII tsement. mashinostroeniya*, No. 3, 34-42 (1964).

G. M. Pevzner. Study of the power drives for helical-conveyor centrifuges. (For application in starch and molasses production), *Trudy VNII Krakhmaloproduktov*, No. 7, 108-122 (1964).

I. G. Plit. Note on the theory of chemisorption in counterflow gas streams and "large-diameter" drops. *Izvestiya vyssh. ucheb. zaved. Khimiya i khim. tekhnol.*, 7, No. 5, 842-851 (1964).

I. G. Plit and I. N. Polyanchikov. Sedimentometric device determines disperseness of liquid sprays. *Izvestiya vyssh. ucheb. zaved. Khimiya i khim. tekhnol.*, No. 3, 505-509 (1964).

V. G. Ponomarenko. Monitoring the performance of an ammonia column by the pH of the effluent water. *Koks i khimiya*, No. 9, 38-40 (1964).

V. V. Popov. Calculation of continuous multicomponent rectification—a mathematical programming problem. *Khimiya i tekhnol. topliv i masel*, No. 12, 38-39 (1964).

I. M. Razumov, N. I. Nikitina and M. E. Aerov. Simulation of thermal fields of chemical process equipment with uniformly distributed internal heat sources with boundary conditions of the third kind specified. *Inzhener.-fiz. zhur.*, 7, No. 8, 89-92 (1964).

- I. S. Roizen. Antistatic agents as explosion preventatives. *Bezopasnost' truda v prom.*, No. 9, 41-45 (1964).
- Yu. A. Semenov. Effect of distributed mass of a shaft on the critical speed of centrifuges. *Uchenye zapiski Checheno-Ingush. pedagog. inst.*, No. 22, No. 7. *Seriya fiz. mat.*, 107-115 (1965).
- F. M. Smekhov. Thermodynamic recording device for a laboratory model rectification tower. *Lakokrasochnye materialy i ikh primenenie*, No. 3, 44-46 (1964).
- Yu. N. Solov'ev. Investigation of the effect of graphical averaging of experimental data on the accuracy of centrifugal pump testing results. *Trudy VIGM*, No. 34, 21-46 (1964).
- A. Tarasenko. Rumanian drills in service on the Kuban oil fields (engineering specifications). *Neftyanik*, No. 1, 38 (1965).
- E. N. Tearo and E. K. Siirde. Liquid carryover in downcomer tray columns. *Trudy Tallin. politekhn. inst. Series A*, No. 210. *Stat'i po khim. i khim. tekhnol.*, No. 10, 151-160 (1964).
- M. P. Fadyushina and N. F. Rysakov. Investigation of the performance of a reactor mixing device. *Izvestiya vyssh. ucheb. zaved. Energetika*, No. 8, 121-125 (1964).
- A. P. Fokin, A. N. Planovskii, and L. A. Akopyan. On the design of stray dryers with intermixing taken into account. Letter to the editor. *Inzhener.-fiz. zhur.*, 8, No. 1, 116-118 (1965).
- S. E. Khar'kovskii. Efficient feeding of hammer mills. *Koks i khimiya*, No. 8, 7-9 (1964).
- Yu. V. Khvatov. Investigation of an axial-flow blower by the reaction method. *Izvestiya vyssh. ucheb. zaved. Stroitel'stvo i arkhitektura*, No. 12, 116-126 (1964).
- M. V. Khorunzhii, A. S. Kolendovskii, and N. A. Boikov. Inadequacies in the performance of electrical plants subject to explosion hazards. *Bezopasnost' truda v prom.*, No. 8, 51-53 (1964).
- N. A. Tsimbalenko. Programmed control of distribution of rubber crumbs in autoclave hopper, in rubber reclaim production. *Kauchuk i rezina*, No. 11, 47-49 (1964).
- F. F. Tsymbal. A new procedure for sampling in the construction of grinding diagrams for tubular ball mills. *Nauchnye soobshch. Aziat. filial VNII tsement. prom.*, No. 7, 57-60 (1963).
- V. N. Chernyshev. Dynamics of mass transfer in counterflow extraction equipment. *Avtomat. proizvod. protsessov (Inst. avtomatiki i telemekhaniki akad. nauk SSSR)*, No. 4, 5-21 (1964).
- A. A. Chistyakov. SK-45 packing glands for ATs-1 ammonia pumps. *Kholod. tekhnika*, No. 4, 62-63 (1964).
- R. N. Shestov. Design of hydrocyclones for separating fats from water. *Izvestiya vyssh. ucheb. zaved. Pishchevaya tekhnologiya*. No. 4, 117-120 (1964).
- B. A. Shcheglov. Rating the strength of stamped parts for chemical process equipment by the results of hydraulic tests. *Kuznechno-shtamp. proizvodstvo*, No. 9, 23-24 (1964).