

# A trust-region framework for managing the use of approximation models in optimization

N.M. Alexandrov

Multidisciplinary Optimization Branch, MS 159, NASA Langley Research Center, Hampton, VA 23681, USA

J.E. Dennis, Jr.\*

Department of Computational and Applied Mathematics, Rice University, Houston, TX 77005, USA

R.M. Lewis\*\*

ICASE, MS 403, NASA Langley Research Center, Hampton, VA 23681, USA

V. Torczon†

Department of Computer Science, College of William & Mary, Williamsburg, VA 23187, USA

**Abstract** This paper presents an analytically robust, globally convergent approach to managing the use of approximation models of varying fidelity in optimization. By robust global behaviour we mean the mathematical assurance that the iterates produced by the optimization algorithm, started at an arbitrary initial iterate, will converge to a stationary point or local optimizer for the original problem. The approach presented is based on the trust region idea from nonlinear programming and is shown to be provably convergent to a solution of the original high-fidelity problem. The proposed method for managing approximations in engineering optimization suggests ways to decide when the fidelity, and thus the cost, of the approximations might be fruitfully increased or decreased in the course of the optimization iterations. The approach is quite general. We make no assumptions on the structure of the original problem, in particular, no assumptions of convexity and separability, and place only mild requirements on the approximations. The approximations used in the framework can be of any nature appropriate to an application; for instance, they can be represented by analyses, simulations, or simple algebraic models. This paper introduces the approach and outlines the convergence analysis.

## 1 Introduction

In this paper we present an approach to managing the use of approximation models in optimization that is based on the

trust region approach from nonlinear programming (Dennis and Schnabel 1983; Moré 1983). The approach presented inherits the mathematical robustness and global and local convergence properties of the classical trust region methods. By global convergence we mean the assurance that the iterates produced by an optimization algorithm working with the approximation models, started at an arbitrary initial iterate, will converge to a stationary point or local optimizer for the original problem. The local convergence rate determines the asymptotic efficiency of the method. The approach also suggests criteria to decide when the fidelity (and thus the cost) of the approximations might be fruitfully increased or decreased.

The use of approximations in engineering optimization motivates this work. A review of approximation models in structural optimization can be found in the paper by Bathelemy and Haftka (1993). When many of these ideas were first formalized, for instance by Schmit and Farshi (1974) and Schmit and Miura (1976), the idea was to employ approximation models in conjunction with existing mathematical programming techniques to solve structural design optimization problems. However, to the best of the authors' knowledge, prior analysis in the structural optimization community has focussed on the question of whether or not the optimization technique would converge to a solution of the problem defined by the approximation concept, rather than the original problem (e.g. Braibant and Fleury 1985; Hajela 1986, with an exception being Avriel and Williams 1970; Morris 1972a). Because the method proposed inherits the convergence properties of the classical trust region algorithms for nonlinear optimization, we can give simple conditions which assure that the iterates produced by using suitable approximation models, starting from an arbitrary initial iterate, will converge to a stationary point or a local optimizer of the original problem. The analysis easily accommodates varying the nature of the approximation from iteration to iteration.

---

\* This research was supported by the Dept. of Energy grant DE-FG03-95ER25257 and Air Force Office of Scientific Research grant F49620-95-1-0210

\*\* This research was supported by the National Aeronautics and Space Administration under NASA Contract No. NAS1-19480 while the author was in residence at the Institute for Computer Applications in Science and Engineering (ICASE), NASA Langley Research Center, Hampton, VA 23681, USA

† This research was supported by the Air Force Office of Scientific Research grant F49620-95-1-0210 and by the National Aeronautics and Space Administration under NASA Contract No. NAS1-19480 while the author was in residence at the Institute for Computer Applications in Science and Engineering (ICASE), NASA Langley Research Center, Hampton, VA 23681, USA

The trust region framework gives an adaptive method for managing the amount of optimization done with the approximation models before one has recourse to a detailed model to check the validity of the design generated by the approximation model. This regulation is based on the ability of the approximation to predict improvement in the system being optimized. Moreover, by comparing the improvement predicted by the approximation model to the improvement realized for the true system being optimized, we obtain useful information on how well the model is predicting the behaviour of the system. This information can be used to suggest when a model of greater or lesser fidelity may be more suitable as well as when more or less optimization might be done on the model before the next comparison.

In this paper we consider only the case of unconstrained minimization. We do this, in part, for simplicity in presenting the trust region approach. A discussion of trust region approaches to constrained optimization, particularly the convergence theory for constrained algorithms, would require the introduction of technical machinery that would obscure the point we wish to make. Moreover, many nonlinear programming algorithms for constrained optimization – penalty methods, classical and modified barrier methods, augmented Lagrangian methods – actually proceed by solving a sequence of unconstrained optimization problems, to which the current discussion applies. The case of constrained optimization we will treat in detail elsewhere.

Let  $x$  denote the design variables, and suppose that one has a model of high physical fidelity but high computational cost, as well as an approximate model of lower physical fidelity but lower computational cost. Let the associated performance measures (merit/cost/objective functions) be  $f(x)$  and  $a(x)$  and their sensitivities (with respect to the design variables) be  $\nabla f(x)$  and  $\nabla a(x)$ ,

$x \rightarrow$  high-fidelity (“true”) model  $\rightarrow f(x), \nabla f(x)$ ,

$x \rightarrow$  approximate model  $\rightarrow a(x), \nabla a(x)$ .

Figure 1 describes a conceptual scheme for using approximation models in the context of optimization. One occasionally uses information from the high-fidelity model to check designs generated using a model of lower fidelity but of lower computational cost. One then takes a number of optimization iterations using this simpler, cheaper approximation model. At the end of this optimization phase, one has recourse to the high-fidelity model to recalibrate the lower-fidelity model and then continues optimization using the simplified model.

In order to make such a scheme robust – that is, to be assured that we are converging to a design that is likely to yield at least a local optimum for the original, high-fidelity problem – we must address the following questions.

- What does one do when the design derived from optimization using the approximation model  $a$  fails to produce improvement in the true objective  $f$ ?
- More generally, how can one use information about the predictive value of  $a$  (or lack thereof) to regulate the amount of optimization done using  $a$  before recourse to the high-fidelity model?

In addition, for reasons of efficiency, one also seeks guidance in regards to the following.

- When might it be appropriate to either change or refine the model to improve the progress of the optimization?

When can the quality (and, presumably, cost) of the approximation model be reduced?

The trust region mechanism gives a systematic response to both poor and incorrect prediction on the part of the approximation model while not being so conservative as to retard progress when the approximation model does a good job of predicting improvement in the high-fidelity model. Furthermore, the trust region mechanism gives us a measure of how well the model is predicting improvement in the system and thus suggests criteria for changing or updating the model based on this measure of the predictive abilities of the model.




Fig. 1. Conceptual optimization algorithm using approximation models

In Section 2 we present the relevant features of classical trust region algorithms. In Section 3 we apply the classical trust region approach to manage the use of the more general approximations available in engineering applications. In Section 4 we discuss how the convergence theory for classical trust region algorithms remains valid for the new approach using general approximation models. In Section 5 we discuss how the information used in the course of the classical trust region approach might be used to decide when it might be appropriate to either change or refine the model to improve the progress of the optimization. Examples of approximations that can be used in the trust region framework presented are discussed in the Appendix.

## 2 The classical trust region approach in optimization

One of the goals of modern nonlinear programming algorithms is robust global behaviour. By robust global behaviour we mean the mathematical assurance that the iterates produced by an optimization algorithm, started at an arbitrary initial iterate, will converge to a stationary point or local optimizer for the problem. This robustness is achieved by globalization strategies such as trust regions, line searches, and continuation methods.

The classical trust region idea is to regulate the length of the steps taken in an iterative optimization process based on how well the current quadratic Taylor series model of  $f$  is found to predict improvement in  $f$ . This leads to an adaptive method for adjusting the size of the steps taken based on how well the local quadratic models are predicting decrease in  $f$ .

At iteration  $k$ , one begins by building a quadratic model  $q_k$  of the objective function

$$f(x_k + s) \approx q_k(x_k + s) = f(x_k) + g_k^T s + \frac{1}{2} s^T B_k s. \quad (1)$$

We use here the notation  $s$  to denote the prospective *step*  $\Delta x$  in the design variables,  $g_k$  to denote an approximation of the gradient  $\nabla f(x_k)$ , and the term  $B_k$  to denote a model of the second derivatives (curvature) of  $f$  at  $x_k$ . The convergence analysis of trust region methods in the unconstrained case places very mild requirements on the information used to construct the approximation (1). The gradient approximation  $g$  can be of limited accuracy (Carter 1991), while the  $B_k$  need only remain uniformly bounded in norm. Typically  $B_k$  is the Hessian of  $f$ , calculated analytically or via finite-differences, or a quasi-Newton Hessian built up using a secant update such as BFGS or DFP (Dennis and Schnabel 1983).

The trust region algorithm proceeds by building and minimizing quadratic models of the form (1). However, in general such a quadratic model is known to be a good approximation only in a neighbourhood of  $x_k$ . Consequently, we restrict the step we take to a region in which we trust the quadratic model to approximate  $f$  well, whence the name “trust region”. This is done by adding a constraint on the length of the step allowed, resulting in the trust region subproblem

$$\text{minimize } q_k(x_k + s), \text{ subject to } \|s\| \leq \delta_k. \quad (2)$$

Note that the direction of the step may vary with  $\delta_k$ . In practice, one need not solve the problem (2) exactly for the step  $s_k$ ; there is a relaxed condition on how much decrease  $s_k$  must produce in the quadratic model  $q_k$  in order to insure robust behaviour (Sorensen 1982; Moré 1983). We discuss this criterion, the fraction of Cauchy decrease condition, in Section 4.

Although in this algorithm we use an  $\ell_2$  trust region, that is, the bound on the step is expressed using the Euclidean norm, this assumes an even scaling of all the components of  $x$ . In practice, the variables are scaled to improve performance; this leads to a trust region of the form  $\|\Lambda s\| \leq \delta_k$ , where  $\Lambda$  is a symmetric positive definite matrix. Other choices of norm are possible to define the trust region as well. For instance, one can use the  $\ell_\infty$  norm, which is more appropriate when solving problems with bounds on the design variables (Friedlander *et al.* 1996).

One then decides whether or not to accept the prospective step  $s$

$$x_{k+1} = \begin{cases} x_k + s & \text{if } f(x_k + s) < f(x_k), \\ x_k & \text{otherwise.} \end{cases} \quad (3)$$

The trust radius  $\delta_k$  is similar in purpose to a move limit (Vanderplaats 1984). However, the two are distinguished by the way in which they are updated. Move limits are set and updated in a manner based on the intuition of the user. From the point of view of mathematical analysis this is ad hoc. While the use of move limits in this way can be successful, to the authors’ knowledge no proof of convergence for optimization algorithms that use move limits exists. On the other hand, in trust region algorithms, the “move limit” – the trust radius – is expanded and contracted in a systematic way for which one can prove global and local convergence results.

In particular, after each optimization iteration, the trust radius is updated in an adaptive way based on the predictive quality of the quadratic model used to generate steps, according to the following principles.

- (1) If the model did a very good job of predicting the actual improvement of  $f$  or if there was even more improvement than predicted in  $f$ , then increase  $\delta_k$  and allow a longer

step at the next optimization iteration  $k + 1$ , since the model has proven its utility in finding improvement in  $f$  over the current trust region.

- (2) However, if the model did a bad job of predicting the improvement in  $f$ , either because  $f$  actually increased with the step  $s$ , or because  $f$  did decrease but not nearly as much as predicted by the quadratic model, decrease the size of the trust region used in the next optimization iteration. Calculus assures us that the quadratic model is good if we remain sufficiently close to  $x_k$ .
- (3) Finally, if the model did an acceptable but not especially noteworthy job of predicting the improvement in  $f$ , leave the size of the trust region alone.

Numerically, one chooses positive constants  $r_1 < r_2 < 1$  and  $c_1 < 1$ ,  $c_2 > 1$  that regulate the expansion and contraction of the trust region. One compares the actual and predicted decrease,

$$r = \frac{f(x_k) - f(x_k + s)}{f(x_k) - q_k(x_k + s)},$$

and updates the trust radius as follows:

$$\delta_{k+1} = \begin{cases} c_1 \|s\| & \text{if } r < r_1, \\ \min\{c_2 \|\delta_k\|, \Delta^*\} & \text{if } r > r_2, \\ \|s\| & \text{otherwise,} \end{cases} \quad (4)$$

where  $\Delta^*$  is an upper bound on the trust radius. Typical values for  $r_1$  and  $r_2$  are  $r_1 = 0.10$  and  $r_2 = 0.75$  (Dennis and Schnabel 1983).

Note that we do not reduce the trust region if the quadratic model under-predicts improvement in  $f$ . In the context of optimization, we focus on predicting descent, as opposed to the more general question of overall quality of the approximation. The latter issue is important, however, in constrained problems if one wishes to insure feasibility of iterates produced by an optimization algorithm.

The classical trust region algorithm is summarized in Fig. 2. We have omitted stopping criteria; for a discussion of stopping criteria for trust regions methods, see the book by Dennis and Schnabel (1983) or the report by Gay (1982).

Choose  $x_0 \in \mathbb{R}^n$  and  $\delta_0 > 0$ .

For  $k = 0, 1, \dots$  until convergence do {

    Find an approximate solution  $s_k$  to the subproblem:

$$\text{minimize } q_k(x_k + s)$$

$$\text{subject to } \|s\| \leq \delta_k.$$

    Compare the actual and predicted decrease:

$$r = \frac{f(x_k) - f(x_k + s_k)}{f(x_k) - q_k(x_k + s_k)}.$$

    Update  $x_k$  according to (3) and  $\delta_k$  according to (4).

}

Fig. 2. The classical trust region algorithm for unconstrained minimization

### 3 A trust region approach with generalized approximation models

In the engineering optimization literature, the quadratic model (1) based on the Taylor series for  $f$  is sometimes called a *formal approximation*. Alternative models used in engineering practice can produce approximations that are better than the quadratic model over a larger neighbourhood. These approximations are usually based on some knowledge of the

problem and are thus specific to the application whereas quadratic models are always locally applicable. Many such problem-specific approximations can be found in the structural optimization literature; we discuss some examples that satisfy the conditions of the trust region framework in the Appendix.

We place the following two requirements on the approximation model used at each optimization iteration:

$$a_k(x_k) = f(x_k), \quad (5)$$

$$\nabla a_k(x_k) = \nabla f(x_k). \quad (6)$$

If the model  $a_k$  and its first derivatives at  $x_k$  agree with those of the actual objective  $f$ , we call the approximation a *first-order model*. If, in addition,

$$\nabla^2 a_k(x_k) = \nabla^2 f(x_k), \quad (7)$$

we call the approximation a *second-order model*, although these are not the primary focus of this paper since it is typically not the case that second-order derivatives of  $f$  are available.

In the case of unconstrained minimization we actually can weaken the condition (6) and develop an approach based on inexact gradients along the lines of the paper by Carter (1986), but for simplicity we will not pursue that approach here. One can also develop an approach using *zero-order models* that satisfy only the condition (5) (Dennis and Torczon 1997).

The conditions (5)-(6) are not especially restrictive if exact or approximate sensitivity information for  $f$  is available. In the Appendix we discuss examples of approximations that satisfy (5)-(6) by construction.

The conditions (5) and (6) guarantee that sufficiently close to  $x_k$ , the approximation  $a_k$  is a good model for  $f$ . It is then clear how the trust region approach provides a mechanism to regulate the use of  $a$  in an optimization iteration: if the approximation model  $a$  is not a good predictor of the improvement of  $f$  for a long step, we decrease  $\delta$  and fall back on a region in which  $a$  is an increasingly good model of  $f$ . On the other hand, if  $a$  is doing a good job of approximating the behaviour of  $f$ , then we do not decrease the length of the steps we take, and thereby avoid unnecessarily restricting the progress of the optimization.

The trust region algorithm for unconstrained minimization using general first-order approximation models is then given in Fig. 3, again, omitting the stopping criteria. In Section 4 we explain precisely what we mean by finding an approximate solution  $s_k$  to the subproblem.

Note that the approximation need not be fixed across all iterations; it can vary with the iteration, so we denote the approximation by  $a_k$  rather than  $a$ . One can change the approximation model if necessary to reflect the current region of the design space (for the case of quadratic models, see Carter 1986). Furthermore, although only a single level of approximation is described in Fig. 3, nothing precludes additional levels of approximation in solving the subproblem. The framework we propose can accommodate many levels of approximation which vary in fidelity, but also, presumably, in computational cost.

Choose  $x_0 \in \mathbb{R}^n$ ,  $\Delta_0 > 0$ .

For  $k = 0, 1, \dots$  until convergence do {  
 Choose  $a_k$  that satisfies  $a_k(x_k) = f(x_k)$  and  $\nabla a_k(x_k) = \nabla f(x_k)$ .  
 Find an approximate solution  $s_k$  (for example, as in Figure 4)  
 to the subproblem:  
     minimize  $a_k(x_k + s)$   
     subject to  $\|s\| \leq \Delta_k$ .  
 Compare the actual and predicted decrease in  $f$ :  

$$R = \frac{f(x_k) - f(x_k + s_k)}{f(x_k) - a_k(x_k + s_k)}.$$
  
 Update  $x_k$  according to (3) and  $\Delta_k$  according to (4).  
 }

Fig. 3. A trust region algorithm using general approximation models

#### 4 Robustness and convergence theory

Obviously, the practical performance of any algorithm along the lines of Fig. 1 depends on the quality of the approximation models and their ability to predict the behaviour of  $f$ . However, we can make some general mathematical statements about the analytical robustness of the trust region framework for using approximation models in optimization.

In the conceptual algorithm given in Fig. 1, if an optimization iterate is unsuccessful, the user would respond by improving the fidelity of the model and/or “doing less optimization”. The trust region approach focuses on the latter option, which is accomplished by reducing the trust radius. This incidentally has the effect of “improving the model” insofar as attention is restricted to smaller regions in which the approximation is increasingly better. This strategy enables us to establish the robust behaviour of the approach under the reasonably mild matching conditions (5) and (6), as we now discuss.

The algorithm in Fig. 3 is the classical trust region procedure for unconstrained minimization with the distinction that the trust region subproblem

$$\text{minimize } a_k(x_k + s), \quad \text{subject to } \|s\| \leq \Delta_k \quad (8)$$

involves a general first-order approximation model  $a_k$  instead of the conventional quadratic model  $g_k$  given by (1).

The trust region algorithm for general approximation models in Fig. 3 requires only that this subproblem be solved approximately. Here “approximately” means that the solution of each iteration,  $s_k$ , can be obtained in any manner suitable to the application as long as it satisfies a condition, known as the fraction of Cauchy decrease (FCD) condition, concerning the change in the model  $a_k$  from the point  $x_k$  to the point  $x_k + s_k$ . Let  $g(x) = \nabla f(x)$ . We state the FCD condition in the following form: there exist  $\beta > 0$  and  $C > 0$ , independent of  $k$ , for which the step  $s_k$  satisfies

$$f_k(x_k) - a_k(x_k + s_k) \geq \beta \|g(x_k)\| \min \left( \Delta_k, \frac{\|g(x_k)\|}{C} \right). \quad (9)$$

Roughly speaking, (9) says that we require the approximation to predict some fraction of the improvement in  $f$  that is predicted by the minimum of the linear model of  $f$  restricted to the trust region.

Moreover, a consequence of (9) is that we need not strictly enforce the trust region constraint. The length of the step  $s_k$  is acceptable if  $\|s\| \leq \alpha \Delta_k$  for  $\alpha \geq 1$  independent of  $k$ . See the paper by Moré (1983) for a more general discussion of the FCD condition.

The FCD condition (9) is very mild, and typically, trust region algorithms automatically satisfy this condition by design. In Fig. 4 we give an algorithm for solving the subproblem (8) that satisfies the FCD condition. This algorithm for solving the subproblem is itself based on the classical trust region approach using a local quadratic approximation.

Given  $x_k \in \mathbb{R}^n$ ,  $\Delta_k > 0$ ,  $\tau \in (0, 1)$ , and  $\alpha \geq 1$ , set  $y_0 = x_k$ ,  $\delta_0 = \tau\Delta_k$ ,  $v_0 = 0$ . For  $j = 0, 1, \dots$ , while  $\|s\| \leq \alpha\Delta_k$  and at least until  $v_j \neq 0$  do {  
 Construct a quadratic model  $q_j(y_j + p) = a_k(y_j) + \nabla a_k(y_j)^T p + \frac{1}{2} p^T B_j p$ , where  $B_j$  approximates the second order information for  $a_k$  at  $y_j$ .  
 Find an approximate solution  $p_j$  to  

$$\begin{aligned} & \text{minimize} && q_j(y_j + p) \\ & \text{subject to} && \|p\| \leq \delta_j \\ & && \|y_j + p\| \leq \Delta_k \end{aligned}$$
  
 that satisfies FCD for  $a_k$  from  $y_j$ .  
 Compare the actual and predicted decrease in  $a_k$ :  

$$r = \frac{a_k(y_j) - a_k(y_j + p_j)}{a_k(y_j) - q_j(y_j + p_j)}.$$
  
 Update  $y_j$  according to (10) and  $\delta_j$  according to (4).  
 Set  $v_{j+1} = v_j + (y_{j+1} - y_j)$ .  
 }  
 Set  $s_k = v_j$ .

Fig. 4. A trust region algorithm for computing  $s_k$  approximately

The algorithm in Fig. 4 for computing the step  $s_k$  is a sequence of classical trust region iterations applied to the approximation model  $a_k$  as the unconstrained objective. Algorithms for the exact and approximate solution of the subproblem

minimize  $q_j(y_j + p)$ ,  
 subject to  $\|p\| \leq \delta_j$ ,  $\|y_j + p\| \leq \Delta_k$ ,  
 as discussed by Heinkenschloss (1994).

We use a slightly more stringent rule for updating  $y_j$  than we used for updating  $x_k$  in (3). We choose  $\mu > 0$ , independent of  $k, j$ , and update as follows.

$$\begin{aligned} \text{If } y_j = x_k, \quad \text{then } y_{j+1} &= \begin{cases} y_j + p_j & \text{if } r > \mu, \\ y_j & \text{otherwise.} \end{cases} \\ \text{If } y_j \neq x_k, \quad \text{then } y_{j+1} &= \begin{cases} y_j + p_j & \text{if } r > 0, \\ y_j & \text{otherwise.} \end{cases} \end{aligned} \quad (10)$$

This rule, a slight modification of one frequently encountered in both the theoretical analysis and practical implementation of trust region methods, insures that the solution of the subproblem (8) satisfies the FCD condition for  $f$  at  $x_k$ : we do not accept a step from  $x_k$  until  $r > \mu > 0$  (we are guaranteed that eventually we will find such a step since, if we do not, we reduce the trust region, and ultimately a successful step will be found). Let  $p_N$  be that first acceptable step. Since the step generated by the classical trust region algorithm applied to  $a_k$  satisfies the FCD condition for  $a_k$  at  $x_k$ , and  $r > \mu$ , we have

$$\begin{aligned} a_k(x_k) - a_k(x_k + p_N) &\geq \mu[a_k(x_k) - q_N(x_k + p_N)] \geq \\ &\mu\beta \|\nabla a_k(x_k)\| \min\left(\delta_N, \frac{\|\nabla a_k f(x_k)\|}{C}\right), \end{aligned}$$

which, in light of (5) and (6), yields

$$\begin{aligned} f(x_k) - a_k(x_k + p_N) &\geq \\ &\mu\beta \|\nabla f(x_k)\| \min\left(\delta_N, \frac{\|\nabla f(x_k)\|}{C}\right). \end{aligned}$$

If we place the additional requirement that the Hessians  $\nabla^2 a_k(x + s)$  of the approximations  $a_k$  are bounded for all  $s$

such that  $\|s\| \leq \Delta_k$  uniformly in  $k$ , then we can be assured that there exists  $\gamma$  independent of  $k$  for which  $\delta_N \geq \gamma\Delta_k$ , so we arrive at an FCD condition for  $a_k$  as an approximation of  $f$  at  $x_k$ ,

$$\begin{aligned} f(x_k) - a_k(x_k + p_N) &\geq \\ &\gamma\mu\beta \|\nabla f(x_k)\| \min\left(\Delta_k, \frac{\|\nabla f(x_k)\|}{C}\right). \end{aligned}$$

Since any steps after step  $N$  only produce further decrease in  $a_k$ , the step generated by the algorithm in Fig. 4 produces a fraction of Cauchy decrease for  $a_k$  as an approximation of  $f$  at  $x_k$ .

Because the convergence analysis of our algorithm is virtually identical to the analysis of classical trust region methods, we give only an outline here. Powell's global convergence theorem (1975) is a powerful result that provides simple conditions for analysing all trust region algorithms. The theorem states that if  $f$  is bounded below, uniformly continuously differentiable, and the Hessian approximations  $B_k$  in (1) are uniformly bounded, then the sequence of iterates generated by a classical trust region algorithm whose steps satisfy a FCD condition satisfies

$$\lim_{k \rightarrow \infty} \inf \|\nabla f(x_k)\| = 0.$$

If one uses a step acceptance criterion of the form (10) instead of (3) in the classical algorithm, one has

$$\lim_{k \rightarrow \infty} \|\nabla f(x_k)\| = 0.$$

Since the algorithm that we propose to find steps  $s_k$  satisfies a FCD condition for the models  $a_k$  (Fig. 4), similar results hold for our algorithm under the hypothesis that the Hessians  $\nabla^2 a_k(x + s)$  are bounded uniformly in  $k$  for all  $s$  such that  $\|s\| \leq \Delta_k$ .

With second-order models one can devise algorithms with convergence properties like those found in the work of Schultz *et al.* (1985) and Sorensen (1982). These classes of algorithms insure convergence to points at which the Hessian of  $f$  is positive semidefinite, the second-order necessary condition for minimality, and convergence to a local optimizer if  $f$  is locally convex around such a point.

Unlike the trust region approach, the line-search strategy (Dennis and Schnabel 1983; Gill *et al.* 1981) does not generalize in a straightforward way to nonquadratic approximation models. If the current iterate is a point  $A$ , and a line-search method applied to the approximation  $a_k$  visits first the point  $B$  and then  $C$ , we know that the direction from  $A$  to  $B$  is a descent direction for  $f$ , and that the direction from  $B$  to  $C$  is a descent direction for  $a_k$ , but there is no guarantee that the direction from  $A$  to  $C$  is a descent direction for  $f$ . Thus any backtracking mechanism associated with a line-search method will not necessarily produce improvement as one takes shorter steps if the search direction is decided by minimizing an approximation model, since there is no guarantee that such a search direction points in a direction of descent in a neighbourhood of  $x_k$ . One would need to store the intermediate iterates in the approximation of  $a_k$  and perform a search along the piecewise linear path defined by those points.

## 5 Relationship to model management

The principles that underlie the update of the trust radius in the classical trust region method were presented in Section 2. We now observe that these principles may suggest ideas for deciding when a model of greater or lesser fidelity may be more suitable. These observations are based on the fact that in the classical trust region approach, the approximation model was always quadratic, and the only way of “improving” the model was to reduce the trust radius, thereby restricting attention to a region where the quadratic model is a better approximation. In the case of general approximation models, however, we may have the option of changing the nature of the model, in addition to changing the trust radius.

Recall that in the classical trust region algorithm given in Fig. 2, if the model did a very good job of predicting improvement in  $f$ , then the update rule for  $\delta_k$  increases  $\delta_k$ , thus allowing longer steps at the next optimization iteration  $k + 1$ , since the model has proven itself to be good over the current trust region. In the case of general approximation models, we also have the option of changing the nature of the model. If the model is doing an exceptionally good job of producing improvement in the system, then we may be able to use a different model, perhaps one with less physical accuracy but lower computational cost.

In the classical algorithm, if the model did a bad job of predicting improvement in  $f$ , either because  $f$  actually increased with the step  $s$  or because  $f$  did decrease but not nearly as much as predicted by the quadratic model, we decrease the size of the trust region used in the next optimization iteration, since this is our only mechanism for “improving” the quadratic model, and we know that this model is good if we remain sufficiently close to  $x_k$ . In the setting of general approximation models, the need to reduce the trust region also indicates that progress may be more successful with a different choice of models – again, a model management decision.

Finally, in the classical algorithm we leave the size of the trust region alone if the model did an acceptable but not especially noteworthy job of predicting the improvement in  $f$ . For general approximation models, this suggests that the model remains the same since its predictive abilities have just proven to be sufficient and there is no strong reason to believe that a less faithful model will be sufficient for the purposes of the optimization.

## 6 Conclusions

We have presented a trust region approach to the use of approximation models in optimization with provable robustness properties in terms of its convergence to stationary points for the original problem. Moreover, the trust region idea of monitoring the improvement predicted by the approximation model to the improvement realized for the true system being optimized may prove useful in suggesting when a model of greater or lesser accuracy may be more suitable. The practical significance of the latter point will be the subject of future investigation.

## Acknowledgements

The authors wish to thank Jean-Francois Barthelemy of the NASA Langley Research Center and Greg Shubin and Paul Frank of Boeing Company for their helpful comments.

## References

- Avriel, M.; Williams, A.C. 1970: Complementary geometric programming. *SIAM J. Appl. Math.* **19**, 125–141
- Barthelemy, J.-F.M.; Haftka, R.T. 1993: Approximation concepts for optimum structural design — a review. *Struct. Optim.* **5**, 129–144
- Braibant, V.; Fleury, C. 1985: An approximation-concepts approach to shape optimal design. *Comp. Meth. Appl. Mech. & Eng.* **53**, 119–148
- Carter, R.G. 1986: *Multi-model algorithms for optimization*. Ph.D. Thesis, Rice University, Houston, TX, USA
- Carter, R.G. 1991: On the global convergence of trust region algorithms using inexact gradient information. *SIAM J. Num. Analysis* **28**, 251–265
- Chang, K.J.; Haftka, R.T.; Giles, G.L.; Kao, P.-J. 1993: Sensitivity-based scaling for approximating structural response. *J. Aircraft* **30**, 283–288
- Dennis, Jr., J.E.; Schnabel, R.B. 1983: *Numerical methods for unconstrained optimization and nonlinear equations*. Englewood Cliffs, N.J.: Prentice Hall
- Dennis, J.E.; Torczon, V. 1997: Managing approximation models in optimization. In: Alexandrov, N.; Hussaini, M.Y. (eds.) *Multidisciplinary design optimization state of the art*, pp. 330–347. Philadelphia: SIAM
- Duffin, R.J.; Peterson, E.L.; Zener, C.M. 1967: *Geometric programming*. New York: John Wiley & Sons
- Fleury, C.; Braibant, V. 1986: Structural optimization a new dual method using mixed variables. *Int. J. Num. Meth. Eng.* **23**, 409–428
- Friedlander, A.; Martínez, J.M.; Santos, S.A. 1996: A new trust region algorithm for bound constrained minimization. *Tech. Report*, Dept. Appl. Math., University of Campinas, Brazil
- Gay, D.M. 1982: On convergence testing in model/trust-region algorithms for unconstrained optimization. *Computing Science Tech. Report No. 104*, Bell Laboratories
- Gill, P.E.; Murray, W.; Wright, M.H. 1981: *Practical optimization*. London: Academic Press
- Haftka, R.T.; Shore, C.P. 1979: Approximation methods for combined thermal/structural design. *Tech. Report 1428*, NASA
- Hajela, P. 1986: Geometric programming strategies in large-scale structural synthesis. *AIAA J.* **24**, 1173–1178
- Heinkenschloss, M. 1994: On the solution of a two ball trust region subproblem. *Math. Prog.* **64**, 249–276
- Moré, J.J. 1983: Recent developments in algorithms and software for trust region methods. In: Bachem, A.; Grötschel, M.; Korte, B. (eds.) *Mathematical programming. The state of the art*, pp. 258–287. Berlin, Heidelberg, New York: Springer
- Morris, A.J. 1972a: Approximation and complementary geometric programming. *SIAM J. Appl. Math.* **23**, 527–531

Morris, A.J. 1972b: Structural optimization by geometric programming. *Int. J. Solids & Struct.* **8**, 847–864

Morris, A.J. 1974: The optimisation of statically indeterminate structures by means of approximate geometric programming. In: *Advisory Group for Aerospace Research and Development, Proc. No. 123, 2nd Symp. on Structural Optimization*, pp. 6–1–6–15

Powell, M.J.D. 1975: Convergence properties of a class of minimization algorithms. In: Mangasarian, O.L.; Meyer, R.R.; Robinson, S.M. (eds.) *Nonlinear programming 2*, pp. 1–27. New York: Academic Press

Schmit, L.A., Jr.; Farshi, B. 1974: Some approximation concepts for structural synthesis. *AIAA J.* **12**, 692–699

Schmit, L.A., Jr.; Fleury, C. 1980: Structural synthesis by combining approximation concepts and dual methods. *AIAA J.* **18**, 1252–1260

Schmit, L.A., Jr.; Miura, H. 1976: Approximation concepts for efficient structural synthesis. *Tech. Report CR-2552*, NASA

Schultz, G.A.; Schnabel, B.; Byrd, R.H. 1985: A family of trust region based algorithms for unconstrained minimization with strong global convergence properties. *SIAM J. Num. Analysis* **22**, 47–67

Sorensen, D.C. 1982: Newton's method with a model trust region modification. *SIAM J. Num. Analysis* **19**, 409–426

Starnes, J.H., Jr.; Haftka, R.T. 1979: Preliminary design of composite wings for buckling, strength, and displacement constraints. *J. Aircraft* **16**, 564–570

Storaasli, O.O.; Sobieszczanski-Sobieski, J. 1974: On the accuracy of Taylor approximation for structure resizing. *AIAA J.* **12**, 231–233

Templeman, A.B.; Winterbottom, S.K. 1974: Structural design applications of geometric programming. In: *Advisory Group for Aerospace Research and Development, Proc. No. 123, 2nd Symp. on Structural Optimization*, pp. 5–1–5–15

Vanderplaats, G.N. 1984: *Numerical optimization techniques for engineering design*. McGraw-Hill

## Appendix: examples of first-order approximation models

### A.1 Algebraic approximation models

Early work in the development of approximation concepts for structural optimization (Schmit and Farshi 1974) concentrated on using linear approximations so that mathematical programming techniques such as sequential linear programming (SLP) could be employed. Linear approximations are one instance of the more general form

$$a_k(x) = f(x_k) + \sum_{i=1}^n g_i(x_k)(x^i - x_k^i)\phi_i(x^i, x_k^i), \quad (11)$$

where  $x = (x^1, \dots, x^n)$  and  $g_i = \partial_{x^i} f$ . Any approximation of the form (11) necessarily satisfies  $a_k(x_k) = f(x_k)$ . We also see that

$$\partial_{x^i} a_k(x) |_{x=x_k} = g_i \phi_i(x_k^i, x_k^i),$$

so  $\nabla a_k(x_k) = \nabla f(x_k)$  if and only if  $\phi_i(x_k^i, x_k^i) = 1$ .

The choice  $\phi_i(x^i, x_k^i) = 1$  yields the first-order Taylor series approximation, the simplest form of (11). An alternative approximation seen in structural optimization comes

from introducing reciprocal variables into the formulation of the problem. This transformation is based on the observation that a significant class of constraints in structural engineering can be transformed from nonlinear to linear equations by using the reciprocals of the sizing type design variables (at the expense of introducing nonlinearity into the objective function). This leads to the *reciprocal approximation*,

$$a_k(x) = f(x_k) + \sum_{i=1}^n g_i(x_k)(x^i - x_k^i) \frac{x_k^i}{x^i}, \quad (12)$$

where  $\phi_i(x^i, x_k^i) = x_k^i/x^i$ .

Early computational results employing these two approximations (Storaasli and Sobieszczanski-Sobieski 1974) suggested that the use of such linearizations, in particular, a first-order Taylor series approximation, could be computationally effective (and here it was noted that there is also a significant computational savings to be enjoyed), but that such approximations were not always accurate. It was also observed that a significant problem with the use of reciprocal variables is that the approximation becomes unbounded if any one of the variables approaches zero.

Subsequent work along these lines was aimed at greater accuracy and numerical stability in the approximation model without requiring the costly calculation of higher-order derivatives. Examples of such work include the *modified reciprocal approximation* (Haftka and Shore 1979),

$$a_k(x) = f(x_k) + \sum_{i=1}^n g_i(x_k)(x^i - x_k^i) \frac{x_k^i + c^i}{x^i + c^i}, \quad (13)$$

with  $\phi_i(x^i, x_k^i) = (x_k^i + c^i)/(x^i + c^i)$  (where the values of the  $c^i$ 's are typically small compared to representative values of the corresponding  $x^i$ 's), and the *conservative approximation* (Starnes and Haftka 1979),

$$a_k(x) = f(x_k) + \sum_{i=1}^n g_i(x_k)(x^i - x_k^i)\phi_i(x^i, x_k^i), \quad (14)$$

where

$$\phi_i(x^i, x_k^i) = \begin{cases} 1 & \text{if } x_k^i g_i(x_k) \geq 0, \\ x_k^i/x^i & \text{otherwise.} \end{cases}$$

The conservative approximation has the attractive feature of leading to a convex programming problem and thus is amenable to solution by nonlinear programming techniques that take advantage of the dual problem. This observation has led to the development of a range of convex approximation strategies (in particular Schmit and Fleury 1980; Braibant and Fleury 1985; Fleury and Braibant 1986; see Barthelemy and Haftka 1993 for further references).

A slightly different line of inquiry noted that the reciprocal and conservative approximations destroy the linearity of the problem and thus the possibility of using SLP. However, the *posynomial approximation* (Duffin *et al.* 1967),

$$a_k(x) = f(x_k) \prod_{i=1}^n \left( \frac{x^i}{x_k^i} \right)^{\alpha^i},$$

with

$$\alpha^i = \frac{1}{f(x_k)} g_i(x_k),$$

can be treated using geometric programming techniques. This approach is studied by Hajela (1986), Morris (1972b),

1974) and Templeman and Winterbottom (1974). This approach is noteworthy in that it has an attendant convergence analysis; Avriel and Williams (1970) and Morris (1972a) show that under appropriate conditions, geometric programming techniques, when applied to a posynomial approximation of the original problem, converge to a stationary point of the original problem.

Finally, we briefly mention second-order approximation models of the form

$$a_k(x) = f(x_k) + \sum_{i=1}^n g_i(x_k)(x^i - x_k^i)\phi_i(x^i, x_k^i) + \sum_{i=1}^n \sum_{j=1}^n h_{ij}(x_k)(x^i - x_k^i)(x^j - x_k^j)\psi_{ij}(x^i, x_k^i, x^j, x_k^j), \quad (15)$$

where  $\phi_i(x_k^i, x_k^i) = 1$  and  $\psi_{ij}(x_k^i, x_k^i, x_k^j, x_k^j) = 1$ . The *reciprocal quadratic approximation* is an instance of this type of model,

$$a_k(x) = f(x_k) + \sum_{i=1}^n g_i(x_k)(x^i - x_k^i)\frac{x_k^i}{x^i} + \sum_{i=1}^n \sum_{j=1}^n h_{ij}(x_k)(x^i - x_k^i)(x^j - x_k^j)\frac{x_k^i}{x^i}\frac{x_k^j}{x^j},$$

$$\phi_i(x^i, x_k^i) = \frac{x_k^i}{x^i} \quad \psi_{ij}(x^i, x_k^i, x^j, x_k^j) = \frac{x_k^i}{x^i}\frac{x_k^j}{x^j}. \quad (16)$$

Received Jan. 14, 1997

Communicated by J. Sobieski

### A.2 The $\beta$ -correlation approach

The  $\beta$ -correlation method to approximate modelling presented by Chang *et al.* (1993) is a generic approach to correcting a lower-fidelity model  $f_{10}$ , say, one of lower physical fidelity, by scaling. Unlike the models of the preceding section, this approach is not based on any specific mathematical form of the response  $f$ .

One defines the scale factor  $\beta$  to be

$$\beta(x) = \frac{f(x)}{f_{10}(x)}.$$

Given the current design  $x_k$ , one builds a first-order model  $\beta_k$  of  $\beta$  about  $x_k$ ,

$$\beta_c(x) = \beta(x_k) + \nabla\beta(x_k)^T(x - x_k).$$

The local model of  $\beta$  is then used to scale the lower-fidelity model in order to derive a better approximation of  $f$ ,

$$f(x) = \beta(x)a(x) \approx \beta_k(x)f_{10}(x).$$

It is straightforward to verify that the approximation

$$a_k(x) = \beta_k(x)f_{10}(x)$$

satisfies (5) and (6).

The  $\beta$ -correlation method can be extended to produce second-order approximation models by using a second-order model of  $\beta$ ,

$$\tilde{\beta}(x) = \beta(x_k) + \nabla\beta(x_k)^T(x - x_k) + \frac{1}{2}(x - x_k)^T \nabla^2\beta(x_k)(x - x_k),$$

and the approximation  $\tilde{a}_k(x) = \tilde{\beta}_k(x)f_{10}(x)$ .