

## A Checklist of Parasites Reported for the Baboon

BETTY JUNE MYERS

and

ROBERT E. KUNTZ

Department of Parasitology

Southwest Foundation for Research and Education  
San Antonio, Texas

Although primates (baboons and vervets) were included in the items of tribute from the rulers of Punt (Somaliland and Eritrea) to the kings of Egypt in Pharaonic times, and the baboon was widely recognized as an animal sacred to Thoth, the Egyptian god of wisdom and science, the use of primates in countries beyond the limits of their natural habitats has gained a place of real prominence only in the past few years. Primates have always appealed to the students of biology and have been choice animals for exhibit in zoos and zoological gardens. However, the recent general use of a number of primates for behavior studies, for biomedical investigations and for space oriented projects has brought this group of vertebrates to the attention of layman and researcher alike. A recent publication, *The Baboon: An Annotated Bibliography* (SHILLING, 1964), has indicated that there are more than 1500 references on primates which have been recognized as baboons. Extensive studies on primates has led to a critical evaluation of the many biological aspects related to a thorough understanding of their morphology, physiology, reproduction, their diseases and above all their potential use as models for biomedical research. As might be expected, closer scrutiny of the taxonomy applied to the primates has revealed a serious lack of appreciation for precise identifications, although a number of investigations have already indicated the many differences in biological processes, the characteristic microfauna and the specificity of parasitism at the species level.

The need for a bibliography and listing of parasites for baboons became apparent as the present authors made a cursory search of the literature and began investigations on base line studies of the parasites of the baboon (*Papio*). References to the parasites of this host are widely scattered, cover a span of several decades, appear in a number of foreign language journals and there is considerable information and data hidden in nonparasitological publications. The purpose of the present check list, therefore, is to provide a working bibliography

---

This investigation was supported by research grant HE 03834-07 from National Institutes of Health, U. S. Public Health Service.

which may be useful to the systematic parasitologist, as well as to investigators with a general interest in primate parasitology, and especially for persons who may not have access to extensive library facilities.

Both ecto- and endoparasites are listed but organisms of uncertain or questionable status, e.g. *Sarcocystis* have been omitted. Names provided in the current list are the ones used in the original article and there has been no attempt to clarify, justify or list synonomies or to alter names of hosts or parasites. Genera are listed alphabetically under the major taxonomic groupings of parasites with accompanying information on the host from which parasites were obtained or recorded, locality, and the authority from which information was obtained. In some instances it has been necessary to employ general names. Common or nonspecific designations, e.g. 'hookworm,' 'lung worm,' 'microfilaria,' etc., although undesirable, are used if so indicated in references from which taken. Negative records of attempted infection of baboons under artificial or experimental conditions have not been included.

In 1929 STILES and NOLAN prepared a list and key-catalogue for the parasites of primates in general. Appreciation of their attempts to compile available information and to bring some order to the chaos existing at that time in the taxonomy of parasites as well as hosts has been recognized, as indicated by the extensive use and continued reference to their work. With their concern for completeness, however, reference was made to some host-parasite information which could not be checked against original records and there were numerous listings from hosts of questionable status. As a result there has been a tendency for some users of the 1929 list to perpetuate erroneous information.

In an attempt to consolidate host-parasite information on the baboon, one is faced with a weakness that has plagued investigators for decades, i.e. a lack of appreciation for providing as accurate an identification as possible for the hosts from which parasites or study materials have been obtained. Broad generalizations are sometimes employed and on occasion investigators have failed to distinguish between "baboons" and "monkeys" in fairly critical work, although the general group of primates referred to as monkeys includes many genera and dozens of species. Confusion in the nomenclature of the primates in general has been discussed in the work of SIMPSON<sup>1)</sup> (1945) and ROTH<sup>2)</sup> (1965) more recently has reiterated the seriousness of the situation with emphasis on the taxonomy of the baboon and its place among the primates. Obviously an attempt to compile accurate host-parasite information for some groups of primates is fraught

1) SIMPSON, G. G. 1945. The principles of classification and a classification of mammals. *Bull. Am. Mus. Nat. Hist.* 85, 350 pp. New York.

2) ROTH, W. T. 1965. The taxonomy of the baboon and its position in the order of primates. (In, VAGTBORG, H. ed. *The Baboon in Medical Research*. Proceedings of the first international symposium on the baboon and its use as an experimental animal. University of Texas Press, Austin) pp. 1-16.

with frustration. As a consequence in the present parasite list we have included only host-parasite records which may be documented. Possibly over caution has lead to some omissions.

In the present checklist under the category "baboon" we have included: baboons, anubis baboons, drill baboons, gelada baboons, hamadryas baboons, mandrills; and species of *Comopithecus*, *Cynocephalus*, *Mandrillus*, *Papio*, and *Theropithecus*. The name *Cynocephalus* used fairly extensively in baboon taxonomy in the past has been employed judiciously in the present listing of hosts and notes relative to interpretation of its use have been inserted in the proper place. This is one of several names responsible for misunderstanding and misinformation in earlier records and it has appeared in the literature within recent years. The genus *Cynocephalus* CUVIER and GEOFFROY, 1795, which has been used for baboons cannot be used properly since it is preoccupied by *Cynocephalus* BODDÄERT, 1768, a genus erected for the flying lemur (see SIMPSON 1945).

Numerous pitfalls are associated with any attempt at compilation of concise and accurate host-parasite records for primates. Careless use of such general terms as "apes" and "monkeys" by investigators plus unwarranted association of these terms with inappropriate generic names has added additional stress to a complicated situation. Translation of foreign language terms into English likewise accounts for a certain amount of confusion, e.g. careless interpretation of the French word "singe" and the German "Affe," both of which may be used to indicate "apes" or "monkeys." Misinformation is compounded since the term "apes" in English is a loose conglomeration of primates which in the minds of some people may or may not include baboons. These inconsistencies have, of course, been discussed earlier by STILES and NOLAN (1929).

Generous use has been made of the listings of parasites in the works of RUCH (1959), FIENNES (1965) and NELSON (1965) but the many repetitious listings which are found in the purely taxonomic compilations of POPOVA, SKRJABIN, YAMAGUTI, et. al. have not been included in our list. For the sake of simplicity and efficient use, the above authors along with other pertinent references have been included in a separate bibliography. We have not included the numerous citations in the catalog of STILES and NOLAN for fear of introducing unnecessary confusion in names of hosts and parasites. Interested persons are encouraged to examine the above mentioned catalog, however, for information relating to synonyms, homonyms, and old names used for parasites and primate hosts.

The present preliminary checklist has been compiled with the hope that it will serve a definite need for other investigators embarking on studies of the parasites of baboons and other primates. It is anticipated that supplemental host-parasite lists will be prepared in the future but the authors solicit information and suggestions which may improve the accuracy and completeness of subsequent attempts.

*PARASITES OF BABOONS*

*ACANTHOCEPHALA*

*Macroacanthorhynchus hirudinaceus* (PALLAS, 1781) TRAVASSOS, 1917

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
<i>Papio cynocephalus</i>	Belgian Congo	BAYLIS, 1939a
<i>Prosthenorchis spirula</i> (OLFERS in RUDOLPHI, 1819)		
<i>Papio papio</i>	experimental	BRUMPT and URBAIN, 1938
<i>Papio papio</i>	— <sup>3)</sup>	{ VAN THIEL and WIEGAND BRUSS, 1946* <sup>1)</sup> BRUMPT and URBAIN, 1938 } <sup>2)</sup>

*ARTHROPODA-FLEAS*

*Ctenocephalides canis* (CURTIS, 1826) STILES and COLLINS, 1930

<i>Papio cynocephalus</i>	East Africa	LOVERIDGE, 1923
---------------------------	-------------	-----------------

*Ctenocephalides felis strongylus* (JORDAN, 1925)

<i>Cynocephalus papio papio</i>	Cameroons	GREINER, MOUCHET and FERAUD, 1961
---------------------------------	-----------	--------------------------------------

*Tunga penetrans* (LINNAEUS, 1758) JAROCKI, 1838

Baboon	{ FIENNES, 1965* HADDOW, personal communication, 1964 }
--------	---

The following symbols are employed throughout the checklist:

1) An asterisk (\*) is used to indicate that this author has cited an earlier study in which the parasite may have been described, discussed or merely mentioned. It is *not* the original reference to the parasite.

2) Brackets ([ ]) are used in conjunction with authors with an asterisk, e.g. MORGAN\* [MORGAN, 1945\* CANAVAN, 1929] to indicate that MORGAN has included data and information from CANAVAN, 1929, in his (MORGAN's) paper.

3) Geographic locality (frequently general) is listed if indicated in the author's paper. Other designations are employed to indicate situations in which geographic localities are obviously inappropriate, e.g. "zoo for hosts held in zoos or zoological gardens; "captivity" is used where situation may be uncertain but records obviously are not based on hosts taken from the wild or from natural habitat; and "experimental" is used for references in which information is based on hosts subjected to experimentation or artificial infection. A dash (—) is used for cases in which locality or other information is not given.

## ARTHROPODA-LICE

*Pedicinus hamadryas* MJØBERG, 1910

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
<i>Comopithecus hamadryas</i>	zoo	FERRIS and STOJANOVICH, 1951
<i>Papio (Chaeropithecus) hamadryas</i>	—	{ KUHN and LUDWIG, 1963* FERRIS and STOJANOVICH, 1951 }
<i>Papio doguera</i>	—	HOPKINS, 1949*
<i>Papio griseipes</i>	Mooi Vlei, Transvaal	BEDFORD, 1932*
<i>Papio (Chaeropithecus) ursinus griseipes</i>	—	KUHN and LUDWIG, 1963*
<i>Papio ursinus occidentalis</i>	Transvaal	{ KUHN and LUDWIG, 1963* PATERSON, 1954 }
<i>Papio ursinus occidentalis</i>	Transvaal	PATERSON, 1954
<i>Papio</i> sp.	—	FERRIS, 1916*

*Pedicinus longiceps* PIAGET, 1880

<i>Cynocephalus anubis</i>	—	MALTBAEK, 1937
----------------------------	---	----------------

*Pedicinus obtusus* (RUDOW, 1869)

<i>Papio doguera</i>	Stanleyville, Belgian Congo	BENOIT, 1959
<i>Papio</i> sp.	—	{ KUHN and LUDWIG, 1963* FERRIS, 1951 }

*Pedicinus* sp.

Baboon	—	FIENNES, 1965*
<i>Papio porcarius</i>	Mooi Vlei, Transvaal	BEDFORD, 1919
<i>Papio porcarius griseipes</i>	Mooi Vlei	BEDFORD, 1926*

## ARTHROPODA-MITES

(Dermal)

*Sarcoptes pitheci* PHILIPPE, 1948

<i>Papio papio</i>	French Guinea	{ FIENNES, 1965* PHILIPPE, 1948 }
<i>Papio papio</i>	French Guinea	PHILIPPE, 1948
<i>Papio papio</i>	French Guinea	{ RUCH, 1959* PHILIPPE, 1948 }
<i>Papio papio</i>	—	ZUMPT, 1961*

*Sarcoptes scabiei* (LINNAEUS, 1758)  
Latreille, 1802

HOST	LOCALITY	AUTHORITY
<i>Mandrillus leucophaeus</i>	zoo, Philadelphia	Fox, 1926
<i>Mandrillus leucophaeus</i>	zoo, Philadelphia	{RUCH, 1959* Fox, 1926}

*Sarcoptes scabiei* var. *cuniculi*

<i>Papio sphinx</i>	experimental	DELORME, 1926
---------------------	--------------	---------------

ARTHROPODA-MITES  
(Lung)

*Pneumonyssus congoensis* EWING, 1929

<i>Papio comatus</i>	Belgian Congo	{GRINKER, KARLIN and ESTRELLA, 1962* EWING, 1929}
<i>Papio comatus</i>	—	{RUCH, 1959* EWING, 1929 HAMERTON, 1939}
<i>Papio doguera tessellatus</i>	Kivu and Ituri, Belgian Congo	{FAIN, 1952a, 1955, 1959a 1959b}
<i>Papio doguera tessellatus</i>	Lake Albert	FAIN, 1954
<i>Papio doguera tessellatus</i>	Rumonge, Lake Tanganyika, Ruanda Urundi	FAIN, 1959b
<i>Papio porcarius</i>	—	OUDEMANS, 1935*
<i>Papio porcellus</i>	—	DESCHIENS, 1951*
<i>Papio tessellatus</i>	—	BEQUAERT, 1930
<i>Papio tessellatus</i>	—	{ZUMPT and TILL, 1954* BEQUAERT, 1930}
<i>Papio</i> sp.	Belgian Congo	EWING, 1929
<i>Papio</i> sp.	—	FURMAN, 1954*
<i>Papio</i> sp.	—	{ZUMPT and TILL, 1954* BEQUAERT, 1930 FURMAN, 1954}

*Pneumonyssus dinolfi* OUDEMANS, 1935

<i>Papio doguera tessellatus</i>	Ituri, Belgian Congo	FAIN, 1952b, 1954*
----------------------------------	----------------------	--------------------

*Pneumonyssus mossambicensis* ZUMPT and TILL, 1954

<i>Papio doguera tessellatus</i>	Kawa, Lake Albert, Belgian Congo	FAIN, 1959a
<i>Papio ursinus</i>	Chicualacuala, Mozambique	FAIN, 1959a*
<i>Papio ursinus</i>		ZUMPT and TILL, 1954

*Pneumonyssus santos-diasi* ZUMPT and TILL, 1954

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
<i>Papio doguera tessellatus</i>	Kawa, Lake Albert	FAIN, 1959a
	Belgian Congo	
<i>Papio ursinus</i>	Belgian Congo	FAIN, 1959a
<i>Papio ursinus</i>	Chicualacuala, Mozambique	ZUMPT and TILL, 1954

*Pneumonyssus simicola* BANKS, 1901

<i>Cynocephalus</i> sp.	Indonesia	BANKS, 1901
(ZUMPT and TILL (1954) state original host to be <i>Macaca nemestrina</i> rather than <i>Cynocephalus</i> )		
<i>Cynocephalus</i> sp.	South Sumatra	DE HAAN and GRIJNS, 1901
(This probably is <i>Cynocephalus</i> , BODDÄERT, 1768, a "flying lemur")		
<i>Papio sphinx</i>	French Guinea	DESCHIENS, 1951
<i>Theropithecus gelada</i>	Abyssinia	(OUDEMAN, 1935*) VITZTHUM, 1931

*Pneumonyssus* sp.

<i>Cynocephalus</i> sp.	—	BANKS, 1901
(ZUMPT and TILL (1954) state original host to be <i>Macaca nemestrina</i> rather than <i>Cynocephalus</i> )		
<i>Papio doguera</i>	Kenya	STRONG, MILLER and McGILL, 1965

*Rhinophaga papionis* FAIN, 1955

<i>Papio doguera tessellatus</i>	Kawa, Lake Albert,	FAIN, 1955
	Belgian Congo	
<i>Papio doguera tessellatus</i>	Rumonge, Lake	FAIN 1955
	Tanganyika, Ruanda	
	Urundi	

## ARTHROPODA-TICKS

*Amblyomma cohaerens* DÖNITZ, 1909

<i>Papio</i> sp.	Ethiopian Region, Africa	THEILER, 1962*
------------------	--------------------------	----------------

*Amblyomma hebraeum* KOCH, 1844

<i>Papio comatus</i>	Kanye, Bechuanaland	ZUMPT, 1958
<i>Papio ursinus</i> subsp.	Kanye, Bechuanaland	HOOGSTRAAL and THEILER, 1959
<i>Papio ursinus</i>	Ethiopian Region, Africa	THEILER, 1962*

*Hyalomma truncatum* KOCH, 1844

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
<i>Papio ursinus</i> subsp.	Kanye, Bechuanaland	HOOGSTRAAL and THEILER, 1959
<i>Papio ursinus</i>	Ethiopian Region, Africa	THEILER, 1962*

*Hyalomma* sp.

<i>Papio ursinus</i> subsp.	Potchefstroom, South Africa	HOOGSTRAAL and THEILER, 1959
-----------------------------	-----------------------------	------------------------------

*Ixodes cavigalpus* NUTTALL and WARBURTON, 1908

<i>Cynocephalus</i> sp.	Northern Rhodesia	TRAVASSOS, 1958
<i>Cynocephalus babouin</i>	Angola	SOUZA DIAS, 1950
<i>Papio cynocephalus</i>	Kanshansi, Northern Rhodesia	HOOGSTRAAL and THEILER, 1959
<i>Papio cynocephalus</i>	Ethiopian Region, Africa	THEILER, 1962*

*Rhipicephalus appendiculatus* NEUMANN, 1901

<i>Papio ursinus</i> subsp.	Potchefstroom, South Africa	HOOGSTRAAL and THEILER, 1959
<i>Papio ursinus</i>	Ethiopian Region, Africa	THEILER, 1962*
<i>Papio</i> sp.	Shimoni, Kenya	KALTER, KUNTZ, AL-DOORY, KATZBERG, 1965

*Rhipicephalus e. evertsi* NEUMANN, 1897

<i>Papio comatus</i>	Kanye, Bechuanaland	ZUMPT, 1958
<i>Papio griseipes</i>	Grahamstown, South Africa	BEDFORD, 1932
<i>Papio ursinus</i>	Kanye, Bechuanaland	HOOGSTRAAL and THEILER, 1959
<i>Papio ursinus</i>	Ethiopian Region, Africa	THEILER, 1962*

*Rhipicephalus pravus* DÖNITZ, 1910

<i>Papio cynocephalus</i>	Mchichira, Newala District, Tanganyika	HOOGSTRAAL and THEILER, 1959
<i>Papio doguera</i>	Ethiopian Region, Africa	THEILER, 1962*

*Rhipicephalus s. sanguineus* (LATREILLE, 1806)

<i>Papio doguera</i>	Ethiopian Region, Africa	THEILER, 1962*
<i>Papio doguera heuglini</i>	Kenisa, Bahr El Ghazal, Sudan	HOOGSTRAAL and THEILER, 1959

*Rhipicephalus s. simus* KOCH, 1844

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
<i>Papio doguera</i>	Ethiopian Region, Africa	THEILER, 1962*
<i>Papio doguera heuglini</i>	Bahr El Ghazal, Sudan	HOOGSTRAAL and THEILER, 1959
<i>Papio doguera ibeanus</i>	Gede, Kenya	{ HOOGSTRAAL and THEILER, 1959* } LUMSDEN, 1955
<i>Papio doguera ibeanus</i>	Gede, Kenya	LUMSDEN, 1955

## CESTODA

*Bertia hamadryadis* PIERANTONI, 1928

<i>Hamadryas hamadryas</i>	zoo, Italy	PIERANTONI, 1928
<i>Papio hamadryas</i>	—	YAMASHITA, 1963*

*Bertiella cynocephalus* SPASSKY, 1951

<i>Papio</i> sp.	—	YAMASHITA, 1963*
<i>Bertiella studeri</i> (BLANCHARD, 1891)	STILES and HASSALL, 1902	
<i>Mandrillus sphinx</i>	—	{ NELSON, 1965* } STILES and HASSALL, 1929 }
<i>Papio doguera</i>	Kenya	NELSON, 1965*
<i>Papio doguera</i>	Kenya	ROUND, 1964
<i>Papio hamadryas</i>	—	{ FIENNES, 1965* } STILES and HASSALL, 1929 }

*Bertiella* sp.

<i>Papio</i> sp.	Kenya	KALTER, KUNTZ, AL-DOORY and KATZBERG, 1965
------------------	-------	--

## Cestoda

<i>Mandrillus sphinx</i>	zoo, New York	HERMAN, 1939
--------------------------	---------------	--------------

## Coenurus

<i>Theropithecus gelada</i>	—	BERTOLINO, 1957
<i>Theropithecus gelada</i>	zoo, London	SCOTT, 1926

## Cysticercus

Baboon	—	{ RUCH, 1959* } SPITZKER, 1878 }
Baboon	—	SPITZKER, 1878

*Cysticercus tenuicollis* RUDOLPHI, 1810

HOST	LOCALITY	AUTHORITY
<i>Papio sphinx</i>	—	{ FIENNES, 1965* STILES and HASSALL, 1929 }
		<i>Echinococcus</i> (Cyst)
Baboon	—	DUMAS, 1953
<i>Cynocephalus hamadryas</i>	zoo, England	NELSON, 1965*
<i>Cynocephalus porcarius</i>	—	HELLER, 1923
<i>Theropithecus silenus</i>	—	LOPEZ-NEYRA and SOLER-PLANAS, 1943*
		<i>Echinococcus granulosus</i> (BATSCH, 1786) Rudolphi, 1805
<i>Cynocephalus porcarius</i>	—	HELLER, 1923
<i>Cynocephalus porcarius</i>	—	LOPEZ-NEYRA and SOLER-PLANAS, 1943*
<i>Papio porcarius</i>	—	{ FIENNES, 1965* STILES and HASSALL, 1929 }
<i>Papio porcarius</i>	—	MEGGITT, 1924
<i>Papio porcarius</i>	—	{ SMYTH and SMYTH 1964* HELLER, 1923 }
<i>Papio</i>	zoo, San Antonio	MYERS, KUNTZ, and VICE, 1965
<i>Theropithecus silenus</i>	—	LOPEZ-NEYRA and SOLER-PLANAS, 1943*
<i>Theropithecus</i> sp.	—	{ FIENNES, 1965* STILES and HASSALL, 1929 }

*Echinococcus polymorphus* DIESING, 1850

<i>Theropithecus silenus</i>	—	VON LINSTOW, 1878*
------------------------------	---	--------------------

*Echinococcus* sp.

<i>Comopithecus hamadryas</i>	zoo, England	{ NELSON, 1965* Dept. Parasit. London Sch. Hyg. and Trop. Med. 1927 }
<i>Papio rhodesiae</i>	Mozambique Hydatid cyst	CASTRO-AMARO, 1960
<i>Cynocephalus porcarius</i>	—	NICOLL, 1918

*Mesocestoides variabilis* MÜELLER, 1927

Baboon	—	LOPEZ-NEYRA, 1944*
--------	---	--------------------

*Mesocestoides* larva

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
<i>Comopithecus hamadryas</i>	captivity, Italy	[ NELSON, 1965* ] [ TEODORO, 1917 ]
<i>Papio comatus</i>	zoo, USA	[ NELSON, 1965* ] [ SCHWARTZ, 1927 ]
<i>Papio doguera</i>	Kenya	NELSON, 1965

*Multiceps multiceps* (LESKE, 1780) HALL, 1910

<i>Theropithecus gelada</i>	zoo, Antwerp	RODHAIN and WANSON, 1954
<i>Theropithecus gelada</i>	—	[ RUCH, 1959* ] [ RODHAIN and WANSON, 1954 ]

*Multiceps serialis* (GERVAIS, 1847) STILES, and STEVENS, 1905

Baboon	—	FAUST and RUSSELL, 1957*
<i>Theropithecus gelada</i>	zoo, New York	ELEK and FINKELSTEIN, 1939
<i>Theropithecus gelada</i>	zoo, Philadelphia	RATCLIFFE, 1940
<i>Theropithecus gelada</i>	—	[ RUCH, 1959* ] [ SCHWARTZ, 1927 ]
<i>Theropithecus gelada</i>	—	[ RUCH, 1959* ] [ URBAIN and BULLIER, 1935 ]
<i>Theropithecus gelada</i>	—	YAMASHITA, 1963*
<i>Theropithecus</i> sp.	—	SCHWARTZ, 1927

*Multiceps serialis* var. *theropitheci*

<i>Theropithecus gelada</i>	zoo, Vincennes, France	URBAIN and BULLIER, 1935
-----------------------------	------------------------	-----------------------------

*Multiceps* sp.

Gelada baboon	zoo, Washington, D.C.	SCHWARTZ, 1926
<i>Theropithecus gelada</i>	zoo, Philadelphia	ELEK and FINKELSTEIN, 1939
<i>Theropithecus gelada</i>	—	NELSON, 1965*
	zoo, America	ELEK and FINKELSTEIN, 1939
	zoo, Belgium	RODHAIN and WANSON, 1954
	zoo, America	SCHWARTZ, 1927
	zoo, England	SCOTT, 1926
	zoo, France	URBAIN, and BULLIER, 1935
<i>Theropithecus gelada</i>	zoo, Philadelphia	[ RUCH, 1959* ] [ ELEK and FINKELSTEIN, 1939 ]
<i>Theropithecus gelada</i>	zoo, Washington, D.C.	SCHWARTZ, 1927
<i>Theropithecus gelada</i>	zoo, London	SCOTT, 1926

*Sparganum hamadryidis*, TEODORO, 1917

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
<i>Hamadryas hamadryas</i>	captivity, Italy	TEODORO, 1917
<i>Sparganum</i>		
<i>Papio hamadryas</i>	—	{ FIENNES, 1965* STILES and HASSALL, 1929 }

*Taenia hydatigena* PALLAS, 1766

<i>Papio maimon</i>	—	HALL, 1920
<i>Papio maimon</i>	—	MEGGITT, 1924*

*Taenia melanocephala* VAN BENEDEK, 1858

<i>Cynocephalus mormon</i>	—	BLANCHARD, 1891
<i>Cynocephalus mormon</i>	—	VON LINSTOW, 1878*
<i>Papio maimon</i>	—	MEGGITT, 1924
<i>Papio sphinx</i>	—	YAMASHITA, 1963*

*Taenia solium* LINNAEUS, 1758 (Larva)

<i>Papio</i> sp.	—	YAMASHITA, 1963*
------------------	---	------------------

*Taenia tenuicollis* (RUDOLPHI, 1810) KÜCHENMEISTER, 1856

<i>Cynocephalus mormon</i>	captivity, Formosa	SUGIMOTO, 1939*
<i>Papio maimon</i>	captivity, Formosa	SUGIMOTO, 1939*

*Taenia* sp.

Baboon	—	{ NELSON, 1965* SPITZKER, 1878 }
--------	---	-------------------------------------

*Tetrathyridium*

Baboon	—	{ NELSON, 1965* SCHWARTZ, 1926 }
--------	---	-------------------------------------

## NEMATODA

*Abbreviata caucasica* (VON LINSTOW, 1902) SCHULZ, 1927

<i>Papio hamadryas</i>	zoo, Philadelphia	{ MORGAN, 1945* CANAVAN, 1929 }
------------------------	-------------------	------------------------------------

*Abbreviata multipapillata* (KREIS, 1940) MORGAN, 1945

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
<i>Papio hamadryas</i>	—	[MORGAN, 1945*] [KREIS, 1940]

*Abbreviata* sp.

<i>Papio</i> sp.	Kenya, Tanzania	KALTER, KUNTZ, AL-DOORY and KATZBERG, 1965
------------------	-----------------	--

*Acanthocheilonema* (*Dipetalonema*)

Baboons	—	[FIENNES, 1965*] [STILES and HASSALL, 1929]
---------	---	---

*Acanthocheilonema vanhoofi*

<i>Papio cynocephalus</i>	—	[RUCH, 1959*] [JACOTOT, DESCHIENS, VALLÉE and DEZEST, 1956]
---------------------------	---	--

*Acanthocheilonema* sp.

Baboon	—	[RUCH, 1959*] [JACOTOT, DESCHIENS, VALLEE and DEZEST, 1956]
--------	---	---

*Ancylostoma* sp.

<i>Papio cynocephalus</i>	French Guinea	TREADGOLD, 1920
<i>Papio pappo</i>	—	[NELSON, 1965*] [TREADGOLD, 1920]
<i>Papio</i> sp.	Kenya	KALTER, KUNTZ, AL-DOORY and KATZBERG, 1965
Baboon (fecal)	Ascarid captivity, Durban, South Africa	POWELL and ELSDON-DREW, 1961

*Dipetalonema blanci* CHABAUD, 1952

<i>Papio sphinx</i>	Equatorial Africa	SCHNEIDER and HUSSON, 1956
---------------------	----------------------	-------------------------------

*Dipetalonema vanhoofi* PEEL and CHARDOME, 1946  
(Microfilaria)

<i>Papio sphinx</i>	French Guinea	[LÉPINE, DESCHIENS, GAGE and VINCENT, 1955]
---------------------	---------------	--

<i>Dipetalonema</i> sp. (Microfilaria)		
HOST	LOCALITY	AUTHORITY
<i>Mandrillus sphinx</i>	captivity, France	<p>NELSON, 1965*</p> <p>JACOTOT, DESCHIENS, VALLÉE and DEZEST, 1956</p> <p>LÉPINE, DESCHIENS, GAGÉ and VINCENT, 1955 SCHNEIDER and HUSSON, 1956</p>
<i>Papio sphinx</i>	—	<p>JACOTOT, DESCHIENS, VALLÉE and DEZEST, 1956</p>
<i>Papio doguera</i>	Uganda and Kenya	NELSON, 1965
<i>Papio doguera</i>	Uganda	<p>NELSON, HEISCH and FURLONG, 1962</p>
<i>Dirofilaria</i> sp.		
<i>Papio doguera</i>	Kenya	NELSON, 1965
<i>Dracunculus medinensis</i> (LINNAEUS, 1758) GALLANDANT, 1773		
Baboon	—	<p>FAUST and RUSSELL, 1957*</p>
<i>Comopithecus hamadryas</i>	zoo, Bombay, India	<p>[RUCH, 1959* TURKHUD, 1920]</p>
<i>Comopithecus hamadryas</i>	zoo, Bombay, India	TURKHUD, 1920
<i>Papio hamadryas</i>	zoo, Bombay, India	<p>[BAYLIS, 1939b* TURKHUD, 1920]</p>
<i>Enterobius brevicauda</i> SANDOSHAM, 1950		
<i>Papio porcarius</i>	Southern Rhodesia	<p>SANDOSHAM, 1950a, 1950b</p>
<i>Papio porcarius</i>	—	YAMASHITA, 1963*
<i>Enterobius</i> sp.		
<i>Papio comatus</i>	Southern Rhodesia	SANDOSHAM, 1950a
<i>Papio cynocephalus</i>	French Guinea	TREADGOLD, 1920
<i>Papio doguera</i>	Kenya	NELSON, 1965
<i>Papio papio</i>	Guinea	<p>[NELSON, 1965* TREADGOLD, 1920]</p>
Filarioid, possibly <i>Dirofilaria</i>		
<i>Papio doguera ibeanus</i>	Uganda	<p>[HADDOW, 1952* BUCKLEY, Personal communication]</p>
<i>Papio doguera tessellatus</i>	Uganda	<p>[HADDOW, 1952* BUCKLEY, personal communication]</p>

*Gongylonema filiforme* MOLIN, 1857

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
<i>Cynocephalus sphinx</i>	—	STOSSICH, 1897*

*Gongylonema macrogubernaculum* LUBINOV, 1931

<i>Papio comatus</i>	—	YAMASHITA, 1963*
<i>Papio rhodesiae</i>	zoo, Philadelphia and Washington, D.C.	LUCKER, 1933

“Guinea worm”

<i>Comopithecus hamadryas</i>	zoo, Bombay, India	TURKHUD, 1920
-------------------------------	--------------------	---------------

*Heterakis inflexa* (ZEDER of RUDOLPHI, 1819)  
SCHNEIDER, 1866

<i>Papio hamadryas</i>	captivity, Turino	BOCCOLARI-SEGOLINI, 1928
------------------------	-------------------	--------------------------

*Heterodera*

Baboon (fecal)	captivity, Durban South Africa	POWELL and ELSDON-DEW, 1961
----------------	-----------------------------------	--------------------------------

“Hookworm”

Baboon (fecal)	captivity, Durban, South Africa	POWELL and ELSDON-DEW, 1961
----------------	------------------------------------	--------------------------------

*Leptosoma tumefaciens* (HENRY and BLANC, 1912)

<i>Papio porcarius</i>	Transvaal	MÖNNIG, 1924
------------------------	-----------	--------------

*Loa loa* (COBBOLD, 1864) STILES, 1905

Baboon	Kenya	(FAUST and RUSSELL, 1957* KERSHAW, 1955)
<i>Mandrillus leucophaeus</i>	experimental	DUKE, 1957
<i>Mandrillus leucophaeus</i>	British Cameroons	DUKE and WIJERS, 1958
<i>Mandrillus leucophaeus</i>	—	HIMSWORTH, 1955
<i>Mandrillus leucophaeus</i>	—	KERSHAW, CREWE and GORDON, 1951
<i>Mandrillus leucophaeus</i>	—	WEBBER, 1955*
<i>Mandrillus leucophaeus</i>	—	(RUCH, 1959* DUKE, 1957)
<i>Papio cynocephalus</i>	—	YAMASHITA, 1963*
<i>Papio leucophaeus</i>	—	YAMASHITA, 1963*

*Loa papionis* TREADGOLD, 1920

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
Baboon	—	RUCH, 1959* WANSON and RODHAIN, 1953
Baboons	zoo, Antwerp	WANSON and RODHAIN, 1953
<i>Mandrillus leucophaeus</i>	—	NELSON, 1965
<i>Mandrillus leucophaeus</i>	Cameroons	GORDON, KERSHAW, CREWE and OLDRYD, 1950, DUKE and WIJERS, 1958
<i>Mandrillus sphinx</i>	Guinea	NELSON, 1965* LÉPINE, DESCHIENS, GAGÉ and VINCENT, 1955, PICK, 1951
<i>Papio cynocephalus</i>	—	FIENNES, 1965*
<i>Papio cynocephalus</i>	Southern Sudan	MANSON-BAHR, 1950*
<i>Papio cynocephalus</i>	—	(RUCH, 1959* TREADGOLD, 1920)
<i>Papio cynocephalus</i>	French Guinea	TREADGOLD, 1920
<i>Papio doguera</i>	Uganda	NELSON, 1965
<i>Papio doguera</i>	zoo, Belgium	NELSON, 1965* WANSON and RODHAIN, 1953
<i>Papio papio</i>	Guinea	NELSON, 1965* (TREADGOLD, 1920)

*Loa* sp.

Baboon	zoo, Antwerp	RUCH, 1959* Wanson and RODHAIN, 1953
Baboon	zoo, Antwerp	WANSON and RODHAIN, 1953
<i>Mandrillus</i>	Kumba, British Cameroons	GORDON, KERSHAW, CREWE and OLDRYD, 1950 DUKE and WIJERS, 1958

## “lung worm”

<i>Mandrillus sphinx</i>	captivity, France	NELSON, 1965* DESCHIENS, 1954
--------------------------	-------------------	----------------------------------

## Metastrongylidae

Baboon	—	RUCH, 1959* DESCHIENS, 1954
--------	---	--------------------------------

## Microfilaria

Baboon	—	RUCH, 1959* LÉPINE, DESCHIENS, GAGÉ and VINCENT, 1955, PICK, 1951b, WANSON and RODHAIN, 1953
--------	---	--

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
<i>Papio chaeropithecus</i>	zoo, Buenos Aires	MENDY, 1930a
<i>Papio sphinx</i>	French Guinea	PICK, 1951b
<i>Necator americanus</i> (STILES, 1902)		
	STILES, 1906	
<i>Mandrillus maimon</i>	zoo, Argentina	MENDY, 1930a
<i>Mandrillus maimon</i>	—	VOGELSANG, 1932
<i>Papio anubis</i>	Ituri	VAN DEN BERGHE, 1943
<i>Papio comatus</i>	Southern Rhodesia	(NELSON, 1965* SANDGROUND, 1933b)
Nematoda		
<i>Papio maimon</i>		LINS DE ALEMIDA, 1934*
<i>Papio papio</i>	Portuguese Guinea	FRAGA DE AZEVEDO and DE MEIRA, 1946
<i>Papio sphinx</i>	captivity	DESCHIENS, 1954
<i>Oesophagostomum apistomum</i> (WILLACH, 1891)		
	RAILLIET and HENRY, 1905	
Baboon	Southern Rhodesia	BLACKIE, 1932
<i>Oesophagostomum attenuatum</i> (LEIDY, 1856)		
	RAILLIET and HENRY, 1906	
<i>Cynocephalus porcarius</i>	Africa	IHLÉ, 1922*
<i>Cynocephalus porcarius</i>	Africa	RAILLIET and HENRY, 1906
<i>Oesophagostomum bifurcum</i> (CREPLIN, 1849)		
	RAILLIET and HENRY, 1906	
<i>Papio anubis</i>	Ituri	VAN DEN BERGHE, 1943
<i>Papio anubis</i>	Rutshuriu	VOYLESTKE, 1956
<i>Papio comatus</i>	—	YAMASHITA, 1963*
<i>Papio (Papio) cynocephalus</i>	—	TRAVASSOS and VOGELSANG, 1932*
<i>Papio cynocephalus</i>	—	YAMASHITA, 1963*
<i>Papio (Hamadryas) hamadryas</i>	—	TRAVASSOS and VOGELSANG, 1932*
<i>Papio hamadryas</i>	—	YAMASHITA, 1963*
<i>Papio (Maimon) maimon</i>	—	TRAVASSOS and VOGELSANG, 1932*
<i>Papio papio</i>	Portuguese Guinea	FRAGA DE AZEVEDO and DE MEIRA, 1946
<i>Papio (Choiroptecus) porcarius</i>	—	TRAVASSOS and VOGELSANG, 1932*
<i>Papio (Choiroptecus) sphinx</i>	—	TRAVASSOS and VOGELSANG, 1932*
<i>Papio sphinx</i>	—	YAMASHITA, 1963*

*Oesophagostomum brumpti* RAILLIET and HENRY, 1905

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
Guinea baboon	zoo, Buenos Aires	MENDY, 1930
<i>Papio chaeropithecus</i>	zoo, Buenos Aires	MENDY, 1930a
<i>Papio hamadryas</i>	Kibwezi, Dutch East Africa	KREIS, 1940a
<i>Papio porcarius</i>	Southern Rhodesia	SANDGROUND, 1933b
<i>Papio sphinx</i>	French Guinea	HENRY and JOYEUX, 1920
<i>Papio sphinx</i>	French West Africa	GENDRE, 1928*
<i>Papio sphinx</i>	French West Africa	JOYEUX, GENDRE and BAER, 1928*
<i>Papio sphinx</i>	French West Africa	TRAVASSOS and VOGELSANG, 1932*

*Oesophagostomum maurum* HUNG, 1926

<i>Papio papio</i>	Portuguese Guinea	TENDEIRO, 1948
--------------------	-------------------	----------------

*Oesophagostomum pachycephalum* MOLIN, 1861

<i>Papio papio</i>	Portuguese Guinea	FRAGA DE AZEVEDO and DE MEIRA, 1946
--------------------	-------------------	-------------------------------------

*Oesophagostomum stephanostomum* STOSSICH, 1904

<i>Comopithecus hamadryas</i>	—	(RUCH, 1959*, HEWLETT and DE KORTÉ, 1908)
<i>Cynocephalus hamadrias</i>	captivity	HEWLETT and DE KORTÉ, 1908
<i>Papio anubis</i>	Lake Vert	VUYLESTKE, 1956
<i>Papio doguera tessellatus</i>	Lake Vert	VUYLESTKE, 1956

*Oesophagostomum zukowskyi* TRAVASSOS and VOGELSANG, 1931

<i>Papio (Maimon) maimon</i>	—	(TRAVASSOS and VOGELSANG, 1931, 1932*)
<i>Papio sphinx</i>	—	YAMASHITA, 1963*

*Oesophagostomum* sp.

Baboon	—	(FIENNES, 1965* BLACKIE, 1932)
Baboon	—	(RUCH, 1959* WEINBERG, 1908)
Baboon	—	WEINBERG, 1906, 1908
<i>Comopithecus hamadryas</i>	laboratory, England	(NELSON, 1965* HEWLETT and DE KORTÉ, 1908)

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
<i>Cynocephalus hamadryas</i>	—	{WEINBERG, 1908* HEWLETT and DE KORTÉ, 1908}
<i>Cynocephalus sphinx</i>	laboratory	WEINBERG, 1908
<i>Mandrillus leucophaeus</i>	West Africa	{NELSON, 1965* STILES and HASSALL, 1929}
<i>Mandrillus sphinx</i>	zoo, New York	HERMAN, 1939
<i>Mandrillus sphinx</i>	West Africa	{NELSON, 1965* WEINBERG, 1906 1908}
<i>Papio comatus</i>	America	{NELSON, 1965* LEIDY, 1856 BLACKIE, 1932 SANDGROUND, 1933b}
<i>Papio cynocephalus</i>	Southern Rhodesia	—
<i>Papio cynocephalus</i>	French Guinea	RUCH, 1959*
<i>Papio doguera</i>	—	{JACOTOT, DESCHIENS, VALLÉE and DEZEST, 1956}
<i>Papio doguera</i>	Kenya	TREADGOLD, 1920
<i>Papio hamadryas</i>	zoo, Zurich	{NELSON, 1965* VON LINSTOW, 1901b}
<i>Papio papio</i>	Guinea	NELSON, 1965
<i>Papio</i> sp.	Kenya, Tanzania	TEUSCHER and STÜNZI, 1956
		{NELSON, 1965* TREADGOLD, 1920}
		KALTER, KUNTZ, AL-DOORY, and KATZBERG, 1965
<i>Oxyuris armatus</i> KREIS, 1940		
<i>Papio hamadryas</i>	Kibwezi, Dutch East Africa	KREIS, 1940
<i>Papio hamadryas</i>	—	YAMASHITA, 1963*
<i>Oxyuris</i> sp.		
<i>Papio cynocephalus</i>	French Guinea	TREADGOLD, 1920
<i>Physaloptera caucasica</i> VON LINSTOW, 1902		
Baboon	Southern Rhodesia	BLACKIE, 1932
Baboon	—	CAMERON, 1927*
<i>Hamadryas hamadryas</i>	—	FENG, 1931
<i>Papio cynocephalus</i>	Belgian Congo	BAYLIS, 1939a
<i>Papio cynocephalus</i>	captivity, Japan Monkey Centre	HAYAMA and NIGI, 1963
<i>Papio cynocephalus</i>	—	YAMASHITA, 1963*
<i>Papio hamadryas</i>	zoo, Philadelphia	CANAVAN, 1929
<i>Papio (neumannii?)</i>	Lake Victoria	ALLEN and LOVERIDGE, 1933
<i>Papio (neumannii?)</i>	Tanganyika	SANDGROUND, 1933b

*Physaloptera dilatata* RUDOLPHI, 1819

HOST	LOCALITY	AUTHORITY
<i>Cynocephalus hamadrias</i>	—	STOSSICH, 1889
<i>Papio langheldi</i>	Lagenburg, Nyassa See	VON LINSTOW, 1901a

*Physaloptera multipapillata* KREIS, 1940

<i>Papio hamadryas</i>	Kibwezi, Dutch East Africa	KREIS, 1940
<i>Papio hamadryas</i>	—	YAMASHITA, 1963*

*Physaloptera mordens* LEIPER, 1908

<i>Papio cynocephalus</i>	East Africa	LOVERIDGE, 1923
---------------------------	-------------	-----------------

*Physaloptera turgida* RUDOLPHI, 1819

<i>Theropithecus gelada</i>	zoo, Philadelphia	CANAVAN, 1929
<i>Theropithecus gelada</i>	—	HILL, 1939*
<i>Theropithecus gelada</i>	—	YAMASHITA, 1963*

*Physaloptera* sp.

<i>Comopithecus hamadryas</i>	—	{ NELSON, 1965* RUDOLPHI, 1819 }
<i>Papio comatus</i>	Southern Rhodesia	{ NELSON, 1965* BLACKIE, 1932 SANDGROUND, 1933b }
<i>Papio cynocephalus</i>	French Guinea	TREADGOLD, 1920
<i>Papio cynocephalus</i>	—	YAMASHITA, 1963*
<i>Papio doguera</i>	Kenya	NELSON, 1965
<i>Papio papio</i>	Guinea	{ NELSON, 1965* TREADGOLD, 1920 }
<i>Theropithecus gelada</i>	—	FOX, 1930
<i>Theropithecus gelada</i>	captivity	{ NELSON, 1965* FOX, 1927 }
<i>Theropithecus gelada</i>	—	{ RUCH, 1959* FOX, 1927, 1930 RATCLIFFE, 1929 }
<i>Theropithecus gelada</i>	—	YAMASHITA, 1963*

*Spiroptera simiae* RUDOLPHI, 1819

<i>Cynocephalus mormon</i>	—	VON LINSTOW, 1878*
----------------------------	---	--------------------

*Streptopharagaus armatus* BLANC, 1912

<i>Papio langheldi</i>	Mwanza, Tanganyika	BAYLIS, 1923
<i>Papio porcarius</i>	Transvaal	MÖNNIG, 1924
<i>Papio tessellatus</i>	East Africa	LOVERIDGE, 1923

*Streptopharagus baylisi* ORTLEPP, 1925

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
<i>Papio cynocephalus</i>	—	YAMASHITA, 1963*
<i>Papio hamadryas</i>	—	(MYERS, 1954*) ORTLEPP, 1925
<i>Papio hamadryas</i>	Abyssinia	SANDGROUND, 1933b*
<i>Papio hamadryas</i>	Abyssinia	ORTLEPP, 1925
<i>Papio hamadryas</i>	—	YAMASHITA, 1963*
<i>Papio langheldi</i>	Tanganyika	BAYLIS, 1923
<i>Papio langheldi</i>	Tanganyika	(MYERS, 1954*) ORTLEPP, 1925
<i>Papio langheldi</i>	Tanganyika	ORTLEPP, 1925

*Streptopharagus pigmentatus* (VON LINSTOW, 1879)

RAILLIET and HENRY, 1918

<i>Papio anubis</i>	Kivu	VUYLESTKE, 1956
<i>Papio comatus</i>	—	YAMASHITA, 1963*
<i>Papio doguera</i>	Kivu	VUYLESTKE, 1956
<i>Papio hamadryas</i>	Abyssinia	(MYERS, 1954*) ORTLEPP, 1925
<i>Papio hamadryas</i>	Abyssinia	ORTLEPP, 1925
<i>Papio hamadryas</i>	zoo, Germany	TRAVASSOS and VOGELSANG, 1929
<i>Papio hamadryas</i>	—	YAMASHITA, 1963*
<i>Papio neumanni</i>	—	SCHUURMANS-STEKHOVEN, 1937*
<i>Papio neumanni</i>	Tanganyika	SANDGROUND, 1933b
<i>Papio porcarius</i>	Southern Rhodesia	(MYERS, 1954*) SANDGROUND, 1933b
<i>Papio porcarius</i>	Southern Rhodesia	SANDGROUND, 1933b
<i>Papio porcarius</i>	—	SCHUURMANS-STEKHOVEN, 1937*

*Streptopharagus* sp.

<i>Papio comatus</i>	Southern Rhodesia	(NELSON, 1965*) BLACKIE, 1932 SANDGROUND, 1933b MÖNNIG, 1924
<i>Papio doguera</i>	South Africa	(NELSON, 1965*) (BAYLIS, 1923)
<i>Papio</i> sp.	Tanganyika	KALTER, KUNTZ, AL-DOORY and KATZBERG, 1965
	Kenya	

*Strongyloides fulleborni* VON LINSTOW, 1905

Baboon	Southern Rhodesia	BLACKIE, 1932
<i>Cynocephalus babuins</i>	—	VON LINSTOW, 1905

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
<i>Papio comatus</i>	Southern Rhodesia	(NELSON, 1965* SANDGROUND, 1933b)
<i>Papio doguera</i>	Kenya	NELSON, 1965
<i>Papio papio</i>	—	GOODEY, 1926
<i>Papio papio</i>	—	(NELSON, 1965* VON LINSTOW, 1905 WEINBERG and ROMANOVICH, 1908)
<i>Papio papio</i>	—	YAMASHITA, 1963*
<i>Papio porcarius</i>	Southern Rhodesia	BLACKIE, 1932
<i>Papio porcarius</i>	Southern Rhodesia	SANDGROUND, 1933a, 1933b
<i>Strongyloides stercoralis</i> (BAVAY, 1876)		
STILES and HASSALL, 1902		
<i>Cynocephalus babuin</i>	—	LÉGER, 1921
<i>Strongyloides</i> sp.		
<i>Cynocephalus</i>	—	WEINBERG and ROMANOVICH, 1908
<i>Papio hamadryas</i> (fecal)	zoo, Zurich	TEUSCHER and STÜNZI, 1956
<i>Papio</i> sp.	captivity	RUCH, 1959* WEINBERG and ROMANOVICH, 1908
<i>Strongyloides</i> larvae		
Baboon (fecal)	captivity, Durban South Africa	POWELL and ELSDON-DEW, 1961
<i>Strongylus attenuatus</i> LEIDY, 1856		
<i>Cynocephalus porcarius</i>	—	LEIDY, 1856
<i>Strongylus bifurcatus</i> VON LINSTOW, 1901		
<i>Papio langheldi</i>	Lagenburg, Nyassa See	VON LINSTOW, 1901a
<i>Subulura distans</i> (RUDOLPHI, 1809)		
RAILLIET and HENRY, 1912		
Baboons	zoo, Paris	(RUCH, 1959* DESPORTES and ROTHS, 1943)
Mandrills	captivity, Paris	DESPORTES and ROTHS, 1943
<i>Mandrillus sphinx</i>	zoo, France	(NELSON, 1965* DESPORTES and ROTHS, 1943)

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
<i>Papio cynocephalus</i>	River Kwango, Belgian Congo	BAYLIS, 1939a
<i>Papio cynocephalus</i>	zoo, New York	McCLURE, 1934
<i>Papio doguera</i>	Kenya	NELSON, 1965
<i>Papio hamadryas</i>	zoo, Philadelphia	CANAVAN, 1929
<i>Papio papio</i>	Portuguese Guinea	FRAGA DE AZEVEDO and DE MEIRA, 1946
<i>Papio rhodesiae</i>	zoo, Philadelphia	CANAVAN, 1929
<i>Papio sphinx</i>	captivity	DESPORTES and LEPÉSME, 1941

*Subulura* sp.

<i>Mandrillus leucophaeus</i>	zoo, Philadelphia	RATCLIFFE, 1933
-------------------------------	-------------------	-----------------

*Ternidens deminutus* (RAILLIET and HENRY, 1905)  
RAILLIET and HENRY, 1909

<i>Papio porcarius</i>	Africa	MANSON-BAHR, 1950*
<i>Papio comatus</i>	Southern Rhodesia	{ NELSON, 1965* BLACKIE, 1932 }
<i>Papio porcarius</i>	Southern Rhodesia	BLACKIE, 1932

*Trichinella spiralis* (OWEN, 1835)  
RAILLIET, 1895

<i>Papio doguera</i>	experimental	NELSON and MUKUNDI, 1962
----------------------	--------------	-----------------------------

*Trichostrongylus* (s.l.) *attenuatus* (MOLIN, 1861)

<i>Papio (Hamadryas) hamadryas</i>		TRAVASSOS, 1921*
------------------------------------	--	------------------

*Trichostrongylus colubriformis* (GILES, 1892) RANSOM, 1911

<i>Papio (Hamadryas) hamadryas</i>	—	TRAVASSOS, 1921*
<i>Papio hamadryas</i>	North Africa	LOOSS, 1905
<i>Papio hamadryas</i>	—	NAGATY, 1932*
<i>Papio hamadryas</i>	captivity, Formosa	SUGIMOTO, 1939*
<i>Papio hamadryas</i>	—	YAMASHITA, 1963*
<i>Papio (Choyropithecus) porcarius</i>	—	TRAVASSOS, 1921*
<i>Papio</i> sp.	—	TRAVASSOS, 1921*
<i>Papio</i> sp.	—	YAMASHITA, 1963*

*Trichostrongylus instabilis* (RAILLIET, 1891) LOOSS, 1905

<i>Cynocephalus hamadrias</i>	experimental	PIK-LEVONTIN, 1937
<i>Papio hamadryas</i>	—	JIMBO, 1914*
<i>Papio hamadryas</i>	—	RANSOM, 1911*

*Trichostrongylus subtilis* (Looss, 1895) Looss, 1905

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
<i>Papio hamadryas</i>	North Africa	Looss, 1905
	<i>Trichostrongylus</i> sp.	

<i>Comopithecus hamadryas</i>	—	<i>NELSON, 1965*</i> [ <i>STILES and HASSALL, 1929</i> ]
-------------------------------	---	---

*Trichocephalus dispar* (RUDOLPHI, 1802)

<i>Cynocephalus porcarius</i>	—	SCHNEIDER, 1866*
-------------------------------	---	------------------

*Trichocephalus cynocephalus* KHERA, 1951

<i>Cynocephalus hamadrias</i>	zoo, Lucknow, India	KHERA, 1951
<i>Papio cynocephalus</i>	—	YAMASHITA, 1963*
<i>Papio hamadryas</i>	—	YAMASHITA, 1963*

*Trichuris trichiura* (LINNAEUS, 1771) STILES, 1901

<i>Mandrillus sphinx</i>	West Africa	<i>NELSON, 1965*</i> [ <i>WEINBERG, 1907</i> ]
<i>Papio anubis</i>	zoo, Philadelphia	RATCLIFFE, 1933
<i>Papio comatus</i>	South Africa	( <i>NELSON, 1965*</i> [ <i>STILES and HASSALL, 1929</i> ])
<i>Papio doguera</i>	Kenya	<i>NELSON, 1965</i>
<i>Papio hamadryas</i>	zoo, Philadelphia	<i>CANAVAN, 1929</i>
<i>Papio papio</i>	Portuguese Guinea	<i>FRAGA DE AZEVEDO and DE MEIRA, 1946</i>
<i>Papio papio</i>	zoo, Hokkaido, Japan	<i>KONNO, 1958</i>
<i>Papio papio</i>	Guinea	( <i>NELSON, 1965*</i> [ <i>TREADGOLD, 1920</i> ])
<i>Papio papio</i>	Guinea	<i>TENDEIRO, 1948</i>
<i>Papio porcarius</i>	zoo, Philadelphia	<i>CANAVAN, 1929</i>
<i>Papio rhodesiae</i>	zoo, London	<i>VEVERS, 1922</i>

*Trichuris* sp.

Baboon (fecal)	captivity, Durban, South Africa	POWELL and ELDSOON-DEW, 1961
<i>Papio anubis</i>	Ituri	VAN DEN BERGHE, 1943
<i>Papio cynocephalus</i>	zoo, New York	McCLURE, 1934
<i>Papio cynocephalus</i>	French Guinea	TREADGOLD, 1920
<i>Papio</i> sp.	Kenya	KALTER, KUNTZ, AL-DOORY and KATZBERG, 1965

## PENTASTOMIDA

*Armillifer armillatus* (WYMAN, 1847) SAMBON, 1922

HOST	LOCALITY	AUTHORITY
Baboon	—	[FIENNES, 1965* STILES and HASSELL, 1929]
<i>Mandrillus leucophaeus</i>	Africa	ZUMPT, 1961*
<i>Mandrillus maimon</i>	—	HEYMONS, 1935*
<i>Mandrillus maimon</i>	—	HEYMONS and VITZTHUM, 1935*
<i>Mandrillus mandrillus</i>	—	HEYMONS and VITZTHUM, 1935*
<i>Papio cynocephalus</i>	—	HEYMONS, 1935
<i>Papio cynocephalus</i>	—	ZUMPT, 1961*
<i>Papio maimon</i>	—	SAMBON, 1922*
<i>Papio papio</i>	—	HEYMONS, 1935*
<i>Papio papio</i>	—	SAMBON, 1922*
<i>Papio porcarius</i>	—	HEYMONS, 1935*
<i>Papio porcarius</i>	—	SAMBON, 1922*
<i>Papio sphinx</i>	—	SAMBON, 1922*
<i>Papio ursinus</i>	Africa	ZUMPT, 1961*

*Linguatula diesingii* VAN BENEDEEN, 1849

<i>Cynocephalus maimon</i>	zoo, Antwerp	VAN BENEDEEN, 1848a, 1848b, 1849a, 1849b
----------------------------	--------------	---

*Pentastomum euryzonus* DIESING, 1850

<i>Cynocephalus porcarius</i>	—	LEIDY, 1852*
<i>Cynocephalus porcarius</i>	—	[SAMBON, 1910* LEIDY, 1852]
<i>Papio maimon</i>	—	SAMBON, 1910*
<i>Papio porcarius</i>	—	SAMBON, 1910*

*Pentastomum armillata* WYMAN, 1863

<i>Cynocephalus maimon</i>	—	CASTELLANI and CHALMERS, 1913*
<i>Cynocephalus maimon</i>	—	SHIPLEY, 1896*

*Pentastomum nymph*

<i>Cynocephalus sphinx</i>	—	VAN BENEDEEN, 1855*
<i>Cynocephalus sphinx</i>	—	[SAMBON, 1910* VAN BENEDEEN, 1855]

*Pentastomum tornatum* CREPLIN, 1849

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
<i>Cynocephalus maimon</i>	Griefswald	CREPLIN, 1849
<i>Cynocephalus maimon</i>	—	(SAMBON, 1910*) CREPLIN, 1849

*Porocephalus* sp.

<i>Mandrillus</i>	captivity, London	REWELL, 1948
<i>Papio cynocephalus</i>	zoo, London	HAMERTON, 1933
<i>Papio cynocephalus</i>	French Guinea	TREADGOLD, 1920

*Porocephalus armillatus* STILES, 1893

<i>Cynocephalus maimon</i>	zoo, Antwerp	{ SAMBON, 1910* VAN BENEDEN, 1849a, b CREPLIN, 1849 }
<i>Papio chaeropithecus</i>	zoo, Buenos Aires	MENDY, 1930a
<i>Papio maimon</i>	—	NOC, 1922*
<i>Papio maimon</i>	—	SAMBON, 1910*
<i>Papio porcarius</i>	—	NOC, 1922*
<i>Papio porcarius</i>	—	SAMBON, 1910*
<i>Papio sphinx</i>	—	NOC, 1922*
<i>Papio sphinx</i>	—	NOC, 1922*
<i>Papio sphinx</i>	—	SAMBON, 1910*

PROTOZOA  
(Blood)*Hepatocystis kochi* (LAVERAN, 1899) GARNHAM, 1948

Baboon	Kibwezi, Kenya	GARNHAM, 1947
<i>Papio cynocephalus</i>	—	{ RUCH, 1959* MACFIE, 1928 }
<i>Papio cynocephalus cynocephalus</i>	Southern Kenya	HADDOW, 1952
<i>Papio doguera</i>	Kenya	MILLER, 1959b
<i>Papio doguera</i>	Kenya	STRONG, MILLER and MCGILL, 1965
<i>Papio doguera ibeanus</i>	Uganda	HADDOW, 1952
<i>Papio doguera tessellatus</i>	Uganda	HADDOW, 1952
<i>Papio papio</i>	French Guinea	GARNHAM and PICK, 1952
<i>Papio papio</i>	—	{ RUCH, 1959* GARNHAM and PICK, 1952 }
<i>Papio sphinx</i>	Southern Nigeria	{ ABERLE, 1945* SEIDELIN and CONNAL, 1914 }
<i>Papio</i> sp.	—	RUCH, 1959

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
<i>Papio</i> sp.	—	{ RUCH, 1959* ABERLE, 1945 SINTON and MULLIGAN, 1932 LEFROU and MARTIGNOLES, 1955 }
		<i>Hepatocystis kochi</i> var. <i>joyeux</i>
<i>Papio</i> sp.	French Guinea	{ RUCH, 1959* LEFROU and MARTIGNOLES, 1955 }
		<i>Hepatocystis simiae</i>
<i>Cynocephalus babuin</i>	Pastoria	LEVADITI and SCHOEN, 1932
		<i>Leishmania tropica</i> (WRIGHT, 1903) LÜHE, 1906
Baboon	experimental	WENYON, 1926*
		Malaria
<i>Cynocephalus</i> sp.	Belgian Congo	{ ABERLE, 1945* SCHWETZ, 1933a }
<i>Papio babouin</i>	East Africa	{ ABERLE, 1945* KOSSEL, 1899 }
<i>Papio pruinosus</i>	Nyasaland	{ ABERLE, 1945* LAMBORN, 1930 }
<i>Papio sphinx</i>	Nigeria	{ ABERLE, 1945* SEIDELIN and CONNAL, 1914 }
<i>Papio sphinx</i>	Gold Coast	MACFIE, 1928
<i>Papio</i> sp.	Senegal and French Guinea	{ ABERLE, 1945* LÉGER, 1928 }
		<i>Piroplasma bigeminum</i>
<i>Papio papio</i>	—	{ RUCH, 1959* TANGUY, 1937 }
		<i>Plasmodium bastianelli</i> (GARNHAM, 1959)
<i>Papio papio</i>	experimental	{ GARNHAM, 1963a* GARNHAM, 1963b }
<i>Papio papio</i>	—	GARNHAM, 1963c*
		<i>Plasmodium cynomolgi</i> MAYER, 1907
Baboon	experimental	HAWKING and PERRY, 1948
		<i>Plasmodium cynomolgi bastianelli</i> GARNHAM, 1959
<i>Papio papio</i>	—	BRAY, 1963*

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
<i>Papio papio</i>	experimental	CONTACOS and COATNEY, 1963* GARNHAM, 1959
<i>Papio</i> sp.	experimental	GARNHAM, 1959
<i>Plasmodium gonderi</i> (GONDER and von BERENBERG-GOSSLER, 1908) RODHAIN and VAN DEN BERGHE, 1936		
<i>Mandrillus</i>	—	CONTACOS and COATNEY, 1963*
<i>Mandrillus leucophaeus</i>	—	BRAY, 1963*
<i>Mandrillus leucophaeus</i>	—	EYLES, 1963* BRAY, 1963
<i>Mandrillus leucophaeus</i>	Cameroons	GARNHAM, LAINSON and COOPER, 1958
<i>Mandrillus leucophaeus</i>	Cameroons	WARREN and WHARTON, 1963*
<i>Papio anubis</i>	experimental	ABERLE, 1945* RODHAIN and VAN DEN BERGHE, 1936
<i>Papio anubis</i> , monkey	experimental	COATNEY and ROUDABUSH, 1949* RODHAIN and VAN DEN BERGHE, 1936
<i>Papio anubis</i>	experimental	RODHAIN and VAN DEN BERGHE, 1936
<i>Papio anubis</i>	experimental	RUCH, 1944* RODHAIN and VAN DEN BERGHE, 1936
<i>Papio comatus comatus</i>	experimental	ABERLE, 1945*
<i>Papio jubilaeus</i>	experimental	ABERLE, 1945* RODHAIN and VAN HOOF, 1940
<i>Papio jubilaeus</i> , monkey	experimental	COATNEY and ROUDABUSH, 1949* RODHAIN and VAN DEN BERGHE, 1936 RODHAIN and LASSMAN, 1939a, 1939b
<i>Papio jubilaeus</i>	experimental	RODHAIN and VAN DEN BERGHE, 1936
<i>Papio jubilaeus</i>	experimental	RODHAIN and VAN HOOF, 1940
<i>Papio ursinus</i>	—	BRAY, 1963*
<i>Papio ursinus</i>	experimental	CONTACOS and COATNEY, 1963* RODHAIN and VAN DEN BERGHE, 1936 GARNHAM, LAINSON and COOPER, 1958

*Plasmodium inui* HALBERSTAEDTER and von PROWAZEK, 1907

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
<i>Cynocephalus anubis</i>	—	{ COATNEY and ROUDABUSH, 1936* LÉGER and BOUILLIEZ, 1912, 1913 }
<i>Papio anubis</i>	experimental	ABERLE, 1945*
<i>Papio anubis</i>	experimental	{ ABERLE, 1945* LÉGER and BOUILLIEZ, 1912, 1913 }
<i>Papio anubis</i> , monkey	experimental	{ COATNEY and ROUDABUSH, 1949* LÉGER and BOUILLIEZ, 1912, 1913 }
<i>Papio anubis</i>	experimental	{ CONTACOS and COATNEY, 1963* LÉGER and BOUILLIEZ, 1912, 1913 }
<i>Papio anubis</i>	experimental	LÉGER and BOUILLIEZ, 1912
<i>Papio anubis</i>	—	MÜHLENS, 1921*
<i>Papio anubis</i>	experimental	{ RUCH, 1944* LÉGER and BOUILLIEZ, 1912, 1913 }
<i>Papio anubis</i>	—	SINTON and MULLIGAN, 1933*
<i>Papio anubis</i>	experimental	{ WENYON, 1926* LÉGER and BOUILLIEZ, 1912 }
<i>Papio babouin</i>	—	{ RUCH, 1944* IONESCO-MIHAIESTI, ZOTTA, RADACOVICI and BADENSKI, 1934 }
<i>Papio papio</i>	—	ABERLE, 1945*
<i>Papio sphinx</i>	—	{ COATNEY and ROUDABUSH, 1936* GRIGOROVA, 1929 MACFIE, 1928 }
<i>Papio sphinx</i> , monkey	—	{ COATNEY and ROUDABUSH, 1949* GRIGOROVA, 1929 MACFIE, 1928 }
<i>Papio sphinx</i>	—	{ RUCH, 1944* GRIGOROVA, 1929 MACFIE, 1928 }
<i>Papio sphinx</i>	Gold Coast zoo, Moscow	{ SINTON and MULLIGAN, 1933* MACFIE, 1928 GRIGOROVA, 1929 }
<i>Papio</i> sp.	experimental	{ SINTON and MULLIGAN, 1933*, LÉGER and BOUILLIEZ, 1912, 1913 }
<i>Plasmodium knowlesi</i> SINTON and MULLIGAN, 1932		
<i>Cynocephalus papio</i>	experimental	{ ABERLE, 1945* JOLLY, LAVERGNE and TANGUY, 1937 }

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
<i>Cynocephalus papio</i> , monkey	experimental	<i>COATNEY and ROUDABUSH, 1949*</i> <i>JOLLY, LAVERGNE and TANGUY, 1937</i>
<i>Papio comatus comatus</i>	experimental	<i>ABERLE, 1945*</i>
<i>Papio cynocephalus</i>	experimental	<i>ABERLE, 1945*</i>
<i>Papio cynocephalus</i>	experimental	<i>(ABERLE, 1945*) MOSNA, 1938</i>
<i>Papio cynocephalus</i>	experimental	<i>BRAY, 1963*</i>
<i>Papio cynocephalus</i>	experimental	<i>COATNEY and ROUDABUSH, 1949*</i> <i>MOSNA, 1938</i>
<i>Papio cynocephalus</i>	experimental	<i>(RUCH, 1944*) MOSNA, 1938</i>
<i>Papio jubilaeus</i>	experimental	<i>(ABERLE, 1945*) RODHAIN, 1936, 1937</i>
<i>Papio jubilaeus</i> , monkey	experimental	<i>COATNEY and ROUDABUSH, 1949*</i> <i>RODHAIN, 1936</i>
<i>Papio jubilaeus</i>	experimental	<i>(RUCH, 1944*) RODHAIN, 1936 RODHAIN and HENDRIX, 1937</i>
<i>Papio papio</i>	experimental	<i>BRAY, 1963*</i>
<i>Papio papio</i>	experimental	<i>RUCH, 1944*</i> <i>(JOLLY, LAVERGNE and TANGUY, 1937)</i>
<i>Papio ursinus</i>	experimental	<i>BRAY, 1963*</i>
<i>Papio</i>	experimental	<i>CONTACOS and COATNEY, 1963*</i>
<i>Plasmodium kochi</i> LAVERAN, 1899		
<i>Cynocephalus</i>	Africa	<i>WENYON, 1926*</i>
<i>Cynocephalus</i> sp.	—	<i>(COATNEY and ROUDABUSH, 1936*) SCHWETZ, 1933a</i>
<i>Cynocephalus</i> sp., monkey	—	<i>(COATNEY and ROUDABUSH, 1949*) Koch, 1898</i>
<i>Papio babuinus(?)</i>	experimental	<i>SINTON and MULLIGAN, 1933*</i>
<i>Papio comatus comatus</i>	—	<i>ABERLE, 1945*</i>
<i>Papio cynocephalus</i>	East Africa	<i>(SINTON and MULLIGAN, 1932*, KOCH, 1898) KOSSEL, 1899</i>
<i>Papio jubilaeus</i>	—	<i>(ABERLE, 1945*) RODHAIN and VON HOOF, 1940</i>
<i>Papio jubilaeus</i> , monkey	—	<i>(COATNEY and ROUDABUSH, 1949*) RODHAIN, 1936 RODHAIN and VON HOOF, 1940</i>
<i>Papio jubilaeus</i>	Africa	<i>RODHAIN and VON HOOF, 1940</i>

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
<i>Papio jubilaeus</i>	—	{ RUCH, 1944* RODHAIN, 1936 }
<i>Papio papio</i>	Portuguese Guinea	ABERLE, 1945*
<i>Papio papio</i>	Guinea	TENDEIRO, 1948
<i>Papio sphinx</i>	—	{ ABERLE, 1945* MACFIE, 1928 }
<i>Papio sphinx</i>	—	{ COATNEY and ROUDABUSH, 1936* LÉGER, 1928 }
<i>Papio sphinx</i> , monkey	—	{ COATNEY and ROUDABUSH, 1949 LÉGER, 1928 }
<i>Papio sphinx</i>	Senegal	LEGER and BEDIER, 1922
<i>Papio sphinx</i>	French Guinea	{ SINTON and MULLIGAN, 1932*, GRIGOROVA, 1929 }
<i>Papio sphinx</i>	French Guinea	{ SINTON and MULLIGAN, 1932*, LÉGER, 1928 }
(?) <i>Papio</i> sp., monkey	—	{ COATNEY and ROUDABUSH, 1949* LAVERAN, 1899 }
<i>Papio</i> sp.	—	{ RUCH, 1944* SCHWETZ, 1933b }
<i>Papio</i> sp.	—	{ SINTON and MULLIGAN, 1932* 1933* }

*Plasmodium kochi* var. *joyeux*

<i>Papio</i> sp.	French Guinea	LEFROU and MARTIGNOLE, 1955
------------------	---------------	--------------------------------

*Plasmodium kochi* var. *macfie* SINTON and MULLIGAN, 1933

<i>Papio sphinx</i>	—	{ ABERLE, 1945* SINTON and MULLIGAN, 1932 }
<i>Papio sphinx</i>	—	{ COATNEY and ROUDABUSH, 1935* SINTON and MULLIGAN, 1932 }
<i>Papio sphinx</i> , monkey	—	{ COATNEY, and ROUDABUSH, 1949* SINTON and MULLIGAN, 1932 }
<i>Papio sphinx</i>	Nigeria, Gold Coast	{ SINTON, and MULLIGAN, 1933* MACFIE, 1928 SEIDELIN and CONNAL, 1914 }

*Plasmodium* sp.

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
<i>Cynocephalus pruinosus</i>	—	{ COATNEY and ROUDABUSH, 1949* } LAMBORN, 1930
<i>Cynocephalus</i> sp.	Stanleyville	{ ABERLE, 1945* } SCHWETZ, 1933a
<i>Cynocephalus</i> sp.	—	{ COATNEY and ROUDABUSH, 1936* } KOSSEL, 1899
<i>Cynocephalus</i> sp., monkey	—	{ COATNEY and ROUDABUSH, 1949* } KOSSEL, 1899 SCHWETZ, 1933a, 1933b
<i>Cynocephalus</i> sp.	Africa	{ WENYON, 1926* } KOCHE, 1898
<i>Papio babouin</i>	—	{ ABERLE, 1945* } IONESCO-MIHAIESTI, ZOTTA, RADACOVICI and BADENSKI, 1934
<i>Papio babuinus</i>	—	{ COATNEY and ROUDABUSH, 1936* } KOCHE, 1898 KOSSEL, 1899
<i>Papio babuinus</i>	—	{ COATNEY and ROUDABUSH, 1949* } KOCHE, 1898 KOSSEL, 1899
<i>Papio babuinus</i>	East Africa	{ SINTON and MULLIGAN, 1933*, KOCH, 1898 KOSSEL, 1899 }
<i>Papio babuin</i>	East Africa	{ WARREN and WHARTON, 1963*, IONESCO- MIHAIESTI, ZOTTA, RADACOVICI and BADENSKI, 1934 }
<i>Papio jubilaeus</i>	—	RODHAIN and VAN DEN BERGHE, 1936
<i>Papio pruinosus</i>	—	{ COATNEY and ROUDABUSH, 1936* } LAMBORN, 1929
<i>Papio pruinosus</i>	Nyasaland	{ SINTON and MULLIGAN, 1933* } LAMBORN, 1930
<i>Papio sphinx</i>	—	{ COATNEY and ROUDABUSH, 1936* } CONNAL and COGHILL, 1916, SEIDELIN and CONNAL, 1914
<i>Papio sphinx</i> , monkey	—	{ COATNEY and ROUDABUSH, 1949* } SEIDELIN and CONNAL, 1914 and COGHILL, 1916
<i>Papio sphinx</i>	—	{ RUCH, 1944* } SEIDELIN and CONNAL, 1914
<i>Papio sphinx</i>	West Africa	SEIDELIN and CONNAL, 1914

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
<i>Papio sphinx</i>	Nigeria	SINTON and MULLIGAN, 1933*, SEIDELIN and CONNAL, 1914, CONNAL and COGHILL, 1916
<i>Papio sphinx</i>	West Africa	WENYON, 1926* SEIDELIN and CONNAL, 1914
<i>Papio</i> sp.	—	RUCH, 1944* SCHWETZ, 1933a
<i>Trypanosoma brucei</i> PLIMMER and BRADFORD, 1899		
<i>Papio papio</i>	experimental	TENDEIRO, 1952
<i>Trypanosoma cruzi</i> CHAGAS, 1909		
<i>Papio sphinx</i>	experimental	BRUMPT, 1949*
<i>Trypanosoma dimorphon</i> DUTTON and TODD in LAVERAN and MESNIL, 1904		
Baboon		THOMAS and BREINL, 1905
<i>Trypanosoma gambiense</i> DUTTON, 1902		
Baboon	experimental	BOURGUIGNON, VAN DEN BERGHE and VON BOGAERT, 1936
Baboon	experimental	REGENDANZ, 1933
Baboon	experimental	RUCH, 1959* BOURGUIGNON, VAN DEN BERGHE and VON BOGAERT, 1936 REGENDANZ, 1932 STEWART, 1950
<i>Mandrillus mormon</i>	—	THOMAS and BREINL, 1905
<i>Papio jubilaeus</i>	experimental	PITTALUGA, 1923 VON BOGAERT and DEWULF, 1938
<i>Papio jubilaeus</i>	experimental	RUCH, 1959*, VON BOGAERT and DEWULF, 1938
<i>Trypanosoma rhodesiense</i> STEPHENS and FANTHAM, 1910		
Baboon	experimental	BOURGUIGNON, VAN DEN BERGHE and VON BOGAERT, 1936* REGENDANZ, 1932 STEWART, 1950
Baboon	experimental	RUCH, 1959* BOURGUIGNON, VAN DEN BERGHE and VON BOGAERT, 1936 REGENDANZ, 1932 STEWART, 1950

*Toxoplasma* sp.

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
<i>Cynocephalus babuin</i>	—	LEVADITI and SCHOEN, 1933
<i>Papio</i>	—	(RUCH, 1949*, LEVADITI) and SCHOEN, 1933

PROTOZOA  
(Digestive tract)*Balantidium cynocephale* BUROVA, 1938

Baboon (anubis, hamadryas)	captivity, Sukhumi, Russia	BUROVA, 1938a
----------------------------	-------------------------------	---------------

*Balantidium coli* (MALMSTEN, 1857) STEIN, 1862

Baboon	—	HEGNER and HOLMES, 1923a
<i>Cynocephalus sphinx</i>	French Guinea	(BRUMPT, 1949*) JOYEUX, 1913 ]
<i>Cynocephalus sphinx</i>	—	(KNAUFF, 1935*) JOYEUX, 1913 ]
<i>Papio jokolusus</i>	—	KNAUFF, 1935*

*Balantidium* sp.

Baboon	—	(HEGNER and CHU, 1930*) JOYEUX, 1913 ]
Baboon (hamadryas)	captivity, Sukhumi Russia	BUROVA, 1938b
<i>Cynocephalus anubis</i>	Captivity, Sukhumi, Russia	BUROVA, 1946
<i>Cynocephalus hamadrias</i>	captivity, Sukhumi, Russia	BUROVA, 1939, 1946
<i>Cynocephalus sphinx</i>	—	(BRUMPT, 1949*) JOYEUX, 1913 ]
<i>Mandrillus leucophaeus</i>	captivity, London	COCKBURN, 1948

*Chilomastix mesnili* (WENYON, 1910) ALEXEIEFF, 1912

<i>Papio anubis</i>	zoo, Philadelphia	GEIMAN, 1934, 1935
<i>Papio papio</i>	zoo, Philadelphia	GEIMAN, 1935
<i>Papio porcarius</i>	zoo, Philadelphia	GEIMAN, 1935

*Chilomastix* sp.

<i>Cynocephalus hamadryas</i>	captivity, Sukhumi Russia	BUROVA, 1946
-------------------------------	------------------------------	--------------

*Endolimax nana* WENYON and O'CONNOR, 1917

Baboon	captivity, Durban, South Africa	POWELL and ELSDON-DEW, 1961
--------	------------------------------------	--------------------------------

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
<i>Papio anubis</i>	zoo, Philadelphia	GEIMAN, 1934
<i>Papio papio</i>	zoo, London	MACKINNON and DIBB, 1938
<i>Endolimax</i> sp.		
<i>Cynocephalus anubis</i>	captivity, Sukhumi, Russia	BUROVA, 1946
<i>Cynocephalus hamadrias</i>	captivity, Sukhumi, Russia	BUROVA, 1946
<i>Entamoeba chattoni</i> SWELLENGREBEL, 1914		
<i>Papio anubis</i>	zoo, Philadelphia	SALIS, 1941
<i>Papio sphinx</i>	captivity	SALIS, 1941
<i>Theropithecus gelada</i>	zoo, Philadelphia	SALIS, 1941
<i>Entamoeba coli</i> (GRASSI, 1879) HICKSON, 1909		
Baboon	captivity, Durban, South Africa	POWELL and ELSDON-DEW, 1961
<i>Cynocephalus anubis</i>	captivity, Sukhumi, Russia	BUROVA, 1946
<i>Cynocephalus hamadrias</i>	captivity, Sukhumi, Russia	BUROVA, 1946
<i>Papio papio</i>	zoo, London	MACKINNON and DIBB, 1938
<i>Papio</i> sp.	Kenya	KALTER, KUNTZ, AL- DOORY and KATZBERG, 1965
<i>Entamoeba gingivalis</i> (GROS, 1849) BRUMPT, 1913		
<i>Papio sphinx</i>		DESCHIENS and KIPCHIDSÉ, 1929
<i>Entamoeba gingivalis</i> var. <i>simiae</i>		
<i>Papio sphinx</i>	captivity, Pasteur Institute	DESCHIENS and GOURVIL, 1930
<i>Entamoeba hartmanni</i> von PROWAZEK, 1912		
Baboon	captivity, Durban, South Africa	POWELL and ELSDON-DEW 1961
<i>Cynocephalus hamadrias</i>	captivity, Sukhumi, Russia	BUROVA, 1946
<i>Entamoeba histolytica</i> SCHAUDINN, 1903		
Baboon	Captivity, Durban South Africa	POWELL and ELSDON-DEW, 1961

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
Baboon (anubis and hamadryas)	captivity, Sukhumi, Russia	BUROVA, 1946, 1938b, 1938c
<i>Papio anubis</i>	zoo, Philadelphia	GEIMAN, 1934
<i>Papio papio</i>	zoo, London	MACKINNON and DIBB, 1938
<i>Papio papio</i>	captivity	SALIS, 1941
<i>Papio papio</i>	captivity	{ SALIS, 1941 MACKINNON and DIBB, 1938 }
<i>Papio sphinx</i>	zoo, Philadelphia	SALIS, 1941
<i>Papio</i> sp.	Kenya	KALTER, KUNTZ, ALDOORY and KATZBERG, 1965
<i>Theropithecus gelada</i>	zoo, Philadelphia	SALIS, 1941
	<i>Entamoeba</i> sp.	
<i>Cynocephalus anubis</i>	captivity, Sukhumi, Russia	BUROVA, 1946
<i>Cynocephalus hamadrias</i>	captivity, Sukhumi, Russia	BUROVA, 1946
<i>Papio anubis</i>	zoo, Philadelphia	RATCLIFFE, 1934
<i>Papio papio</i>	zoo, London	MACKINNON and DIBB, 1938
<i>Iodamoeba bütschilii</i> (VON PROWAZEK, 1912) DOBELL, 1919		
Baboon	captivity, Durban	POWELL and ELSDON-DEW, 1961
<i>Papio papio</i>	South Africa zoo, London	MACKINNON and DIBB, 1938
	<i>Iodamoeba</i> sp.	
<i>Cynocephalus hamadrias</i>	captivity, Sukhumi, Russia	BUROVA, 1946
<i>Trichomonas elongata</i> STEINBERG, 1862		
<i>Papio sphinx</i>	captivity, Paris	DESCHIENS, and KIPCHIDSE, 1929
	<i>Trichomonas</i> sp.	
<i>Cynocephalus hamadrias</i>	captivity, Sukhumi, Russia	BUROVA, 1946

## TREMATODA

*Brodenia laciniata* (BLAINVILLE, 1820) GEDOELST, 1913

HOST	LOCALITY	AUTHORITY
<i>Papio sphinx</i>	Guinea	TRAVASSOS, 1944*
<i>Papio sphinx</i>	—	YAMASHITA, 1963*

*Brodenia maimonis* (BLAINVILLE, 1828)

<i>Papio maimon</i>	—	NICOLL, 1927*
---------------------	---	---------------

*Dicrocoelium* sp.

<i>Papio</i> sp.	Belgian Congo	VAN DEN BERGHE and DENECKE, 1938
------------------	---------------	-------------------------------------

*Dicrocoeliidae*

<i>Papio cynocephalus</i>	—	FIENNES, 1965* BABLET, DESCHIENS and PICK, 1951
<i>Papio cynocephalus</i>	—	RUCH, 1959* BABLET, DESCHIENS and PICK, 1951
<i>Papio papio</i>	—	NELSON, 1965* BABLET, DESCHIENS and PICK, 1951
<i>Papio sphinx</i>	Guinea	BABLET, DESCHIENS and PICK, 1951
<i>Papio</i> sp.	Kenya	KALTER, KUNTZ, AL- DOORY and KATZBERG, 1965

*Distoma laciniatum*

<i>Cynocephalus maimon</i>	—	BRAUN, 1893*
<i>Cynocephalus mormon</i>	—	DIESING, 1850*

*Paragonimus africanus* VOGEL, 1963

<i>Mandrillus leucophaeus</i>	experimental	VOGEL, 1963
-------------------------------	--------------	-------------

*Schistosoma bovis* (SONSINO, 1876) BLANCHARD, 1895

Baboon	Belgian Congo	NELSON and PESTER, 1961
--------	---------------	-------------------------

*Schistosoma bovis* var. *mattheei* VEGLIA and LE ROUX, 1929

Baboon	Belgian Congo	VAN DEN BERGHE, 1939
--------	---------------	----------------------

*Schistosoma haematobium* (BILHARZ, 1852) WEINLAND, 1858

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
Baboon	experimental	KUNTZ, 1954
Baboon	experimental	STUNKARD, 1946
<i>Papio doguera</i>	Kenya	NELSON, 1960
<i>Papio doguera</i>	East Africa	NELSON, TEESDALE and HIGHTON, 1962
<i>Papio doguera</i>	Kenya Coast	{ NELSON, 1965* } { NELSON, 1960 }
<i>Papio hamadryas</i>	experimental	KUNTZ, 1961
<i>Papio hamadryas</i>	experimental	KUNTZ and MALAKATIS, 1955
<i>Papio hamadryas</i>	experimental	{ MARTINS, 1958*, KUNTZ and MALAKATIS, 1955 }
<i>Papio hamadryas</i>	experimental	{ NEWSOME, 1956 }
<i>Papio hamadryas</i>	experimental	{ NELSON, 1965* } { NEWSOME, 1956 }
<i>Papio</i>	experimental	NEWSOME, 1956
<i>Papio</i> sp.	—	{ KUNTZ, 1955*, KUNTZ and MALAKATIS, 1955 }
		{ MARTINS, 1958* }
		{ STUNKARD, 1946 }

*Schistosoma japonicum* KATSURADA, 1904

Baboon	experimental	NEWSOME, 1963
--------	--------------	---------------

*Schistosoma mansoni* SAMBON, 1907

Baboon	Kenya	{ NELSON, 1965* } { MILLER, 1959 } { MILLER, 1960 } { STRONG, MCGILL and MILLER, 1961 }
Baboon	experimental	NEWSOME, 1963
"Guinea" Baboon	zoo, New Orleans	{ NELSON, 1960* } { MCQUAY, 1952 }
Kenya Baboon	Kenya	{ FIENNES, 1965* } { STRONG, MCGILL and MILLER, 1961 }
<i>Papio doguera</i>	East Africa	MILLER, 1959a, 1960
<i>Papio doguera</i>	East Africa	{ MILLER, 1960* } { MCQUAY, 1952 }
<i>Papio doguera</i>	East Africa	NELSON, 1960, 1965
<i>Papio doguera</i>	Kibwezi, Kenya	{ NELSON, 1960* } { MILLER, 1960 }
<i>Papio doguera</i>	East Africa	NELSON, TEESDALE and HIGHTON, 1962
<i>Papio doguera</i>	experimental	NELSON and TEESDALE, 1965
<i>Papio doguera</i>	Kenya	{ NELSON, 1965* } { MILLER, 1959, 1960 } { NELSON, 1960 STRONG, MCGILL and MILLER, 1961 }

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
<i>Papio doguera</i>	Kenya	{ NELSON, 1960 SWELLENGREBEL and RIPSTRA, 1965* }
<i>Papio doguera</i>	Kenya	STRONG, MCGILL and MILLER, 1961
<i>Papio doguera</i>	—	YAMASHITA, 1963*
<i>Papio hamadryas</i>	experimental	{ MARTINS, 1958* NEWSOME, 1956 }
<i>Papio hamadryas</i>	—	{ NELSON, 1960* NEWSOME, 1956 }
<i>Papio hamadryas</i>	experimental	NEWSOME, 1953, 1956, 1964
<i>Papio papio</i>	zoo U.S.A.	MCQUAY, 1952
<i>Papio papio</i>	zoo, U.S.A.	{ NELSON, 1965* MCQUAY, 1952 }
<i>Papio porcarius</i>	—	{ NELSON, 1960* BLACKIE, 1932 }
<i>Papio ursinus griseipes</i>	experimental	{ MARTINS, 1958* LE ROUX, 1939 }

*Schistosoma mattheei* VEGLIA and LE ROUX, 1929

Baboon	—	VAN DEN BERGHE, 1934*, 1939*
Baboon	—	MANSON-BAHR, 1950*
Baboon	Kilosa, Tanganyika	NELSON, 1960
<i>Papio comatus</i>	Southern Rhodesia	{ NELSON, 1965* BLACKIE, 1932 }
<i>Papio doguera</i>	East Africa	NELSON, 1960
<i>Papio doguera</i>	East Africa	NELSON, TEESDALE and HIGHTON, 1962
<i>Papio hamadryas</i>	—	{ NELSON, 1960* NEWSOME, 1956 }
<i>Papio hamadryas</i>	experimental	NEWSOME, 1956

*Schistosoma* sp.

Baboon	experimental	NEWSOME, 1962
<i>Papio</i> sp.	Kenya	KALTER, KUNTZ, AL- DOORY and KATZBERG, 1965
<i>Papio porcarius</i>	Southern Rhodesia	BLACKIE, 1932
<i>Papio porcarius</i>	Southern Rhodesia	{ LE ROUX, 1933* BLACKIE, 1932 }

*Watsonius deschieni* PICK, 1951

<i>Papio cynocephalus</i>	French Guinea	{ FIENNES, 1965* PICK, 1951 }
<i>Papio cynocephalus</i>	French Guinea	{ RUCH, 1959* PICK, 1951 }
<i>Papio papio</i>	French Guinea	{ NELSON, 1965* PICK, 1951 }

<i>HOST</i>	<i>LOCALITY</i>	<i>AUTHORITY</i>
<i>Papio sphinx</i>	Guinea	PICK, 1951
<i>Papio sphinx</i>	—	YAMASHITA, 1963*
<i>Watsonius watsoni</i> (CONYNGHAM, 1904) STILES and GOLDBERGER, 1910		
<i>Papio cynocephalus</i>	French Guinea	{ FIENNES, 1965* DESCHIENS, 1940 }
<i>Papio cynocephalus</i>	French Guinea	{ RUCH, 1959* DESCHIENS, 1940 PICK and DESCHIENS, 1947 }
<i>Papio papio</i>	French Guinea	DOLLFUS, 1950*
<i>Papio papio</i>	French Guinea	TENDEIRO, 1948
<i>Papio papio</i>	—	{ NELSON, 1965* DESCHIENS, 1940 PICK and DESCHIENS, 1947 }
<i>Papio papio</i>	—	YAMASHITA, 1963*
<i>Papio sphinx</i>	—	DESCHIENS, 1940, 1941
<i>Papio sphinx</i>	captivity	PICK, 1947, 1949a, 1949b, 1950a 1950b, 1950c, 1951a
<i>Papio sphinx</i>	—	PICK and DESCHIENS, 1947
<i>Papio sphinx</i>	French Guinea	{ RUCH, 1959* PICK, 1949 }
<i>Papion sphynx</i>	—	DESCHIENS and PICK, 1948

### REFERENCES

In presenting the references we have followed the form and listings as given in the Index Catalogue of Medical and Veterinary Zoology. The sequence of *parts*, *sections*, *volumes*, although inconsistent with current practices for some journals and publications have been given as listed. The Index Catalogue of Medical and Veterinary Zoology (United States Department of Agriculture) Parts 1 through 15 inclusive is available through the United States Government Printing Office-Superintendent of Documents, Washington, D.C. The abbreviations enclosed in parentheses following the reference indicates the libraries from which the publications may be obtained.

### Abbreviations for Libraries

- (By) - Berkeley, California, University of California Library
- (I<sup>a</sup>) - Ithaca, New York, Cornell University, New York State College of Agriculture Library.
- (I<sup>m</sup>) - Ithaca, New York, Cornell University, New York State College of Agriculture, Albert R. Mann Library.
- (Lib. Doss) - Library of Miss Mildred A. Doss, Animal Disease and Parasite Research Division, Beltsville, Maryland
- (Lib. McIntosh) - Library of Dr. Allen McIntosh, Animal Disease and Parasite Research Division, Beltsville, Maryland
- (Lib. Price) - Library of Dr. Emmett W. Price, Mitchell Park, Gadsden, Alabama. (Retired).
- (Lib. Stiles) - Library of Dr. Charles W. Stiles, Yale Medical Library, New Haven, Connecticut.
- (Lib Zool. Div.) - Library of the Zoological Division, United States Bureau of Animal Industry, Washington, D. C.
- (RA<sup>h</sup>) - Raleigh, North Carolina, D. H. Hill Library. North Carolina State College.
- (W<sup>a</sup>) - (Ranson Coll.) Washington, D. C. United States Department of Agriculture Library. Collection of the library of the late Brayton Howard Ransom. (Reprints from this collection are filed in Lib. Animal Parasite Lab.)
- (W<sup>c</sup>) - Washington, D. C., Library of Congress.
- (W<sup>h</sup>) - Washington, D. C. National Institutes of Health Library. United States Public Health Service, Department of Health, Education and Welfare. (Earlier title: Hygienic Laboratory Library).
- (W<sup>hel</sup>) - Washington, D. C., Helminthological Society of Washington Library.
- (W<sup>m</sup>) - Washington, D. C., National Library of Medicine. Formerly Army Medical Library.
- (W<sup>ph</sup>) - Washington, D. C., United States Public Health Service Library. Department of Health, Education and Welfare.
- (W<sup>s</sup>) - Washington, D. C., Smithsonian Institution Library.

- ABERLE, S.D. 1945. *Primate malaria*. 171 pp. (Washington, D.C.). (National Research Council, Division of Medical Sciences). (Whel).
- ALLEN, G.M. and LOVERIDGE, A. 1933. Reports on the scientific results of an expedition to the southwestern highlands of Tanganyika territory. II. Mammals. *Bull. Mus. Comp. Zool. Harvard Coll.* 75(2), 140 pp. (W<sup>a</sup>, W<sup>c</sup>).
- BABLET, J., DESCHIENS, R.E.A. and PICK, F. 1951. Sur un cas de distomatose hépatique chez un papion. *Bull. Soc. Path. Exot.* 44(5-6) : 297-298. (W<sup>a</sup>).
- BANKS, N. 1901. A new genus of endoparasite acarians. *Geneesk Tijdschr. Nederl.-Indië*. 41(2) : 334-336. (W<sup>c</sup>).
- BAYLIS, H.A. 1923. On the nematode genus *Streptopharagus*, with some remarks on the genus *Spirocera*. *Tr. Roy. Soc. Trop. Med. and Hyg.* 16(8) : 486-497. (W<sup>a</sup>, W<sup>m</sup>).
- BAYLIS, H.A. 1939 a. Records of some parasitic worms from the Belgian Congo. *Ann. and Mag. Nat. Hist.*, 11. s. (18) 3 : 625-629. (W<sup>a</sup>).
- BAYLIS, H.A. 1939 b. *Nematode v. 2* (Filarioidea, Dioctophyomoidea and Trichinelloidea.) 274 pp. London (The Fauna of British India, including Ceylon and Burma). (W<sup>a</sup>).
- BEDFORD, G.A.H. 1919. Anoplura from South African Hosts. 5. and 6. *Rep. Director Vet. Research*, Dept. Agric. Union South Africa. 1918. (709-736). (W<sup>a</sup>).
- BEDFORD, G.A.H. 1926. A check-list and host-list of the external parasites found on the South African Mammalia, Aves, and Reptilia. 11.-12. *Rep. Director Vet. Educ. and Research*, Dept. Agric. Union South Africa, pt. 1: 705-817. (W<sup>a</sup>).
- BEDFORD, G.A.H. 1932. A synoptic check-list and host-list of the ectoparasites found on South African Mammalia, Aves, and Reptilia (second edition). 18. *Rep. Director Vet. Serv.*, Dept. Agric. Union South Africa. pt. 1: 223-523. (W<sup>a</sup>).
- VAN BENEDEN, P.J. 1848 a. Untersuchungen ueber die Organisation und Entwicklung der Zungenwürmer (*Pentastoma Rud.*) und eine neue im Magen des Mandrills aufgefundenen Art dieser Thiere. *N. Notiz. Geb. Nat.-u. Heilk.*, 3 R. (137) 7 (5) : 71-72. (W<sup>m</sup>).
- VAN BENEDEN, P.J. 1848 b. Recherches sur l'organisation et le développement des linguatules (*Pentastoma RUD.*), accompagnées de la description d'une espèce nouvelle provenant de la cavité abdominale du mandrill. *Bull. Acad. Roy. Sc. Belgique* 15, pt. 1 (3) : 188-190. (W<sup>c</sup>).
- VAN BENEDEN, P.J. 1849 a. On the organization and development of *Linguatula* (*Pentastoma RUD.*) accompanied with the description of a new species from the abdominal cavity of the mandrill. *Ann. and Mag. Nat. Hist.*, 2. s. (7), 2:69-70. (W<sup>a</sup>).
- VAN BENEDEN, P.J. 1849 b. Recherches sur l'organisation et le développement des linguatules (*Pentastoma RUD.*) suivies de la description d'une espèce nouvelle provenant d'un mandrill. *Mém. Acad. Roy. Sc. Belgique*, 23 : 3 mém., 39, pp. (W<sup>c</sup>).
- VAN BENEDEN, P.J. 1855. De la *Linguatula ferox* (*Pent. denticulatum aut serratum*). Notice de M. Küchenmeister. *Bull. Acad. Roy. Sc. Belgique*, 22:1 (1) 4-10. (W<sup>c</sup>).
- BENOIT, P.L.G. 1959. Anoplura du Congo Belge et du Ruanda-Urundi, genres *Haematopinus*, *Linognathus* et *Pedicinus*. *Rev. Zool. et Botan. Africaines*, 59(1-2) : 114-117. (W<sup>a</sup>).
- VAN DEN BERGHE, L. 1934. Les schistosomiases humaines et animales au Katanga (Congo Belge). *Ann. Soc. Belge Méd. Trop.*, 14(3) : 313-374. (W<sup>a</sup>).
- VAN DEN BERGHE, L. 1939. Les schistosomes et les schistosomoses au Congo Belge et dans les territoires du Ruanda-Urundi. *Mém. Inst. Roy. Colon. Belge*, Sect. Sc. Nat. et Méd. 8(3) 152 pp. (W<sup>a</sup>).
- VAN DEN BERGHE, L. 1943. Enquête parasitologique, II. Helminthes parasites. Fasc. (2), Mission (VAN DEN BERGHE) (1936). *Explor. Parc. Nat. Albert*, pp. 3-30. (W<sup>a</sup>).
- VAN DEN BERGHE, L. and DENECKE, K. 1938. *Dicrocoelium dendriticum* (*Fasciola lanceolata*) chez l'homme et les singes au Congo belge. *Ann. Soc. Belge. Méd. Trop.* 18(3) : 509-514. (W<sup>a</sup>).
- BEQUAERT, J. 1930. Medical and economic entomology. *Contrib. Dept. Trop. Med. and Inst. Trop.*

- Biol. and Med.* (Harvard Univ.) (5) 2 : 797-1001. (W<sup>a</sup>).
- BERTOLINO, P. 1957. Studio clinico ed anatomo-pathologico su due casi di cenurosi in *Theropithecus gelada*. (French and English summaries) *Profilassi* 30 (1) : 2-9. (W<sup>m</sup>).
- BLACKIE, W.E. 1932. A helminthological survey of Southern Rhodesia. *Lond. School Hyg. and Trop. Med.*, Mem. Ser. (5) : 91 pp. (W<sup>a</sup>).
- BLANCHARD, R.A.E. 1891. Sur les helminthes des primates anthropoïdes. (Première note-Cestodes) *Mém. Soc. Zool. France*, 4(1-2) : 186-196. (W<sup>a</sup>, W<sup>s</sup>).
- BOCCOLARI-SEGOLINI, A. 1928. Reperti interessanti di parassitismo in un *Papio hamadrias*. *Gior. Med. Vet.* 77 (2) : 17-21; (3) : 31-35; (4) : 47-51. (W<sup>a</sup>).
- VON BOGAERT, L. 1936. Présence de lésions myéliniques dans la trypanosomiase expérimentale (Read before Soc. Belge. Biol., Feb. 29) *Compt. Rend. Soc. Biol.*, Paris 121 (13) p. 1887. (W<sup>a</sup>).
- VON BOGAERT, L. 1956. De quelques aspects neurologiques de la trypanosomiase africaines. *Ann. Soc. Belge. Méd. Trop.* 36 : 645-654. (W<sup>m</sup>).
- VON BOGAERT, L. and DEWULF, A. 1938. Études sur le mode d'extension et l'histopathologie des trypanosomiases expérimentales. I. La méningo-encéphalite à *Trypanosoma gambiense* chez *Papio jubilaeus*. *J. Belge. Neurol. et Psychiat.* 38 : 559-582.
- BOURGUIGNON, G.C., VAN DEN BERGHE, L. and VON BOGAERT, L. 1936. La trypanosomiase expérimentale du cynocéphale par voie intrachidienne. *Ann. Soc. Belge. Méd. Trop.* 16(1) : 9-36. (W<sup>a</sup>).
- BUROVA, L.F. See BUROVA, L.F.
- BRAUN, M.G.C.C., 1893. Vermes. Bronn's Klass. u. Ordnung Their-Reichs, v 4 Abt. I a. *Lief* 28-30 : 817-925. (W<sup>a</sup>).
- BRUMPT, E. 1949. Précis de parasitologie. 6 ed. 1042 pp. Paris. (W<sup>a</sup>).
- BRUMPT, E. and URBAIN, A. 1938. Epizootie vermineuse par acanthocéphales (*Prosthenorhynchus*) ayant sévi à la singerie du Muséum de Paris. *Ann. Parasitol.*, 16(4) : 289-300. (W<sup>a</sup>).
- BUROVA, L.F. 1938 a. (*Balantidium* of the lower monkeys). (Russian text; English summary) (*In Voprosy Kraevoi Parazitologii*) Trudy Otdel. Parazitol., Vsesoûz. Inst. Eksp. Med. Gor'kogo 3 : 323-335. (By).
- BUROVA, L.F. 1938 b. (The intestinal protozoa of the lower monkeys). (Russian text; English summary) (*In Voprosy Kraevoi Parazitologii*) Trudy Otdel. Parazitol. (Vsesoûz. Inst. Eksp. Med. Gor'kogo 3 : 309-322. (By).
- BUROVA, L.F. 1938 c. (Experimental study on the *histolytica*-like amoebae of lower monkeys) (Russian text; English summary) *Arkh. Biol. Nauk.* 55(3) : 66-76. (W<sup>a</sup>).
- BUROVA, L.F. 1939. (Experimental study of *histolytica*-like amoebae in lower monkeys). *Bull. Biol. et Méd. Expér. URSS* 7(2-3) : 249-253. (W<sup>a</sup>).
- BUROVA, L.F. 1946. Étude expérimentale des amibes du type *histolytica* chez les singes inférieurs. *Ann. Parasitol.* 21(3-4) : 97-118. (W<sup>a</sup>).
- CAMERON, T.W.M. 1927. The helminth parasites of animals and human disease (Read Jan. 26, 1926) *Proc. Roy. Soc. Med.*, 20(5). Mar., Sect. Comp. Med. 547 - 556 (pp. 15-24). (W<sup>c</sup>).
- CANAVAN, W.P.N. 1929. Nematode parasites of vertebrates in the Philadelphia zoological garden and vicinity. I. *Parasitology*. 21(1-2) : 63-102. (W<sup>a</sup>).
- DE CASTRO-AMARO, E. 1960. Contribution à l'étude de l'hydatidose au Mozambique. *Bull. Office Internat. Epizoot.* 54 : 488-491. (W<sup>a</sup>).
- CASTELLANI, A. and CHALMERS, A.J. 1913. *Manual of tropical medicine*, 2 ed. 1747 pp. London. (W<sup>a</sup>).
- COATNEY, G.R. and ROUDABUSH, R.L. 1936. A catalog and host-index of the genus *Plasmodium*. *J. Parasitol.*, 22(4) : 338-353. (W<sup>a</sup>).
- COATNEY, G.R. and ROUDABUSH, R.L. 1949. A catalogue of the species of the genus *Plasmodium*, and index of their hosts. (*In BOYD, M.F. ed. Malariaiology: A comprehensive survey of*

- all aspects of this group of diseases from a global standpoint. W. B. Saunders, Co. Philadelphia and London). pp. 29-53.
- COCKBURN, T.A. 1948. *Balantidium* infection associated with diarrhoea in primates. *Tr. Roy. Soc. Trop. Med. and Hyg.* 42(3):291-293. (W<sup>a</sup>).
- CONNAL, A. and COGHILL, H.S. 1916. *Annual Report for 1914*, Medical Research Institute Nigeria.
- CONTACOS, P.G. and COATNEY, G.R. 1963. Symposium on simian malaria-experimental adaptation of simian malarias to abnormal hosts. *J. Parasitol.* 49(6): 912-918.
- CREPLIN, F.C.H. 1849. Nachträge von Creplin zu Gurlt's Verzeichnisse der Thiere, in welchen Endozoen gefunden worden sind. *Arch. Naturg.*, Berlin, 15, J., 1 : 52-80. (W<sup>a</sup>).
- CREWE, W. and GORDON, R.M. 1959. The immediate reaction of the mammalian host to the bite of uninfected *Chrysops* and of *Chrysops* infected with human and monkey *Loa*. *Ann. Trop. Med. and Parasitol.* 53(3) : 334-340. (W<sup>a</sup>).
- D'ALESSANDRO, B.A., BEAVER, P.C. and PALLARES, R.M. 1963. *Bertiella* infections in man in Paraguay. *Am. J. Trop. Med. and Hyg.* 12(2) : 193-198. (W<sup>a</sup>).
- DELORME, M.J. 1926. Transmission expérimentale de *Sarcoptes scabiei*, var. *cuniculi*, au cynocéphale (*Papio sphinx*, E. GEOFF.). *Bull. Soc. Path. Exot.*, 19(10) : 899-900. (W<sup>a</sup>).
- DEKEYSER, P.L. 1955. Les mammifères de l'Afrique Noire Française. (*In Institut Français d'Afrique Noire*). Dakar.
- DESCHIENS, R.E.A. 1940. Relation de quatres cas d'infestation par *Watsonius watsoni* chez le papion. *Bull. Soc. Path. Exot.* 33(6-10) : 396-400. (W<sup>a</sup>, W<sup>m</sup>).
- DESCHIENS, R.E.A. 1941. Relation de 4 cas d'infestation par *Watsonius watsoni* (Abstract of report before Soc. Path. Exot. Paris, Oct. 9, 1940). *Presse Méd.*, 49(16-17) : 198. (W<sup>a</sup>).
- DESCHIENS, R.E.A. 1951 L'acariase de l'appareil respiratoire chez les primates et chez l'homme. *Ann. Inst. Pasteur*, Paris 80(2):107-147. (W<sup>a</sup>).
- DESCHIENS, R.E.A. 1954. Discussion sur un cas d'infestation pulmonaire à nématodes chez un singe cynocéphale. *Bull. Soc. Path. Exot.* 47(3) : 412-414. (W<sup>a</sup>).
- DESCHIENS, R.E.A. and GOURVIL, E. 1930. Les entamibes de la bouche des singes. *Bull. Soc. Path. Exot.*, 23(7) : 711-714. (W<sup>a</sup>).
- DESCHIENS, R.E.A. and KIPSCHIDSÉ, N. 1929. *Trichomonas* de la bouche des singes. *Compt. Rend. Soc. Biol.* Paris, 102(30):518-520. (W<sup>a</sup>).
- DESCHIENS, R.E.A. and PICK, F. 1948. Conservation de *Watsonius watsoni* (CONYNGHAM, 1904), amphistome de l'homme et des primates dans des conditions extérieures à l'hôte. *Bull. Soc. Path. Exot.* 41(7-8) : 490-494. (W<sup>a</sup>).
- DESPORTES, C. 1945. Sur *Strongyloides stercoralis* (BAVAY, 1876) et sur les *Strongyloides* de primates. *Ann. Parasitol.* (1944-45). 20(3-4) : 160-190. (W<sup>m</sup>).
- DESPORTES, C. and LEPÉSME, P. 1941. Remarques sur la morphologie de *Subulura distans* (RUD., 1809), (Nematoda Subuluridae) découvert chez un mandrill (*Papio sphinx*, L.) *Bull. Soc. Zool. France* 66(3) : 197-207. (W<sup>a</sup>).
- DESPORTES, C. and ROTH, P. 1943. Helminthes récoltés au cours d'autopsies pratiquées sur différents mammifères morts à la menagerie du Muséum de Paris. *Bull. Mus. Nat. Hist.*, Paris, 2.s., 15(3) : 108-114. (W<sup>a</sup>).
- DIESING, M. 1850. *Systema helminthum*. v.1., xiii. 679 pp. Vindobonae. (W<sup>a</sup>, W<sup>m</sup>).
- DOLLFUS, R.P.F. 1950. Trematodes récoltés au Congo belge par le professeur Paul Brien (Mai-août 1937) *Ann. Mus. Belg. Congo C-Dierk.*, R. 5, 1(1): 136 pp. (Lib. Price).
- DUJARDIN, F. 1845. *Histoire naturelle des helminthes ou vers intestinaux*, xvi 654 + 15 pp. Paris. (W<sup>a</sup>, W<sup>m</sup>).
- DUKE, B.O.L. 1957. Experimental transmission of *Loa loa* from man to monkey. *Nature*, London. 179, (4574): 1357-1358. (W<sup>a</sup>).
- DUKE, B.O.L. 1960 a. Studies on loiasis in monkeys. II. The population dynamics of microfilariae of *Loa* in experimentally infected drills. (*Mandrillus leucophaeus*). *Ann. Trop.*

- Med. and Parasitol.*, 54(1):15-31. (W<sup>a</sup>).
- DUKE, B.O.L. 1960 b. Studies on loiasis in monkeys. III. The pathology of the spleen in drills (*Mandrillus leucophaeus*) infected with *Loa*. *Ann. Trop. Med. and Parasitol.*, 54(2) : 141-146. (W<sup>a</sup>).
- DUKE, B.O.L. 1961. Studies on the chemoprophylaxis of loiasis. I.-Experiments on monkeys, with special reference to diethylcarbamazine (banocide). *Ann. Trop. Med. and Parasitol.*, 55(4) : 447-451. (W<sup>a</sup>).
- DUKE, B.O.L. and WIJERS, D.J.B. 1958. Studies on loiasis in monkeys. I. The relationship between human and simian *Loa* in the rain-forest zone of the British Cameroons. *Ann. Trop. Med. and Parasitol.*, 52(2):158-175. (W<sup>a</sup>).
- DUKE, H.L. 1935. A note on the behaviour of baboon and monitor blood in tsetse flies. *Tr. Roy. Soc. Trop. Med. and Hyg.*, 29(2) : 207-209. (W<sup>a</sup>).
- DUMAS, J. 1953. *Les animaux de laboratoire*. Paris, Edition Medicale Flammarion. 179 pp.
- ELEK, S.R. and FINKELSTEIN, L.E., 1939. *Multiceps serialis* infestation in a baboon. Report of a case exhibiting multiple connective tissue cystic masses. *Zoologica; Scient. Contrib. N. York Zool. Soc.*, 24(3) : 323-328. (W<sup>a</sup>).
- EWING, H.E. 1929. Notes on the lung mites of primates (Acarina: Dermanyssidae), including the description of a new species. *Proc. Entom. Soc. Wash.*, 31(7) : 126-130. (W<sup>a</sup>).
- EYLES, D.E. 1963. Symposium on simian malaria. The species of simian malaria: Taxonomy, morphology, life cycle, and geographical distribution of the monkey species. *J. Parasitol.* 49(6) : 866-887.
- FAIN, A. 1952 a. L'acariase pulmonaire au Congo belge. *Ann. Soc. Belge Méd. Trop.*, 32(1) : 41-47. (W<sup>m</sup>).
- FAIN, A. 1952 b. Sur les acariens parasites du genre *Pneumonyssus* au Congo belge. Description de deux espèces nouvelles chez le daman et le colobe. *Rev. Zool. et Botan. Africaines*, 45(3-4) : 358-382. (W<sup>a</sup>).
- FAIN, A. 1954. Notes sur les acariens du genre *Pneumonyssus* au Congo belge. Description de *Pneumonyssus congoensis* EWING (Miscellanea Zoologica H. Schouteden). *Ann. K. Mus. Belg. Kong.*, Tervuren, n.r., Zool. Wetensch. 1 : 185-192. (W<sup>a</sup>, W<sup>s</sup>).
- FAIN, A. 1955. Deux nouveaux acariens de la famille Halarachnidae Oudemans, parasites des fosses nasales des singes au Congo belge et au Ruanda-Urundi. *Rev. Zool. et Botan. Africaines*, 51(3-4) : 307-324. (W<sup>a</sup>).
- FAIN, A. 1959 a. Les acariens du genre *Pneumonyssus* Banks, parasites endopulmonaires des singes au Congo belge. (Halarachnidae: Mesostigmata). *Ann. Parasitol.* 34(1-2): 126-148. (W<sup>a</sup>).
- FAIN, A. 1959 b. Nouvelles observations sur le genre *Pneumonyssus* Banks (Mesostigmata) *Acarologia* (1): 4-10. (RA<sup>h</sup>).
- FAUST, E.C. and RUSSELL, P.R. 1957. *Craig and Faust's clinical parasitology*. 6 ed. rev. 1078 pp. Philadelphia. (W<sup>m</sup>).
- FENG, L.C. 1931. Studies on tissue lesions produced by helminths. *Arch. Schiffs-u Tropen-Hyg.*, 35(1): 1-10. (W<sup>a</sup>).
- FERRIS, G.F. 1916. A catalogue and host list of the *Anoplura*. *Proc. Calif. Acad. Sc.*, 4 s., 6(6): 129-213. (W<sup>a</sup>).
- FERRIS, G.F. and STOJANOVICH, C.J. 1951. The sucking lice. *Mem. Pacific Coast Entom. Soc.* 1. 320 pp. (W<sup>a</sup>).
- FIENNES, R.N.T.W. 1960. Report of the society's pathologist for the year 1958. *Proc. Zool. Soc. London* 134(2): 297-308. (W<sup>a</sup>).
- FIENNES, R.N.T.W. 1965. *Zoonoses of primates*. 68 pp. (Working document FAO/WHO).
- Fox, H. 1926. Scabies in a male drill. *Rep. Lab. Comp. Path. Phila.* 27-28.
- Fox, H. 1927. Notes on special animals. *Rep. Lab. Comp. Path. Phila.* 11-18

- Fox, H. 1930. Animals of special importance. *Rep. Lab. and Mus. Comp. Path. Zool. Soc. Philadelphia* (1929-1930), 12-22. (W<sup>a</sup>).
- Fox, H. 1940. Notes on important animals and on matters of pathological interest. *Rep. Penrose Res. Lab.*, 10-18.
- FRAGA DE AZEVEDO, J. and DE MEIRA, M.T.V. 1946. Helmintas intestinais de macacos de Guine Portuguesa, tentativa de infestaçao experimental do homeme animais com o *Strongyloides simiae*, (French and English summaries) (Read before Cong. Luso-Espanhol Progr. Ciencias, Cordova, 1944). *Ann. Inst. Med. Trop.*, Lisboa 3: 267-276. (W<sup>a</sup>).
- FRIPP, P.J. 1963. Studies on *Schistosoma rodhaini* BRUMPT, a trematode allied to *S. mansoni*. *Biochem. Jour.* 89(3): 74.
- FURMAN, D.P. 1954. A revision of the genus *Pneumonyssus* (Acarina:Halarachnidae). *J. Parasitol.* 40(1): 31-42. (W<sup>a</sup>).
- GARNHAM, P.C.C. 1947. Exoerythrocytic schizogony in *Plasmodium kochi* Laveran. A preliminary note. *Tr. Roy. Soc. Trop. Med. and Hyg.* 40(5): 719-722. (W<sup>a</sup>).
- GARNHAM, P.C.C. 1948. The developmental cycle of *Hepatocystis* (*Plasmodium*) *kochi* in the monkey host. *Tr. Roy. Soc. Trop. Med. and Hyg.* 41(5): 601-616. (W<sup>a</sup>).
- GARNHAM, P.C.C. 1959. A new sub-species of *Plasmodium cynomolgi*. (Italian summary). *Riv. Parasitol. Roma* 20(4): 273-288. (W<sup>a</sup>).
- GARNHAM, P.C.C. 1963 a. Distribution of simian malaria parasites in various hosts. *J. Parasitol.* 49(6): 905-911.
- GARNHAM, P.C.C. 1963 b. A comparative study of the tissue phase of seven species of malaria parasites of man and apes. *Proc. 6th. Internat. Congr. Trop. Med. Malar.*, Lisbon. In Press.
- GARNHAM, P.C.C. 1963 c. Symposium on simian malaria—Distribution of simian malaria parasites in various hosts. *J. Parasitol.* 94(6): 905-911.
- GARNHAM, P.C.C., HEISCH, R.B. and MINTER, D.M. 1961. The vector of *Hepatocystis* (= *Plasmodium*) *kochi*: the successful conclusion of observations in many parts of tropical Africa. *Tr. Roy. Soc. Trop. Med. and Hyg.* 55(6): 497-502. (W<sup>a</sup>).
- GARNHAM, P.C.C., LAINSON, R. and COOPER, W. 1958. The complete life cycle of a new strain of *Plasmodium gonderi* from the drill (*Mandrillus leucophaeus*), including its sporogony in *Anopheles aztecus* and its pre-erythrocytic schizogony in the rhesus monkey. *Tr. Roy. Soc. Trop. Med. and Hyg.* 52(6): 509-517. (W<sup>a</sup>).
- GARNHAM, P.C.C. and PICK, F. 1952. Unusual form of merocysts of *Hepatocystis* (= *Plasmodium*) *kochi*. *Tr. Roy. Soc. Trop. Med. and Hyg.* 46(6): 535-537 (W<sup>a</sup>).
- GEIMAN, Q.M. 1934. Intestinal protozoa in animals at the Zoological Gardens. *Rep. Lab. and Mus. Comp. Path. Zool. Soc. Philadelphia* (1933). 26-30. (W<sup>a</sup>).
- GEIMAN, Q.M. 1935. Cytological studies of the *Chilomastix* (Protozoa, Flagellata) of man and other mammals. *J. Morphol.*, 57(2): 429-459. (W<sup>a</sup>).
- GENDRE, E. 1928. Nematodes. (In JOYEUX, CHARLES EDOUARD; GENDRE, ERNEST and BAER, JEAN GEORGE. *Recherches sur les helminthes de l'Afrique occidentale française*. Paris. 55-81.) (W<sup>a</sup>).
- GODFREY, G. 1961. Types of *Trypanosoma congolense* II.—Difference in the courses of infection. *Ann. Trop. Med. and Parasitol.* 55(2): 154-166. (W<sup>a</sup>).
- GOODEY, T. 1926. Observations on *Strongyloides filleborni* von LINSTOW, 1905, with some remarks on the genus *Strongyloides*. *J. Helminth.*, 4(2): 75-86. (W<sup>a</sup>).
- GORDON, R.M., KERSHAW, W.E., CREWE, W. and OLDROYD, H. 1950. The problems of loiasis in West Africa with special reference to recent investigations at Kumba in the British Cameroons and at Sapele in southern Nigeria. *Tr. Roy. Soc. Trop. Med. and Hyg.* 44 (1): 11-47. (W<sup>a</sup>).
- GRAHAM, G.L. 1960. Parasitism in monkeys. *Ann. N. York. Acad. Sc.* 85(3): 842-860. (W<sup>a</sup>).
- GRENIER, P., MOUCHET, I. and FERAUD, L. 1961. Siphonapteres du Cameroun. *Bull. Soc. Path. Exot.* 54(5): 951-955.

- GRIGOROVA, O.P. 1929. (Plasmoidies des singes) (Russian text). *Russk. Zhurnal. Trop. Med.*, 7 (10): 698-702. (W<sup>a</sup>).
- GRINKER, J.A., KARLIN, D.A. and MANALO ESTRELLA, P. 1962. Lung mites. Pulmonary acariasis in the primate. *Aerospace Med.* 33: 841-845.
- DE HAAN, J. and GRIJNS, G. 1901. Eine neue endoparasitäre Acaride. *Centralbl. Bakteriol.* 1 Abt., 30(1): 7-9. (W<sup>a</sup>, W<sup>m</sup>).
- HADDOW, A.J. 1952. Field and laboratory studies on an African monkey, *Cercopithecus ascanius schmidti* MATSCHIE. *Proc. Zool. Soc. London* 122(2): 297-394. (W<sup>a</sup>).
- HALL, M.C. 1920. The adult taeniod cestodes of dogs and cats, and of related carnivores of North America. *Proc. U.S. Nat. Mus.* (2258) 55: 1-94. (W<sup>a</sup>).
- HALLORAN, P.O. 1955. A bibliography of references to diseases of wild mammals and birds. *Am. Vet. Med. Assoc.* 16(61): 1-465.
- HAMERTON, A.E. 1933. Report on deaths occurring in the Society's gardens during the year 1932. *Proc. Zool. Soc. London* (2): 451-482. (W<sup>a</sup>).
- HAMERTON, A.E. 1939. Review of mortality rates and report on the deaths occurring in the Society's gardens during the year 1938. *Proc. Zool. Soc. London*, s.B., 109: (3-4): 281-327. (W<sup>a</sup>).
- HAWKING, F. and PERRY, W.L.M. 1948. Resistance to proguanil (paludrine) in a mammalian malaria parasite (*Plasmodium cynomolgi*). *Lancet*, London (6535), 2(22): 850. (W<sup>m</sup>).
- HAYAMA, S. and NIGI, H. 1963. Investigation of the helminth parasites in the Japan Monkey Centre during 1959-1961. *Primates* 4(1): 97-111.
- HEGNER, R.W. and CHU, H.J. 1930. A comparative study of the intestinal protozoa of wild monkeys and man. *Am. J. Hyg.* 12(1): 62-108. (W<sup>a</sup>).
- HEGNER, R.W. and HOLMES, F.O. 1923 a. A comparative study of ciliates of the genus *Balantidium* in man, monkey, and pig. *Am. J. Hyg.* 3(2): 208-209. (W<sup>a</sup>).
- HEGNER, R.W. and HOLMES, F.O. 1923 b. Observations on a *Balantidium* from a Brazilian monkey, *Cebus variegatus*, E. GEOFFR., with special reference to chromosome-like bodies in the macronuclei. *Am. J. Hyg.*, 3(3): 252-263. (W<sup>a</sup>).
- HELLER, E.B. 1923. A treatise on echinococcus disease; incorporating the report of the second case of the disease to be revealed in the ape *Cynocephalus porcarius*. *Internat. Clin.*, 33.s., 4: 253-298. (W<sup>m</sup>).
- HENRY, A.C.L. and JOYEUX, C.E. 1920. Contribution à la faune helminthologique de la Haute-Guinée française. *Bull. Soc. Path. Exot.* 13(3): 176-182. (W<sup>a</sup>).
- HERMAN, C.M. 1939. Parasites obtained from animals in the collection of the New York Zoological Park during 1938. *Zoologica; Scient. Contrib. N. York Zool. Soc.* 24(4): 481-485. (W<sup>a</sup>).
- HEWLETT, R.T. and DE KORTÉ, W.E. 1908. On an encysted nematode worm (*Oesophagostomum stephanostomum*) found in the colon of *Cynocephalus hamadrias* and of *Macacus rhesus*. *J. Path and Bacteriol.*, 12(2-3): 211-212. (W<sup>a</sup>).
- HEYMONS, R. 1935. Pentastomida. Bronn's Klass. u. Ordnung. *Tierreichs*, v. 5, Abt. 4, Buch 1, Lief. 1:1-160; Lief. 2: 161-268. (W<sup>a</sup>).
- HEYMONS, R. and VITZTHUM, G.H. 1935. Beiträge zur Systematik der Pentastomiden. *Ztschr. Parasitenk.*, Berlin 81(1): 1-103. (W<sup>a</sup>).
- HILL, W.C.O. 1939. *Physaloptera ackerti* n. sp. (Nematoda). *Tr. Am. Micr. Soc.*, 58(3): 285-291. (W<sup>a</sup>).
- HIMSWORTH, H.P. 1955. Colonial medical research committee tenth annual report 1954-1955. *Rep. Colon. Research Council* (1954-1955): 91-131. (W<sup>a</sup>).
- HOOGSTRAAL, H. and THEILER, G. 1959. Ticks (Ixodoidea, Ixodidae) parasitizing lower primates in Africa, Zanzibar, and Madagascar. *J. Parasitol.* 45(2): 217-222. (W<sup>a</sup>).
- HOPKINS, G.H.E. 1949. The host-associations of the lice of mammals. *Proc. Zool. Soc. London*,

- 119(2): 387-604. (W<sup>a</sup>).
- IHLE, J.E.W. 1922. On *Oesophagostomum apistostomum* (WILLACH) and some remarks on the classification of the Strongylidae. *Bijdr. Dierk.-K. Zool. Genootsch. Natura Artis Magistra Amsterdam*, 22 (Fest.-Num. van Max Weber) 89-94. (W<sup>a</sup>).
- INGLIS, W.G. 1961. The oxyurid parasites (Nematoda) of Primates. *Proc. Zool. Soc. London*, 136 (1): 103-122. (W ).
- IONESCO-MIHAIESTI, C., ZOTTA, G., RADACOVICI, E. and BADENSKI, G. 1934. Transmission expérimentale à l'homme du paludisme propre des singes. *Compt. Rend. Soc. Biol.*, Paris 115 (12): 1311-1313. (W<sup>a</sup>).
- JACOTOT, H., DESCHIENS, R.E.A., VALLÉE, A. and DEZEST, G. 1956. Splénite chronique dans un cas de filariose chez un cynocéphale. *Bull. Soc. Path. Exot.* 49(2): 300-301. (W<sup>a</sup>).
- JIMBO, K. 1914. Ueber die Verbreitung einer art von *Trichostrongylus*, *Trichostrongylus orientalis*, n. sp., als Darmparasiten des Menschen in Japan. *Centralbl. Bakteriol.*, 1. Abt., Orig., 75 (1): 53-59. (W<sup>a</sup>).
- JOLLY, A.M.D., LAVERGNE, E., and TANGUY, Y. 1937. Étude expérimentale du *Plasmodium knowlesi* chez le singe et chez l'homme. *Ann. Inst. Pasteur*, Paris 58(3): 297-325. (W<sup>a</sup>).
- JOYEUX, C.E. 1913. Note sur quelques protozoaires sanguicoles et intestinaux observés en Guinée française. *Bull. Soc. Path. Exot.*, 6(9): 612-615. (W<sup>a</sup>).
- JOYEUX, C., GENDRE, E. and BAER, J.G. 1928. *Recherches sur les helminthes de l'Afrique occidentale française*. (Collection de la Société de pathologie exotique. Monographie II). 120 pp. Paris. (W<sup>a</sup>).
- KALTER, S., KUNTZ, R., AL-DOORY, Y. and KATZBERG, A. 1965. Collection of biomedical study materials from baboons (*Papio* sp.) in Kenya: Preliminary Report. (*Laboratory Animal Care*. in press).
- KERSHAW, W.E. 1955. The epidemiology of infections with *Loa loa*. (Symposium on loiasis). *Tr. Roy. Soc. Trop. Med. and Hyg.* 49(2): 143-150. (W<sup>a</sup>).
- KERSHAW, W.E., CREWE, W. and GORDON, R.M. 1951. Specimens of *Loa* sp. in monkeys (Abstract demonstration before Roy. Soc. Trop. Med. and Hyg., London. Nov. 16, 1950.) *Tr. Roy. Soc. Trop. Med. and Hyg.* 44(4): 367. (W<sup>a</sup>).
- KHERA, S. 1951. *Trichuris cynocephalus* n. sp. (family Trichinellidae STILES and CRANE, 1910: Nematoda) from the Abyssinian baboon, *Cynocephalus hamadryas* LINN. *Indian. J. Helminth.* 3(2): 87-92. (W<sup>m</sup>).
- KNAUFF, G. 1935. Studien über *Balantidium coli*. *Ztschr. Parasitenk.*, Berlin. 8(2): 139-182. (W<sup>a</sup>).
- KOCH, R. 1898. Die Malaria in Deutsch-Ostafrika. (In Berichte des Geheimen Medizinalrathes Professor Dr. R. Koch über die Ergebnisse seiner Forschungen in Deutsch-Ostafrika). *Arb. K. Gsndhtsamte.*, Berlin. 14(2): 292-304. (W<sup>m</sup>).
- KONNO, S. 1958. On *Trichuris trichura* in *Macaca fuscata fuscata* and *Papio papio* (Japanese text). *Igaku to Seibutsugaku*. 48(1): 21-24. (W<sup>m</sup>).
- KOSSEL, H. 1899. Ueber einen malariaähnlichen Blutparasiten bei Affen. *Ztschr. Hyg. u. Infektionskr.*, 32(1): 25-32. (W<sup>a</sup>, W<sup>m</sup>).
- KREIS, H.A. 1940. Beiträge zur Kenntnis parasitischer Nematoden. IX. Parasitische Nematoden aus dem Naturhistorischen Museum Basel. *Zentralbl. Bakteriol.* 1. Abt., Orig., 145(3): 163-208. (W<sup>a</sup>).
- KUHN, H.J. and LUDWIG, H.W. 1963. *Pedicinus veri* n. sp., eine Laus des Stummelaffen *Procolobus verus* (Holopleuridae, Anoplura). *Senck. biol.* 44(3): 213-222.
- KUNTZ, R.E. 1954. Preliminary report on the susceptibility of laboratory animals to infection by *Schistosoma haematobium*. *J. Egypt. Med. Ass.* 37(10): 1193-1203. (W<sup>m</sup>).
- KUNTZ, R.E. 1955. Biology of the schistosome complexes. *Amer. J. Trop. Med. and Hyg.* 4(3): 383-413. (W<sup>a</sup>).
- KUNTZ, R.E. 1961. Passage of eggs by hosts infected with *Schistosoma haematobium*. *J. Helminth.*,

- Suppl. (Leiper Festschrift). 107-116. (W<sup>a</sup>)
- KUNTZ, R.E. and MALAKATIS, G.M. 1955. Susceptibility studies in schistosomiasis. III. Infection of various experimental hosts with *Schistosoma haematobium* in Egypt. *Exper. Parasitol.* 4(1): 1-20. (W<sup>a</sup>).
- LAMBORN, W.A. 1930. The medical entomologist's report for 1929. *Ann. Med. and San. Rep. Nyasaland Protect.* (1929), 38-41. (W<sup>m</sup>).
- LAPIN, B.A. 1956. (Mite-induced bronchitis in monkeys) (Russian text). *Archiv. Pathologii.* 18(4): 57-61. (W<sup>a</sup>).
- LAVERAN, C.L.A. 1899. Les hématozoaires endoglobulaires (Haemocytzoa). *Cinquanten. Soc. Biol.*, Paris. Vol. Jubil., 124-133. (W<sup>m</sup>, W<sup>c</sup>).
- LAVIER, G. 1928. Attempted infestation of baboons by *Trypanosoma rhodesiense*. *Final Rep. League of Nations Internat. Com. Hum. Trypanosomiasis*, 119-121. (W<sup>ph</sup>).
- LEFROU, G. and MARTIGNOLE, J. 1955. Contribution à l'étude des *Plasmodium kochi*. Plasmodium des singes africains. *Bull. Soc. Path. Exot.* 48(2): 227-234. (W<sup>a</sup>).
- LÉGER, M. 1921. Anguillulose intestinale des singes à la Guyane française. *Compt. Rend. Soc. Biol.*, Paris. 84(11): 555-558. (W<sup>a</sup>).
- LÉGER, M. 1928. Plasmodium du *Cercopithecus callitrichus* de l'Afrique Occidentale. *Ann. Inst. Pasteur*, Paris 42(7): 770-781. (W<sup>a</sup>).
- LÉGER, M. and BÉDIER, E. 1922. Hémogrégarine du cynocéphale, *Papio sphinx* E. GEOFFROY. *Compt. Rend. Soc. Biol.*, Paris 87(29): 933-934. (W<sup>a</sup>).
- LÉGER, M. and BOUILLIEZ, M. 1912. Sur un Plasmodium des singes. Passages par espèces variées. Action pathogène. *Compt. Rend. Soc. Biol.*, Paris 73(28): 310-313. (W<sup>a</sup>).
- LEIDY, J. 1850. Contributions to helminthology. *Proc. Acad. Nat. Sc. Phila.* (1850-51), 5(5): 96-98. (W<sup>a</sup>, W<sup>c</sup>).
- LEIDY, J. 1852. Some observations on Nematoidca imperfecta, and descriptions of three parasitic Infusoriae. *Tr. Am. Phila. Soc.*, n.s., 10(2): 241-244. (W<sup>a</sup>, W<sup>c</sup>).
- LEIDY, J. 1905. Researches in helminthology and parasitology. With a bibliography of his contributions to science arranged and edited by JOSEPH LEIDY, JR. *Smithson. Misc. Collect.* (1477), 46: 1-281. (W<sup>a</sup>).
- LÉPINE, P., DESCHIENS, R.E.A., GAGÉ, M. and VINCENT, J. 1955. Présence apparemment insolite et conservation de microfilaires due singe dans des cultures de tissus. *Bul. Soc. Path. Exot.* 48(1): 838-843. (W<sup>a</sup>).
- LE ROUX, P.L. 1933. A preliminary note on *Bilharzia margrebowiei*, a new parasite of ruminants and possibly of man in Northern Rhodesia. *J. Helminth.*, 11(1): 57-62. (W<sup>a</sup>).
- LE ROUX, R.L. 1939. Annual report of the Central Research Station Mazabuka for the year 1938. *Rep. Vet. Dept. N. Rhodesia*. 56 pp.
- LEVADITI, C. and SCHOEN, R. 1932. Sur un parasite sporulé du singe. *Compt. Rend. Soc. Biol.*, Paris 109(5): 343-346. (W<sup>a</sup>).
- LEVADITI, C. and SCHOEN, R. 1933. Présence d'un toxoplasme dans l'encéphale du *Cynocephalus babuin*. *Bull. Soc. Path. Exot.* 26(3): 402-405. (W<sup>a</sup>).
- LINS DE ALEMIDA, J. 1934. De l'existence du *Necator americanus* (STILES, 1902). (nématoïde) chez le *Coendou villosus* Cuv. (Roedentia) (sic) au Brésil. *Compt. Rend. Soc. Biol.*, Paris 116(26): 1154-1155. (W<sup>a</sup>).
- VON LINSTOW, O.F.B. 1878. *Compendium der Helminthologie*. Ein verzeichniss der bekannten Helminthen, die frei oder in thierischen Körpern leben, geordnet nach ihren Wohnthieren, unter Angabe der Organe, in denen sie gefunden sind, und mit Beifügung der Litteraturquellen. xxii 382 pp. Hannover. (W<sup>a</sup>, W<sup>m</sup>).
- VON LINSTOW, O.F.B. 1901a. Helminthen von den Ufern des Nyassa-Sees, ein Beitrag zur Helminthen-Fauna von Süd-Afrika. *Jenaische Ztschr. Naturw.* 35 n.F., 28(4): 409-428. (W<sup>m</sup>, W<sup>c</sup>).

- VON LINSTOW, O.F.B. 1901b. Beobachtungen an Helminthen des senckenbergischen naturhistorischen Museums, des breslauer zoologischen Institute und anderen. *Arch. Mikr. Anat.*, 58 (1): 182-198. (W<sup>m</sup>).
- VON LINSTOW, O.F.B. 1905. *Strongyloides fülleborni* n. sp. *Centralbl. Bakteriol.*, 1 Abt., Orig., 38 (5): 532-534. (W<sup>a</sup>, W<sup>m</sup>).
- LOOSS, A. 1905. Das Genus *Trichostrongylus* n.g. mit zwei neuen gelegentlichen Parasiten des Menschen. (Notizen zur Helminthologie Aegyptens. 6) *Centralbl. Bakteriol.* 1. Abt. Orig., 39(4): 409-422. (W<sup>a</sup>, W<sup>m</sup>).
- LOPEZ-NEYRA, C.R. and SOLER PLANAS, M. 1943. Revision del genero *Echinococcus* RUD. y descripción de una especie nueva parásita (sic) intestinal del perro en Almeria. *Rev. Ibér. Parasitol.* 3(2): 169-201. (W<sup>a</sup>).
- LOVERIDGE, A. 1923. Notes on East African mammals collected 1920-1923. *Proc. Zool. Soc. London*, pt. 4: 685-739. (W<sup>a</sup>).
- LUCAS, N.S. 1923. Report on deaths occurring in the society's gardens during 1922. *Proc. Zool. Soc. London*, 1923:125.
- LUCKER, J.T. 1933. *Gongylonema macrogubernaculum* Lubimov, 1931 from two new hosts. (Proc. Helminth. Soc. Wash., Oct. 15, 1932). *J. Parasitol.* 19(3): 243. (W<sup>a</sup>).
- LUMSDEN, W.H.R. 1955. Entomological studies relating to yellow fever epidemiology at Gede and Taveta, Kenya. *Bull. Ent. Res.* 46: 149-183.
- MACFIE, J.W.S. 1928. A malaria infection of the baboon, *Papio sphinx*. *Proc. Roy. Med. Jan.*, 21(3), Sect. Trop. Dis. and Parasitol., 467-471 (pp. 21-25). (W<sup>c</sup>).
- MACKINNON, D.L. and DIBB, M.J. 1938. Report on intestinal protozoa of some mammals in the Zoological Gardens at Regent's Park. *Proc. Zool. Soc. London*, s.B. 108(2): 323-345. (W<sup>a</sup>).
- MALTBAEK, J. 1937. Lice from foreign mammals in Danish collections. *Entom. Medd. Kjøbenhavn*, 20(1): 20-21. (W<sup>a</sup>).
- MANSON-BAHR, P.H. 1950. *Manson's tropical diseases. A manual of the diseases of warm climates.*, 13th ed. 1136 pp. Cassell and Company, Ltd., London.
- MARCHOUX, E., CHORINE, V. and KOECHLIN, D. 1937. Le Bacille de la Lépre et le Système Nerveux. *Ann. Inst. Pasteur*, Paris. 59(6): 37, 611-623.
- MARTINS, A.V. 1958. Non-human vertebrate hosts of *Schistosoma haematobium* and *Schistosoma mansoni*. *Bull. Wld. Hlth. Org.* 18: 931-944.
- MCCCLURE, G.W. 1934. Nematode parasites of mammals from specimens collected in the New York Zoological Park, 1932. *Zoologica; Scient. Contrib. N. York Zool. Soc.*, 15(3): 49-60. (W<sup>a</sup>).
- MCQUAY, R.M., (Jr.) 1952. Susceptibility of a Louisiana species of *Tropicorbis* to infection with *Schistosoma mansoni*. *Exper. Parasitol.* 1(2): 184-188. (W<sup>a</sup>).
- MEGGITT, F.J. 1924. *The Cestodes of Mammals*. 282 pp. London. (W<sup>a</sup>).
- MENDY, J.R. 1930a. Peligro de los zoológicos en la introducción y transmisión de enfermedades tropicales. Parasitos exóticos en monos africanos del Jardín zoológico de Buenos Aires. Oesofagostomosis, porocefalosis, filariosis, peritonel y hemática. Peligro para la salud pública. Necesidades de las cuarentenas y exámenes microscópicos de sangre y materias fecales en dichos animales. *Rev. Fac. Med. Vet.*, La Plata, 3. época. 3(2): 387-451. (W<sup>a</sup>).
- MENDY, J.R. 1930b. Peligros de los zoológicos en la introducción y transmisión de enfermedades tropicales II parte. *Rev. Fac. Med. Vet.*, La Plata, 3. época. 4(1): 539-617. (W<sup>a</sup>).
- MILLER, J.H. 1959. Correspondence. *E. Afr. Med. J.* 36:56.
- MILLER, J.H. 1959 a. The dog face baboon, *Papio doguera*, a primate reservoir host of *Schistosoma mansoni* in East Africa. (Abstract of report before 34 Ann. Meet. Am. Soc. Parasitol., University Park, Pennsylvania, Aug. 30-Sept. 2). *J. Parasitol.* 45(4). Sect. 2. suppl. p. 22. (W<sup>a</sup>).
- MILLER, J.H. 1959 b. *Hepatocystis* (= *Plasmodium*) *kochi* in the dog face baboon, *Papio doguera*.

- (Abstract of report before 34 Ann. Meet. Am. Soc. Parasitol., University Park, Pennsylvania Aug. 30-Sept. 2). *J. Parasitol.* 45(4) Sect. 2. Suppl. p. 53. (W<sup>a</sup>).
- MILLER, J.H. 1960. *Papio doguera* (dog face baboon), a primate reservoir host of *Schistosoma mansoni* in East Africa. *Tr. Roy. Soc. Trop. Med. and Hyg.* 54(1): 44-46. (W<sup>a</sup>).
- MÖNNIG, H.O. 1924. South African parasitic nematodes. 9 and 10 *Rep. Director Vet. Educ. and Research*, Depart. Agric. Union South Africa, Apr. 1923, 435-478, (W<sup>a</sup>).
- MORGAN, B.B. 1945. The nematode genus *Abbreviata* (TRAVASSOS, 1920) SCHULZ, 1927. *Amer. Midland Naturalist.*, 34(2): 485-490. (W<sup>a</sup>).
- MOSNA, E. 1938. La trasmissione del *Plasmodium knowlesi* a scimmie africane (French, English and German summaries). *Riv. Parassitol.*, Roma, 2(1): 45-48. (W<sup>a</sup>).
- MÜHLENS, P. 1921. Die Plasmodiden (Die Malariaerreger und die Plasmodien der Tiere). *Handb. Path. Protozoen* (V. Prowazek), 10. Lief., 1421-1626. (W<sup>a</sup>).
- MYERS, B.J. 1954. Helminth parasites of reptiles, birds, and mammals in Egypt. I. *Streptophaagus kuntzi* sp. nov., from rodents, with a review of the genus. *Canad. J. Zool.* 32(5): 366-374. (W<sup>a</sup>).
- MYERS, B.J., KUNTZ, R.E., and VICE, T.E. 1965. Hydatid disease in captive primates (*Colobus* and *Papio*). *J. Parasitol.* 51(6): 1019-1020.
- NAGATY, H.F. 1932. The genus *Trichostrongylus* Looss, 1905. *Ann. Trop. Med. and Parasitol.* 26(4): 457-518. (W<sup>a</sup>).
- NELSON, G.S. 1960. Schistosome infections as zoonoses in Africa. *Tr. Roy. Soc. Trop. Med. and Hyg.* 54(4): 301-324. (W<sup>a</sup>).
- NELSON, G.S. 1964. Factors influencing the development and behaviour of filarial nematodes in their arthropodan hosts. (In TAYLOR, A.E.R. ed. *Host-parasite relationships in invertebrate hosts*. Symposium of the British Society for Parasitology (2nd), London, November 8, 1963. Oxford: Blackwell Scientific Publications). pp. 75-119.
- NELSON, G.S. 1965. The parasitic helminths of baboons with particular reference to species transmissible to man. (In VAGTBORG, H. ed. *The Baboon in Medical Research*. Proceedings of the First International Symposium on the Baboon and its Use as an Experimental Animal. University of Texas Press, Austin). pp. 441-470.
- NELSON, G.S. and FORRESTER, A.T.T. 1962. Trichinosis in Kenya. *Wiad. Parazytol.* 8(1): 17-28.
- NELSON, G.S., GUGGISBERG, C.W.A., MUKUNDI, J. 1963. Animal hosts of *Trichinella spiralis* in East Africa. *Ann. Trop. Med. and Parasitol.* 57(3): 332-346.
- NELSON, G.S., HEISCH, R.B. and FURLONG, M. 1962. Studies in filariasis in East Africa. II. Filarial infections in man, animals and mosquitoes on the Kenya Coast. *Tr. Roy. Soc. Trop. Med. and Hyg.* 56(3): 202-217. (W<sup>a</sup>).
- NELSON, G.S. and MUKUNDI, J. 1962. The distribution of *Trichinella spiralis* larvae in the muscles of primates. *Wiad. Parazytol.* 8(6): 629-632.
- NELSON, G.S. and MUKUNDI, J. 1963. A strain of *Trichinella spiralis* from Kenya of low infectivity to rats and domestic pigs. *J. Helminth.* 37(4): 329-338.
- NELSON, G.S. and PESTER, F.R.N. 1961. *Schistosoma haematobium* and *S. mattheei*. Natural infection in a baboon from East Africa. (Abstract of demonstration before Lab. Meet., Mar. 16). *Tr. Roy. Soc. Trop. Med. and Hyg.* 55(4): 305. (W<sup>a</sup>).
- NELSON, G.S. and PESTER, F.R.N. 1962. The identification of infective filarial larvae in Simuliidae. *Bull. Wld. Health Organ.* 27(4-5): 473-481. (W<sup>a</sup>).
- NELSON, G.S. and RAUSCH, R.L. 1963. *Echinococcus* infections in man and animals in Kenya. *Ann. Trop. Med. and Parasitol.* 57(2): 136-149.
- NELSON, G.S. and TEESDALE, C. 1965. *Schistosoma rodhaini* "taken for a ride" by *S. mansoni* in baboons. (Demonstration.) *Tr. Roy. Soc. Trop. Med. and Hyg.* 59(1): 7.
- NELSON, G.S., TEESDALE, C. and HIGHTON, R.B. 1962. The role of animals as reservoirs of bilharziasis in Africa. (In WOLSTENHOLME, G.E.W. and M. O'CONNOR eds. *Bilharziasis*.

- Ciba Foundation Symposium Bilharziasis, London, J. & A. Churchill). pp. 127-149.
- NEWSOME, J. 1953. Experiments with some miracil, acridine, and diamidine compounds on *Schistosoma mansoni* infections in baboons. *Tr. Roy. Soc. Trop. Med. and Hyg.* 47(5): 428-430. (W<sup>a</sup>).
- NEWSOME, J. 1956. Problems of fluke immunity: With special reference to schistosomiasis. *Tr. Roy. Soc. Trop. Med. and Hyg.* 50(3): 258-274. (W<sup>a</sup>).
- NEWSOME, J. 1962. Immune opsonins in *Schistosoma* infestations. *Nature*. 195 (4847): 1175-1179.
- NEWSOME, J. 1963. Observations on corticosteroid treatment of schistosomiasis in hamsters and baboons. *Tr. Roy. Soc. of Trop. Med. and Hyg.* 57(6): 425-432.
- NEWSOME, J. 1964. Investigation of anti-schistosome opsonins in vivo. *Tr. Roy. Soc. Trop. Med. and Hyg.* 58(1): 58-62.
- NICOLL, W. 1918. On the occurrence of hydatid cysts in monkeys. *Parasitology*. 10(2): 288-289. (W<sup>a</sup>).
- NICOLL, W. 1927. A reference list of the trematode parasites of man and the primates. *Parasitology*. 19(3): 338-351. (W<sup>a</sup>).
- NOC, F. 1922. Infestation massive naturelle de la genette du Sénégal par des larves de porocéphales. *Bull. Soc. Path. Exot.*, 15(7): 621-631. (W<sup>a</sup>).
- ORTLEPP, R.J. 1925. A review of the members of the genus *Streptopharagus* BLANC., 1912. *J. Helminth.*, 3(5): 209-216. (W<sup>a</sup>).
- ORTLEPP, R.J. 1926. On the identity of *Physaloptera caucasica* v. LINSTOW, 1902, and *Physaloptera mordens* LEIPER, 1908., *J. Helminth.* 4(4-5): 199-202. (W<sup>a</sup>).
- OUDEMANS, A.C. 1935. Kritische Literaturübersicht zur Gattung *Pneumonyssus*. Beschreibung dreier Arten, darunter einer Neuen. *Ztschr. Parasitenk.*, Berlin, 7(4): 466-512. (W<sup>a</sup>).
- OWEN, R. 1832. On the morbid appearance of a mandrill (*Cynocephalus maimin*). *Proc. Zool. Soc. London*. 17.
- PATERSON, H.E. 1954. A new record of *Pedicinus hamadryas* MJÖBERG (Phthiraptera, Anoplura) from the chacma baboon in South Africa. *J. Entom. Soc. South Africa*. 17(1): 139. (W<sup>a</sup>).
- PHILIPPE, J. 1948. Note sur les gales due sing. *Bull. Soc. Path. Exot.* 41(9-10): 597-600. (W<sup>a</sup>).
- PICK, F. 1947. Un système de vaisseaux mis en évidence chez le trématode *Watsonius watsoni*. *Bull. Soc. Path. Exot.*, 40(7-8): 263-265. (W<sup>a</sup>).
- PICK, F. 1949 a. Les lésions intestinales dans la distomatose à *Watsonius watsoni* chez le cynocéphale (*Papio sphinx*). *Compt. Rend. 13. Cong. Internat. Zool.* (Paris, July 21-27, 1948): 493-494. (W<sup>a</sup>).
- PICK, F. 1949 b. L'anatomie microscopique de *Watsonius watsoni* à partir de préparations *in toto*. *Compt. Rend. 13. Cong. Internat. Zool.* (Paris, July 21-27, 1948): 494-495. (W<sup>a</sup>).
- PICK, F. 1950 a. Sur le mode de nutrition du trématode *Watsonius watsoni*. *Bull. Soc. Path. Exot.*, 43 (11-12): 708-711. (W<sup>a</sup>).
- PICK, F. 1950 b. Le mode de fixation du trématode *Watsonius watsoni* sur la paroi intestinale. *Bull. Soc. Path. Exot.*, 43(7-8): 431-435. (W<sup>h</sup>).
- PICK, F. 1950 c. Sur la partie céphalique du trématode *Watsonius watsoni*. *Bull. Soc. Path. Exot.*, 43 (11-12): 706-708. (W<sup>a</sup>).
- PICK, F. 1951 a. Sur un nouveau trématode du genre *Watsonius* chez *Papio sphinx*. *Bull. Soc. Path. Exot.*, 44(1-2): 59-61. (W<sup>a</sup>, W<sup>m</sup>).
- PICK, F. 1951 b. La compression des veines due à une invagination intestinale comme mécanisme d'enrichissement de microfilaries chez un *Papio sphinx*. *Bull. Soc. Path. Exot.*, 44(1-2): 57-58. (W<sup>a</sup>, W<sup>m</sup>).
- PICK, F. and DESCHIENS, R. 1947. La distomatose à *Watsonius watsoni* (CONYNGHAM, 1904) STILES et GOLDBERGER, 1910 chez le papion. *Bull. Soc. Path. Exot.*, 40(5-6): 202-211. (W<sup>a</sup>).
- PIERANTONI, U. 1928. *Bertia hamadryidis* n. sp. di cestode anopocoefalo parassita di *Hamadryas*

- hamadryas* L. *Ann. Mus. Zool. R. Univ. Napoli.* n.s. 5(21): 1-3. (W<sup>a</sup>).
- PIK-LEVONTIN, E.M. 1937. (Some experimental studies of trichstrongylosis) (Russian text). *Trudy Leningrad. Inst. Epidemiol. i. Bakterio, Pastera*, 3: 89-97., English summary p. 131. (W<sup>a</sup>)
- PITTALUGA, G. 1923. *Enfermedades de los países cálidos y parasitología general.* 555 pp. Madrid. (W<sup>a</sup>.)
- POWELL, S.J. and ELSDON-DEW, R. 1961. An attempt at the production of symptomatic amoebiasis in baboons. *S. Afr. J. Med. Sci.*, 26: 89-90.
- PUJATTI, D. 1953. Sulla posizione sistematica della *Sparganum hamadryadis* TEODORO, 1917. *Doriania* 1(40): 3 pp. (W<sup>a</sup>).
- RAILLIET, A. and HENRY, A.C.L. 1906. Sur les oesophagostomes des primates. *Compt. Rend. Soc. Biol.*, Paris. 60(9): 448-450. (W<sup>a</sup>, W<sup>m</sup>, W<sup>c</sup>).
- RANSOM, B.H. 1911. The nematodes parasitic in the alimentary tract of cattle, sheep, and other ruminants. *Bull. (127) Bureau Animal Indust. U. S. Dept. Agric.*, 132 pp. (W<sup>a</sup>).
- RATCLIFFE, H.L. 1933. Pathogenesis of balantidiasis. *Rept. Lab. and Mus. Comp. Path. Zool. Soc. Philadelphia* (1932-33): 21-22. (W<sup>a</sup>).
- RATCLIFFE, H.L. 1934. Parasites. *Rep. Lab. and Mus. Comp. Path. Zool. Soc. Philadelphia*, (1933): 22-24. (W<sup>a</sup>).
- RATCLIFFE, H.L. 1940. Larvae of *Multiceps serialis* in a gelada baboon: Possible relation to hydatid disease. (Abstract of report before Path. Soc. Philadelphia, Jan. 11). *Arch. Path.* 29(6): 867-868. (W<sup>a</sup>).
- REGENDANZ, P. 1932. Die experimentelle Erzeugung von Schlafkrankheit beim natürlich immunen Pavian durch Infektion des Liquor cerebrospinalis. *Arch. Schiffs-u. Tropen-Hyg.* 36:409-525.
- REGENDANZ, P. 1933. Antwort auf vorstehende Erwiderung von Dr. Johannes Zschucke auf meine Arbeit: Die experimentelle Erzeugung von Schlafkrankheit beim natürlich immunen Pavian durch Infektion des Liquor cerebrospinalis. *Arch. Schiffs-u. Tropen-Hyg.*, 37(4): 196-198. (W<sup>a</sup>).
- REWELL R.E. 1948. Diseases of tropical origin in captive wild animals. *Tr. Roy. Soc. Trop. Med. and Hyg.* 42(1): 17-36. (W<sup>a</sup>).
- RODHAIN, J. 1936. La réceptivité des singes africains au *Plasmodium knowlesi*. *Compt. Rend. Soc. Biol.*, Paris, 123(34): 955-956. (W<sup>a</sup>).
- RODHAIN, J. 1937. Notes sur *Trypanosoma minasense* CHAGAS. *Compt. Rend. Soc. Biol.*, Paris, 125(23): 1034-1036. (W<sup>a</sup>).
- RODHAIN, J. and VAN DEN BERGHE, L. 1936. Contribution à l'étude des plasmodiums des singes africains. *Ann. Soc. Belge. Méd. Trop.* 16(4): 521-531. (W<sup>a</sup>).
- RODHAIN, J. and HENDRIX, H. 1937. Essais de traitement du paludisme des oiseaux et des singes au moyen du "paludex". *Bull. Inst. Roy. Colon. Belge.* 8(1): 137-150. (W<sup>a</sup>).
- RODHAIN, J. and VAN HOOF, T. 1940. Contribution à l'étude des *Plasmodium* des singes africains. Le comportement différent des *Pl. gonderi* et *Pl. kochi* chez les moustiques. *Bull. Soc. Path. Exot.*, 33(2): 107-113. (W<sup>a</sup>).
- RODHAIN, J. and LASSMAN, P. 1939 a. Le comportement différent de *Plasmodium cynomolgi* MAYER et de *Plasmodium gonderi* RODHAIN et VAN DEN BERGHE vis-a-vis des réticulocytes. *Compt. Rend. Soc. Biol.*, Paris, 132 (23): 71-75. (W<sup>a</sup>).
- RODHAIN, J. and LASSMAN, P., 1939 b. Au sujet du comportement différent de divers plasmodiums de mammifères vis-a-vis des réticulocytes. *Ann. Soc. Belge Méd. Trop.* 19(3): 423-444. (W<sup>a</sup>).
- RODHAIN, J. and WANSON, M. 1954. Un nouveau cas de coenurose chez le babouin *Theropithecus gelada* RUPPELL. (English summary) *Riv. Parassitol. Roma* 15(4): 613-620. (W<sup>a</sup>).
- ROUND, M.C. 1964. A note on species of *Bertiella* from the dog-faced baboon (*Papio doguera*) in Kenya. *J. Helminthol.* 38 (1/2): 77-82.

- RUCH, T.C. 1944. *Bibliography of primate malaria.* (Unp.) (New Haven?) (Processed). 63 pp. (Lib. Zool. Div.)
- RUCH, T.C. 1959. *Diseases of laboratory primates.* W.B. Saunders Co. Phila. 567 pp.
- RUDOLPHI, C.A. 1819. *Entozoorum synopsis cui accedunt mantissa duplex et indices locupletissimi.* X +811 pp. Berolini. (W<sup>a</sup>).
- SALIS, H. 1941. Studies on the morphology of the *E. histolytica*-like amoebae found in monkeys. *J. Parasitol.* 27(4): 327-341. (W<sup>a</sup>).
- SAMBON, L.W. 1910. Porocephaliasis in man. *J. Trop. Med. and Hyg.*, London. 13(2): 17-24; (14): 212-217; (17): 258-262. (W<sup>a</sup>, W<sup>m</sup>).
- SAMBON, L.W. 1922. A synopsis of the family Linguatulidae. *J. Trop. Med. and Hyg.*, London, 25(12): 188-206; (24): 391-428. (W<sup>a</sup>).
- SANDGROUND, J.H. 1933 a. Report on the nematode parasites collected by the Kelley-Roosevelts expedition to Indo-China with descriptions of several new species. Part 1. Parasites of birds. Part 2. Parasites of mammals. *Ztschr. Parasitenk.*, Berlin, 5(3-4): 542-583. (W<sup>a</sup>).
- SANDGROUND, J.H. 1933 b. Reports on the scientific results of an expedition to the Southwestern highlands of Tanganyika Territory. VI. Parasitic nematodes from East Africa and Southern Rhodesia. *Bull. Mus. Comp. Zool. Harvard Coll.*, 75(6): 263-293. (W<sup>a</sup>, W<sup>c</sup>).
- SANDGROUND, J.H. 1936. On the occurrence of a species *Loa* in monkeys in the Belgian Congo. *Ann. Soc. Belge. Med. Trop.*, 16(2): 273-278. (W<sup>a</sup>).
- SANDOSHAM, A.A. 1950 a. On *Enterobius vermicularis* (LINNAEUS, 1758) and some related species from primates and rodents. *J. Helminth.*, 24 (4): 171-204. (W<sup>a</sup>).
- SANDOSHAM, A.A. 1950 b. Some species of *Enterobius* from primates. (Abstract of report read Nov. 17). *Tr. Roy. Soc. Trop. Med. and Hyg.*, 43(4): 352-354. (W<sup>a</sup>).
- SCHNEIDER, A.F. 1866. *Monographie der Nematoden.* vii. +357 pp., Berlin (W<sup>a</sup>, Lib. Stiles).
- SCHNEIDER, J. and HUSSON, R.A. 1956. Chimiothérapie des filarioses expérimentales. Résultats de recherches sur *D. blinci* et sur une filariose spontanée de cynocéphalus d'Afrique équatoriale. Action du T.W. Sb. *Bull. Soc. Path. Exot.*, 49(2): 296-300. (W<sup>a</sup>).
- SCHOOUTEDEN, H. 1959. Anoplura du Congo belge et du Ruanda-Urundi. *Rev. Zool. Botan. Afr.* 59 (1-2): 114-117.
- SCHUURMANS STEKHOVEN, J.H. (Jr. ) 1937. Parasitic nematoda (Fasc. (4) Mission (de Witte) (1933-35)). *Explor. Parc Nat. Albert*, 40 pp. (W<sup>a</sup>).
- SCHWARTZ, B. 1926. A subcutaneous tumour in a baboon due to *Multiceps* larvae. (Abstract of report before Am. Soc. Parasitol., Dec. 29-31, 1925). *J. Parasitol.*, 12(3): 159-160. (W<sup>a</sup>).
- SCHWARTZ, B. 1927. A subcutaneous tumor in a primate caused by tapeworm larvae experimentally reared to maturity in dogs. *J. Agric. Research, U.S. Dept. Agric.*, 35(5): 471-480. (W<sup>a</sup>).
- SCHWARTZ, B. 1928. Occurrence of larval tapeworms belonging to the genus *Tetrathyridium* in a baboon (*Papio porcarius*) (Abstract of report before Helminth. Soc. Washington, Dec. 17, 1927). *J. Parasitol.*, 15(1): 67. (W<sup>a</sup>).
- SCHWETZ, J. 1933 a. Contribution à l'étude des parasites malariens (*Plasmodium*) des singes inférieures africains. *Zentralbl. Bakteriol.*, 1. Abt., Orig., 130(1-2): 111-120. (W<sup>a</sup>).
- SCHWETZ, J. 1933 b. Sur les parasites malariens (*Plasmodium*) des singes inférieurs africains. *Compt. Rend. Soc. Biol.*, Paris, 112(12): 1220-1222. (W<sup>a</sup>).
- SCOTT, H.H. 1926. Report on deaths occurring in the Society's Gardens during the year 1925. *Proc. Zool. Soc. London*, pt. 1, Apr. 231-244. (W<sup>a</sup>).
- SEIDELIN, H. and CONNAL, A. 1914. A note upon the occurrence of a plasmodium in the blood of West African monkeys. *Ann. Trop. Med. and Parasitol.*, 8(1): 81-82. (W<sup>a</sup>).
- SETTI, E. 1893. Eliminti dell' Eritrea e delle regioni limitrofe. *Boll. Mus. Zool. Genova* (6): 19 pp. (W<sup>m</sup>).
- SHILLING, C.W. 1964. *The baboon: An annotated bibliography with added materials*, 1607-1964. 642

- pp. The Southwest Foundation for Research and Education, San Antonio, Texas.
- SHIPLEY, A.E. 1896. Notes on parasites. *Science Progress* 6, n.s. 1(1): 78-83. (W<sup>c</sup>, W<sup>s</sup>).
- SINTON, J.A. and MULLIGAN, H.W. 1932. A critical review of the literature relating to the identification of the malarial parasites recorded from monkeys of the families *Cercopithecidae* and *Colobidae*. *Rec. Malaria Surv. India*, 3(2): 357-380. (W<sup>a</sup>).
- SINTON, J.A. and MULLIGAN, H.W., 1933. A critical review of the literature relating to the identification of the malarial parasites recorded from monkeys of the families *Cercopithecidae* and *Colobidae* (Concluded from 1932). *Rec. Malaria Surv. India*, 3(3): 381-444. (W<sup>a</sup>).
- SMYTH, J.D. and SMYTH, M.M. 1964. Natural and experimental hosts of *Echinococcus granulosus* and *E. multilocularis*, with comments on the genetics of speciation in the genus *Echinococcus*. *Parasitology* 54: 493-514.
- SOUZA DIAS, V. 1950. Subsídios para o estudo dos ixodídeos de Angola Animais domésticos Pecuária. *An. Serv. Vet. e Indust. Animal*, Angola (1947-48) 2:127-280. (Lib. Zool. Div.)
- SOUTHWELL, T. and LAKE, F. 1939. On a collection of Cestoda from the Belgian Congo, with an introduction by Jacques Schwetz. *Ann. Trop. Med. and Parasitol.* 33(1): 63-90; (2): 107-123. (W<sup>a</sup>).
- SPITZKER, E.C. 1878. Sectionsberichte aus dem Pathologisch-anatomischen Institut de New Yorker Thierarzei-Schule. *Zool. Gart. Frankfurt*. 19: 233-238.
- STEWART, P.Y. 1950. Experimental neurotrypanosomiasis in the monkey. *Tr. Roy. Soc. Trop. Med. and Hyg.* 43: 364.
- STILES, C.W. and NOLAN, M.O. 1929. Key-catalogue of primates from which parasites are reported (*In* STILES and HASSALL, 1929. *Key-catalogue of parasites reported for primates (monkeys and lemurs, etc.)*, (q. v.)) (W<sup>a</sup>).
- STOSSICH, M. 1897. *Filarie e spirotere Lavoro monografico*. 13-162 (150 pp.) Trieste (Lib. Zool. Div.)
- STRONG, J.P., MCGILL, H.C., (JR.), and MILLER, J.H. 1961. Schistosomiasis mansoni in the Kenya baboon. *Am. J. Trop. Med. and Hyg.* 10(1): 25-32. (W<sup>a</sup>).
- STRONG, J.P., MILLER, J.H. and MCGILL, H.C. (JR.) 1965. Naturally occurring parasitic lesions in baboons, (*In* VAGTBORG, H. ed. *The baboon in medical research*. Proceedings of the first international symposium on the baboon and its use as an experimental animal. University of Texas Press, Austin). pp. 503-512.
- STUNKARD, H.W. 1946. Possible snail hosts of human schistosomes in the United States. *J. Parasitol.* 32 (6): 539-552. (W<sup>a</sup>)
- SUGIMOTO, M. 1939. *A catalogue of parasites of domestic animals from Formosa*. 244 pp. Tokyo. (W<sup>a</sup>).
- SWELLENGREBEL, N.H. and RIJPSTRA, A.C. 1965. Lateral-spined schistosome ova in the intestine of a squirrel monkey from Surinam. *Trop. Geogr. Med.*, 17(1): 80-84.
- TANGUY, Y. 1937. La piroplasmose du singes. *Ann. Inst. Pasteur*, Paris, 59(6): 610-623. (W<sup>a</sup>).
- TENDEIRO, J. 1948. Subsídios para o conhecimento da fauna parasitológica da Guiné. *Bol. Cult. Guiné Portug.* (11) 3: 639-738. (W<sup>m</sup>).
- TENDEIRO, J. 1952. Estudos sobre tripanosomiases animais. III. Infestação experimental de alguns animais pelo *Trypanosoma brucei* PLIMMER e BRADFORD, 1899. *Bol. Cult. Guiné Portug.* (26) 7: 321-325; discussion *An. Inst. Méd. Trop. Lisboa* 9(3) 763-764. (W<sup>m</sup>).
- TEODORO, G. 1917. Su una forma di *Sparganum* rinvenuta in un *Hamadryas hamadryas*. *L. Arch. Zool.*, Ital., Napoli 9(1): 159-163. (W<sup>a</sup>).
- TEUSCHER, E. and STÜNZI, H. 1956. Über parasitologische Kotuntersuchungen bei Säugetieren des Zoologischen Gartens Zürich. *Acta. Trop.*, 13(3): 262-269. (W<sup>a</sup>).
- THEILER, G. 1962. The Ixodoidea parasites of vertebrates in Africa South of the Sahara (Ethiopian Region). Project S. 9958. *Report to the Director of Veterinary Services*, Onderstepoort-June, 1962. 260 pp.
- VAN THIEL, P.H. and WIEGAND BRUSS, C.J.E. 1946. Présence de *Prosthenorhynchus spirula* les chimpanzés. Son rôle pathogène et son développement dans *Blattella germanica*. *Ann.*

- Parasitol.* (1944-45), 20(5-6): 304-320. (W<sup>m</sup>).
- THOMAS, H.W. and BREINL, A. 1905. *Report on trypanosomes, trypanosomiasis and sleeping sickness, being an experimental investigation into their pathology and treatment by H. Wolferstan Thomas, and a description of tissue changes by Anton Breinl.* vii+101 pp. London. (W<sup>m</sup>).
- TRAVASSOS, L. 1921. Contribuições para o conhecimento da fauna helminthologica brasileira. XIII. Ensaio monografico da familia Trichostrongylidae Leiper, 1909. *Mem. Inst. Oswaldo Cruz*, 13(1): 1-135. (W<sup>a</sup>).
- TRAVASSOS, L. 1944. Revisão da família Dicrocoeliidae ODHNER, 1910. *Monogr. Inst. Oswaldo Cruz*, (2) 357 pp. (Lib. Zool. Div.)
- TRAVASSOS, L. 1958. Notas ixodologicas. V. Acerca de alguns ixodídeos do Museu de Hamburgo. (English summary). *Mem. e Estud. Mus. Zool. Univ. Coimbra*, (253): 1-32. (W<sup>a</sup>).
- TRAVASSOS, L.P. and VOGELSANG, E.G. 1929. Mitteilung über das Genus *Streptopharagus* BLANC., 1912. *Zool. Anz.*, Leipzig 85(3-4): 110-111. (W<sup>a</sup>).
- TRAVASSOS, L.P. and VOGELSANG, E.G. 1931. Sobre un novo *Oesophagostomum* de primatas (*Oe. zukowskyi* n. sp.) *Bol. Biol.*, Rio de Janeiro (18): 24-27. (W<sup>a</sup>).
- TRAVASSOS, L.P. and VOGELSANG, E.G. 1932. Pseguizas helminthologicas realizadas em Hamburgo X Contribuição ào conhecimento das espécies de *Oesophagostomum* dos primatas. *Mem. Inst. Oswaldo Cruz*, 26(3): 251-328. (W<sup>a</sup>).
- TREADGOLD, C.H. 1920. On a filaria, *Loa papionis* n. sp., parasitic in *Papio cynocephalus*. *Parasitology*, 12(2): 113-135. (W<sup>a</sup>).
- TURKHED, D.A. 1920. Dracontiasis in animals; with notes on a case of guineaworm in a cobra. *Indian J. Med. Research*, 7(4): 727-734. (W<sup>a</sup>).
- URBAIN, A.J. and BULLIER, P. 1935. Un cas de cénurose conjonctive chez un gélada, (*Theropithecus gelada* (RUPPEL)). *Bull. Acad. Vét. France* 8(6): 322-324. (W<sup>a</sup>).
- VEVERS, G.M. 1922. On the parasitic nematoda collected from mammalian hosts which died in the Gardens of the Zoological Society of London during the years 1919-1921; with a description of three new genera and three new species. *Proc. Zool. Soc. London* (1922) pt. 4, 901-919. (W<sup>a</sup>).
- VITZTHUM, H. 1931. *Pneumonyssus simicola* Banks. *Ztschr. Parasitenk.*, Berlin, 4(1): 48-74. (W<sup>a</sup>).
- VOGEL, H. 1927. Beiträge zur Anatomie der Gattungen *Dirofilaria* und *Loa*. *Centralbl. Bakteriol.* 1 Abt., 102 (1-3): 81-89. (W<sup>a</sup>).
- VOGEL, H. 1963. Paragonimiasis in Africa. *Abst. 7th International Congress of Tropical Medicine and Malariology Rio de Janeiro*. 1963.
- VOGELSANG, W.E.G. 1932. Nuevos huéspedes para Ancylostomidae (Loos (sic), 1905) (LANE, 1917). 7. *Reunión Soc. Argent. Patol. Reg. Norte.*, (Tucuman, 5-7 Oct. 1931) 2: 1022-1023. (W<sup>a</sup>).
- UVYLESTKE, A. 1956. Note sur quelques nématodes parasites avec description de neuf espèces nouvelles. *Rev. Zool. et Botan. Africaines*, 53 (3-4): 441-477. (W<sup>a</sup>).
- WANSON, M. and RODHAIN, J. 1953. Développement abortif de *Loa papionis* chez divers arthropodes. Insuccès du traitement à la diéthylcarbamazine dans la filariose diurne du babouin (Flemish summary) *Ann. Soc. Belge. Méd. Trop.* 33 (2): 177-184. (W<sup>m</sup>).
- WARREN, M. and WHARTON, R.H. 1963. Symposium on simian malaria-The vectors of simian malaria: Identity, biology, and geographical distribution. *J. Parasitol.*, 49(6): 892-904.
- WEBBER, W.A.F. 1955. The filarial parasites of primates: A review. II. *Loa. Prototilaria* and *Parlitosoma*, with notes on incompletely identified adult and larval forms. *Ann. Trop. Med. and Parasitol.* 49(3): 235-249. (W<sup>a</sup>).
- WEINBERG, M. 1906. Kystes vermineux du gros intestin chez le chimpanzé et les singes inférieurs. *Compt. Rend. Soc. Biol.*, Paris, 60(9): 446-447. (W<sup>a</sup>, W<sup>m</sup>, W<sup>c</sup>).
- WEINBERG, M. 1907. Du rôle des helminthes, des larves d'helminthes et des larves d'insecte dans la transmission des microbes pathogènes. *Ann. Inst. Pasteur*, Paris, 21(6): 417-442;

- (7): 533-561. (W<sup>a</sup>, W<sup>m</sup>).
- WEINBERG, M. 1908. Oesophagostomose des anthropoïdes et des singes inférieurs. *Arch. Parasitol. Paris*, 13(2): 161-203. (W<sup>a</sup>, W<sup>m</sup>, W<sup>c</sup>).
- WEINBERG, M. and ROMANOVICH, M. 1908. Helminthiase de l'intestin grêle du chimpanzé et des singes inférieurs. *Bull. Soc. Path. Exot.* 1 (3): 181-186. (W<sup>m</sup>).
- WENYON, C.M. 1926. *Protozoology; a manual for medical men, veterinarians, and zoologists.*, v.1, 778 pp; v. 2, 779-1563 pp. London. (W<sup>a</sup>).
- YAMASHITA, J. 1963. Ecological relationships between parasites and primates. I. Helminth parasites and primates. *Primates* 4(1): 1-97.
- ZUMPT, F. 1958. A preliminary survey of the distribution and host-specificity of ticks (Ixodoidea) in the Bechuanaland Protectorate. *Bull. Entom. Research* 49(2): 201-223. (W<sup>a</sup>).
- ZUMPT, F. 1961. The arthropod parasites of vertebrates in Africa south of the Sahara (Ethiopian Region). Volume 1 (*Chelicerata*) *Publications South African Inst. Med. Research* 9(1): 457 pp. (I<sup>m</sup>, W<sup>a</sup>).
- ZUMPT, F. and TILL, W.M. 1954. The lung and nasal mites of the genus *Pneumonysus* BANKS (Acarina: Laelaptidae) with description of two new species from African primates. *J. Entom. Soc. Southern Africa* 17(2): 195-211.

## REFERENCES

### (Taxonomic)

- POPOVA, T.I. 1958. (Strongyloidea of animals and man. Trichonematidae). (Russian text) 423 pp. Moskva. (*Osnovy nematologii* v. 7) (W<sup>a</sup>).
- SKRJABIN, K.I., SHIKHOBALOVA, N.P., and LAGODOVSKY, E.A. 1960. (*Oxyurata of animals and man*). (Russian text) 557 pp. Moskva (*Osnovy nematologii* v. 8).
- SKRJABIN, K.I., SHIKHOBALOVA, N.P., and ORLOV, I.V. 1957. (*Trichocephalidae and Capillariidae of animals and man and the diseases caused by them*). (Russian text) 587 pp. Moskva (*Osnovy nematologii* v. 6) (Animal Parasites. Lab.). (W<sup>a</sup>).
- SKRJABIN, K.I., SHIKHOBALOVA, N.P. and SCHUL'TS, R.E. 1954. (*Trichostrongyloidea of animals and man*). (Russian text) 683 pp. Moskva (*Osnovy nematologii* v. 3). (W<sup>m</sup>).
- SKRJABIN, K.I. and SOBOLEV, A.A. 1964. (*Spiruroidea of animals and man and the diseases caused by them*). (Russian text) 334 pp. Moskva. (*Osnovy nematologii* v. 12).
- SKRJABIN, K.I., et al. 1954. (*Camallanata, Rhabditata, Tylenchata, Trichocephalata and Dioctophymata and the distribution of parasitic nematodes by hosts*) (Russian text) 927 pp. Moskva (*Opredelitel paraziticheskikh nematod*, v. 4) (W<sup>c</sup>).
- SPASSKII, A.A. 1951. (*Anoplocephalata-cestodes of domestic and wild animals*). (Russian text) 735 pp. Moskva. (*Osnovy tsestodologii* v. 1) (W<sup>c</sup>, W<sup>a</sup>).
- YAMAGUTI, S. 1958. *Systema helminthum*. Volume I. The digenetic trematodes of vertebrates- Part I. pp. 1-979, Part II. pp. 980-1575. New York, London (Lib. Doss).
- YAMAGUTI, S. 1959. *Systema helminthum*. Volume II. The cestodes of vertebrates. 860 pp. New York, London. (Lib. Doss).
- YAMAGUTI, S. 1962. *Systema helminthum*. Volume III. The nematodes of vertebrates. Part I, pp. 1-679; Part II, pp. 681-1261. New York, London (Lib. McIntosh).
- YORKE, W. and MAPLESTONE, P.A. 1926. *The nematode parasites of vertebrates*, with a foreword by C.W. STILES. 536 pp. London. (W<sup>a</sup>).
- WARDLE, R.A. and MCLEOD, J.A. 1952. *The zoology of tapeworms*. 780 pp. Minneapolis. (W<sup>a</sup>).

### ADDENDUM

- (These references have come to our attention since preparation of manuscript)
- BRAY, R.S. 1963. Malaria infections in primates and their importance to man. *Ergebn. Hyg.* 36: 168-213.
- COSGROVE, G.E. 1966. The trematodes of laboratory primates. *Laboratory Animal Care* 16 (1): 23-29.
- DE PAOLI, A. 1965. *Schistosoma haematobium* in the chimpanzee—a natural infection. *Am. J. Trop. Med. and Hyg.* 14 (4): 561-565.
- DIAOURE, A. 1964. Strongylides parasites de mammifères du Congo-Brazzaville (Collection R. Rousselot). *Am. Parasitol.* 39 (3): 243-284.
- HAWKING, F. and HUNT, R. 1947. The *kochi* type malaria parasite in monkeys. *Liber. Jubli. Rodhain* 251-266. (W<sup>m</sup>).
- KUNTZ, R.E. and MYERS, B.J. 1966. Parasites of baboons (*Papio doguera* PUCHERN, 1856) captured in Kenya and Tanzania, East Africa. (*Primates* in press).
- LÉGER, M. and BOUILLIEZ, M. 1913. Recherches expérimentales sur *Plasmodium inui* HALBERSTÄDTER et PROWAZEK d'un *Macacus cynomologus*. *Ann. Inst. Pasteur*, Paris 27 (11): 995-985. (W<sup>a</sup>).
- LEIDY, J. 1856. A synopsis of Entozoa and some of their ectocongener observed by the author. *Proc. Nat. Sc. Phila.* 8 (1): 42-58. (W<sup>a</sup>, W<sup>c</sup>).
- LOPEZ-NEYRA, C.R. 1944. Compendio de helminthologica. *Iberica. Rev. Ibér. Parasitol.* 4 (1): 75-96; (2): 138-198; (3): 209-342; (4): 403-492. (W<sup>a</sup>).
- NELSON, G.S.; PESTER, F.R.N. and RICKMAN, R. 1965. The significance of wild animals in the transmission of cestodes of medical importance in Kenya. *Tr. Roy. Soc. Trop. Med. and Hyg.* 59 (5): 507-524.
- SANDGROUND, J.H. 1930. Notes and description of some parasitic helminths collected by the expedition. *Contrib. Dept. Trop. Med. and Inst. Trop. Biol. and Med.* (Harvard Univ.) (5) v. 1: 462-486. (W<sup>a</sup>).
- STOSSICH, M. 1889. Il genere *Physaloptera* RUD. Lavoro monografico. *Boll. Soc. Adriat. Sc. Nat. Trieste* 11: 36-59. (W<sup>a</sup>, W<sup>c</sup>).
- STRONG, R.P. and SHATTUCK, G.C. 1930. Medical and pathological investigations in Liberia and the Belgian Congo. Animal parasitic infections. *Contrib. Dept. Trop. Med. and Inst. Trop. Biol. and Med.* (Harvard Univ.) (5) v. 1: 412-461. (W<sup>a</sup>).
- VOELKER, J. and VOGEL, H. 1965. Zwei neue *Paragonimus*-Arten aus West-Afrika: *Paragonimus africanus* und *Paragonimus uterobilateralis* (Troglotrematidae; Trematoda). *Ztschr. Trop. Med. u. Parasitol.* 16 (2): 125-148.
- VOGEL, H. and CREWE, W. 1965. Beobachtungen über die Lungenegel-Infektion in Kamerun (Westafrica). *Ztschr. Trop. Med. u. Parasitol.* 16 (2): 109-125.

### ACKNOWLEDGEMENTS

The authors wish to express their appreciation for generous use of the Index Catalogue of Medical and Veterinary Zoology (United States Department of Agriculture, Agricultural Research Service, Beltsville, Maryland) and for the cooperative support provided by Dr. A.O. Foster, Director, Beltsville Parasitological Laboratory and Miss M.A. Doss. Compilation of the present checklist has depended in great measure on the services and the series of indices prepared by the Beltsville Parasitological Laboratory.

(received Sep. 27, 1965)