

The Complete Sequence of a Frog α -Tubulin Gene and Its Regulated Expression in Mouse L-Cells. Smith, D.J. (Cambridge, UK) - p. 465

The Complete Amino Acid Sequence of Human Complement Factor H. Ripoche, J. et al. (Oxford, UK) - p. 593

Nucleotide Sequence for the *hemD* Gene of *Escherichia coli* Encoding Uroporphyrinogen III Synthase and Initial Evidence for a *hem* Operon. Jordan, P.M. et al. (Southampton, UK) - p. 613

249 No. 3 1988

Primary Structure of Rat Liver Alkaline Phosphatase Deduced from Its cDNA. Misumi, Y. et al. (Fukuoka, Japan) - p.661

Biochemical Society Transactions

15 No. 5 1987

Isolation and Characterization of a Vinculin cDNA from Chick Embryo Fibroblasts. Jones, P. et al. (Leicester, UK) - p. 794

Biochemistry

26 No. 26 1987

Complete cDNA Sequence of Human Complement C1s and Close Physical Linkage of the Homologous Genes C1s and C1r. Tosi, M. et al. (Paris, France) - p. 8516

Gene Family of Male-Specific Testosterone 16 α -Hydroxylase (C-P-450_{16 α}) in Mouse Liver: cDNA Sequences, Neonatal Imprinting and Reversible Regulation by Androgen. Wong, G. et al. (Research Triangle Park, USA) - p. 8683

27 No. 1 1988

Microheterogeneity in the Major Phenobarbital-Inducible Forms of Rabbit Liver Microsomal Cytochrome P-450 As Revealed by Nucleotide Sequencing of Cloned cDNAs. Komori, M. et al. (Osaka, Japan) - p. 73

Comparison of Primary Structures Deduced from cDNA Nucleotide Sequences for Various Forms of Liver Microsomal Cytochrome P-450 from Phenobarbital-Treated Rabbits. Imai, Y. et al. (Osaka, Japan) - p. 80

27 No. 2 1988

Cloning, DNA Sequence Analysis, and Expression in *Escherichia coli* of the Gene for Mandelate Racemase from *Pseudomonas putida*. Ranson, S.C. et al. (College Park, USA) - p. 540

δ Subunit of Rat Liver Mitochondrial ATP Synthase: cDNA Cloning, Amino Acid Sequence, Expression in *Escherichia coli*, and Structural Relationship to Adenylate Kinase. Garboczi, D.N. et al. (Baltimore, USA) - p. 553

Sequence of a Full-Length cDNA for Rat Lung β -Galactoside-Binding Protein: Primary and Secondary Structure of the Lectin. Clerch, L.B. et al. (Miami, USA) - p. 692

Heparin Cofactor II. cDNA Sequence, Chromosome Localization, Restriction Fragment Length Polymorphism, and Expression in *Escherichia coli*. Blander, M.A. et al. (St. Louis, USA) - p. 752

Nucleotide Sequence of the *luxR* and *luxI* Genes and Structure of the Primary Regulatory Region of the *lux* Regulon of *Vibrio fischeri* ATCC 7744. Devine, J.H. et al. (College Station, USA) - p. 837

Biochemistry International

15 No. 5 1987

Molecular Cloning of cDNA for Rat Liver General Acyl CoA Dehydrogenase and Homology Between the Rat Liver and Pig Kidney Enzymes. Inagaki, T. et al. (Gifu, Japan) - p.1051

Nucleotide Sequence and Linkage Map Position of the *secX* Gene in Maize Chloroplast and Evidence that It Encodes a Protein Belonging to the 50S Ribosomal Subunit. Markmann-Mulisch, U. et al. (Berlin, FRG) - p. 1057

Biochimie

69 No. 6/6 1987

Complete Nucleotide Sequence of Ovine α -Lactalbumin Messenger. Gaye, P. et al. (Jouy en Josas, France)-p.601

Complete Nucleotide Sequence of Bovine α -Lactalbumin Gene. Comparison with Its Rat Counterpart. Vilotte, J.L. et al. (Jouy en Josas, France) - p. 609

Cell

51 No. 6 1987

The *Drosophila* PS2 Antigen Is an Invertebrate Integrin that, Like the Fibronectin Receptor, Becomes Localized to Muscle Attachments. Bogaert, T. et al. (Cambridge, UK) - p. 929

The Sex-Determining Region of the Human Y Chromosome Encodes a Finger Protein. Page, D.C. et al. (Cambridge, USA) -p.1091

Recently Published Papers in the Field of Molecular Evolution

GENERAL ASPECTS

Biologisches Zentralblatt

106 No. 5 1987

Size of Genome, Mutation Rate, and Level of Organization of Primordial and Evolved Organisms. Kaplan, R.W. (Bielefeld, FRG) - p. 609

106 No. 6 1987

Allgemeine und biologische Evolutionstheorie. Gläser, H.-J. (Potsdam, GDR) - p. 663

Proceedings of the Japan Academy

63B No. 9 1987

Sense-Antisense Strand Similarity and its Interpretation in Evolutionary Processes. Kunisawa, T. (Chiba, Japan) - p. 323

Proceedings of the National Academy of Sciences of the USA

84 No. 23 1987

Selection by Differential Molecular Survival: A Possible Mechanism of Early Chemical Evolution. DeDuve, C. (Brussels, Belgium) - p. 8253

PRIMARY STRUCTURES

OF NUCLEIC ACIDS

The Biochemical Journal

246 No. 2 1987

The Pentafunctional *arom* Enzyme of *Saccharomyces cerevisiae* Is a Mosaic of Monofunctional Domains. Duncan, K. et al. (Glasgow, UK) - p. 375

246 No. 3 1987

Sequence and Expression of the cDNA for MEP (Major Excreted Protein), a Transformation-Regulated Secreted Cathepsin. Trøen, B.R. et al. (Bethesda, USA) - p. 731

247 No. 2 1987

A Quantitative Approach to Sequence Comparisons of Nitrogenase MoFe Protein α - and β -Subunits Including the Newly Sequenced *nifK* Gene from *Klebsiella pneumoniae*. Holland, D. et al. (Rehovot, Israel) - p. 277

Nucleotide Sequence of the *Klebsiella pneumoniae nifD* Gene and Predicted Amino Acid Sequence of the α -Subunit of Nitrogenase MoFe Protein. Ioannidis, I. and Buck, M. (Brighton, UK) - p. 287

248 No. 3 1987

β -Lactamase I from *Bacillus cereus*. Structure and Site-Directed Mutagenesis. Madgwick, P.J. and Maley, S.G. (Oxford, UK) - p. 657

Molecular Cloning and Sequence Analysis of the cDNA for Small Proteoglycan II of Bovine Bone. Day, A.A. et al. (Bethesda, USA) - p. 801

The cDNA and Protein Sequences of Human Lactate Dehydrogenase B. Sakai, I. et al. (Research Triangle Park, USA) - p. 933

249 No. 2 1988

Sequencing and Overexpression of the *Escherichia coli proE* Gene Encoding Shikimate Dehydrogenase. Anton, I.A. and Coggins, J.R. (Glasgow, UK) - p. 319

Pseudouridine Distribution in Mammalian 18S Ribosomal RNA. A Major Cluster in the Central Region of the Molecule. Maden, B.E.H. and Wakeman, J.A. (Liverpool, UK) - p. 459

Structure of msDNA from *Mycococcus xanthus*: Evidence for a Long, Self-Annealing RNA Precursor for the Covalently Linked, Branched RNA. Dhundale, A. et al. (Piscataway, USA) - p. 1105

52 No. 1 1988

The *Drosophila* single-minded Gene Encodes a Nuclear Protein with Sequence Similarity to the per Gene Product. Crews, S.T. et al. (Stanford, USA) - p. 143

52 No. 2 1988

Chaoptin, a Cell Surface Glycoprotein Required for *Drosophila* Photoreceptor Cell Morphogenesis, Contains a Repeat Motif Found in Yeast and Human. Reinke, R. et al. (Los Angeles, USA) - p. 291

Chromosomes

96 No. 1 1987

Nucleotide Sequences and Unusual Electrophoretic Behavior of the W Chromosome-Specific Repeating DNA Units of the Domestic Powl, *Gallus gallus domesticus*. Kodama, H. et al. (Sendai, Japan) - p. 18

Current Eye Research

6 No. 11 1987

Nucleotide Sequence for the cDNA of the Bovine B-B2 Crystallin and Assignment of the Orthologous Human Locus to Chromosome-22. Hogg, D. et al. (Bethesda, USA) - p. 1335

European Journal of Biochemistry

170 No. 1/2 1987

Molecular Cloning and Sequence Determination of the tuf Gene Coding for the Elongation Factor Tu of *Thermus thermophilus* HB8. Kushiuro, A. et al. (Osaka, Japan) - p. 93

Rabbit Apolipoprotein A-I mRNA and Gene. Evidence that Rabbit Apolipoprotein A-I is Synthesized in the Intestine but Not in the Liver. Pan, T.-c. et al. (Rahway, USA) - p. 99

Catalase Gene of the Yeast *Candida tropicalis*. Sequence Analysis and Comparison with Peroxisomal and Cytosolic Catalases from Other Sources. Okada, H. et al. (Kyoto, Japan) - p. 105

Human 27-kDa Calbindin Complementary DNA Sequence. Evolutionary and Functional Implications. Parmenter, M. et al. (Brussels, Belgium) - p. 207

Influence of Different 5'-Flanking Sequences of tRNA Genes on Their *in vivo* Transcription Efficiency in *Saccharomyces cerevisiae*. Dingermann, T. et al. (Erlangen-Nürnberg, FRG) - p. 217

The Nucleotide Sequence of the nifM Gene of *Klebsiella pneumoniae* and Identification of a New nif Gen: nifZ. Paul, W. and Merrick, M. (Brighton, UK) - p. 259

170 No. 3 1988

Nucleotide Sequence and Linkage Map Position of the Genes for Ribosomal Protein L14 and S8 in the Maize Chloroplast Genome. Mackmann-Mulisch, U. and Subramanian, A.R. (Berlin, FRG) - p. 507

cDNAs for Canavalin and Concanavalin A from *Canavalia gladiata* Seeds. Nucleotide Sequence of cDNA for Canavalin and RNA Blot Analysis of Canavalin and Concanavalin A mRNAs in Developing Seeds. Yamuchi, D. et al. (Tokyo, Japan) - p. 515

ATP4, the Structural Gene for Yeast F₁F₀ ATPase Subunit 4. Velours, J. et al. (Bordeaux, France) - p. 637

171 No. 1/2 1988

The Human von Willebrand Factor Gene. Structure of the 5' Region. Bonthron, D. and Orkin, S.H. (Boston, USA) - p. 51

cDNA Clones for Human Platelet GPIIb Corresponding to mRNA from Megakaryocytes and HEL Cells. Evidence for an Extensive Homology to Other Arg-Gly-Asp Adhesion Receptors. Uzan, G. et al. (Grenoble, France) - p. 87

Primary Structure of the Uracil Transport Protein of *Saccharomyces cerevisiae*. Jund, R. et al. (Strasbourg, France) - p. 417

Gene

56 No. 1 1987

Nucleotide Sequence and Molecular Evolution of Mouse Retrovirus-Like IAP Elements. Aota, S.-i. et al. (Mishima, Japan) - p. 1

Cloning and Nucleotide Sequence of the Murine hsp84 cDNA and Chromosome Assignment of Related Sequences. Moore, S.K. et al. (Bethesda, USA) - p. 29

Genomic Organization and Primary Structure of Five Homologous Pairs of Intron-Less Genes Encoding Secretory Globins from the Insect *Chironomus thummi thummi*. Antoine, M. et al. (Marburg, FRG) - p. 41

Construction and Characterization of cDNA Clones Encoding the 5' End of the Chicken Pro α (I) Collagen mRNA. Finer, M.H. et al. (Cambridge, USA) - p. 71

Cloning of *Streptomyces griseus* and *Streptomyces lividans* Genes for Glycerol Dissimilation. Biro, S. and Chater, K.F. (Debrecen, Hungary) - p. 79

Complete Nucleotide Sequence of the Penicillin G Acylase Gene and the Flanking Regions, and Its Expression in *Escherichia coli*. Oh, S.-J. et al. (Seoul, Korea) - p. 87

Complete Structure of the Human Transferrin Gene. Comparison with Analogous Chicken Gene and Human Pseudogene. Schaeffer, E. et al. (Paris, France) - p. 109

56 No. 2/3 1987

Complete Nucleotide Sequence of the Chicken α -Crystallin Gene and Its 5' Flanking Region. Thompson, M.A. et al. (Bethesda, USA) - p. 173

The Complete Nucleotide Sequence of the ilvGMDA Cluster of *Escherichia coli* K-12. Cox, J.L. et al. (New York, USA) - p. 185

Unusual Genetic Codes and a Novel Gene Structure for tRNA^{Ser} in Starfish Mitochondrial DNA. Himeno, H. et al. (Tokyo, Japan) - p. 219

Analysis of a Human Gene Cluster Coding for tRNA^{Phe} and tRNA^{Lys}. Doran, J.L. et al. (Edmonton, Canada) - p. 231

57 No. 1 1987

Nucleotide Sequence and Deduced Amino Acid Sequence of a Coleopteran-Active δ -Endotoxin Gene from *Bacillus thuringiensis* Subsp. San Diego. Herrnstadt, C. et al. (San Diego, USA) - p. 37

Sequence Analysis of the Putative Regulatory Region of Rat α_2 -Macroglobulin Gene. Tsuchiya, Y. et al. (Fukuoka, Japan) - p. 73

Isolation of a cDNA Probe for a Human Jejunal Brush-Border Hydrolase, Sucrase-Isomaltase, and Assignment of the Gene Locus to Chromosome 3. Green, P. et al. (London, UK) - p. 101

The Complete Nucleotide Sequence of the Left Very Early Region of *Escherichia coli* Bacteriophage PRD1 Coding for the Terminal Protein and the DNA Polymerase. Savilahti, H. and Bamford, D.H. (Helsinki, Finland) - p. 121

Localization of the T4 Phage Ribonucleotide Reductase B1 Subunit Gene and the Nucleotide Sequence of Its Upstream and 5' Coding Regions. Chu, F.K. et al. (Albany, USA) - p. 143

57 No. 2/3 1987

Cloning and Characterization of the Isopenicillin N Synthetase Gene Mediating the Formation of the 8-Lactam Ring in *Aspergillus nidulans*. Ramon, D. et al. (Madrid, Spain) - p. 171

The Extracellular Nuclease Gene of *Serratia marcescens* and Its Secretion from *Escherichia coli*. Ball, T.K. et al. (College Station, USA) - p. 183

Sequence Analysis of the Glutamate tRNA Family: Evidence for Pseudogenes. Smardo, F.L. and Calvet, J.P. (Kansas City, USA) - p. 213

Nucleotide Sequences of Human α -DNA Repeats. Murray, V. and Martin, R.F. (Melbourne, Australia) - p. 255

58 No. 1 1987

Molecular Cloning and Sequence Analysis of cDNA Encoding Lipoprotein Lipase of Guinea Pig. Enerback, S. et al. (Gothenburg, Sweden) - p. 1

Structure and *in vitro* Transcription of a Mouse B1 Cluster Containing a Unique B1 Dimer. Moshier, J.A. et al. (Baltimore, USA) - p. 19

Peroxisomal Acyl-Coenzyme A Oxidase Multigene Family of the Yeast *Candida tropicalis*. Nucleotide Sequence of a Third Gene and Its Protein Product. Okazaki, K. et al. (Hiroshima, Japan) - p. 37

Nucleotide Sequence Homologies in Control Regions of Prokaryotic Genomes. Studnicka, G.M. (Santa Monica, USA) - p. 45

The Unique Histone H2A Gene of *Aspergillus nidulans* Contains Three Introns. May, G.S. and Morris, N.R. (Piscataway, USA) - p. 59

Structure and Organization of the Left-Terminal DNA Regions of Fastidious Adenovirus Types 40 and 41. Van Loon, A.E. et al. (Utrecht, NL) - p. 109

Structural Characteristics of the PHO8 Gene Encoding Repressible Alkaline Phosphatase in *Saccharomyces cerevisiae*. Kaneko, Y. et al. (Osaka, Japan) - p. 137

58 No. 2/3 1987

Genomic Clone Containing the Promoter for the Gene Encoding the Human Lysosomal Enzyme, α -Galactosidase A. Quinn, M. et al. (New York, USA) - p. 177

Complete Nucleotide Sequence of the *Rhodospiridium toruloides* Gene Coding for Phenylalanine Ammonia-Lyase. Anson, J.G. et al. (Salisbury, UK) - p. 189

Isolation and Structure of the Replicon of the Promiscuous Plasmid pCUI. Kozlowski, M. et al. (Ottawa, Canada) - p. 217

Nucleotide Sequence Analysis Reveals Similarities Between Proteins Determining Methylenomycin A Resistance in

Streptomyces and Tetracycline Resistance in Eubacteria. Neal, R.J. and Chater, K.F. (Norwich, UK) - p. 229

Nucleotide Sequence Analysis of the Gene for Protein A from Staphylococcus aureus Cowan 1 (NTCC 8530) and Its Enhanced Expression in Escherichia coli. Shuttleworth, H.C. et al. (Salisbury, UK) - p. 283

General and Comparative Endocrinology

68 No. 3 1987

The Primary Structure of Coho Salmon Growth Hormone and Its cDNA. Nicoll, C.S. et al. (Berkeley, US) - p. 387

The Journal of Biological Chemistry

262 No. 34 1987

Complete Nucleotide Sequence of Reovirus L2 Gene and Deduced Amino Acid Sequence of Viral mRNA Guanylyltransferase. Seliger, L.S. et al. (Piscataway, USA) - p. 16289

Structural Studies and Isolation of cDNA Clones Providing the Complete Sequence of Rat Liver Dihydropteridine Reductase. Shahbaz, M. et al. (La Jolla, USA) - p. 16412

Identification of the Genes for the Lactose-Specific Components of the Phosphotransferase System in the lac Operon of Staphylococcus aureus. Breidt, F. et al. (Lawrence, USA) - p. 16444

Structural and Transcriptional Analysis of a Chicken Myosin Heavy Chain Gene Subset. Kropp, K.E. et al. (Cincinnati, USA) - p. 16536

Molecular Cloning and Structure of the Human Interleukin-5 Gene. Tanabe, T. et al. (Kyoto, Japan) - p. 16580

Expression of the Gene for the B Subunit of Mouse Thyrotropin Results in Multiple mRNAs Differing in Their 5'-Untranslated Regions. Wolf, O. et al. (New York, USA) - p. 16596

Molecular Analysis of Human and Rat Calmodulin Complementary DNA Clones. Evidence for Additional Active Genes in these Species. Sengupta, B. et al. (Bethesda, USA) - p. 16663

SAM1, the Structural Gene for One of the S-Adenosyl-methionine Synthetases in Saccharomyces cerevisiae. Sequence and Expression. Thomas, D. and Surdin-Kerjan, Y. (Gif-sur-Yvette, France) - p. 16704

262 No. 35 1987

Isolation and Characterization of a Complementary DNA (Galanin) Clone from Estrogen-Induced Pituitary Tumor Messenger RNA. Vrontakis, M.E. et al. (Winnipeg, Canada) - p. 16755

Molecular Cloning of a Cysteine Proteinase Inhibitor of Rice (Oryzacystatin). Homology with Animal Cystatins and Transient Expression in the Ripening Process of Rice Seeds. Abe, K. et al. (Tokyo, Japan) - p. 16793

Characterization of the Yeast HEM2 Gene and Transcriptional Regulation of COX5 and COR1 by Heme. Myers, A.M. et al. (New York, USA) - p. 16822

The Multidrug Resistance Gene PDR1 from Saccharomyces cerevisiae. Balzi, E. et al. (Louvain-la-Neuve, Belgium) - p. 16871

The Primary Structure of Human Chromogranin A and Pancreastatin. Konecki, D.S. et al. (Heidelberg, FRG) - p. 17026

Isolation and Characterization of a Mouse Fully Replication-Dependent H1 Gene Within a Genomic Cluster of Core Histone Genes. Yang, Y.-S. et al. (Jackson, USA) - p. 17118

The Journal of Experimental Medicine

166 No. 6 1987

Sequence Analysis and Expression of an X-Linked Lymphocyte-Regulated Gene Family (XLR). Siegel, J.N. et al. (Bethesda, USA) - p. 1702

The Journal of General Microbiology

134 Part 1 1988

Molecular Cloning and Nucleotide Sequence of the Cyclo-maltodextrin Glucanotransferase Gene from the Alkaliphilic Bacillus sp. Strain No. 38-2. Kaneko, T. et al. (Saitama, Japan) - p. 97

The Journal of Immunology

139 No. 11 1987

DNA Sequence Analysis of the C3H H-2^K and H-2^D^K Loci: Evolutionary Relationships to H-2 Genes from Four Other Mouse Strains. Watts, S. et al. (Berkeley, USA) - p. 3878

Journal of Molecular Biology

197 No. 3 1987

Nucleotide Sequence of Three tRNA^{Ser} from Drosophila melanogaster Reading the Six Serine Codons. Cribbs, D.C. et al. (Vancouver, Canada) - p. 389

Extensive Microheterogeneity of Serine tRNA Genes from Drosophila melanogaster. Cribbs, D.C. et al. (Vancouver, Canada) - p. 397

Retropseudogenes for Human Chromosomal Protein HMG-17. Srikantha, T. et al. (Bethesda, USA) - p. 405

Characterization of Three Optional Promoters in the 5' Region of the Human Aldolase A Gene. Maire, P. et al. (Paris, France) - p. 425

197 No. 4 1987

Origin and Evolution of a Major Feline Satellite DNA. Fanning, T.G. (Bethesda, USA) - p. 627

Cloning and Sequencing of the Escherichia coli gyrA Gene Coding for the A Subunit of DNA Gyrase. Swanberg, S.L. and Wang, J.C. (Cambridge, USA) - p. 729

198 No. 1 1987

Surface Exclusion Genes traS and traT of the F Sex Factor of Escherichia coli K-12. Determination of the Nucleotide Sequence and Promoter and Terminator Activities. Jalajakumari, M.B. et al. (Adelaide, Australia) - p. 1

Molecular Cloning and Sequence of the Gene for p9Ka, a Cultured Myoepithelial Cell Protein with Strong Homology to S-100, a Calcium-Binding Protein. Barraclough, R. et al. (Liverpool, UK) - p. 13

Structural Organization of the Mouse Mitochondrial Aspartate Aminotransferase Gene. Tsuzuki, T. et al. (Kumamoto, Japan) - p. 21

198 No. 2 1987

Complete Primary Structure of Vertebrate Smooth Muscle Myosin Heavy Chain Deduced from Its Complementary DNA Sequence. Implications on Topography and Function of Myosin. Yanagisawa, M. et al. (Ibaraki, Japan) - p. 143

Organization and Sequence of the had Genes of Escherichia coli K-12. Loonen, W.A.M. et al. (Edinburgh, UK) - p. 159

Nucleotide Sequence of korB, a Replication Control Gene of Broad Host-Range Plasmid RK2. Kornacki, J.A. et al. (New York, USA) - p. 211

A Drosophila Heat Shock Gene from Locus 67B is Expressed During Embryogenesis and Pupation. Pauli, D. and Tonka, C.-H. (Geneva, CH) - p. 235

198 No. 4 1987

Sequence Organization of Repetitive Sequences Enriched in Small Polydisperse Circular DNAs from HeLa Cells. Kunisada, T. and Yamagishi, H. (Kyoto, Japan) - p. 557

Characterization of Vaccinia Virus Early Promoters and Evaluation of Their Informational Content. Mars, M. and Beaud, G. (Paris, France) - p. 619

Nucleotide Sequence and Expression of Two B-Tubulin Genes in Stylylonchia lemnae. Conzelmann, K.K. and Helftenbein, E. (Tübingen, FRG) - p. 643

199 No. 1 1988

Genomic Organization of Major Sperm Protein Genes and Pseudogenes in the Nematode Caenorhabditis elegans. Ward, S. et al. (Baltimore, USA) - p. 1

The Human V_k Locus. Characterization of a Duplicated Region Encoding 28 Different Immunoglobulin Genes. Straubinger, B. et al. (München, FRG) - p. 23

5'-Flanking and 5'-Proximal Exon Regions of the Two Xenopus Albumin Genes. Deletion Analysis of Constitutive Promoter Function. Schorpp, M. et al. (Karlsruhe, FRG) - p. 83

Two Calmodulin Genes are Expressed in Arbacia punctulata. An Ancient Gene Duplication is Indicated. Hardy, D.O. et al. (Charlottesville, USA) - p. 223

199 No. 2 1988

Nucleotide and Deduced Amino Acid Sequence of stp: the Bacteriophage T4 Anticodon Nuclease Gene. Chapman, D. et al. (Ramat Aviv, Israel) - p. 373

Microbial Pathogenesis

5 No. 5 1987

Nucleotide Sequence Analysis of a P Fimbrial Regulatory Element of the Uropathogenic Escherichia coli Strain K571 (04:k12). Rhen, M. and Väisänen-Rhen, V. (Helsinki, Finland) - p. 387

Microbiology and Immunology

31 No. 11 1987

Nucleotide Sequence of the pnf Gene in Plasmid R483 and Role of the pnf Gene Product in Plasmolysis. Ono, K. et al. (Tokushima, Japan) - p. 1071

Molecular Biology and Evolution

4 No. 6 1987

- DNA Evolutionary Rates in Nine-Primaried Passerine Birds. Bledsoe, A.H. (Pittsburgh, USA) - p. 559
- Evolution of Cytochrome P-450 Proteins. Nelson, D.R. and Strobel, H.W. (Houston, USA) - p. 572
- Ribosomal DNA (rDNA) Spacer Polymorphism in Mole Rats. Suzuki, H. et al. (Shizuoka, Japan) - p. 602
- Analysis of Nucleotide Substitutions of Mitochondrial DNAs in *Drosophila melanogaster* and its Sibling Species. Satta, Y. et al. (Tokyo, Japan) - p. 638

Molecular Biology Reports

12 No. 4 1987

- Sequence of a cDNA Encoding Human Keratin No. 10 Selected According to Structural Homologies of Keratins and Their Tissue-Specific Expression. Darmon, M.Y. et al. (Valbonne, France) - p. 277

Molecular and Cellular Endocrinology

5 No. 1 1988

- Cloning and DNA Sequence Analysis of the cDNA for the Precursor of Porcine Follicle Stimulating Hormone (FSH) β Subunit. Kato, Y. (Gunma, Japan) - p. 107

Molecular Endocrinology

1 No. 3 1987

- Analysis of the Gene and Multiple Messenger Ribonucleic Acids (mRNAs) Encoding Human Gastrin-Releasing Peptide: Alternate RNA Splicing Occurs in Neural and Endocrine Tissue. Spindel, E.R. et al. (Boston, USA) - p. 224

1 No. 4 1987

- Molecular Cloning and Sequencing of a Rat Preprogastrin Complementary Deoxyribonucleic Acid. Fuller, P.J. et al. (Boston, USA) - p. 306
- Comparison of Human and Mouse P₄₅₀ Upstream Regulatory Sequences in Liver- and Nonliver-Derived Cell Lines. Jaiswal, A.K. et al. (Bethesda, USA) - p. 312
- Sequences of Interest: Cloning and Nucleotide Sequence Analysis of Complementary Deoxyribonucleic Acid for Bovine Preproinsulin. D'Agostino, J.B. et al. (Houston, USA) - p. 327

1 No. 5 1987

- The *Xenopus laevis* Estrogen Receptor: Sequence Homology with Human and Avian Receptors and Identification of Multiple Estrogen Receptor Messenger Ribonucleic Acids. Weiler, I.J. et al. (Urbana, USA) - p. 355
- Rat Corticotropin-Releasing Hormone Gene: Sequence and Tissue-Specific Expression. Thompson, R.C. et al. (Portland, USA) - p. 363
- Complementary Deoxyribonucleic Acid (cDNA) Cloning and DNA Sequence Analysis of Rat Ovarian Inhibins. Esch, F.S. et al. (La Jolla, USA) - p. 388

1 No. 6 1987

- Canine Pancreatic Polypeptide Complementary Deoxyribonucleic Acid Sequence: Pancreatic Polypeptide and Insulin Messenger Ribonucleic Acid Distribution in the Lobes of the Pancreas. Troothman, P. and Paquette, T.L. (Seattle, USA) - p. 413

1 No. 8 1987

- Sequence and Expression of a Functional Chicken Progesterone Receptor. Connelly, O.M. et al. (Houston, USA) - p. 517
- Cellular Retinoic Acid- and Cellular Retinol-Binding Proteins: Complementary Deoxyribonucleic Acid Cloning, Chromosomal Assignment, and Tissue Specific Expression. Wei, L.-N. et al. (New York, USA) - p. 526

1 No. 10 1987

- Complete Deoxyribonucleic Acid Cloning of Bovine Transforming Growth Factor- β 1. Van Obberghen-Schilling, E. et al. (Bethesda, USA) - p. 693
- The Androgen-Dependent Mouse Seminal Vesicle Secretory Protein IV: Characterization and Complementary Deoxyribonucleic Acid Cloning. Chen, Y.H. et al. (Research Triangle Park, USA) - p. 707
- Molecular Cloning and Nucleotide Sequence Analysis of Complementary Deoxyribonucleic Acid for the β -Subunit of Rat Follicle Stimulating Hormone. Maurer, R.A. (Iowa City, USA) - p. 717
- Sequence Homologies Between Type 1 and Type 2A Protein Phosphatases. Johnson, G.L. et al. (Worcester, USA) - p. 745

Molecular Microbiology

1 No. 1 1987

- Sequence of *nifl* from *Klebsiella pneumoniae*: Mode of Action and Relationship to Two Families of Regulatory Proteins. Drummond, M.H. and Wootton, J.C. (Brighton UK) - p. 37
- Cloning and Nucleotide Sequence of the *thrB* Gene from the Cyanobacterium *Calothrix* PCC 7601. Parsot, C. and Mazel, D. (Paris, France) - p. 45
- Molecular Cloning and Characterization of the β -Amylase Gene from *Bacillus circulans*. Siggins, K.W. (Leicester, UK) - p. 86
- Isolation and Sequence of the *spoOE* Gene: Its Role in Initiation of Sporulation in *Bacillus subtilis*. Parego, M. and Hoch, J.A. (La Jolla, USA) - p. 125

1 No. 2 1987

- Nucleotide Sequence, Regulation and Functional Analysis of the *papC* Gene Required for Cell Surface Localization of Pap Pili of Uropathogenic *Escherichia coli*. Norgren, M. et al. (Umea, Sweden) - p. 169
- Identification, Cloning and Sequence Analysis of the *Bacillus sphaericus* 1593 41.9 kD Larvicidal Toxin Gene. Hindley, J. and Berry, C. (Bristol, UK) - p. 187
- Cloning and Nucleotide Sequence Analysis of the Serotype 2 Fimbrial Subunit Gene of *Bordetella pertussis*. Livey, I. et al. (Orth Donay, Australia) - p. 203

1 No. 3 1987

- Nucleotide Sequence and Transcriptional Startpoint of the *glpT* Gene of *Escherichia coli*: Extensive Sequence Homology of the Glycerol-3-Phosphate Transport Protein with Components of the Hexose-6-Phosphate Transport System. Eiglmeier, K. et al. (Paris, France) - p. 251
- The ParD Mutant of *Escherichia coli* Also Carries a *gyrA* Mutation. The Complete Sequence of *gyrA*. Hussain, K. et al. (Edinburgh, UK) - p. 259
- Nucleotide Sequence of the *virG* Locus of the *Agrobacterium tumefaciens* Plasmid pTiC58. Powell, B.S. et al. (Davis, USA) - p. 309
- Nucleotide Sequencing of the Structural Gene for Colicin N Reveals Homology Between the Catalytic, C-Terminal Domains of Colicins A and N. Pugsley, A.P. (Paris, France) - p. 317
- Molecular Characterization of the Resolvase Gene, *res*, Carried by a Multicopy Plasmid from *Clostridium perfringens*: Common Evolutionary Origin for Prokaryotic Site-Specific Recombinases. Garnier, T. et al. (Paris, France) - p. 371

Nucleic Acids Research

15 No. 23 1987

- Cloning and Sequencing of *Schizosaccharomyces pombe* DNA Topoisomerase I Gene, and Effect of Gene Disruption. Uemura, T. et al. (Kyoto, Japan) - p. 9727
- Cloning, Sequencing and Expression of the *TaqI* Restriction-Modification System. Slatko, B.A. et al. (Beverly, USA) - p. 9781
- Molecular Cloning and Characterization of the Gene Encoding the DNA Methyltransferase, M.CviBIII, from *Chlorella* Virus NC-1A. Narva, K.E. et al. (Lincoln, USA) - p. 9807
- Sequence Analysis of the EP-1 α Gene Family of *Mucor racemosus*. Sundstrom, P. et al. (Irvine, USA) - p. 9987
- The Nucleotide Sequence of a Gene Coding for Human Serine tRNA. Hoe, K.L. et al. (Seoul, Korea) - p. 10045
- DNA Sequence of the Transposase Gene of the New Category of Class II Transposon, Tn2501. Turner, A.K. and Grinstead, J. (Bristol, UK) - p. 10049
- Differences Among Tc1 Elements from the *C. elegans* Strain Bergerac. Plasterk, R.H.A. (Amsterdam, NL) - p. 10050
- Nucleotide Sequence of a Human Gene for Glutathione Peroxidase. Ishida, K. et al. (Tokyo, Japan) - p. 10051
- Sequence of the Mouse Glandular Kallikrein Gene, mGK-5. Drinkwater, C.C. and Richards, R.I. (Parkville, Australia) - p. 10052
- cDNA and Amino Acid Sequences of Two Members of the Human P450IC Gene Subfamily. Kimura, S. et al. (Bethesda, USA) - p. 10053
- Sequence of cDNA Coding for Human Keratin 19. Stasiak, P.C. and Lane, E.B. (South Mimms, UK) - p. 10058
- Nucleotide Sequence of a cDNA Corresponding to a New Human Variable Region of a Functionally Rearranged T Cell Receptor γ Chain. Bories, J.-C. et al. (Paris, France) - p. 10059
- DNA Sequence of a *Drosophila* Satellite Associated Sequence. Donnelly, R.J. and Kiefer, B.I. (Middletown, USA) - p. 10061
- Nucleotide Sequence of the *Xenopus tropicalis* Larval β Globin Gene. Knöchel, W. et al. (Berlin, FRG) - p. 10062
- cDNA and Deduced Amino Acid Sequence of *Drosophila* rp21C. Another 'A'-Type Ribosomal Protein. Wigboldus, J.D. (Milwaukee, USA) - p. 10064

Nucleotide Sequence of a Field Bean (*Vicia faba* L. var. minor) Vicillin Gene. Weschke, W. et al. (Gatersleben, GDR) - p. 10065

Nucleotide Sequence of cDNAs Coding for Rat Manganese-Containing Superoxide Dismutase. Ho, Y.-S. and Crapo, J.D. (Durham, USA) - p. 10070

15 No. 24 1987

The Structure and Transcription of an Element Interspersed Between Tandem Arrays of Mini-Exon Donor RNA Genes in *Trypanosoma brucei*. Carrington, M. et al. (Karlsruhe, FRG) - p. 10179

Molecular Cloning and Nucleotide Sequence of the Gene for *Escherichia coli* Leucyl-tRNA Synthetase. Hartlein, M. and Maderu, D. (Grenoble, France) - p. 10199

Characterization of Human DNA Sequences Synthesized at the Onset of S-Phase. Tribioli, C. et al. (Pavia, Italy) - p. 10211

Nucleotide Sequence and Characterization of the Transcript of a *Dictyostelium* Ribosomal Protein Gene. Steal, L.F. et al. (Worcester, USA) - p. 10285

Negative Regulators of the PHO System in *Saccharomyces cerevisiae*: Isolation and Structural Characterization of PHO85. Uesono, Y. et al. (Hiroshima, Japan) - p. 10299

Molecular Characterization of the *Saccharomyces cerevisiae* Dihydrofolate Reductase Gene (DHFR). Lagosky, P.A. et al. (Toronto, Canada) - p. 10355

The Human U1-70K snRNP Protein: cDNA Cloning, Chromosomal Localization, Expression, Alternative Splicing and RNA-Binding. Spritz, R.A. et al. (Madison, USA) - p. 10373

The Mitochondrial S13 Ribosomal Protein Gene is Silent in Wheat Embryos and Seedlings. Bonen, L. (Ottawa, Canada) - p. 10393

A Single Gene Encoding Vitellogenin in the Sea Urchin *Strongylocentrotus purpuratus*: Sequence at the 5' End. Shyu, A.-B. et al. (Bloomington, USA) - p. 10405

Nucleotide Sequence of the Regulatory Locus Controlling Expression of Bacterial Genes for Bioluminescence. Engebrecht, J.-A. and Silverman, M. (La Jolla, USA) - p. 10455

Characterisation of cDNA Clones for Hypoxanthin-Guanine Phosphoribosyltransferase from the Human Malarial Parasite, *Plasmodium falciparum*: Comparisons to the Mammalian Gene and Protein. King, A. and Melton, D.W. (Edinburgh, UK) - p. 10469

The Complete Sequence of the MHC Class II Chain RT1D^d of Diabetic BB Rat: mRNA Levels of RT1.D^d in Lymphocytes. Holowachuk, E.W. et al. (Toronto, Canada) - p. 10551

Evolution of Late H2A, H2B and H4 Histone Genes of the Sea Urchin *Strongylocentrotus purpuratus*. Maxson, R. et al. (Los Angeles, USA) - p. 10569

Nucleotide Sequence of *hemD*, the Second Gene in the *hem* Operon of *Escherichia coli* K-12. Jordan, P.M. et al. (Southampton, UK) - p. 10583

An mRNA Sharing Sequences with a Variant Granulocyte-Macrophage Colony Stimulating Factor cDNA Clone. Gough, N.M. et al. (Victoria, Australia) - p. 10584

Nucleotide Sequence of a Member of the *psbA* Multigene Family from the Unicellular Cyanobacterium *Synechocystis* 6803. Osiewicz, H.D. and McIntosh, L. (East Lansing, USA) - p. 10585

Complete Nucleotide Sequence of the *Escherichia coli* *argA* Gene. Brown, K. et al. (Newcastle upon Tyne, UK) - p. 10586

Sequence of pTOM5, a Ripening Related cDNA from Tomato. Ray, J. et al. (Cheshire, UK) - p. 10587

Nucleotide Sequence of a Soybean Mitochondria tRNA Glu (TTC) Gene. Wintz, H. et al. (Windsor, Canada) - p. 10588

Nucleotide Sequence of the Gene for Ribosomal Protein S2 in Wheat Chloroplast DNA. Höglund, A.-S. and Gray, J.C. (Cambridge, UK) - p. 10590

Sequence of a Mouse Brain Aldolase A cDNA. Mestek, A. et al. (Rochester, USA) - p. 10595

A Gene for dnaB-Like Protein in Chlamydial Plasmid. Sriprakash, K.S. and MacAvoy, E.S. (Darwin, Australia) - p. 10596

Nucleotide Sequence of a Full-Length Infectious Clone of the Indonesian Strain of Tomato Apical Stunt Viroid (TASV). Candresse, T. et al. (Beltsville, USA) - p. 10597

Nucleotide Sequence of the Homoserine Dehydrogenase (*thrA*) Gene of *Bravibacterium lactofermentum*. Mateosa, L.M. et al. (Leon, Spain) - p. 10598

Promoter Structure of the Human Intestinal Alkaline Phosphatase Gene. Millan, J.L. (La Jolla, USA) - p. 10599

Nucleotide Sequence of an Ethylene-Related Gene from Tomato. Holdworth, M.J. et al. (Loughborough, UK) - p. 10600

The Sequence of the Cu-Zn Superoxide Dismutase Gene of *Drosophila*. Seto, N.O.L. et al. (Vancouver, Canada) - p. 10601

Nucleic Acid and Amino Acid Sequence of Dog BLH: Comparison to Rat, Cow and Human BLH. Wolf, D.L. et al. (Mountain View, USA) - p. 10602

Sequence of the Gene Encoding the Human M1 Muscarinic Acetylcholine Receptor. Jeffrey, W. et al. (West Point, USA) - p. 10604

16 No. 1 1988

Analysis of Transcription in the Archaeobacterium *Sulfolobus* Indicates that Archaeobacterial Promoters are Homologous to Eukaryotic pol II Promoters. Reiter, W.-D. et al. (Martinsried, FRG) - p. 1

Promoters of *Mycoplasma capricolum* Ribosomal RNA Operons. Identical Activities but Different Regulation in Homologous and Heterologous Cells. Gafny, R. et al. (Jerusalem, Israel) - p. 61

Organization, Sequence and Nuclease Hypersensitivity of Repetitive Elements Flanking the Chicken *apovDII* Gene: Extended Sequence Similarity to Elements Flanking the Chicken Vitellogenin Gene. Hache, R.J.G. and Dealey, R.G. (Kingston, Canada) - p. 97

An Archaeobacterial RNA Polymerase Binding Site and Transcription Initiation of the *hisA* Gene in *Methanococcus vannielii*. Brown, J.W. et al. (Columbus, USA) - p. 135

An Archaeobacterial Promoter Element for Stable RNA Genes with Homology to the TATA Box of Higher Eukaryotes. Thomm, M. and Wich, G. (Regensburg, FRG) - p. 151

Sequence and Properties of the Message Encoding *Tetrahymena* *hvi*, a Highly Evolutionarily Conserved Histone H2A Variant that is Associated with Active Genes. White, E.M. et al. (Rochester, USA) - p. 179

Infectivity and Complete Nucleotide Sequence of the Genome of a South African Isolate of Maize Streak Virus. Lazarowitz, S.G. (Baltimore, USA) - p. 229

The Complete Nucleotide Sequence of the Potexvirus White Clover Mosaic Virus. Forster, R.L.S. et al. (Auckland, New Zealand) - p. 291

Phylogenetic Relationships and Altered Genome Structures Among *Tetrahymena* Mitochondrial DNAs. Morin, G.B. and Cech, T.R. (Boulder, USA) - p. 327

Complete Nucleotide Sequence of a Viroid Isolated from Etrog Citron, a New Member of Hop Stunt Viroid Group. Sano, T. et al. (Sapporo, Japan) - p. 347

Nucleotide Sequence of the *frxB* Gene in Wheat Chloroplast DNA. Dunn, P.P.J. and Gray, J.C. (Cambridge, UK) - p. 348

Human Pro α 1(I) Collagen: cDNA Sequence for the C-Propeptide Domain. Mäkelä, J.K. et al. (Turku, Finland) - p. 349

5'-Flanking Sequence of Mouse Glutathione S-Transferase Ya Gene. Daniel, V. et al. (Rehovot, Israel) - p. 351

Nucleotide Sequence of the Promoter Region of the Gene Encoding Chicken Calbindin D28K. Ferrari, S. et al. (Modena, Italy) - p. 353

The Nucleotide Sequence of pACYC184. Rose, R.E. (Davis, USA) - p. 355

The Nucleotide Sequence of pACYC177. Rose, R.E. (Davis, USA) - p. 356

A Correction in the Nucleotide Sequence of the Tn903 Kanamycin Resistance Determinant in pUC4K. Taylor, L.A. and Rose, R.E. (Davis, USA) - p. 358

Nucleotide Sequence of Mouse Genomic DNA Coding for a Brain Specific Small RNA. Kobayashi, S. et al. (Chiba, Japan) - p. 360

Complete cDNA Sequence Coding for Human Docking Protein. Hortsch, M. et al. (Heidelberg, FRG) - p. 361

Satellite II DNA of Human Lymphocytes: Tandem Repeats of a Simple Sequence Element. Hollis, M. and Hindley, J. (Cambridge, USA) - p. 363

Complete Nucleotide Sequence of the Peroxisomal Acyl CoA Oxidase from the Alkane-Utilizing Yeast *Candida maltosa*. Hill, D.E. et al. (Cambridge, USA) - p. 365

Nucleotide Sequence of Porcine Rotavirus (OSU Strain) Gene Segments 7, 8, and 9. Rushlow, K. et al. (Columbus, USA) - p. 367

The Nucleotide Sequence of 16S rRNA Gene from *Streptomyces lividans* TK21. Suzuki, Y. and Yamada, T. (Osaka, Japan) - p. 370

16 No. 2 1988

Characterization and Heterospecific Expression of cDNA Clones of Genes in the Maize GSH S-Transferase Multigene Family. Grove, G. et al. (University Park, USA) - p. 425

The Presence of Five *nifH*-Like Sequences in *Clostridium pasteurianum*: Sequence Divergence and Transcription Properties. Wang, S.-Z. et al. (Blacksburg, USA) - p. 439

Molecular Cloning of Chicken Metallothionein. Deduction of the Complete Amino Acid Sequence and Analysis of Expression Using Cloned cDNA. Wei, D. and Andrews, G.K. (Kansas City, USA) - p. 537

Two Target Sites for Protein Binding in the Promoter Region of a Cell Cycle Regulated Human H1 Histone Gene. Van Wijnen, A.J. et al. (Worcester, USA) - p. 571

The F-Type 5' Motif of Mouse L1 Elements: a Major Class of L1 Termini Similar to the A-Type in Organization but unrelated in Sequence. Padgett, R.W. et al. (Chapel Hill, USA) - p. 739

Nucleotide Sequence of Bovine Rotavirus Genomic Segment 10: an RNA Encoding the Viral Nonstructural Glycoprotein. Powell, K.F.H. et al. (Auckland, New Zealand) - p. 763

Nucleotide Sequence from Bacteriophage Ø80 with High Homology to the Major Coat Protein Gene of *λ*. Kitao, S. and Nakano, E. (Chiba, Japan) - p. 764

Small Cytoplasmic *ho* RNA Pseudogene and an *Alu* Repeat in the Human α -1 Globin Gene. Jurka, J. et al. (Mountain View, USA) - p. 766

Human tRNA^{Ser} Gene Organization and a tRNA^{Ser} Gene Sequence. Krupp, J.L. et al. (Louisville, USA) - p. 770

The 5' Region of the Human Interleukin 4 Gene: Structure and Potential Regulatory Elements. Eder, A. et al. (Heidelberg, FRG) - p. 772

Two mRNAs of Mouse Pro α 1(I) Collagen Gene Differ in the Size of the 3'-Untranslated Region. Mooslehner, K. and Harbers, K. (Hamburg, FRG) - p. 773

Nucleotide Sequence of the 3' Flanking Region of the Herpes Thymidine Kinase Gene. Chatterjee, B. and Lo, C.W. (Philadelphia, USA) - p. 774

Gene Sequence of the VP7 Serotype Specific Glycoprotein of Gottfried Porcine Rotavirus. Gorziglia, M. et al. (Bethesda, USA) - p. 775

Nucleotide Sequence of the LuxA and LuxB Genes of the Bioluminescent Marine Bacterium *Vibrio fischeri*. Foran, D.R. and Brown, W.M. (Ann Arbor, USA) - p. 777

Oncogene

1 No. 4 1987

Isolation and Structural Analysis of a Biologically Active Chicken *c-fos* cDNA: Identification of Evolutionarily Conserved Domains in *fos* Protein. Molders, H. et al. (Heidelberg, FRG) - p. 377

Oncogene Research

1 No. 1 1987

Comparison of the Human and Mouse *PIM-1* cDNAs: Nucleotide Sequence and Immunological Identification of the in vitro Synthesized *PIM-1* Protein. Domen, J. et al. (Amsterdam, NL) - p. 103

1 No. 2 1987

Mouse *N-ras* Genes: Organization of the Functional Locus and of a Truncated cDNA-Like Pseudogene. Chang, H.-Y. et al. (New York, USA) - p. 129

Isolation of a Human Sequence which Complements a Mammalian G₁-Specific Temperature-Sensitive Mutant of the Cell Cycle. Saève, G.J. et al. (Philadelphia, USA) - p. 137

1 No. 3 1987

Molecular Cloning and Characterization of a cDNA for Human Granulocyte Colony-Stimulating Factor (G-CSF) from a Glioblastoma Multiforme Cell Line and Localization of the G-CSF Gene to Chromosome Band 17q21. Twardy, D.J. et al. (Pittsburgh, USA) - p. 209

The Complete Primary Structure of the Rat *A-raf* cDNA Coding Region: Conservation of the Putative Regulatory Regions Present in Rat *c-raf*. Ishikawa, F. et al. (Tokyo, Japan) - p. 243

1 No. 4 1987

Murine *c-fms* cDNA: Cloning, Sequence Analysis and Retroviral Expression. Mothwell, M. and Rohrschneider, L.R. (Seattle, USA) - p. 311

The Human EGF Receptor Gene: Structure of the 110 kb Locus and Identification of Sequences Regulating Its Transcription. Haley, J. et al. (London, UK) - p. 375

Proceedings of the National Academy of Sciences of the USA

84 No. 23 1987

Nucleotide Sequence of Testis-Derived *c-abl* cDNAs: Implications for Testis-Specific Transcription and *abl* Oncogene Activation. Oppi, C. et al. (Nutley, USA) - p. 8200

Four Additional Members of the *ras* Gene Superfamily Isolated by an Oligonucleotide Strategy: Molecular Cloning of YPT-Related cDNAs from a Rat Brain Library. Touchot, N. et al. (Paris, France) - p. 8210

Nucleotide Sequence of the Gene from the Cyanobacterium *Anacystis nidulans* R2 Encoding the Mn-Stabilizing Protein Involved in Photosystem II Water Oxidation. Kuwabara, T. et al. (Columbia, USA) - p. 8230

Isolation and Characterization of cDNAs Encoding the Heavy Chain of Human Inter- α -Trypsin Inhibitor (I α TI): Unambiguous Evidence for Multipolypeptide Chain Structure of I α TI. Salier, J.P. et al. (Saint-Etienne-du-Rouvray, F) - p. 8272

Primary Structure of Rat Cardiac β -Adrenergic and Muscarinic Cholinergic Receptors Obtained by Automated DNA Sequence Analysis: Further Evidence for a Multigene Family. Gocayne, J. et al. (Bethesda, USA) - p. 8296

Segment-Specific Inverted Repeats Found Adjacent to Conserved Terminal Sequences in Wound Tumor Virus Genome and Defective Interfering RNAs. Anzola, J.V. et al. (Nutley, USA) - p. 8301

Isolation and Sequence of a cDNA Corresponding to a *src*-Related Gene Expressed in Murine Hemopoietic Cells. Holtzman, D.A. et al. (Melbourne, Australia) - p. 8325

Molecular Cloning of Matrix Gla Protein: Implications for Substrate Recognition by the Vitamin K-Dependent γ -Carboxylase. Price, P.A. et al. (La Jolla, USA) - p. 8335

Molecular Cloning and Sequence Analysis of the *Plasmodium falciparum* Dihydrofolate-Thymidylate Synthase Gene. Bzik, D.J. et al. (Hanover, USA) - p. 8360

cDNA Sequence, Protein Structure, and Chromosomal Location of the Human Gene for Poly(ADP-Ribose) Polymerase. Cherny, B.W. et al. (Washington, USA) - p. 8370

Structure of the Chromosomal Chicken Progesterone Receptor Gene. Huckaby, C.S. et al. (Houston, USA) - p. 8380

Characterization of pHV2 from *Halobacterium volcanii* and Its Use in Demonstrating Transformation of an Archaeobacterium. Charlebois, R.L. et al. (Halifax, Canada) - p. 8530

Human Heavy-Chain Variable Region Gene Family Nonrandomly Rearranged in Familial Chronic Lymphocytic Leukemia. Shen, A. et al. (Dallas, USA) - p. 8563

Molecular Cloning of a CD28 cDNA by a High-Efficiency COS Cell Expression System. Aruffo, A. and Seed, B. (Boston, USA) - p. 8573

Nucleotide Sequence of a Cloned cDNA for Human Sphingolipid Activator Protein 1 Precursor. Dawji, N.N. et al. (La Jolla, USA) - p. 8652

Somatic Cell and Molecular Genetics

13 No. 6 1987

Cloning and Characterization of DNA Sequences Amplified in Multidrug-Resistant Djungarian Hamster and Mouse Cells. Gudkov, A.V. et al. (Moscow, USSR) - p. 609

Theoretical and Applied Genetics

75 No. 1 1987

The Nucleotide and Deduced Amino Acid Sequences of an HMW Glutenin Subunit Gene from Chromosome 1B of Bread Wheat (*Triticum aestivum* L.) and Comparison with Those of Genes from Chromosomes 1A and 1D. Halford, N.G. et al. (Harpenden, UK) - p. 117

PRIMARY STRUCTURES

OF PROTEINS

Archives of Biochemistry and Biophysics

259 No. 1 1987

Isolation and Partial Amino Acid Sequence of Three Subunit Species of Porcine Spleen Ferritin: Evidence of Multiple H Subunits. Collawn, J.F. et al. (Charleston, USA) - p.105

260 No. 1 1988

Isolation and Primary Structure of the Major Toxin from Sea Snake *Acalyptophis peronii* Venom. Mori, N. and Tu, A.T. (Fort Collins, USA) - p. 10

The Biochemical Journal

246 No. 3 1987

Amino Acid Sequence of a Cystatin from Venom of the African Puff Adder (*Bitis arietans*). Ritonja, A. et al. (München, FRG) - p. 799

248 No. 2 1987

Amino Acid Sequence of Cytochrome *c*-554(548) and Cytochrome *c'* from a Halophile Denitrifying Bacterium of the Genus *Paracoccus*. Ambler, R.P. et al. (Edinburgh, UK) - p. 365

Biochemical Society Transactions

15 No. 5 1987

The Structure and Function of α -Actinin. Baron, M.D. et al. (Leicester, UK) - p. 796

Structure and Evolution of a Non-Erythroid Spectrin, Human α -Podrin. McNahan, A.P. and Moon, R.T. (London, UK) - p. 804

Biochemistry

27 No. 1 1988

Primary Structure of Mammalian Ribosomal Protein S6. Wettenhall, R.E.H. et al. (Bundoora, Australia) - p. 170

27 No. 2 1988

Primary Structure Homologies Between Two Zinc Metallo-peptidases, the Neutral Endopeptidase 24.11 ("Enkephalinase") and Thermolysin, Through Clustering Analysis. Benchetrit, T. et al. (Paris, France) - p. 592

Biochemistry International

15 No. 2 1987

The Amino Acid Sequence of Emu Osteocalcin: Gas Phase Sequencing of Gla-Containing Proteins. Huq, N.L. et al. (Darlinghurst, Australia) - p. 271

15 No. 3 1987

The Amino Acid Sequence of Leghemoglobin II from Sesbania rostrata Stem Nodules. Kortt, A.A. et al. (Parkville, Australia) - p. 509

Biochimie

69 No. 6/7 1987

N-Terminal Sequences of Oat Avenins Compared to Other Cereal Prolamins. Pernollet, J.C. et al. (Versailles, F)-p.683

Carlsberg Research Communications

52 No. 4 1987

Primary Structure of Carboxypeptidase II from Malted Barley. Sørensen, S.B. et al. (Copenhagen, DK) - p. 285

Primary Structure and Enzymatic Properties of Carboxypeptidase II from Wheat Bran. Breddam, K. et al. (Copenhagen, Denmark) - p. 297

Comparative Biochemistry and Physiology

88C No. 1 1987

Isolation, Primary Structure, and Synthesis of Leucokinins V and VI. Myotropic Peptides of Leucophaea maderae. Holman, G.M. et al. (College Station, USA) - p. 27

Isolation, Primary Structure and Synthesis of Leucokinins VII and VIII: The Final Members of This New Family of Cephalomyotropic Peptides Isolated from Head Extracts of Leucophaea maderae. Holman, G.M. et al. (College Station, USA) - p. 31

European Journal of Biochemistry

170 No. 1/2 1987

Isolation, Characterization and Amino-Acid Sequence of γ -Seminoprotein, a Glycoprotein from Human Seminal Plasma. Schaller, J. et al. (Bern, CH) - p. 111

Semi-Preparative HPLC Purification of Ribosomal Proteins from Bacillus stearothermophilus and Sequence Determination of the Highly Conserved Protein S19. Hirano, H. et al. (Berlin, FRG) - p. 149

170 No. 3 1988

The Primary Structure of the Basic Isoform of Acanthamoeba Profilin. Ampe, C. et al. (Gent, Belgium) - p. 597

171 No. 1/2 1988

Insect Immunity. Purification and Characterization of a Family of Novel Inducible Antibacterial Proteins from Immunized Larvae of the Dipteran Phormia terranova and Complete Amino-Acid Sequence of the Predominant Member, Dipterin A. Dimarcq, J.-L. et al. (Strasbourg, France) - p. 17

The International Journal of Biochemistry

20 No. 1 1988

Re-Examination of the Amino Acid Sequence of Soybean Leghemoglobin a and Autoxidation of Its Oxy-Form. Suzuki, T. et al. (Kochi, Japan) - p. 35

Snake Venom Toxins. I. The Primary Structure of a Long Neurotoxin S_3C_6 from Aspidelaps scutatus (Shield or Shield-Nose Snake) Venom. Joubert, F.J. (Pretoria, South Africa) - p. 93

20 No. 3 1988

Snake Venom Toxins. II. The Primary Structure of Cytotoxin Homologous S_3C_2 and S_4C_8 from Aspidelaps scutatus (Shield or Shield-Nose Snake) Venom. Joubert, F.J. (Pretoria, South Africa) - p. 377

International Journal of Peptide and Protein Research

30 No. 3 1987

Isolation and Amino Acid Sequence of Insulins and C-Peptides of European Bison (Bison bonasus) and Fox (Alopex lagopus). Majewski, T. et al. (Bagsvaerd, Denmark) - p. 379

30 No. 5 1987

Complete Amino Acid Sequence of VLDV-Neurophysin from Ostrich Differs Markedly from Known Mammalian Neurophysins. Lazure, C. et al. (Montreal, Canada) - p. 634

Guinea Pig MSEL-Neurophysin. Sequence Comparison of Eight Mammalian MSEL-Neurophysins. Chauvet, M.-T. et al. (Paris, France) - p. 676

Journal of Biosciences

12 No. 3 1987

General Relationships of Mammalian Orders and Evolutionary Development of Primates Inferred from Best-Fit α -Globin Phylogenies. Barnabas, S. et al. (Ahmednagar, India)-p.165

The Journal of Comparative Neurology

266 No. 1 1987

Purification and Characterization of FMRFamide-like Immunoreactive Substances from the Lobster Nervous System: Isolation and Sequence Analysis of Two Closely Related Peptides. Trimmer, B.A. et al. (Berkeley, USA) - p. 16

The Journal of Laboratory and Clinical Medicine

110 No. 3 1987

Primary Structure of Amyloid Fibril Protein AA in Azocasein-Induced Amyloidosis of CBA/J Mice. Dwulet, F.E. and Benson, M.D. (Indianapolis, USA) - p. 322

Journal of Molecular Biology

19 No. 4 1987

Detecting Homology of Distantly Related Proteins with Consensus Sequences. Patthy, L. (Budapest, Hungary)-p.567

199 No. 1 1988

Tertiary Structure of Bacillus thermoproteolyticus [4Fe-4S] Ferredoxin. Evolutionary Implications for Bacterial Ferredoxins. Fukuyama, K. et al. (Tottori, Japan)-p.183

Molecular Microbiology

1 No. 2 1987

Primary Structure and Subcellular Localization of Two Fimbrial Subunit-Like Proteins Involved in the Biosynthesis of K99 Fibrilliae. Roosendaal, E. et al. (Amsterdam, NL) - p. 211

Plant Science

50 No. 3 1987

Isolation and Partial Amino Acid Sequencing of the Small Subunit of Ribulose-1,5-Bisphosphate Carboxylase/Oxygenase from Three Species of Orchid. Martin, G.C. et al. (Birmingham, UK) - p. 233

Compiled by L. Trager