

235 No. 3 1986

Nucleotide and Derived Amino Acid Sequences of a cDNA Coding for Pre-Uteroglobin from the Lung of the Hare (*Lepus capensis*). Lopez de Haro, M.S. and Nieto, A. (Madrid, Spain) - p. 895 [14]

236 No. 2 1986

The Nucleotide Sequence of a Cytoplasmic tRNA<sup>Phe</sup> from *Scenedesmus obliquus* and Comparison with a tRNA<sup>TYF</sup> Species. Green, G.A. and Jones, D.S. (Liverpool, UK) - p. 601 [15]

237 No. 2 1986

The Cloning and Expression of the *aroL* Gene from *Escherichia coli* K12. Purification and Complete Amino Acid Sequence of Shikimate Kinase II, the *aroL*-Gene Product. Millar, G. et al. (Glasgow, UK) - p. 427 [16]

Structural and Functional Relationships Between Fumarate and Aspartate. Nucleotide Sequence of the Fumarate (*fumC*) and Aspartate (*aspA*) Genes of *Escherichia coli* K12. Woods, S.A. et al. (Sheffield, UK) - p. 547 [17]

238 No. 1 1986

The Nucleotide Sequence of *Scenedesmus obliquus* Chloroplast Elongator Methionine-Accepting tRNA. McCoy, J.M. et al. (Liverpool, UK) - p. 297 [18]

**Biochimica et Biophysica Acta**

866 No. 1 1986

Immunological Identification of Rat Tissue Kallikrein cDNA and Characterization of the Kallikrein Gene Family. Gerald, W.L. et al. (Charleston, USA) - p. 1 [19]

Conserved Restriction Sites Within the Ribosomal RNA Genes of Vertebrates. Tanhauser, S.M. et al. (Gainesville, USA) - p. 19 [20]

Sequence of the cDNA Encoding Porcine Pro-Opiomelanocortin. Gossard, F.J. et al. (Stanford, USA) - p. 68 [21]

The Nucleotide Sequence of 4.5S rRNA from Tomato Chloroplasts. Zhen-Qi, C. et al. (Wuhan, China) - p. 89 [22]

866 No. 2/3 1986

Some Guidelines for Identification of Recognition Sequences: Regulatory Sequences Frequently Contain (T)GTG/CAC(A), TGA/TCA and (T)CTC/GAG(A). Nussinov, R. (Ramat Aviv, Israel) - p. 93 [23]

867 No. 1/2 1986

DNA and Amino-Acid Sequences of 3-Isopropylmalate Dehydrogenase of *Bacillus coagulans*. Comparison with the Enzymes of *Saccharomyces cerevisiae* and *Thermus thermophilus*. Sekiguchi, T. et al. (Kanegawa, Japan) - p. 36 [24]

867 No. 3 1986

Stability of Structures of the ε Subunit and Terminator of Thermophilic ATPase. Saishu, T. et al. (Minamikawachi, Japan) - p. 97 [25]

**Biological Chemistry Hoppe-Seyler**

367 No. 8 1986

The Neurohypophyseal Hormones Vasopressin and Oxytocin. Precursor Structure, Synthesis and Regulation. Rehbein, M. et al. (Hamburg, FRG) - p. 695 [26]

Cloned Proteolipid Protein and Myelin Basic Protein cDNA. Transcription of the Two Genes During Myelination. Schach, M. et al. (Köln, FRG) - p. 825 [27]

**Carlsberg Research Communications**

50 No. 6 1985

Primary Structure of a B1 Hordein Gene from Barley. Brandt, A. et al. (Copenhagen, Denmark) - p. 333 [28]

**DNA**

4 No. 6 1985

The Nucleotide Sequence of Syrian Hamster HMG-CoA-Reductase cDNA. Skalnik, D.G. and Simoni, R.D. (Stanford, USA) - p. 439 [29]

Human Kidney Kallikrein: cDNA Cloning and Sequence Analysis. Baker, A.R. and Shine, J. (Mountain View, USA) - p. 445 [30]

**FEBS Letters**

204 No. 1 1986

Studies on the Structure of the Human C4b-Binding Protein Gene. Lintin, S.J. and Reid, K.B.M. (Oxford, UK) - p. 77 [31]

**Recently Published Papers in the Field of Molecular Evolution****PRIMARY STRUCTURES  
OF NUCLEIC ACIDS****Biochemical and Biophysical Research Communications**

136 No. 1 1986

Sequence of Human DNA Polymerase β mRNA Obtained Through cDNA Cloning. SenGupta, D.N. et al. (Bethesda, USA) - p. 341 [1]

Structure and Analysis of the Bovine Atrial Natriuretic Peptide Precursor Gene. Vlasuk, G.P. et al. (Mountain View, USA) - p. 396 [2]

137 No. 1 1986

Isolation and Characterization of a Partial cDNA Clone for Heparin Cofactor II. Inhorn, R.C. and Tolleson, D.M. (St. Louis, USA) - p. 431 [3]

137 No. 2 1986

Isolation and Analysis of a cDNA Coding for Human Cl Inhibitor. Que, B.G. and Petra, P.H. (Seattle, USA) - p. 620 [4]

137 No. 3 1986

Isolation and Characterization of a Human U3 Small Nucleolar RNA Gene. Suh, D. et al. (Houston, USA) - p. 1133 [5]

138 No. 1 1986

The Complete Nucleotide Sequence of Canine Brain B Creatine Kinase mRNA: Homology in the Coding and 3'-Noncoding Regions Among Species. Billadello, J.J. et al. (St. Louis, USA) - p. 392 [6]

138 No. 2 1986

Multiple Sequences in the *Drosophila melanogaster* U3 RNA Gene are Homologous to Vertebrate U3 RNA. Akao, M. et al. (Houston, USA) - p. 512 [7]

Sequence and Expression of a Novel Murine Interferon α Gene. Homology with Enhancer Elements in the Regulatory Region of the Gene. Dion, M. et al. (Villejuif, France) - p. 826 [8]

Bovine Cardiac Mitochondrial ADP/ATP-Carrier: Two Distinct mRNAs and an Unusually Short 3'-Noncoding Sequence. Rasmussen, U.B. et al. (Boston, USA) - p. 850 [9]

Characterization of Human Genomic DNA Sequences Homologous to the Interleukin 2 cDNA. Mita, S. et al. (Kumamoto, Japan) - p. 966 [10]

138 No. 3 1986

Accumulation and Specific Cleavage of 5S RNA in the Isthmus of Laying Hen Oviduct. Evidence for Three Chicken 5S RNA. Keith, G. et al. (Strasbourg, France) - p. 1405 [11]

**The Biochemical Journal**

234 No. 3 1986

The Cloning and Sequence Analysis of the *aspC* and *tyrB* Genes from *Escherichia coli* K12. Comparison of the Primary Structures of the Aspartate Aminotransferase and Aromatic Aminotransferase of *E. coli* with those of the Pig Aspartate Aminotransferase Isoenzymes. Fotheringham, I.G. et al. (High Wycombe, UK) - p. 593 [12]

235 No. 2 1986

Nucleotide Sequence of the Putative Regulatory Region of Mouse Lactate Dehydrogenase-A Gene. Fukasawa, K.M. and Li, S. S.-L. (Research Triangle Park, USA) - p. 435 [13]

204 No. 2 1986

The Structure of 5S Ribosomal RNA in the Methanogenic Archaeabacteria Methanobolus tindarius and Methanococcus thermolithotrophicus. Willekeens, P. et al. (Antwerpen, Belgium) - p. 273 [32]

Complete cDNA Sequence for Rabbit Muscle Glycogen Phosphorylase. Nakano, K. et al. (San Francisco, USA) - p. 283 [33]

Cyclic GMP Phosphodiesterase from Cattle Retina. Amino Acid Sequence of the  $\gamma$ -Subunit and Nucleotide Sequence of the Corresponding cDNA. Ovchinnikov, Y.A. et al. (Moscow, USSR) - p. 288 [34]

A U3 RNA Pseudogene in Mouse: Sequence and Organization in Genomic DNA. Ferrer, P. et al. (Toulouse, France) - p. 307 [35]

Exon Structure of the Collagen-Binding Domain of Human Fibronectin. Owens, R.J. and Baralle, F.E. (Oxford, UK) - p. 318 [36]

205 No. 1 1986

Identification of a Rat Liver cDNA and mRNA Coding for the 28 kDa Gap Junction Protein. Heynkes, R. et al. (Essen, FRG) - p. 56 [37]

Journal of Bacteriology

167 No. 2 1986

Eubacterial Origin of Chlamydiae. Weisburg, W.G. et al. (Urbana, USA) - p. 570 [38]

Cloning and DNA Sequence Analysis of the Wild-Type and Mutant Cyclic AMP Receptor Protein Genes from Salmonella typhimurium. Schroeder, C.J. and Dobrogosz, W.J. (Raleigh, USA) - p. 616 [39]

Nucleotide Sequence Analysis of the Gene Specifying the Bifunctional 6'-Aminoglycoside Acetyltransferase 2'-Aminoglycoside Phosphotransferase Enzyme in Streptococcus faecalis and Identification and Cloning of Gene Regions Specifying the Two Activities. Ferretti, J.J. et al. (Oklahoma City, USA) - p. 631 [40]

Ccp Genes of Shigella flexneri, Salmonella typhimurium and Escherichia coli. Cossart, P. et al. (Paris, France) - p. 639 [41]

Molecular Cloning and Nucleotide Sequence of the Corynebacterium glutamicum pheA Gene. Poirotte, M.T. and Sinskey, A.J. (Cambridge, USA) - p. 695 [42]

Sequence of the Exfoliative Toxin B Gene of Staphylococcus aureus. Jackson, M.P. and Iandolo, J.J. (Manhattan, USA) - p. 726 [43]

nprR1 and nprR2 Regulatory Regions for Neutral Protease Expression in Bacillus subtilis. Toma, S. et al. (Milan, Italy) - p. 740 [44]

Nucleotide Sequences of Five IncF Plasmid finP Alleles. Finlay, B.B. et al. (Edmonton, Canada) - p. 754 [45]

167 No. 3 1986

Further Evidence for Overlapping Transcriptional Units in an Escherichia coli Cell Envelope-Cell Division Gene Cluster: DNA Sequence and Transcriptional Organization of the ddl ftsQ Region. Robinson, A.C. et al. (Edinburgh, UK) - p. 809 [46]

Gene for an Immunoglobulin-Binding Protein from a Group G Streptococcus. Fahnestock, S.R. et al. (Gaithersburg, USA) - p. 870 [47]

Nucleotide Sequence of the Constitutive Macrolide-Lincosamide-Streptogramin B Resistance Plasmid pNE131 from Staphylococcus epidermidis and Homologues with Staphylococcus aureus Plasmids pE194 and PSN2. Lampson, B.C. and Parisi, J.T. (Columbia, USA) - p. 888 [48]

Nucleotide Sequence of the ptuCED Genes Involved in Vitamin B<sub>12</sub>-Transport in Escherichia coli and Homology with Components of Periplasmic-Binding-Protein-Dependent Transport Systems. Friedrich, M.J. et al. (Charlottesville, USA) - p. 928 [49]

A 26-Base-Pair Repetitive Sequence Specific for Neisseria gonorrhoeae and Neisseria meningitidis Genomic DNA. Correia, F.F. et al. (Stony Brook, USA) - p. 1009 [50]

The Journal of Biochemistry

99 No. 4 1986

The Complete Nucleotide Sequence of the Group II RNA Coliphage GA. Inokuchi, Y. et al. (Tokyo, Japan) - p. 1169 [51]

99 No. 5 1986

Structure and Expression of a Cloned cDNA for Human (2'-5') Oligoadenylate Synthetase. Shiojiri, S. et al. (Kyoto, Japan) - p. 1455 [52]

100 No. 1 1986

Structure and Expression of the Mouse Prealbumin Gene. Wakasugi, S. et al. (Kumamoto, Japan) - p. 49 [53]

Two Types of Coagulogen mRNAs Found in Horseshoe Crab (Tachypleus tridentatus) Hemocytes: Molecular Cloning and Nucleotide Sequences. Miyata, T. et al. (Fukuoka, Japan) - p. 213 [54]

The Journal of Biological Chemistry

261 No. 20 1986

Protein and cDNA Sequence of a Glycine-Rich, Dimethylarginine-Containing Region Located Near the Carboxyl-Terminal End of Nucleolin (C23 and 100 kDa). Lapeyre, B. et al. (Toulouse, France) - p. 9167 [55]

The Glycosylated Seed Storage Protein of Glycine max and Phaseolus vulgaris. Structural Homologies of Genes and Proteins. Doyle, J.J. et al. (St. Louis, USA) - p. 9228 [56]

Molecular Cloning and Sequencing of the sppA Gene and Characterization of the Encoded Protease IV, a Signal Peptide Peptidase, of Escherichia coli. Ichihara, S. et al. (Nagoya, Japan) - p. 9405 [57]

The cDNA and Protein Sequence of a Phenobarbital-Induced Chicken Cytochrome P-450. Hobbs, A.A. et al. (Adelaide, Australia) - p. 9444 [58]

Isolation and Sequence Analysis of cDNA Clones for the Large Subunits of Two Isozymes of Rabbit Calcium-Dependent Protease. Emori, Y. et al. (Tokyo, Japan) - p. 9465 [59]

Isolation and Sequence Analysis of cDNA Clones for the Small Subunit of Rabbit Calcium-Dependent Protease. Emori, Y. et al. (Tokyo, Japan) - p. 9472 [60]

261 No. 21 1986

Molecular Cloning and Nucleotide Sequence of a Complete Human Uroporphyrinogen Decarboxylase cDNA. Romeo, P.-H. et al. (Creteil, France) - p. 9825 [61]

Structural Analysis of the ileR Locus of Escherichia coli K 12. Weiss, D.L. et al. (West Lafayette, USA) - p. 9966 [62]

Journal of Molecular Biology

187 No. 4 1986

Organization and Evolution of a Higher Plant Alphoid-Like Satellite DNA Sequence. Grellet, F. et al. (Perpignan, France) - p. 495 [63]

Complete Nucleotide Sequences of the Nuclear Pseudogenes for Cytochrome Oxidase Subunit I and the Large Mitochondrial Ribosomal RNA in the Sea Urchin Strongylocentrotus purpuratus. Jacobs, H.T. and Grimes, B. (Glasgow, UK) - p. 509 [64]

Tubulin Pseudogenes as Markers for Hominoid Divergence. Lewis, S.A. and Cowan, N.J. (New York, USA) - p. 623 [65]

188 No. 2 1986

Conserved Sequences and Cell-Specific DNase I Hypersensitive Sites Upstream from the Co-Ordinately Expressed  $\alpha_1$ - and  $\alpha_{11}$ -Globin Genes of Xenopus laevis. Stalder, J. et al. (Bern, CH) - p. 119 [66]

188 No. 3 1986

Complete Nucleotide Sequence of the Fast Skeletal Troponin T Gene. Alternatively Spliced Exons Exhibit Unusual Interspecies Divergence. Breitbart, R.E. and Nadal-Ginard, B. (Boston, USA) - p. 313 [67]

188 No. 4 1986

Interspecific Nucleotide Sequence Comparisons Used to Identify Regulatory and Structural Features of the Drosophila hsp82 Gene. Blackman, R.K. and Meselson, M. (Cambridge, USA) - p. 499 [68]

189 No. 1 1986

Sequence Conservation Around the 5' Ends of the Larval Serum Protein I Genes of Drosophila melanogaster. Delaney, S.J. et al. (London, UK) - p. 1 [69]

Concerted and Divergent Evolution Within the Rat  $\gamma$ -Crystallin Gene Family. Den Dunnen, J.T. et al. (Nijmegen, NL) - p. 37 [70]

Nucleotide Sequence of the paramecium primaurelia G Surface Protein. A Huge Protein with a Highly Periodic Structure. Prat, A. et al. (Gif-Sur-Yvette, France) - p. 47 [71]

189 No. 4 1986

Structure of the Eip28/29 Gene, an Ecdysone-Inducible Gene from Drosophila. Cherbas, L. et al. (Bloomington, USA) - p. 617 [72]

190 No. 1 1986

Gene Regulation and Evolution in the Chorion Locus of *Bombyx mori*. Structural and Developmental Characterization of Four Eggshell Genes and Their Flanking DNA Regions. Sperelakis, N. et al. (Cambridge, USA) - p. 23 [73]

Nucleotide Sequence of the *phoB* Gene, the Positive Regulatory Gene for the Phosphate Regulon of *Escherichia coli* K-12. Makino, K. et al. (Osaka, Japan) - p. 37 [74]

DNA Sequence and Coding Properties of *mutD* (*dnaQ*), a Dominant *Escherichia coli* Mutator Gene. Cox, E.C. and Horner, D.L. (Princeton, USA) - p. 113 [75]

190 No. 2 1986

Regions of Conservation and Divergence in the 3' Untranslated Sequences of Genomic RNA from Ross River Virus Isolates. Faragher, S.G. and Dalgaard, L. (Canberra, Australia) - p. 141 [76]

Larval Salivary Gland Secretion Proteins in *Drosophila*. Structural Analysis of the *Sgs-5* Gene. Shore, E.M. and Guild, G.M. (Philadelphia, USA) - p. 149 [77]

190 No. 3 1986

Complete Nucleotide and Encoded Amino Acid Sequence of a Mammalian Myosin Heavy Chain Gene. Evidence Against Intron-Independent Evolution of the Rod. Strehler, E.E. et al. (Boston, USA) - p. 291 [78]

**Journal of Virology**

57 No. 2 1986

Murine Mammary Tumor Virus *pol*-Related Sequences in Human DNA: Characterization and Sequence Comparison with the Complete Murine Tumor Virus *pol* Gene. Deen, K.C. and Sweet, R.W. (Philadelphia, USA) - p. 422 [79]

Human Parainfluenza Type 3 Virus Hemagglutinin-Neuraminidase Glycoprotein: Nucleotide Sequence of mRNA and Limited Amino Acid Sequence of the Purified Protein. Elango, N. et al. (Bethesda, USA) - p. 481 [80]

Mapping of Sequences Required for Mouse Neurovirulence of Poliovirus Type 2 Lansing. LaMonica, N. et al. (New York, USA) - p. 515 [81]

The Terminal Sequence of the Herpes Simplex Virus Genome Contains the Promoter of a Gene Located in the Repeat Sequences of the L Component. Chou, J. and Roizman, B. (Chicago, USA) - p. 629 [82]

DNA Sequence of the Lymphotropic Variant of Minute Virus of Mice, MVM(ii), and Comparison with the DNA Sequence of the Fibrotropic Prototype Strain. Astell, C.R. et al. (Vancouver, Canada) - p. 656 [83]

Gene Coding for the Late 11,000-Dalton Polypeptide of the Tian Tan Strain of Vaccinia Virus and Its 5'-Flanking Region: Nucleotide Sequence. Tso, H. et al. (Beijing, China) - p. 693 [84]

Characterization of a Gene Coding for M Proteins which is Involved in Host Range Restriction of an Avian Influenza A Virus in Monkeys. Buckler-White, A.J. et al. (Bethesda, USA) - p. 697 [85]

57 No. 3 1986

Herpes Simplex Virus Specifies Two Subunits of Ribonucleotide Reductase Encoded by 3'-Coterminal Transcripts. Swain, M.A. and Galloway, D.A. (Seattle, USA) - p. 802 [86]

Characterization of the Genes Encoding Herpes Simplex Virus Type 1 and Type 2 Alkaline Exonucleases and Overlapping Proteins. Drapier, K.G. et al. (Irvine, USA) - p. 1023 [87]

Molecular Cloning and Sequence Determination of the Genomic Regions Encoding Protease and Genome-Linked Protein of Three Picornaviruses. Werner, G. et al. (Vienna, Austria) - p. 1084 [88]

58 No. 1 1986

Nucleotide Sequence of the Small Double-Stranded RNA Segment of Bacteriophage Ø6: Novel Mechanism of Natural Translational Control. McGraw, T. et al. (New York, USA) - p. 142 [89]

58 No. 2 1986

Isolation of a Retroviruslike Sequence from the TL Locus of the C57BL/10 Murine Major Histocompatibility Complex. Pampeno, C.L. and Meruelo, D. (New York, USA) - p. 296 [90]

Structure of the Hepatitis A Virion: Peptide Mapping of the Capsid Region. Wheeler, C.M. et al. (Tucson, USA) - p. 307 [91]

Characterization of a Pseudorabies Virus Glycoprotein Gene with Homology to Herpes Simplex Virus Type 1 and Type 2 Glycoprotein C. Robbins, A.K. et al. (Minnetonka, USA) - p. 339 [92]

Conserved Regions in Defective Interfering Viral Double-Stranded RNAs from a Yeast Virus. Lee, M. et al. (Buffalo, USA) - p. 402 [93]

Matrix Genes of Measles Virus and Canine Distemper Virus: Cloning, Nucleotide Sequences, and Deduced Amino Acid Sequences. Bellini, W.J. et al. (Bethesda, USA) - p. 408 [94]

Cloning and Characterization of *oriL<sub>2</sub>*, a Large Palindromic DNA Replication Origin of Herpes Simplex Virus Type 2. Lockshin, D. and Galloway, D.A. (Seattle, USA) - p. 513 [95]

VA RNAs from Avian and Human Adenoviruses: Dramatic Differences in Length, Sequence, and Gene Location. Larsson, S. et al. (Uppsala, Sweden) - p. 600 [96]

Epidermodysplasia Verruciformis-Associated Human Papillomavirus 8: Genomic Sequence and Comparative Analysis. Fuchs, P.G. et al. (Erlangen, FRG) - p. 626 [97]

Amplification of a Tandem Direct Repeat Within Inverted Repeats of Marek's Disease Virus DNA During Serial In Vitro Passage. Maotani, K. et al. (Osaka, Japan) - p. 657 [98]

58 No. 3 1986

Localization and Fine Structure of a Vaccinia Virus Gene Encoding an Envelope Antigen. Hirt, P. et al. (Lausanne, CH) - p. 757 [99]

Nucleotide Sequences of a Feline Leukemia Virus Subgroup A Envelope Gene and Long Terminal Repeat and Evidence for the Recombinational Origin of Subgroup B Viruses. Stewart, M.A. et al. (Glasgow, UK) - p. 825 [100]

Nucleotide Sequence and Genome Organization of Human Parvovirus B19 Isolated from the Serum of a Child During Aplastic Crisis. Shade, R.O. et al. (Vancouver, Canada) - p. 921 [101]

Molecular Cloning and Long Terminal Repeat Sequences of Human Endogenous Retrovirus Genes Related to Types A and B Retrovirus Genes. Ono, M. (Kanagawa, Japan) - p. 937 [102]

Cloning of Monomeric Human Papillomavirus Type 16 DNA Integrated within Cell DNA from a Cervical Carcinoma. Matsukura, T. et al. (Tokyo, Japan) - p. 979 [103]

Nucleotide Sequence Analysis of Squirrel Monkey Retrovirus Reveals a Novel Primer-Binding Site for tRNA<sub>lys</sub>. Chiu, I.-M. and Skuntz, S.F. (Bethesda, USA) - p. 983 [104]

Genome Organization and Nucleotide Sequence of Human Papillomavirus Type 33, Which is Associated with Cervical Cancer. Cole, S.T. and Streeck, R.E. (Paris, France) - p. 991 [105]

59 No. 2 1986

DNA Sequence of the Gene for Pseudorabies Virus gp50, a Glycoprotein Without N-Linked Glycosylation. Petrovskis, E.A. et al. (Kalamazoo, USA) - p. 216 [106]

Structure and Transforming Function of Transduced Mutant Alleles of the Chicken c-myc Gene. Patschinsky, T. et al. (Berlin, FRG) - p. 341 [107]

**Nucleic Acids Research**

14 Supplement 1986

Collection of Published 5S, 5.8S and 4.5S Ribosomal RNA Sequences. Erdmann, V.A. and Wolters, J. (Berlin, FRG) - p. r1 [108]

Compilation of Small RNA Sequences. Reddy, R. (Houston, USA) - p. r61 [109]

Compilation of Small Ribosomal Subunit RNA Sequences. Huynh, E. and De Wachter, R. (Antwerpen, Belgium) - p. r73 [110]

Compilation Analysis of Histones and Histone Genes. Wells, D.E. (Palo Alto, USA) - p. r119 [111]

14 No. 11 1986

The Nucleotide Sequence of the Gene for  $\gamma$ -Glutamylcysteine Synthetase of *Escherichia coli*. Watanabe, K. et al. (Kyoto, Japan) - p. 4393 [112]

Complete Nucleotide Sequence of the *Escherichia coli* recC Gene and of the *thyA-recC* Intergenic Region. Finch, P.W. et al. (Newcastle upon Tyne, UK) - p. 4437 [113]

The *trfB* Region of Broad Host Range Plasmid RK2: The Nucleotide Sequence Reveals *incC* and Key Regulatory Gene *trfB/korA/korD* As Overlapping Genes. Thomas, C.M. and Smith, C.A. (Birmingham, UK) - p. 4453 [114]

Sequence Organization of the Circular Plasmid pKD1 from the Yeast *Kluyveromyces drosophilatum*. Chen, X.J. et al. (Orsay, France) - p. 4471 [115]

Discrimination Among Multiple AATAAA Sequences Correlates with Interspecies Conservation of Select 3' Untranslated Nucleotides. Myers, J.C. et al. (Philadelphia, USA) - p. 4499 [116]

Sequence, Organization and Expression of Late Embryonic H3 and H4 Histone Genes from the Sea Urchin, *Strongylocentrotus purpuratus*. Kaumeyer, J.F. and Weinberg, E.S. (Philadelphia, USA) - p. 4557 [117]

Structure and Gene Expression of the *E. coli* Mn-Superoxide Dismutase Gene. Takeda, Y. and Avila, H. (Catonsville, USA) - p. 4577 [118]

The Human C Gene Segment and the κ Deleting Element are Closely Linked. Klobbeck, H.-G. and Zachau, H.G. (München, FRG) - p. 4591 [119]

The Structure and Transcription Start Site of a Major Potato Tuber Protein Gene. Bevan, M. et al. (Cambridge, UK) - p. 4625 [120]

Nucleotide Sequence of the 5S rRNA from the Archaeabacterium *Halobacterium maris mortui*. Specht, T. et al. (Berlin, FRG) - p. 4693 [121]

3'-Terminal Sequence of Human Parainfluenza Virus 3 Genomic RNA. Dimock, K. et al. (Ottawa, Canada) - p. 4694 [122]

14 No. 12 1986

Structure of the Human Glucagon Gene. White, J.W. and Saunders, G.F. (Houston, USA) - p. 4719 [123]

The Sequence of a cDNA Clone Coding for a Novel Kallikrein from Mouse Submaxillary Gland. Fahnestock, M. et al. (Stanford, USA) - p. 4823 [124]

The Structure of the Maize Ribosomal DNA Spacer Region. McMullen, M.D. et al. (St. Paul, USA) - p. 4953 [125]

Occurrence of 9 Homologous Repeat Units in the External Spacer Region of a Nuclear Maize rRNA Gene Unit. Toloczyki, C. and Feix, G. (Freiburg, FRG) - p. 4969 [126]

Analysis of the Nucleotide Sequence of the *ereB* Gene Encoding the Erythromycin Esterase Type II. Arthur, M. et al. (Paris, France) - p. 4987 [127]

Genomic Structure of the Large RNA Segment of Infectious Bursal Disease Virus. Hudson, P.J. et al. (Parkville, Australia) - p. 5001 [128]

Nucleotide Sequence of the Mouse Muscle Nicotinic Acetylcholine Receptor  $\alpha$  Subunit. Isenberg, K.E. et al. (St. Louis, USA) - p. 5111 [129]

Complete Nucleotide Sequence of a Native Plasmid of *Brevibacterium lactofermentum*. Filipula, D. et al. (Gaithersburg, USA) - p. 5114 [130]

14 No. 13 1986

Regular Distribution of Length Heterogeneities Within Non-Transcribed Spacer Regions of Cloned and Genomic rDNA of *Saccharomyces cerevisiae*. Jemtland, R. et al. (Oslo, Norway) - p. 5145 [131]

Amino Acid Sequence of the Testosterone-Regulated Mouse Kidney RP2 Protein Deduced from Its Complementary DNA Sequence. King, D. et al. (Cincinnati, USA) - p. 5169 [132]

Yeast Omnipotent Suppressor *SUP1* (*SUP45*): Nucleotide Sequence of the Wildtype and a Mutant Gene. Braining, P. and Piepersberg, W. (München, FRG) - p. 5187 [133]

Nucleotide Sequence of the Human  $\gamma$  Cytoskeletal Actin mRNA: Anomalous Evolution of Vertebrate Non-Muscle Actin Genes. Erba, H.P. et al. (Palo Alto, USA) - p. 5275 [134]

Structural Organization and Nucleotide Sequence of Mouse  $c-myc$  Oncogene: Activation in ABP1 Tumors is Due to Viral Integration in an Intron which Results in the Deletion of the 5' Coding Sequences. Lavi, S. and Reddy, E.P. (Nutley, USA) - p. 5309 [135]

Isolation and Characterization of the Human Catalase Gene. Quan, F. et al. (Toronto, Canada) - p. 5321 [136]

The Nucleotide Sequence of Tobacco Vein Mottling Virus RNA. Domier, L.L. et al. (Lexington, USA) - p. 5417 [137]

Nucleotide Sequence and Deduced Amino Acid Sequence of *Escherichia coli* Pyruvate Oxidase, a Lipid-Activated Flavoprotein. Grabau, C. and Cronan, J.E. (Urbana, USA) - p. 5449 [138]

Partial Nucleotide Sequence of a 3.4 kb Fragment from the Rat Ribosomal DNA Nontranscribed Spacer. Yang-Yen, H.-F. and Rothblum, L.I. (Houston, USA) - p. 5557 [139]

Nucleotide Sequence of a cDNA Coding for the Small Subunit of Human Calcium-Dependent Protease. Ohno, S. et al. (Tokyo, Japan) - p. 5559 [140]

The Nucleotide Sequences of Two tRNA Genes from *Campylobacter jejuni*. Rashkhan, A. and Shaffer, M. (Framingham, USA) - p. 5560 [141]

cDNA Sequence Coding for Human Kidney Catalase. Bell, G.I. et al. (Emeryville, USA) - p. 5561 [142]

Nucleotide Sequence of a *Drosophila melanogaster* H1 Histone Gene. Murphy, T.J. and Blumenthal, M. (St. Paul, USA) - p. 5563 [143]

Sequence of Two Apparent Pseudogenes of the Major Potato Tuber Protein, Patatin. Pikeard, C.S. et al. (College Station, USA) - p. 5564 [144]

Nucleotide Sequence of a Mouse tRNA<sup>Leu</sup> Gene. Ross, B.M. et al. (New York, USA) - p. 5567 [145]

14 No. 14 1986

Primary Structure of a Proteinase Inhibitor II Gene from Potato (*Solanum tuberosum*). Keil, M. et al. (Köln, FRG) - p. 5641 [146]

Complete Nucleotide Sequence of the Nonstructural Protein Genes of Semliki Forest Virus. Takkinen, K. (Helsinki, Finland) - p. 5667 [147]

Molecular Cloning and Nucleotide Sequence of cDNA for Murine Senile Amyloid Protein: Nucleotide Substitutions Found in Apolipoprotein A-II cDNA of Senescence Accelerated Mouse (SAM). Kunisada, T. et al. (Kyoto, Japan) - p. 5729 [148]

Isolation and Characterization of Bovine and Mouse Terminal Deoxynucleotidyltransferase cDNAs Expressible in Mammalian Cells. Koiwai, O. et al. (Palo Alto, USA) - p. 5777 [149]

Cloning and Sequencing of *Serratia* Protease Gene. Nakahama, K. et al. (Osaka, Japan) - p. 5843 [150]

Nucleotide Sequence of the Intracisternal A-Particle Genome Inserted 5' to the Interleukin-3 Gene of the Leukaemia Cell Line WEHI-3B. Ymer, S. et al. (Canberra, Australia) - p. 5901 [151]

Nucleotide Sequence Analysis of the Trimethoprim Resistant Dihydrofolate Reductase Encoded by R Plasmid R751. Flensburg, J. and Steen, R. (Uppsala, Sweden) - p. 5933 [152]

The Nucleotide Sequence of Infectious Pancreatic Necrosis Virus (IPNV) dsRNA Segment A Reveals One Large ORF Encoding a Precursor Polyprotein. Duncan, R. and Dobos, P. (Guelph, Canada) - p. 5934 [153]

The Nucleotide Sequence of the Lac Operon and Phage Junction in Agt11. Chirala, S.S. (Houston, USA) - p. 5935 [154]

Nucleotide Sequence of *phew*: A Third Gene for *E. coli* tRNA<sup>Leu</sup>. Wilson, R.K. et al. (Norman, USA) - p. 5937 [155]

The Nucleotide Sequence of a Human tRNA<sup>Leu</sup> Gene. McLaren, A. and Goddard, J.P. (Glasgow, UK) - p. 5938 [156]

Nucleotide Sequence of the *Staphylococcus aureus* PC1 β-Lactamase Gene. Chan, P.T. (Midland, USA) - p. 5940 [157]

14 No. 15 1986

Molecular Cloning and Complete Primary Sequence of Human Erythrocyte Porphobilinogen Deaminase. Raich, N. et al. (Creteil, France) - p. 5955 [158]

Isolation and Nucleotide Sequence of a cDNA Clone Encoding Rat Mitochondrial Malate Dehydrogenase. Grant, P.M. et al. (St. Louis, USA) - p. 6053 [159]

Cloning and Sequence Analysis of a cDNA for a Rat Liver Glutathione S-Transferase Y Subunit. Lai, H.-C.J. et al. (University Park, USA) - p. 6101 [160]

Sequence and Expression of the *Cc* Gene, a Member of the Dopa Decarboxylase Gene Cluster of *Drosophila*: Possible Translational Regulation. Eveleth, D.D. and Marsh, J.L. (Irvine, USA) - p. 6169 [161]

Nucleotide Sequence of the *hemC* Locus Encoding Porphobilinogen Deaminase of *Escherichia coli* K12. Thomas, S.D. and Jordan, P.M. (Southampton, UK) - p. 6215 [162]

DNA Sequence Analysis of ARS Elements from Chromosome III of *Saccharomyces cerevisiae*: Identification of a New Conserved Sequence. Palzkill, T.G. et al. (Newark, USA) - p. 6247 [163]

Conservation of Sequences Adjacent to the Telomeric C<sub>n</sub>A<sub>2</sub> Repeats of Ciliate Macronuclear Ribosomal RNA Gene Molecules. Challoner, P.B. and Blackburn, E.H. (Berkeley, USA) - p. 6299 [164]

Coronavirus MHV-JHM: Nucleotide Sequence of the mRNA that Encodes the Membrane Protein. Pfleiderer, M. et al. (Würzburg, FRG) - p. 6338 [165]

Structure of a Processed Gene of Human Cytoplasmic  $\gamma$ -Actin. Leube, R. and Gallwitz, D. (Marburg, FRG) - p. 6339 [166]

Sequence of a Full Length cDNA Coding for Human Protein HC ( $\alpha$ -Microglobulin). Traboni, C. and Cortese, R. (Roma, Italy) - p. 6340 [167]

Complete Nucleotide Sequence of the Gene Encoding the *Bombyx mori* Silk Protein P25 and Predicted Amino Acid Sequence of the Protein. Chevillard, M. et al. (Villeurbanne, France) - p. 6341 [168]

14 No. 16 1986

The TRP4 Gene of *Saccharomyces cerevisiae*: Isolation and Structural Analysis. Furter, R. et al. (Zürich, CH) - p. 6357 [169]

Molecular Characterization of the MT-Family of Dispersed Middle-Repetitive DNA in Rodent Genomes. Heinlein, U.A.O. et al. (Köln, FRG) - p. 6403 [170]

Nucleotide Sequence of the *Escherichia coli* Replication Gene *dnaZK*. Yin, K.-C. et al. (Austin, USA) - p. 6541 [171]

Sequence of 2,617 Nucleotides from 3' End of Newcastle Disease Virus Genome RNA and the Predicted Amino Acid Sequence of Viral NP Protein. Ishida, N. et al. (Tokyo, Japan) - p. 6551 [172]

*Drosophila* ARSs Contain the Yeast ARS Consensus Sequence and a Replication Enhancer. Mills, J.S. et al. (Oxford, UK) - p. 6633 [173]

Nucleotide Sequence of the Yeast Cell Division Cycle Start Genes CDC28, CDC36, CDC37, and CDC39, and a Structural Analysis of the Predicted Products. Ferguson, J. et al. (Santa Barbara, USA) - p. 6681 [174]

Nucleotide Sequence of an Insertion Sequence (IS) Element Identified in the T-DNA Region of a Spontaneous Variant of the Ti-Plasmid pTiT37. Vandurleyden, J. et al. (Everlee, Belgium) - p. 6699 [175]

cDNA and Complete Amino Acid Sequence of Mouse P<sub>450</sub>: Allelic Variant of Mouse P<sub>450</sub> Gene. Kimura, S. and Neupert, D.W. (Bethesda, USA) - p. 6765 [176]

Nucleotide Sequence of cDNA to mRNA for a Cerebellar Ca-Binding Protein, Spot 35 Protein. Yamakumi, T. et al. (Niigata, Japan) - p. 6768 [177]

Human P<sub>450</sub>: cDNA and Complete Amino Acid Sequence. Jaiswal, A.K. et al. (Bethesda, USA) - p. 6773 [178]

#### Proceedings of the National Academy of Sciences of the USA

83 No. 13 1986

Cloning and Sequencing of the Pertussis Toxin Genes: Operon Structure and Gene Duplication. Nicosia, A. et al. (Siena, Italy) - p. 4631 [179]

Nucleotide Sequence and Expression of the Selenocysteine-Containing Polypeptide of Formate Dehydrogenase (Formate-Hydrogen-Lyase-Linked) from Escherichia coli. Zinoni, F. et al. (München, FRG) - p. 4650 [180]

Genetic Evidence that Acanthamoeba Myosin I is a True Myosin. Hammer, J.A. et al. (Bethesda, USA) - p. 4655 [181]

A Repetitive DNA Family (Sau3A Family) in Human Chromosomes: Extrachromosomal DNA and DNA Polymorphism. Kiyanai, R. et al. (Tokyo, Japan) - p. 4665 [182]

Isolation of a Drosophila Genomic Sequence Homologous to the Kinase Domain of the Human Insulin Receptor and Detection of the Phosphorylated Drosophila Receptor With an Anti-Peptide Antibody. Petruzzelli, L. et al. (Bronx, USA) - p. 4710 [183]

Cloning and Sequencing of cDNA of Bovine N-Acetylglucosamine (81-4)Galactosyltransferase. Narimatsu, H. et al. (Bethesda, USA) - p. 4720 [184]

A Long Interspersed (LINE) DNA Exhibiting Polymorphic Patterns in Human Genomes. Musich, P.R. and Dykes, R.J. (Johnson City, USA) - p. 4854 [185]

Human  $\alpha$ -Galactosidase A: Nucleotide Sequence of a cDNA Clone Encoding the Mature Enzyme. Bishop, D.F. et al. (New York, USA) - p. 4859 [186]

Isolation of cDNA Clones Coding for the  $\alpha$  and  $\beta$  Chains of Human Propionyl-CoA Carboxylase: Chromosomal Assignments and DNA Polymorphisms Associated with PCCA and PCCB Genes. Lamhounwah, A.-M. et al. (Toronto, Canada) - p. 4864 [187]

Identification of Three Forms of Human Myelin Basic Protein by cDNA Cloning. Kamholz, J. et al. (Bethesda, USA) - p. 4962 [188]

83 No. 14 1986

Amino Acid Sequence of Mammalian Elongation Factor 2 Deduced from the cDNA Sequence: Homology with GTP-Binding Proteins. Kohno, K. et al. (Aichi, Japan) - p. 4978 [189]

Detection and Sequence of Plus-Strand Leader RNA of Sonchus and Yellow Net Virus, a Plant Rhabdovirus. Zuidema, D. et al. (West Lafayette, USA) - p. 5019 [190]

Identification of Conserved and Divergent Domains Within the Envelope Gene of the Acquired Immunodeficiency Syndrome Retrovirus. Willley, R.L. et al. (Bethesda, USA) - p. 5038 [191]

Cloning and Sequence Analysis of a Partial cDNA for Chicken Cartilage Proteoglycan Core Protein. Sui, S. et al. (Farmington, USA) - p. 5081 [192]

Complete cDNA Sequence of Human Preceruloplasmin. Koschinsky, M.L. et al. (Vancouver, Canada) - p. 5086 [193]

Nucleotide Sequences of mRNA Encoding Epstein-Barr Virus Nuclear Proteins: A Probable Transcriptional Initiation Site. Sample, J. et al. (Chicago, USA) - p. 5096 [194]

Structure of Rat DNA Polymerase  $\beta$  Revealed by Partial Amino Acid Sequencing and cDNA Cloning. Zmudzka, B.Z. et al. (Bethesda, USA) - p. 5106 [195]

Structure of Human Steroid 21-Hydroxylase Genes. White, P.C. et al. (New York, USA) - p. 5111 [196]

Isolation and Characterization of the Actin Gene from Tetrahymena thermophila. Cupples, C.G. and Pearlman, R.E. (Toronto, Canada) - p. 5160 [197]

Evolution of the Immunoglobulin  $\kappa$  Light Chain Locus in the Rabbit: Evidence for Differential Gene Conversion Events. Akinmenko, M.-A. et al. (Paris, France) - p. 5180 [198]

Analysis of the Structure, Transcripts, and Protein Products of bcl-2, the Gene Involved in Human Follicular Lymphoma. Tsujimoto, Y. and Croce, M.C. (Philadelphia, USA) - p. 5214 [199]

Complete cDNA Sequence of a Cytochrome P-450 Inducible by Glucocorticoids in Human Liver. Molowa, D.T. et al. (Richmond, USA) - p. 5311 [200]

83 No. 15 1986

Bifunctional Thymidylate Synthase-Dihydrofolate Reductase from Leishmania tropica: Sequence Homology with the Corresponding Monofunctional Proteins. Grumont, R. et al. (San Francisco, USA) - p. 5387 [201]

Characterization of a cDNA Encoding the Heparin and Collagen Binding Domains of Human Thrombospondin. Dixit, V.M. et al. (St. Louis, USA) - p. 5449 [202]

Complete Nucleotide and Deduced Amino Acid Sequence of Bovine Phenylethanolamine N-Methyltransferase: Partial Amino Acid Homology with Rat Tyrosine Hydroxylase. Baetge, E.E. et al. (New York, USA) - p. 5454 [203]

yes-Related Protooncogene, syn, Belongs to the Protein-Tyrosine Kinase Family. Semba, K. et al. (Tokyo, Japan) - p. 5459 [204]

Yeast Gene Required for Spindly Pole Body Duplication: Homology of Its Product with  $\text{Ca}^{2+}$ -Binding Proteins. Baum, P. et al. (Seattle, USA) - p. 5512 [205]

Characterization of a Female-Specific cDNA Derived from a Developmentally Regulated mRNA in the Human Blood Fluke Schistosoma mansoni. Bobek, L. et al. (Buffalo, USA) - p. 5544 [206]

Chloroplast DNA Evidence for the Origin of the Genus Heterogaura from a Species of Clarkia (Onagraceas). Sytsma, K.J. and Gottlieb, L.D. (Davis, USA) - p. 5554 [207]

Saccharomyces cerevisiae Contains Two Functional Genes Encoding 3-Hydroxy-3-Methylglutaryl-Coenzyme A Reductase. Basson, M.E. et al. (Berkeley, USA) - p. 5563 [208]

Localization and Sequence of a Vaccinia Virus Gene Required for Multiplication in Human Cells. Gillard, S. et al. (Strasbourg, France) - p. 5573 [209]

Products of Two Common Alleles at the Locus for Human Placental Alkaline Phosphatase Differ by Seven Amino Acids. Henthorn, P.S. et al. (Philadelphia, USA) - p. 5597 [210]

Analysis of cDNA Clones Encoding the Entire B-26 Region of Human Apolipoprotein B. Protter, A.A. et al. (San Francisco, USA) - p. 5678 [211]

#### Science

231 No. 4745 1986

Nucleotide Sequence of SRV-1, a Type D Simian Acquired Immune Deficiency Syndrome Retrovirus. Powers, M.D. et al. (Emeryville, USA) - p. 1567 [212]

232 No. 4747 1986

Molecular Genetics of Human Color Vision: The Genes Encoding Blue, Green, and Red Pigments. Nathans, J. et al. (Stanford, USA) - p. 192 [213]

232 No. 4751 1986

Identification and Characterization of the Protein Encoded by the Human N-myc Oncogene. Slamon, D.J. et al. (Los Angeles, USA) - p. 869 [214]

Activation of Mouse T-Helper Cells Induces Abundant Prepro-enkephalin mRNA Synthesis. Zurawski, G. et al. (Palo Alto, USA) - p. 772 [215]

232 No. 4752 1986

Cloning of a cDNA for a T Cell-Specific Serine Protease from a Cytotoxic T Lymphocyte. Gershengenfeld, H.K. and Weissman, I.L. (Stanford, USA) - p. 854 [216]

Novel Serine Protease Encoded by Two Cytotoxic T Lymphocyte-Specific Genes. Lobe, C.G. et al. (Edmonton, Canada) - p. 858 [217]

CloneJ Fragment of the Hepatitis Delta Virus RNA Genome: Sequence and Diagnostic Application. Denniston, K.J. et al. (Rockville, USA) - p. 873 [218]

232 No. 4755 1986

Deletion in Cysteine-Rich Region of LDL Receptor Impedes Transport to Cell Surface in WHHL Rabbit. Yamamoto, T. et al. (Dallas, USA) - p. 1230 [219]

Pertussis Toxin Gene: Nucleotide Sequence and Genetic Organization. Locht, C. and Keith, J.M. (Hamilton, USA) - p. 1258 [220]

233 No. 4761 1986

Studies of the Human c-myb Gene and Its Product in Human Acute Leukemia. Slamon, D.J. et al. (Los Angeles, USA) - p. 347 [221]

Human Prion Protein cDNA: Molecular Cloning, Chromosomal Mapping, and Biological Implications. Liao, Y.-C.J. et al. (San Francisco, USA) - p. 364 [222]

233 No. 4763 1986

Human Endothelial Cell Growth Factor: Cloning, Nucleotide Sequence, and Chromosome Localization. Jaye, M. et al. (Springfield, USA) - p. 541 [223]

Nucleotide Sequence of a Bovine Clone Encoding the Angiogenic Protein, Basic Fibroblast Growth Factor. Abraham, J.A. et al. (Mountain View, USA) - p. 545 [224]

233 No. 4764 1986

Tandem Regions of Yeast DNA Topoisomerase II Share Homology with Different Subunits of Bacterial Gyrase. Lynn, R. et al. (Cambridge, USA) - p. 647 [225]

#### Virology

149 No. 2 1986

Molecular Cloning and Sequence Analysis of the Human Parainfluenza 3 Virus RNA Encoding the Nucleocapsid Protein. Galinski, M.S. et al. (Cincinnati, USA) - p. 139 [226]

150 No. 1 1986

Nucleotide Sequence of the Protease-Coding Region in an Infectious DNA of Simian Retrovirus (STLV) of the HTLV-I Family. Inoue, J.-I. et al. (Tokyo, Japan) - p. 187 [227]

Complete Nucleotide Sequence of the Matrix Protein mRNA of Vesicular Stomatitis Virus (New Jersey Serotype). Gill, D.S. and Banerjee, A.K. (Nutley, USA) - p. 308 [228]

150 No. 2 1986

Nucleotide Sequence of the Vaccinia Virus Hemagglutinin Gene. Shida, H. (Kyoto, Japan) - p. 451 [229]

The Predicted Primary Structure of the Measles Virus Hemagglutinin. Alkhatib, G. and Briedis, D.J. (Montreal, Canada) - p. 479 [230]

151 No. 1 1986

Sequence Analysis of the Porcine Transmissible Gastroenteritis Coronavirus Nucleocapsid Protein Gene. Kapke, P.A. and Brian, D.A. (Knoxville, USA) - p. 41 [231]

The Nucleotide Sequence and Genome Organization of Human Papilloma Virus Type 11. Dartmann, K. et al. (Heidelberg, FRG) - p. 124 [232]

Nucleotide Sequence Comparison of the 3' Regions of Avian Retroviruses NY203 and NTR-E-2. Leammon, R.N. and Shank, P.R. (Dartmouth, USA) - p. 139 [233]

151 No. 2 1986

Nucleotide Sequence of Satellite Tobacco Ringspot Virus RNA and Its Relationship to Multimeric Forms. Buzayan, J.M. et al. (Davis, USA) - p. 186 [234]

Cloning and Sequencing of the Genetic Right End of Bacteriophage T3 DNA. Yamada, M. et al. (Kyoto, Japan) - p. 350 [235]

152 No. 1 1986

Influenza B Virus PB1 Protein: Nucleotide Sequence of the Genome RNA Segment Predicts a High Degree of Structural Homology with the Corresponding Influenza A Virus Polymerase Protein. Kemdirim, S. et al. (Montreal, Canada) - p. 126 [236]

Coding Content and Expression of the EBV B95-8 Genome in the Region from Base 62,248 to Base 82,920. Gibson, T.J. et al. (Cambridge, UK) - p. 136 [237]

Conserved Structures Among the Nucleocapsid Proteins of the Paramyxoviridae: Complete Nucleotide Sequence of Human Parainfluenza Virus Type 3 NP mRNA. Sanchez, A. et al. (Kamagawa, Japan) - p. 171 [238]

Identification and Structure of the Gene Encoding gpII, a Major Glycoprotein of Varicella-Zoster Virus. Keller, P.M. et al. (West Point, USA) - p. 181 [239]

Fusion Glycoprotein of Human Parainfluenza Virus Type 3: Nucleotide Sequence of the Gene, Direct Identification of the Cleavage-Activation Site, and Comparison with Other Paramyxoviruses. Spriggs, M.K. et al. (Bethesda, USA) - p. 241 [240]

#### PRIMARY STRUCTURES OF PROTEINS

#### Biochemical and Biophysical Research Communications

135 No. 2 1986

Amino Acid Sequence Homology Among Fructose-1,6-Bisphosphatases. Marcus, F. et al. (Chicago, USA) - p. 374 [241]

Human Brain-Derived Acidic and Basic Fibroblast Growth Factors: Amino Terminal Sequences and Specific Mitogenic Activities. Gimenez-Galigo, G. et al. (Rahway, USA) - p. 541 [242]

Isolation and Primary Structure of a Peptide from the Corpora Cardiaca of *Heliothis zea* with Adipokinetic Activity. Jaffe, H. et al. (Beltsville, USA) - p. 622 [243]

135 No. 3 1986

Structure of Two Human Ovarian Inhibins. Mason, A.J. et al. (San Francisco, USA) - p. 957 [244]

136 No. 3 1986

The Amino Acid Sequence of Kinetensin, a Novel Peptide Isolated from Pepsin-Treated Human Plasma: Homology with Human Serum Albumin, Neurotensin and Angiotensin. Mogard, M.H. et al. (Los Angeles, USA) - p. 983 [245]

137 No. 1 1986

Analysis of Sequence and Structure Homologies Between Thyroglobulin and Acetylcholinesterase: Possible Functional and Clinical Significance. Swillens, S. et al. (Brussels, Belgium) - p. 142 [246]

138 No. 2 1986

L-Aspartate Ammonia-Lyase and Fumarate Hydratase Share Extensive Sequence Homology. Takagi, J.S. et al. (Kyoto, Japan) - p. 568 [247]

The Complete Amino Acid Sequence of Human Brain-Derived Acidic Fibroblast Growth Factor. Gimenez-Galigo, G. et al. (Rahway, USA) - p. 611 [248]

138 No. 3 1986

Characterization of Structural Unit of Phospholamban by Amino Acid Sequencing and Electrophoretic Analysis. Fujii, J. et al. (Osaka, Japan) - p. 1044 [249]

#### The Biochemical Journal

235 No. 2 1986

The Purification and Complete Amino Acid Sequence of the 9000-M<sub>r</sub>, Ca<sup>2+</sup>-Binding Protein from Rat Placenta, Identity with the Vitamin D-Dependent Intestinal Ca<sup>2+</sup>-Binding Protein. McManus, J.P. et al. (Ottawa, Canada) - p. 585 [250]

235 No. 3 1986

Multiple Forms of Histone H2B from the Nematode *Caenorhabditis elegans*. Vanfleteren, J.R. et al. (Gent, Belgium) - p. 769 [251]

The Human Erythrocyte Anion-Transport Protein. Further Amino Acid Sequence from the Integral Membrane Domain Homologous with the Murine Protein. Brock, C.J. and Tanner, M.J.A. (Bristol, UK) - p. 899 [252]

236 No. 1 1986

Complete Amino Acid Sequence of Cyanobacterial Gas-Vesicle Protein Indicates a 70-Residue Molecule that Corresponds in Size to the Crystallographic Unit Cell. Hayes, P.K. et al. (Bristol, UK) - p. 31 [253]

The Complete Amino Acid Sequence of Chicken Skeletal-Muscle Enolase. Russell, G.A. et al. (Aberdeen, UK) - p. 115 [254]

236 No. 3 1986

The Primary Structure of Component 8c-1, a Subunit Protein of Intermediate Filaments in Wool Keratin. Relationships with Proteins from Other Intermediate Filaments. Dowling, L.M. et al. (Parkville, Australia) - p. 695 [255]

Primary Structure of a Structural Protein from the Cuticle of the Migratory Locust, *Locusta migratoria*. Hojrup, P. et al. (Odense, Denmark) - p. 713 [256]

Complete Structure of the Hydrophilic Domain in the Porcine NADPH-Cytochrome P-450 Reductase. Vogel, F. and Lumper, L. (Giessen, FRG) - p. 871 [257]

238 No. 1 1986

Partial Amino Acid Sequence of Human Pancreatic Stone Protein, a Novel Pancreatic Secretory Protein. Montaudo, G. et al. (Marseille, France) - p. 227 [258]

238 No. 2 1986

Coypu Insulin. Primary Structure, Conformation and Biological Properties of a Hystericomorph Rodent Insulin. Bajaj, M. et al. (London, UK) - p. 345 [259]

The Overexpression and Complete Amino Acid Sequence of *Escherichia coli* 3-Dehydroquinate. Duncan, K. et al. (Glasgow, UK) - p. 475 [260]

Homology Within the N-Terminal Extension of Cysteine Proteinase. North, M.J. (Stirling, UK) - p. 623 [261]

#### Biochimica et Biophysica Acta

870 No. 2 1986

The Amino-Acid Sequence of the Nonspecific Lipid Transfer Protein from Germinated Castor Bean Endosperms. Takishima, K. et al. (Saitama, Japan) - p. 248 [262]

870 No. 3 1986

Isolation and Partial Primary Sequence of a Xylanase from the Yeast *Cryptococcus albidos*. Morosoli, R. et al. (Ville de Laval, Canada) - p. 473 [263]

871 No. 2 1986

Complete Amino Acid Sequence of Human Vitamin D-Binding Protein (Group-Specific Component): Evidence for a Three-fold Internal Homology as in Serum Albumin and  $\alpha$ -Fetoprotein. Schoeniger, F. et al. (Paris, France) - p. 189 [264]

Primary Structure of the Cholesterol Side-Chain Cleavage Cytochrome P-450 from Bovine Adrenocortical Mitochondria and Some Aspects of Its Functioning on a Structural Level. Chashchin, V.I. et al. (Minsk, USSR) - p. 217 [265]

871 No. 3 1986

The Complete Amino-Acid Sequence of the Endogenous  $\alpha$ -Amylase Inhibitor in Wheat. Maeda, K. (Saitama, Japan) - p. 250 [266]

872 No. 1/2 1986

A Corrected Primary Sequence for Bull Protamine. Mazrimas, J.A. et al. (Livermore, USA) - p. 11 [267]

The Amino Acid Sequence and Reactive (Inhibitory) Site of the Major Trypsin Isoinhibitor (DE5) Isolated from Seeds of the Brazilian Carolina Tree (*Adenanthera pavonina* L.). Richardson, M. et al. (Durham, UK) - p. 134 [268]

872 No. 3 1986

The Complete Amino Acid Sequence of the B-Chain of the *Ricinus communis* Agglutinin Isolated from Large-Grain Castor Bean Seeds. Araki, T. et al. (Fukuoka, Japan) - p. 277 [269]

873 No. 1 1986

The Primary Structure of Feather Keratins from Duck (*Anas platyrhynchos*) and Pigeon (*Columba livia*). Arai, K.M. et al. (Saitama, Japan) - p. 6 [270]

Sequence Determination and Three-Dimensional Modelling of *Clostridium thermocellum* Ferredoxin: Structural Considerations for Its High Thermal Stability. Bruschi, M. et al. (Marseilles, France) - p. 31 [271]

Evolutionary Implications of Sequential Homologies Among Members of the Trypsin/ $\alpha$ -Amylase Inhibitor Family (CM-Proteins) in Wheat and Barley. Barber, D. et al. (Madrid, Spain) - p. 147 [272]

An Unexpected Sequence Homology Between Link Proteins of the Proteoglycan Complex and Immunoglobulin-Like Proteins. Bonnet, F. et al. (Paris, France) - p. 152 [273]

#### Biological Chemistry Hoppe-Sayler

367 No. 3 1986

The Primary Structure of the Hemoglobin of the European Marmot (*Marmota marmota*, Rodentia). Sgouros, J.G. et al. (Martinsried, FRG) - p. 223 [274]

367 No. 4 1986

The Primary Structure of Sperm Whale Hemoglobin (*Physeter catodon*, Cetacea). Abbasi, A. et al. (Martinsried, FRG) - p. 355 [275]

367 No. 5 1986

Intrinsische Sauerstoffaffinität der Hämoglobine: das Hämoglobin des Wisents (*Bison bonasus*, Bovidae). Mazur, G. et al. (Martinsried, FRG) - p. 417 [276]

367 No. 6 1986

Isolation and Amino-Acid Sequence Analysis of Human Sperm Protamines P1 and P2. Occurrence of Two Forms of Protamine P2. Ammer, H. et al. (Martinsried, FRG) - p. 515 [277]

367 No. 7 1986

The Primary Structure of the  $\alpha$ -Chains of the Bar-Headed Goose (*Anser indicus*), The Greylag Goose (*Anser anser*) and the Canada Goose (*Branta canadensis*). Hiebl, I. et al. (Martinsried, FRG) - p. 591 [278]

Linker Polypeptides of the Phycobilisome from the Cyanobacterium *Mastigocladus laminosus*. II. Amino-Acid Sequences and Functions. Fuglistaller, P. et al. (Zürich, CH) - p. 615 [279]

The Complete Amino-Acid Sequence of C-Phycoerythrin from the Cyanobacterium *Fremyella diplosiphon*. Sidler, W. et al. (Zürich, CH) - p. 627 [280]

The Primary Structure of *Bacillus cereus* Neutral Proteinase and Comparison with Thermolysin and *Bacillus subtilis* Neutral Proteinase. Sidler, W. et al. (Zürich, CH) - p. 643 [281]

367 No. 8 1986

Isolation and Characterization of Hirudin Isoinhibitors and Sequence Analysis of Hirudin PA. Dodt, J. et al. (München, FRG) - p. 803 [282]

#### Bioscience Reports

9 No. 10/11 1986

The Primary Structure of the Fourth Component of Human Complement (C4)-Terminal Peptides. Law, S.K.A. and Gagnon, J. (Oxford, UK) - p. 913 [283]

#### FEBS Letters

204 No. 1 1986

Structure of Arthropod Hemocyanin. Bak, H.J. et al. (Groningen, NL) - p. 141 [284]

204 No. 2 1986

Evolutionary Conservation of the Substrate-Binding Cleft of Phosphoglycerate Kinases. Mori, N. et al. (Duarre, USA) - p. 313 [285]

Purification and Characterization of Ribosomal Proteins from the 30S Subunit of the Extreme Halophile *Halobacterium marismortui*. Shoham, M. et al. (Rehovot, Israel) - p. 323 [286]

Protein-Chemical Analysis of Pertussis Toxin Reveals Homology Between the S<sub>1</sub> and S<sub>3</sub> Between S<sub>1</sub> and the A Chains of Enterotoxins of *Vibrio cholerae* and *Escherichia coli* and Identifies S<sub>2</sub> as the Haptoglobin-Binding Subunit. Capiau, C. et al. (Rixensart, Belgium) - p. 336 [287]

#### The Journal of Biochemistry

99 No. 3 1986

Dog and Rat Pancreatic Phospholipase A<sub>2</sub>: Complete Amino Acid Sequences Deduced from Complementary DNAs. Ohara, O. et al. (Osaka, Japan) - p. 733 [288]

N-Terminal Amino Acid Sequence of Human Urinary Prokalikrein. Takahashi, S. et al. (Osaka, Japan) - p. 989 [289]

99 No. 5 1986

Amino Acid Sequence of Copper-Zinc-Superoxide Dismutase from Spinach Leaves. Kitagawa, Y. et al. (Osaka, Japan) - p. 1289 [290]

#### The Journal of Biological Chemistry

261 No. 20 1986

The Nuclear-Coded Subunits of Yeast Cytochrome c Oxidase. The Amino Acid Sequences of Subunits VII and VIIa, Structural Similarities Between the Three Smallest Polypeptides of the Holoenzyme, and Implications for Biogenesis. Power, S.D. et al. (Boulder, USA) - p. 9206 [291]

The Complete Amino Acid Sequence of Giant Multisubunit Hemoglobin from the Polychaete *Tylorrhynchus heterochaetus*. Suzuki, T. and Gotoh, T. (Kochi, Japan) - p. 9257 [292]

Compiled by L. Trager