

Recently Published Papers in the Field of Molecular Evolution

GENERAL ASPECTS

Journal of Theoretical Biology

108 No. 3 1984

A Tetrahedral Representation of Poly-Codon Sequences and a Possible Origin of Codon Degeneracy. Trainor, L. E. H. et al. (Toronto, Canada) - p. 459

Gain of Information and Evolutionary Stable Strategy in Hypercyclic Organization. Ishide, K. (Ibaraki, Japan)-p.469

Nature

310 No. 5975 1984

Origin of a Gene Regulatory Mechanism in the Evolution of Echinoderms. Raff, R. A. et al. (Bloomington, USA)-p.312

Origins of Life

14 No. 1/4 1984

Chemical Evolution in Space. Greenberg, J. M. (Leiden, The Netherlands) - p. 25

Some Evidence for the Possible Presence of Peptides in Two Chondrites by Use of a Sequencing Procedure. Ivanov, C. P. et al. (Sofia, Bulgaria) - p. 61

The Evolution of the Prebiotic Atmosphere. Kasting, J.F. (Moffett Field, USA) - p. 75

Recent Progress in the Prebiotic Chemistry of HCN. Schwartz, A. W. et al. (Nijmegen, The Netherlands) - p. 91

The Prebiotic Chemistry of Nucleotides. Ferris, J. P. et al. (Troy, USA) - p. 99

Formation of Bioorganic Compounds in Aqueous Solution Induced by Plasma. Harada, K. et al. (Sakura, Japan) - p. 107

Photochemical Carbamylphosphate Formation and Metal Ion Catalysed Transphosphorylations between Carbamylphosphate and Adenine Nucleotides or Carboxyl Groups. Saygin, O. (Berlin, FRG) - p. 131

Formation of Amino Acids from CH₄-Rich or CO₂-Rich Model Atmosphere. Hattori, Y. et al. (Yokohama, Japan) - p. 145

Novel Formation of α -Amino Acids from α -Oxo Acids and Ammonia in an Aqueous Medium. Yanagawa, H. et al. (Tokyo, Japan) - p. 163

Prebiotic Synthesis of Amino Acids from Formaldehyde and Hydroxylamine in a Modified Sea Medium. Sakurai, M. and H. Yanagawa (Yatabe, Japan) - p. 171

Abiotic Synthesis of Organic Molecules from Minerals Containing Traces of Dissolved H₂O, CO₂ and N₂. Part I: Basic Principles. Freund, P. (Tempe, USA) - p. 185

Abiological Synthesis of Amino Acids, Purines and Pyrimidines Under Conditions Simulating the Volcanic Ash-Gas Cloud. Lavrentiev, G. A. et al. (Moscow, USSR) - p. 205

Formation of Specific Amino Acid Sequences During Carbodiimid-Mediated Condensation of Amino Acids in Aqueous Solution, and Computer-Simulated Sequence Generation. Hartmann, J. et al. (Mainz, FRG) - p. 213

Prebiotic Synthesis and Organization of Biopolymer-Like Macromolecules. Brack, A. (Orleans, France) - p. 229

The Prebiotic Synthesis and Catalytic Role of Imidazoles and Other Condensing Agents. Oro, J. et al. (Houston, USA) - p. 237

The Radiolysis of Aqueous Ammonium Cyanide: Polymers of Interest to Chemical Evolution Studies. Niketic, V. (Beograd, Yugoslavia) - p. 251

A Possible Prebiotic Peptide Formation from Glycinamide and Related Compounds. Yanagawa, H. (Tokyo, Japan)-p.267

Acyl Silicates and Acyl Aluminates as Activated Intermediates in Peptide Formation in Clays. White, D.H. et al. (Santa Clara, USA) - p. 273

The Molecular Structure of "Chromo Proteinoids" - Amino Acid Thermolysates Containing Abiogenetically Produced Flavins and Deazaflavins as Prosthetic Groups. Heinz, B. and Ried, W. (Frankfurt, FRG) - p. 279

Evolution of Biocatalysis. 1. Possible Pre-Genetic-Code RNA Catalysts Which are Their Own Replicase. Visser, C. M. (Sebaldeburen, The Netherlands) - p. 291

Clays and Other Minerals in Prebiotic Processes. Paecht-Horowitz, M. (Rehovot, Israel) - p. 307

The Evolution of Prebiological Self-Organization: Probable Colloid-Chemical Evolution in First Prokaryotic Cells. Liabl, V. et al. (Prague, Czechoslovakia) - p. 323

Reactions in the Formol Boid; The Origin of the Branched Chains of Isoprenoids, Valine, and Leucines. Decker, P. and Schweer, H. (Hannover, FRG) - p. 335

Formation and Characterization of Marigranules from Tryptophan and Sugars. Yanagawa, H. and Ogawa, Y. (Tokyo, Japan) - p. 359

Parity Violation as a Source of Chirality in Nature. Keszhelyi, L. (Szeged, Hungary) - p. 375

Origin of Chirality: a Structural Theory. Shimizu, M. (Tokyo, Japan) - p. 397

Speculations and Facts on the Possible Inductions of Chirality Through Earth Magnetic Field. Thiemann, W. (Bremen, FRG) - p. 421

Chiral Versus Chemical Evolutions and the Appearance of Life. Spach, G. (Mt. St. Aignan, France) - p. 433

Metal Ions as a Factor of Functional Evolution and of Development of Some Important Biochemical Properties in Prebiotic and Biological Conditions. Bakardjieva, N. (Sofia, Bulgaria) - p. 451

The Problem of Transition from the Chemical to the Biological Evolution: Some Possible Solutions. Bhargava, P. M. and Gambhir, A. (Andhra Pradesh, India) - p. 459

Specificity of Protein-Nucleic Acid Interaction and the Biochemical Evolution. Podder, S. K. and Basu, H. S. (Bangalore, India) - p. 477

Self-Sequencing of Amino Acids and Origins of Polyfunctional Protocells. Fox, S. W. (Coral Gables, USA) - p. 485

Model Approach of the Breakthrough of a Translation Machine and the Origin of the Genetic Code. Lehmann, U. and Kuhn, H. (Gottingen, FRG) - p. 497

Present State of the Coacervate-In-Coacervate Theory: Origin and Evolution of Cell Structure. Novak, V. J. A. (Prague, Czechoslovakia) - p. 513

The Improbability of Prebiotic Nucleic Acid Synthesis. Shapiro, R. (New York, USA) - p. 565

tRNA-rRNA Sequence Homologies: A Model for the Origin of a Common Ancestral Molecule, and Prospects for Its Reconstruction. Bloch, D. et al. (Austin, USA) - p. 571

Genetic Code and Optimal Resistance to the Effects of Mutations. Figureau, A. and Pouzet, M. (Villieurbanne, France) - p. 579

Coupled Amino Acid Vestiges of the Primordial Genetic Code. Grafstein, D. (New Branch, USA) - p. 589

Aminoacyl-Nucleotide Reactions: Studies Related to the Origin of the Genetic Code and Protein Synthesis. Mullins, D. W. et al. (Birmingham, USA) - p. 597

The Selection and Coexistence of a Plural Number of Primitive tRNAs and the Origin of the Genetic Code. Ishigami, M. et al. (Tochigi, Japan) - p. 605

Non-Enzymatic Template-Directed Synthesis of RNA Copolymers. Joyce, G. F. (San Diego, USA) - p. 613

Origin of the Genetic Code and Specificity of tRNA Aminoacylation. A Testable Model. Lestienne, P. (Palaiseau, France) - p. 629

Speculations on the Evolution of the Genetic Code III: The Evolution of t-RNA. Hartman, H. (Cambridge, USA)-p.643

Evolution of Prokaryote and Eukaryote Lines Inferred from Sequence Evidence. Hunt, L. T. et al. (Washington, USA) - p. 657

The Logic of the Genetic Code: Synonyms and Optimality Against Effects of Mutations. Labouyagues, J. M. and Figureau, A. (Clermont Ferrand, France) - p. 685

Towards a Classification of *E. coli* Ribosomal Proteins: A Hypothetical "Small Ribosome" as a Primitive Protein-Synthesizing Apparatus. Ohnishi, K. (Niigata, Japan) - p.717

PRIMARY STRUCTURES OF
NUCLEIC ACIDS

Mature

310 No. 5973 1984

DNA Sequences of Telomeres Maintained in Yeast. Shampay, J. et al. (Berkeley, USA) - p. 154

Unusual DNA Sequences Associated with the Ends of Yeast Chromosomes. Walsley, R. W. et al. (Chicago, USA) - p.157

310 No. 5974 1984

DNA Sequence and Expression of the B95-8 Epstein-Barr Virus Genome. Baer, R. et al. (Cambridge, UK) - p. 207

Structural Relationships of the SB β -Chain Gene to HLA-D-Region Genes and Murine I-Region Genes. Long, E. O. et al. (Geneva, Switzerland) - p. 233

Structural and Evolutionary Analysis of HLA-D-Region Products. Travers, P. et al. (London, UK) - p. 235

Polymorphism and Absence of Leu-Enkephalin Sequences in Proenkephalin Genes in *Xenopus laevis*. Martens, G.J.M. and Herbert, E. (Eugene, USA) - p. 251

310 No. 5975 1984

A Conserved Sequence at *c-myc* Oncogene Chromosomal Translocation Breakpoints in Plasmacytomas. Piccoli, S.P. et al. (St. Louis, USA) - p. 327

Conservation of the Sizes for One but not Another Class of Exons in Two Chick Collagen Genes. Yamada, Y. et al. (Bethesda, USA) - p. 333

Human Pro α 1(I) Collagen Gene Structure Reveals Evolutionary Conservation of a Pattern of Introns and Exons. Chu, M.-L. et al. (Piscataway, USA) - p. 337

310 No. 5976 1984

Genomic Organization and Sequence of T-Cell Receptor β -Chain Constant- and Joining-Region Genes. Gascoigne, N.R.J. et al. (Standford, USA) - p. 387

Nucleotide Sequence Comparison of Normal and Translocated Murine *c-myc* Genes. Stanton, L. W. et al. (Stony Brook, USA) - p. 423

310 No. 5978 1984

Cell Type-Specific Enhancer Element Associated with a Mouse MHC Gene. Gillies, S. D. et al. (Cambridge, USA)-p.594

Nucleic Acids Research

12 No. 12 1984

Nucleotide Sequence of the Repressor Gene of the Tn10 Tetracycline Resistance Determinant. Postle, K. et al. (Irvine, USA) - p. 4849

The Nucleotide Sequences of the 5S rRNAs of Seven Molds and a Yeast and Their Use in Studying Ascomycete Phylogeny. Chen, M.-W. et al. (Wilrijk, Belgium) - p. 4881

Genes and Pseudogenes in a Reiterated Rat tRNA Gene Cluster. Rosen, A. et al. (Rehovot, Israel) - p. 4893

Characterization of the 1.35 Kilobase DNA Repeat Unit Containing the Conserved 35 Nucleotides at the 5'-Termini of Variable Surface Glycoprotein mRNAs in *Trypanosoma brucei*. Dorfman, D. M. and Donelson, J. E. (Iowa City, USA) - p. 4907

The Nucleotide Sequence of the *Escherichia coli* K12 *nusB* (*groNB*) Gene. Swindle, J. et al. (Salt Lake City, USA) - p. 4977

Molecular Cloning and Nucleotide Sequencing of the *nusB* Gene of *E. coli*. Ishii, S. et al. (Saitama, Japan) - p.4987

Structure and Function of Tryptophan tRNA from Wheat Germ. Ghosh, K. and Ghosh, H. P. (Hamilton, Canada) - p. 4997

DNA Sequence of the 5' Flanking Region of the Human Interleukin 2 Gene: Homologies with Adult T-Cell Leukemia Virus. Holbrook, N. J. et al. (Bethesda, USA) - p. 5005

Nucleotide Sequence of a 2 kbp BamH I Fragment of *Vicia faba* Chloroplast DNA Containing the Genes for Threonine, Glutamic Acid and Tyrosine Transfer RNAs. Kuntz, M. et al. (Strasbourg, France) - p. 5037

Homology Between Two EBV Early Genes and HSV Ribonucleotide Reductase and 38K Genes. Gibson, T. et al. (Cambridge, UK) - p. 5087

Evolution of Multicellular Animals as Deduced from 5S rRNA Sequences: A Possible Early Emergence of the Mesozoa. Ohama, T. et al. (Nagoya, Japan) - p. 5101

12 No. 13 1984

The Internal Regulated Promoter of the *deo* Operon of *Escherichia coli* K-12. Valentin-Hansen, P. et al. (Odense, Denmark) - p. 5211

Composite Human V. Genes and a Model of Their Evolution. Jaenichen, H.-R. et al. (München, FRG) - p. 5249

Molecular Footprints of Human Immunoglobulin Gene Evolution: a New Sequence Family. Straubinger, B. et al. (München, FRG) - p. 5265

The DNA Sequence of the Gene and Genetic Control Sites for the Excreted *B. subtilis* Enzyme β -Glucuronase. Murphy, N. et al. (Dublin, Ireland) - p. 5355

The Complete Nucleotide Sequence of a Rice 17S rRNA Gene. Takaiwa, F. et al. (Ibaraki, Japan) - p. 5441

The Wild-Type Nucleotide Sequence of the *rpoBC*-Attenuator Region of *Escherichia coli* DNA, and Its Implications for the Nature of the *rif*¹⁸ Mutation. Morgan, B. A. et al. (Edinburgh, UK) - p. 5465

Sequence, Structure, and Codon Preference of the *Drosophila* Ribosomal Protein 49 Gene. O'Connell, P. and Rosbash, M. (Salt Lake City, USA) - p. 5495

12 No. 14 1984

An Altered DNA Sequence Encompassing the *res* Gene of Harvey Murine Sarcoma Virus. Yasuda, S. et al. (Hatano, Japan)-p.5583

Cloning and Expression Analysis of Full Length Mouse cDNA Sequences Encoding the Transformation Associated Protein p53. Jenkins, J. R. et al. (Oxford, UK) - p. 5609

The Nucleotide Sequences of the Genes Coding for tRNA^{Arg}, tRNA^{Arg}, tRNA^{Asn} and tRNA^{Asn} on *Spirodele oligorhiza* Chloroplast DNA. Keus, R. J. A. et al. (Amsterdam, The Netherlands) - p. 5639

A Leucine tRNA Gene Adjacent to the *QA* Gene Cluster of *Neurospora crassa*. Hulet, L. et al. (Athens, USA) - p.5757

Human Purine Nucleoside Phosphorylase cDNA Sequence and Genomic Clone Characterization. Williams, S. R. et al. (San Francisco, USA) - p. 5779

The Nucleotide Sequence of the *uvrD* Gene of *E. coli*. Finch, P. W. and Emmerson, P. T. (Newcastle upon Tyne, UK) -p.5789

Chloroplast Gene for M. 32,000 Polypeptide of Photosystem II in *Euglena gracilis* is Interrupted by Four Introns with Conserved Boundary Sequences. Karabin, G. D. et al. (Boulder, USA) - p. 5801

Nucleotide Sequence of the *rpoA-rplQ* DNA of *Escherichia coli*: A Second Regulatory Binding Site for Protein 54? Heek, D. W. and Hayward, R. S. (Edinburgh, UK) - p. 5813

Sequence of an Expressed Human β -Tubulin Gene Containing Ten *Alu* Family Members. Lee, M. G.-S. et al. (New York, USA) - p. 5823

On the Evolutionary Descent of Organisms and Organelles: a Global Phylogeny Based on a Highly Conserved Structural Core in Small Subunit Ribosomal RNA. Gray, M. W. et al. (Halifax, Canada) - p. 5837

Two Major Sequence Classes of Ribosomal RNA Genes in *Plasmodium berghei*. Dame, J. B. et al. (Bethesda, USA) - p.5943

12 No. 15 1984

Nucleotide Sequence of the Maize Transposable Element *Mu1*. Barker, R. F. et al. (Madison, USA) - p. 5955

The Bacteriophage T4 *regA* Gene: Primary Sequence of a Translational Repressor. Trojanowska, M. et al. (Charleston, USA) - p. 5979

Nucleotide Sequence and Transcription Analysis of a Linear DNA Plasmid Associated with the Killer Character of the Yeast *Kluyveromyces lactis*. (Leicester, UK) - p. 6011

Subfamilies of the Mouse Major Urinary Protein (MUP) Multi-Gene Family: Sequence Analysis of cDNA Clones and Differential Regulation in the Liver. Kuhn, N. J. et al. (Buffalo, USA) - p. 6073

Expression of the *rpsO* and *pnp* Genes: Structural Analysis of a DNA Fragment Carrying Their Control Regions. Portier, C. and Regnier, P. (Paris, France) - p. 6091

Location of the 11 bp Exon in the Chicken Pro α 2(II) Gene. Aho, S. et al. (Cambridge, USA) - p. 6117

Evolutionary Divergence of Genes for Ornithine and Aspartate Carbamoyl-Transferases - Complete Sequence and Mode of Regulation of the *Escherichia coli* *argF* Gene; Comparison of *argF* with *argI* and *pyrB*. Van Vliet, F. et al. (Brussels, Belgium) - p. 6277

Analysis of the *Escherichia coli* *proBA* Locus by DNA and Protein Sequencing. Deutch, A. H. et al. (Gaithersburg, USA) - p. 6337

Proceedings of the National Academy of Sciences of the USA

81 No. 9 1984

Sequence of a Complete Chicken δ -Crystallin cDNA. Nicker-son, J. M. and Piatigorsky, J. (Bethesda, USA) - p. 2611

Cardiac α - and β -Myosin Heavy Chain Genes are Organized in Tandem. Mahdavi, V. et al. (Boston, USA) - p. 2626

Cloning, Nucleotide Sequence, and Expression in *Escherichia coli* of the Exotoxin A Structural Gene of *Pseudomonas Aeruginosa*. Gray, G. L. et al. (Denver, USA) - p. 2645

Structure of the 5' Ends of Immunoglobulin Genes: A Novel Conserved Sequence. Paralow, T. G. et al. (Iowa City, USA) - p. 2650

Dictyostelium Transposable Element DIRS-1 has 350-Base-Pair Inverted Terminal Repeats that Contain a Heat Shock Promoter. Zuker, C. et al. (Cambridge, USA) - p. 2660

Nucleotide Sequence of a Multiple-Copy Gene for the B Protein of Photosystem II of a Cyanobacterium. Mulligan, B. et al. (Cambridge, USA) - p. 2693

Sequence of a cDNA Clone Encoding Mouse Glial Fibrillary Acidic Protein: Structural Conservation of Intermediate Filaments. Lewis, S. A. et al. (New York, USA) - p. 2743

Human Transferrin: cDNA Characterization and Chromosomal Localization. Yang, F. et al. (San Antonio, USA) - p. 2752

81 No. 10 1984

Isolation and Sequence of a Human Apolipoprotein CII cDNA Clone and Its Use to Isolate and Map to Human Chromosome 19 the Gene for Apolipoprotein CII. Jackson, C. L. et al. (Boston, USA) - p. 2945

Structure and Expression of a Pea Nuclear Gene Encoding a Chlorophyll a/b-Binding Polypeptide. Cashmore, A. R. (New York, USA) - p. 2960

tau, a Repeated DNA Sequence in Yeast. Chisholm, G. E. et al. (Pittsburg, USA) - p. 2965

Nucleotide Sequence of Avian Carcinoma Virus MH2: Two Potential *onc* Genes, One Related to Avian Virus MC29 and the Other Related to Murine Sarcoma Virus 3611. Kan, N.C. et al. (Frederick, USA) - p. 3000

Synthesis and Characterization of cDNA Encoding a Cartilage-Specific Short Collagen. Ninomiya, Y. and Olsen, B. R. (Piscataway, USA) - p. 3014

Characterization of Genomic Clones Specifying Rabbit α - and β -Ventricular Myosin Heavy Chains. Friedman, D. J. et al. (Chicago, USA) - p. 3044

Intervening Sequence in the Thymidylate Synthase Gene of Bacteriophage T4. Chu, F. K. et al. (Albany, USA)-p.3049

81 No. 11 1984

Copper Metallothionein of Yeast, Structure of the Gene, and Regulation of Expression. Butt, T. R. et al. (Philadelphia, USA) - p. 3332

Primary Structure of the Gene Encoding Rat Preprosomatostatin. Montminy, M. R. et al. (Boston, USA) - p. 3337

Linkage Disequilibrium and Evolutionary Relationships of DNA Variants (Restriction Enzyme Fragment Length Polymorphisms) at the Serum Albumin Locus. Murray, J. C. et al. (Seattle, USA) - p. 3486

81 No. 12 1984

Characterization of Leader RNA Sequences on the Virion and mRNAs of Mouse Hepatitis Virus, a Cytoplasmic RNA Virus. Lai, M. M. C. et al. (Los Angeles, USA) - p. 3626

Characterization of a cDNA Coding for Human Factor X. Leytus, S. P. et al. (Seattle, USA) - p. 3699

Nucleotide Sequence of the *Escherichia coli* Prolipoprotein Signal Peptidase (lsp) Gene. Innis, M. A. et al. (Bethesda, USA) - p. 3708

Segmental Homology and Internal Repetitiveness Identified in Putative Nucleic Acid Polymerase and Human Hepatitis B Surface Antigen of Human Hepatitis B Virus. Ohno, S. (Duar-te, USA) - p. 3781

Evolution of Multigene Families under Interchromosomal Gene Conversion. Nagylaki, T. (Chicago, USA) - p. 3796

81 No. 13 1984

Molecular Organization of the HLA-BB Region of the Human Major Histocompatibility Complex and Evidence for Two BB β -Chain Genes. Gorski, J. et al. (Geneva, Switzerland) - p. 3934

Cloning and Structure Determination of cDNA for Cutinase, an Enzyme Involved in Fungal Penetration of Plants. Soliday, C. L. et al. (Pullman, USA) - p. 3939

Tandem Promoters Preceding the Gene for the M1 RNA Component of *Escherichia coli* Ribonuclease P. Motamedi, H. et al. (Columbia, USA) - p. 3959

DNA Sequences of the Repressor Gene and Operator Region of Bacteriophage P2. Ljungquist, E. et al. (Stockholm, Sweden) - p. 3988

Molecular Cloning and Characterization of a cDNA for the β Subunit of Human Alcohol Dehydrogenase. Duester, G. et al. (Irvine, USA) - p. 4055

Isolation and Characterization of a Gene for a Major Light-Harvesting Polypeptide from *Cyanophora paradoxa*. Lemaux, P. G. and Grossman, A. (Stanford, USA) - p. 4100

Structural Relationships Among Genes that Control Development: Sequence Homology Between the Antennapedia, Ultrabithorax, and Pushi Tarazu Loci of *Drosophila*. Scott, M.F. and Weiner, A. J. (Boulder, USA) - p. 4115

DNA Sequence of the *carA* Gene and the Control Region of *carAB*: Tandem Promoters, Respectively Controlled by Arginine and the Pyrimidines, Regulate the Synthesis of Carba-moyl-Phosphate Synthetase in *Escherichia coli* K-12. Piette, J. et al. (Brussels, Belgium) - p. 4134

Multiple Regulatory Signals in the Control Region of the *Escherichia coli carAB* Operon. Bouvier, J. et al. (Orsay, France) - p. 4139

Illegitimate Recombination Generates a Class Switch from C₁ to C₂ in an IgD-Secreting Plasmacytoma. Gilliam, A.C. et al. (Dallas, USA) - p. 4164

Science

224 No. 4645 1984

Sequence of the Human Somatostatin I Gene. Shan, L.-P. and Rutter, W. J. (San Francisco, USA) - p. 168

224 No. 4646 1984

Primary Structure of v-raf: Relatedness to the *src* Family of Oncogenes. Mark, G. E. and Rapp, U. R. (Frederick, USA) - p. 285

224 No. 4647 1984

Analysis of Hydrothermal Vent-Associated Symbionts by Ribosomal RNA Sequences. Stahl, D. A. et al. (Denver, USA) - p. 409

224 No. 4651 1984

Expression Cloning of Human EGF Receptor Complementary DNA: Gene Amplification and Three Related Messenger RNA Products in A431 Cells. Lin, C. R. et al. (La Jolla, USA) - p. 843

224 No. 4653 1984

Structure and Expression of a Complementary DNA for the Nuclear Coded Precursor of Human Mitochondrial Ornithine Transcarbamylase. Horwich, A. L. et al. (New Haven, USA) - p. 1068

224 No. 4656 1984

Sequencing the *erba* Gene of Avian Erythroblastosis Virus Reveals a New Type of Oncogene. Debuire, B. et al. (Lille, France) - p. 1456

225 No. 4659 1984

The Structure of Rat Preproatrial Natriuretic Factor as Defined by a Complementary DNA Clone. Seidman, C. E. et al. (Boston, USA) - p. 324

225 No. 4660 1984

Structure of 3' Terminal Region of Type II Human T Lymphotropic Virus: Evidence for New Coding Region. Haseltine, W. A. et al. (Boston, USA) - p. 419

Sequence of the Envelope Glycoprotein Gene of Type II Human T Lymphotropic Virus. Sodroski, J. et al. (Boston, USA) - p. 421

PRIMARY STRUCTURES

OF PROTEINS

Molecular Immunology

21 No. 3 1984

Amino Acid Sequence Analysis of the H-2K^b Allo-Antigen: Complete Sequence of Residues 1-98 and Partial Sequence from 99 to 263. Lillehoj, E. P. and Coligan, J. E. (Bethesda, USA) - p. 86

Nucleic Acids Research

12 No. 13 1984

Compilation of Published Signal Sequences. Watson, M.E.E. (Wycombe, UK) - p. 5145

Length and Structural Effect of Signal Peptides Derived from *Bacillus subtilis* α -Amylase on Secretion of *Escherichia coli* β -Lactamase in *B. subtilis* Cells. Ohmura, K. et al. (Ibaraki-ken, Japan) - p. 5307

Proceedings of the National Academy of Sciences of the USA

81 No. 9 1984

Molecular Weight and Structural Nonequivalence of the Mature α Subunits of Torpedo californica Acetylcholine Receptor. Conti-Tronconi, B.M. et al. (Pasadena, USA) - p. 2631

Amino Acid Sequence of Homologous Rat Atrial Peptides: Natriuretic Activity of Native and Synthetic Forms. Seidah, N. G. et al. (Montreal, Canada) - p. 2640

Complete Amino Acid Sequence for Human Aldolase B Derived from cDNA and Genomic Clones. Rottmann, W. H. et al. (Berkeley, USA) - p. 2738

81 No. 10 1984

Internal Homologies in the Two Aspartokinase-Homoserine Dehydrogenases of Escherichia coli K-12. Ferrara, P. et al. (Paris, France) - p. 3019

81 No. 11 1984

Structure of the Trg Protein: Homologies with and Differences from Other Sensory Transducers of Escherichia coli. Bollinger, J. et al. (Pullman, USA) - p. 3287

81 No. 12 1984

Complete Amino Acid Sequence of Human β_2 -Glycoprotein I. Lozier, J. et al. (Bloomington, USA) - p. 3640

Amino Acid Sequence of Porcine Spleen Cathepsin D. Shewale, J. G. and Tang, J. (Oklahoma City, USA) - p. 3703

Science

223 No. 4631 1984

Purification and Sequence Analysis of Bioactive Atrial Peptides (Atriopeptins). Currie, M. G. et al. (St. Louis, USA) - p. 67

223 No. 4639 1984

Partial Characterization of 21.5K Myelin Basic Protein from Sheep Brain. Carnegie, P. R. and Dowse, C. A. (Bundoora, Australia) - p. 936

223 No. 4640 1984

Rat Transforming Growth Factor Type 1: Structure and Relation to Epidermal Growth Fractor. Marquardt, H. et al. (Frederick, USA) - p. 1079

223 No. 4641 1984

Isolation, Structure, and Synthesis of a Human Seminal Plasma Peptide with Inhibin-Like Activity. Ramasharma, K. et al. (Montreal, Canada) - p. 1199

224 No. 4647 1984

Evolution of Proteolytic Enzymes. Neurath, H. (Seattle, USA) - p. 350

International Journal of Peptide and Protein Research

23 No. 3 1984

Primary Structure of Tryptophan-Containing Peptides from Skin Extracts of Phyllomedusa rhodiei (Tryptophyllins). Montecucchi, P.C. et al. (Milan, Italy) - p. 276

23 No. 5 1984

Putative High Mobility Group (HMG) Non-Histone Chromosomal Proteins from Wheat Germ. Isolation, Characterization and Partial Sequence Analysis. Mayes, E. L. V. and Walker, J. M. (London, UK) - p. 516

Zeitschrift für Naturforschung

39c No. 5 1984

Protein Sequence Homologies Between Portions of the L and M Subunits of Reaction Centers of Rhodospseudomonas capsulata and the Q_B -Protein of Chloroplast Thylakoid Membranes: a Proposed Relation to Quinone-Binding Sites. Hearst, J.E. and Sauer, K. (Berkeley, USA) - p. 421

Compiled by L. Träger