

Ewan C. Goligher
Franco Laghi
Michael E. Detsky
Paulina Farias
Alistair Murray
Deborah Brace
Laurent J. Brochard
Steffen-Sebastien Bolz
Gordon D. Rubenfeld
Brian P. Kavanagh
Niall D. Ferguson

Erratum to: Measuring diaphragm thickness with ultrasound in mechanically ventilated patients: feasibility, reproducibility and validity

Published online: 7 March 2015
© Springer-Verlag Berlin Heidelberg and ESICM 2015

The online version of the original article can be found under doi:[10.1007/s00134-015-3687-3](https://doi.org/10.1007/s00134-015-3687-3).

E. C. Goligher · M. E. Detsky · L. J. Brochard ·
G. D. Rubenfeld · B. P. Kavanagh · N. D. Ferguson (✉)
Interdepartmental Division of Critical Care Medicine, University of
Toronto, Toronto, Canada
e-mail: n.ferguson@utoronto.ca

E. C. Goligher
e-mail: ewan.goligher@mail.utoronto.ca

E. C. Goligher · P. Farias · A. Murray · D. Brace · N. D. Ferguson
Division of Respiriology, Department of Medicine, University
Health Network, Toronto, Canada

E. C. Goligher · S.-S. Bolz · B. P. Kavanagh · N. D. Ferguson
Department of Physiology, University of Toronto, Toronto, Canada

F. Laghi
Department of Medicine, Stritch School of Medicine, Edward
Hines Jr. VAH and Loyola University Chicago, Hines, IL, USA

M. E. Detsky
Department of Medicine, Mount Sinai Hospital, Toronto, Canada

L. J. Brochard
Keenan Research Centre for Biomedical Science, St. Michael's
Hospital, Toronto, Canada

G. D. Rubenfeld
Department of Critical Care Medicine, Sunnybrook Health
Sciences Centre, Toronto, Canada

B. P. Kavanagh
Department of Anesthesia, University of Toronto, Toronto, Canada

B. P. Kavanagh
Department of Critical Care Medicine, Sick Children's Hospital,
Toronto, Canada

G. D. Rubenfeld · N. D. Ferguson
Institute for Health Policy, Management and Evaluation, University
of Toronto, Toronto, Canada

N. D. Ferguson
Toronto General Research Institute, Toronto, Canada

N. D. Ferguson
Toronto General Hospital, 585 University Avenue, 11-PMB-120,
Toronto, ON M5G 2N2, Canada

Erratum to: Intensive Care Med
DOI 10.1007/s00134-015-3687-3

Owing to an oversight, the name of the eighth author of this article was rendered wrongly. His correct name is Steffen-Sebastien Bolz.