

# Erratum to: Pancreatic adenocarcinoma: a pilot study of quantitative perfusion and diffusion-weighted breath-hold magnetic resonance imaging

Hyunki Kim,<sup>1,2,6,9</sup> Pablo J. Arnoletti,<sup>7</sup> John Christein,<sup>3</sup> Martin J. Heslin,<sup>3</sup> James A. Posey III,<sup>4</sup> Amol Pednekar,<sup>8</sup> T. Mark Beasley,<sup>5</sup> Desiree E. Morgan<sup>1,6</sup>

<sup>1</sup>Departments of Radiology, University of Alabama at Birmingham, Birmingham, AL 35294-0019, USA

<sup>2</sup>Biomedical Engineering, University of Alabama at Birmingham, Birmingham, AL 35294-0019, USA

<sup>3</sup>Department of Surgery, University of Alabama at Birmingham, Birmingham, AL 35294-0019, USA

<sup>4</sup>Department of Medicine, University of Alabama at Birmingham, Birmingham, AL 35294-0019, USA

<sup>5</sup>Department of Biostatistics, University of Alabama at Birmingham, Birmingham, AL 35294-0019, USA

<sup>6</sup>Comprehensive Cancer Center, University of Alabama at Birmingham, Birmingham, AL 35294-0019, USA

<sup>7</sup>The Center for Specialized Surgery, Orlando, FL 32804, USA

<sup>8</sup>Philips Medical Systems, Bothell, WA 98021, USA

<sup>9</sup>G082 Volker Hall, 1720 2nd Avenue South, Birmingham, AL 35294-0019, USA

## Erratum to: Abdom Imaging (2014) 39:744–752

DOI 10.1007/s00261-014-0107-z

The original version of this article unfortunately included the incomplete versions of Tables 2 and 3. A column in the Tables 2 and 3 were missed during the production process. The complete tables are given below.

**Table 2.** Physiological parameters of primary pancreatic tumors (P Tumor), non-tumorous adjacent parenchyma (NAP), liver metastases (Liver MET), and normal liver tissues (Liver)

	P Tumor	NAP	Liver MET	Liver
$K^{trans}$ ( $10^{-3}$ min $^{-1}$ )	7.3 ± 4.2	25.8 ± 14.9	8.1 ± 5.9	45.1 ± 15.6
$k_{ep}$ ( $10^{-2}$ min $^{-1}$ )	3.0 ± 0.9	7.4 ± 3.1	5.2 ± 2.0	12.1 ± 2.8
ADC ( $10^{-3}$ mm $^2$ /s)	1.3 ± 0.2	1.6 ± 0.3	1.1 ± 0.1	1.3 ± 0.1

**Table 3.** Physiological parameters of primary pancreatic tumors (P Tumor) or liver metastases (Liver MET) relative to those of non-tumorous adjacent parenchyma (NAP) and/or normal liver tissues (Liver)

	P Tumor/NAP	P Tumor/Liver	Liver MET/Liver
Relative $K^{trans}$ (%)	32 ± 14%	16 ± 7%	26 ± 21%
Relative $k_{ep}$ (%)	45 ± 17%	26 ± 9%	41 ± 18%
Relative ADC (%)	81 ± 14%	96 ± 19%	86 ± 11%

The online version of the original article can be found under doi: 10.1007/s00261-014-0107-z.

Correspondence to: Hyunki Kim; email: Hyunki@uab.edu