

## Erratum to: Diagnostic value of cone-beam CT in histologically confirmed otosclerosis

Balázs Liktör<sup>1</sup> · Péter Révész<sup>2</sup> · Péter Csomor<sup>3</sup> · Imre Gerlinger<sup>2</sup> ·  
István Sziklai<sup>4</sup> · Tamás Karosi<sup>1</sup>

Published online: 29 April 2016  
© Springer-Verlag Berlin Heidelberg 2016

**Erratum to: Eur Arch Otorhinolaryngol (2014)  
271:2131–2138  
DOI 10.1007/s00405-013-2702-y**

The authors have missed to include a statement in the “Materials and methods” section of the published article. The statement is as follows:

All stapes surgeries were performed at the ENT Department of Bajcsy-Zsilinszky Hospital, Budapest, Hungary, and stapes footplates were collected and histologically managed from April 2012 until May 2013 at University of Debrecen, Medical and Health Science Center, Department of Otolaryngology and Head and Neck Surgery, Debrecen, Hungary.

---

The online version of the original article can be found under doi:[10.1007/s00405-013-2702-y](https://doi.org/10.1007/s00405-013-2702-y).

---

✉ Tamás Karosi  
karositas@gmail.com

- <sup>1</sup> Department of Otolaryngology and Head and Neck Surgery, B-A-Z County Hospital and University Hospital, Szentpéteri Kapu 72.-76, Miskolc 3526, Hungary
- <sup>2</sup> Department of Otolaryngology and Head and Neck Surgery, Medical School, University of Pécs, Pécs, Hungary
- <sup>3</sup> Department of Rheumatology, Medical and Health Science Center, University of Debrecen, Debrecen, Hungary
- <sup>4</sup> Department of Otolaryngology and Head and Neck Surgery, Medical and Health Science Center, University of Debrecen, Debrecen, Hungary