

# Bridging IoT islands: the symbloTe project

I. Gojmerac OVE, P. Reichl OVE, I. Podnar Žarko, S. Soursos

The rapidly increasing interest that the Internet of Things (IoT) has received both in academia and industry over the past few years has already resulted in a huge number of IoT platforms which, however, typically are conceived as individual vertically integrated systems without supporting inter-platform collaboration and interaction. In this paper, we present the techno-economic approach of the EU project symbloTe (Symbiosis of smart objects across IoT environments) which aims at designing a sustainable IoT ecosystem that will enable the inclusion of existing individual IoT platforms (“islands”) into federative structures via the use of a novel set of inter-system interfaces. The objective of symbloTe is thereby to accomplish the two key criteria for the successful evolution of large ecosystems, i.e., backward compatibility and incremental deployability. In other words, the symbloTe interfaces are designed to serve as stable evolutionary kernels which will enable diversity and dynamics, both in the space of applications and IoT platforms. Furthermore, we expect the symbloTe interfaces and their corresponding logic to also play an important role in the next generation of the Internet of Things which will be comprised of *things as actors* in addition to the small devices addressed in the present *things as sensors/actuators* paradigm.

Keywords: Internet of Things; IoT; interoperability; federation; systems evolution

## Verbindung von IoT-Insellösungen – das symbloTe Projekt.

*Das so genannte Internet der Dinge (Internet of Things – IoT) hat in den letzten Jahren für viel Aufmerksamkeit – sowohl in akademischen Kreisen als auch in der Industrie – gesorgt, so dass durch entsprechend gestaltete Forschungs- und Entwicklungsaktivitäten eine große Anzahl an IoT-Plattformen entstanden ist. Die meisten dieser Plattformen sind jedoch als vertikal integrierte Systeme konzipiert worden, die keine Interaktion oder gar Zusammenarbeit zwischen den Plattformen ermöglichen, wodurch die bisherigen Ergebnisse lediglich IoT-Insellösungen darstellen. Im vorliegenden Artikel stellen wir den techno-ökonomischen Ansatz des EU-Projekts symbloTe (Symbiosis of smart objects across IoT environments) vor, dessen Ziel es ist, ein nachhaltiges IoT-Ökosystem zu schaffen, das eine föderative Interaktion und Zusammenarbeit der bestehenden IoT-Plattformen mittels neuartiger Systemschnittstellen ermöglichen wird. Das Projekt symbloTe ist bestrebt, die Rückwärtskompatibilität sowie die schrittweise Einführbarkeit als die zwei Schlüsselkriterien für eine erfolgreiche Evolution von Ökosystemen zu erfüllen. Anders ausgedrückt sollen die neu geschaffenen symbloTe-Schnittstellen als stabile Kerne in der Evolution von IoT-Ökosystemen dienen, die sowohl eine Diversität als auch eine große Entwicklungsdynamik auf den Ebenen der IoT-Anwendungen und der IoT-Plattformen ermöglichen werden. Des Weiteren ist zu erwarten, dass die symbloTe-Schnittstellen und deren Logik eine wichtige Rolle in der Entwicklung der nächsten Generation des Internets der Dinge einnehmen werden, die aus “Dingen” bzw. Entitäten bestehen wird, die als Akteure auftreten, ganz im Gegensatz zur aktuellen Generation von IoT, in der die “Dinge” zumeist einfache Sensoren oder Aktuatoren darstellen.*

Schlüsselwörter: Internet of Things; Internet der Dinge; IoT; Interoperabilität; föderative Strukturen; Systemevolution

Received September 24, 2016, accepted September 25, 2016, published online November 10, 2016  
© Springer Verlag Wien 2016



## 1. Introduction

While the idea of an Internet of Things (IoT), as the networking-related side of Weiser’s famous vision for the “Computer of the 21st Century” [1], has been around already for almost two decades, only a few years ago IoT has started gaining substantial attention in industry and academia, while today this topic is experiencing a dramatic boom [2]. Despite of this immense popularity, there is still no unified view on the fundamental notion of IoT within the respective research communities: From an interconnection-driven perspective, IoT boils down to enabling efficient communication with a large set of small devices (typically sensors and actuators) suffering from three types of basic restrictions, i.e., limited computation power, limited battery autonomy and limited communication capabilities. In contrast, from a cyber-physical perspective, the paradigm of IoT may also be understood as a productive system of things that serve as autonomous actors, which, however, is still in its infancy. Hence, while we expect ultimately both these paradigms to converge, in this paper we will focus rather on the first, i.e., interconnection-driven approach.

As already pointed out in [3], at present we are witnessing a highly fragmented landscape of partly specialized vertical IoT solutions that typically focus on specific application domains. As a consequence, today there is a huge number of IoT platforms in industry and academia which, however, currently mostly function as individual vertically integrated systems without supporting inter-platform collaboration and interaction. In other words, these “IoT islands” do not constitute at all a proper “Internet of Things”, therefore a number of research projects currently aim at interconnecting these silo-type platforms in order to allow for the creation of a true IoT ecosystem where the IoT platforms

**Gojmerac, Ivan**, Digital Safety and Security Department, AIT Austrian Institute of Technology GmbH, Donau-City-Straße 1, 1220 Vienna, Austria (E-mail: [ivan.gojmerac@ait.ac.at](mailto:ivan.gojmerac@ait.ac.at)); **Reichl, Peter**, Faculty of Computer Science, University of Vienna, Vienna, Austria (E-mail: [peter.reichl@univie.ac.at](mailto:peter.reichl@univie.ac.at)); **Podnar Žarko, Ivana**, Faculty of Electrical Engineering and Computing, University of Zagreb, Zagreb, Croatia (E-mail: [ivana.podnar@fer.hr](mailto:ivana.podnar@fer.hr)); **Soursos, Sergios**, Intracom SA Telecom Solutions, Athens, Greece (E-mail: [souse@intracom-telecom.com](mailto:souse@intracom-telecom.com))




Fig. 1. symbloTe architecture

and their resources may interact and collaborate in a seamless way.

In order to design such a cross-domain IoT system which is able to “bridge” those IoT islands, we relate to Dovrolis’ key insight that any system which is experiencing a dynamic evolution requires a stable evolutionary kernel [4]. As an immediate consequence, this results in the indispensable need for open and to the best extent possible time-invariant interfaces on all levels. Consider in analogy, for instance, the evolution of different railroad networks whose success would not have been possible without predominantly keeping the gauge, i.e., track width, constant starting from their beginnings in the 1820ies, whereas all other system components (i.e., signaling, traction, etc.) have changed significantly since (cf. [5]). Following this line of thought, we postulate that inter-system Application Programming Interfaces (APIs) fulfill this vital purpose and hence provide the stable evolutionary kernel for the long-term future of the envisioned IoT.

In order to address this key challenge, the EU Horizon 2020 project symbloTe currently develops a flexible interoperability framework which will not only enable the cooperation between vertical IoT platforms, but also support the exchange of resources with the help of IoT-platform federations and, last but not least, allow independent developers to create cross-domain and cross-platform applications.

## 2. The symbloTe project: concept and architecture

With respect to the two major prerequisites for the evolutionary ecosystem development postulated by Dovrolis in [4], symbloTe fulfills both these criteria as follows:

- **Backward compatibility:**

In order to enable an abstraction which is both sufficiently generic and specific enough for the targeted application, symbloTe aims at defining its abstraction APIs individually for particular application domains, as in this way the detailed requirements

of an application domain can reliably be taken into account. symbloTe assumes that existing IoT platforms will implement these high-level domain-specific APIs (see Fig. 1), which will enable the utilization of all underlying platforms’ capabilities such that full backward compatibility with the existing systems is assured.

- **Incremental Deployability:**

The implementation and offering of these symbloTe APIs comes along with immediate benefits both for platform providers and application developers, as they both may substantially extend their market reach by offering standardized interfaces. In the resulting two-sided market, platform (cf. [6]) providers gain a far larger number of applications while developers can generically add new platforms to their application’s portfolio in terms of sensors and actuators.


To this end, symbloTe distinguishes between four different cumulative compliance levels as follows:

- **Level 1 compliance:**

In order to facilitate application development, which currently is characterized by the fact that developers are facing many different IoT-platform specific interfaces, thus rendering the reuse of implementations difficult if not impossible, symbloTe will enable a new generation of applications that are built in a platform-independent manner and capable of interacting with a plethora of symbloTe-enabled platforms through uniform interfaces.

- **Level 2 compliance:**

On a second level, which cumulatively encompasses also Level 1, a platform is enabled to collaborate with a peer platform for the mutual benefit of both, through sharing, bartering and/or trading of resources. For instance, consider two platforms with spatially overlapping resources that are mutually substitutable in terms of their functionalities. Then, Level 2 compliance allows avoiding premature resource depletion and thus creates a win-win situation for all parties.



**Fig. 2.** symbloTe compliance levels

- **Level 3/4 compliance:**

The two remaining compliance levels are related to interoperable cooperating gateways and devices. Here, we have to distinguish nomadic resources with intermittent connectivity and mobile sensors which are online throughout. For both cases, symbloTe will enable device handover between gateways, translating to roaming in case that the gateways belong to different platforms. In this way, devices are no longer in danger of being locked-in to specific platforms which results in a market of perfect competition [7], thus fostering market proliferation of the developed technology. Moreover, due to the peer-to-peer wireless nature of Level 3/4 interfaces, they may—if designed well—ultimately serve as foundation and as stable evolutionary kernels also for the future world of the Internet of *things as actors*.

The resulting high-level overall architecture of symbloTe is depicted in Fig. 1, and the corresponding compliance levels are depicted in Fig. 2, cf. [8] for further details.

### 3. Use cases

In order to validate our approach of domain-specific high-level APIs, a total of five use cases will be pursued which are targeting typical everyday situations both in- and outdoor, and which, as a whole, provide a comprehensive range of IoT applications that are currently run and managed as isolated systems instead of exhibiting interoperability. Summarizing briefly, the symbloTe use cases include:

- **Smart mobility and ecological urban routing:**

Based on air quality monitoring through various platforms, including in-situ stations, wearable sensors and mobile devices, as well as further input concerning, e.g., road traffic information, parking space situation etc., the ecologically most preferable route will be calculated and offered to motorists, cyclists and pedestrians.

- **Smart residence:**

As particular examples of smart spaces, here local resources and dynamic service composition will be used for accessing and managing functions across any available device in homes and offices, as well as for sharing resources like processing power, storage or wireless spectrum with collocated platforms.

- **Smart campus:**

In this use case, collaboration services based on indoor navigation will be developed for university campuses, and offered also to visiting students whose smart phone becomes a visiting device in a foreign campus smart space.

- **Smart stadium:**

Here, the goal is to link physical and virtual worlds for the sake of creating a unique experience for the visitors of a sports event

or a cultural performance taking place in a stadium or other type of open air arena.

- **Smart yachting:**

Our last use case addresses mainly the exchange of information between yachts and ports or port authorities, including preparations for refitting and maintenance of the boats.

Altogether, these five use cases will showcase a broad range of symbloTe specific features, including platform interoperability within an application domain (smart mobility, smart stadium), interoperability of collocated deployments in smart spaces (smart residence) as well as IoT platform federations (smart campus) and the integration of multiple control platforms (smart yachting). Additionally, also the potential of business models will be demonstrated from several perspectives; here, it is especially interesting to consider resource bartering based on the exchange of certain forms of vouchers (including Service Level Agreements, authorization tokens, etc.) as a simple means of making resources of one platform available to other platforms without the need of managing explicit financial remuneration, while of course also various forms of trading (for instance forward and reverse auctions) are considered.

### 4. Summary and outlook

The transition of IoT-based systems from academic concepts to practical real-world implementations currently lies in the focus of major industry stakeholders all over the world. In order to facilitate this process and to assure its sustainability, the EU Horizon 2020 project symbloTe specifies APIs which will (a) enable system interoperability for a large spectrum of application domains, and (b) serve as stable evolutionary kernels in the future development of IoT ecosystems. From a techno-economic perspective, we believe that based on the stability and openness of symbloTe, large parts of the value chain can be kept within the local IoT ecosystem by establishing truly federative relationships between the individual actors. Our techno-economic considerations are especially important in the context of the European ICT landscape, as it has so far proven to be very difficult to retain added value creation in the area of Internet search, social media, cloud solutions, etc., on the continent. In fact, there are even intrinsically federative services like, e.g., e-mail [9], which are currently experiencing *de facto* centralization by large global Internet technology companies. Setting here a clear counterpoint, the symbloTe system will demonstrate its practicability based on the implementation of the five mentioned use cases and thus underline the importance of open and long-term stable interfaces for the establishment of sustainable techno-economic ecosystems.

### Acknowledgements

This work is supported by the H2020 symbloTe project, under Grant Agreement No. 688156 of the European Union's Horizon 2020 Framework Programme for Research and Innovation. The authors would like to thank all members of the symbloTe consortium for valuable discussions.

### References

1. Weiser, M. (1999): The computer for the 21st century. *Mob. Comput. Commun. Rev.*, 3(3), 3–11.
2. Gartner (2014): Predicts 2015: the Internet of Things. December 2014. Available online: <https://www.gartner.com/doc/2952822/predicts--internet-things>
3. Soursos, S., Podnar Žarko, I., Zwickl, P., Gojmerac, I., Bianchi, G., Carrozzo, G. (2016): Towards the cross-domain interoperability of IoT platforms. In *Proc. European conference on networks and communications EUCNC 2016, Athens, Greece, June*.

4. Rexford, J., Dovrolis, C. (2010): Future Internet architecture: clean-slate versus evolutionary research. *Commun. ACM*, 53(9).
5. Rolt, L. T. C. (2009): *George and Robert Stephenson: the railway revolution*. Stroud: Ambrely Publishing.
6. Rochet, J. C., Tirole, J. (2003): Platform competition in two-sided markets. *J. Eur. Econ. Assoc.*, 1(4), 990–1029.
7. Debreu, G. (1972): *Theory of value: an axiomatic analysis of economic equilibrium*. Yale: Yale University Press.
8. The H2020 symbloTe project. Available online: <https://www.symbiote-h2020.eu>. Last accessed: September 9th, 2016.
9. IETF (2015): Proposed standard, simple mail transfer protocol. RFC7504, June 2015.

## Authors



### Ivan Gojmerac

received his diploma in electrical engineering from the University of Zagreb, Croatia, in May 2001, after which he started his professional career at the Telecommunications Research Center Vienna (FTW), Austria. Based on his research in the area of Internet routing, he received his Ph.D. degree with distinction from Vienna University of Technology, Austria, in 2007. For his dissertation “Adaptive Multi-Path Routing for Internet Traffic Engineering” he was awarded the Prize of the Austrian Electrotechnical Association (OVE). Following two years as researcher and lecturer at the University of Vienna, since October 2014 Dr. Gojmerac has been with the Austrian Institute of Technology (AIT), where he is currently engaged as scientist with the Digital Safety and Security Department, coordinating a number of national projects in the area of ICT for public safety. He has also been Adjunct Assistant Professor at the University of Zagreb since January 2013, where he participates in teaching and in the supervision of students. His scientific interests and fields of publication include information and communication technologies for safety-critical systems, the Internet of Things (IoT), IP networking, and security aspects of future communication systems.



### Peter Reichl

holds a Master’s degree in mathematics from University of Cambridge, UK, and a Ph.D. degree in computer science from RWTH Aachen, Germany. From 2001 to 2013 he was working as key researcher for “User-centered Interaction and Communication Economics” at FTW Telecommunications Research Center Vienna, Austria. In 2011 he was appointed Professor for Networking Technology at Aalto University Helsinki, Finland, and became holder of the SISCOM and RBUCE WEST International Research Chairs at INRIA and Télécom Bretagne Rennes, France. Since 2013 he is Full Professor for Computer Science at University of Vienna, Austria. His main research interests include techno-economics of the Internet, Quality of Experience and future cooperative systems.



### Ivana Podnar Žarko

is an Associate Professor at the Faculty of Electrical Engineering and Computing, University of Zagreb, Croatia (UNIZG-FER) where she teaches distributed information systems. She is affiliated with the Department of Telecommunications at UNIZG-FER and leads the UNIZG-FER Internet of Things Laboratory. She is the technical manager of the H2020 project “symbloTe: Symbiosis of smart objects across IoT environments” (member of IoT-EPI), and was leading the UNIZG-FER team participating in the FP7 project “OpenIoT: Open Source Solution for the Internet of Things into the Cloud.” Her main research interests are on large-scale distributed systems, IoT, and Big data processing. Ivana Podnar Žarko has co-authored more than 50 scientific journal and conference papers in these domains, and has served as a program committee member for a number of international conferences and workshops. She is a member of IEEE and was the Chapter Chair of IEEE Communications Society, Croatia Chapter (2011–2014).



### Sergios Soursos

is a senior R&D engineer at Intracom S.A. Telecom Solutions, Greece, working on IoT interoperability and big data analytics. His research interests also include cloud traffic management, information-centric networking, peer-to-peer networking and overlay network management, smart grids and demand response systems. He has been a research associate at the Network Economics and Services Group of the Athens University of Economics and Business (AUEB), Greece, working on network economics and pricing, game theory and modeling, overlay networks and grid computing. He holds the B.Sc. (1999) in Informatics, the M.Sc. (2001) in Information Systems and a Ph.D. (2010) on pricing schemes for on-demand resources with focus on access networks and grid computing facilities, from AUEB, Greece. Dr. Soursos has presented his work in numerous academic conferences and workshops and has received scholarships and awards from Greek institutions and companies. He has co-chaired the EC DG INFSO’s Future Internet Socio-Economics Task Force.