

## Erratum to: Biomechanical consideration of prosthesis selection in hybrid surgery for bi-level cervical disc degenerative diseases

Zhongjun Mo<sup>1,2</sup> · Qi Li<sup>2</sup> · Zhiwei Jia<sup>3</sup> · Jiemeng Yang<sup>1</sup> · Duo Wai-Chi Wong<sup>4</sup> · Yubo Fan<sup>1,2</sup>

Published online: 12 October 2016  
© Springer-Verlag Berlin Heidelberg 2016

**Erratum to: Eur Spine J**  
**DOI 10.1007/s00586-016-4777-9**

The original version of this article unfortunately contained a mistake and has been corrected. First and last names of the author Qi Li were interchanged. Li is his family name and Qi is the given name.

---

The online version of the original article can be found under doi:[10.1007/s00586-016-4777-9](https://doi.org/10.1007/s00586-016-4777-9).

---

✉ Yubo Fan  
yubofan@buaa.edu.cn

- <sup>1</sup> National Research Center for Rehabilitation Technical Aids, Beijing, People's Republic of China
- <sup>2</sup> Key Laboratory for Biomechanics and Mechanobiology of Ministry of Education, International Joint Research Center of Aerospace Biotechnology and Medical Engineering of Ministry of Science and Technology, School of Biological Science and Medical Engineering, Beihang University, Beijing, People's Republic of China
- <sup>3</sup> Department of Orthopaedics, The 306th Hospital of People's Liberation Army, Beijing, People's Republic of China
- <sup>4</sup> Interdisciplinary Division of Biomedical Engineering, The Hong Kong Polytechnic University, Hong Kong, SAR, People's Republic of China