



Correction to: Correlation between lordosis distribution index, lordosis tilt, and occurrence of proximal junctional kyphosis following surgery for adult degenerative scoliosis

Fei Xu^{1,2,3,4} · Zhuoran Sun^{1,3,4} · Weishi Li^{1,3,4} · Xiangyu Hou^{1,2,4} · Shuai Jiang^{1,3,4} · Siyu Zhou^{1,3,4} · Da Zou^{1,3,4} · Zhuofu Li^{1,2,3,4}

Published online: 18 June 2022
© Springer-Verlag GmbH Germany, part of Springer Nature 2022

Correction to: European Spine Journal (2022) 31:267–274
<https://doi.org/10.1007/s00586-021-07090-x>

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The funding for this article was listed as the National Natural Science Foundation of China (Grant No. 8187090666).

The correct funding for this study is:

The National Natural Science Foundation of China (Grant No. 81871807).

No. 8187090666 was the received number of this subject instant of the final number.

We do apologize for the error and the inconvenience.

Fei Xu and Zhuoran Sun contributed equally to this work.

The original article can be found online at <https://doi.org/10.1007/s00586-021-07090-x>.

✉ Weishi Li
puh3liweishi@163.com

- ¹ Orthopaedic Department, Peking University Third Hospital, Haidian District, No. 49 North Garden Road, Beijing 100191, China
- ² Peking University Health Science Center, Haidian District, No. 38 Xueyuan Road, Beijing 100191, China
- ³ Beijing Key Laboratory of Spinal Disease Research, Beijing, China
- ⁴ Engineering Research Center of Bone and Joint Precision Medicine, Ministry of Education, Beijing, China