

Erratum to: Resorbable osteosynthetic devices in pediatric traumatology: a prospective series of 24 cases

J. M. Poircuitté¹ · D. Popkov² · H. Huber¹ · E. Polirsztok¹ · P. Lascombes³ · P. Journeau¹

Published online: 17 July 2015
© Springer-Verlag France 2015

Erratum to: Eur J Orthop Surg Traumatol DOI 10.1007/s00590-015-1656-8

The author would like to correct the errors in the publication of the original article. The corrected details are given below for your reading.

Second and third authors' given names have been published incorrectly. The correct author names should be D. Popkov and H. Huber.

The affiliations of the authors J. M. Poircuitté, D. Popkov, H. Huber, E. Polirsztok and P. Journeau are incorrect. The correct affiliations should be:

J. M. Poircuitté, H. Huber, E. Polirsztok and P. Journeau

Service de chirurgie orthopedique pediatrique, Hôpital d'enfant, Centre hospitalo-universitaire de Nancy, 5 allée du Morvan, 54500 Vandoeuvre lès Nancy, France

D. Popkov

Russian Ilizarov Scientific Center for Restorative Traumatology and Orthopaedics, Kurgan, Russia

Corresponding author e-mail address should be p.journeau@chu-nancy.fr

The online version of the original article can be found under doi:[10.1007/s00590-015-1656-8](https://doi.org/10.1007/s00590-015-1656-8).

✉ P. Journeau
p.journeau@chu-nancy.fr

¹ Service de chirurgie orthopedique pediatrique, Hôpital d'enfant, Centre hospitalo-universitaire de Nancy, 5 allée du Morvan, 54500 Vandoeuvre lès Nancy, France

² Russian Ilizarov Scientific Center for Restorative Traumatology and Orthopaedics, Kurgan, Russia

³ Service d'orthopédie pédiatrique, Département de l'enfant et l'adolescent, Hôpitaux universitaires de Genève, rue Willy-Donzé 6, 1211 Geneva 14, Switzerland