



Solar heating to inactivate thermal-sensitive pathogenic microorganisms in vehicles: application to COVID-19

Xue Wang¹ · Shiyi Sun¹ · Boxin Zhang¹ · Jie Han¹

Received: 21 October 2020 / Accepted: 26 October 2020 / Published online: 6 November 2020
© Springer Nature Switzerland AG 2020

Abstract

Disinfection is a common practice to inhibit pathogens, yet success is limited by microbial adaptation and our poor knowledge of viral transmission, notably in the current COVID-19 pandemic. There is a need for alternative disinfection strategies and techniques that are adapted to the actual behavior of humans living in densely populated mega-cities. Here, high public circulation in shared passenger vehicles such as taxis, buses and personal cars represents a major risk of viral transmission due to confined space and commonly touched surfaces. Actual regulatory guidelines are not fully successful because they rely both on passengers' willingness to wear face masks and on drivers' willingness to disinfect cars after each shift or each ride with symptomatic individuals. Here we propose that passive solar heating, a sustainable technique that has been used in agronomy to kill weeds and soil pathogens, could inactivate the virus in vehicles during warm-to-hot weather within few minutes to half an hour at 50–60 °C. We measured temperatures in a white compact-size sedan left in a parking lot under direct sunlight. Air temperatures increased from 30 to 42–49 °C after 30 min and then reached a plateau at 52–57 °C after 90 min. Temperatures were about 3 °C higher in front versus back of the car and about 5 °C higher at face height compared to knee height. Since COVID-19 is inactivated in 30 min at 56 °C, our findings confirm that hot air generated passively by solar heating in enclosed spaces is a promising strategy of disinfection with benefits of no added costs, chemicals or work-time. Though this technique appears limited to hot climate, possible heating systems that work during parking time might be developed by vehicle makers to extend the technique to cold climates.

Keywords Coronavirus · SARS-CoV-2 · Inactivation · Sunlight · Thermal · Heat

Introduction

Evidence and risks of COVID-19 transmission in passenger vehicles


Respiratory droplets and contact surfaces have been recognized as the two primary routes of virus spread during the COVID-19 pandemic (WHO 2020a; Han et al. 2020; Han and Zhang 2020; Sharma et al. 2020). In enclosed spaces with inadequate ventilation, airborne transmission may also occur through tiny droplets and particles in air (CDC 2020a; He and Han 2020; Sun and Han 2020; Wang et al. 2020). The confined, enclosed space and frequently touched

surfaces in passenger vehicles can become high-risk areas of virus transmission during the current pandemic (Fig. 1), particularly in those used for shared transportation services such as taxis, rideshares, other drivers-for-hire vehicles, as well as second-hand vehicles bought and sold between users (Statista 2020). There have been a number of reports on COVID-19 infections involving passenger vehicles. On January 28, 2020, a 51-year-old Thai taxi driver was confirmed of COVID-19 infection. Potentially acquired from tourists, it became one of the earliest cases of suspected human-to-human transmission of the novel coronavirus (Pongpirul et al. 2020). As of April 12, 2020, a total of 302 taxi drivers in Tehran, the capital of Iran, were infected by COVID-19 (Hu 2020). Data from the Office for National Statistics (UK) showed that aged-standardized mortality rates involving COVID-19 were significantly higher among taxi drivers and chauffeurs than people in other occupations in England and Wales (ONS 2020).

✉ Jie Han
jihhan@xjtu.edu.cn

¹ Department of Environmental Science and Engineering,
Xi'an Jiaotong University, Xi'an 710049,
People's Republic of China

Fig. 1 Solar heating as a passive strategy for disinfecting the novel coronavirus (COVID-19) in passenger vehicles during the current pandemic. This approach may be suited for disinfecting COVID-19 and other thermal sensitive pathogens in large, enclosed, and movable objects such as automobiles, aircrafts, cruise ships, and shipping containers



Passenger vehicles have limited interior spaces, typically about 100 cubic feet (*ca.* 2.8 m³), with good sealing of airflows for thermal comfort and quietness inside the cabin (Allen et al. 2020). The enclosed and confined spaces used by different individuals in shared passenger vehicles can elevate the risks of virus transmission via respiratory and contact routes, particularly from pre-symptomatic and asymptomatic individuals (Huff and Singh 2020). In a recent commentary with signatories of 237 scientists, Morawska and Milton (2020) pointed out that airborne transmission may occur by microdroplets in human exhalation that can linger in air and pose risks of exposure beyond 1–2 m distance from the source. Ho et al. (2020) measured the concentrations of submicron-sized droplets from human respiration within 1.0 m distance of 211 adults, including 205 confirmed cases of influenza and six suspected cases of COVID-19, in a subcompact-size sedan with windows closed and air conditioner in operation using outside air. When no mask was worn, the mean number concentration of particles within the size range of 20–1000 nm (NC_{0.02–1}) in cabin air (122,182 ± 79,554 particles/cm³) was about five times that of the background (22,874 ± 6,998 particles/cm³). Notably, the study also found a 1–2 time increase in particle concentrations from the background when the person in presence worn a medical or cotton face mask, suggesting common leakages of human respiration from those types of face coverings. In an opinion article (Allen et al. 2020), academics at four US institutions advised the public on the risk of aerosols in passenger vehicles and advocated riders to keep at least one window open at 3 inches (*ca.* 76 mm) as a safety measure in the current pandemic to prevent aerosol accumulation inside the cabin. Transmission may also occur via contact

the commonly touched surfaces in passenger vehicles. These include door handles, windows and window adjusters, seatbelts and buckles, seat adjusters and other interior parts and surfaces within passengers' reach. In an earlier study, Li et al. (2016) collected samples from taxis in a northeastern city in China and found excessive bacterial contamination in 46.7% of the surface samples and 39.2% of the air samples, with even higher rates detected during rush hours. The study also found that the numbers of bacteria identified in taxi samples were significantly higher than those present in samples from buses, possibly due to their small interior spaces and high occupancy rates.

Current policies, guidelines, and gaps

During COVID-19, the World Health Organization (WHO) and Centers for Disease Control and Prevention (CDC) in the U.S. advise the public to wear masks when physical distancing is difficult to maintain, such as when using public transport, in shops or other enclosed spaces, including riding in a car with people outside the household (CDC 2020b; WHO 2020b). In the EU, passengers were advised to wear face masks in transport hubs and vehicles used for collective transport (EU 2020). The CDC recommended drivers of rideshare, taxi, limo or other driver-for-hire vehicles to wear face coverings, and passengers were asked to wear a cloth face covering and cover their mouth and nose with tissues when cough or sneeze and disposed of the tissues after exiting the vehicle (CDC 2020c). Few law enforcements have been put in place to mandate such requirements, particularly on passengers. In the UK, law enforcement was recently introduced in Wales for people

to wear face coverings on taxis, buses and other public transport (Wales 2020). Starting from July 2020, Uber requires its drivers and passengers in the U.S. and Canada to wear a mask or face covering (Brown 2020). Didi, the largest app-based car-hailing platform in China, also implemented mandatory requirements on drivers to wear masks whenever they are in service, and drivers are permitted to refuse passengers who do not wear masks (Didi 2020).

The CDC recommended that commonly touched surfaces in non-emergency transport vehicles, including passenger vans, accessible vans and cars for transportation to receive medical care, should be cleaned with detergent or soap and water and then disinfected with EPA-registered antimicrobial products or alcohol solutions with at least 70% alcohol (CDC 2020d). The US public health agency advised drivers to, as a minimum, perform these procedures at the beginning and end of each shift and between transporting passengers who are visibly sick (CDC 2020d). CarMax, the largest second-hand car trading platform in the U.S., requires disinfection of high-touch surfaces in vehicles traded through the platform during COVID-19 (CarMax 2020). Guazi.com, a popular web portal for buying and selling used cars in China, offered “online contactless car purchase” and required medical-grade ozone and ultraviolet disinfection in vehicles traded on the web site (Wang 2020).

Major gaps, however, exist in current policies and regulatory guidelines on preventing virus transmission in shared transportation vehicles. To begin with, in most places there are no mandatory requirements on wearing masks or face coverings for passengers using taxis, private hire vehicles or sharing vehicles with members outside their households. Such acts would rely on precautions and voluntary acts taken by passengers themselves. Given that commuters constitute the vast majority of people in taxis or other for-hire passenger vehicles, risks remain on the transmission of viruses via respiratory exposure to droplets and aerosols in those confined environments, even if the drivers are required to wear masks or face coverings throughout their services. Meanwhile, the lack of cleaning and disinfecting between drivers' shifts could expose passengers to virus-contaminated contact surfaces inside the vehicle after being touched by asymptomatic or pre-symptomatic individuals. Further, the complex structure of vehicle interiors and passengers with different habits and behaviors, including children, means that gaps would inevitably exist on some touched spots that can be easily overlooked during the routine cleaning and disinfecting. Lastly, the use of chemical disinfectants and the cleaning procedures required both before and after demands time-consuming and labor-intensive manual work, which may present a nuisance for some drivers.

Room-temperature persistence and thermal sensitivity of SARS-CoV-2

The causation agent of the COVID-19 pandemic, the severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2), exhibited prolonged persistence on aerosols and surfaces under room temperature. van Doremalen et al. (2020) first showed that, at 21–23 °C and a relative humidity (RH) of 65%, SARS-CoV-2 remained viable for at least 3 h on aerosol particles. In a more recent study, Fears et al. (2020) also found that SARS-CoV-2 maintained virion integrity and infectivity for up to 16 h on respirable-sized aerosols under similar conditions (21–25 °C and 42%–64% RH). SARS-CoV-2 and other coronaviruses could survive several days on materials similar to those frequently touched surfaces in passenger vehicles. Riddell et al. (2020) showed that at 20 °C and 50% RH, SARS-CoV-2 maintained infectivity for at least 28 days on common surfaces such as glass and stainless steel, which far exceeded the previous findings on the persistence of SARS-CoV-2 on these surfaces under similar conditions (22 °C and 65% RH) (Chin et al. 2020). Chan et al. (2020) further showed that, in a dry state, SARS-CoV-2 maintained viability on glass surfaces for 3–4 days under room temperature (22–25 °C). Although there is a lack of data on the viability of SARS-CoV-2 on environmental surfaces in real-life settings, other coronaviruses, including the SARS-CoV-1 which shares 79.6% of its genome sequences with the novel coronavirus, have shown prolonged survival under various environments in a number of studies (Aboubakr et al. 2020).

While SARS-CoV-2 exhibited prolonged survival on aerosols and various types of surfaces under room temperature, it showed high thermal sensitivity, with fast inactivation observed under elevated temperatures. Chin et al. (2020) incubated SARS-CoV-2 in a virus transport medium for 14 days under different temperatures. The results showed that the novel coronavirus was stable at 4 °C, with only ~0.7-log unit reduction of the infectious titer (~6.8 log TCID₅₀/mL) on day 14. At 56 °C, inactivation was readily effectuated within 30 min, which was further reduced to 5 min at 70 °C. Hessling et al. (2020) used published data and the Arrhenius models on thermal inactivation to calculate the temperature and duration of coronavirus inactivation. The study estimated that, for a 5 log reduction, SARS-CoV-2 could be inactivated within 32.5 min at 60 °C under standard conditions. Abraham et al. (2020) provided estimates on thermal destruction of coronaviruses by lowering viral concentrations to near or below the detectable limit. Based on existing data on exposure temperatures and durations for inactivating coronavirus strains, the study estimated the minimum duration to be 20 min at 50–55 °C, 5 min at 55–60 °C or 3 min above 65 °C for achieving near-complete

destruction of coronaviruses, with 5–7 log reduction and a safety factor recommended for COVID-19.

Solar heating as a passive strategy for disinfecting COVID-19 in passenger vehicles


Apart from using chemical disinfectants, researchers recently explored alternative methods for disinfecting items potentially contaminated by the novel coronavirus, including ultraviolet irradiation (Zhao et al. 2020), ozonation (Blanchard et al. 2020) and electrical heating (Oh et al. 2020). As Nature's biocide, solar radiation disinfects microorganisms via heat and ultraviolet radiation (Castello et al. 2017). Since ancient times, these benefits have been exploited by humankind for water sanitation (Rijal and Fujioka 2001) and more recently for pollutant degradation (Mecha and Chollom 2020; Mousset and Dionysiou 2020) and green synthesis (Patel et al. 2020; Srivastava et al. 2020). In agronomy, soil solarization has been used for the inactivation of pathogens and weeds by placing plastic films on moist soils when the ambient temperature is high. Direct thermal inactivation is thought to be the principal mechanism in such process (Addabbo et al. 2010; Castello et al. 2017). During the current pandemic, solar-based disinfection has the potential to be utilized as a convenient passive approach for inactivating SARS-CoV-2 in large enclosed objects with complex interior structures that may be particularly challenging for performing chemical disinfection. While there has been no study to date, we can exploit the thermal sensitivity of

SARS-CoV-2 to disinfect the interior spaces of enclosed passenger vehicles with suspected COVID-19, by parking them under direct sunlight in a warm or hot weather (Fig. 1), e.g., during summer or in areas with “all-year-round” high temperatures (e.g., tropical countries and regions). In this study, we provide the proof-of-concept on this approach by monitoring the time and spatial profiles of temperatures in a typical four-door passenger vehicle left in an outdoor parking lot under direct sunlight on a warm autumn day, with doors and windows closed.

Experimental

The experimental vehicle was a white-colored, four-door, compact-size sedan (Volkswagen Laida, 2013 model) with transparent windshield, rear and side windows and no sunroof (Fig. 2). For this study, the vehicle was parked under direct sunlight in a vacant parking lot on university campus on a warm autumn day (September 18, 2020), with its doors and windows closed and the front facing west. Weather was sunny with mostly a clear sky throughout the two-hour experiment between 13:40 and 15:40, with a gentle breeze (4 m s^{-1}) from the east. Mercury-in-glass thermometers were hung at four different positions to monitor the time and spatial changes of air temperatures inside the cabin. The four points were located in the front and back seat in a diagonal arrangement to measure air temperatures at both the breathing and knee heights of an average seated

Fig. 2 The experimental vehicle was parked in an outdoor parking lot on the university campus with all doors and windows closed and the front of the vehicle facing west. **a** The vehicle was a white-colored, compact-size sedan (Volkswagen Laida, 2013 model), with a transparent windshield, rear and side windows, with no sunroof on top. **b–d** Frequently touched surfaces by driver and passengers near the front and back seat



adult (170 cm). The experimental vehicle was driven a short distance (~1 km) out from a garage to the designated lot and parked in shade to avoid direct sunlight prior to the beginning of temperature measurements. Temperatures were read manually from each of the thermometers with data recorded every 5 min. Temperatures immediately outside the vehicle were recorded concurrently by reading from a thermometer hung in proximity to the body of the experimental vehicle. Local weather data (Beilin district, Xi'an municipality, Shaanxi, China) provided by AccuWeather were recorded as references on outside air temperature.

Results and discussion

In order to test the ability of viral disinfection by passive solar heating of vehicles, we studied the temperature evolution inside an enclosed white-colored, compact-size sedan parked under direct sunlight on a warm autumn day. Temperature measurements in the experimental vehicle are shown in Fig. 3. After being left in an outdoor parking lot for 90 min, the air temperature reached 51–56 °C at the four points in the cabin, with the highest temperature recorded in the driver's seat at breathing height and the lowest in the back seat at knee height. Temperature increased rapidly ($0.5 \pm 0.1 \text{ } ^\circ\text{C min}^{-1}$) during the first 30–40 min, followed by a steady phase of slower increase in the next 50–60 min. A plateau was observed in all of the four points monitored inside the vehicle after 90 min, after which a nearly constant

temperature difference ($\sim 20 \text{ } ^\circ\text{C}$) was maintained between the outside temperature and air temperatures inside the cabin. Stratification was found in the vehicle interior where the air was maximally 5 °C hotter by moving closer to the front and the upper zone. Oró et al. (2016) found a similar upward temperature gradient in a passenger vehicle exposed under sunlight, where higher air temperatures were measured in the upper zones as well as the horizontal spaces closer to the front of the vehicle. The reason for such a spatial pattern of air temperatures inside the cabin is that both the roof and the windshield of the vehicle received ample direct sunlight irradiation, which also penetrated through the windshield and directly heated up the plastic boards in the front. Although not measured in this study, many of the frequently touched surfaces are likely to register higher temperatures than those measured in the cabin air. Hou (2017) reported that, under direct sunlight, the front instrument panel showed the most rapid increase in temperature inside the vehicle, reaching 56 °C after 18 min and 70 °C after 1 h, at an ambient air temperature of 32–33 °C. Recent studies showed that under these elevated temperatures, the novel coronavirus would be disinfected within several minutes to half an hour (Abraham et al. 2020; Chin et al. 2020; Hessling et al. 2020), making this a viable strategy to passively disinfect COVID-19 in passenger vehicles during warm and hot weather as well as in countries and regions with a tropical climate.

Several factors may affect the results of these measurements. For instance, weather conditions would be one of the determining factors of in-vehicle temperatures. Grundstein




Fig. 3 Air temperature measured in the experimental vehicle during the two-hour experiment. The experiment was performed on a warm autumn day (September 18, 2020) between 13:40 and 15:40, with mostly a clear sky and a gentle breeze from the east (4 m s^{-1}). Mercury-in-glass thermometers were mounted diagonally inside the vehicle to monitor air temperatures in the cabin at the breathing and knee height of an average seated adult (170 cm). Temperatures were

read from the thermometers and recorded manually every 5 min. Outside air temperature was $28.0 \pm 1.0 \text{ } ^\circ\text{C}$ during our experiment, and the temperature immediately outside the body of the vehicle was measured to be $30.5 \text{ } ^\circ\text{C}$ – $34.0 \text{ } ^\circ\text{C}$. Differences were caused by diffuse sunlight and heat radiation from the vehicle after being heated by solar heating

et al. (2009) showed that, on clear days, the highest cabin temperature averaged at 61 °C in spring and 68 °C in summer, while lower cabin temperatures were generally registered in cloudy days, averaging at 50 °C and 58 °C in spring and summer, respectively. Also, dark-colored vehicles are likely to register higher interior temperatures and faster temperature increases under the same environmental conditions. Dadour et al. (2011) measured the inside temperature of two passenger vehicles of an identical model with different colors. The study found that, on a hot summer day, temperatures inside the cabin of the black-colored vehicle were generally 5 °C higher than those measured in the white-colored vehicle. Apart from these, the size of interior space, availability of sunroof on top of the vehicle and sealing of airflows are expected to be additional influencing factors on the temporal and spatial distribution of temperatures in vehicles under solar irradiation. Specifically, compact- and subcompact-size passenger vehicles have larger surface-to-volume ratios, which are likely to have more rapid increases of temperature inside their cabins under direct sunlight. Likewise, vehicles with sunroofs and tight sealings (e.g., for good acoustics) are subject to more rapid temperature increases and higher cabin temperatures under the same conditions.

In the Northern Hemisphere, many people have experienced a hot summer with heat waves while living in the midst of the COVID-19 pandemic. According to the US National Oceanic and Atmospheric Administration (NOAA 2020), the year-to-date global temperatures from January to September 2020 was the second highest on record since 1880, with the hottest nine months witnessed in the Northern Hemisphere tied with 2016. Table 1 lists the average air temperatures recorded at several locations across the Northern Hemisphere, where both high temperatures and significant numbers of newly confirmed cases of COVID-19 were reported in August and September 2020. While the

intensifying temperature extremes indicate climate changes and other wider issues, we can potentially make use of the warmer weather as a practical means of disinfecting COVID-19 in large, enclosed and movable objects, such as automobiles, aircrafts, cruise ships and shipping containers, using solar heating as a passive and chemical-free approach (Fig. 1).

Conclusion

The air heated inside vehicles via solar irradiation could be an efficient disinfecting agent for heat-sensitive pathogens, including SARS-CoV-2, in enclosed passenger vehicles. In-vehicle temperatures (52–57 °C) that could disinfect the novel coronavirus within a short time (20–30 min) was readily achieved by parking a white compact-size sedan under direct sunlight for 90 min with doors and windows closed, on a warm autumn day. Where practical, we advocate solar heating as a passive and chemical-free alternative to current recommendation of chemical disinfectants for disinfecting COVID-19 in passenger vehicles, especially those used for shared transportation services such as taxis, rideshares and other driver-for-hire vehicles. Hot air can infiltrate into areas that are difficult to access by manual cleaning and disinfecting. Compared with the latter, heat disinfection also offers a “cleaner” approach, leaving no hazardous residues on disinfected surfaces or chemical wastes discharged into surrounding environments. In the current pandemic, we also recommend buyers of used vehicles to expose their newly acquired vehicles under direct sunlight for more than two hours during hot or warm weather, with the doors and windows closed, to mitigate the risks of COVID-19 transmission via vehicle-related routes. As a safety precaution, heat-sensitive objects should be removed from the vehicle to avoid damages or safety hazards before the solar heating

Table 1 Monthly averages of air temperatures in selected locations across the Northern Hemisphere reporting high temperatures and significant numbers of newly confirmed COVID-19 infections during August and September 2020

Location	August 1–31, 2020				September 1–30, 2020			
	High	Average	Low	Newly confirmed COVID-19 cases	High	Average	Low	Newly confirmed COVID-19 cases
Los Angeles, CA, USA	32.7	25.2	19.5	50,900	33.1	24.8	18.2	27,800
Miami-Dade, FL, USA	32.6	29.3	25.7	35,700	31.7	28.4	25.7	11,300
Harris, TX, USA	35.6	29.7	23.9	31,700	31.5	26.3	22.6	35,200
Dallas, TX, USA	36.4	30.8	25.5	21,000	29.2	24.3	19.1	10,100
Mumbai, Maharashtra, India	29.5	27.7	25.7	30,474	31.2	28.5	26.1	58,321
Pune, Maharashtra, India	26.6	24.0	22.4	83,175	29.6	25.1	22.2	114,466
Chennai, Tamil Nadu, India	33.7	29.9	26.8	34,720	32.7	28.8	25.6	30,679

Temperature data were obtained from WU (<https://www.wunderground.com>). Statistics on newly confirmed COVID-19 infections were from Johns Hopkins Coronavirus Resource Center (<https://coronavirus.jhu.edu/us-map>) and COVID19 India (<https://www.covid19india.org>)

process. After completing the procedure, it is also advisable to ventilate the hot air to avoid exposure to volatile organic chemicals that may be released from the vehicle interior due to the elevated temperatures maintained inside the vehicle throughout the thermal disinfection process.

Acknowledgement This work was funded by the “Young Talent Support Plan” of Xi’an Jiaotong University.

Compliance with ethical standards

Conflict of interest The authors declare that they have no conflict of interest in this work.

References

- Aoubakr HA, Sharafeldin TA, Goyal SM (2020) Stability of SARS-CoV-2 and other coronaviruses in the environment and on common touch surfaces and the influence of climatic conditions: a review. *Transbound Emerg Dis* 00:1–17. <https://doi.org/10.1111/tbed.13707>
- Abraham JP, Plourde BD, Cheng L (2020) Using heat to kill SARS-CoV-2. *Rev Med Virol* 30:e2115. <https://doi.org/10.1002/rmv.2115>
- Addabbo TD, Miccolis V, Basile M, Candido V (2010) Soil Solarization and Sustainable Agriculture. In: Lichtfouse E (ed) *Sociology, Organic Farming, Climate Change and Soil Science*. Springer, Dordrecht
- Allen J, Spengler J, Corsi R (2020) Is there coronavirus in your car? Here’s how you can protect yourself. <https://www.usatoday.com/story/opinion/2020/04/22/coronavirus-car-protect-yourself-column/5166146002/>. Accessed 25 Oct 2020
- Blanchard EL, Lawrence JD, Noble JA, Xu M, Joo T, Ng NL, Schmidt BE, Santangelo PJ, Finn MG (2020) Enveloped virus inactivation on personal protective equipment by exposure to ozone. *medRxiv*. <https://doi.org/10.1101/2020.05.23.20111435>
- Brown D (2020) ‘No mask. No ride’: uber will require drivers and passengers to wear face masks indefinitely. <https://www.usatoday.com/story/money/2020/07/01/uber-require-face-masks-drivers-and-passengers-indefinitely/5354164002/>. Accessed 25 Oct 2020
- Carmax (2020) Buying and selling a car during COVID-19. <https://www.carmax.com/articles/car-shopping-during-coronavirus>. Accessed 25 Oct 2020
- Castello I, D’Emilio A, Raviv M, Vitale A (2017) Soil solarization as a sustainable solution to control tomato *Pseudomonads* infections in greenhouses. *Agron Sustain Dev* 37:59. <https://doi.org/10.1007/s13593-017-0467-1>
- CDC Centers for Disease Control and Prevention (2020a) How COVID-19 spreads. <https://www.cdc.gov/coronavirus/2019-ncov/prevent-getting-sick/how-covid-spreads.html>. Accessed 25 Oct 2020
- CDC Centers for Disease Control and Prevention (2020b) Protect yourself when using transportation. <https://www.cdc.gov/coronavirus/2019-ncov/daily-life-coping/using-transportation.html>. Accessed 25 Oct 2020
- CDC Centers for Disease Control and Prevention (2020c) What ride-share, taxi, limo, and other passenger drivers-for-hire need to know about COVID-19. <https://www.cdc.gov/coronavirus/2019-ncov/community/organizations/rideshare-drivers-for-hire.html>. Accessed 25 Oct 2020
- CDC Centers for Disease Control and Prevention (2020d) Cleaning and disinfection for non-emergency transport vehicles. <https://www.cdc.gov/coronavirus/2019-ncov/community/organizations/disinfecting-transport-vehicles.html>. Accessed 25 Oct 2020
- Chan KH, Sridhar S, Zhang RR, Chu H, Fung AYP, Chan G, Chan JFW, To KKW, Hung IFN, Cheng VCC, Yuen KY (2020) Factors affecting stability and infectivity of SARS-CoV-2. *J Hosp Infect* 106(2):226–231. <https://doi.org/10.1016/j.jhin.2020.07.009>
- Chin AWH, Chu JTS, Perera MRA, Hui KPY, Yen HL, Chan MCW, Peiris M, Poon LLM (2020) Stability of SARS-CoV-2 in different environmental conditions. *Lancet* 1(1):E10. [https://doi.org/10.1016/S2666-5247\(20\)30003-3](https://doi.org/10.1016/S2666-5247(20)30003-3)
- Dadour IR, Almanjahie I, Fowkes ND, Keady G, Vijayan K (2011) Temperature variations in a parked vehicle. *Forensic Sci Int* 207(1–3):205–211. <https://doi.org/10.1016/j.forsciint.2010.10.009>
- Didi (2020) Passengers without masks may be refused to ride by drivers during COVID-19. <https://www.didiglobal.com/news/newsDetail?id=871&type=blog>. Accessed 25 Oct 2020 (in Chinese)
- EU European Commission (2020) Tourism and transport package. https://ec.europa.eu/commission/presscorner/detail/en/QANDA_20_870. Accessed 25 Oct 2020
- Fears AC, Klimstra WB, Duprex P, Hartman A, Weaver SC, Plante KS, Mirchandani D, Plante JA, Aguilar PV, Fernández D, Nalca A, Totura A, Dyer D, Kearney B, Lackemeyer M, Bohannon JK, Johnson R, Garry RF, Reed DS, Roy CJ (2020) Persistence of severe acute respiratory syndrome Coronavirus 2 in aerosol suspensions. *Emerg Infect Dis* 26:2168–2171. <https://doi.org/10.3201/eid2609.201806>
- Grundstein A, Meentemeyer V, Dowd J (2009) Maximum vehicle cabin temperatures under different meteorological conditions. *Int J Biometeorol* 53:255–261. <https://doi.org/10.1007/s00484-009-0211-x>
- Han J, Zhang Y (2020) Microfiber pillow as a potential harbor and environmental medium transmitting respiratory pathogens during the COVID-19 pandemic. *Ecotox Environ Safe* 205:111177. <https://doi.org/10.1016/j.ecoenv.2020.111177>
- Han J, Zhang X, He SS, Jia PQ (2020) Can the coronavirus disease be transmitted from food? A review of evidence, risks, policies and knowledge gaps. *Environ Chem Lett*. <https://doi.org/10.1007/s10311-020-01101-x>
- He SS, Han J (2020) Electrostatic fine particles emitted from laser printers as potential vectors for airborne transmission of COVID-19. *Environ Chem Lett*. <https://doi.org/10.1007/s10311-020-01069-8>
- Hessling M, Hoenes K, Lingenfelder C (2020) Selection of parameters for thermal coronavirus inactivation—a data-based recommendation. *GMS Hyg Infect Control* 15:Doc16. <https://doi.org/10.3205/dgkh000351>
- Ho KF, Lin LY, Weng SP, Chuang KJ (2020) Medical mask versus cotton mask for preventing respiratory droplet transmission in micro environments. *Sci Total Environ* 735:139510. <https://doi.org/10.1016/j.scitotenv.2020.139510>
- Hou S (2017) Experimental study on temperature features inside cars parking outdoors in summer. *J Beijing Polytech Coll* 16:17–21. <https://doi.org/10.3969/j.issn.1671-6558.2017.01.005> (in Chinese)
- Hu Y (2020) The taxi drivers of 302 have been infected with COVID-19 in the Iranian capital Tehran, and 13 have died. <https://m.news.cctv.com/2020/04/12/ARTIy9dKvx1d1W52JfPRvp8Q200412.shtml>. Accessed 25 Oct 2020 (in Chinese)
- Huff HV, Singh A (2020) Asymptomatic transmission during the coronavirus disease 2019 pandemic and implications for public health strategies. *Clin Infect Dis* ciaa654. <https://doi.org/10.1093/cid/ciaa654>
- Li X, Tian X, Wang R, Wang D, Chen F, Chen Y (2016) Monitoring and analysis of biological safety level of public transportation. *Chin J of Public Health Eng* 15:201–204 (in Chinese)

- Mecha AC, Chollom MN (2020) Photocatalytic ozonation of wastewater: a review. *Environ Chem Lett* 18:1491–1507. <https://doi.org/10.1007/s10311-020-01020-x>
- Morawska L, Milton DK (2020) It is time to address airborne transmission of COVID-19. *Clin Infect Dis* ciaa939. <https://doi.org/10.1093/cid/ciaa939>
- Moussat E, Dionysiou DD (2020) Photoelectrochemical reactors for treatment of water and wastewater: a review. *Environ Chem Lett* 18:1301–1318. <https://doi.org/10.1007/s10311-020-01014-9>
- NOAA National Oceanic and Atmospheric Administration (2020) Earth just had its hottest September on record. <https://www.noaa.gov/news/earth-just-had-its-hottest-september-on-record>. Accessed 25 Oct 2020
- Oh C, Araud E, Puthussery JV, Bai H, Clark GG, Wang L, Verma V, Nguyen TH (2020) Dry heat as a decontamination method for N95 respirator reuse. *Environ Sci Technol Lett* 7:677–682. <https://doi.org/10.1021/acs.estlett.0c00534>
- ONS Office for National Statistics (2020) Coronavirus (COVID-19) related deaths by occupation, England and Wales: deaths registered between 9 March and 25 May 2020. <https://www.ons.gov.uk/peoplepopulationandcommunity/healthandsocialcare/causesofdeath/bulletins/coronaviruscovid19relateddeathsbyoccupationenglandandwales/deathsregisteredbetween9marchand25may2020>. Accessed 25 Oct 2020
- Oró E, de Jong E, Cabeza LF (2016) Experimental analysis of a car incorporating phase change material. *J Energy Storage* 7:131–135. <https://doi.org/10.1016/j.est.2016.05.003>
- Patel KP, Kamble SS, Boraste DR, Shankarling GS (2020) Green transamidation catalysed by graphene oxide under concentrated solar irradiation. *Environ Chem Lett* 18:1731–1735. <https://doi.org/10.1007/s10311-020-01034-5>
- Pongpirul WA, Pongpirul K, Ratnarathorn AC, Prasithsirikul W (2020) Journey of a Thai taxi driver and novel Coronavirus. *N Engl J Med* 382:1067–1068. <https://doi.org/10.1056/NEJMc2001621>
- Riddell S, Goldie S, Hill A, Eagles D, Drew TW (2020) The effect of temperature on persistence of SARS-CoV-2 on common surfaces. *Virology* 17:145. <https://doi.org/10.1186/s12985-020-01418-7>
- Rijal GK, Fujioka RS (2001) Synergistic effect of solar radiation and solar heating to disinfect drinking water sources. *Water Sci Technol* 43(12):155–162. <https://doi.org/10.2166/wst.2001.0728>
- Sharma VK, Jinadatha C, Lichtfouse E (2020) Environmental chemistry is most relevant to study coronavirus pandemics. *Environ Chem Lett* 18:993–996. <https://doi.org/10.1007/s10311-020-01017-6>
- Srivastava RK, Shetti NP, Reddy KR, Aminabhavi TM (2020) Biofuels, biodiesel and biohydrogen production using bioprocesses. A review. *Environ Chem Lett* 18:1049–1072. <https://doi.org/10.1007/s10311-020-00999-7>
- Statista (2020) New and used light vehicle sales in the United States from 2010 to 2019 (in million units). <https://www.statista.com/statistics/183713/value-of-us-passenger-cas-sales-and-lease-since-1990/>. Accessed 25 Oct 2020
- Sun SY, Han J (2020) Unflushable or missing toilet paper, the dilemma for developing communities during the COVID-19 episode. *Environ Chem Lett*. <https://doi.org/10.1007/s10311-020-01064-z>
- van Doremalen N, Bushmaker T, Morris DH, Holbrook MG, Gamble A, Williamson BN, Tamin A, Harcourt JL, Thornburg NJ, Gerber SI, Lloyd-Smith JO, de Wit E, Munster VJ (2020) Aerosol and surface stability of SARS-CoV-2 as compared with SARS-CoV-1. *N Engl J Med* 382:1564–1567. <https://doi.org/10.1056/NEJMc2004973>
- Wales (2020) Coronavirus regulations: frequently asked questions. <https://gov.wales/coronavirus-regulations-guidance>. Accessed 25 Oct 2020
- Wang LL (2020) Guazi used cars online "no contact to buy cars", the platform to sell cars with professional disinfection. *The Beijing News*. <https://xw.qq.com/cmsid/20200219A0MF6800>. Accessed 25 Oct 2020
- Wang X, Han J, Lichtfouse E (2020) Unprotected mothers and infants breastfeeding in public amenities during the COVID-19 pandemic. *Environ Chem Lett* 18:1447–1450. <https://doi.org/10.1007/s10311-020-01054-1>
- WHO World Health Organization (2020a) Advice on the use of masks in the context of COVID-19 Interim guidance 5 June 2020. https://apps.who.int/iris/bitstream/handle/10665/332293/WHO-2019-nCov-IPC_Masks-2020.4-eng.pdf. Accessed 25 Oct 2020
- WHO World Health Organization (2020b) WHO Director-General's opening remarks at the media briefing on COVID-19 - 5 June 2020. <https://www.who.int/dg/speeches/detail/who-director-general-s-opening-remarks-at-the-media-briefing-on-covid-19---5-june-2020>. Accessed 25 Oct 2020
- Zhao Z, Zhang Z, Lanzarini-Lopes M, Sinha S, Rho H, Herckes P, Westerhoff P (2020) Germicidal ultraviolet light does not damage or impede performance of N95 masks upon multiple uses. *Environ Sci Technol Lett* 7:600–605. <https://doi.org/10.1021/acs.estlett.0c00416>

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.