



## Correction to: Down from the treetops: red langur (*Presbytis rubicunda*) terrestrial behavior

Susan M. Cheyne<sup>1,2</sup>  · Supiansyah<sup>1</sup> · Adul<sup>1</sup> · Claire J. Neale<sup>1</sup> · Carolyn Thompson<sup>1</sup> · Cara H. Wilcox<sup>1</sup> · Yvette C. Ehlers Smith<sup>1,3</sup> · David A. Ehlers Smith<sup>1,3</sup>

Published online: 9 August 2018  
© Japan Monkey Centre and Springer Japan KK, part of Springer Nature 2018

**Correction to: Primates**  
<https://doi.org/10.1007/s10329-018-0676-5>

In the original publication of this article, the Table 2 was published incorrectly. The revised Table 2 is given on the following page.

---

The original article can be found online at <https://doi.org/10.1007/s10329-018-0676-5>.

---

✉ Susan M. Cheyne  
[s.cheyne@borneonature.org](mailto:s.cheyne@borneonature.org)

<sup>1</sup> Borneo Nature Foundation, Jl. Bukit Raya Induk No. 82, Palangka Raya, Indonesia

<sup>2</sup> Faculty of Humanities, Social Sciences and Law, Oxford Brookes University, Oxford, UK

<sup>3</sup> University of KwaZulu-Natal, School of Life Sciences, Private Bag X01, Scottsville, Pietermaritzburg 3209, South Africa

**Table 2** Number of independent photos of red langurs on the ground across all sites as detected by the cameras

|                       | Habitat   | Total images/<br>sightings | Logging status/age<br>(years) | Fire | Hunting |
|-----------------------|---|----------------------------|-------------------------------|------|---------|
| Bawan 2010            | Kerangas/ombrogenous peat-swamp forest (PSF) mosaic | 3                          | Current                       | Y    | Y       |
| Bawan 2012            | Kerangas/ombrogenous peat-swamp forest (PSF) mosaic | 8                          | Current                       | Y    | Y       |
| Sabangau <sup>a</sup> | Ombrogenous PSF                                     | 3 (37)                     | > 10                          | Y    | Y       |
| Murung Raya           | Lowland montane                                     | 1                          | > 10                          | N    | Y       |
| Kutai                 | Lowland dipterocarp                                 | 0                          | > 10                          | N    | Y       |
| Sungai Wain           | Alluvial peat-swamp forest                          | 0                          | > 20                          | N    | N       |
| Mungku Baru           | Kerangas/ombrogenous peat-swamp forest (PSF) mosaic | 21                         | > 20                          | Y    | Y       |
| Lesan                 | Lowland dipterocarp                                 | 40                         | > 20                          | N    | Y       |
| Belantikan            | Lowland dipterocarp                                 | 1                          | > 20                          | Y    | Y       |

0 = not detected. Fire and hunting: Y = has occurred and/or still occurring, N = has never occurred. Logging status: current = ongoing, > 10 = logging occurred more than 10 years ago but has stopped, > 20 = logging occurred more than 20 years ago but has stopped

<sup>a</sup>Sabangau data are from the 6-month comparison survey period, data in brackets are numbers from the full 7 years of survey (Adul et al. 2015)