



ERRATUM

## Erratum to: Comparison of microincision vitrectomy and conventional 20-gauge vitrectomy for severe proliferative diabetic retinopathy

Reiji Yokota<sup>1</sup> · Makoto Inoue<sup>1</sup> · Yuji Itoh<sup>1</sup> · Toshio Rii<sup>1,2</sup> · Kazunari Hirota<sup>1</sup> · Akito Hirakata<sup>1</sup>

Published online: 8 September 2015  
© Japanese Ophthalmological Society 2015

**Erratum to: Jpn J Ophthalmol**  
**DOI 10.1007/s10384-015-0396-y**

Throughout this article, “microinscion”, “screlotomy”, and “screlotomies” should read “microincision”, “sclerotomy”, and “sclerotomies”, respectively.

---

The online version of the original article can be found under  
doi:[10.1007/s10384-015-0396-y](https://doi.org/10.1007/s10384-015-0396-y).

✉ Makoto Inoue  
inoue@eye-center.org

<sup>1</sup> Kyorin Eye Center, Kyorin University School of Medicine,  
6-20-2 Shinkawa, Mitaka, Tokyo 181-8611, Japan

<sup>2</sup> Department of Ophthalmology, Shin Kong Wu Ho-Su  
Memorial Hospital, Taipei, Taiwan