



On the economic growth and environmental trade-off: a multi-objective analysis

Simone Marsiglio¹ · Fabio Privileggi²

Published online: 8 April 2019

© Springer Science+Business Media, LLC, part of Springer Nature 2019

Abstract

We develop a multicriteria approach, based on both scalarization and goal programming techniques, in order to analyze the trade off between economic growth and environmental outcomes in a framework in which the economy and environment relation is bidirectional. On the one hand, economic growth by stimulating production activities gives rise to emissions of pollutants which deteriorate the environment. On the other hand, the environment affects economic activities since pollution generates a production externality determining how much output the economy can produce and reducing welfare. In this setting we show that optimality dictates an initial overshooting followed by economic degrowth and rising pollution. This implies that independently of the relative importance of economic and environmental factors, it is paradoxically optimal for the economy to asymptotically reach the maximum pollution level that the environment is able to bear.

Keywords Economic growth · Pollution · Multi-objective optimization

JEL Classification O40 · O41 · Q50 · Q56

1 Introduction

Since the first debates around sustainable development, it has been widely recognized the existence of a clear trade off between economic growth and environmental preservation (WCED 1987). Indeed, in order to allow for higher and higher output per capita to be reached, economic growth requires the level of production activities to consistently increase over time, generating thus rising pressure on the natural environment through the pollutant emissions generated as a side-product of production. However, the health of the natural environment

✉ Simone Marsiglio
simone.marsiglio@unipi.it

Fabio Privileggi
fabio.privileggi@unito.it

¹ Department of Economics and Management, University of Pisa, via Cosimo Ridolfi 10, 56124 Pisa, Italy

² Department of Economics and Statistics “Cognetti de Martiis”, University of Turin, Torino, Italy

plays also a vital role in economic activities by feeding back into production capabilities, since pollutant emissions tend to reduce the amount of output the economy can produce for a given level of production factors. Understanding the nature of such a mutual relation between economic growth and environmental outcomes has been the main focus of a large and growing economics literature (see Xepapadeas 2005; Brock and Taylor 2005; for some recent surveys). Several papers either analyze the extent to which it is possible to reconcile economic growth and environmental preservation by pursuing specific win-win policies (Porter and van der Linde 1995; Ansuategi and Marsiglio 2017; Marsiglio 2017), or discuss how the nature of the economy-environment relation is complicated further by the presence of uncertainty in environmental or economic dynamics (Soretz 2007; Athanassoglou and Xepapadeas 2012; La Torre et al. 2017) and transboundary externalities associated with pollution diffusion (Ansuategi and Perrings 2000; La Torre et al. 2015; de Frutos and Martín-Herran 2018), or argue why the economic growth and environment relation is nonmonotonic and specifically U-shaped (John and Pecchenino 1994; Stokey 1998; Marsiglio et al. 2016).

Several of these works, from different points of view, stress that the feedback effects between economic and environmental activities are particularly complicated and difficult to predict. Some even suggest that effectively resolving the economic and environmental trade off is unlike and thus it is imperative that economies start a process of degrowth to ensure the viability of the natural environment (Georgescu-Roegen 1971, 1977; Latouche 2009; Kallis et al. 2012). Such degrowth arguments emphasize that from an ecological perspective reducing the size of economic production and consumption activities is not only desirable but also to a large extent inevitable. Given the uncertainty in environmental and economic dynamics, understanding whether this is actually the case is not simple but still its possibility suggests that effectively planning sustainable development critically requires policymakers to consider not only economic goals but also environmental goals when determining their policy interventions. A natural method to do so consists of relying on a multicriteria approach in which economic and environmental factors can be simultaneously accounted for in the definition of the objective function that policymakers wish to optimize (see Roy and Vincke 1981, for a concise discussion of the basis of multicriteria analysis). Despite the popularity of multicriteria methods in environmental sciences and other disciplines (see Ballesterio and Romero 1998; Greco et al. 2016, for some detailed surveys), only few attempts to introduce such an approach in economics have been made thus far (Colapinto et al. 2017a, b; Marsiglio and La Torre 2018). Specifically, Colapinto et al. (2017a, b) analyze numerically through both scalarization and goal programming approaches the intergenerational issues associated with sustainable development. Marsiglio and La Torre (2018) rely on a scalarization technique to analyze explicitly how uncertainty in environmental quality affects optimal policymaking. In this paper we wish to contribute to this scant literature by developing a simple multicriteria approach to analyze the mutual relation between economic growth and environmental outcomes. Specifically, we consider a bicriteria problem in which the social planner cares both for economic and environmental goals, quantified by the consumption level and the pollution stock, respectively.

The paper most closely related to ours is Marsiglio and La Torre's (2018), which shows that a typical macroeconomic model can be interpreted as a multicriteria problem, in which the vectorial objective function is scalarized through some parameters representing the weight attached to the different goals in such an objective function. Such a link between traditional macroeconomic frameworks and multicriteria methods is very convenient since it allows to bridge the economics and operational research literature, showing how the two disciplines can borrow from each other in order to improve their approach to deal with real world problems. Different from Marsiglio and La Torre (2018) in which the relation between economy and

environment is unidirectional (i.e., economic production determines the level of pollution deteriorating environmental quality), in our setup such a relation is bidirectional (i.e., economic activities determine pollution but also pollution affects economic production through an externality effect). We show that in such a framework, independently of the weight attached to the economic and environmental goals, optimality dictates (after an initial overshooting) economic degrowth accompanied by rising pollution. This introduces a novel scenario, not yet considered in the literature, which envisages decumulation of capital together with an increasing pollution stock, thus suggesting that, different from what discussed in the degrowth literature, economic degrowth is neither always optimal nor an obvious solution to environmental problems. Indeed, the economy will asymptotically reach the maximum pollution level that the environment can effectively bear. Such a paradoxical result is intuitively due to the fact that at the end of the planning horizon (i.e., asymptotically) the environment does not have any value left and as such it is convenient to exploit it as much as possible in order to boost finite-time consumption. This type of conclusion is somehow implicit in the definition of the objective function which, by being based on a discounted utilitarian approach, does not attach any value to asymptotic quantities, and this is the reason why several works argue that in order to deal with issues related to sustainability it would be best to review such a discounted utilitarian specification of the objective function (Ramsey 1928; von Weizacker 1967; Chinchilnisky et al. 1995; Chinchilnisky 1997).

The paper proceeds as follows. Section 2 introduces our model which consists of a bicriteria problem in which the social planner, who cares for both economic and environmental factors, needs to determine the level of consumption and the technology level to employ in production activities by accounting for the two-ways relation between economic and environmental outcomes. Section 3 analyzes the problem through a scalarization technique, by presenting a reduction of the model which allows to substantially simplify the analysis and derive closed-form solutions for the optimal policies and the optimal dynamic paths, along with the efficient frontier and social welfare. Our results show that, independently of the relative weight of economic and environmental goals, capital will initially overshoot its long run level in order to then decrease over time, while pollution will monotonically increase during the transition towards the long run equilibrium. This implies that it is optimal for the economy to asymptotically reach the maximum pollution level that the environment is able to bear. Section 4 analyzes the problem through a weighted goal programming approach, by employing the analytical results derived through scalarization in order to define the goals for the two objectives. We show that the results are qualitatively similar to those obtained under a scalarization technique, even if the goal programming solution favors the environmental goal and disadvantages the economic one with respect to the scalarized solution. Section 5 presents concluding remarks and proposes directions for future research. Technicalities are postponed to “Appendix A”.

2 The model

We consider a discrete-time Ramsey-type (1928) model of optimal growth where the social planner, by taking into account economic and environmental constraints, chooses the level of consumption, $c_t \geq 0$, and a technology level, $0 \leq z_t \leq \bar{z}$ with \bar{z} measuring the maximal technology level available, in an attempt to simultaneously achieve two conflicting goals, related to economic and environmental performance respectively. The planner’s objective function is thus characterized by a bicriteria functional, in which each criterion is rep-

resented by the infinite discounted ($0 < \beta < 1$ is the rate of time preference) sum of the instantaneous utilities associated with the respective goal, given by consumption and environmental quality, $\bar{p} - p_t$, where $p_t \geq 0$ denotes the level of pollution and $\bar{p} > 0$ the maximal pollution level that the environment can bear. The instantaneous utility functions associated with consumption and environmental quality are assumed to be logarithmic, $u_c(c_t) = \ln c_t$ and $u_p(p_t) = \ln(\bar{p} - p_t)$, respectively; note that the utility associated with the environmental quality decreases with pollution, which deteriorates the environment. Capital, $k_t \geq 0$, accumulation is given by the difference between total net output (i.e., output adjusted for the technology level and net of depreciation), $y_t > 0$ and consumption: $k_{t+1} = y_t + (1 - \delta)k_t - c_t$, where $0 < \delta < 1$ is the depreciation rate. Total output is the product between output, $q_t > 0$, and the technology level given by z_t . Output is produced through a Cobb–Douglas production function using capital as its only input, $q_t = D_t k_t^\alpha$, where $0 < \alpha < 1$ represents the capital share of GDP, and D_t is the production externality associated with pollution. Pollution decreases the amount of output the economy through the following damage function $D_t = (1 + p_t)^{-\phi}$, where $\phi > 0$ denotes the elasticity of the damage function effectively reducing output. Pollution accumulation is given by the difference between flow emissions, e_t , and the natural pollution absorption as follows: $p_{t+1} = e_t + (1 - \eta)p_t$, where $0 < \eta < 1$ represents the natural pollution decay rate. Emissions are proportional to total output according to $e_t = \mu y_t$, where $\mu > 0$ measures the environmental inefficiency of economic production activities. As pollution negatively affects both utility—through the term $u_p(p_t) = \ln(\bar{p} - p_t)$ —and production—through the term $D_t = (1 + p_t)^{-\phi}$ —the social planner chooses the technology level $0 \leq z_t \leq \bar{z}$ in order to contain the pollution level p_t . Hence, total output turns out to be given by $y_t = z_t (1 + p_t)^{-\phi} k_t^\alpha$. The planner can choose between a continuum of technology levels $0 \leq z_t \leq \bar{z}$ determining thus, given the capital and pollution stocks, the level of total output. Note that total output reaches its maximum potential in a pristine environment, i.e., when there is no pollution, $p_t = 0$, in which case total output equals $y_t = k_t^\alpha$ when there is full capacity in production and the technology level is equal to unity, that is $z_t = 1$. A higher (lower) technology level $z_t > 1$ ($z_t < 1$) allows to increase (decrease) total output favoring (deteriorating) capital accumulation but also to increase (reduce) emissions increasing (decreasing) pollution accumulation and thus deteriorating (improving) environmental quality.

Note that our setting envisages only capital, k_t , and pollution, p_t , accumulation and thus rules out endogenous growth. Indeed there is a maximum capital level, $\bar{k} > 0$, that can be sustained in the long run; that is, if the initial capital level, k_0 , lies above \bar{k} , then capital is doomed to decrease over time eventually converging to some steady value $k^s \leq \bar{k}$. Keeping this observation in mind, and noting that the environmental quality, measured by $\bar{p} - p_t$, cannot improve beyond the level \bar{p} , corresponding to zero pollution, without loss of generality we simplify notation by normalizing such level to one, that is, we set $\bar{p} \equiv 1$. As when $p_t = \bar{p} \equiv 1$ the utility associated with environmental quality $u_p(p_t) = \ln(1 - p_t)$ tends to minus infinity, we consider such an extreme event as unsustainable for the economy from the quality of life perspective; on the other hand, when $p_t = 0$ the economy enjoys a *pristine environment* associated to zero utility, $u_p(0) = 0$. In the following, thus, we shall consider only values of pollution stock between 0 and 1: $0 \leq p_t \leq 1$.

The social planner's problem consists thus of choosing c_t and z_t in order to maximize the following concave bicriteria functional, given the capital and pollution dynamic constraints, and initial conditions, $k_0 > 0$ and $p_0 \geq 0$:

$$\begin{aligned}
 \max_{\{c_t, z_t\}_{t=0}^{\infty}} J = [J_1, J_2] &= \left[\sum_0^{\infty} \beta^t \ln c_t, \sum_0^{\infty} \beta^t \ln (1 - p_t) \right] \\
 \text{s.t.} \quad &\begin{cases} k_{t+1} = z_t (1 + p_t)^{-\phi} k_t^{\alpha} + (1 - \delta) k_t - c_t \\ p_{t+1} = \mu z_t (1 + p_t)^{-\phi} k_t^{\alpha} + (1 - \eta) p_t \\ k_t, p_t, c_t, z_t \geq 0, p_t \leq 1, z_t \leq \bar{z}; k_0, p_0 \text{ given.} \end{cases} \quad (1)
 \end{aligned}$$

Note that the level of consumption, c_t , and of the technology level, z_t , impact on both the two (economic and environmental) criteria: a higher consumption level is directly beneficial for the economic goal J_1 and, by determining the capital stock available in the future and therefore the level of pollution, indirectly impacts on the environmental goal J_2 as well. A higher technology level allows to produce more and thus increases consumption possibilities but at the same time increases pollution, contributing thus indirectly to both the first and the second goals. The social planner by optimally choosing consumption and the technology level needs to balance their effects on the two goals determining the best compromise between them.

We now propose two alternative solution methods, based on a scalarization and a goal programming approach, respectively. We focus on the scalarization method first since, as it will become more clear later, it allows to derive an analytical solution which can be used to inform the goal programming method, whose solution is instead based on numerical analysis.

3 Scalarization

The bicriteria problem in (1) can be simplified by means of a linear scalarization technique as follows:

$$\begin{aligned}
 \max_{\{c_t, z_t\}_{t=0}^{\infty}} \sum_0^{\infty} \beta^t [v_c \ln c_t + v_p \ln (1 - p_t)] \\
 \text{s.t.} \quad &\begin{cases} k_{t+1} = z_t (1 + p_t)^{-\phi} k_t^{\alpha} + (1 - \delta) k_t - c_t \\ p_{t+1} = \mu z_t (1 + p_t)^{-\phi} k_t^{\alpha} + (1 - \eta) p_t \\ k_t, p_t, c_t, z_t \geq 0, p_t \leq 1, z_t \leq \bar{z}; k_0, p_0 \text{ given,} \end{cases} \quad (2)
 \end{aligned}$$

where $v_c > 0$ and $v_p > 0$ measure the weight of each goal in the planner’s problem. By defining $\theta = v_p/v_c > 0$, and using the linearity properties of the summation operators, the scalarized problem turns out to be completely equivalent to the following:

$$\begin{aligned}
 \max_{\{c_t, z_t\}_{t=0}^{\infty}} W = \sum_0^{\infty} \beta^t [\ln c_t + \theta \ln (1 - p_t)] \quad (3) \\
 \text{s.t.} \quad &\begin{cases} k_{t+1} = z_t (1 + p_t)^{-\phi} k_t^{\alpha} + (1 - \delta) k_t - c_t \\ p_{t+1} = \mu z_t (1 + p_t)^{-\phi} k_t^{\alpha} + (1 - \eta) p_t \\ k_t, p_t, c_t, z_t \geq 0, p_t \leq 1, z_t \leq \bar{z}; k_0, p_0 \text{ given.} \end{cases} \quad (4)
 \end{aligned}$$

Similar to what discussed in Marsiglio and La Torre (2018), note that the scalarized objecting function represents social welfare, W , which is the typical objective function in traditional macroeconomic settings, in a context where the social planner’s instantaneous utility function depends additively on consumption and environmental quality: $u(c_t, p_t) = \ln c_t + \theta \ln (1 - p_t)$, with θ representing the green preference parameter.

In order to find the closed-form solution for the above problem (3) we first reduce the model by eliminating the control variables c_t and z_t . From the first dynamic constraint in (4) we get

$$c_t = z_t (1 + p_t)^{-\phi} k_t^\alpha + (1 - \delta) k_t - k_{t+1}, \tag{5}$$

which, as $c_t \geq 0$, implies that capital must satisfy

$$0 \leq k_{t+1} \leq z_t (1 + p_t)^{-\phi} k_t^\alpha + (1 - \delta) k_t. \tag{6}$$

From the second dynamic constraint in (4) we get

$$\mu z_t (1 + p_t)^{-\phi} k_t^\alpha = p_{t+1} - (1 - \eta) p_t \iff z_t = (1 + p_t)^\phi k_t^{-\alpha} \left(\frac{1}{\mu} p_{t+1} - \frac{1 - \eta}{\mu} p_t \right), \tag{7}$$

which must satisfy $0 \leq z_t \leq \bar{z}$, that is:

$$z_t \geq 0 \iff p_{t+1} \geq (1 - \eta) p_t \quad \text{and} \quad z_t \leq \bar{z} \iff p_{t+1} \leq \mu \bar{z} (1 + p_t)^{-\phi} k_t^\alpha + (1 - \eta) p_t.$$

On the other hand, recall that $p_t \leq 1$ must hold for all $t \geq 0$, which will be the prevalent constraint in the reduced form of problem (3). Therefore, using the second constraint in (4),

$$p_{t+1} = \mu z_t (1 + p_t)^{-\phi} k_t^\alpha + (1 - \eta) p_t \leq 1 \iff z_t \leq \frac{(1 + p_t)^\phi k_t^{-\alpha} [1 - (1 - \eta) p_t]}{\mu} \tag{8}$$

must be satisfied. The last inequality in (8) suggests that the upper bound \bar{z} on the technology level should be sufficiently large in order to always allow the social planner to choose a control value z_t yielding a p_{t+1} value arbitrarily close to 1 from below. In Proposition 1 we shall assume that \bar{z} is large enough to guarantee the existence of an interior solution; more specifically, by adding some more restrictions on the initial stock values k_0 and p_0 , $p_t < 1$ will hold for all $t \geq 0$. For now, we can safely claim that the admissible range for p_{t+1} is

$$(1 - \eta) p_t \leq p_{t+1} \leq 1. \tag{9}$$

Replacing z_t as in the second equation of (7) into (6) we obtain the admissible range for capital,

$$0 \leq k_{t+1} \leq \frac{1}{\mu} p_{t+1} - \frac{1 - \eta}{\mu} p_t + (1 - \delta) k_t,$$

while replacing the same z_t into (5) we obtain the expression of consumption in terms of the state variables,

$$c_t = \frac{1}{\mu} p_{t+1} - \frac{1 - \eta}{\mu} p_t + (1 - \delta) k_t - k_{t+1}, \tag{10}$$

so that we may state the reduced problem associated with (3):

$$V(k_0, p_0) = \max_{\{k_t, p_t\}_{t=0}^\infty} \sum_0^\infty \beta^t \left\{ \ln \left[\frac{1}{\mu} p_{t+1} - \frac{1 - \eta}{\mu} p_t + (1 - \delta) k_t - k_{t+1} \right] + \theta \ln(1 - p_t) \right\} \tag{11}$$

$$\text{s.t.} \begin{cases} 0 \leq k_{t+1} \leq \frac{1}{\mu} p_{t+1} - \frac{1 - \eta}{\mu} p_t + (1 - \delta) k_t \\ 0 \leq (1 - \eta) p_t \leq p_{t+1} \leq 1 \\ k_0, p_0 \text{ given.} \end{cases} \tag{12}$$

Note that under our assumptions problem (11) is characterized by a short-run utility in which both logarithms are linear in the state variables $k_t, p_t, k_{t+1}, p_{t+1}$; hence, the objective function is concave. Moreover, the range for both k_{t+1} and p_{t+1} in (12) turns out to be linear, which leads to the following lemma.

Lemma 1 *The compact correspondence*

$$\Gamma(k, p) = \left\{ (k', p') \in \mathbb{R}_+^2 : [(1 - \eta) p \leq p' \leq 1] \wedge \left[k' \leq \frac{1}{\mu} p' - \frac{1 - \eta}{\mu} p + (1 - \delta) k \right] \right\} \tag{13}$$

has a convex graph.

Hence, we can claim that problem (11) under the dynamic constraints (12) is concave. This ensures the sufficiency of the first order conditions that we will derive to characterize its optimal solution.

3.1 Equilibrium analysis

The Bellman equation associated with (11) is

$$V(k, p) = \max_{(k', p') \in \Gamma(k, p)} \left\{ \ln \left[\frac{1}{\mu} p' - \frac{1 - \eta}{\mu} p + (1 - \delta) k - k' \right] + \theta \ln(1 - p) + \beta V(k', p') \right\}, \tag{14}$$

where $\Gamma(k, p)$ is the correspondence describing the feasible values for (k', p') defined in (13). Next proposition fully characterizes the solution of our optimization problem (the proofs of the proposition and other results, along with further technical details, are presented in “Appendix A”).

Proposition 1 *Assume that the following conditions on parameters and on the arguments of the value function, (k, p) , hold:*

$$\bar{z} = \frac{2^\phi}{\mu} \max \left\{ \frac{1}{k}, \frac{\mu \delta}{\eta} \right\} \tag{15}$$

$$\eta > \frac{1 - \beta}{2} + \delta, \tag{16}$$

$$k > \frac{1 - \eta}{\mu(1 - \delta)} p + \frac{\eta - \delta}{\mu \delta(1 - \delta)}, \tag{17}$$

$$k < -\frac{\beta \theta [\beta(1 - \delta) - (1 - \eta)] + \eta - \delta}{\mu \beta \theta (1 - \beta)(1 - \delta)^2} (1 - \eta) p + \frac{[\beta \theta (1 - \beta) + \delta(1 + \beta^2 \theta)](\eta - \delta)}{\mu \beta \theta \delta (1 - \beta)(1 - \delta)^2}. \tag{18}$$

Then,

1. the solution of the Bellman equation (14) is the function

$$V(k, p) = \rho_1 + \rho_2 \ln(\rho_3 k + \rho_4 p + \rho_5) + \rho_6 \ln(1 - p), \tag{19}$$

where

$$\begin{aligned} \rho_1 = & -\frac{\ln \mu}{1 - \beta} - \frac{1 + \beta \theta}{1 - \beta} \ln \left(\frac{1 + \beta \theta}{1 - \beta} \right) - \frac{\beta \theta}{1 - \beta} \ln(\eta - \delta) + \frac{\beta + \beta \theta}{(1 - \beta)^2} \ln[\beta(1 - \delta)] \\ & + \frac{\beta \theta}{1 - \beta} \ln \theta, \end{aligned} \tag{20}$$

$$\rho_2 = \frac{1 + \beta\theta}{1 - \beta}, \quad \rho_3 = \mu(1 - \delta), \quad \rho_4 = -(1 - \eta), \quad \rho_5 = -\frac{\eta - \delta}{\delta}, \quad \rho_6 = \theta; \quad (21)$$

2. the optimal dynamics of capital and pollution are given by

$$k_{t+1} = \gamma_1 k_t + \gamma_2 p_t + \gamma_3 \tag{22}$$

$$p_{t+1} = \gamma_4 k_t + \gamma_5 p_t + \gamma_6, \tag{23}$$

where

$$\begin{aligned} \gamma_1 &= \frac{\theta[\beta(1 - \delta) - (1 - \eta)] + \eta - \delta}{(\eta - \delta)(1 + \beta\theta)} \beta(1 - \delta), \\ \gamma_2 &= -\frac{\theta[\beta(1 - \delta) - (1 - \eta)] + \eta - \delta}{(\eta - \delta)(1 + \beta\theta)} \beta \left(\frac{1 - \eta}{\mu} \right), \\ \gamma_3 &= \frac{\beta[\delta(2\eta - \theta - \delta) - \beta\theta(1 - \delta)(\eta - \delta) - \eta(\eta - \theta)] + \eta(\eta - \delta)}{\mu\delta(\eta - \delta)(1 + \beta\theta)}, \\ \gamma_4 &= -\frac{\mu\beta\theta(1 - \beta)(1 - \delta)^2}{(\eta - \delta)(1 + \beta\theta)}, \quad \gamma_5 = \frac{\beta\theta(1 - \beta)(1 - \delta)(1 - \eta)}{(\eta - \delta)(1 + \beta\theta)}, \\ \gamma_6 &= \frac{\beta^2\theta[\delta(1 + \eta - \delta) - \eta] + (\beta\theta + \delta)(\eta - \delta)}{\delta(\eta - \delta)(1 + \beta\theta)}; \end{aligned}$$

3. the corresponding optimal policy for consumption and the technology level are given by

$$c_t = \gamma_1^c k_t + \gamma_2^c p_t + \gamma_3^c \tag{24}$$

$$z_t = (1 + p_t)^\phi k_t^{-\alpha} (\gamma_1^z k_t + \gamma_2^z p_t + \gamma_3^z), \tag{25}$$

where

$$\begin{aligned} \gamma_1^c &= \frac{\gamma_4}{\mu} - \gamma_1 + 1 - \delta = \frac{(1 - \beta)(1 - \delta)}{(1 + \beta\theta)}, \\ \gamma_2^c &= \frac{\gamma_5 - (1 - \eta)}{\mu} - \gamma_2 = -\frac{(1 - \beta)(1 - \eta)}{\mu(1 + \beta\theta)}, \\ \gamma_3^c &= \frac{\gamma_6}{\mu} - \gamma_3 = -\frac{(1 - \beta)(\eta - \delta)}{\mu\delta(1 + \beta\theta)}, \quad \gamma_1^z = \frac{\gamma_4}{\mu} = -\frac{\beta\theta(1 - \beta)(1 - \delta)^2}{(\eta - \delta)(1 + \beta\theta)}, \\ \gamma_2^z &= \frac{\gamma_5 - (1 - \eta)}{\mu} = \frac{\beta\theta[1 - \eta - \beta(1 - \delta)] - (\eta - \delta)}{\mu(\eta - \delta)(1 + \beta\theta)} (1 - \eta), \\ \gamma_3^z &= \frac{\gamma_6}{\mu} = \frac{\beta\theta[1 - \beta(1 - \delta)] + \delta}{\mu\delta(1 + \beta\theta)}; \end{aligned}$$

4. in the long run the economy will converge to its unique non-trivial (asymptotic) steady state (k^s, p^s, c^s, z^s) with coordinates

$$k^s = \frac{\eta}{\mu\delta}, \quad p^s = 1, \quad c^s = 0, \quad z^s = 2^\phi \delta^\alpha \left(\frac{\eta}{\mu} \right)^{1-\alpha}. \tag{26}$$

The first condition (15) allows for inequality (8) to hold for the optimal dynamics defined by (22) and (23), that is, it guarantees a range for the technology level z_t sufficiently large so that $p_{t+1} \leq 1$ is always an admissible choice, for any p_{t+1} arbitrarily close to 1. The RHS in (20), in order to be defined, requires $\eta > \delta$, which is implied by condition (16) as $(1 - \beta)/2 > 0$; that is, in order to have a meaningful solution for problem (3) the pollution stock must decay faster than the pace at which capital depreciates. Note that coefficients ρ_2 ,

ρ_3 and ρ_6 in (21) are positive, while, under the condition $\eta > \delta$, coefficients ρ_4 and ρ_5 are negative. The technical condition (17) has three purposes: (i) it guarantees that k_{t+1} in (22) is interior, *i.e.*, it satisfies $0 < k_{t+1} < p_{t+1}/\mu - (1 - \eta) p_t/\mu + (1 - \delta) k_t$ for all $t \geq 0$; (ii) together with condition (15), it guarantees that p_{t+1} in (23) is such that $p_{t+1} < 1$ for all $t \geq 0$; and (iii) it guarantees that the first log in the RHS of (19) is well defined, that is, $\rho_3 k + \rho_4 p + \rho_5 > 0$ holds. Condition (17) postulates that there must be a sufficient amount of initial capital to compensate the negative effects of the initial stock of pollution, both on production and utility. The last technical condition (18) ensures that p_{t+1} in (23) is such that $p_{t+1} > (1 - \eta) p_t$; that is, under the assumption (15), conditions (17) and (18) together imply that the optimal plan for the pollution stock defined by (23) is interior as well.

Proposition 1 also states that optimal dynamics of both capital and pollution are linear in the stock of capital and pollution. The same applies to the optimal policy for consumption, while that for the technology level depends nonlinearly on both capital and pollution. The most interesting result in Proposition 1 is related to the steady state outcome: it is optimal for the economy to reach in the long run the maximum pollution level that the environment can effectively bear. Since pollution affects production via an externality effect captured by the damage function $D_t = (1 + p_t)^{-\phi}$, in the long run capital will achieve a strictly positive level which depends both on economic (δ) and environmental factors (η and μ), which is clearly lower than its maximal level, that is $k^s < \bar{k}$. This long run equilibrium represents what we can have referred to as an unsustainable outcome since the utility associated with environmental quality tends to minus infinity and as a result welfare tends to minus infinity as well. Such a paradoxical result suggesting that optimality implies unsustainability in the long run is intuitively due to the fact that at the end of the planning horizon (*i.e.*, when the steady state is reached) the environment does not have any value left and as such it is convenient to exploit it as much as possible in order to boost finite-time consumption. It is interesting to observe that the scalarization parameter θ , which represents the green preference parameter, does not affect in any way the long run equilibrium: higher or lower concern levels for the environment are completely irrelevant in the long run. However, note that the steady state can only be reached asymptotically; indeed, the value function (19) is not defined on (k^s, p^s) because the capital value $k^s = \eta / (\mu\delta)$ does not satisfy condition (17).

The optimal trajectory generated by the dynamics (22) and (23) can be written in vector form as

$$\begin{bmatrix} k_{t+1} \\ p_{t+1} \end{bmatrix} = \begin{bmatrix} \gamma_1 & \gamma_2 \\ \gamma_4 & \gamma_5 \end{bmatrix} \begin{bmatrix} k_t \\ p_t \end{bmatrix} + \begin{bmatrix} \gamma_3 \\ \gamma_6 \end{bmatrix}, \tag{27}$$

which shows that the optimal dynamic for the capital and the pollution stock is an affine function. It turns out (see the proof of Proposition 1 in “Appendix A”) that the matrix

$$\begin{bmatrix} \gamma_1 & \gamma_2 \\ \gamma_4 & \gamma_5 \end{bmatrix} \tag{28}$$

is singular; thus one eigenvalue is zero, $\lambda_1 = 0$, while the other is $\lambda_2 = \beta(1 - \delta)$, so that it is positive and strictly less than 1, and the steady state in (26) is globally stable. Solving the general solution for the initial values (k_0, p_0) satisfying (17) and (18), we find the following exact solution for the dynamical system (27):

$$\begin{cases} k_t = c_2 [\beta(1 - \delta)]^t + \frac{\eta}{\mu\delta} \\ p_t = -c_2 \frac{\mu\theta(1 - \beta)(1 - \delta)}{\theta[\beta(1 - \delta) - (1 - \eta)] + \eta - \delta} [\beta(1 - \delta)]^t + 1, \end{cases} \tag{29}$$

where

$$c_2 = \frac{\theta [\beta (1 - \delta) - (1 - \eta)] + \eta - \delta}{1 + \beta\theta} \left[\frac{k_0}{\eta - \delta} - \frac{(1 - \eta) p_0}{\mu (1 - \delta) (\eta - \delta)} - \frac{1}{\mu\delta (1 - \delta)} \right]. \tag{30}$$

In the proof of Proposition 1 in “Appendix A” we show that, under conditions (16) and (17), c_2 defined in (30) is strictly positive; therefore, the optimal plan defined by (29) is characterized by a sequence of capital stocks, k_t , that converges to the steady value $k^s = \eta / (\mu\delta)$ defined in (26) from above; that is, starting from any initial state (k_0, p_0) satisfying (17) and (18), all optimal sequences k_t generated by (22) contain capital levels which are all larger than the asymptotic value $k^s = \eta / (\mu\delta)$. Note that this property holds also when the initial capital level lies below the steady value, $k_0 < k^s = \eta / (\mu\delta)$. This is due to the singularity of the matrix (28) which lets the optimal trajectory of capital jump on the line defined by the eigenvector associated with the positive eigenvalue, $\lambda_2 = \beta (1 - \delta)$, right after the first iteration of (27); as under condition (16) the slope of such line is negative, specifically, equal to

$$-\frac{\mu\theta (1 - \beta) (1 - \delta)}{\theta [\beta (1 - \delta) - (1 - \eta)] + \eta - \delta} < 0,$$

all optimal paths approach the steady state $(k^s, p^s) = (\eta / (\mu\delta), 1)$ from south-east, that is, with values $k_t > \eta / (\mu\delta)$ and $p_t < 1$. This suggests that the optimal dynamics imply that capital initially overshoots its long run value while pollution falls below its long run value, and along the transition to the steady state capital gradually decreases while pollution increases. This implies that asymptotically pollution achieves the maximal level the environment can effectively bear while capital achieves a strictly positive level determined by both economic and environmental factors.

Note that, after the initial overshooting, the optimal capital dynamic implies a situation of degrowth in which the size of economic activities tends to shrink over time, consistent with what discussed in the degrowth literature; however, the pollution dynamic implying increasing environmental deterioration is in net contrast with such degrowth arguments. Indeed, our model suggests that it is optimal at the beginning of the planning horizon to produce and consume a lot (more than in the long run) and at the same time devote many resources to environmental preservation (through the choice of the technology level), and then to gradually reduce production and technological control efforts in order to achieve asymptotically the maximal level of environmental degradation and a strictly positive capital level determined both by economic and environmental factors. This type of result clearly suggests that, different from what discussed in the degrowth literature, economic degrowth is not always optimal and even when it is (i.e., after the initial overshooting) degrowth goes hand-in-hand with environmental deterioration; therefore, economic degrowth does not represent an obvious solution to environmental problems. Note moreover that different from degrowth arguments, which are all qualitative in nature, our results are optimally derived from a social planner’s multicriteria optimization problem and such results hold true for every value of the scalarization parameter. Therefore, even if the relative weight of the environmental goal is infinitely larger than the economic goal (i.e., $\theta \rightarrow \infty$), which is somehow the implicit assumption underlying the degrowth point of view, a full asymptotic exploitation of the natural environment is the optimal course of action.

3.2 The efficient frontier and social welfare

The exact solution (29) allows to derive both the Pareto frontier and social welfare. In order to do so we need to determine the optimal value of the two criteria in problem 1, representing the economic goal $J_1(k_0, p_0) = \sum_0^\infty \beta^t \ln c_t$ and the environmental goal $J_2(k_0, p_0) = \sum_0^\infty \beta^t \ln(1 - p_t)$, which are both function of the initial stocks k_0 and p_0 and for which the plans $\{c_t\}_{t=0}^\infty$ and $\{p_t\}_{t=0}^\infty$ are given by the optimal policies (24) and (23). To this purpose, let us first define

$$G_0 = \mu\delta(1 - \delta)k_0 - \delta(1 - \eta)p_0 - (\eta - \delta),$$

then (see the proof of Proposition 1 in “Appendix A”)

$$\begin{aligned} \bar{J}_1 \equiv J_1(k_0, p_0) &= \sum_0^\infty \beta^t \ln c_t = \sum_0^\infty \beta^t \ln \left[\frac{1}{\mu} p_{t+1} - \frac{1 - \eta}{\mu} p_t + (1 - \delta)k_t - k_{t+1} \right] \\ &= \sum_0^\infty \beta^t \ln \left\{ \frac{(1 - \beta)G_0}{\mu\delta(1 + \beta\theta)} [\beta(1 - \delta)]^t \right\} \\ &= \ln \left[\frac{(1 - \beta)G_0}{\mu\delta(1 + \beta\theta)} \right] \sum_0^\infty \beta^t + \ln[\beta(1 - \delta)] \sum_0^\infty t\beta^t \\ &= \frac{1}{1 - \beta} \ln \left[\frac{(1 - \beta)G_0}{\mu\delta(1 + \beta\theta)} \right] + \frac{\beta}{(1 - \beta)^2} \ln[\beta(1 - \delta)], \end{aligned} \tag{31}$$

and

$$\begin{aligned} \bar{J}_2 \equiv J_2(k_0, p_0) &= \sum_0^\infty \beta^t \ln(1 - p_t) = \sum_0^\infty \beta^t \ln \left[\frac{\theta(1 - \beta)G_0}{\delta(1 + \beta\theta)(\eta - \delta)} [\beta(1 - \delta)]^t \right] \\ &= \ln \left[\frac{\theta(1 - \beta)G_0}{\delta(1 + \beta\theta)(\eta - \delta)} \right] \sum_0^\infty \beta^t + \ln[\beta(1 - \delta)] \sum_0^\infty t\beta^t \\ &= \frac{1}{1 - \beta} \ln \left[\frac{\theta(1 - \beta)G_0}{\delta(1 + \beta\theta)(\eta - \delta)} \right] + \frac{\beta}{(1 - \beta)^2} \ln[\beta(1 - \delta)]. \end{aligned} \tag{32}$$

The above two expressions imply that optimality implies that the economic goal decreases with the scalarization parameter θ , as

$$\frac{\partial \bar{J}_1}{\partial \theta} = -\frac{\beta}{(1 - \beta)(1 + \beta\theta)} < 0,$$

while the environmental goal increases with it, as

$$\frac{\partial \bar{J}_2}{\partial \theta} = \frac{1}{\theta(1 - \beta)(1 + \beta\theta)} > 0.$$

This suggests that the optimal choice of the two control variables c_t and z_t does not allow to solve the economic-environmental trade off, which persists also at the optimal solution and as such the Pareto frontier will bow outward. Indeed, by rearranging the expression \bar{J}_1 in (31) and plugging it into that of \bar{J}_2 in (32) we first obtain:

$$\bar{J}_2 = \bar{J}_1 + \frac{1}{1 - \beta} \ln \left(\frac{\theta\mu}{\eta - \delta} \right),$$

and then, after solving the expression in (31) for θ and plugging the result into the above equation, we get the explicit expression of the frontier:

$$\bar{J}_2 = \bar{J}_1 + \frac{1}{1 - \beta} \ln \left\{ \frac{(1 - \beta)G_0}{\mu\delta} [\beta(1 - \delta)]^{\frac{\beta}{1-\beta}} e^{-(1-\beta)\bar{J}_1} - 1 \right\} + \frac{1}{1 - \beta} \ln \left[\frac{\mu}{\beta(\eta - \delta)} \right],$$

whose graphical representation is a nonlinear outward bowed curve, as shown in the left panel of Fig. 1.

It turns out that, even if the economic-environmental trade off still persists in the optimal solution of the bicriteria problem, its scalarization giving rise to a unicriterion problem makes such a trade off completely disappear. Indeed, using (31) and (32) we can explicitly derive social welfare as a function of the scalarization parameter θ the follows:

$$\begin{aligned} W &\equiv W(k_0, p_0) = \bar{J}_1 + \theta \bar{J}_2 \\ &= \frac{1}{1 - \beta} \ln \left[\frac{(1 - \beta)G_0}{\mu\delta(1 + \beta\theta)} \right] + \frac{\beta}{(1 - \beta)^2} \ln [\beta(1 - \delta)] \\ &\quad + \frac{\theta}{1 - \beta} \ln \left[\frac{\theta(1 - \beta)G_0}{\delta(1 + \beta\theta)(\eta - \delta)} \right] + \frac{\beta\theta}{(1 - \beta)^2} \ln [\beta(1 - \delta)] \\ &= \frac{1 + \theta}{1 - \beta} \ln \left\{ \frac{(1 - \beta)G_0}{\delta(1 + \beta\theta)} [\beta(1 - \delta)]^{\frac{\beta}{1-\beta}} \right\} + \frac{1}{1 - \beta} \ln \left[\frac{1}{\mu} \left(\frac{\theta}{\eta - \delta} \right)^\theta \right]. \end{aligned}$$

Numerical simulations show that social welfare monotonically decreases with the scalarization parameter, as shown in the right panel of Fig. 1. Hence, within the parameters’ range consistent with Proposition 1, if θ increases, the effects of the decrease in (optimal) consumption always dominate those of the decrease in (optimal) pollution, which in turn improves environmental quality, thus neutralizing the trade off altogether. This means that putting more weight on the environmental goal has a negative effect on social welfare, as the negative effects associated with the economic goal more than offset the beneficial effects associated with the environmental goal, and thus social welfare turns out to be monotonically decreasing with the scalarization parameter.

A graphical representation of the efficient frontier and social welfare are given in Fig. 1, in which the parameter values are set in line with available empirical estimates (Barro




Fig. 1 Efficient frontier (left) and social welfare (right) under a scalarization approach

and Sala-i-Martin 2004) and in order to verify the conditions in Proposition 1 as follows: $\beta = 0.96, \delta = 0.1, \eta = 0.2, \alpha = 0.33, \phi = 2, \mu = 0.5, k_0 = 2.25$ and $p_0 = 0$. Under these parameters' values it turns out $\bar{z} = 3.56, \bar{k} = (\delta/\bar{z})^{\frac{1}{\alpha-1}} = 206.44$, the steady value for capital is $k^s = \eta/(\mu\delta) = 4$, and conditions (16)–(18) are satisfied as $\eta = 0.2 > 0.12 = (1 - \beta)/2 + \delta, k_0 = 2.25 > 0.22 = (\eta - \delta)/[\mu\delta(1 - \delta)]$ and $k_0 = 2.25 < 21.26 = \{[\beta\theta(1 - \beta) + \delta(1 + \beta^2\theta)](\eta - \delta)\} / [\mu\beta\theta\delta(1 - \beta)(1 - \delta)^2]$. Note that we have chosen a value for k_0 very close to its lower bound in condition (17) for an initial pristine environment with $p_0 = 0$ pollution. We can observe that the shapes of the frontier and of social welfare are consistent with our above discussion. The above results, showing that the economic-environmental trade off is present in the optimal solution of the bicriteria problem while it completely disappears in the solution of the scalarized problem, suggest that the traditional economics approach consisting of relying on a unicriterion objective function (i.e., social welfare) risks to oversimplify the complicated nature of the sustainability problem.

4 Goal programming

We now propose an alternative solution method, based on a weighted goal programming approach, to compare our previous results with. The bicriteria problem in (1) can be stated in terms of a weighted goal programming model as follows:

$$\begin{aligned} &\min (w_1\delta_1^+ + w_1\delta_1^- + w_2\delta_2^+ + w_2\delta_2^-) \\ &\text{s.t.} \begin{cases} J_1 - \delta_1^+ + \delta_1^- = G_1 \\ J_2 - \delta_2^+ + \delta_2^- = G_2 \\ \delta_1^+, \delta_1^- \geq 0 \\ \delta_2^+, \delta_2^- \geq 0, \end{cases} \end{aligned}$$

and subject to the dynamic constraints and initial conditions in (4). In the above formulation we try to minimize the (weighted) positive and negative deviations from the aspiration level for each of the two criteria. Specifically, for criterion $i = \{1, 2\}$ where 1 represents the economic goal and 2 the environmental goal, G_i denotes the aspiration level, w_i the weight attached to it, δ_i^+ and δ_i^- positive and negative deviations from the aspiration level, respectively. We rely on the analytical results derived earlier through the scalarization approach to determine the aspiration levels, which are set according to the optimal level of the two criteria (31) and (32) in which the scalarization parameter takes the extreme value associated with the presence of only the relevant criterion in the optimization problem. In particular, the aspiration levels are determined as follows:

$$\begin{aligned} G_1 &\equiv \bar{J}_1(\theta = 0) = \frac{1}{1 - \beta} \ln \left[\frac{(1 - \beta) G_0}{\mu\delta} \right] + \frac{\beta}{(1 - \beta)^2} \ln [\beta(1 - \delta)] \\ G_2 &\equiv \bar{J}_2(\theta \rightarrow \infty) = \frac{1}{1 - \beta} \ln \left[\frac{(1 - \beta) G_0}{\beta\delta(\eta - \delta)} \right] + \frac{\beta}{(1 - \beta)^2} \ln [\beta(1 - \delta)] \end{aligned}$$

The results of our optimization problem, based on the same parametrization we employ in the previous section, are illustrated in the next figure which represents the efficient frontier. Figure 2 shows that from a qualitatively point of view the solutions under a scalarization and under a goal programming techniques are identical. Clearly, there exist some quantitative difference which is implicit in the different formulations of the two multicriteria approaches, but both solutions clearly point out the existence of a clear trade off between the economic




Fig. 2 Efficient frontier under a weighted goal programming approach

and environmental goals. By comparing Fig. 2 with Fig. 1 we can note that, in our specific parametrization, the goal programming approach dictates less pollution and less consumption than the scalarization method, as confirmed by the fact that the environmental (economic) goal takes higher (lower) values in the goal programming than in the scalarized solution. This implies that according to a goal programming approach the environmental goal needs to be favored at the cost of the economic goal with respect to what happens with the scalarization technique.

5 Conclusion

Discussing sustainability requires to critically account for both economic and environmental goals, which are to a large extent conflicting. In order to do so we rely on a multicriteria method based on both scalarization and goal programming techniques in order to analyze the trade off between economic growth and environmental outcomes in a framework in which the economy and environment relation is bidirectional. On the one hand, economic growth by stimulating production activities gives rise to emissions of pollutants which deteriorate the natural environment. On the other hand, the natural environment affects economic activities since pollution generates a production externality determining how much output the economy can effectively produce. In this setting we explicitly characterize the optimal solution showing that, independently of the relative importance of economic and environmental factors, after an initial overshooting capital decreases while pollution monotonically increases during the transitional path, implying that it is optimal for the economy to asymptotically reach the maximum pollution level that the natural environment can effectively bear. Such a paradoxical result is due to the fact that asymptotically the environment does not have any value left and as such it is convenient to exploit it as much as possible in order to boost finite-time consumption. To the best of our knowledge, despite the huge number of works on the economic growth and environment relation, none has thus far been able to explicitly characterize the optimal

dynamics in a setting similar to ours in which the economy and the environment mutually affect each other.

Clearly the approach we adopt in this paper is a bit simplistic and the analysis could be extended along several directions in order to describe more realistically the economy-environment relation. In particular, we have assumed that capital is bounded in order to mimic a situation in which natural constraints limit the economy’s ability to accumulate assets. However, it may well be possible that technological progress allows the economy to continually expand such a bound, which could permit for sustained long run growth to occur. In such a setting it is no longer obvious that optimality requires full exploitation of natural assets, but it may be possible to find an asymptotic balance between economic and environmental goals. Extending the analysis in order to take this into account is left for future research.

Appendix A: Technical appendix

Proof of Lemma 1 The graph of the correspondence defined in (13) is defined as

$$G_\Gamma = \{(k, p, k', p') \in \mathbb{R}_+^4 : (k', p') \in \Gamma(k, p)\}. \tag{33}$$

We must prove that if $(k_0, p_0, k'_0, p'_0) \in G_\Gamma$ and $(k_1, p_1, k'_1, p'_1) \in G_\Gamma$ then the point $(k_\sigma, p_\sigma, k'_\sigma, p'_\sigma) = \sigma(k_0, p_0, k'_0, p'_0) + (1 - \sigma)(k_1, p_1, k'_1, p'_1) \in G_\Gamma$ as well for any $0 \leq \sigma \leq 1$. According to definition (13), the first and second properties respectively mean that

$$[(1 - \eta) p_0 \leq p'_0 \leq 1] \wedge \left[k'_0 \leq \frac{1}{\mu} p'_0 - \frac{1 - \eta}{\mu} p_0 + (1 - \delta) k_0 \right] \tag{34}$$

$$[(1 - \eta) p_1 \leq p'_1 \leq 1] \wedge \left[k'_1 \leq \frac{1}{\mu} p'_1 - \frac{1 - \eta}{\mu} p_1 + (1 - \delta) k_1 \right]. \tag{35}$$

The first conditions in (34) and (35) imply that

$$\sigma(1 - \eta) p_0 \leq \sigma p'_0 \leq \sigma \quad \text{and} \quad (1 - \sigma)(1 - \eta) p_1 \leq (1 - \sigma) p'_1 \leq 1 - \sigma,$$

which, summing up, lead to

$$(1 - \eta) [\sigma p_0 + (1 - \sigma) p_1] \leq \sigma p'_0 + (1 - \sigma) p'_1 \leq \sigma + 1 - \sigma = 1.$$

As the first and the last inequalities above can be rewritten as

$$(1 - \eta) p_\sigma \leq p'_\sigma \leq 1,$$

the first condition for $(k'_\sigma, p'_\sigma) \in \Gamma(k_\sigma, p_\sigma)$ according to (13) is established. To prove the other condition in (13), note that the second conditions in (34) and (35) imply that

$$\begin{aligned} \sigma k'_0 &\leq \sigma \frac{1}{\mu} p'_0 - \sigma \frac{1 - \eta}{\mu} p_0 + \sigma(1 - \delta) k_0 \quad \text{and} \\ (1 - \sigma) k'_1 &\leq (1 - \sigma) \frac{1}{\mu} p'_1 - (1 - \sigma) \frac{1 - \eta}{\mu} p_1 + (1 - \sigma)(1 - \delta) k_1, \end{aligned}$$

which, summing up, lead to

$$\begin{aligned} \sigma k'_0 + (1 - \sigma) k'_1 &\leq \frac{1}{\mu} [\sigma p'_0 + (1 - \sigma) p'_1] - \frac{1 - \eta}{\mu} [\sigma p_0 + (1 - \sigma) p_1] \\ &\quad + (1 - \delta) [\sigma k_0 + (1 - \sigma) k_1], \end{aligned}$$

which can be rewritten as

$$k'_\sigma \leq \frac{1}{\mu} p'_\sigma - \frac{1-\eta}{\mu} p_\sigma + (1-\delta) k_\sigma,$$

so that the second condition for $(k'_\sigma, p'_\sigma) \in \Gamma(k_\sigma, p_\sigma)$ in (13) holds as well, and we can conclude that $(k_\sigma, p_\sigma, k'_\sigma, p'_\sigma) \in G_\Gamma$ according to (33), as was to be shown. \square

As the function $V(k, p)$ defined in (19) is unbounded from below, before proving Proposition 1 we recall the following verification principle (Lemma 2) that holds for unbounded functions. Consider the general problem

$$\begin{aligned}
 V(x_0) = & \sup_{\{x_t\}_{t=0}^\infty} \sum_{t=0}^\infty \beta^t u(x_t, x_{t+1}) \\
 \text{s.t. } & \begin{cases} x_{t+1} \in \Gamma(x_t) & \forall t \geq 0, \\ x_t \in X \subseteq \mathbb{R}^n & \forall t \geq 1, \\ x_0 \in X \text{ is given,} \end{cases} \end{aligned} \tag{36}$$

where $\Gamma : X \rightarrow X$ is a compact, nonempty correspondence such that $\Gamma(x) \subseteq X$ for all $x \in X$, $u : G_\Gamma \rightarrow \mathbb{R}$ [G_Γ denotes the graph of Γ according to (33)], and $0 < \beta < 1$. We shall denote a plan by $(x_0, \{x_t\}_{t=0}^\infty)$, or, shortly, $(x_0, \{x_t\})$; a plan $(x_0, \{x_t\})$ is said to be feasible if $x_{t+1} \in \Gamma(x_t)$ for all $t \geq 0$. Moreover, we shall denote the objective function in (36) by

$$W(x_0, \{x_t\}) = \sum_{t=0}^\infty \beta^t u(x_t, x_{t+1}), \tag{37}$$

and its n -finite truncation by

$$W_n(x_0, \{x_t\}) = \sum_{t=0}^{n-1} \beta^t u(x_t, x_{t+1}). \tag{38}$$

Let

$$w(x) = \max_{(y) \in \Gamma(x)} [u(x, y) + \beta w(y)] \tag{39}$$

be its associated Bellman equation.

Lemma 2 (A verification principle) *Let $w(x)$ be a solution to the Bellman equation (39). Then, if*

1. $\liminf_{t \rightarrow \infty} \beta^t w(x_t) \leq 0$ for all feasible plans $(x_0, \{x_t\})$, and
2. for any x_0 and any feasible plan $(x_0, \{x_t\})$ there is another feasible plan $(x_0, \{x'_t\})$ originating from the same initial condition x_0 that satisfies
 - (a) $W(x_0, \{x'_t\}) = \sum_{t=0}^\infty \beta^t u(x'_t, x'_{t+1}) \geq \sum_{t=0}^\infty \beta^t u(x_t, x_{t+1}) = W(x_0, \{x_t\})$, and
 - (b) $\limsup_{t \rightarrow \infty} \beta^t w(x'_t) \geq 0$,

then $w(x)$ is the value function of (36), $w(x) = V(x)$.

Proof Fix arbitrarily an $\varepsilon > 0$ and consider the scalar $\varphi = (1 - \beta) / \varepsilon > 0$. In view of (39), given x_0 , there is some $x_1 \in \Gamma(x_0)$ such that $u(x_0, x_1) + \beta w(x_1) > w(x_0) - \varphi$. Similarly, there is a point $x_2 \in \Gamma(x_1)$ such that $u(x_1, x_2) + \beta w(x_2) > w(x_1) - \varphi$, and so on. Therefore, this process generates a feasible plan such that $u(x_t, x_{t+1}) + \beta w(x_{t+1}) > w(x_t) - \varphi$ for

all $t \geq 0$. By iterating all such terms up to $t = n$, it is easy to see that there always exist a feasible plan $(x_0, \{x_t\})$ such that

$$\begin{aligned} w(x_0) &< W_n(x_0, \{x_t\}) + \beta^n w(x_n) + \varphi \sum_{t=0}^{\infty} \beta^t \\ &= W_n(x_0, \{x_t\}) + \beta^n w(x_n) + \varepsilon \end{aligned}$$

for any arbitrary $\varepsilon > 0$. Taking the $\liminf_{n \rightarrow \infty}$ on both sides we obtain

$$w(x_0) \leq W(x_0, \{x_t\}) + \liminf_{n \rightarrow \infty} \beta^n w(x_n) + \varepsilon \leq W(x_0, \{x_t\}) + \varepsilon,$$

where in the second inequality we used property 1 of Lemma 2. Hence, $w(x_0) \leq W(x_0, \{x_t\}) \leq V(x_0)$.

On the other hand, by considering the feasible plan $(x_0, \{x'_t\})$ satisfying property 2 of Lemma 2 and again iterating the terms on the RHS of (39) from $t = 0$ to $t = n$, we get

$$w(x_0) \geq W_n(x_0, \{x'_t\}) + \beta^n w(x'_n).$$

Taking the $\limsup_{n \rightarrow \infty}$ on both sides and using properties 2a and 2b we obtain

$$w(x_0) \geq W(x_0, \{x'_t\}) + \limsup_{n \rightarrow \infty} \beta^n w(x'_n) \geq W(x_0, \{x'_t\}) \geq W(x_0, \{x_t\}),$$

which, as $(x_0, \{x_t\})$ is any arbitrary feasible plan, implies $w(x_0) \geq V(x_0)$.

Therefore, $w(x_0) = V(x_0)$ and the proof is complete. □

Lemma 3 *A plan $(x_0, \{x_t^*\})$ satisfying the Bellman equations (39) for all $t \geq 0$ for the value function $w(x) = V(x)$ is optimal if and only if $\lim_{t \rightarrow \infty} \beta^t V(x_t^*) = 0$.*

Proof Assume that $(x_0, \{x_t^*\})$ satisfies (39) for all $t \geq 0$ and that $\lim_{t \rightarrow \infty} \beta^t V(x_t^*) = 0$. Then

$$V(x) = u(x_t^*, x_{t+1}^*) + \beta V(x_{t+1}^*) \tag{40}$$

for all $t \geq 0$. By iterating the terms on the RHS in (40) from $t = 0$ to $t = n$, we get

$$V(x_0) = W_n(x_0, \{x_t^*\}) + \beta^n V(x_n^*).$$

Taking the limit as $n \rightarrow \infty$ of both sides we have

$$V(x_0) = \lim_{t \rightarrow \infty} W_n(x_0, \{x_t^*\}) + \lim_{t \rightarrow \infty} \beta^t V(x_t^*) = W(x_0, \{x_t^*\}),$$

which establishes that $(x_0, \{x_t^*\})$ is optimal.

Conversely, assume that $(x_0, \{x_t^*\})$ is optimal. By iterating $W(x_0, \{x_t^*\}) = u(x_0, x_1^*) + \beta W(x_1^*, \{x_{1+t}^*\})$ we easily get

$$V(x_0) = W(x_0, \{x_t^*\}) = W_n(x_0, \{x_t^*\}) + \beta^n W(x_n^*, \{x_{n+t}^*\}),$$

that is,

$$\beta^n W(x_n^*, \{x_{n+t}^*\}) = V(x_0) - W_n(x_0, \{x_t^*\}).$$

As $W(x_n^*, \{x_{n+t}^*\}) = V(x_n^*)$ and $\lim_{n \rightarrow \infty} W_n(x_0, \{x_t^*\}) = V(x_0)$, taking the limit as $n \rightarrow \infty$ of both sides in the last equation we have $\lim_{t \rightarrow \infty} \beta^t V(x_t^*) = V(x_0) - \lim_{n \rightarrow \infty} W_n(x_0, \{x_t^*\}) = V(x_0) - V(x_0) = 0$ and the proof is complete. □

Proof of Proposition 1 To apply the Guess and verify method (see, e.g., Bethmann 2007, 2013), the linearity of the terms inside the logarithm in (14) suggests the following form for the value function:

$$V(k, p) = \rho_1 + \rho_2 \ln(\rho_3 k + \rho_4 p + \rho_5) + \rho_6 \ln(1 - p),$$

where $\rho_1, \rho_2, \rho_3, \rho_4, \rho_5$ and ρ_6 are constant coefficients, so that (14) can be rewritten as

$$\begin{aligned} & \rho_1 + \rho_2 \ln(\rho_3 k + \rho_4 p + \rho_5) + \rho_6 \ln(1 - p) \\ &= \max_{(k', p') \in \Gamma(k, p)} \left\{ \ln \left[p'/\mu - (1 - \eta) p/\mu + (1 - \delta) k - k' \right] \right. \\ & \quad \left. + \theta \ln(1 - p) + \beta \left[\rho_1 + \rho_2 \ln(\rho_3 k' + \rho_4 p' + \rho_5) + \rho_6 \ln(1 - p') \right] \right\}. \end{aligned} \tag{41}$$

The RHS in (41) is concave in k' and p' for all given (k, p) ; therefore, FOC on the RHS yield a unique solution for k', p' provided that it is interior to the correspondence $\Gamma(k, p)$ and the system of equations that equate both partial derivatives to zero admits a unique solution. By solving such system we find the following values for k', p' :

$$\begin{aligned} (k')^* &= \frac{\beta [\rho_2 \rho_3 + \mu \rho_4 (\rho_2 + \rho_6)]}{(\rho_3 + \mu \rho_4) (1 + \beta \rho_2 + \beta \rho_6)} \left[(1 - \delta) k - \frac{1 - \eta}{\mu} p \right] \\ & \quad + \frac{\beta \rho_2 \rho_3^2 - [\rho_4 + \rho_5 + \beta (\rho_5 \rho_6 - \rho_2 \rho_4)] \mu \rho_3 - \mu^2 \rho_4 (\rho_5 + \rho_4)}{\mu \rho_3 (\rho_3 + \mu \rho_4) (1 + \beta \rho_2 + \beta \rho_6)} \end{aligned} \tag{42}$$

$$\begin{aligned} (p')^* &= \frac{\beta \mu \rho_3 \rho_6}{(\rho_3 + \mu \rho_4) (1 + \beta \rho_2 + \beta \rho_6)} \left[\frac{1 - \eta}{\mu} p - (1 - \delta) k \right] \\ & \quad + \frac{\beta (\rho_2 \rho_3 + \mu \rho_2 \rho_4 - \mu \rho_5 \rho_6) + \rho_3 + \mu \rho_4}{(\rho_3 + \mu \rho_4) (1 + \beta \rho_2 + \beta \rho_6)}, \end{aligned} \tag{43}$$

that is, both optimal values are affine functions of k and p . By substituting such values into (41) we get

$$\begin{aligned} & \rho_1 + \rho_2 \ln(\rho_3 k + \rho_4 p + \rho_5) + \rho_6 \ln(1 - p) \\ &= \ln \left[\frac{(1 - \delta) \mu \rho_3 k - (1 - \eta) \rho_3 p + \rho_3 + \mu (\rho_4 + \rho_5)}{\mu \rho_3 (1 + \beta \rho_2 + \beta \rho_6)} \right] + \theta \ln(1 - p) + \beta \rho_1 \\ & \quad + \beta \rho_2 \ln \left[\beta \rho_2 \frac{(1 - \delta) \mu \rho_3 k - (1 - \eta) \rho_3 p + \rho_3 + \mu (\rho_4 + \rho_5)}{\mu (1 + \beta \rho_2 + \beta \rho_6)} \right] \\ & \quad + \beta \rho_6 \ln \left[\beta \rho_6 \frac{(1 - \delta) \mu \rho_3 k - (1 - \eta) \rho_3 p + \rho_3 + \mu (\rho_4 + \rho_5)}{(\rho_3 + \mu \rho_4) (1 + \beta \rho_2 + \beta \rho_6)} \right] \\ &= \ln \left[(1 - \delta) \mu k - (1 - \eta) p + \frac{\rho_3 + \mu (\rho_4 + \rho_5)}{\rho_3} \right] \\ & \quad - \ln [\mu (1 + \beta \rho_2 + \beta \rho_6)] + \theta \ln(1 - p) + \beta \rho_1 \\ & \quad + \beta \rho_2 \ln \left\{ \beta \rho_2 \rho_3 \left[(1 - \delta) \mu k - (1 - \eta) p + \frac{\rho_3 + \mu (\rho_4 + \rho_5)}{\rho_3} \right] \right\} \\ & \quad - \beta \rho_2 \ln [\mu (1 + \beta \rho_2 + \beta \rho_6)] \\ & \quad + \beta \rho_6 \ln \left\{ \beta \rho_3 \rho_6 \left[(1 - \delta) \mu k - (1 - \eta) p + \frac{\rho_3 + \mu (\rho_4 + \rho_5)}{\rho_3} \right] \right\} - \beta \rho_6 \ln(\rho_3 + \mu \rho_4) \\ & \quad - \beta \rho_6 \ln [(1 + \beta \rho_2 + \beta \rho_6)] \end{aligned}$$

$$\begin{aligned}
 &= (1 + \beta\rho_2 + \beta\rho_6) \ln \left[(1 - \delta) \mu k - (1 - \eta) p + \frac{\rho_3 + \mu(\rho_4 + \rho_5)}{\rho_3} \right] \\
 &\quad - (1 + \beta\rho_2) \ln \mu - (1 + \beta\rho_2 + \beta\rho_6) \ln (1 + \beta\rho_2 + \beta\rho_6) + \theta \ln (1 - p) + \beta\rho_1 \\
 &\quad + \beta(\rho_2 + \rho_6) \ln (\beta\rho_3) + \beta\rho_2 \ln \rho_2 + \beta\rho_6 \ln \rho_6 - \beta\rho_6 \ln (\rho_3 + \mu\rho_4),
 \end{aligned}$$

and by equating the coefficients of the homogeneous terms in both sides (also inside the argument of the first logarithm) we find the values for the coefficients listed in (20) and (21).

By substituting the coefficients in (20) and (21) in the expressions (42) and (43), after some tedious algebra we obtain the optimal dynamics for capital and pollution as in (22) and (23). By solving the system

$$\begin{cases} k = \gamma_1 k + \gamma_2 p + \gamma_3 \\ p = \gamma_4 k + \gamma_5 p + \gamma_6, \end{cases}$$

where the coefficients $\gamma_i, i = 1, \dots, 6$, are listed in point 2 of Proposition 1, for k and p the unique steady state $(k^s, p^s) = (\eta / (\mu\delta), 1)$ as in (26) is found.

The upper bound \bar{z} for the technology index defined in condition (15) allows for the existence of optimal values z_t that satisfy inequality (8), that is, such that $p_{t+1} \leq 1$. To see this, note that from the second inequality in (8) it follows that

$$\bar{z} \geq \frac{(1 + p_t)^\phi k_t^{-\alpha} [1 - (1 - \eta) p_t]}{\mu}$$

must hold for all feasible sequence $\{k_t, p_t\}$; thus, recalling that $0 \leq p_t \leq 1$ we can consider the following upper bound of the RHS above:

$$\frac{(1 + p_t)^\phi k_t^{-\alpha} [1 - (1 - \eta) p_t]}{\mu} \leq \frac{2^\phi}{\mu k_t^\alpha} \leq \frac{2^\phi}{\mu \min \{k_0, \eta / (\mu\delta)\}} = \frac{2^\phi}{\mu} \max \left\{ \frac{1}{k_0}, \frac{\mu\delta}{\eta} \right\},$$

which is condition (15) for $p = p_0$. The second inequality holds thanks to the fact that, as we shall see in the following, the optimal sequence k_t defined by (22) converges monotonically to the steady value $k^s = \eta / (\mu\delta)$.

Conditions (17) and (18) on the initial capital stock guarantee that the expressions in the RHS of (42) and (43) define points $(k')^*$ and $(p')^*$ which are interior points of the correspondence $\Gamma(k, p)$ defined in (13), so that the whole recursive plan defined by (22) and (23) contain interior points as well. We shall establish this property in the following steps.

We first show that if conditions (17) and (18) hold for (k_0, p_0) , then they hold for all (k_t, p_t) , for all $t \geq 1$. Suppose that (17) holds for (k_t, p_t) , then it can be shown that

$$\frac{1 - \eta}{\mu(1 - \delta)} = \frac{(1 - \eta) \gamma_5 - \mu(1 - \delta) \gamma_2}{\mu(1 - \delta) \gamma_1 - (1 - \eta) \gamma_4} \quad \text{and} \quad \frac{\eta - \delta}{\mu\delta(1 - \delta)} = \frac{(1 - \eta) \gamma_6 - \mu(1 - \delta) \gamma_3 + (\eta - \delta) / \delta}{\mu(1 - \delta) \gamma_1 - (1 - \eta) \gamma_4},$$

where the coefficients $\gamma_i, i = 1, \dots, 6$, are listed in point 2 of Proposition 1. Note that condition (16) implies that $\gamma_1 > 0$ for all admissible parameters' values; this is because

$$\theta [\beta(1 - \delta) - (1 - \eta)] + \eta - \delta > 0 \tag{44}$$

is always true when $\beta(1 - \delta) \geq 1 - \eta$, and it holds also when $\beta(1 - \delta) < 1 - \eta$ provided that $\eta > (1 - \beta) / 2 + \delta$. Thus, as γ_4 is clearly negative, $\mu(1 - \delta) \gamma_1 - (1 - \eta) \gamma_4 > 0$ and condition (17) for (k_t, p_t) is equivalent to

$$\begin{aligned}
 k_t &> \frac{(1-\eta)\gamma_5 - \mu(1-\delta)\gamma_2}{\mu(1-\delta)\gamma_1 - (1-\eta)\gamma_4} p_t + \frac{(1-\eta)\gamma_6 - \mu(1-\delta)\gamma_3 + (\eta-\delta)/\delta}{\mu(1-\delta)\gamma_1 - (1-\eta)\gamma_4} \\
 \iff \gamma_1 k_t + \gamma_2 p_t + \gamma_3 &> \frac{1-\eta}{\mu(1-\delta)} (\gamma_4 k_t + \gamma_5 p_t + \gamma_6) + \frac{\eta-\delta}{\mu\delta(1-\delta)} \\
 \iff k_{t+1} &> \frac{1-\eta}{\mu(1-\delta)} p_{t+1} + \frac{\eta-\delta}{\mu\delta(1-\delta)},
 \end{aligned}$$

so that (k_{t+1}, p_{t+1}) satisfies condition (17) as well. Assume now that (k_t, p_t) satisfies condition (18) and let

$$A = -\frac{\beta\theta[\beta(1-\delta) - (1-\eta)] + \eta - \delta}{\mu\beta\theta(1-\beta)(1-\delta)^2} (1-\eta) \quad \text{and} \quad B = \frac{[\beta\theta(1-\beta) + \delta(1+\beta^2\theta)](\eta-\delta)}{\mu\beta\theta\delta(1-\beta)(1-\delta)^2}, \tag{45}$$

so that by assumption $k_t < Ap_t + B$. Then it can be shown that

$$\frac{A\gamma_5 - \gamma_2}{\gamma_1 - A\gamma_4} = \frac{1-\eta}{\mu(1-\delta)} = A + \frac{(1-\eta)(1+\beta\theta)(\eta-\delta)}{\mu\beta\theta(1-\beta)(1-\delta)^2} > A, \tag{46}$$

where the last inequality holds because $(\eta - \delta) > 0$ under condition (16). We have shown before that $\gamma_1 > 0$; however, $A < 0$ and $\gamma_4 < 0$, so that the sign of the denominator $\gamma_1 - A\gamma_4$ can be either positive or negative. It turns out that $\gamma_1 - A\gamma_4 = \beta(1-\delta) - (1-\eta)$, so the sign of the latter expression determines whether it is positive or negative. Hence, to study a similar inequality for parameter B we consider three separate cases.

1. If $\gamma_1 - A\gamma_4 = \beta(1-\delta) - (1-\eta) > 0$, then it can be shown that

$$\frac{A\gamma_6 - \gamma_3 + B}{\gamma_1 - A\gamma_4} = B + \frac{[1-\beta(1-\delta)](1+\beta\theta)(\eta-\delta)}{\mu\beta\theta[\beta(1-\delta) - (1-\eta)](1-\beta)(1-\delta)^2} > B, \tag{47}$$

where the last inequality holds because $(\eta - \delta) > 0$ under condition (16) and $[\beta(1-\delta) - (1-\eta)] > 0$ by assumption. Therefore, using both inequalities in (46) and (47), condition (18) for (k_t, p_t) implies:

$$\begin{aligned}
 k_t < Ap_t + B \implies k_t &< \frac{A\gamma_5 - \gamma_2}{\gamma_1 - A\gamma_4} p_t + \frac{A\gamma_6 - \gamma_3 + B}{\gamma_1 - A\gamma_4} \\
 \iff \gamma_1 k_t + \gamma_2 p_t + \gamma_3 &< A(\gamma_4 k_t + \gamma_5 p_t + \gamma_6) + B \\
 \iff k_{t+1} &< Ap_{t+1} + B,
 \end{aligned}$$

so that (k_{t+1}, p_{t+1}) satisfies condition (18) as well.

2. If $\gamma_1 - A\gamma_4 = \beta(1-\delta) - (1-\eta) < 0$, then it can be checked that

$$\begin{aligned}
 \frac{A\gamma_6 - \gamma_3 + B}{\gamma_1 - A\gamma_4} &= \frac{1-\eta}{\mu\delta(1-\delta)} + \frac{\eta(1+\beta\theta)(\eta-\delta)}{\mu\beta\theta[\beta(1-\delta) - (1-\eta)](1-\beta)(1-\delta)^2} \\
 &< \frac{1-\eta}{\mu\delta(1-\delta)}, \tag{48}
 \end{aligned}$$

where the last inequality holds because $(\eta - \delta) > 0$ under condition (16) and $[\beta(1-\delta) - (1-\eta)] < 0$ by assumption, so that the second term in the middle expression is strictly negative. Therefore, using the first equality in (46) and the last inequality in (48), condition (17) for (k_t, p_t) implies:

$$\begin{aligned}
 k_t > \frac{1-\eta}{\mu(1-\delta)} p_t + \frac{\eta-\delta}{\mu\delta(1-\delta)} \implies k_t &> \frac{A\gamma_5 - \gamma_2}{\gamma_1 - A\gamma_4} p_t + \frac{A\gamma_6 - \gamma_3 + B}{\gamma_1 - A\gamma_4} \\
 \iff (\gamma_1 - A\gamma_4) k_t &< (A\gamma_5 - \gamma_2) p_t + A\gamma_6 - \gamma_3 + B
 \end{aligned}$$

$$\begin{aligned} &\iff \gamma_1 k_t + \gamma_2 p_t + \gamma_3 < A (\gamma_4 k_t + \gamma_5 p_t + \gamma_6) + B \\ &\iff k_{t+1} < A p_{t+1} + B, \end{aligned}$$

where in the third step we used the assumption $\gamma_1 - A\gamma_4 < 0$. Hence, this time thanks to condition (17), (k_{t+1}, p_{t+1}) satisfies condition (18) as well.

3. If $\gamma_1 - A\gamma_4 = \beta(1 - \delta) - (1 - \eta) = 0$, then, after replacing $1 - \eta = \beta(1 - \delta)$ in the expression of A defined in (45) and in all coefficients $\gamma_i, i = 1, \dots, 6$, as listed in the point 2 of Proposition 1, one gets

$$\gamma_1 - A\gamma_4 = 0, \quad A\gamma_5 - \gamma_2 = 0, \quad \text{and} \quad A\gamma_6 - \gamma_3 + B = \frac{\eta(1 + \beta\theta)}{\mu\beta\theta(1 - \delta)} > 0,$$

which, once again, imply

$$\begin{aligned} (\gamma_1 - A\gamma_4) k_t &< (A\gamma_5 - \gamma_2) p_t + A\gamma_6 - \gamma_3 + B \\ &\iff \gamma_1 k_t + \gamma_2 p_t + \gamma_3 < A (\gamma_4 k_t + \gamma_5 p_t + \gamma_6) + B \\ &\iff k_{t+1} < A p_{t+1} + B, \end{aligned}$$

so that (k_{t+1}, p_{t+1}) satisfies condition (18) for all $t \geq 0$.

Equipped with the property that conditions (17) and (18) hold for all (k_t, p_t) , for all $t \geq 1$, we are ready to verify that the plan (k_t, p_t) defined by (22) and (23) contain interior points for all $t \geq 0$. Specifically, the followings hold.

1. As $\gamma_1 > 0$, after some tedious algebra we have

$$k_{t+1} = \gamma_1 k_t + \gamma_2 p_t + \gamma_3 > \gamma_1 \left[\frac{1 - \eta}{\mu(1 - \delta)} p_t + \frac{\eta - \delta}{\mu\delta(1 - \delta)} \right] + \gamma_2 p_t + \gamma_3 \equiv \frac{\eta}{\mu\delta} > 0, \tag{49}$$

where the first equality is (22) and in the first inequality we used condition (17);

2. it also can be shown that (17) is equivalent to

$$k_t > \frac{[\gamma_5 - \mu\gamma_2 - (1 - \eta)] p_t + \gamma_6 - \mu\gamma_3}{\mu\gamma_1 - \gamma_4 - \mu(1 - \delta)},$$

which, in turn, as $\mu\gamma_1 - \gamma_4 - \mu(1 - \delta) = \mu(1 - \beta)(1 - \delta) / (1 + \beta\theta) < 0$ and using both (22) and (22), is a equivalent to $k_{t+1} < p_{t+1} / \mu - (1 - \eta) p_t / \mu + (1 - \delta) k_t$, which, joint with (49) establishes that the sequence k_t generated by (22) is interior for all $t \geq 0$.

3. After the usual tedious algebra it can be shown that condition (18) is equivalent to

$$k_t < \frac{1 - \eta - \gamma_5 p_t - \gamma_6}{\gamma_4},$$

which, in turn, as γ_4 is clearly strictly negative and using (22), is equivalent to $p_{t+1} = \gamma_4 k_t + \gamma_5 p_t + \gamma_6 > (1 - \eta) p_t$;

4. similarly, it can be shown that (17) is equivalent to

$$k_t > \frac{1 - \gamma_5 p_t - \gamma_6}{\gamma_4},$$

which, in turn, as $\gamma_4 < 0$ and using (23), is a equivalent to $p_{t+1} = \gamma_4 k_t + \gamma_5 p_t + \gamma_6 < 1$, which, joint with $p_{t+1} > (1 - \eta) p_t$, establishes that the sequence p_t generated by (23) is interior for all $t \geq 0$.

Incidentally, note that (49) implies that all optimal plans converge to the steady value $k^s = \eta / (\mu\delta)$ defined in (26) from above; that is, starting from any initial state (k_0, p_0) satisfying (17) and (18), all optimal sequences k_t^* generated by (22) contain capital levels which are all larger than the asymptotic value $k^s = \eta / (\mu\delta)$. This observation also explains condition (15).

We now apply Lemma 2 to show that the function $V(k, p)$ defined in (19) is indeed the value function of problem (11). To establish Property 1 of the Lemma recall that there is a maximum capital level, $\bar{k} > 0$, that can be sustained in the long run: as $p_t \geq 0$ for all $t \geq 0$, from the first constraint in (4) such upper bound is easily obtained noting that

$$k_{t+1} \leq z_t (1 + p_t)^{-\phi} k_t^\alpha + (1 - \delta) k_t \leq \bar{z} k_t^\alpha + (1 - \delta) k_t$$

and then solving $k = \bar{z} k^\alpha + (1 - \delta) k$ for k , which yields $\bar{k} = (\delta/\bar{z})^{\frac{1}{\alpha-1}}$. Then

$$\begin{aligned} V(k, p) &= \rho_1 + \frac{1 + \beta\theta}{1 - \beta} \ln \left[\mu (1 - \delta) k - (1 - \eta) p - \frac{\eta - \delta}{\delta} \right] + \theta \ln (1 - p) \\ &\leq \rho_1 + \frac{1 + \beta\theta}{1 - \beta} \ln \left[\mu (1 - \delta) (\delta/\bar{z})^{\frac{1}{\alpha-1}} - \frac{\eta - \delta}{\delta} \right] \\ &= M, \end{aligned}$$

so that $\liminf_{t \rightarrow \infty} \beta^t V(k_t, p_t) \leq \lim_{t \rightarrow \infty} \beta^t V(k_t, p_t) = M \lim_{t \rightarrow \infty} \beta^t = 0$.

To show that Property 2 of Lemma 2 holds as well recall the notation

$$\begin{aligned} W((k_0, p_0), \{k_t, p_t\}) &= \sum_0^\infty \beta^t \left\{ \ln \left[\frac{1}{\mu} p_{t+1} - \frac{1 - \eta}{\mu} p_t + (1 - \delta) k_t - k_{t+1} \right] \right. \\ &\quad \left. + \theta \ln (1 - p_t) \right\}. \end{aligned} \tag{50}$$

We consider two types of feasible plans satisfying condition (17):

- (i) those satisfying $W((k_0, p_0), \{k_t, p_t\}) > -\infty$ and
- (ii) those satisfying $W((k_0, p_0), \{k_t, p_t\}) = -\infty$.

Plans of type (i) necessarily satisfy

$$\lim_{t \rightarrow \infty} \beta^t \left\{ \ln \left[\frac{1}{\mu} p_{t+1} - \frac{1 - \eta}{\mu} p_t + (1 - \delta) k_t - k_{t+1} \right] + \theta \ln (1 - p_t) \right\} = 0. \tag{51}$$

Note that under our assumptions both arguments of the logs in the last expression are bounded from above; therefore, both of them can only escape to $-\infty$, and, as $0 < (1 - \beta) / (1 + \beta\theta) < 1$, we can safely claim that the limit in (51) implies

$$\lim_{t \rightarrow \infty} \beta^t \left\{ \ln \left[\frac{1}{\mu} p_{t+1} - \frac{1 - \eta}{\mu} p_t + (1 - \delta) k_t - k_{t+1} \right] + \frac{\theta (1 - \beta)}{1 + \beta\theta} \ln (1 - p_t) \right\} = 0 \tag{52}$$

as well. Condition (17) implies that

$$\frac{1}{\mu} p_{t+1} - k_{t+1} \leq -\frac{\eta - \delta}{\mu\delta},$$

so that

$$\begin{aligned} \ln \left[\frac{1}{\mu} p_{t+1} - \frac{1-\eta}{\mu} p_t + (1-\delta) k_t - k_{t+1} \right] &\leq \ln \left[(1-\delta) k_t - \frac{1-\eta}{\mu} p_t - \frac{\eta-\delta}{\mu\delta} \right] \\ &= \ln \left[\mu (1-\delta) k_t - (1-\eta) p_t - \frac{\eta-\delta}{\delta} \right] - \ln \mu, \end{aligned} \tag{53}$$

and thus

$$\begin{aligned} &\limsup_{t \rightarrow \infty} \beta^t V(k_t, p_t) \\ &= \limsup_{t \rightarrow \infty} \beta^t \left\{ \rho_1 + \frac{1+\beta\theta}{1-\beta} \ln \left[\mu (1-\delta) k_t - (1-\eta) p_t - \frac{\eta-\delta}{\delta} \right] + \theta \ln(1-p_t) \right\} \\ &= \frac{1+\beta\theta}{1-\beta} \limsup_{t \rightarrow \infty} \beta^t \left\{ \ln \left[\mu (1-\delta) k_t - (1-\eta) p_t - \frac{\eta-\delta}{\delta} \right] \right. \\ &\quad \left. + \frac{\theta(1-\beta)}{1+\beta\theta} \ln(1-p_t) \right\} \\ &\geq \frac{1+\beta\theta}{1-\beta} \limsup_{t \rightarrow \infty} \beta^t \left\{ \ln \left[\frac{1}{\mu} p_{t+1} - \frac{1-\eta}{\mu} p_t + (1-\delta) k_t - k_{t+1} \right] \right. \\ &\quad \left. + \ln \mu + \frac{\theta(1-\beta)}{1+\beta\theta} \ln(1-p_t) \right\} \\ &= \frac{1+\beta\theta}{1-\beta} \lim_{t \rightarrow \infty} \beta^t \left\{ \ln \left[\frac{1}{\mu} p_{t+1} - \frac{1-\eta}{\mu} p_t + (1-\delta) k_t - k_{t+1} \right] \right. \\ &\quad \left. + \frac{\theta(1-\beta)}{1+\beta\theta} \ln(1-p_t) \right\} + \frac{1+\beta\theta}{1-\beta} (\ln \mu) \lim_{t \rightarrow \infty} \beta^t = 0, \end{aligned}$$

where in the first inequality we used (53) while the last equality holds because of (52). Therefore conditions 2a and 2b of Lemma 2 hold (with equality) for the (same) plan $((k_0, p_0), \{k'_t, p'_t\}) = ((k_0, p_0), \{k_t, p_t\})$ when the latter is of type (i).

As far as plans $((k_0, p_0), \{k_t, p_t\})$ of type (ii) are concerned, we take the optimal plan generated by (22) and (23) as reference plan $((k_0, p_0), \{k'_t, p'_t\})$, that is, we calculate the exact solution of the difference equation (27):

$$\begin{bmatrix} k_{t+1} \\ p_{t+1} \end{bmatrix} = \begin{bmatrix} \gamma_1 & \gamma_2 \\ \gamma_4 & \gamma_5 \end{bmatrix} \begin{bmatrix} k_t \\ p_t \end{bmatrix} + \begin{bmatrix} \gamma_3 \\ \gamma_6 \end{bmatrix}.$$

Through direct computation it is easily seen that the matrix (28) characterizing the dynamic (27) happens to be singular and has two eigenvalues: $\lambda_1 = 0$ and $\lambda_2 = \beta(1-\delta)$. As $\lambda_2 < 1$ the steady state in (26) is globally stable. The associated eigenvectors are:

$$\begin{bmatrix} 1 \\ \frac{\mu(1-\delta)}{1-\eta} \end{bmatrix} \text{ for } \lambda_1 = 0 \quad \text{and} \quad \begin{bmatrix} 1 \\ -\frac{\mu\theta(1-\beta)(1-\delta)}{\theta[\beta(1-\delta) - (1-\eta)] + \eta - \delta} \end{bmatrix} \text{ for } \lambda_2 = \beta(1-\delta).$$

Note that condition (44) implies that the second eigenvector—that associated to the positive eigenvalue—has negative slope. To compute the exact solution we solve the general solution

$$\begin{cases} k_t = c_2 [\beta(1-\delta)]^t + \frac{\eta}{\mu\delta} \\ p_t = -c_2 \frac{\mu\theta(1-\beta)(1-\delta)}{\theta[\beta(1-\delta) - (1-\eta)] + \eta - \delta} [\beta(1-\delta)]^t + 1, \end{cases}$$

for the initial values (k_0, p_0) in $t = 0$, that is, we solve

$$\begin{cases} k_0 = c_1 + c_2 [\beta (1 - \delta)]^t + \frac{\eta}{\mu\delta} \\ p_0 = c_1 \frac{\mu (1 - \delta)}{1 - \eta} - c_2 \frac{\mu\theta (1 - \beta) (1 - \delta)}{\theta [\beta (1 - \delta) - (1 - \eta)] + \eta - \delta} [\beta (1 - \delta)]^t + 1, \end{cases}$$

for the constants c_1 and c_2 , yielding the values

$$\begin{aligned} c_1 &= \frac{\theta (1 - \beta) (1 - \eta)}{(\eta - \delta) (1 + \beta\theta)} k_0 + \frac{\theta [\beta (1 - \delta) - (1 - \eta)] + \eta - \delta}{\mu (1 - \delta) (\eta - \delta) (1 + \beta\theta)} (1 - \eta) p_0 \\ &\quad - \frac{\theta (1 - \beta) + \delta (1 + \beta\theta)}{\mu\delta (1 - \delta) (1 + \beta\theta)} (1 - \eta), \\ c_2 &= \frac{\theta [\beta (1 - \delta) - (1 - \eta)] + \eta - \delta}{1 + \beta\theta} \left[\frac{k_0}{\eta - \delta} - \frac{(1 - \eta) p_0}{\mu (1 - \delta) (\eta - \delta)} - \frac{1}{\mu\delta (1 - \delta)} \right]. \end{aligned}$$

Note that $c_2 > 0$ holds because of condition (44) and because the initial values (k_0, p_0) satisfy (16) and (17), which imply that the term in square bracket is strictly positive.

Using the exact solution just found for the optimal plan $((k_0, p_0), \{k'_t, p'_t\})$ we can elaborate the argument of the first log in the welfare function $W((k_0, p_0), \{k'_t, p'_t\})$ defined in (50) as

$$\frac{1}{\mu} p'_{t+1} - \frac{1 - \eta}{\mu} p'_t + (1 - \delta) k'_t - k'_{t+1} = \frac{(1 - \beta) G_0}{\mu\delta (1 + \beta\theta)} [\beta (1 - \delta)]^t,$$

where, to simplify notation, we have set

$$G_0 = \mu\delta (1 - \delta) k_0 - \delta (1 - \eta) p_0 - (\eta - \delta).$$

Note that under (17) $G_0 > 0$ certainly holds. Similarly, the argument in the first log of the function $V(k'_t, p'_t)$ defined in (19) becomes

$$\mu (1 - \delta) k'_t - (1 - \eta) p'_t - \frac{\eta - \delta}{\delta} = \frac{G_0}{\delta} [\beta (1 - \delta)]^t,$$

while the argument in the second log of both functions W and V becomes

$$1 - p'_t = \frac{\theta (1 - \beta) G_0}{\delta (\eta - \delta) (1 + \beta\theta)} [\beta (1 - \delta)]^t.$$

Hence, condition 2a of Lemma 2 holds (with strict inequality) for our reference (optimal) plan $((k_0, p_0), \{k'_t, p'_t\})$ with respect to any given plan $((k_0, p_0), \{k_t, p_t\})$ such that $W((k_0, p_0), \{k_t, p_t\}) = -\infty$ as

$$\begin{aligned} &W((k_0, p_0), \{k'_t, p'_t\}) \\ &= \sum_0^\infty \beta^t \left\{ \ln \left[\frac{1}{\mu} p'_{t+1} - \frac{1 - \eta}{\mu} p'_t + (1 - \delta) k'_t - k'_{t+1} \right] + \theta \ln (1 - p'_t) \right\} \\ &= \sum_0^\infty \beta^t \left\{ \ln \left[\frac{(1 - \beta) G_0}{\mu\delta (1 + \beta\theta)} [\beta (1 - \delta)]^t \right] + \theta \ln \left[\frac{\theta (1 - \beta) G_0}{\delta (\eta - \delta) (1 + \beta\theta)} [\beta (1 - \delta)]^t \right] \right\} \\ &= \sum_0^\infty \beta^t \left\{ \ln \left[\frac{(1 - \beta) G_0}{\mu\delta (1 + \beta\theta)} \right] + t \ln [\beta (1 - \delta)] + \theta \ln \left[\frac{\theta (1 - \beta) G_0}{\delta (\eta - \delta) (1 + \beta\theta)} \right] \right. \\ &\quad \left. + \theta t \ln [\beta (1 - \delta)] \right\} \end{aligned}$$

$$\begin{aligned}
 &= \ln \left[\frac{(1 - \beta) G_0}{\mu \delta (1 + \beta \theta)} \right] \sum_0^\infty \beta^t + (1 + \theta) \ln [\beta (1 - \delta)] \sum_0^\infty t \beta^t \\
 &\quad + \theta \ln \left[\frac{\theta (1 - \beta) G_0}{\delta (\eta - \delta) (1 + \beta \theta)} \right] \sum_0^\infty \beta^t \\
 &= \frac{1}{1 - \beta} \left\{ \ln \left[\frac{(1 - \beta) G_0}{\mu \delta (1 + \beta \theta)} \right] + \frac{\beta (1 + \theta) \ln [\beta (1 - \delta)]}{1 - \beta} + \theta \ln \left[\frac{\theta (1 - \beta) G_0}{\delta (\eta - \delta) (1 + \beta \theta)} \right] \right\} \\
 &> -\infty = W((k_0, p_0), \{k_t, p_t\}).
 \end{aligned}$$

Similarly, condition 2b of Lemma 2 holds for our reference (optimal) plan $((k_0, p_0), \{k'_t, p'_t\})$ as

$$\begin{aligned}
 &\limsup_{t \rightarrow \infty} \beta^t V(k'_t, p'_t) \\
 &\geq \lim_{t \rightarrow \infty} \beta^t V(k'_t, p'_t) = \lim_{t \rightarrow \infty} \beta^t \left\{ \rho_1 + \frac{1 + \beta \theta}{1 - \beta} \ln \left[\mu (1 - \delta) k - (1 - \eta) p - \frac{\eta - \delta}{\delta} \right] \right. \\
 &\quad \left. + \theta \ln (1 - p) \right\} \\
 &= \lim_{t \rightarrow \infty} \beta^t \left\{ \frac{1 + \beta \theta}{1 - \beta} \ln \left[\frac{G_0}{\delta} [\beta (1 - \delta)]^t \right] + \theta \ln \left[\frac{\theta (1 - \beta) G_0}{\delta (\eta - \delta) (1 + \beta \theta)} \right] + \theta t \ln [\beta (1 - \delta)] \right\} \\
 &= \frac{1 + \beta \theta}{1 - \beta} \ln \left(\frac{G_0}{\delta} \right) \lim_{t \rightarrow \infty} \beta^t + \theta \ln \left[\frac{\theta (1 - \beta) G_0}{\delta (\eta - \delta) (1 + \beta \theta)} \right] \lim_{t \rightarrow \infty} \beta^t \\
 &\quad + \left(\frac{1 + \beta \theta}{1 - \beta} + \theta \right) \ln [\beta (1 - \delta)] \lim_{t \rightarrow \infty} (t \beta^t) \\
 &= 0.
 \end{aligned}$$

As we have just found that the plan (k_t^*, p_t^*) generated by (22) and (23) satisfies $\lim_{t \rightarrow \infty} \beta^t V(k_t^*, p_t^*) = 0$, Lemma 3 establishes that such plan is indeed optimal.

Finally, we replace the expressions of (22) and (23) into (7) and (10) to find the optimal paths of consumption and production capacity index to obtain:

$$\begin{aligned}
 c_t &= \frac{1}{\mu} (\gamma_4 k_t + \gamma_5 p_t + \gamma_6) - \frac{1 - \eta}{\mu} p_t + (1 - \delta) k_t - \gamma_1 k_t - \gamma_2 p_t - \gamma_3 \\
 &= \left(\frac{\gamma_4}{\mu} - \gamma_1 + 1 - \delta \right) k_t + \left[\frac{\gamma_5 - (1 - \eta)}{\mu} - \gamma_2 \right] p_t + \frac{\gamma_6}{\mu} - \gamma_3 \\
 &= \gamma_1^c k_t + \gamma_2^c p_t + \gamma_3^c \\
 z_t &= (1 - p_t)^\phi k_t^{-\alpha} \left[\frac{1}{\mu} (\gamma_4 k_t + \gamma_5 p_t + \gamma_6) - \frac{1 - \eta}{\mu} p_t \right] \\
 &= (1 - p_t)^\phi k_t^{-\alpha} \left[\frac{\gamma_4}{\mu} k_t + \frac{\gamma_5 - (1 - \eta)}{\mu} p_t + \frac{\gamma_6}{\mu} \right] \\
 &= (1 - p_t)^\phi k_t^{-\alpha} (\gamma_1^z k_t + \gamma_2^z p_t + \gamma_3^z),
 \end{aligned}$$

so that the expressions of the coefficients $\gamma_1^c, \gamma_2^c, \gamma_3^c, \gamma_1^z, \gamma_2^z, \gamma_3^z$, correspond to those below conditions (24) and (25) in point 3 if Proposition 1. Clearly, by substituting the steady state values $k^s = \eta / (\mu \delta)$ and $p^s = 1$ into the two expressions above, one finds the steady state values for the control variables, c^s and z^s as in (26). □

References

- Ansuategi, A., & Marsiglio, S. (2017). Is environmental protection expenditure beneficial for the environment? *Review of Development Economics*, 21, 786–802.
- Ansuategi, A., & Perrings, C. A. (2000). Transboundary externalities in the environmental transition hypothesis. *Environmental and Resource Economics*, 17, 353–373.
- Athanassoglou, S., & Xepapadeas, A. (2012). Pollution control with uncertain stock dynamics: When, and how, to be precautious. *Journal of Environmental Economics and Management*, 63, 304–320.
- Ballesteros, E., & Romero, C. (1998). *Multiple criteria decision making and its applications to economic problems*. New York, NY: Springer.
- Barro, R. J., & Sala-i-Martin, X. (2004). *Economic growth* (2nd ed.). Cambridge, MA: MIT Press.
- Bethmann, D. (2007). A closed-form solution of the Uzawa–Lucas model of endogenous growth. *Journal of Economics*, 90(1), 87–107.
- Bethmann, D. (2013). Solving macroeconomic models with homogeneous technology and logarithmic preferences. *Australian Economic Papers*, 52(1), 1–18.
- Brock, W. A., & Taylor, M. S. (2005). Economic growth and the environment: A review of theory and empirics. In P. Aghion & S. Durlauf (Eds.), *Handbook of economic growth* (Vol. 1, pp. 1749–1821). Amsterdam: Elsevier.
- Chinchilnisky, G. (1997). What is sustainable development? *Land Economics*, 73, 476–491.
- Chinchilnisky, G., Heal, G., & Beltratti, A. (1995). The green golden rule. *Economics Letters*, 49, 174–179.
- Colapinto, C., Jayaraman, R., & Marsiglio, S. (2017b). Multi-criteria decision analysis with goal programming in engineering, management and social sciences. *Annals of Operations Research*, 251, 7–40.
- Colapinto, C., Liuzzi, D., & Marsiglio, S. (2017a). Sustainability and intertemporal equity: A multicriteria approach. *Annals of Operations Research*, 251, 271–284.
- de Frutos, J., & Martín-Herran, G. (2018). Spatial effects and strategic behavior in a multiregional transboundary pollution dynamic game. *Journal of Environmental Economics and Management*, forthcoming.
- Georgescu-Roegen, N. (1971). *The entropy law and the economic process*. Cambridge: Harvard University Press.
- Georgescu-Roegen, N. (1977). The steady state and ecological salvation: A thermodynamic analysis. *Bio-Science*, 27, 266–270.
- Greco, S., Ehr Gott, M., & Figueira, J. R. (2016). *Multiple criteria decision analysis—state of the art surveys*. New York, NY: Springer.
- John, A., & Pecchenino, R. (1994). An overlapping generations model of growth and the environment. *Economic Journal*, 104, 1393–1410.
- Kallis, G., Kerschner, C., & Martínez-Alier, J. (2012). The economics of degrowth. *Ecological Economics*, 84, 172–180.
- La Torre, D., Liuzzi, D., & Marsiglio, S. (2015). Pollution diffusion and abatement activities across space and over time. *Mathematical Social Sciences*, 78, 48–63.
- La Torre, D., Liuzzi, D., & Marsiglio, S. (2017). Pollution control under uncertainty and sustainability concern. *Environmental and Resource Economics*, 67, 885–903.
- Latouche, S. (2009). Degrowth. *Journal of Cleaner Production*, 18, 519–522.
- Marsiglio, S. (2017). A simple endogenous growth model with endogenous fertility and environmental concern. *Scottish Journal of Political Economy*, 64, 263–282.
- Marsiglio, S., & La Torre, D. (2018). Economic growth and abatement activities in a stochastic environment: A multi-objective approach. *Annals of Operations Research*, 267, 321–334.
- Marsiglio, S., Ansuategi, A., & Gallastegui, M. C. (2016). The environmental Kuznets curve and the structural change hypothesis. *Environmental and Resource Economics*, 63, 265–288.
- Porter, M. E., & van der Linde, C. (1995). Toward a new conception of the environment-competitiveness relationship. *Journal of Economic Perspectives*, 9, 97–118.
- Ramsey, F. (1928). A mathematical theory of saving. *Economic Journal*, 38, 543–559.
- Roy, B., & Vincke, P. (1981). Multicriteria analysis: Survey and new directions. *European Journal of Operational Research*, 8, 207–218.
- Soretz, S. (2007). Efficient dynamic pollution taxation in an uncertain environment. *Environmental and Resource Economics*, 36, 57–84.
- Stokey, N. L. (1998). Are there limits to growth? *International Economic Review*, 39, 1–31.
- von Weizsäcker, C. C. (1967). Lemmas for a theory of approximately optimal growth. *Review of Economic Studies*, 34, 143–151.

Xepapadeas, A. (2005). Economic growth and the environment. In K.-G. Maler & J. Vincent (Eds.), *Handbook of environmental economics* (Vol. 3, pp. 1219–1271). Amsterdam: Elsevier.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.