

An optimization algorithm inspired by the States of Matter that improves the balance between exploration and exploitation

Erik Cuevas · Alonso Echavarría · Marte
A. Ramírez-Ortegón

Published online: 14 July 2013
© Springer Science+Business Media New York 2013

Abstract The ability of an Evolutionary Algorithm (EA) to find a global optimal solution depends on its capacity to find a good rate between exploitation of found-so-far elements and exploration of the search space. Inspired by natural phenomena, researchers have developed many successful evolutionary algorithms which, at original versions, define operators that mimic the way nature solves complex problems, with no actual consideration of the exploration-exploitation balance. In this paper, a novel nature-inspired algorithm called the States of Matter Search (SMS) is introduced. The SMS algorithm is based on the simulation of the states of matter phenomenon. In SMS, individuals emulate molecules which interact to each other by using evolutionary operations which are based on the physical principles of the thermal-energy motion mechanism. The algorithm is devised by considering each state of matter at one different exploration–exploitation ratio. The evolutionary process is divided into three phases which emulate the three states of matter: gas, liquid and solid. In each state, molecules (individuals) exhibit different movement capacities. Beginning from the gas state (pure exploration), the algorithm modifies the intensities of exploration and exploitation until the solid state (pure exploitation) is reached. As a result, the approach can substantially improve the balance between exploration–exploitation, yet preserving the good search capabilities of an evolutionary approach. To illustrate the proficiency and robustness of the proposed algorithm,

it is compared to other well-known evolutionary methods including novel variants that incorporate diversity preservation schemes. The comparison examines several standard benchmark functions which are commonly considered within the EA field. Experimental results show that the proposed method achieves a good performance in comparison to its counterparts as a consequence of its better exploration–exploitation balance.

Keywords Evolutionary algorithms · Global optimization · Nature-inspired algorithms

1 Introduction

Global optimization [1] has delivered applications for many areas of science, engineering, economics and others, where mathematical modeling is used [2]. In general, the goal is to find a global optimum for an objective function which is defined over a given search space. Global optimization algorithms are usually broadly divided into deterministic and stochastic methods [3]. Since deterministic methods only provide a theoretical guarantee of locating a local minimum of the objective function, they often face great difficulties in solving global optimization problems [4]. On the other hand, evolutionary algorithms are usually faster in locating a global optimum [5]. Moreover, stochastic methods adapt easily to black-box formulations and extremely ill-behaved functions, whereas deterministic methods usually rest on at least some theoretical assumptions about the problem formulation and its analytical properties (such as Lipschitz continuity) [6].

Evolutionary algorithms, which are considered as members of the stochastic group, have been developed by a combination of rules and randomness that mimics several natu-

E. Cuevas (✉) · A. Echavarría
Departamento de Electrónica, Universidad de Guadalajara,
CUCEI, Av. Revolución 1500, Guadalajara, Jal, México
e-mail: erik.cuevas@cupei.udg.mx

M.A. Ramírez-Ortegón
Institut für Nachrichtentechnik, Technische Universität
Braunschweig, Schleinitzstrae 22, 38106 Braunschweig, Germany

ral phenomena. Such phenomena include evolutionary processes such as the Evolutionary Algorithm (EA) proposed by Fogel et al. [7], De Jong [8], and Koza [9], the Genetic Algorithm (GA) proposed by Holland [10] and Goldberg [11], the Artificial Immune System proposed by De Castro et al. [12] and the Differential Evolution Algorithm (DE) proposed by Price and Storn [13]. Some other methods which are based on physical processes include the Simulated Annealing proposed by Kirkpatrick et al. [14], the Electromagnetism-like Algorithm proposed by İlker et al. [15] and the Gravitational Search Algorithm proposed by Rashedi et al. [16]. Also, there are other methods based on the animal-behavior phenomena such as the Particle Swarm Optimization (PSO) algorithm proposed by Kennedy and Eberhart [17] and the Ant Colony Optimization (ACO) algorithm proposed by Dorigo et al. [18].

Every EA needs to address the issue of exploration-exploitation of the search space. Exploration is the process of visiting entirely new points of a search space whilst exploitation is the process of refining those points within the neighborhood of previously visited locations, in order to improve their solution quality. Pure exploration degrades the precision of the evolutionary process but increases its capacity to find new potential solutions. On the other hand, pure exploitation allows refining existent solutions but adversely driving the process to local optimal solutions. Therefore, the ability of an EA to find a global optimal solution depends on its capacity to find a good balance between the exploitation of found-so-far elements and the exploration of the search space [19]. So far, the exploration-exploitation dilemma has been an unsolved issue within the framework of EA.


Although PSO, DE and GSA are considered the most popular algorithms for many optimization applications, they fail in finding a balance between exploration and exploitation [20]; in multimodal functions, they do not explore the whole region effectively and often suffers premature convergence or loss of diversity. In order to deal with this problem, several proposals have been suggested in the literature [21–46]. In most of the approaches, exploration and exploitation is modified by the proper settings of control parameters that have an influence on the algorithm's search capabilities [47]. One common strategy is that EAs should start with exploration and then gradually change into exploitation [48]. Such a policy can be easily described with deterministic approaches where the operator that controls the individual diversity decreases along with the evolution. This is generally correct, but such a policy tends to face difficulties when solving certain problems with multimodal functions that hold many optima, since a premature takeover of exploitation over exploration occurs. Some approaches that use this strategy can be found in [21–29]. Other works [30–34] use the population size as reference to change the balance between exploration and exploitation. A larger popula-

tion size implies a wider exploration while a smaller population demands a shorter search. Although this technique delivers an easier way to keep diversity, it often represents an unsatisfactory solution. An improper handling of large populations might converge to only one point, despite introducing more function evaluations. Recently, new operators have been added to several traditional evolutionary algorithms in order to improve their original exploration-exploitation capability. Such operators diversify particles whenever they concentrate on a local optimum. Some methods that employ this technique are discussed in [35–46].

Either of these approaches is necessary but not sufficient to tackle the problem of the exploration-exploitation balance. Modifying the control parameters during the evolution process without the incorporation of new operators to improve the population diversity makes the algorithm defenseless against premature convergence and may result in poor exploratory characteristics of the algorithm [48]. On the other hand, incorporating new operators without modifying the control parameters leads to an increase in computational cost and weakens the exploitation process of candidate regions [39]. Therefore, it does seem reasonable to incorporate both of these approaches into a single algorithm.

In this paper, a novel nature-inspired algorithm, known as the States of Matter Search (SMS) is proposed for solving global optimization problems. The SMS algorithm is based on the simulation of the states of matter phenomenon. In SMS, individuals emulate molecules which interact to each other by using evolutionary operations based on the physical principles of the thermal-energy motion mechanism. Such operations allow the increase of the population diversity and avoid the concentration of particles within a local minimum. The proposed approach combines the use of the defined operators with a control strategy that modifies the parameter setting of each operation during the evolution process. In contrast to other approaches that enhance traditional EA algorithms by incorporating some procedures for balancing the exploration-exploitation rate, the proposed algorithm naturally delivers such property as a result of mimicking the states of matter phenomenon. The algorithm is devised by considering each state of matter at one different exploration-exploitation ratio. Thus, the evolutionary process is divided into three stages which emulate the three states of matter: gas, liquid and solid. At each state, molecules (individuals) exhibit different behaviors. Beginning from the gas state (pure exploration), the algorithm modifies the intensities of exploration and exploitation until the solid state (pure exploitation) is reached. As a result, the approach can substantially improve the balance between exploration-exploitation, yet preserving the good search capabilities of an evolutionary approach. To illustrate the proficiency and robustness of the proposed algorithm, it has been compared to other well-known evolutionary methods including recent variants that incorporate diversity preservation

Fig. 1 Different states of matter: (a) gas, (b) liquid, and (c) solid



schemes. The comparison examines several standard benchmark functions which are usually employed within the EA field. Experimental results show that the proposed method achieves good performance over its counterparts as a consequence of its better exploration–exploitation capability.

This paper is organized as follows. Section 2 introduces basic characteristics of the three states of matter. In Sect. 3, the novel SMS algorithm and its characteristics are both described. Section 4 presents experimental results and a comparative study. Finally, in Sect. 5, some conclusions are discussed.

2 States of matter

The matter can take different phases which are commonly known as states. Traditionally, three states of matter are known: solid, liquid, and gas. The differences among such states are based on forces which are exerted among particles composing a material [49].

In the gas phase, molecules present enough kinetic energy so that the effect of intermolecular forces is small (or zero for an ideal gas), while the typical distance between neighboring molecules is greater than the molecular size. A gas has no definite shape or volume, but occupies the entire container in which it is confined. Figure 1a shows the movements exerted by particles in a gas state. The movement experimented by the molecules represent the maximum permissible displacement ρ_1 among particles [50]. In a liquid state, intermolecular forces are more restrictive than those in the gas state. The molecules have enough energy to move relatively to each other still keeping a mobile structure. Therefore, the shape of a liquid is not definite but is determined by its container. Figure 1b presents a particle movement ρ_2 within a liquid state. Such movement is smaller than those considered by the gas state but larger than the solid state [51]. In the solid state, particles (or molecules) are packed together closely with forces among particles being strong enough so that the particles cannot move freely but only vibrate. As a result, a solid has a stable, definite shape and a definite volume. Solids can only change their

shape by force, as when they are broken or cut. Figure 1c shows a molecule configuration in a solid state. Under such conditions, particles are able to vibrate (being perturbed) considering a minimal ρ_3 distance [50].

In this paper, a novel nature-inspired algorithm known as the States of Matter Search (SMS) is proposed for solving global optimization problems. The SMS algorithm is based on the simulation of the states of matter phenomenon that considers individuals as molecules which interact to each other by using evolutionary operations based on the physical principles of the thermal-energy motion mechanism. The algorithm is devised by considering each state of matter at one different exploration–exploitation ratio. Thus, the evolutionary process is divided into three stages which emulate the three states of matter: gas, liquid and solid. In each state, individuals exhibit different behaviors.

3 States of matter search (SMS)

3.1 Definition of operators

In the approach, individuals are considered as molecules whose positions on a multidimensional space are modified as the algorithm evolves. The movement of such molecules is motivated by the analogy to the motion of thermal-energy.

The velocity and direction of each molecule's movement are determined by considering the collision, the attraction forces and the random phenomena experimented by the molecule set [52]. In our approach, such behaviors have been implemented by defining several operators such as the direction vector, the collision and the random positions operators, all of which emulate the behavior of actual physics laws.

The direction vector operator assigns a direction to each molecule in order to lead the particle movement as the evolution process takes place. On the other side, the collision operator mimics those collisions that are experimented by molecules as they interact to each other. A collision is considered when the distance between two molecules is shorter than a determined proximity distance. The collision operator is thus implemented by interchanging directions of the

involved molecules. In order to simulate the random behavior of molecules, the proposed algorithm generates random positions following a probabilistic criterion that considers random locations within a feasible search space.

The next section presents all operators that are used in the algorithm. Although such operators are the same for all the states of matter, they are employed over a different configuration set depending on the particular state under consideration.

3.1.1 Direction vector

The direction vector operator mimics the way in which molecules change their positions as the evolution process develops. For each n -dimensional molecule \mathbf{p}_i from the population \mathbf{P} , it is assigned an n -dimensional direction vector \mathbf{d}_i which stores the vector that controls the particle movement. Initially, all the direction vectors ($\mathbf{D} = \{\mathbf{d}_1, \mathbf{d}_2, \dots, \mathbf{d}_{N_p}\}$) are randomly chosen within the range of $[-1, 1]$.

As the system evolves, molecules experiment several attraction forces. In order to simulate such forces, the proposed algorithm implements the attraction phenomenon by moving each molecule towards the best so-far particle. Therefore, the new direction vector for each molecule is iteratively computed considering the following model:

$$\mathbf{d}_i^{k+1} = \mathbf{d}_i^k \cdot \left(1 - \frac{k}{gen}\right) \cdot 0.5 + \mathbf{a}_i \quad (1)$$

where \mathbf{a}_i represents the attraction unitary vector calculated as $\mathbf{a}_i = (\mathbf{p}^{best} - \mathbf{p}_i) / \|\mathbf{p}^{best} - \mathbf{p}_i\|$, being \mathbf{p}^{best} the best individual seen so-far, while \mathbf{p}_i is the molecule i of population \mathbf{P} . k represents the iteration number whereas gen involves the total iteration number that constitutes the complete evolution process.

Under this operation, each particle is moved towards a new direction which combines the past direction, which was initially computed, with the attraction vector over the best individual seen so-far. It is important to point out that the relative importance of the past direction decreases as the evolving process advances. This particular type of interaction avoids the quick concentration of information among particles and encourages each particle to search around a local candidate region in its neighborhood, rather than interacting to a particle lying at distant region of the domain. The use of this scheme has two advantages: first, it prevents the particles from moving toward the global best position in early stages of algorithm and thus makes the algorithm less susceptible to premature convergence; second, it encourages particles to explore their own neighborhood thoroughly, just before they converge towards a global best position. Therefore, it provides the algorithm with local search ability enhancing the exploitative behavior.

In order to calculate the new molecule position, it is necessary to compute the velocity \mathbf{v}_i of each molecule by using:

$$\mathbf{v}_i = \mathbf{d}_i \cdot v_{init} \quad (2)$$

being v_{init} the initial velocity magnitude which is calculated as follows:

$$v_{init} = \frac{\sum_{j=1}^n (b_j^{high} - b_j^{low})}{n} \cdot \beta \quad (3)$$

where b_j^{low} and b_j^{high} are the low j parameter bound and the upper j parameter bound respectively, whereas $\beta \in [0, 1]$.

Then, the new position for each molecule is updated by:

$$p_{i,j}^{k+1} = p_{i,j}^k + v_{i,j} \cdot \text{rand}(0, 1) \cdot \rho \cdot (b_j^{high} - b_j^{low}) \quad (4)$$

where $0.5 \leq \rho \leq 1$.

3.1.2 Collision

The collision operator mimics the collisions experimented by molecules while they interact to each other. Collisions are calculated if the distance between two molecules is shorter than a determined proximity value. Therefore, if $\|\mathbf{p}_i - \mathbf{p}_q\| < r$, a collision between molecules i and q is assumed; otherwise, there is no collision, considering $i, q \in \{1, \dots, N_p\}$ such that $i \neq q$. If a collision occurs, the direction vector for each particle is modified by interchanging their respective direction vectors as follows:

$$\mathbf{d}_i = \mathbf{d}_q \quad \text{and} \quad \mathbf{d}_q = \mathbf{d}_i \quad (5)$$

The collision radius is calculated by:

$$r = \frac{\sum_{j=1}^n (b_j^{high} - b_j^{low})}{n} \cdot \alpha \quad (6)$$

where $\alpha \in [0, 1]$.

Under this operator, a spatial region enclosed within the radius r is assigned to each particle. In case the particle regions collide with each other, the collision operator acts upon particles by forcing them out of the region. The radius r and the collision operator provide the ability to control diversity throughout the search process. In other words, the rate of increase or decrease of diversity is predetermined for each stage. Unlike other diversity-guided algorithms, it is not necessary to inject diversity into the population when particles gather around a local optimum because the diversity will be preserved during the overall search process. The collision incorporation therefore enhances the exploratory behavior in the proposed approach.

3.1.3 Random positions

In order to simulate the random behavior of molecules, the proposed algorithm generates random positions following a probabilistic criterion within a feasible search space.

For this operation, a uniform random number r_m is generated within the range $[0, 1]$. If r_m is smaller than a threshold H , a random molecule's position is generated; otherwise, the element remains with no change. Therefore, such an operation can be modeled as follows:

$$p_{i,j}^{k+1} = \begin{cases} b_j^{low} + \text{rand}(0, 1) \cdot (b_j^{high} - b_j^{low}) & \text{with probability } H \\ p_{i,j}^{k+1} & \text{with probability } (1 - H) \end{cases} \quad (7)$$

where $i \in \{1, \dots, N_p\}$ and $j \in \{1, \dots, n\}$.

3.1.4 Best Element Updating

Despite the fact that this updating operator does not belong to the State of Matter metaphor, it is used to simply store the best so-far solution. In order to update the best molecule \mathbf{p}^{best} seen so-far, the best found individual from the current k population $\mathbf{p}^{best,k}$ is compared to the best individual $\mathbf{p}^{best,k-1}$ of the last generation. If $\mathbf{p}^{best,k}$ is better than $\mathbf{p}^{best,k-1}$ according to its fitness value, \mathbf{p}^{best} is updated with $\mathbf{p}^{best,k}$, otherwise \mathbf{p}^{best} remains with no change. Therefore, \mathbf{p}^{best} stores the best historical individual found so-far.

3.2 SMS algorithm

The overall SMS algorithm is composed of three stages corresponding to the three States of Matter: the gas, the liquid and the solid state. Each stage has its own behavior. In the first stage (gas state), exploration is intensified whereas in the second one (liquid state) a mild transition between exploration and exploitation is executed. Finally, in the third phase (solid state), solutions are refined by emphasizing the exploitation process.

3.2.1 General procedure

At each stage, the same operations are implemented. However, depending on which state is referred, they are employed considering a different parameter configuration. The general procedure in each state is shown as pseudo-code in Algorithm 1. Such procedure is composed of five steps and maps the current population \mathbf{P}^k to a new population \mathbf{P}^{k+1} . The algorithm receives as input the current population \mathbf{P}^k and the configuration parameters ρ, β, α , and H , whereby it yields the new population \mathbf{P}^{k+1} .

Algorithm 1 General procedure executed by all the states of matter

Step 1: Find the best element of the population \mathbf{P}

$$\mathbf{p}^{best} \in \{\mathbf{P}\} | f(\mathbf{p}^{best}) = \max\{f(\mathbf{p}_1), f(\mathbf{p}_2), \dots, f(\mathbf{p}_{N_p})\}$$

Step 2: Calculate v_{init} and r

$$v_{init} = \frac{\sum_{j=1}^n (b_j^{high} - b_j^{low})}{n} \cdot \beta$$

$$r = \frac{\sum_{j=1}^n (b_j^{high} - b_j^{low})}{n} \cdot \alpha$$

Step 3: Compute the new molecules by using the Direction vector operator 3.1.1

for ($i = 1; i < N_p + 1; i++$)

$$\mathbf{a}_i = (\mathbf{p}^{best} - \mathbf{p}_i) / \|\mathbf{p}^{best} - \mathbf{p}_i\|$$

for ($j = 1; j < n + 1; j++$)

$$d_{i,j}^{k+1} = d_{i,j}^k \cdot \left(1 - \frac{k}{gen}\right) \cdot 0.5 + a_{i,j}$$

$$v_{i,j} = d_{i,j}^{k+1} \cdot v_{init}$$

$$p_{i,j}^{k+1} = p_{i,j}^k + v_{i,j} \cdot \text{rand}(0, 1) \cdot \rho \cdot (b_j^{high} - b_j^{low})$$

end for

end for

Step 4: Solve collisions by using the Collision operator 3.1.2

for ($i = 1; i < N_p + 1; i++$)

for ($j = 1; j < N_p + 1; j++$)

if ($(\|\mathbf{p}_i - \mathbf{p}_j\| < r)$ and $(i \neq j)$)

$$\mathbf{t} = \mathbf{d}_i$$

$$\mathbf{d}_i = \mathbf{d}_j$$

$$\mathbf{d}_j = \mathbf{t}$$

end if

end for

end for

Step 5: Generate new random positions by using the Random positions operator 3.1.3

for ($i = 1; i < N_p + 1; i++$)

if ($r_m < H$) then; where $r_m \in \text{rand}(0, 1)$

for ($j = 1; j < n + 1; j++$)

$$p_{i,j}^{k+1} = b_j^{low} + \text{rand}(0, 1) \cdot (b_j^{high} - b_j^{low})$$

end for

end if

end for




Fig. 2 Evolution process in the proposed approach




Fig. 3 Data flow in the complete SMS algorithm

3.2.2 The complete algorithm

The complete algorithm is divided into four different parts. The first corresponds to the initialization stage, whereas the last three represent the States of Matter. All the optimization process, which consists of a *gen* number of iterations, is organized into three different asymmetric phases, employing 50 % of all iterations for the gas state (exploration), 40 % for the liquid state (exploration–exploitation) and 10 % for the solid state (exploitation). The overall process is graphically described by Fig. 2. At each state, the same general procedure (see Algorithm 1) is iteratively used considering the particular configuration predefined for each State of Matter. Figure 3 shows the data flow for the complete SMS algorithm.

Initialization The algorithm begins by initializing a set \mathbf{P} of N_p molecules ($\mathbf{P} = \{\mathbf{p}_1, \mathbf{p}_2, \dots, \mathbf{p}_{N_p}\}$). Each molecule

position \mathbf{p}_i is an n -dimensional vector containing the parameter values to be optimized. Such values are randomly and uniformly distributed between the pre-specified lower initial parameter bound b_j^{low} and the upper initial parameter bound b_j^{high} , just as it is described by the following expressions:

$$p_{i,j}^0 = b_j^{low} + \text{rand}(0, 1) \cdot (b_j^{high} - b_j^{low}),$$

$$j = 1, 2, \dots, n; i = 1, 2, \dots, N_p, \tag{8}$$

where j and i are the parameter and molecule index, respectively, whereas zero indicates the initial population. Hence, p_i^j is the j -th parameter of the i -th molecule.

Gas state In the gas state, molecules experiment severe displacements and collisions. Such state is characterized by random movements produced by non-modeled molecule phenomena [52]. Therefore, the ρ value from the direction

vector operator is set to a value close to one so that the molecules can travel longer distances. Similarly, the H value representing the random positions operator is also configured to a value around one, in order to allow the random generation for other molecule positions. The gas state is the first phase and lasts for the 50 % of all iterations which compose the complete optimization process. The computational procedure for the gas state can be summarized as follows:

- Step 1: Set the parameters $\rho \in [0.8, 1]$, $\beta = 0.8$, $\alpha = 0.8$ and $H = 0.9$ being consistent with the gas state.
 Step 2: Apply the general procedure which is illustrated in Algorithm 1.
 Step 3: If 50 % of the total iteration number is completed ($1 \leq k \leq 0.5 \cdot gen$), then the process continues to the liquid state procedure; otherwise go back to step 2.

Liquid state Although molecules currently at the liquid state exhibit restricted motion in comparison to the gas state, they still show a higher flexibility with respect to the solid state. Furthermore, the generation of random positions which are produced by non-modeled molecule phenomena is scarce [53]. For this reason, the ρ value from the direction vector operator is bounded to a value between 0.3 and 0.6. Similarly, the random position operator H is configured to a value close to zero in order to allow the random generation of fewer molecule positions. In the liquid state, collisions are also less common than in the gas state, so the collision radius, that is controlled by α , is set to a smaller value in comparison to the gas state. The liquid state is the second phase and lasts the 40 % of all iterations which compose the complete optimization process. The computational procedure for the liquid state can be summarized as follows:

- Step 4: Set the parameters $\rho \in [0.3, 0.6]$, $\beta = 0.4$, $\alpha = 0.2$ and $H = 0.2$ being consistent with the liquid state.
 Step 5: Apply the general procedure that is defined in Algorithm 1.
 Step 6: If 90 % (50 % from the gas state and 40 % from the liquid state) of the total iteration number is completed ($0.5 \cdot gen < k \leq 0.9 \cdot gen$), then the process continues to the solid state procedure; otherwise go back to step 5.

Solid state In the solid state, forces among particles are stronger so that particles cannot move freely but only vibrate. As a result, effects such as collision and generation of random positions are not considered [52]. Therefore, the ρ value of the direction vector operator is set to a value close to zero indicating that the molecules can only vibrate around their original positions. The solid state is the third phase and lasts for the 10 % of all iterations which compose the complete optimization process. The computational procedure for the solid state can be summarized as follows:

- Step 7: Set the parameters $\rho \in [0.0, 0.1]$ and $\beta = 0.1$, $\alpha = 0$ and $H = 0$ being consistent with the solid state.
 Step 8: Apply the general procedure that is defined in Algorithm 1.
 Step 9: If 100 % of the total iteration number is completed ($0.9 \cdot gen < k \leq gen$), the process is finished; otherwise go back to step 8.

It is important to clarify that the use of this particular configuration ($\alpha = 0$ and $H = 0$) disables the collision and generation of random positions operators, which have been illustrated in the general procedure.

4 Experimental results

A comprehensive set of 24 functions, collected from Refs. [54–61], has been used to test the performance of the proposed approach. Tables 8–11 in Appendix A present the benchmark functions used in our experimental study. Such functions are classified into four different categories: Unimodal test functions (Table 8), multimodal test functions (Table 9), multimodal test functions with fixed dimensions (Table 10) and functions proposed for the GECCO contest (Table 11). In such tables, n indicates the dimension of the function, f_{opt} is the optimum value of the function and S is the subset of R^n . The function optimum position (\mathbf{x}_{opt}) for $f_1, f_2, f_4, f_6, f_7, f_{10}, f_{11}$ and f_{14} is at $\mathbf{x}_{opt} = [0]^n$, for f_3, f_8 and f_9 is at $\mathbf{x}_{opt} = [1]^n$, for f_5 is at $\mathbf{x}_{opt} = [420.96]^n$, for f_{18} is at $\mathbf{x}_{opt} = [0]^n$, for f_{12} is at $\mathbf{x}_{opt} = [0.0003075]^n$ and for f_{13} is at $\mathbf{x}_{opt} = [-3.32]^n$. In case of functions contained in Table 11, the \mathbf{x}^{opt} and f_{opt} values have been set to default values which have been obtained from the Matlab[®] implementation for GECCO competitions, as it is provided in [59]. A detailed description of optimum locations is given in Appendix A.

4.1 Performance comparison to other meta-heuristic algorithms

We have applied the SMS algorithm to 24 functions whose results have been compared to those produced by the Gravitational Search Algorithm (GSA) [16], the Particle Swarm Optimization (PSO) method [17] and the Differential Evolution (DE) algorithm [13]. These are considered the most popular algorithms in many optimization applications. In order to enhance the performance analysis, the PSO algorithm with a territorial diversity-preserving scheme (TPSO) [39] has also been added into the comparisons. TPSO is considered a recent PSO variant that incorporates a diversity preservation scheme in order to improve the balance between exploration and exploitation. In all comparisons, the population has been set to 50. The maximum iteration number for functions in Tables 8, 9 and 11 has been set to 1000

Table 1 Minimization result of benchmark functions of Table 8 with $n = 30$. Maximum number of iterations = 1000

		SMS	GSA	PSO	DE	TPSO
f_1	AB	4.68457E-16	1.3296E-05	0.873813333	0.186584241	0.100341256
	MB	4.50542E-16	7.46803E-06	4.48139E-12	0.189737658	0.101347821
	SD	1.23694E-16	1.45053E-05	4.705628811	0.039609704	0.002421043
f_2	AB	0.033116745	0.173618066	12.83021186	54.85755486	0.103622066
	MB	1.02069E-08	0.159932758	12.48059177	54.59915941	0.122230612
	SD	0.089017369	0.122230612	3.633980625	4.506836836	0.006498124
f_3	AB	19.64056183	32.83253962	33399.69716	46898.34558	21.75247912
	MB	26.87914282	27.65055745	565.0810149	43772.19502	28.45741892
	SD	11.8115879	19.11361524	43099.34439	15697.6366	14.56258711
f_4	AB	8.882513655	9.083435186	15.05362961	12.83391861	13.98432748
	MB	9.016816582	9.150769929	13.91301428	12.89762202	14.01237836
	SD	0.442124359	0.499181789	4.790792877	0.542197802	1.023476914

and for functions in Table 10 the iterations have been set to 500. Such stop criterion has been selected to maintain compatibility to similar works reported in the literature [4, 16].

The parameter setting for each algorithm in the comparison is described as follows:

1. GSA [16]: The parameters are set to $G_o = 100$ and $\alpha = 20$; the total number of iterations is set to 1000 for functions f_1 to f_{11} and 500 for functions f_{12} to f_{14} . The total number of individuals is set to 50. Such values are the best parameter set for this algorithm according to [16].
2. PSO [17]: The parameters are set to $c_1 = 2$ and $c_2 = 2$; besides, the weight factor decreases linearly from 0.9 to 0.2.
3. DE [13]: The DE/Rand/1 scheme is employed. The crossover probability is set to $CR = 0.9$ and the weight factor is set to $F = 0.8$.
4. TPSO [39]: The parameter α has been set to 0.5. This value is found to be the best configuration according to [39]. The algorithm has been tuned according to the set of values which have been originally proposed by its own reference.

The experimental comparison between metaheuristic algorithms, with respect to SMS, has been developed according to the function-type classification as follows:

1. Unimodal test functions (Table 8).
2. Multimodal test functions (Table 9).
3. Multimodal test functions with fixed dimension (Table 10).
4. Test functions from the GECCO contest (Table 11).

4.1.1 Unimodal test functions

This experiment is performed over the functions presented in Table 8. The test compares the SMS to other algorithms

Table 2 p -values produced by Wilcoxon’s test comparing SMS vs. PSO, SMS vs. GSA, SMS vs. DE and SMS vs. TPSO over the “average best-so-far” (AB) values from Table 3

	SMS vs			
	PSO	GSA	DE	TPSO
f_1	3.94×10^{-5}	7.39×10^{-4}	1.04×10^{-6}	4.12×10^{-4}
f_2	5.62×10^{-5}	4.92×10^{-4}	2.21×10^{-6}	3.78×10^{-4}
f_3	6.42×10^{-8}	7.11×10^{-7}	1.02×10^{-4}	1.57×10^{-4}
f_4	1.91×10^{-8}	7.39×10^{-4}	1.27×10^{-6}	4.22×10^{-4}

such as GSA, PSO, DE and TPSO. The results for 30 runs are reported in Table 1 considering the following performance indexes: the Average Best-so-far (AB) solution, the Median Best-so-far (MB) and the Standard Deviation (SD) of best-so-far solution. The best outcome for each function is boldfaced. According to this table, SMS delivers better results than GSA, PSO, DE and TPSO for all functions. In particular, the test remarks the largest difference in performance, which is directly related to a better trade-off between exploration and exploitation. Just as it is illustrated by Fig. 4, SMS, DE and GSA have similar convergence rates at finding the optimal minimal, yet are faster than PSO and TPSO.

A non-parametric statistical significance proof known as the Wilcoxon’s rank sum test for independent samples [62, 63] has been conducted over the “average best-so-far” (AB) data of Table 1, with an 5 % significance level. Table 2 reports the p -values produced by Wilcoxon’s test for the pair-wise comparison of the “average best so-far” of four groups. Such groups are formed by SMS vs. GSA, SMS vs. PSO, SMS vs. DE and SMS vs. TPSO. As a null hypothesis, it is assumed that there is no significant difference between mean values of the two algorithms. The alternative hypothesis considers a significant difference between the “average best-so-far” values of both approaches. All p -values reported in Table 2 are less than 0.05 (5 % signifi-




Fig. 4 Convergence rate comparison of GSA, PSO, DE, SMS and TPSO for minimization of (a) f_1 and (b) f_3 considering $n = 30$

Table 3 Minimization result of benchmark functions in Table 9 with $n = 30$. Maximum number of iterations = 1000

		SMS	GSA	PSO	DE	TPSO
f_5	AB	1756.862345	9750.440145	4329.650468	4963.600685	1893.673916
	MB	0.070624076	9838.388135	4233.282929	5000.245932	50.23617893
	SD	1949.048601	405.1365297	699.7276454	202.2888921	341.2367823
f_6	AB	10.95067665	15.18970458	130.5959941	194.6220253	18.56962853
	MB	0.007142491	13.9294268	129.4942809	196.1369499	1.234589423
	SD	14.38387472	4.508037915	27.87011038	9.659933059	7.764931264
f_7	AB	0.000299553	0.000575111	0.19630233	0.98547042	0.002348619
	MB	8.67349E-05	0	0.011090373	0.991214493	0.000482084
	SD	0.000623992	0.0021752	0.702516846	0.031985616	0.000196428
f_8	AB	1.35139E-05	2.792846799	1450.666769	304.6986718	1.753493426
	MB	7.14593E-06	2.723230534	0.675050254	51.86661185	1.002364819
	SD	2.0728E-05	1.324814757	1708.798785	554.2231579	0.856294537
f_9	AB	0.002080591	14.49783478	136.6888694	67251.29956	5.284029512
	MB	0.000675275	9.358377669	7.00288E-05	37143.43153	0.934751939
	SD	0.003150999	18.02351657	7360.920758	63187.52749	1.023483601
f_{10}	AB	0.003412411	40.59204902	365.7806149	822.087914	9.636393364
	MB	0.003164797	39.73690704	359.104488	829.1521586	0.362322274
	SD	0.001997493	11.46284891	148.9342039	81.93476435	2.194638533
f_{11}	AB	0.199873346	1.121397135	0.857971914	3.703467688	0.452738336
	MB	0.199873346	1.114194975	0.499967033	3.729096071	0.124948295
	SD	0.073029674	0.271747312	1.736399225	0.278860779	0.247510642

ificance level) which is strong evidence against the null hypothesis. Therefore, such evidence indicates that SMS results are statistically significant and that it has not occurred by coincidence (i.e. due to common noise contained in the process).

Multimodal test functions Multimodal functions represent a good optimization challenge as they possess many local minima (Table 9). In the case of multimodal functions, final

results are very important since they reflect the algorithm’s ability to escape from poor local optima and are able to locate a near-global optimum. Experiments using f_5 to f_{11} are quite relevant as the number of local minima for such functions increases exponentially as their dimensions increase. The dimension of such functions is set to 30. The results are averaged over 30 runs, reporting the performance index for each function in Table 3 as follows: the Average Best-so-far (AB) solution, the Median Best-so-far (MB) and the




Fig. 5 Convergence rate comparison of PSO, GSA, DE, SMS and TPSO for minimization of (a) f_5 and (b) f_{11} considering $n = 30$




Fig. 6 Convergence rate comparison of PSO, GSA, DE, SMS and TPSO for minimization of (a) f_{12} and (b) f_{13}

Table 4 p -values produced by Wilcoxon’s test comparing SMS vs. GSA, SMS vs. PSO, SMS vs. DE and SMS vs. TPSO over the “average best-so-far” (AB) values from Table 3

	SMS vs			
	GSA	PSO	DE	TPSO
f_5	0.087	8.38×10^{-4}	4.61×10^{-4}	0.058
f_6	0.062	1.92×10^{-9}	9.97×10^{-8}	0.012
f_7	0.055	4.21×10^{-5}	3.34×10^{-4}	0.061
f_8	7.74×10^{-9}	3.68×10^{-7}	8.12×10^{-5}	1.07×10^{-5}
f_9	1.12×10^{-8}	8.80×10^{-9}	4.02×10^{-8}	9.21×10^{-5}
f_{10}	4.72×10^{-9}	3.92×10^{-5}	2.20×10^{-4}	7.41×10^{-5}
f_{11}	4.72×10^{-9}	3.92×10^{-5}	2.20×10^{-4}	4.05×10^{-5}

Standard Deviation (SD) best-so-far (the best result for each function is highlighted). Likewise, p -values of the Wilcoxon signed-rank test of 30 independent runs are listed in Table 4.

In the case of functions f_8, f_9, f_{10} and f_{11} , SMS yields much better solutions than other methods. However, for functions f_5, f_6 and f_7 , SMS produces similar results to GSA and TPSO. The Wilcoxon rank test results, which are presented in Table 4, demonstrate that SMS performed better than GSA, PSO, DE and TPSO considering four functions f_8 – f_{11} , whereas, from a statistical viewpoint, there is no difference between results from SMS, GSA and TPSO for f_5, f_6 and f_7 . The progress of the “average best-so-far” solution over 30 runs for functions f_5 and f_{11} is shown by Fig. 5.

Multimodal test functions with fixed dimensions In the following experiments, the SMS algorithm is compared to GSA, PSO, DE and TPSO over a set of multidimensional functions with fixed dimensions, which are widely used in the meta-heuristic literature. The functions used for the experiments are f_{12}, f_{13} and f_{14} which are presented in Ta-

Table 5 Minimization results of benchmark functions in Table 10 with $n = 30$. Maximum number of iterations = 500

		SMS	GSA	PSO	DE	TPSO
f_{12}	AB	0.004361206	0.051274735	0.020521847	0.006247895	0.008147895
	MB	0.004419241	0.051059414	0.020803912	0.004361206	0.003454528
	SD	0.004078875	0.016617355	0.021677285	8.7338E-15	6.37516E-15
f_{13}	AB	-3.862782148	-3.207627571	-3.122812884	-3.200286885	-3.311538343
	MB	-3.862782148	-3.222983851	-3.198877457	-3.200286885	-3.615938695
	SD	2.40793E-15	0.032397257	0.357126056	2.22045E-15	0.128463953
f_{14}	AB	0	0.00060678	1.07786E-11	4.45378E-31	0.036347329
	MB	3.82624E-12	0.000606077	0	4.93038E-32	0.002324632
	SD	2.93547E-11	0.000179458	0	1.0696E-30	0.032374213

Table 6 Minimization results of benchmark functions in Table 11 with $n = 30$. Maximum number of iterations = 1000

		SMS	GSA	PSO	DE	TPSO
f_{15}	AB	-25.91760733	57.15411412	134.3191481	183.6659439	-18.63859195
	MB	-29.92042882	57.38647154	133.1673936	186.723035	-21.73646913
	SD	23.85960437	14.20175945	68.4414947	38.0678428	12.54569285
f_{16}	AB	-57.89720018	-57.89605386	-40.5715691	-52.92227417	-50.437455071
	MB	-57.89733814	-57.89616319	-40.00561762	-53.25902658	-52.564574931
	SD	0.00077726	0.000841082	4.812411459	1.769678878	1.3446395342
f_{17}	AB	184.7448285	186.1082051	7540.2406	186.6192165	190.43463434
	MB	184.7424982	186.0937327	4831.581816	186.6285041	188.43649638
	SD	0.180957032	0.149285212	7101.466992	0.208918841	2.4340683134
f_{18}	AB	-449.9936552	2015.050538	18201.78495	-435.2972206	-410.37493561
	MB	-449.994798	1741.613119	18532.32174	-436.0279997	-429.46295713
	SD	0.005537064	1389.619208	6325.379751	2.880379023	1.4538493855
f_{19}	AB	1213.421542	22038.7467	30055.82961	43551.34835	1452.4364384
	MB	-181.0028277	21908.86945	26882.92621	42286.55626	1401.7493617
	SD	4050.267293	1770.050492	18048.55578	7505.414378	532.36343411
f_{20}	AB	26975.80614	66771.65533	44221.12187	58821.82993	29453.323822
	MB	24061.19301	65172.39992	44733.97226	60484.33588	28635.439023
	SD	10128.06919	12351.81976	16401.44428	9191.787618	4653.1269549
f_{21}	AB	6526.690523	23440.26883	23297.93668	26279.82607	7412.5361303
	MB	5716.886785	23427.99207	22854.63384	26645.28551	7012.4634613
	SD	2670.569217	2778.292017	5157.063617	2726.609286	745.37485621
f_{22}	AB	965.8899213	181742714.4	7385919478	284396.8728	1051.4348595
	MB	653.8161313	196616193.9	5789573763	287049.5324	1003.3448944
	SD	751.3821374	79542617.71	5799950322	66484.87261	894.43484589
f_{23}	AB	18617.61336	30808.74384	444370.5566	429178.9416	20654.323956
	MB	10932.4606	28009.57647	425696.8169	418480.2092	19434.343851
	SD	18224.4141	17834.72979	145508.9625	59342.54534	473.45938567
f_{24}	AB	910.002925	997.4123375	1026.555016	917.4176502	1017.3484548
	MB	910.0020976	999.1456735	1025.559417	917.3421337	993.34434754
	SD	0.004747964	19.08754967	57.01221298	0.456440816	45.343496836




Fig. 7 Convergence rate comparison of PSO, GSA, DE, SMS and TPSO for minimization of (a) f_{17} and (b) f_{24}

ble 10. The results in Table 5 show that SMS, GSA, PSO, DE and TPSO have similar values in their performance. The evidence shows how meta-heuristic algorithms maintain a similar average performance when they face low-dimensional functions [54]. Figure 6 presents the convergence rate for the GSA, PSO, DE, SMS and TPSO algorithms considering functions f_{12} to f_{13} .

Test functions from the GECCO contest The experimental set in Table 11 includes several representative functions that are used in the GECCO contest. Using such functions, the SMS algorithm is compared to GSA, PSO, DE and TPSO. The results have been averaged over 30 runs, reporting the performance indexes for each algorithm in Table 6. Likewise, p -values of the Wilcoxon signed-rank test of 30 independent executions are listed in Table 7. According to results of Table 6, it is evident that SMS yields much better solutions than other methods. The Wilcoxon test results in Table 7 provide information to statistically demonstrate that SMS has performed better than PSO, GSA, DE and TPSO. Figure 7 presents the convergence rate for the GSA, PSO, DE, SMS and TPSO algorithms, considering functions f_{17} to f_{24} .

5 Conclusions

In this paper, a novel nature-inspired algorithm called as the States of Matter Search (SMS) has been introduced. The SMS algorithm is based on the simulation of the State of Matter phenomenon. In SMS, individuals emulate molecules which interact to each other by using evolutionary operations that are based on physical principles of the thermal-energy motion mechanism. The algorithm is devised by considering each state of matter at one different

Table 7 p -values produced by Wilcoxon's test that compare SMS vs. GSA, SMS vs. PSO, SMS vs. DE and SMS vs. TPSO, for the "average best-so-far" (AB) values from Table 6

	SMS vs			
	GSA	PSO	DE	TPSO
f_{15}	1.7344E-06	1.7344E-06	1.7344E-06	5.2334E-05
f_{16}	9.7110E-05	1.7344E-06	1.7344E-06	3.1181E-05
f_{17}	1.12654E-05	1.7344E-06	1.7344E-06	6.2292E-05
f_{18}	1.7344E-06	1.7344E-06	1.7344E-06	1.8938E-05
f_{19}	1.92092E-06	1.7344E-06	1.7344E-06	9.2757E-05
f_{20}	1.7344E-06	9.7110E-05	2.1264E-06	8.3559E-05
f_{21}	1.7344E-06	1.7344E-06	1.7344E-06	7.6302E-05
f_{22}	1.7344E-06	1.7344E-06	1.7344E-06	6.4821E-05
f_{23}	0.014795424	1.7344E-06	1.7344E-06	8.8351E-05
f_{24}	1.7344E-06	1.7344E-06	1.7344E-06	9.9453E-05

exploration–exploitation ratio. The evolutionary process is divided into three phases which emulate the three states of matter: gas, liquid and solid. At each state, molecules (individuals) exhibit different movement capacities. Beginning from the gas state (pure exploration), the algorithm modifies the intensities of exploration and exploitation until the solid state (pure exploitation) is reached. As a result, the approach can substantially improve the balance between exploration–exploitation, yet preserving the good search capabilities of an EA approach.

SMS has been experimentally tested considering a suite of 24 benchmark functions. The performance of SMS has also been compared to the following evolutionary algorithms: the Particle Swarm Optimization method (PSO) [17], the Gravitational Search Algorithm (GSA) [16], the Differential Evolution (DE) algorithm [13] and the PSO algorithm with a territorial diversity-preserving scheme (TPSO) [39]. Results have confirmed a high performance of the proposed

method in terms of the solution quality for solving most of the benchmark functions.

The SMS’s remarkable performance is associated with two different reasons: (i) the defined operators allow a better particle distribution in the search space, increasing the algorithm’s ability to find the global optima; and (ii) the division of the evolution process at different stages, provides different rates between exploration and exploitation during the evolution process. At the beginning, pure exploration is favored at the gas state, then a mild transition between exploration and exploitation features during the liquid state. Finally, pure exploitation is performed during the solid state.

Acknowledgements The proposed algorithm is part of the optimization system used by a biped robot supported under the grant CONA-CYT CB 181053.

Appendix A: List of benchmark functions

Table 8 Unimodal test functions

Test function	<i>S</i>	<i>f_{opt}</i>	<i>n</i>
$f_1(\mathbf{x}) = \sum_{i=1}^n x_i^2$	$[-100, 100]^n$	0	30
$f_2(\mathbf{x}) = \max\{ x_i , 1 \leq i \leq n\}$	$[-100, 100]^n$	0	30
$f_3(\mathbf{x}) = \sum_{i=1}^{n-1} [100(x_{i+1} - x_i^2)^2 + (x_i - 1)^2]$	$[-30, 30]^n$	0	30
$f_4(\mathbf{x}) = \sum_{i=1}^n i x_i^4 + \text{rand}(0, 1)$	$[-1.28, 1.28]^n$	0	30

Table 9 Multimodal test functions

Test function	<i>S</i>	<i>f_{opt}</i>	<i>n</i>
$f_5(\mathbf{x}) = 418.9829n + \sum_{i=1}^n (-x_i \sin(\sqrt{ x_i }))$	$[-500, 500]^n$	0	30
$f_6(\mathbf{x}) = \sum_{i=1}^{50} (x_i^2 - 10 \cos(2\pi x_i) + 10)$	$[-5.12, 5.12]^n$	0	30
$f_7(\mathbf{x}) = \frac{1}{4000} \sum_{i=1}^n x_i^2 - \prod_{i=1}^n \cos(\frac{x_i}{\sqrt{i}}) + 1$	$[-600, 600]^n$	0	30
$f_8(\mathbf{x}) = \frac{\pi}{n} \{10 \sin(\pi y_1) + \sum_{i=1}^{n-1} (y_i - 1)^2 [1 + 10 \sin^2(\pi y_{i+1})] + (y_n - 1)^2\} + \sum_{i=1}^n u(x_i, 10, 100, 4)$ $y_i = 1 + \frac{(x_i + 1)}{4}, u(x_i, a, k, m) = \begin{cases} k(x_i - a)^m & x_i > a \\ 0 & -a \leq x_i \leq a \\ k(-x_i - a)^m & x_i < a \end{cases}$	$[-50, 50]^n$	0	30
$f_9(\mathbf{x}) = 0.1 \{\sin^2(3\pi x_1) + \sum_{i=1}^n (x_i - 1)^2 [1 + \sin^2(3\pi x_i + 1)] + (x_n - 1)^2 [1 + \sin^2(2\pi x_n)]\} + \sum_{i=1}^n u(x_i, 5, 100, 4)$ where $u(x_i, a, k, m)$ is the same as f_8	$[-50, 50]^n$	0	30
$f_{10}(\mathbf{x}) = \sum_{i=1}^n x_i^2 + (\sum_{i=1}^n 0.5 i x_i)^2 + (\sum_{i=1}^n 0.5 i x_i^4)$	$[-10, 10]^n$	0	30
$f_{11}(\mathbf{x}) = 1 - \cos(2\pi \ x\) + 0.1 \ x\ $ where $\ x\ = \sqrt{\sum_{i=1}^n x_i^2}$	$[-100, 100]^n$	0	30

Table 10 Multimodal test functions with fixed dimensions

Test function	<i>S</i>	<i>f_{opt}</i>	<i>n</i>
$f_{12}(\mathbf{x}) = \sum_{i=1}^{11} [a_i - \frac{x_i(b_i^2 + b_i x_2)}{b_i^2 + b_i x_3 + x_4}]^2$ $\mathbf{a} = [0.1957, 0.1947, 0.1735, 0.1600, 0.0844, 0.0627, 0.456, 0.0342, 0.0323, 0.0235, 0.0246]$ $\mathbf{b} = [0.25, 0.5, 1, 2, 4, 6, 8, 10, 12, 14, 16]$	$[-5, 5]^n$	0.00030	4
$f_{13}(\mathbf{x}) = \sum_{i=1}^4 c_i \exp(-\sum_{j=1}^3 A_{ij} (x_j - P_{ij})^2), \mathbf{A} = \begin{bmatrix} 10 & 3 & 17 & 3.5 & 1.7 & 8 \\ 0.05 & 10 & 17 & 0.1 & 8 & 14 \\ 3 & 3.5 & 17 & 10 & 17 & 8 \\ 17 & 8 & 0.05 & 10 & 0.1 & 14 \end{bmatrix}$ $\mathbf{c} = [1, 1.2, 3, 3.2], \mathbf{P} = \begin{bmatrix} 0.131 & 0.169 & 0.556 & 0.012 & 0.828 & 0.588 \\ 0.232 & 0.413 & 0.830 & 0.373 & 0.100 & 0.999 \\ 0.234 & 0.141 & 0.352 & 0.288 & 0.304 & 0.665 \\ 0.404 & 0.882 & 0.873 & 0.574 & 0.109 & 0.038 \end{bmatrix}$	$[0, 1]^n$	-3.32	6
$f_{14}(\mathbf{x}) = (1.5 - x_1(1 - x_2))^2 + (2.25 - x_1(1 - x_2))^2 + (2.625 - x_1(1 - x_2))^2$	$[-4.5, 4.5]^n$	0	2

Table 11 Set of representative GECCO functions

Test function	S	n	GECCO classification
$f_{15}(\mathbf{x}) = 10^6 \cdot z_1^2 + \sum_{i=2}^n z_i + f_{opt}$ $\mathbf{z} = T_{osz}(\mathbf{x} - \mathbf{x}^{opt})$ $T_{osz} : \mathbb{R}^n \rightarrow \mathbb{R}^n$, for any positive integer n , it maps element-wise $\mathbf{a} = T_{osz}(\mathbf{h})$, $\mathbf{a} = \{a_1, a_2, \dots, a_n\}$, $\mathbf{h} = \{h_1, h_2, \dots, h_n\}$ $a_i = \text{sign}(h_i) \exp(K + 0.049(\sin(c_1 K) + \sin(c_2 K)))$, where $K = \begin{cases} \log(h_i) & \text{if } h_i \neq 0 \\ 0 & \text{otherwise} \end{cases}, \text{sign}(h_i) = \begin{cases} -1 & \text{if } h_i < 0 \\ 0 & \text{if } h_i = 0, \\ 1 & \text{if } h_i > 0 \end{cases}$ $c_1 = \begin{cases} 10 & \text{if } h_i > 0 \\ 5.5 & \text{otherwise} \end{cases} \text{ and } c_2 = \begin{cases} 7.9 & \text{if } h_i > 0 \\ 3.1 & \text{otherwise} \end{cases}$	$[-5, 5]^n$	30	GECCO2010 Discus function $f_{11}(\mathbf{x})$
$f_{16}(\mathbf{x}) = \sqrt{\sum_{i=1}^n z_i ^{2+4\frac{i-1}{n-1}}} + f_{opt}$ $\mathbf{z} = \mathbf{x} - \mathbf{x}^{opt}$	$[-5, 5]^n$	30	GECCO2010 Different Powers function $f_{14}(\mathbf{x})$
$f_{17}(\mathbf{x}) = -\frac{1}{n} \sum_{i=1}^n z_i \sin(\sqrt{ z_i }) + 4.189828872724339 + 100 f_{pen}(\frac{\mathbf{z}}{100}) + f_{opt}$ $\hat{\mathbf{x}} = 2 \times \mathbf{1}_+^+ \otimes \mathbf{x}$ $\hat{z}_1 = \hat{x}_1, \hat{z}_{i+1} = \hat{x}_{i+1} + 0.25(\hat{x}_i - x_i^{opt})$ for $i = 1, \dots, n - 1$ $\mathbf{z} = 100(\Lambda^{10}(\hat{\mathbf{z}} - \mathbf{x}^{opt}) + \mathbf{x}^{opt})$ $f_{pen} : \mathbb{R}^n \rightarrow \mathbb{R}$ $a = f_{pen}(\mathbf{h})$, $\mathbf{h} = \{h_1, h_2, \dots, h_n\}$ $a = 100 \sum_{i=1}^n \max(0, h_i - 5)^2$ $\mathbf{1}_+^+$ is an n -dimensional vector with elements of -1 or 1 computed considering equal probability	$[-5, 5]^n$	30	GECCO2010 Schwefel function $f_{20}(\mathbf{x})$
$f_{18}(\mathbf{x}) = \sum_{i=1}^n z_i^2 - 450$ $\mathbf{z} = \mathbf{x} - \mathbf{x}^{opt}$	$[-100, 100]^n$	30	GECCO2005 Shifted Sphere Function $f_1(\mathbf{x})$
$f_{19}(\mathbf{x}) = \sum_{i=1}^n (\sum_{j=1}^i z_j)^2 - 450$ $\mathbf{z} = \mathbf{x} - \mathbf{x}^{opt}$	$[-100, 100]^n$	30	GECCO2005 Shifted Schwefel's Problem $f_2(\mathbf{x})$
$f_{20}(\mathbf{x}) = (\sum_{i=1}^n (\sum_{j=1}^i z_j)^2) \cdot (1 + 0.4 N(0, 1)) - 450$ $\mathbf{z} = \mathbf{x} - \mathbf{x}^{opt}$	$[-100, 100]^n$	30	GECCO2005 Shifted Schwefel's Problem 1.2 with Noise in Fitness $f_4(\mathbf{x})$
$f_{21}(\mathbf{x}) = \max\{ \mathbf{A}\mathbf{x} - \mathbf{b}_i \} - 310$ \mathbf{A} is an $n \times n$ matrix, $a_{i,j}$ are integer random numbers in the range $[-500, 500]$, $\det(\mathbf{A}) \neq 0$ $\mathbf{b}_i = \mathbf{A}_i \cdot \mathbf{o}$ \mathbf{A}_i is the i -th row of \mathbf{A} whereas \mathbf{o} is an $n \times 1$ vector whose elements are random numbers in the range $[-100, 100]$	$[-100, 100]^n$	30	GECCO2005 Schwefel's Problem 2.6 with Global Optimum on Bounds $f_5(\mathbf{x})$
$f_{22}(\mathbf{x}) = \sum_{i=1}^n (100(z_i^2 - z_{i+1})^2 + (z_i - 1)^2) + 390$ $\mathbf{z} = \mathbf{x} - \mathbf{x}^{opt}$	$[-100, 100]^n$	30	GECCO2005 Shifted Rosenbrock's Function $f_6(\mathbf{x})$
$f_{23}(\mathbf{x}) = \sum_{i=1}^n (A_i - B_i(\mathbf{x}))^2 - 460$ $A_i = \sum_{j=1}^n (a_{i,j} \sin \alpha_j + b_{i,j} \cos \alpha_j)$, $B_i(\mathbf{x}) = \sum_{j=1}^n (a_{i,j} \sin x_j + b_{i,j} \cos x_j)$ For $i = 1, \dots, n$, $a_{i,j}$ and $b_{i,j}$ are integer random numbers in the range $[-100, 100]$ $\boldsymbol{\alpha} = [\alpha_1, \alpha_2, \dots, \alpha_n]$, α_j are random numbers in the range $[-\pi, \pi]$	$[-\pi, \pi]^n$	30	GECCO2005 Schwefel's Problem 2.13 $f_{12}(\mathbf{x})$

Table 11 (Continued)

Test function	S	n	GECCO classification
$f_{24}(\mathbf{x}) = \sum_{i=1}^{10} \hat{F}_i(\mathbf{x} - \mathbf{x}_i^{opt})/\lambda_i$	[-5, 5] ⁿ	30	GECCO2005 Rotated Version of Hybrid Composition Function $f_{16}(\mathbf{x})$
$F_{1-2}(\mathbf{x}) = \text{Ackley's function}$			
$F_i(\mathbf{x}) = -20 \exp(-0.2 \sqrt{\frac{1}{D} \sum_{i=1}^n x_i^2}) - \exp(\frac{1}{D} \sum_{i=1}^n \cos(2\pi x_i)) + 20$			
$F_{3-4}(\mathbf{x}) = \text{Rastrigin's function}$			
$F_i(\mathbf{x}) = \sum_{i=1}^n (x_i^2 - 10 \cos(2\pi x_i)) + 10$			
$F_{5-6}(\mathbf{x}) = \text{Sphere function}$			
$F_i(\mathbf{x}) = \sum_{i=1}^n x_i^2$			
$F_{7-8}(\mathbf{x}) = \text{Weierstrass function}$			
$F_i(x) = \sum_{i=1}^n (\sum_{k=0}^k \max [a^k \cos(2\pi b^k (x_i + 0.5))]) - n \sum_{k=0}^k \max [a^k \cos(2\pi b^k (x_i \cdot 0.5))]$			
$F_{9-10}(\mathbf{x}) = \text{Griewank's function}$			
$F_i(\mathbf{x}) = \sum_{i=1}^n \frac{x_i^2}{4000} - \prod_{i=1}^n \cos(\frac{x_i}{\sqrt{i}}) + 1$			
$\hat{F}_i(\mathbf{z}) = F_i(\mathbf{z})/F_i^{\max}$. F_i^{\max} is the maximum value of the particular function i .			
$\lambda = [\frac{10}{32}, \frac{5}{32}, 2, 1, \frac{10}{100}, \frac{5}{100}, 20, 10, \frac{10}{60}, \frac{5}{60}]$			

The \mathbf{x}^{opt} and f_{opt} values have been set to default values which have been obtained from the Matlab©implementation for GECCO competitions, as it is provided in [51].

References

- Han M-F, Liao S-H, Chang J-Y, Lin C-T (2012) Dynamic group-based differential evolution using a self-adaptive strategy for global optimization problems. Appl Intell. doi:10.1007/s10489-012-0393-5
- Pardalos Panos M, Romeijn Edwin H, Tuy H (2000) Recent developments and trends in global optimization. J Comput Appl Math 124:209–228
- Floudas C, Akrotirianakis I, Caratzoulas S, Meyer C, Kallrath J (2005) Global optimization in the 21st century: advances and challenges. Comput Chem Eng 29(6):1185–1202
- Ying J, Ke-Cun Z, Shao-Jian Q (2007) A deterministic global optimization algorithm. Appl Math Comput 185(1):382–387
- Georgieva A, Jordanov I (2009) Global optimization based on novel heuristics, low-discrepancy sequences and genetic algorithms. Eur J Oper Res 196:413–422
- Lera D, Sergeev Ya (2010) Lipschitz and Hölder global optimization using space-filling curves. Appl Numer Math 60(1–2):115–129
- Fogel LJ, Owens AJ, Walsh MJ (1966) Artificial intelligence through simulated evolution. Wiley, Chichester
- De Jong K (1975) Analysis of the behavior of a class of genetic adaptive systems. Ph.D. Thesis, University of Michigan, Ann Arbor, MI
- Koza JR (1990) Genetic programming: a paradigm for genetically breeding populations of computer programs to solve problems. Rep. No. STAN-CS-90-1314, Stanford University, CA
- Holland JH (1975) Adaptation in natural and artificial systems. University of Michigan Press, Ann Arbor
- Goldberg DE (1989) Genetic algorithms in search, optimization and machine learning. Addison Wesley, Boston
- de Castro LN, Von Zuben FJ (1999) Artificial immune systems: Part I—basic theory and applications. Technical report TR-DCA 01/99
- Storn R, Price K (1995) Differential evolution—a simple and efficient adaptive scheme for global optimisation over continuous spaces. Tech. Rep. TR-95–012, ICSI, Berkeley, CA
- Kirkpatrick S, Gelatt C, Vecchi M (1983) Optimization by simulated annealing. Science 220(4598):671–680
- İlker B, Birbil S, Shu-Cherng F (2003) An electromagnetism-like mechanism for global optimization. J Glob Optim 25:263–282
- Rashedia E, Nezamabadi-pour H, Saryazdi S (2011) Filter modeling using gravitational search algorithm. Eng Appl Artif Intell 24(1):117–122
- Kennedy J, Eberhart R (1995) Particle swarm optimization. In: Proceedings of the 1995 IEEE international conference on neural networks, December 1995, vol 4, pp 1942–1948
- Dorigo M, Maniezzo V, Colomi A (1991) Positive feedback as a search strategy. Technical Report No. 91-016, Politecnico di Milano
- Tan KC, Chiam SC, Mamun AA, Goh CK (2009) Balancing exploration and exploitation with adaptive variation for evolutionary multi-objective optimization. Eur J Oper Res 197:701–713
- Chen G, Low CP, Yang Z (2009) Preserving and exploiting genetic diversity in evolutionary programming algorithms. IEEE Trans Evol Comput 13(3):661–673
- Liu S-H, Mernik M, Bryant B (2009) To explore or to exploit: an entropy-driven approach for evolutionary algorithms. Int J Knowl-Based Intell Eng Syst 13(3):185–206
- Alba E, Dorronsoro B (2005) The exploration/exploitation trade-off in dynamic cellular genetic algorithms. IEEE Trans Evol Comput 9(3):126–142
- Fister I, Mernik M, Filipič B (2010) A hybrid self-adaptive evolutionary algorithm for marker optimization in the clothing industry. Appl Soft Comput 10(2):409–422
- Gong W, Cai Z, Jiang L (2008) Enhancing the performance of differential evolution using orthogonal design method. Appl Math Comput 206(1):56–69
- Joan-Arinyo R, Luzon MV, Yeguas E (2011) Parameter tuning of pbil and chc evolutionary algorithms applied to solve the root identification problem. Appl Soft Comput 11(1):754–767
- Mallipeddi R, Suganthan PN, Pan QK, Tasgetiren MF (2011) Differential evolution algorithm with ensemble of parameters and mutation strategies. Appl Soft Comput 11(2):1679–1696
- Sadegh M, Reza M, Palhang M (2012) LADPSO: using fuzzy logic to conduct PSO algorithm. Appl Intell 37(2):290–304

28. Yadav P, Kumar R, Panda SK, Chang CS (2012) An intelligent tuned harmony search algorithm for optimization. *Inf Sci* 196(1):47–72
29. Khajehzadeh M, Raihan Taha M, El-Shafie A, Eslami M (2012) A modified gravitational search algorithm for slope stability analysis. *Eng Appl Artif Intell* 25(8):1589–1597
30. Koumousis V, Katsaras CP (2006) A saw-tooth genetic algorithm combining the effects of variable population size and reinitialization to enhance performance. *IEEE Trans Evol Comput* 10(1):19–28
31. Han M-F, Liao S-H, Chang J-Y, Lin C-T (2012) Dynamic group-based differential evolution using a self-adaptive strategy for global optimization problems. *Appl Intell*. doi:10.1007/s10489-012-0393-5
32. Brest J, Maučec, MS (2008) Population size reduction for the differential evolution algorithm. *Appl Intell* 29(3):228–247
33. Li Y, Zeng X (2010) Multi-population co-genetic algorithm with double chain-like agents structure for parallel global numerical optimization. *Appl Intell* 32(3):292–310
34. Paenke I, Jin Y, Branke J (2009) Balancing population- and individual-level adaptation in changing environments. *Adapt Behav* 17(2):153–174
35. Araujo L, Merelo JJ (2011) Diversity through multiculturalism: assessing migrant choice policies in an island model. *IEEE Trans Evol Comput* 15(4):456–468
36. Gao H, Xu W (2011) Particle swarm algorithm with hybrid mutation strategy. *Appl Soft Comput* 11(8):5129–5142
37. Jia D, Zheng G, Khan MK (2011) An effective memetic differential evolution algorithm based on chaotic local search. *Inf Sci* 181(15):3175–3187
38. Lozano M, Herrera F, Cano JR (2008) Replacement strategies to preserve useful diversity in steady-state genetic algorithms. *Inf Sci* 178(23):4421–4433
39. Ostadmohammadi B, Mirzabeygi P, Panahi M (2013) An improved PSO algorithm with a territorial diversity-preserving scheme and enhanced exploration–exploitation balance. *Swarm Evol Comput* 11:1–15
40. Yang G-P, Liu S-Y, Zhang J-K, Feng Q-X (2012) Control and synchronization of chaotic systems by an improved biogeography-based optimization algorithm. *Appl Intell*. doi:10.1007/s10489-012-0398-0
41. Hasanzadeh M, Meybodi MR, Ebadzadeh MM (2012) Adaptive cooperative particle swarm optimizer. *Appl Intell*. doi:10.1007/s10489-012-0420-6
42. Aribarg T, Supratid S, Lursinsap C (2012) Optimizing the modified fuzzy ant-miner for efficient medical diagnosis. *Appl Intell* 37(3):357–376
43. Fernandes CM, Laredo JLJ, Rosa AC, Merelo JJ (2012) The sandpile mutation Genetic Algorithm: an investigation on the working mechanisms of a diversity-oriented and self-organized mutation operator for non-stationary functions. *Appl Intell*. doi:10.1007/s10489-012-0413-5
44. Gwak J, Sim KM (2013) A novel method for coevolving PS-optimizing negotiation strategies using improved diversity controlling EDAs. *Appl Intell* 38(3):384–417
45. Cheshmehgaz HR, Ishak Desa M, Wibowo A (2013) Effective local evolutionary searches distributed on an island model solving bi-objective optimization problems. *Appl Intell* 38(3):331–356
46. Cuevas E, González M (2012) Multi-circle detection on images inspired by collective animal behaviour. *Appl Intell*. doi:10.1007/s10489-012-0396-2
47. Adra SF, Fleming PJ (2011) Diversity management in evolutionary many-objective optimization. *IEEE Trans Evol Comput* 15(2):183–195
48. Črepineš M, Liu SH, Mernik M (2011) Exploration and exploitation in evolutionary algorithms: a survey. *ACM Comput Surv* 1(1):1–33
49. Ceruti MG, Rubin, SH (2007) Infodynamics: Analogical analysis of states of matter and information. *Inf Sci* 177:969–987
50. Chowdhury D, Stauffer D (2000) Principles of equilibrium statistical mechanics. Wiley-VCH, New York
51. Betts DS, Turner RE (1992) Introductory statistical mechanics, 1st edn. Addison Wesley, Reading
52. Cengel YA, Boles MA (2005) Thermodynamics: an engineering approach, 5th edn. McGraw-Hill, New York
53. Bueche F, Hecht E (2011) Schaum's outline of college physics, 11th edn. McGraw-Hill, New York
54. Piotrowski AP, Napiorkowski JJ, Kiczko A (2012) Differential evolution algorithm with separated groups for multi-dimensional optimization problems. *Eur J Oper Res* 216(1):33–46
55. Cocco Mariani V, Justi Luvizotto LG, Alessandro Guerra F, dos Santos Coelho L (2011) A hybrid shuffled complex evolution approach based on differential evolution for unconstrained optimization. *Appl Math Comput* 217(12):5822–5829
56. Yao X, Liu Y, Lin G (1999) Evolutionary programming made faster. *IEEE Trans Evol Comput* 3(2):82–102
57. Moré JJ, Garbow BS, Hillstom KE (1981) Testing unconstrained optimization software. *ACM Trans Math Softw* 7(1):17–41
58. Tsoulos IG (2008) Modifications of real code genetic algorithm for global optimization. *Appl Math Comput* 203(2):598–607
59. Black-Box Optimization Benchmarking (BBOB) 2010, 2nd GECCO Workshop for Real-Parameter Optimization. <http://coco.gforge.inria.fr/doku.php?id=bbob-2010>
60. Abdel-Rahman Hedar, Ali AF (2012) Tabu search with multi-level neighborhood structures for high dimensional problems. *Appl Intell* 37(2):189–206
61. Vafashoar R, Meybodi MR, Momeni Azandaryani AH (2012) CLA-DE: a hybrid model based on cellular learning automata for numerical optimization. *Appl Intell* 36(3):735–748
62. Garcia S, Molina D, Lozano M, Herrera F (2008) A study on the use of non-parametric tests for analyzing the evolutionary algorithms' behaviour: a case study on the CEC'2005 special session on real parameter optimization. *J Heuristics*. doi:10.1007/s10732-008-9080-4
63. Shilane D, Martikainen J, Dudoit S, Ovaska S (2008) A general framework for statistical performance comparison of evolutionary computation algorithms. *Inf Sci* 178:2870–2879



Erik Cuevas received the B.S. degree with distinction in Electronics and Communications Engineering from the University of Guadalajara, Mexico in 1995, the M.Sc. degree in Industrial Electronics from ITESO, Mexico in 2000, and the Ph.D. degree from Freie Universität Berlin, Germany in 2005. From 2001 he was awarded a scholarship from the German Service for Academic Interchange (DAAD) as full-time researcher. Since 2007 he has been with University of Guadalajara, where he is currently a fulltime Professor in the Department of Electronics. From 2008, he is a member of the Mexican National Research System (SNI). His current research interests include computer vision and artificial intelligence.



Alonso Echavarría received the B.S. degree in Mechanical Engineering from the Instituto Tecnológico de Culiacan, Mexico in 2009. He is currently finishing his master degree in Electronics and Computer Science from Universidad de Guadalajara, Mexico. His current research interests include artificial intelligence, computer vision and evolutionary algorithms.