

Erratum to: Electrospun silk fibroin mat enhances tendon-bone healing in a rabbit extra-articular model

Yunlong Zhi · Wen Liu · Peng Zhang · Jia Jiang ·
Shiyi Chen

Published online: 11 July 2016
© Springer Science+Business Media Dordrecht 2016

Erratum to: Biotechnol Lett
DOI 10.1007/s10529-016-2158-4

In the printed version of this paper, the authors inadvertently made a mistake in the presentation of Fig. 4 of their paper. The correct version of Fig. 4 is given below.

The online version of the original article can be found under doi:[10.1007/s10529-016-2158-4](https://doi.org/10.1007/s10529-016-2158-4).

Y. Zhi · P. Zhang · J. Jiang · S. Chen (✉)
Department of Sports Medicine, Huashan Hospital, Fudan University, No. 12 Middle Wulumuqi Road, Shanghai 200040, People's Republic of China
e-mail: chenshiyifudan@sina.com

W. Liu
State Key Laboratory of Molecular Engineering of Polymers, Department of Macromolecular Science and Laboratory of Advanced Materials, Fudan University, Shanghai, People's Republic of China




Fig. 4 The histological results of control group (a, b) and experimental group (c, d) at 6 (a, c) and 12 weeks (b, d) post-operatively. Arrow heads protruding new bone. HB host bone, IF interface, G autologous Achilles tendon graft. Scale bars 200 μ m