



# The assessment of the usability of digital educational resources: An interdisciplinary analysis from two systematic reviews

Odiel Estrada-Molina<sup>1</sup> · Dieter Reynaldo Fuentes-Cancell<sup>1</sup> · Anaibis Alvarez Morales<sup>1</sup>

Received: 3 May 2021 / Accepted: 23 August 2021 / Published online: 15 October 2021  
© The Author(s), under exclusive licence to Springer Science+Business Media, LLC, part of Springer Nature 2021

## Abstract

International reports analyzing current and future educational trends with an emphasis on technologies applied to education declare the importance of the design and application of digital educational resources. Guaranteeing its usability allows obtaining an adequate resource with a high pedagogical and technological quality. The objective of this paper is to analyze the empirical researches to determine if exists convergence between educational and computational researches on the assessment of the usability of digital educational resources. To fulfill the objective, the PRISMA protocol was used to carry out two systematic reviews and answer the two scientific questions. The results show that in few cases an adequate integration is achieved between: (1) the criteria for assessing usability as established by Software Engineering; (2) the methods and computational models to assess usability and, (3) the criteria established in pedagogical usability. Due to these shortcomings, a model for evaluating the usability of digital educational resources is proposed as future work. It concludes with the importance of interdisciplinary integration to assess the usability of digital educational resources.

**Keywords** Assessment · Computational research · Educational research · Educative technology · Digital educational resources · Usability

---

The authors are responsible for the exposed content and the research process. The opinions stated in the article do not necessarily coincide with those of the University of Informatics Sciences, Cuba.

---

✉ Odiel Estrada-Molina  
oestrada@uci.cu; odiestrada@gmail.com

Dieter Reynaldo Fuentes-Cancell  
dieter@uci.cu

Anaibis Alvarez Morales  
aamorales@uci.cu

<sup>1</sup> Present Address: Department of Informatics, Faculty of Computational Sciences and Technologies, Universidad de las Ciencias Informáticas, Havana, Cuba

## 1 Introduction

Digital educational resources are means that support teaching and learning. By guaranteeing the usability of these resources, the teacher and students will be able to use them efficiently and effectively. Due to this, digital educational resources assume a technological and pedagogical mediation function.

The digital educational resources are devices stored and accessible on a computer, designed for educational purposes, with identity and autonomy about other objects, and with adequate quality standards (Ramos et al., 2010). Yang (2014) reflects that these digital resources include digital video, digital audio, multimedia software, websites, learning management systems, simulation programs, and resources that enable online discussions. Examples of these resources are virtual courses, learning objects, educational games, and educational repositories. In the particular case of open educational resources, they stand out for their adaptability and possibility of modification:

The open provision of educational resources, enabled by information and communication technologies, for consultation, use and adaptation by a community of users for non-commercial purposes (UNESCO, 2002, p. 24).

Different technological approaches determine how to design and implement digital educational resources, guaranteeing their effectiveness, satisfaction, efficiency, operability, and learning. In this sense, the usability characteristic influences the determination of the quality of an educational resource. Ensuring usability is essential in the interactive and communicative process established in b-learning, e-learning, and m-learning (Kumar & Goundar, 2019).

To ensure the correct usability assessment of digital educational resources, standards must be used to guarantee harmony between the criteria and their metrics (Revythi & Tselios, 2019). The most frequently used are:

- ISO/IEC 9126-1 (understandability, learnability, operability, and attractiveness). It is a model that classifies the quality of software based on six characteristics (Usability, Functionality, Reliability, Efficiency, Maintainability, and Portability) which are manifested as a result of the internal attributes of the software (functional requirements) (International Organization for Standardization, 2001).
- ISO/IEC 9241-11 (effectiveness, efficiency, and satisfaction). Standard focused on usability and ergonomics (hardware and software)(International Organization for Standardization, 2018).
- Norma ISO/IEC 25010 (learnability, appropriateness, recognizability, operability, user error protection, user interface aesthetics, and accessibility). Standard that determines eight characteristics (Usability, Functional Suitability, Performance efficiency, Compatibility, Reliability, Security, and Maintainability) of quality to evaluate the properties of a software product (International Organization for Standardization, 2011).

- IEEE Std.1061. (understandability, ease of learning, operability, and communicativeness). IEEE Standard for a Software Quality Metrics Methodology

Regardless of the criteria established in the standards presented above, there are other general criteria related to the Nielsen heuristics (Nielsen, 1994) that allow a more specialized evaluation. In addition, according to Mohd-Khir and Ismail (2019), it is not enough to use general criteria, since when evaluating usability, they must include criteria of pedagogical usability.

Recent systematic reviews (Vieira et al., 2019) declare the importance of evaluating the usability of digital educational resources according to the characteristics of the students, reflecting on the need to use already validated criteria and metrics, mainly the standards: ISO/IEC 9126-1 and ISO/IEC 9241-11 (Yanez et al., 2019).

The models for evaluating usability (Hartson, & Pyla, 2012; Pensabe-Rodriguez et al., 2020) are based on traditional Software Engineering procedures, (Inspection, Inquiry, and Test Methods). However, current computational models are implemented to reduce the presence of uncertainty in the data offered by the evaluator of digital educational resources (experts, teachers, or students). For this reason, the technologies applied to education use models to further personalize and facilitate learning (Educase, 2018, 2019).

Various papers reflect how to assess the usability in different environments (Evaluation Methods: expert evaluation; model evaluation; user evaluation and location evaluation) including digital educational resources in educational informatics. Some researchers employ criteria associated with standards and pedagogical usability criteria (Alshehri et al., 2019), while others refine these *traditional researches* by using computational models (Paunović et al., 2018; Ramanayaka et al., 2019).

The applications of analytical, multi-criteria, hierarchical, and fuzzy logic methods, in general, contribute to the prediction of learning and the design of digital educational resources, which are more interactive, collaborative, and highly personalized to the characteristics of the students. Recent research (Zawacki-Richter et al., 2019) affirm trends in the use of computational models in education, identifying the need for critical educational reflection.

The ethical, educational, and social importance of the application of computational models in education is vital to be analyzed from an interdisciplinary perspective (Zawacki-Richter et al., 2019). Its introduction has been effective in educational processes; however, it is sometimes unknown to the professor.

A recurring limitation is that the usability of digital educational resources is only assessed from traditional engineering methods or only from a pedagogical perspective (Hinojo-Lucena et al., 2019). This is a consequence of the exclusion of current computational models that can improve the praxis and theory of technologies applied to education. Consequently, it was decided to determine whether or not there are convergences in educational researches and computational researches in the assessment of the usability of digital educational resources. Therefore, possible discrepancies are observed between educational research and computational research related to the evaluation of the usability of digital educational resources.

For this reason, the objective of this research is to determine whether or not there are convergences in educational research and computational research in assessing the usability of digital educational resources.

## 2 State of the art

### 2.1 Main strengths and weaknesses

Various systematic reviews published in the 5 years 2015–February 2020 identify trends in the last 10 years in the assessment of usability in digital educational resources. They focus their attention on the use of traditional methods of assessment, Inquiry, Test, and Inspection. These reviews cover some computational methods that are used to strengthen the assessment of usability.

In the last decade, some systematic reviews have been published in Scopus and WoS, and to a lesser extent mappings and meta-analyses (Table 1). In computational research (Yanez et al., 2016, 2019; Salas et al., 2019), the evolution of the main methods for assessing the usability of digital educational resources are determined and, in educational research, the main criteria of pedagogical usability (Abuhlfaia & Quincey, 2018; Gunsekera et al. 2019; Hainey et al., 2016; Kumar & Mohite, 2018; Missen et al., 2019; Murillo et al., 2019; Silveira et al., 2020; Vee Senap & Ibrahim, 2019; Vieira et al., 2019; Sulaiman & Mustafa, 2019).

The referenced studies (Table 1) individually analyze various criteria to assess the usability of digital educational resources without being able to determine similarities or differences between educational and computational researches. Another limitation is that these studies are fundamentally focused on two types of digital educational resources: educational games and virtual learning environments, therefore it is vital to analyze empirical studies of others types of digital educational

**Table 1** Research present in Scopus or WoS (2015–April 2021)

Research	Type of study	Area of interest
Silveira et al. (2020)	Systematic review	Educational games
Wan-Sulaiman and Mustafa (2019)		Digital textbook development
Yanez et al. (2019)		Serious games
Vee Senap and Ibrahim (2019)		Mobile educational games
Gunsekera et al. (2019)		E-learning
Salas et al. (2019)		Learning support platforms
Missen et al., 2019		Mobile apps for children
Vieira et al. (2019)		Educational games
Murillo et al (2019)	Meta-analysis	Usability in moodle
Kumar and Mohite (2018)	Systematic review	Mobile learning applications
Abuhlfaia and Quincey (2018)	Systematic mapping	E-learning platforms
Yanez et al. (2016)	Systematic review	Serious games
Hainey et al. (2016)		Serious games

resources. Furthermore, the scientific literature lacks meta-analysis of empirical research related to the assessment of the usability of digital educational resources, influencing the development of interdisciplinary research.

Consequently, it was decided to determine whether or not there are convergences in educational researches and computational researches in the assessment of the usability of digital educational resources. To fulfill this purpose, the following scientific questions were determined:

- Question 1: what general usability and pedagogical usability criteria are used in the assessment of digital educational resources in educational researches?
- Question 2: what methods and algorithms are used to assess the usability of digital educational resources and what criteria and metrics do they use in computational researches?

### 3 Method

The objective of this paper is to analyze the empirical researches to determine if exists convergence between educational and computational researches on the assessment of the usability of digital educational resources. To fulfill the objective, the PRISMA protocol (Moher, 2009) was used to carry out two systematic reviews and answer the two scientific questions.

#### 3.1 Search strategy and quality criteria

- Selection criteria for scientific questions 1 and 2: English-language empirical researches published in Scopus, ACM Digital Library, IEEE Xplore, and Springer published were analyzed. The search was limited in journals and conference proceedings with peer review.
- Exclusion criteria of scientific questions 1 and 2: articles and tutorials with poor scientific basis will not be included, as well as those with limited structure designs or that do not justify or prove their results.

The search strategy (Tables 2 and 3) was carried out from November 2019 to February 2020 (2561 and 115 initial registrations respectively). Duplicate papers were eliminated and the analysis was limited to those published from 2015 to February 2020 (first scientific question) and from 2000 to February 2020 (second scientific question).

#### 3.2 Validity assessment and data extraction

The *Keywording* technique (Odun et al., 2019) was used and to ensure external validity, articles that did not argue their results were discarded. In the conclusion validity, a procedure was developed in which three reviewers completed the data of

**Table 2** Initial search string for the first scientific question

Topic	Search terms
Digital educational resources AND Virtual courses AND Learning objects AND Education level AND Educational games	“Usability”; “Usability assessment”; “ISO/IEC 9241–11”; “ISO/IEC 9126-1”; “ISO/IEC 25010”; “Metrics”; “Criteria”; “characteristics”; “Heuristics”; “Standard”; “Models”; “Pedagogical usability” “Higher education” OR “college” OR “undergrad” OR “graduate” OR “postgrad” OR “K-12” OR “professional training” OR “primary school” OR “middle school” OR “high school” OR “elementary school” OR “vocational education” OR “adult education”


**Table 3** Initial search string for the second scientific question

Topic	Search terms
Artificial intelligence AND usability (Digital educational resources OR Virtual courses OR Learning objects OR Educational games OR Multimedia software OR virtual learning environments)	“Artificial intelligence” OR “machine intelligence” OR “intelligent support” OR “machine learning” OR “expert system” OR “neural network” OR “natural language processing”
Operations research AND usability (Digital educational resources OR Virtual courses OR Learning objects OR Educational games OR Multimedia software OR virtual learning environments)	“Operations research” OR “operational research” OR “multi-criteria methods” OR “multi-criteria analysis” OR “decision model”
Computational models (Digital educational resources OR Virtual courses OR Learning objects OR Educational games OR Multimedia software OR virtual learning environments)	“Computational models” OR “Mathematical-computational models”


the papers according to the Keywording technique. For construct validity, measurement was performed using the known extreme group’s approach.

In the selection of the primary studies, the following were analyzed: the abstracts, keywords; variables, case studies, and testing of their hypotheses.

To determine the reliability of the evaluators (A, B, C), Cohen’s kappa coefficient was used, in which the values of 0.40 to 0.60 are characterized as *adequate*, from 0.60 to 0.75 as *good* and those greater than 0.75 as *excellent*. The consistency between evaluators A and B for the inclusion and exclusion of articles was:  $k=0.78$ ; between A and C,  $K=0.81$ ; and between B and C,  $K=0.67$ . It is reflected that the results are satisfactory and therefore, the reliability among the evaluators is considered excellent.



**Fig. 1** PRISMA diagram associated with Question 1 (slightly modified after Brunton & Thomas, 2012, p. 86)



**Fig. 2** PRISMA diagram associated with Question 2 (slightly modified after Brunton & Thomas, 2012, p. 86)

When applying the PRISMA protocol (Figs. 1 and 2) 69 articles were selected (57 related to the first scientific question and 12 to the second question).

### 3.3 Coding and data analysis

A form was designed that contained the title of the article, its variables (dependent and independent); years of production; the indexing database; general criteria of usability and pedagogical usability, and assessment methods. Microsoft Excel statistics were also used.

### 3.4 Limitations

All theoretical studies are prone to epistemological biases, for this reason, we tried to carry out a rigorous analysis limited by the search strategy. The analyzed papers are written in English, so the study did not analyze publications in other languages. Important databases were chosen, although this also limits the selection and exclusion of scientific papers. Short articles or tutorials were not included. Future research is expected to refine the search strategy by including other languages.

## 4 Results

To answer the first question, 57 articles (Fig. 3) indexed in Scopus, IEEE Xplore, ACM Digital Library, and Springer (Fig. 4) were analysed.

The ISO/IEC 9241-11 and ISO/IEC 9126-1 standard were the most frequent and the criteria of effectiveness and efficiency the most used. (Fig. 5).





Fig. 3 Distribution of the 57 papers






**Fig. 4** Distribution of articles according to their indexing

Set researches, according to the criteria used to assess the usability of digital educational resources.

- ISO/IEC 9241-11. Studies highlight the use of user-centred design as a whole with satisfaction. (Harpur & de Villiers, 2015; Koohang & Paliszkievicz, 2015; Ibarra et al., 2016; Yanez et al., 2016; Varsaluoma et al., 2016; Quinõnes & Rusu, 2017; Rumanová & Drábeková, 2017; SobodiÄ et al., 2018; Alshehri et al., 2019; Eltahir et al., 2019; Mohd-Khir & Ismail, 2019; Hadjerrouit & Gautestad, 2019; Bernardino-Lopes & Costa, 2019; Yanez et al., 2019; Vieira et al., 2019; Alomari et al., 2020).
- ISO/IEC 9126-1. The authors who apply this standard highlight the use of operability and learnability. (Koohang & Paliszkievicz, 2015; Alsabawy et al., 2016; Chin et al., 2016; Casano et al., 2016; Ibarra et al., 2016; Varsaluoma et al., 2016; Ramírez et al., 2017; Emang et al., 2017; Kumar & Mohite, 2018; Hadjerrouit & Gautestad, 2019; Bernardino-Lopes & Costa, 2019; Wan-Sulaiman & Mustafa, 2019).
- The IEEE Std.1061 standard is used in Koohang and Paliszkievicz (2015) and the ISO/IEC 25010 standard, by Wan-Sulaiman and Mustafa (2019).
- Nielsen's heuristics (Nielsen, 1994), related to error prevention, consistency and standards, and help and documentation. (Jou et al., 2016; Revythi & Tselios, 2019).
- Research that selects certain criteria from the standards (Alshehri et al., 2019; Ávila et al., 2017; Awang et al., 2019; Beswick & Fraser, 2019; Bozkurt & Ruthven, 2016; Calderon et al., 2018; Chang et al., 2016; Chen, 2018; Chu et al., 2019; Didik-Hariyanto & Bruri-Triyono, 2020; Hadjerrouit, 2015; Harpur & de Villiers, 2015; Ishaq et al., 2019; Pujiastuti et al., 2020; Radovan & Perdih, 2018; Salas et al., 2019; Sarkar et al., 2019; SobodiÄ et al., 2018; Toda et al., 2015; Tomaschko & Hohenwarter, 2017; Tsouccas & Meletiou, 2017).



**Fig. 5** Distribution of the use of international standards

These studies are only referenced because, in the opinion of the authors of this research, these articles state-specific criteria of pedagogical usability, however in the other articles they use general quality criteria that are related to the standards specified above (Table 4).

It is valid to emphasize that the assessment of usability in educational research includes: the use of general (standard) and specific criteria (pedagogical usability). However, is there a convergence between these and computational researches?

In this particular context (Question 2), little evidence was found (115), of which only 12 (10.43%) were selected (Table 5). In these papers ( $n = 12$ ) 33.33% apply criteria associated with pedagogical usability and the rest only criteria based on standards. Of the 12 articles, 10 are indexed in Scopus and one indexed in both IEEE Xplore and Springer respectively.

Description of computational models:

- **(S1)** The author uses 10 characteristics and their sub-characteristics associated with pedagogical usability. The procedure is basic in the introduction to fuzzy logic, it establishes the linguistic variables of input and output; fuzzy inference rules; activation conditions; Takagi–Sugeno fuzzy model, and defuzzification.
- **(S2)** The method is a Fuzzy Cybernetic Analytic Network Process (FCANP) being composed of four steps. First, the networks of structures and the method of experts are created, later a level of importance of the relationships and established weights is determined using a method of linguistic variables to obtain a fuzzy matrix. As a third step, a Grand Matrix is established, which includes: (1) Objective Row establishing the end of each criterion ( $C_1, C_2 \dots C_n$ ) of ISO/IEC 9126–1; (2) Factor Row, which establishes a vector with the comparison between criteria and its objectives and a vector with the relationships between each criterion; (3) Sub Factor Row, contains a vector that compares and relates the sub-criteria and metrics ( $M_1, M_2 \dots M_n$ ) with the general criteria ( $C_1, C_2 \dots C_n$ ); finally (4) the Alternative Row, a vector that illustrates the comparison of

**Table 4** Pedagogical usability criteria

Criteria	Primary author	Digital educational resources
Convenience, compatibility, perceived usefulness, time management, self-evaluation, task-technology fit, task-technology effectiveness, performance outcome expectation, aesthetics, user satisfaction, and intention to use	Jou et al. (2016)	Emphasis on virtual courses; learning objects and educational repositories
Aesthetics; Interactivity-Interaction platform; Personalization; Layout	Emang et al. (2017)	
Educational Usability: Clarity of goals, objectives and outcomes; Effectiveness of collaborative learning; Error recognition, diagnosis and recovery; Feedback, guidance and assessment	Harpur and de Villiers (2015); Sobodi A et al. (2018)	
Content; Learning and Support; Visual Design; Navigation; Accessibility; Interactivity; Self-Assessment and Learnability	Eltahir et al. (2019)	
Interface, Pedagogy, Content, Multimedia, Gameplay	Vieira et al. (2019)	
Literacy, Feedback and Guidance, Mental development, Imagination	Mohd-Khir and Ismail (2019)	
Technical System Quality; Information Quality; Educational System Quality; Perceived Satisfaction; Perceived Usefulness; Use	Al-Fraihat et al. (2019)	
IT infrastructure services; System quality; Information quality; Perceived usefulness; Efficiency; Availability	Alsabawy et al. (2016)	
System Navigation; System Learnability; Visual Design; Information Quality; Instructional Assessment; System Interactivity	Alshehri et al. (2019)	
Simplicity; Compatibility with Learning Preferences; Acceptance and Integration	Chu et al. (2019)	
Gameplay: functional playability, structural playability, audiovisual playability, social playability	Yanez et al. (2016, 2019)	Emphasis on educational digital games
Interface, Pedagogy, Content, Multimedia, Gameplay	Vieira et al. (2019)	

**Table 5** Computational models to assess the usability of digital educational resources

Research	Identifier	Pedagogical usability criteria	General usability criteria
Garg and Jain (2017)	(S1)	Ease of Learning Community, Personalization, System Content, General Factors	Efficiency
Etaati et al. (2011)	(S2)	Learning interface; learner community; system content; personalization	ISO/IEC 9126-1: 2004
Wong et al. (2003)	(S3)	E-learning System Feedback, Consistency, Error Prevention, Performance/Efficiency, User like/dislike, Error Recovery, Cognitive load, Internationalization, Privacy, On-Line Help	Metrics for Usability Standards in Computing (MUSIC) system
Başaran (2016)	(S4)	Level of interaction, language portability, easy to use	ISO/IEC 9241-11
Muhammad and Cavus (2017)	(S5)	–	User satisfaction, learnability, operability
Bakhouyi et al. (2016)	(S6)	–	Aesthetics criteria; navigation; user-friendly interface; structuring of information, and customization
Sánchez-Gálvez et al. (2019)	(S7)	–	ISO/IEC 9241-11, learnability
Ayouni et al. (2019)	(S8)	–	Learnability, Operability, Accessibility, and attractiveness
Oztekin et al. (2013)	(S9)	–	ISO/IEC 9241-11
Abdygalievich et al. (2019)	(S10)	–	ISO/IEC 9126-1:2001
Sun (2017)	(S11)	–	ISO/IEC 25010: 2011
Kurilovas (2011)	(S12)	–	Aesthetics; Navigation; User-friendly interface; Information structuring; Personalisation

existing alternatives in the relationships between sub-criteria and metrics. The final usability assessment is done based on the multiplication between the global importance according to each metric with the Alternative Row.

- **(S3)** Procedure based on the Fuzzy Analytical Hierarchy Process (FAHP). As a particular case, the consistency test is included, to determine the random consistency index, which is only accepted if the consistency radius is less than 1.
- **(S4)** For the assessment of the usability of digital educational resources and the selection of learning objects, the Multi-Criteria Decision Analysis Approaches and the Technique for Order of Preference by Similarity to Ideal Solution (TOPSIS) are used.
- **(S5)** This study suggests a fuzzy DEMATEL model (Decision making trial and evaluation laboratory) to determines the interrelations between learning management systems assess criteria. Determines 12 fundamental criteria for the evaluation of usability focusing its attention on user satisfaction and learnability.
- **(S6)** The research uses the Complex Proportional Assessment of alternatives (COPRAS) technique to assess the usability and operability of learning management systems. The authors focus their study on the aesthetics criteria; navigation; user-friendly interface; structuring of information, and customization.
- **(S7)** The methodology uses a fuzzy linguistic model by aggregation operators with linguistic information which handles words directly. This work reflects an adaptation of the SERVQUAL methodology (multiple-item scale for measuring customer perceptions of service quality). An ordinal fuzzy linguistic modeling is used in this research to represent the users' perceptions with words, based on the Linguistic Ordered Weighted Averaging (LOWA) and Linguistic Weighted Averaging (LWA), to assess groupware usability.
- **(S8)** This research applies the TOPSIS method (Fuzzy Technique for Order Preference by Similarity to Ideal Solution), proposed by (Chen,1992).
- **(S9)** Models a diffuse Mamdani-type system; uses the formula of Triangular Fuzzy Number; the max–min composition rule for each fuzzy rule and defuzzification.
- **(S10)** The authors assess the usability of digital educational resources using the fuzzy logic of the Mamdani algorithm.
- **(S11)** The research uses a hybrid method that integrates: FAHP and Fuzzy DELMATEL (fuzzy decision-making trial and evaluation laboratory method). The AHP-DELMATEL relation is made from the multiplication with the normalized direct relation matrix obtained in the application of the DELMATEL method.
- **(S12)** The quality of the learning objects is assessed by the decision analysis (MCDA) theory and the use of triangular fuzzy numbers.

## 5 Discussion

Regarding question 1, educational investigations use general (international standards) and specific (pedagogical usability) criteria to assess usability. These results confirm similar research (Gunesequera et al., 2019; Missen et al., 2019; Salas et al., 2019; Silveira et al., 2020; Vee Senap & Ibrahim, 2019; Wan-Sulaiman & Mustafa, 2019; Yanez et al., 2019). However, we highlight that some of these studies only apply general criteria, delimiting the evaluation of the usability of educational resources.

Regarding question 2, similar research (Zawacki-Richter et al., 2019) also highlights that computational studies tend to use general criteria to assess usability. Therefore, interdisciplinary research between educational and computer science is essential. Our objective is to identify the computational methods and techniques most used to evaluate the usability of digital educational resources from an educational point of view and not just a technological one. Therefore, we highlight the computational studies that use pedagogical usability criteria and their main weaknesses.

The two reviews reflect important interdisciplinary aspects, highlighting that:

- There are various classifications of criteria, with different names, but in essence, the pedagogical usability criteria that are most used in digital educational resources with an emphasis on the design of virtual courses and learning objects are perceived usefulness; self-evaluation; interactivity-interaction platform; personalization; clarity of goals, objectives, and outcomes; effectiveness of collaborative learning; content; learning and support; visual design; navigation; accessibility; interactivity; self-assessment and learnability; compatibility with learning preferences.
- The pedagogical usability criteria most used is in digital educational resources with an emphasis on educational games -digital-, are functional playability, structural playability, audio-visual playability, and social playability.
- Computational models reflect little use of pedagogical usability (inconsistent when evaluating a digital educational resource). The most frequent criteria and adapting it to the names present in educational research are interactivity-interaction platform; personalization; clarity of navigation, and accessibility.
- Educational research fundamentally uses pedagogical usability criteria; however, these researches do not always use all or most of the criteria present in a standard chosen by them. Also, to assess the usability of digital educational resources, they fundamentally use questionnaires and not various assessment methods or techniques. It is reiterated in the scientific literature the need to include computational methods based on artificial intelligence to reduce the uncertainty of human thought present in the usability assessment methods, for example, questionnaires, an inspection of standards, and heuristic evaluation.

Research with an emphasis on education lacks scientific analysis in the assessment of usability from the theoretical and practical alternatives offered by the

mathematical and computational sciences since they are permeated with the uncertainty present in the assessment given by the expert, the professor, or the student.

Research with an emphasis on computing lacks pedagogical criteria that underlie the practice of its theoretical model; for this reason, its empirical results may not be well received in the community of educators. Interdisciplinarity provides answers to highly complex social and scientific problems, enriching the frontiers of science. In this sense, educational informatics and technologies applied to education have a great challenge to meet.

The introduction of computational models in education allows us to diversify how the usability of digital educational resources is evaluated and determines. In addition, it allows reducing the “uncertainty of human thought” present in the assessment of usability, since there are final users, evaluators (experts), and the interpretation of the results obtained by using tools (produced by third parties), for example, selenium, Woorank, Gtmetrix, Mouseflow, Pingdom Tools, and Crazygg. Therefore, we will enunciate the main characteristics and deficiencies of these computational models.

Great progress has been made in evaluating the usability of digital educational resources; however, as a result of this analysis, the introduction of computational models still lacks pedagogical foundations that strengthen their design and praxis in pedagogical practice, which of course is applied through software that supports the computational algorithms designed. These identified computational models are permeated by the disadvantages of multicriteria methods and those based on fuzzy logic, with neutrosophy being an alternative that could respond to this, at least theoretically.

As a trend, in computational models, various multi-criteria techniques are used, the most used being AHP and TOPSIS, to determine the usability of a digital educational resource or, to select which one or which are the most appropriate (Harshan et al., 2018). The first is used to determine the weight of importance of each of the attributes and the second to determine an order of two alternatives in the usability assessment.

Other alternatives are classic fuzzy logic methods, allowing data to be processed with a high degree of imprecision, for example, opinions of experts, students, and teachers. The most widely used methods are the FAHP and the Takagi–Sugeno (T-S) model. The first (FAHP) allows decisions to be made, based on criteria in diffuse environments, and the second models a nonlinear system using a set of linear local models defined by fuzzy rules of the IF–THEN form, stating a significant behavior of the system expressed as a linear model (Takagi & Sugeno, 1985). In general, they have as a disadvantage the guarantee of obtaining a stable system and the interpretation of the fuzzy values.

From these techniques, a greater tendency to use AHP is shown, since it allows the problem to be decomposed at different levels; however, to reduce the uncertainty of human thought in the values given by the user, the FAHP model is used. Even when these methods are used with some efficiency in the assessment of the usability of educational resources, they do not escape the weaknesses of fuzzy logic; for this reason, since neutrosophy proposes to solve these limitations, the following advantages are achieved:




Fig. 6 Initial model for usability assessment

- It provides the user with a more efficient algorithm than classic AHP, FAHP, and intuitive fuzzy AHP.
- It efficiently describes the values of the expert’s preference judgment, considering three different degrees: membership, indeterminacy, and non-membership.




Fig. 7 General modeling of criteria to assess usability



- It points out how to improve inconsistent judgments.

To resolve the limitations of the aforementioned computational models (poor pedagogical base and problems with the AHP and FAHP algorithm) and the models proposed in educational research (little use of international standards and the presence of uncertainty in human thought at the time of assessment), the following model is proposed as future work (Fig. 6.).

1. Pedagogical characterization: It is important to determine the characteristics of the students (learning styles; learning needs, motivation, etc.), the educational process (face-to-face, b-learning, m-learning, or e-learning model), and the types of educational resources we have or need (Al-Fraihat et al., 2019; Alshehri et al., 2019).
2. Usability criteria: Declare that criteria of general usability and pedagogical usability will be used and the relationship between them, to create a graph or matrix of dependencies (Fig. 7) (Al-Fraihat et al., 2019).
3. Computational model: To choose which computational model (Garg & Jain, 2017) is the most appropriate, it is necessary to answer the question:

Do you want to assess usability or choose the best alternative among several digital educational resources according to their usability?

It is proposed to use the AHP-N neutrosophic technique. Its general structure is described below.

Assessing the structure of this technique (neutrosophic analytic hierarchy process, AHP-N) and its modification (Molina et al., 2020) for the assessment of usability in web applications, an extension is proposed to assess the usability of digital educational resources and the selection of the best option among several of these resources, corresponding to their usability.

Firstly, the foundations of neutrosophy are established as a mathematical theory developed by Florentín Smarandache (Liu & Shi, 2017) applied to decision-making problems (Romero et al., 2020) in coherence with mathematical definitions (Clemen, 1996).

Let  $N$  be a set defined as (1):

$$N = \{(T, I, F)\} : T, I, F \subseteq [0, 1] \quad (1)$$

a neutrosophical evaluation  $n$  is a mapping of the set of propositional formulas, i.e., that for each sentence  $p$  we have  $v(p) = (T, I; F)$ .

As for single valued neutrosophic set (SVNS), it is applied as a central definition:

Definition: Let  $X$  be a universe of discourse. A neutrosophic set of unique value  $A$  over  $X$  is an object that has the form of:

$$A = \{\langle (X, (X), (X), (X)) \rangle : x \in X\} \quad (2)$$

Where

$$\begin{aligned} u_a(x) : X \rightarrow [0, 1], r_a(x), : X \rightarrow [0, 1] \text{ and } v_a(x) : X \rightarrow [0, 1] \text{ with } 0 \leq u_a(x) + r_a(x) + v_a(x) \\ \leq 3 \text{ for all } x \in X. u_a(x) : X \rightarrow [0, 1], r_a(x), : X \rightarrow [0, 1] \text{ and } v_a(x) \\ : X \rightarrow [0, 1] \text{ with } 0 \leq u_a(x) + r_a(x) + v_a(x) : \leq 3 \text{ for all } x \in X. \end{aligned} \quad (3)$$

The resulting intervals denote the degree of belonging of truth, the degree of indeterminacy, and the degree of the falsehood of  $x$  to set  $A$ .

SVNS are denoted by  $A = a, b, c$  where  $a, b, c, \in [0, 1]$  and  $a + b + c \leq 3$

Subsequently, the alternatives are classified according to the Euclidean distance in SVN; however, hybrid vector similarity measures and weighted hybrid vector similarity measures can be used for SVN. (Liu & Wang, 2018; Romero et al., 2020).

The algorithm to select which alternative is the most suitable according to the assessment of the usability of digital educational resources is structured in five stages.

Following the conception of the AHP-N technique (Romero et al., 2020) the algorithm that is proposed is made up of five activities and supported by computational models (Abdel-Basset et al., 2018) to determine the values of the criteria given by the users who will carry out the usability assessment.

### 5.1 Algorithm objective

Determine the usability of a digital educational resource and order the different educational resources from its assessment.

$$C = C_1, C_2, \dots, C_n, n \geq 2, \text{ set of criteria.} \quad (4)$$

Note: It is valid to remember that there are general criteria (international standards and authors' criteria) and particular (pedagogical usability)

$$E = \{E_1, E_2, \dots, E_t, \} t \geq 10, \text{ set of experts.} \quad (5)$$

Note:

- It is important to know the perception of students or teachers.
- Experts in usability and pedagogical usability should be selected.

$$RE = R_1, R_2, \dots, R_a, a \geq 2, \text{ set of digital educational resources.} \quad (6)$$

### 5.2 The weighting of expert criteria

Firstly, the usability criteria and their relationships are modeled (Fig. 7)

Subsequently, according to the AHP technique, the relative weights of the criteria are determined, assuming the basic conception (Saaty, 1980): Extremely important [8, 9]; Very strong [6, 7]; Strong [4, 5]; Moderately important [3, 2]; Equally important [1]. The intermediate values between the two adjacent judgments are 2,4,6,8. Depending on the answer, the preference matrix is obtained for each respondent (Rodríguez & Martínez, 2013).

All the elements of the matrix are positive, where the lower diagonal of the matrix, taking into account that  $M_{ij}$  of the rows (i) and column (j), is filled following:

$$M_{ji} = 1/M_{ij} \quad (7)$$

To give the weights, trend objective or direct allocation methods are used, being the approximate method the simplest and the classic are used. For this reason, recent studies show the importance of the geometric mean on the row of the comparison matrix (Romero et al., 2020, p. 755), a method that is also proposed to be used to calculate the weights. Subsequently, the consistency ratio (CR) is calculated from the consistency index (CI) of the matrix with our judgments and the consistency index (RI). (Abdel-Basset et al., 2018). The result is accepted if  $CR \leq 0.10$ .

### 5.3 Vector evaluation

At this time, each expert  $E_t$  assesses for each criterion i and each project j, representing the SVN numbers by vectors. For example, the SVN numbers can be used based on the triangular fuzzy numbers (neutrosophic SVN), obtaining a neutrosophic triangular scale (Abdel-Basset et al., 2018):

- Extremely important [8, 9] corresponds to:  $\tilde{9} \langle (9, 9, 9); 1.0, 1.0, 1.0 \rangle$
- Very strong [6, 7] corresponds to:  $\tilde{7} \langle (6, 7, 8); 0.90, 0.10, 0.10 \rangle$
- Strong [4, 5] corresponds to:  $\tilde{5} \langle (4, 5, 6); 0.80, 0.15, 0.20 \rangle$
- Moderately important [3, 2] corresponds to:  $\tilde{3} : \langle (2, 3, 4); 0.30, 0.75, 0.70 \rangle$
- Equally important [1] corresponds to:  $\tilde{1} : \langle (1, 1, 1); 0.50, 0.50, 0.50 \rangle$ ;
- Intermediate values (2,4,6,8) correspond to

$$\tilde{2} : \langle (1, 2, 3); 0.40, 0.65, 0.60 \rangle;$$

$$\tilde{4} : \langle (3, 4, 5); 0.60, 0.35, 0.40 \rangle;$$

$$\tilde{6} : \langle (5, 6, 7); 0.70, 0.25, 0.30 \rangle;$$

$$\tilde{8} : \langle (7, 8, 9); 0.85, 0.10, 0.15 \rangle$$

At this time, the neutrosophical comparison matrix is constructed so that:

$$\tilde{M} = \begin{pmatrix} \tilde{1} & \cdots & \tilde{m}_{1n} \\ \vdots & \ddots & \vdots \\ \tilde{m}_{n1} & \cdots & \tilde{1} \end{pmatrix}, \text{ donde } \tilde{m}_{ij} = \tilde{m}_{ij}^{-1} \quad (8)$$

To obtain the final weights, the matrix  $\tilde{M}$  is converted into a comparison matrix by numerical pairs, using the formulas established (Molina et al., 2020) for the triangular neutrosophic numbers. Subsequently, the degrees of precision for each  $\tilde{m}_{ij}$ , are calculated:

$$S(\tilde{m}_{ij}) = 1/S(\tilde{m}_{ji}); A(\tilde{m}_{ij}) = 1/A(\tilde{m}_{ji}) \quad (9)$$

$$S(\tilde{a}) = \frac{1}{8}[a_1 + a_2 + a_3](2 + \alpha_{\tilde{a}} - \beta_{\tilde{a}} - \delta_{\tilde{a}}) \quad (10)$$

$$A(\tilde{a}) = \frac{1}{8}[a_1 + a_2 + a_3](2 + \alpha_{\tilde{a}} - \beta_{\tilde{a}} + \delta_{\tilde{a}}) \quad (11)$$

Finally, a matrix is obtained

$$M = \begin{pmatrix} 1 & \cdots & m_{1n} \\ \vdots & \ddots & \vdots \\ m_{n1} & \cdots & 1 \end{pmatrix} \quad (12)$$

When obtaining this matrix, a vector of priorities is determined from the eigenvector. At this point, the consistency ratio (CR) is calculated according to the classical procedure of AHP.

4. Implementation. It is vitally important to assess the results obtained in the application of traditional engineering methods in the assessment of usability, together with the results reflected by the computational model or algorithm used.
5. Evaluation: This stage is very important. Its objective is to verify that each stage fulfills its mission. Assessing usability is a process that culminates in the effectiveness of student learning in the use of digital educational resources.

This proposed model has the advantage of using neutrosophy in the evaluation of the usability of digital educational resources, for which it modifies the classical AHP algorithm. This algorithm is chosen since it is more used in computational models due to its stability and efficiency (Molina et al., 2020). In addition, the proposed model requires that for its development, the researcher must previously determine the specific quality criteria (pedagogical usability) and which general criteria will be used (established in international standards).

As negative aspects of the proposed model, the following stand out: (1) the researcher must determine what pedagogical foundations he will assume since depending on them, will be the pedagogical usability criteria that he will use; (2) the development of neutrosophic models entails an understanding of mathematical

models and their correct computational development; and (3) this model, although it is based on theoretical and practical foundations established in the scientific literature, is only in its design phase, therefore, its practical validity is still lacking.

## 6 Conclusions

This paper describes what the main usability criteria are for evaluating digital educational resources. This work was designed from two perspectives: didactic experiences of educational research and computer experiences, derived from computational research. Subsequently, an analysis was carried out to determine differences and congruences between the two types of research.

In educational research, when evaluating the usability of digital educational resources, they integrate general criteria from ISO/IEC 9241-11 and ISO/IEC 9126-1, and pedagogical usability criteria.

In research with technological emphasis, the use of the ISO/IEC 9241-11 standard is reflected as a trend; however, in the application of its theoretical models, they lack the inclusion of pedagogical usability criteria. The most widely used computational models are the AHP; FAHP and fuzzy logic.

In research with technological emphasis, the use of the ISO/IEC 9241-11 standard is reflected as a trend; however, in the application of its theoretical models they lack the inclusion of pedagogical usability criteria. The most widely used computational models are the AHP; FAHP and fuzzy logic.

In the use of international standards (ISO/IEC 9241-11 and ISO/IEC 9126-1) there is a convergence between educational and technological research, however:

- the pedagogical usability criteria do not coincide in their denomination;
- educational research lacks the use of computational models to perfect its methodologies for evaluating the usability of digital educational resources;
- technological researches that use pedagogical usability criteria (25%) do not describe their metrics or their meaning. These researches do not declare or argue the pedagogical foundation.

As a result of the two reviews carried out, it is proposed as future work the creation of hybrid models to assess the usability that integrates:

- criteria and metrics of general usability based on international standards (ISO / IEC 9241-11 and ISO/IEC 25010 as it updated the ISO/IEC 9126-1;
- criteria approved by the scientific community (example: Nielsen criteria for usability);
- pedagogical usability criteria;
- current trend hybrid computational models based on FAHP methods; the Takagi–Sugeno (T-S) and AHP-N model.

Regarding question 1, the results obtained in the systematic review made it possible to identify which quality criteria are most used to assess the usability of digital educational resources, from a general perspective (according to the criteria of international standards), and the specific ones (pedagogical usability). As explained above, the research analyzed in the systematic review stands out as a deficiency that (1) in educational research there is a preponderance to use only general criteria but not specific or only specific ones, and (2) when only using classical methods usability evaluation does not achieve a complete and interdisciplinary evaluation. Therefore, the model designed as a result of this research includes in its components the inclusion of an AHP-based algorithm to strengthen the standard evaluation procedure.

Finally, regarding question 2, the systematic review reveals that even when the computational models express satisfactory results in their «computational» aspect, they lack specific pedagogical usability criteria, which from an educational perspective is inadequate and insufficient. Therefore, the designed model can surpass the previous ones because: (1) it includes and requires the selection and application of general criteria (criteria established by international standards) and specific (pedagogical usability) and (2) adapts the classical AHP algorithm to the neutrosophic conception, since this new discipline tends to solve the computational limitations of the classical AHP algorithms; TOPSIS, AHP-DELMATEL, among others.

There are limitations when considering the implications of this study. The main limitations are the search period, the selection of certain databases, and the language. The main recommendation to assess the usability of digital educational resources is to design models or procedures that integrate pedagogical, engineering, and computational aspects.

We recommend analyzing articles published from February 2020 to the present (July 2021) to confirm or not the results of this paper. Virtual education as a social process is constantly evolving and changing. Therefore, the constant analysis of the scientific literature perfects our paths in the improvement of educational technology.

## Declarations

**Ethical approval** The research reported here involved analysis of existing published studies as primary sources and thus did not involve human participants.

**Consent to participate** Does not apply.

**Consent to publish** Does not apply.

**Conflict to interest** The authors declare that we have no conflict of interest.

## References

- Abdel-Basset, M., Mohamed, M., & Smarandache, F. (2018). A hybrid neutrosophic group ANP-TOPSIS framework for supplier selection problems. *Symmetry*, *10*, 226. <https://doi.org/10.3390/sym10060226>
- Abdylgalievich, A. S., Barlybayev, A., & Amanzholovich, K. B. (2019). Quality evaluation fuzzy method of automated control systems on the LMS example. *IEEE Access*, *7*, 138000–138010. <https://doi.org/10.1109/access.2019.2943000>
- Abuhlfaia, K., & Quincey, E. D. (2018). The Usability of E-learning Platforms in Higher Education: A Systematic Mapping Study. *Proceedings of the 32nd International BCS Human Computer Interaction Conference* (pp. 1–13). Swindon.
- Al-Fraihat, D., Joy, M., Masa'deh, R., & Sinclair, J. (2019). Evaluating E-learning systems success: An empirical study. *Computers in Human Behavior*, *102*, 67–86. <https://doi.org/10.1016/j.chb.2019.08.004>
- Alomari, H. W., Ramasamy, V., Kiper, J. D., & Potvin, G. (2020). A User Interface (UI) and user experience (UX) evaluation framework for cyberlearning environments in computer science and software engineering education. *Heliyon*, *6*(5), e03917. <https://doi.org/10.1016/j.heliyon.2020.e03917>
- Alsabawy, A. Y., Cater-Steel, A., & Soar, J. (2016). Determinants of perceived usefulness of e-learning systems. *Computers in Human Behavior*, *64*, 843–858. <https://doi.org/10.1016/j.chb.2016.07.065>
- Alshehri, A., Rutter, M., & Smith, S. (2019). Assessing the relative importance Of An E-learning system's usability design characteristics based on students' preferences. *European Journal of Educational Research*, *8*(3), 839–855. <https://doi.org/10.12973/eu-jer.8.3.839>
- Ávila, M., Valderrama, E., & Schmidt, A. (2017). TanMath: A tangible math application to support children with visual impairment to learn basic arithmetic. *Proceedings of the PETRA '17: 10th International Conference on Pervasive Technologies Related to Assistive Environments* (pp. 244–245). Island of Rhodes.
- Awang, K., Shamsuddin, S. N., Ismail, I., Rawi, N. A., & Amin, M. M. (2019). The usability analysis of using augmented reality for linux students. *Indonesian Journal of Electrical Engineering and Computer Science*, *13*, 58–64. <https://doi.org/10.11591/ijeecs.v13.i1.pp58-64>
- Ayouni, S., Jamel, L., Hajje, F., & Maddeh, M. (2019). A Hybrid Fuzzy DEMATEL-AHP/VIKOR Method for LMS Selection. In R. Ørngreen, B. Meyer, M. Buhl (Eds.) *Processing of the ECEL 2019 18th European Conference on e-Learning*. (pp. 47–55.) Berlin.
- Bakhoui, A., Dehbi, R., & Talea, M. (2016). Multiple criteria comparative evaluation on the interoperability of LMS by applying COPRAS method. *Proceedings of the 2016 Future Technologies Conference (FTC)* (pp. 361–366), San Francisco.
- Başaran, S. (2016). Multi-criteria decision analysis approaches for selecting and evaluating digital learning objects. *Procedia Computer Science*, *102*, 251–258. <https://doi.org/10.1016/j.procs.2016.09.398>
- Bernardino-Lopes, L., & Costa, C. (2019). Digital resources in science, mathematics and technology teaching—How to convert them into tools to learn. In M. Tsitouridou, J. A. Diniz, & T. A. Mikropoulos (Eds.), *Technology and innovation in learning, teaching and education. TECH-EDU 2018* (Vol. 993, pp. 243–255). Cham: Springer. Communications in Computer and Information Science. [https://doi.org/10.1007/978-3-030-20954-4\\_18](https://doi.org/10.1007/978-3-030-20954-4_18).
- Beswick, K., & Fraser, S. (2019). Developing mathematics teachers' 21st century competence for teaching in STEM contexts. *ZDM*, *51*, 955–965. <https://doi.org/10.1007/s11858-019-01084-2>
- Bozkurt, G., & Ruthven, K. (2016). Classroom-based professional expertise: A mathematics teacher's practice with technology. *Educational Studies in Mathematics*, *94*(3), 309–328. <https://doi.org/10.1007/s10649-016-9732-5>
- Brunton, J., & Thomas, J. (2012). Information management in systematic reviews. In D. Gough, S. Oliver, & J. Thomas (Eds.), *An introduction to systematic reviews* (pp. 83–106). SAGE.
- Calderon, C. A., Guajala, M., Lanchi, J., Barba-Guaman, L., Bermeo, C., & Rivas-Echeverria, F. (2018). A machine vision system applied to the teaching of mathematics for blind or visually impaired children. *Proceedings of the 2018 IEEE International Conference on Automation/XXIII Congress of the Chilean Association of Automatic Control (ICA-ACCA)* (pp. 1–7). Concepción.
- Casano, J., Tee, H., Agapito, J., Arroyo, I., & Rodrigo, M. (2016). Migration and evaluation of a framework for developing embodied cognition learning games. *Proceedings of the 3rd Asia-Europe Symposium on Simulation y Serious Gaming - VRCAI '16* (pp. 199–203). Zhuhai.

- Chang, C., Chin, Y.L., & Chang, C.K. (2016). Experimental Functionality Development for Scratch Mathematical and Statistics Extensions. *Proceedings of the 2016 International Computer Symposium (ICS)* (pp. 640–644), Chiayi.
- Chen, Q. (2018). An application of online exam in discrete mathematics course. *Proceedings of the TURC 2018: ACM Turing Celebration Conference—China* Shanghai.
- Chen, S. J. (1992). Fuzzy multiple attribute decision making methods. In C. L. Hwang (Ed.), *Fuzzy multiple attribute decision making. Lecture notes in economics and mathematical systems* (pp. 289–486). Springer. [https://doi.org/10.1007/978-3-642-46768-4\\_5](https://doi.org/10.1007/978-3-642-46768-4_5)
- Chin, S. P., Tsui, E., & Lee, C. S. (2016). Enhancing learning effectiveness by adopting a knowledge-based usability guideline. *VINE Journal of Information and Knowledge Management Systems*, 46(1), 123–152. <https://doi.org/10.1108/VJIKMS-02-2014-0015>
- Chu, A., Biancarelli, D., Drainoni, M. L., Liu, J. H., Schneider, J. I., Sullivan, R., & Sheng, A. Y. (2019). Usability of learning moment: Features of an E-learning tool that maximize adoption by students. *The Western Journal of Emergency Medicine*, 21(1), 78–84. <https://doi.org/10.5811/westjem.2019.6.42657>
- Clemen, R. T. (1996). *Making hard decisions: An introduction to decision analysis*. Duxbury Press.
- Didik-Hariyanto, M., & Bruri-Triyono, T. K. (2020). Usability evaluation of personalized adaptive e-learning system using USE questionnaire. *Knowledge Management & E-Learning: An International Journal*, 12, 85–105. <https://doi.org/10.34105/j.kmel.2020.12.005>
- EDUCAUSE. (2018). Horizon report: 2018 higher education edition. Retrieved from EDUCAUSE Learning Initiative and The New Media Consortium website: <https://library.educause.edu/~media/files/library/2018/8/2018horizonreport.pdf>. Accessed 18 May 2020
- EDUCAUSE. (2019). Horizon report: 2019 higher education edition. Retrieved from EDUCAUSE Learning Initiative and The New Media Consortium website: <https://library.educause.edu/~media/files/library/2019/4/2019horizonreport.pdf>. Accessed 23 May 2020
- Eltahir, M., Al-Qatawneh, S., Al-Ramahi, N., & Alsalihi, N. (2019). The perspective of students and faculty members on the efficiency and usability of e-learning course at Ajman university: A case study. *Journal of Technology and Science Education*, 9(3), 388–403. <https://doi.org/10.3926/jotse.590>
- Emang, D. W., Lukman, R. N., Kamarulzaman, M. I., & Zaaba, Z. F. (2017). Usability studies on e-learning platforms: Preliminary study in USM. *Proceedings of the 2nd International Conference on Applied Science and Technology (ICAST 2017)* (pp. 1–8), Kedah.
- Etaati, L., Sadi-Nezhad, S., & Makue, A. (2011). A, using fuzzy analytical network process and ISO 9126 quality model in software selection: A case study in e-learning systems. *Journal of Applied Sciences*, 11, 96–103. <https://doi.org/10.3923/jas.2011.96.103>
- Garg, R., & Jain, D. (2017). Fuzzy multi-attribute decision making evaluation of e-learning websites using FAHP, COPRAS, VIKOR. *WDBA. Decision Science Letters*, 6(4), 351–364. <https://doi.org/10.5267/j.dsl.2017.2.003>
- Gunsekera, A. I., Bao, Y., & Kibelloh, M. (2019). The role of usability on e-learning user interactions and satisfaction: A literature review. *Journal of Systems and Information Technology*, 21(3), 368–394. <https://doi.org/10.1108/JSIT-02-2019-0024>
- Hadjerrouit, S (2015). Evaluating the interactive learning tool SIMREAL+ for visualizing and simulating mathematical concepts. *Proceedings of the 12th International Conference on Cognition and Exploratory Learning in Digital Age (CELDA 2015)*. (pp. 101–109). Greater Dublin.
- Hadjerrouit, S., & Gautestad, H.H. (2019) Evaluating the Usefulness of the Visualization Tool SimReal+ for Learning Mathematics: A Case Study at the Undergraduate Level. In D. Sampson., J. Spector., D. Ifenthaler., P. Isafas P., S. Sergis (Eds). *Learning Technologies for Transforming Large-Scale Teaching, Learning, and Assessment* (pp. 71–89). Springer.
- Hainey, T., Connolly, T. M., Boyle, E. A., Wilson, A., & Razak, A. (2016). A systematic literature review of games-based learning empirical evidence in primary education. *Computers & Education*, 102, 202–223. <https://doi.org/10.1016/j.compedu.2016.09.001>
- Harpur, P. A., & de Villiers, M. R. (2015). MUUX-E, a framework of criteria for evaluating the usability, user experience and educational features of m-learning environments. *South African Computer Journal*. <https://doi.org/10.18489/sacj.v56i1.240>
- Harshan, R. K., Chen, X., & Shi, B. (2018). UNSCALE: Multi-criteria Usability Evaluation Framework for Library Websites in a Fuzzy Environment. *Proceedings of the 2018 IEEE 22nd International Conference on Computer Supported Cooperative Work in Design (CSCWD)* (pp. 235–240). Nanjing.
- Hartson, R., & Pyla, P. (2012). *The UX book: Process and guidelines for ensuring a quality user experience*. Morgan Kaufmann Elsevier Inc.



- Hinojo-Lucena, F.-J., Aznar-Díaz, I., Cáceres-Reche, M.-P., & Romero-Rodríguez, J. M. (2019). Artificial intelligence in higher education: A bibliometric study on its impact in the scientific literature. *Education Sciences*, 9(1), 51. <https://doi.org/10.3390/educsci9010051>
- Ibarra, M. J., Soto, W., Ataucusi, P., & Ataucusi, E. (2016). MathFraction: Educational serious game for student's motivation for math learning. *Proceedings of the 2016 XI Latin American Conference on Learning Objects and Technology (LACLO)*. San Carlos.
- International Organization for Standardization. ISO/IEC Standard 9126: Software Engineering-Product Quality, part 1. 2001 Quality model. Retrieved from <https://www.iso.org/standard/22749.html>. Accessed 7 Jan 2021
- International Organization for Standardization. ISO/IEC 25010:2011 Systems and software engineering-Systems and software Quality Requirements and Evaluation (SQuaRE)-System and software quality models. Retrieved from <https://www.iso.org/standard/35733.html>. Accessed 7 Jan 2021
- International Organization for Standardization. ISO 9241-11:2018(en) Ergonomics of human-system interaction-Part 11: Usability: Definitions and concepts. Retrieved from <https://www.iso.org/obp/ui/#iso:std:iso:9241:-11:en>. Accessed 7 Jan 2021
- Ishaq, K., Mat Zin, N., & Rosdi, F. (2019). Effectiveness of Literacy y Numeracy Drive (LND): A Students' Perspective. *Proceedings of the 2019 International Conference on Innovative Computing (ICIC)*. Lahore.
- Jou, M., Tennyson, R. D., Wang, J., & Huang, S.-Y. (2016). A study on the usability of E-books and APP in engineering courses: A case study on mechanical drawing. *Computers & Education*, 92–93, 181–193. <https://doi.org/10.1016/j.compedu.2015.10.004>
- Koohang, A., & Paliszkiwicz, J. (2015). E-learning courseware usability: Building a theoretical model. *Journal of Computer Information Systems*, 56(1), 55–61. <https://doi.org/10.1080/08874417.2015.11645801>
- Kumar, B. A., & Goundar, M. S. (2019). Usability heuristics for mobile learning applications. *Education and Information Technologies*, 24(2), 1819–1833. <https://doi.org/10.1007/s10639-019-09860-z>
- Kumar, B. A., & Mohite, P. (2018). Usability of mobile learning applications: A systematic literature review. *Journal of Computer Education*, 5, 1–17. <https://doi.org/10.1007/s40692-017-0093-6>
- Kurilovas, E., Birenienė, V., & Serikoviene, S. (2011). Methodology for evaluating quality and reusability of learning objects. *Electronic Journal of eLearning*, 9(1), 39–51.
- Liu, P., & Shi, L. (2017). Some neutrosophic uncertain linguistic number Heronian mean operators and their application to multi-attribute group decision making. *Neural Computing and Applications*, 28, 1079–1093. <https://doi.org/10.1007/s00521-015-2122-6>
- Liu, P., & Wang, P. (2018). Some q-rung orthopair fuzzy aggregation operators and their applications to multiple-attribute decision making. *International Journal of Intelligent Systems*, 33, 259–280. <https://doi.org/10.1002/int.21927>
- Missen, M. M. S., Javed, A., Asmat, H., Nosheen, M., Coustaty, M., Salamat, N., & Prasath, V. B. S. (2019). Systematic review and usability evaluation of writing mobile apps for children. *New Review of Hypermedia and Multimedia*, 25(3), 137–160. <https://doi.org/10.1080/13614568.2019.1677787>
- Mohd-Khir, N. H. B., & Ismail, M. (2019). Review on gamification in children computer interaction (CCI) for persona modelling. *Bulletin of Electrical Engineering and Informatics*, 8(4), 1411–1417. <https://doi.org/10.11591/eei.v8i4.1622>
- Moher, D., Liberati, A., Tetzlaff, J., & Altman, D. G. (2009). Preferred reporting items for systematic reviews and meta-analyses: The PRISMA statement. *Annals of Internal Medicine*, 151, 264–269. <https://doi.org/10.7326/0003-4819-151-4-200908180-00135>
- Molina, L., Albarracín, L., Jalón, E., & Zúñiga, A. (2020). Using a neutrosophic model to evaluate website usability of a web portal for the commercial management of an advertising company. *Neutrosophic Sets and Systems*, 34, 194–203.
- Muhammad, M. N., & Cavus, N. (2017). Fuzzy DEMATEL method for identifying LMS evaluation criteria. *Procedia Computer Science*, 120, 742–749. <https://doi.org/10.1016/j.procs.2017.11.304>
- Murillo, G., Novoa, P., & Rodríguez, R. (2019). Usability in moodle: A meta-analysis from experiences reported in WOS and scopus. *RISTI Revista Ibérica De Sistemas e Tecnologias De Informação*, E18, 108–121.
- Nielsen, J. (1994). *Usability engineering*. Morgan Kaufmann, Elsevier. Retrieved from <https://www.elsevier.com/books/usability-engineering/nielsen/978-0-08-052029-2>. Accessed 11 Jan 2021
- Odun, I., Goddy, R., Yahaya, J., & Geteloma, V. (2019). A systematic mapping study of cloud policy languages and programming models. *Journal of King Saud University—Computer and Information Sciences*. <https://doi.org/10.1016/j.jksuci.2019.05.003>

- Oztekin, A., Delen, D., Turkylmaz, A., & Zaim, S. (2013). A machine learning-based usability evaluation method for eLearning systems. *Decision Support Systems*, *56*, 63–73. <https://doi.org/10.1016/j.dss.2013.05.003>
- Paunović, V., Puzović, S., Vesić, J. (2018). One MCDM Approach to Learning Management Systems Evaluation. *Proceedings of the 7th International Scientific Conference Technics and Informatics in Education* (pp. 238–244) Čačak.
- Pensabe-Rodríguez, A., Lopez-Dominguez, E., Hernandez-Velazquez, Y., Dominguez-Isidro, S., & Dela-Calleja, J. (2020). Context-aware mobile learning system: Usability assessment based on a field study. *Telematics and Informatics*, *48*, 101346. <https://doi.org/10.1016/j.tele.2020.101346>
- Pujastuti, H., Utami, R. R., & Haryadi, R. (2020). The development of interactive mathematics learning media based on local wisdom and 21st century skills: Social arithmetic concept. *Journal of Physics: Conference Series*, *1521*, 032019. <https://doi.org/10.1088/1742-6596/1521/3/032019>
- Quinões, D., & Rusu, C. (2017). How to develop usability heuristics: A systematic literature review. *Computer Standards & Interfaces*, *53*, 89–122. <https://doi.org/10.1016/j.csi.2017.03.009>
- Radovan, M., & Perdih, M. (2018). Analysing accessibility, usability and readability of web-based learning materials—Case study of e-learning portals in Slovenia. *Journal of e-Learning and Knowledge Society*, *14*(1), 127–138. <https://doi.org/10.20368/1971-8829/1389>
- Ramanayaka, K. H., Chen, X., & Shi, B. (2019). Unscale: A fuzzy-based multi-criteria usability evaluation framework for measuring and evaluating library websites. *IETE Technical Review*, *36*(4), 412–431. <https://doi.org/10.1080/02564602.2018.1498032>
- Ramírez, A., Iniesto, F., & Rodrigo, C. (2017). Raising awareness of the accessibility challenges in mathematics MOOCs. *Proceedings of the 5th International Conference on Technological Ecosystems for Enhancing Multiculturality - TEEM 2017* (pp. 1–8). Universidad de Salamanca.
- Ramos, R., Teodoro, V., Fernandes, J., Ferreira, F., & Chagas, I. (2010). *Portal das Escolas - Recursos educativos digitais para Portugal: Estudo estratégico*. Lisboa: Gabinete de Estatísticas e Planeamento da Educação (GEPE).
- Revythi, A., & Tselios, N. (2019). Extension of technology acceptance model by using system usability scale to assess behavioral intention to use e-learning. *Education and Information Technologies*, *24*, 2341–2355. <https://doi.org/10.1007/s10639-019-09869-4>
- Rodríguez, R. M., & Martínez, L. (2013). An analysis of symbolic linguistic computing models in decision making. *International Journal of General Systems*, *42*, 121–136. <https://doi.org/10.1080/03081079.2012.710442>
- Romero, A., Meléndez, R., & Andino, A. (2020). Números neutrosóficos de valor único y proceso analítico jerárquico para la discriminación de proyectos. *Revista Investigación Operacional*, *41*(5), 751–760.
- Rumanová, L & Drábeková, J. (2017). View of Teaching the Mathematics of Production Possibilities Curve. *Proceedings of the 2017 9th International Conference on Education Technology and Computers* (pp. 213–217). Barcelona, Spain.
- Saaty, T. L. (1980). *The analytic hierarchy process*. McGraw-Hill.
- Salas, J., Chang, A., Montalvo, L., Núñez, A., Vilcapoma, M., Moquillaza, A., Murillo, B., & Paz, F. (2019). Guidelines to Evaluate the Usability and User Experience of Learning Support Platforms: A Systematic Review. *Proceedings of the 5th Iberoamerican Workshop, HCI-Collab 2019* (pp. 238–254). Springer, Cham.
- Sánchez-Gálvez, L.A., Fernández-Luna, J.M., Anzures-García, M. (2019). A Groupware Usability-Oriented Evaluation Methodology Based on a Fuzzy Linguistic Approach. In: Ruiz P., Agredo-Delgado V. (eds) *Human-Computer Interaction. HCI-COLLAB 2019* (Vol. 1114, pp. 1–16) Springer. [https://doi.org/10.1007/978-3-030-37386-3\\_1](https://doi.org/10.1007/978-3-030-37386-3_1)
- Sarkar, P., Kadam, K., & Pillai, J. (2019). Collaborative Approaches to Problem-Solving on Lines and Angles Using Augmented Reality. *Proceedings of the 2019 IEEE Tenth International Conference on Technology for Education (T4E)*, (pp. 193–200). Goa.
- Silveira, A. C., Martins, R. X., & Vieira, E. A. O. (2020). E-Guess: Usability evaluation for educational games. *RIED Revista Iberoamericana de Educación a Distancia*, *24*(1), 245. <https://doi.org/10.5944/ried.24.1.27690>
- Sobodi, A., Balaban, I., & Kermek, D. (2018). Usability metrics for Gamified E-learning course: A multilevel approach. *International Journal of Emerging Technologies in Learning (IJET)*, *13*(05), 41–55. <https://doi.org/10.3991/ijet.v13i05.8425>

- Sun, J. (2017). Usability evaluation approach of educational resources software using mixed intelligent optimization. *Mathematical Problems in Engineering*, 2017, 1–12. <https://doi.org/10.1155/2017/2926904>
- Takagi, T., & Sugeno, M. (1985). Fuzzy identification of systems and its application to modeling and control. *IEEE Transactions on Systems, Man and Cybernetics*. <https://doi.org/10.1109/TSMC.1985.6313399>
- Toda, A. M., Do Carmo, R. S., Campos, V., Da Silva, A. L., & Brancher, J. D. (2015). Evaluation of SiGMa, an empiric study with Math teachers. *Proceedings of the 2015 IEEE Frontiers in Education Conference (FIE)*. El Paso.
- Tomaschko, M., & Hohenwarter, M. (2017). Integrating Mobile and Sensory Technologies in Mathematics Education. *Proceedings of the 15th International Conference on Advances in Mobile Computing y Multimedia - MoMM2017* (pp. 39–48). Johannes Kepler University, Linz.
- Tsouccas, L., & Meletioui, M. (2017). Enhancing the Technological, Pedagogical and Content Knowledge (TPACK) of in-service primary teachers in the use of tablet technologies. *Proceedings of the 16th World Conference on Mobile and Contextual Learning* (pp. 1–8). University of Cyprus, Grecia. <https://doi.org/10.1145/3136907.3136951>
- UNESCO (2002). *Forum on the impact of Open Courseware for higher education in developing countries final report*. Retrieved from <http://unesdoc.unesco.org/images/0012/001285/128515e.pdf>.
- Varsaluoma, J., Vääätäjä, H., & Walsh, T. (2016). Exploring motivational aspects and user experience of mobile mathematics learning service in south Africa. *Proceedings of the 20th International Academic Mindtrek* (pp. 159–168). New York.
- Vee Senap, N. M., & Ibrahim, R. (2019). A Review of heuristics evaluation component for mobile educational games. *Procedia Computer Science*, 161, 1028–1035. <https://doi.org/10.1016/j.procs.2019.11.213>
- Vieira, E., Silveira, A., & Martins, R. X. (2019). Heuristic Evaluation on usability of educational games: A systematic review. *Informatics in Education*, 18(2), 427–442. <https://doi.org/10.15388/infedu.2019.20>
- Wan-Sulaiman, W. N. A., & Mustafa, S. E. (2019). Usability elements in digital textbook development: A systematic review. *Publishing Research Quarterly*, 36(1), 74–101. <https://doi.org/10.1007/s12109-019-09675-3>
- Wong, S. K., Nguyen, T. T., Chang, E., & Jayaratna, N. (2003). Usability metrics for E-learning. *Lecture Notes in Computer Science*. [https://doi.org/10.1007/978-3-540-39962-9\\_34](https://doi.org/10.1007/978-3-540-39962-9_34)
- Yáñez, R., Cascado, D., & Sevillano, J. L. (2016). Academic methods for usability evaluation of serious games: A systematic review. *Multimedia Tools and Applications*, 76(4), 5755–5784. <https://doi.org/10.1007/s11042-016-3845-9>
- Yanez, R., Font, J. L., Cascado, D., & Sevillano, J. L. (2019). Heuristic usability evaluation on games: A modular approach. *Multimedia Tools and Applications*, 78(4), 4937–4964. <https://doi.org/10.1007/s11042-018-6593-1>
- Yang, L. (2014). Integration and utilization of digital learning resources in community education [Libro electrónico]. In S. Li, Q. Jin, & J. Park (Eds.), *Frontier and future development of information technology in medicine and education* (Vol. 269, pp. 2953–2959). Springer. [https://doi.org/10.1007/978-94-007-7618-0\\_375](https://doi.org/10.1007/978-94-007-7618-0_375) Lecture Notes in Electrical Engineering.
- Zawacki-Richter, O., Marín, V. I., Bond, M., & Gouverneur, F. (2019). Systematic review of research on artificial intelligence applications in higher education—where are the educators? *International Journal of Educational Technology in Higher Education*, 16, 39. <https://doi.org/10.1186/s41239-019-0171-0>