



Correction to: Interiors of Earth-like planets and satellites of the Solar System

Doris Breuer¹ · Tilman Spohn^{2,1} · Tim Van Hoolst^{3,4} · Wim van Westrenen⁵ · Sabine Stanley⁶ · Nicolas Rambaux⁷

© The Author(s) 2021

Correction to: Surveys in Geophysics

<https://doi.org/10.1007/s10712-021-09677-x>

In this paper, in Sect. 3.6 concerning Enceladus, Fig. 9 was erroneously used. Instead of the original Fig. 9 shown below, a similar figure by Nimmo et al. (2018) was submitted instead.

In addition, when referencing the results of Beuthe et al (2016), the North and South pole regions were confused. According to their results, the ice shell thickness is approximately 15 km beneath the North pole and 7 km beneath the South pole.

We deeply apologize for using the figure from Nimmo et al. (2018) erroneously and inappropriately, and also for misquoting Beuthe et al. (2016).

The original article can be found online at <https://doi.org/10.1007/s10712-021-09677-x>.

✉ Doris Breuer
doris.breuer@dlr.de

¹ DLR Institut für Planetenforschung, Rutherfordstrasse 2, 12489 Berlin, Germany

² International Space Science Institute ISSI, Hallerstrasse 6, 3012 Bern, Switzerland

³ Royal Observatory of Belgium, Ringlaan, Avenue Circulaire 3, 1180 Brussels, Belgium


⁴ Institute of Astronomy, KU Leuven, Celestijnenlaan 200D, 3001 Leuven, Belgium

⁵ Vrije Universiteit Amsterdam, De Boelelaan 1105, 1081 HV Amsterdam, The Netherlands

⁶ Department of Earth and Planetary Sciences, John Hopkins University, 126 Olin Hall 3400 N. Charles Street, Baltimore, MD 21218, USA

⁷ Institut de Mécanique Céleste et des Ephémérides, Observatoire de Paris, CNRS, PSL Research University, Sorbonne Université, Université de Lille, 77 av. Denfert-Rochereau, 75014 Paris, France

Fig. 9 Sketch of the likely internal structure of Enceladus derived from gravity, topography and libration observations (see text). The South Polar Terrain (SPT) has a reduced ice shell thickness



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

References

- Beuthe M, Rivoldini A, Trinh A (2016) Enceladus's and Dione's floating ice shells supported by minimum stress isostasy. *Geophys Res Lett* 43(19):10088–10096. <https://doi.org/10.1002/2016GL070650>
- Nimmo F, Barr AC, Behoukova M, McKinnon WB (2018) The thermal and orbital evolution of Enceladus: observational constraints and models. In: Schenk PM, Clark RN, Howett CJA, Verbiscer AJ, Waite JH (eds) *Enceladus and the icy moons of Saturn*. University of Arizona Press, Tucson, pp 79–94. https://doi.org/10.2458/azu_uapress_9780816537075-ch005

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.