



Correction to: Preparation of transparent and mechanically hard inorganic-organic hybrid thick films from 3-glycidoxypropyltrimethoxysilane and zirconium propoxide

Takuto Toide ¹ · Nataly Carolina Rosero-Navarro ² · Akira Miura ² · Hiromitsu Kozuka ³ · Kiyoharu Tadanaga ²

Published online: 28 July 2022

© Springer Science+Business Media, LLC, part of Springer Nature 2022

Correction to: Journal of Sol-Gel Science and Technology (2022) 12:1–6
<https://doi.org/10.1007/s10971-022-05836-7>

The original version of this article unfortunately contained a mistake. The 5th sentence under 2nd paragraph of “Introduction” section should be changed from “For instance, Katagiri et al. have reported thick films with a

thickness up to 8 μm by electrophoretic deposition and subsequent thermal softening of phenyl-silsesquioxane, but the transmittance of these films was <1% in a wide visible range [19]”. to “For instance Katagiri et al. have reported transparent films with a thickness up to 3 μm by electrophoretic deposition and subsequent thermal softening of phenylsilsesquioxane [19]”.

The original article has been corrected.

✉ Kiyoharu Tadanaga
tadanaga@eng.hokudai.ac.jp

¹ Graduate School of Chemical Sciences and Engineering, Hokkaido University, Sapporo, Hokkaido, Japan

² Faculty of Engineering, Hokkaido University, Sapporo, Hokkaido, Japan

³ Faculty of Chemistry, Materials and Bioengineering, Kansai University, Suita, Osaka, Japan