



Correction: Use of MTDSC in the detection of weak glass transitions: the hysteresis peak

Joseph D. Menczel¹ · Aditya Jindal² · Michael P. Mallamaci² · Tonson Abraham³

Published online: 18 May 2023
© Akadémiai Kiadó, Budapest, Hungary 2023

Correction to:

Journal of Thermal Analysis and Calorimetry

<https://doi.org/10.1007/s10973-023-12152-x>

In the original publication of the article, the below corrections provided by the author were not implemented in the article by mistake.

In the caption of Table 1, "The dimensions of the parameters in Table 3...." should read as "The dimensions of the parameters in Table 1 ...".

In the caption of Table 3, "The dimensions of the parameters in Table 1...." should be changed to "The dimensions of the parameters in Table 3 ...". In Conclusions section, the last

sentence in the 6th point that reads as "This probably takes placebecause...." should be removed.

Several typo and grammatical errors were found in the references 5, 11, 24 and in the text.

Few reference citations were incorrectly processed.

The original article has been corrected.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s10973-023-12152-x>.

✉ Joseph D. Menczel
jmenczel@yahoo.com

¹ Thermal Measurements, 412 Stampede Court, Fort Worth, TX 76131, USA

² Parker Hannifin Corporation, Fluid Connectors Group, 6035 Parkland Boulevard, Cleveland, OH 44124, USA

³ Tonson Abraham Consulting, LLC, 39467 Clayton Drive, Avon, OH 44011, USA