

# Modeling of Texture Evolution during Hot Forging of Alpha/Beta Titanium Alloys

M.G. GLAVICIC, R.L. GOETZ, D.R. BARKER, G. SHEN, D. FURRER,  
A. WOODFIELD, and S.L. SEMIATIN

DOI: 10.1007/s11661-008-9559-5

© The Minerals, Metals & Materials Society and ASM International 2008

**Erratum to: METALLURGICAL AND MATERIALS  
TRANSACTIONS A, Vol. 39A, No. 4, April 2008**  
**DOI: 10.1007/s11661-007-9376-2**

THE year of publication is misprinted as 2007 in the running feet of the original article. This article appears in the April 2008 issue.

---

M.G. GLAVICIC, Research Scientist, R.L. GOETZ, Research Engineer, and D.R. BARKER, Project Manager, are with UES, Inc., Dayton, OH 45432, USA. Contact e-mail: michael.glavicic@wpafb.af.mil G. SHEN, Research Engineer, and D. FURRER, Research Scientist, are with the Rolls-Royce Corporation, Indianapolis, IN 46206-0420, USA. A. WOODFIELD, Senior Scientist, is with General Electric Aviation, Cincinnati, OH 45215, USA. S.L. SEMIATIN, Senior Scientist, is with the Air Force Research Laboratory, Materials and Manufacturing Directorate, AFRL/MLLM, Wright-Patterson AFB, Dayton, OH 45433-7817, USA.

The online version of the original article can be found under doi:  
[10.1007/s11661-007-9376-2](https://doi.org/10.1007/s11661-007-9376-2).

Article published online May 1, 2008