



Correction to: Impact of Laparoscopic Sleeve Gastrectomy on Gut Permeability in Morbidly Obese Subjects

Teresa Kellerer¹ · Beate Brandl² · Janine Büttner³ · Ilias Lagkouvardos⁴ · Hans Hauner^{1,5} · Thomas Skurk^{1,2}

Published online: 29 April 2021

© Springer Science+Business Media, LLC, part of Springer Nature 2021

Correction to: Obesity Surgery (2019) 29:2132–2143

<https://doi.org/10.1007/s11695-019-03815-6>

In the original article there is a typing error in Table 1. It was reported that body weight (kg) of obese patients before surgery (LSG V1) is **125.0** (133.9; 175.7). It should read **152.0** (133.9; 175.7).

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The online version of the original article can be found at <https://doi.org/10.1007/s11695-019-03815-6>

✉ Thomas Skurk
skurk@tum.de

Teresa Kellerer
teresa.kellerer@tum.de

Beate Brandl
beate.brandl@tum.de

Janine Büttner
janine.buettner@charite.de

Ilias Lagkouvardos
ilias.lagkouvardos@tum.de

Hans Hauner
hans.hauner@tum.de

¹ Else Kröner-Fresenius-Center of Nutritional Medicine, Technical University of Munich, Freising, Germany

² ZIEL Institute for Food and Health, Core Facility Human Studies, Technical University of Munich, Freising, Germany

³ Charité-Universitätsmedizin Berlin, Medical Department, Division of Hepatology and Gastroenterology, Berlin, Germany

⁴ ZIEL Institute for Food and Health, Core Facility Microbiome/NGS, Technical University of Munich, Freising, Germany

⁵ Institute of Nutritional Medicine, Klinikum rechts der Isar, Technical University of Munich, Munich, Germany