

A correlation for heat of vaporization of pure compounds

Jovan D. Jovanović and Dušan K. Grozdanić[†]

Faculty of Technology and Metallurgy, University of Belgrade, Karnegijeva 4, 11000 Belgrade, Serbia
(Received 14 December 2007 • accepted 15 April 2008)

Abstract—Twenty-seven selected equations were tested on 162 compounds with 1958 calorimetric data for their abilities to reflect the temperature influence on the heat of vaporization of pure compounds. A new equation is recommended (overall percent deviation 0.27% and percent deviation 0.59% above 0.9T_r).

Key words: Heat of Vaporization, Correlation, Pure Compound, Equation, Calorimetric Data

INTRODUCTION

In many calculations associated with process design and simulations it is necessary to know the physical properties of pure compounds, including their heat of vaporization [1-3]. Although many equations have been developed, the problem of the correlation of heat of vaporization for pure compounds has not been fully addressed yet. Most of the recommended equations very well correlate heat of vaporization data in a limited temperature range near the normal boiling point. On the other hand, due to thermal degradation it is difficult to measure heat of vaporization at elevated temperatures. As a result, experimental data in the temperature range $0.9 \leq T_r \leq 1$ are scarce [4,5] and testing and development of correlation equations over the full temperature range $T_r \leq T \leq T_c$ has been limited. The objective of this work is to investigate the performance of the recommended equations with respect to the correlation of calorimetrically measured heats of vaporization and to develop a new equation.

EXISTING EQUATIONS

Correlation equations listed in chronological order are presented in Table 1. The number of parameters varies from one to six. All equations are linear in the parameters or can be linearized except the Lin-Silberberg-McKetta and Vetere equations. Preliminary investigation indicates that these nonlinear equations do not result in a significantly better correlation than linear equations with the same number of parameters. As the problem of convergence and global optima arises in correlation with nonlinear equations, this work investigates only linear equations.

DATA SELECTION

In all, 1958 experimental calorimetric data for 162 compounds, presented in Table 2, are selected from the database with 819 compounds and 3415 data points. Table 2 lists only compounds with at least five experimental data, as that number of data enables realistic correlation by equations with one, two or three parameters (minimum number of data is $n=m+2$). Used experimental normal freez-

ing points and critical temperatures are also included in Table 2. Columns 6 and 7 in Table 2 contain temperature and reduced temperature intervals of the selected data points. The last column of Table 2 lists references for selected experimental calorimetric heats of vaporization.

It is obvious from Table 2 that most reduced temperatures fall between 0.45-0.65, which is away from both triple and critical temperature. Heat of vaporization has a maximum value at triple point and a zero value at critical point. Heat of vaporization rapidly decreases to zero in the vicinity of the critical point and correlation in this region is very difficult.

RESULTS AND DISCUSSION

Results of correlation are presented in Table 3. The number of parameters is shown in the third column, number of compounds in the fourth column, number of data in the fifth column and absolute mean percent deviation in the sixth column. The absolute mean percent deviation is defined as

$$p_{abs}[\%] = 100 |(\Delta H_{v,exp} - \Delta H_{v,cal}) / \Delta H_{v,exp}| \quad (1)$$

$$p_{av}[\%] = \left(\sum_{i=1}^N p_{abs,i} \right) / N \quad (2)$$

Torquato-Stell and Armstrong equations are used with only first four parameters as preliminary investigation indicated that these equations yield the best results with the first four parameters. In the Somayajulu II equation, normal freezing point, T_f , is used instead a triple point, T_t , as this value is more common.

All 1958 data for 162 selected compounds were correlated with all equations with one, two and three parameters. Equations with four parameters were used for 131 compounds and 1801 data points with $n \geq 6$. In absence of experimental values of normal freezing point for some compounds, the Somayajulu II equation was used for only 125 compounds and 1733 data points. For the Guermouche-Vergnaud, Todd-Hossenlopp-Scott, Svoboda and Xiang equations, data correlation of certain compounds was not successful (ordinal number of compounds is given in parentheses).

Results presented in Table 3 indicate that all equations, except Mollier, Thiesen, Pilling, Tyrer and Eggert equations, are excellent in correlation of selected heats of vaporization (average mean percent deviation is less or equal to 1%). The best are Guermouche-

[†]To whom correspondence should be addressed.
E-mail: dule@tmf.bg.ac.rs

Table 1. Recommended heat of vaporization correlation equations

i	Author	Equation
1	Mollier [6]	$\Delta H_v = A[T(1-T_r)]^B$
2	Thiesen [7]	$\Delta H_v = A(1-T_r)^{1/3}$
3	Pilling [8]	$\Delta H_v = A/T^{1/2}$
4	Tyrer [9]	$\Delta H_v = A(1-T_r)^{0.5}$
5	Kendall [10]	$\Delta H_v = A(1-T_r)^{0.386}$
6	Osborne-van Dusen [11]	$\Delta H_v = A(1-T_r)^{1/2} + B(1-T_r)$
7	Keyes-Taylor-Smith [12]	$\ln(\Delta H_v) = A + B(1-T_r) + C \ln(1-T_r)$
8	Winter [13]	$\Delta H_v = A(1-T_r)^{0.4}$
9	Nutting [14]	$\Delta H_v = A(1-T_r)^B$
10	Eggert [15]	$\Delta H_v = A(1-T_r)$
11	Jones-Bowden [16]	$\Delta H_v = A(1-T_r)^{7/18}$
12	Silverberg-Wenzel [17]	$\Delta H_v = A(1-T_r)^{0.378}$
13	Graue-Berry-Sage I [18]	$\Delta H_v = A(1-T_r)^{1/3} + B(1-T_r)^{2/3}$
14	Graue-Berry-Sage II [18]	$\Delta H_v = A(1-T_r)^{1/3} + B(1-T_r)^{2/3} + C(1-T_r)$
15	Lin-Silberberg-McKetta [19]	$\Delta H_v = A(T_c - T) + B(T_c - T)^2 + C(T_c - T)^D$
16	Chueh-Swanson [20,21]	$\Delta H_v = A(1-T_r)^{B+C(1-T_r)}$
17	Guermouche-Vergnaud [22]	$\Delta H_v = A(1-T_r)^{B+CT_r+DT_r^2}$
18	Todd-Hossenlopp-Scott [23]	$\ln(\Delta H_v) = A + B \ln[1/(1-T_r)] + C \ln[1/(1-T_r)]^{1/3} + D \ln[1/(1-T_r)]^{2/3}$
19	Radosz-Lydersen [24]	$\Delta H_v = A(1-T_r)^{1/3} + B(1-T_r)^{2/3} + C(1-T_r)^{5/3} + D(1-T_r)^2$
20	Tekač-Majer-Svoboda-Hynek [25]	$\Delta H_v = A(1-T_r)^B \exp(-BT_r)$
21	Torquato-Stell [26]	$\Delta H_v = A(1-T_r)^{1/3} + B(1-T_r)^{5/6} + C(1-T_r)^{29/24} + \sum_{j=1}^m D_j(1-T_r)^j, m \leq 3$
22	Armstrong [27]	$\Delta H_v = A(1/T_r - 1)^{1/3} + B(1/T_r - 1) + C(1/T_r - 1)^{4/3} + D(1/T_r - 1)^{5/3} + E(1/T_r - 1)^2 + F(1/T_r - 1)^{19/3}$
23	Vetere [28]	$\Delta H_v / RT_c = A + BT_r + CT_r^D$
24	Somayajulu I [29]	$\Delta H_v = A(1/T_r - 1) + B(1-T_r)^{3/8} + C(1-T_r)^{18/8}$
25	Somayajulu II [29]	$\Delta H_v = AX_i^{3/8} + BX_i^{11/8} + CX_i^{19/8} + DX_i^{27/8}, X_i = (T_c - T)/(T_c - T_i)$
26	Svoboda [30]	$\Delta H_v = A + B \ln[1/(1-T_r)] + C \ln[1/(1-T_r)]^{1/3} + D \ln[1/(1-T_r)]^{2/3}$
27	Xiang [31]	$\Delta H_v / RT_c = [A(1/T_r - 1) + B(1-T_r)] / [1 + C(1-T_r)]$

Table 2. Survey of experimental calorimetric heats of vaporization

i	Compound	n	T _f [K]	T _c [K]	ΔT [K]	ΔT _r [1]	Reference
1	1,1,1-Trichloroethane	12	240.0	545.0	284.34-358.15	0.52-0.66	[32], [33], [34], [35], [36]
2	1,1,1-Trichlorotrifluoroethane	5	287.5	482.9	298.15-328.15	0.61-0.68	[37]
3	1,1,2,2-Tetrachloroethane	9	237.0	661.2	298.15-419.35	0.45-0.63	[33], [34], [38], [39], [40]
4	1,1,2-Trichloroethane	9	235.8	606.0	298.15-358.48	0.49-0.59	[33], [34], [41]
5	1,2-Dibromo-1-chlorotrifluoroethane	5	182.7	560.7	298.15-358.15	0.53-0.64	[42]
6	1,2-Dibromomethane	6	282.9	646.0	298.15-338.15	0.46-0.52	[43], [44]
7	1,2-Dichloroethane	11	237.5	566.0	293.15-358.15	0.52-0.63	[34], [44], [45], [46], [47]
8	1,2-Dichlorotetrafluoroethane	5	297.9	551.0	308.15-338.15	0.56-0.61	[43]
9	1,2-Dimethylbenzene	11	248.2	630.3	298.15-445.80	0.47-0.71	[38], [48], [49]
10	1,4-Dimethylbenzene	23	286.4	616.2	298.15-557.25	0.48-0.90	[38], [49], [50], [51]
11	1-Bromo-1-chloro-2,2,2-trifluoroethane	6	157.4	496.3	298.15-343.15	0.60-0.69	[37]
12	1-Bromobutane	8	160.4	569.4	298.15-372.55	0.52-0.65	[44], [52], [53], [54]
13	1-Bromopropane	7	163.0	535.5	298.15-352.35	0.56-0.66	[44], [52], [53], [54]
14	1-Butanol	20	188.0	562.0	298.15-500.80	0.53-0.89	[24], [54], [55], [56], [57], [58], [59]
15	1-Butene	14	87.7	419.6	202.31-377.61	0.48-0.90	[60], [61]
16	1-Butyne	6	147.3	440.0	262.53-282.52	0.60-0.64	[62]
17	1-Decanol	20	280.1	687.3	281.50-338.41	0.41-0.49	[59], [63], [64]

Table 2. Continued

i	Compound	n	T _f [K]	T _c [K]	ΔT [K]	ΔT _r [1]	Reference
18	1-Dodecanol	14	297.1	719.4	298.15-348.30	0.41-0.48	[63], [64], [65]
19	1-Hexadecanol	12	322.4	770.0	327.90-362.40	0.43-0.47	[63]
20	1-Hexanol	19	226.0	610.3	298.15-368.15	0.49-0.60	[54], [63], [65], [66]
21	1-Chloro-3-methylbutane	6	169.0	558.9	298.15-368.15	0.53-0.66	[25]
22	1-Chlorobutane	8	150.1	542.0	298.15-368.15	0.55-0.68	[25], [44], [52]
23	1-Chloropentane	7	174.0	552.0	298.15-378.15	0.54-0.68	[25], [44], [52]
24	1-Methyl-1-ethylcyclopentane	8	129.3	592.0	332.00-422.44	0.56-0.71	[50]
25	1-Octanol	15	257.6	652.5	282.30-469.15	0.43-0.72	[63], [67]
26	1-Octene	6	171.4	567.0	298.15-368.15	0.53-0.65	[65], [68]
27	1-Pentanol	14	195.0	586.1	298.15-499.65	0.51-0.85	[24], [54], [66], [69]
28	1-Propanol	32	146.9	536.7	298.15-499.05	0.56-0.93	[24], [41], [54], [57], [58], [59], [70], [71], [72]
29	1-Tetradecanol	14	312.6	743.0	298.15-346.60	0.40-0.47	[63], [65]
30	1-Tridecanol	23	305.6	732.0	307.00-348.30	0.42-0.48	[63]
31	1-Undecanol	14	292.0	703.6	313.20-354.30	0.45-0.50	[63]
32	2,2,3-Trimethylpentane	9	160.9	563.5	298.15-368.15	0.53-0.65	[73]
33	2,2,4-Trimethylpentane	12	165.8	543.8	298.15-372.33	0.55-0.68	[49], [68], [74], [75]
34	2,2-Dimethyl-1-propanol	22	327.0	549.0	274.20-312.30	0.50-0.57	[76]
35	2,2-Dimethyl-3-butanone	7	223.4	562.9	308.15-348.15	0.55-0.62	[77]
36	2,2-Dimethylpentane	10	149.4	520.5	298.15-368.15	0.57-0.71	[49], [73]
37	2,2-Dimethylpropane	9	256.6	433.8	264.81-303.50	0.61-0.70	[78], [79]
38	2,3,3-Trimethylpentane	10	172.5	573.5	298.15-368.15	0.52-0.64	[49], [73]
39	2,3,4-Trimethylpentane	10	163.9	566.4	298.15-413.76	0.53-0.73	[49], [79], [80]
40	2,3-Dimethylbutane	9	144.6	499.9	293.15-353.15	0.59-0.71	[49], [81], [82]
41	2,3-Dimethylpentane	5	149.0	537.5	298.15-353.15	0.55-0.66	[49], [74]
42	2,3-Dimethylpyridine	5	257.9	655.5	313.15-368.15	0.48-0.56	[83]
43	2,4-Dimethylpentane	8	154.0	519.8	298.15-348.15	0.57-0.67	[49], [73]
44	2,4-Dimethylpyridine	5	209.4	647.0	313.15-368.15	0.48-0.57	[83]
45	2,6-Dimethylnaphthalene	5	383.3	777.2	383.32-420.00	0.49-0.54	[84]
46	2,6-Dimethylpyridine	5	267.1	623.8	313.15-368.15	0.50-0.59	[83]
47	2,7-Dimethylnaphthalene	5	368.8	775.0	368.81-400.00	0.48-0.52	[84]
48	2-Bromopropane	7	184.2	532.0	298.15-337.65	0.56-0.63	[44], [52], [53], [54]
49	2-Butanol	15	158.5	536.1	298.15-503.05	0.56-0.94	[24], [38], [52], [57], [85]
50	2-Butanone	15	186.5	535.5	298.15-370.57	0.56-0.69	[86], [87], [88], [89], [90]
51	2-Butanethiol	5	133.0	551.0	298.16-358.14	0.54-0.65	[91], [92]
52	2-Butene,trans	18	167.6	428.6	272.44-394.26	0.64-0.92	[93], [94]
53	2-Hexanol	18	-	583.0	274.50-368.15	0.47-0.63	[66], [76]
54	2-Hexanone	12	216.2	586.6	298.15-368.15	0.51-0.63	[77], [90]
55	2-Chloro-1,1,2-trifluoroethyl ethyl ether	6	-	524.4	298.15-368.15	0.57-0.70	[95]
56	2-Chlorobutane	5	141.8	520.6	298.15-358.15	0.57-0.69	[25], [44]
57	2-Methyl-1-pentanol	14	-	604.4	275.10-313.20	0.46-0.52	[76]
58	2-Methyl-1-propanol	18	165.2	547.7	298.15-498.85	0.54-0.91	[24], [54], [57], [69], [96]
59	2-Methyl-2-butanol	25	264.4	545.1	274.30-444.25	0.50-0.81	[24], [66], [76]
60	2-Methyl-2-pentanol	6	170.2	559.5	298.15-368.15	0.53-0.66	[66]
61	2-Methyl-2-propanol	20	298.0	506.2	298.15-440.55	0.59-0.87	[24], [54], [57], [96], [97], [98]
62	2-Methyl-3-pentanol	13	-	576.0	274.90-307.50	0.48-0.53	[76]
63	2-Methylbutane	5	113.3	460.4	279.48-301.01	0.61-0.65	[99], [100]
64	2-Methylheptane	5	164.2	559.7	298.15-353.15	0.53-0.63	[49], [74]
65	2-Methylpentane	8	119.5	497.7	293.15-353.15	0.59-0.71	[49], [81], [82]
66	2-Methylpyridine	9	207.0	621.0	298.15-402.54	0.48-0.65	[101], [102]
67	2-Pentanol	6	-	560.0	298.15-368.15	0.53-0.66	[66]
68	2-Pentanone	11	196.3	561.1	298.15-394.57	0.53-0.70	[86], [88], [90]

Table 2. Continued

i	Compound	n	T _f [K]	T _c [K]	ΔT [K]	ΔT _r [I]	Reference
69	2-Propanol	32	184.7	508.3	298.15-477.03	0.59-0.94	[24], [38], [41], [54], [57], [72], [103], [104], [105]
70	3,3-Dimethyl-2-butanone	5	223.4	562.9	298.15-378.44	0.53-0.67	[86], [87], [106]
71	3,5-Dimethylpyridine	5	267.3	667.7	313.15-368.15	0.47-0.55	[83]
72	3-Ethylpentane	8	154.6	540.6	298.15-348.15	0.55-0.64	[49], [73]
73	3-Hexanone	8	217.5	583.2	298.15-396.65	0.51-0.68	[90], [107]
74	3-Methyl-1-butanol	10	156.0	577.2	303.15-496.80	0.53-0.86	[24], [38], [42]
75	3-Methyl-2-butanol	9	203.0	556.1	280.30-301.40	0.50-0.54	[76], [108]
76	3-Methyl-2-butanone	7	181.0	553.0	298.15-367.48	0.54-0.66	[86], [90], [107]
77	3-Methyl-3-pentanol	11	249.5	575.6	275.20-301.50	0.48-0.52	[76]
78	3-Methylpentane	10	110.3	504.6	298.15-353.15	0.59-0.70	[49], [74], [82], [109], [110]
79	3-Methylpyridine	9	255.0	645.0	298.15-417.29	0.46-0.65	[101], [111]
80	3-Pentanone	10	234.2	561.5	298.15-375.11	0.53-0.67	[86], [90], [107], [112]
81	4-Methyl-2-pentanol	11	-	603.5	273.70-301.30	0.45-0.50	[66], [76]
82	4-Methyl-2-pentanone	8	189.2	571.4	298.15-388.62	0.52-0.68	[87], [90]
83	4-Methylheptane	6	152.2	561.7	298.15-390.35	0.53-0.69	[38], [49], [74]
84	4-Methylpyridine	13	276.9	646.0	298.15-434.26	0.46-0.67	[101], [113]
85	Acenaphthene	6	366.6	803.2	366.56-410.00	0.46-0.51	[84]
86	Acetone (2-propanone)	15	178.5	508.2	293.15-505.20	0.58-0.99	[45], [114], [115], [116]
87	Ammonia	34	195.4	405.5	231.14-324.95	0.57-0.80	[11]
88	Benzene	59	278.7	562.1	293.15-560.93	0.52-1.00	[23], [38], [41], [45], [46], [49], [58], [70], [117], [118], [119], [120], [121], [122], [123], [124]
89	Benzenethiol	5	258.0	685.0	298.15-416.90	0.43-0.61	[125], [126]
90	Butylamine	5	222.7	531.9	298.15-358.15	0.56-0.67	[127], [128]
91	Butyl ethanoate	7	199.7	575.4	298.15-397.35	0.52-0.69	[54], [56], [67], [129]
92	Butyl isopropylamine	5	-	563.6	298.15-358.15	0.53-0.64	[130]
93	Butyl methanoate	7	183.2	565.2	298.15-378.27	0.53-0.67	[38], [129], [131]
94	Cyclohexane	47	279.6	553.8	291.73-427.62	0.53-0.77	[38], [49], [58], [72], [74], [109], [110], [127], [132], [133], [134], [135], [136], [137], [138], [139], [140], [141], [142]
95	Cyclohexanone	8	242.6	664.3	298.15-348.15	0.45-0.52	[77], [143]
96	Cyclohexene	6	169.7	553.5	313.15-354.75	0.57-0.64	[38], [58]
97	Cyclopentane	7	179.3	511.8	295.01-322.42	0.58-0.63	[140], [144], [145]
98	Decane	24	243.5	617.6	298.15-444.26	0.48-0.72	[49], [59], [109], [110], [125], [127], [135], [146], [147]
99	Dibenzothiophene	5	371.8	897.0	590.00-630.00	0.66-0.70	[148]
100	Diborane	18	108.0	289.8	179.79-284.01	0.62-0.98	[149], [150]
101	Dibutyl ether	6	175.3	580.0	298.15-414.45	0.51-0.71	[52], [151]
102	Diethylamine	5	223.2	496.6	298.15-343.15	0.60-0.69	[128], [152]
103	Diethyl ether	8	156.9	466.7	280.69-313.15	0.60-0.67	[38], [67], [151], [153]
104	Diphenyl	19	342.4	789.0	298.15-755.35	0.38-0.96	[154], [155], [156]
105	Diisopropylamine	6	212.2	523.1	298.15-358.15	0.57-0.68	[130], [152]
106	Diisopropyl ether	8	187.7	500.3	298.15-358.15	0.60-0.72	[151], [157]
107	Dipropyl ether	9	151.0	530.6	298.15-363.22	0.56-0.68	[134], [151], [158]
108	Ethanal	9	149.7	461.0	294.15-422.04	0.64-0.92	[117], [159]
109	Ethanol	33	159.1	514.0	298.15-508.71	0.58-0.99	[24], [54], [57], [69], [72], [97], [105], [108], [122], [160]
110	Ethylbenzene	14	178.2	617.2	298.15-437.22	0.48-0.71	[38], [49], [50], [68]
111	Ethyl butylamine	5	194.9	547.1	298.15-358.15	0.54-0.65	[130]
112	Ethyl butyl ether	5	170.2	531.0	298.15-358.15	0.56-0.67	[151]

Table 2. Continued

i	Compound	n	T _f [K]	T _c [K]	ΔT [K]	ΔT _r [I]	Reference
113	Ethylcyclohexane	6	161.4	609.1	298.15-368.15	0.49-0.60	[49], [161]
114	Ethylcyclopentane	5	134.7	569.5	313.15-368.15	0.55-0.65	[161]
115	Ethyl ethanoate	13	189.2	523.2	298.15-363.40	0.57-0.69	[38], [54], [129], [162], [163]
116	Ethyl methanoate	5	193.8	508.4	304.00-343.15	0.60-0.67	[38], [129], [131]
117	Ethyl propanoate	10	199.3	548.0	298.15-372.35	0.54-0.68	[38], [67], [129], [163], [164]
118	Ethyl propyl ether	6	194.2	500.2	298.15-358.15	0.60-0.72	[84], [151]
119	Phenanthrene	7	372.4	873.0	298.15-420.00	0.34-0.48	[84], [156]
120	Hexafluorobenzene	8	278.0	516.7	300.57-376.53	0.58-0.73	[113], [165]
121	Hexafluoroethane	8	172.4	293.0	179.96-195.21	0.61-0.67	[166]
122	Hexane	39	177.8	507.9	298.15-498.20	0.59-0.98	[49], [72], [74], [81], [167], [168]
123	Heptane	21	182.6	540.1	288.16-371.51	0.53-0.69	[38], [49], [57], [74], [75], [169], [170], [171]
124	Indane	8	221.5	684.9	381.70-450.96	0.56-0.66	[50]
125	Methane	10	90.7	190.6	111.85-184.71	0.59-0.97	[172]
126	Methanol	39	175.5	512.5	298.15-510.20	0.58-1.00	[24], [38], [54], [57], [58], [67], [72], [97], [105], [120], [173], [174], [175]
127	Methyl tert-butyl ether	5	165.0	497.1	298.15-343.15	0.60-0.69	[134], [151]
128	Methylamine	24	179.7	430.0	297.04-380.37	0.69-0.88	[176]
129	Methyl butyl ether	6	157.7	512.8	298.15-358.15	0.58-0.70	[134], [151]
130	Methylcyclohexane	16	146.6	572.2	298.15-493.15	0.52-0.86	[49], [74], [110], [141], [177], [178]
131	Methyl ethanoate	12	175.1	506.8	295.51-343.15	0.58-0.68	[38], [67], [89], [129], [162], [163]
132	Methyl phenyl ether	5	235.7	645.6	298.15-426.73	0.46-0.66	[97], [134]
133	Methyl methanoate	5	173.2	487.2	293.25-313.45	0.60-0.64	[38], [67], [129]
134	Methyl propanoate	10	185.7	530.6	298.15-363.40	0.56-0.68	[38], [86], [89], [129], [163]
135	N,N'-dimethylhydrazine	5	264.2	530.0	296.46-298.97	0.56	[179]
136	N,N-diethylethanolamine	31	203.1	616.0	278.20-318.30	0.45-0.52	[180]
137	N-methylethanolamine	16	268.6	630.0	274.90-320.20	0.44-0.51	[180]
138	Nitromethane	8	244.8	588.0	298.10-374.44	0.51-0.64	[38], [181], [182], [183], [184]
139	Nonane	6	219.7	594.6	298.15-368.15	0.50-0.62	[49], [56], [185]
140	Oxetane	10	176.1	507.9	271.50-342.24	0.53-0.67	[113]
141	Oxirane	11	161.0	469.0	283.66-422.04	0.60-0.90	[186], [187]
142	Octane	35	216.4	568.8	298.15-444.26	0.52-0.78	[49], [59], [74], [79], [80], [109], [110], [125], [134], [142], [170], [178]
143	Pentadecane	8	283.0	706.8	298.15-373.15	0.42-0.53	[188], [189], [190]
144	Pentane	44	143.4	469.8	259.55-465.37	0.55-0.99	[54], [79], [122], [191], [192], [193], [194]
145	Pyridine	15	231.6	620.0	298.00-389.90	0.48-0.63	[97], [101], [119], [195], [196], [197], [198]
146	Propane	31	85.5	369.8	231.04-348.15	0.62-0.94	[194], [199], [200]
147	Propyl ethanoate	16	178.1	549.4	298.15-374.91	0.54-0.68	[38], [54], [87], [129], [162], [163]
148	Propyl methanoate	8	180.3	538.0	298.15-363.40	0.55-0.68	[129], [131]
149	Propyl propanoate	6	197.3	578.0	313.15-395.75	0.54-0.68	[38], [67], [129]
150	Tetradecane	10	279.0	693.0	298.15-358.15	0.43-0.52	[189], [190], [201]
151	Tetrahydronaphthalene	5	237.4	720.1	498.33-604.52	0.69-0.84	[51]
152	Tetrachloroethene	6	251.0	620.2	298.15-393.84	0.48-0.64	[34], [38]
153	Tetrachloromethane	12	250.5	556.4	297.32-358.15	0.53-0.64	[34], [110], [120], [141], [193], [202]
154	Thiacyclohexane	5	292.0	657.1	351.44-414.91	0.53-0.63	[203]
155	Toluene	25	178.2	591.1	298.15-521.13	0.50-0.88	[38], [40], [47], [49], [51], [136], [204]

Table 2. Continued

i	Compound	n	T _f [K]	T _c [K]	ΔT [K]	ΔT _r [I]	Reference
156	Tridecane	7	267.8	676.2	298.15-348.15	0.44-0.51	[189], [190]
157	Triethylamine	6	158.4	535.0	298.15-358.15	0.56-0.67	[128], [152]
158	Trichloroethene	6	186.8	571.0	298.15-358.84	0.52-0.63	[34], [38]
159	Trichloromethane	6	209.6	536.4	293.15-343.15	0.55-0.64	[34], [38], [45]
160	Carbon dioxide	10	216.6	304.1	168.90-172.70	0.56-0.57	[205]
161	Water	42	273.2	647.3	273.15-373.20	0.42-0.58	[49], [57], [70], [105], [110], [120], [139], [196], [206], [207], [208], [209]
162	sec-Butylamine	5	168.6	514.3	298.15-343.15	0.58-0.67	[128], [152]
Total		1958					

Table 3. Heat of vaporization data correlation results

i	Author	m	S	N	p _{av} [%]
1	Mollier	2	162	1958	1.51
2	Thiesen	1	162	1958	1.61
3	Pilling	1	162	1958	4.81
4	Tyrer	1	162	1958	1.99
5	Kendall	1	162	1958	1.01
6	Osborne-van Dusen	2	162	1958	0.59
7	Keyes-Taylor-Smith	3	162	1958	0.33
8	Winter	1	162	1958	1.03
9	Nutting	2	162	1958	0.45
10	Eggert	1	162	1958	9.29
11	Jones-Bowden	1	162	1958	1.01
12	Silverberg-Wenzel	1	162	1958	1.04
13	Graue-Berry-Sage I	2	162	1958	0.48
14	Graue-Berry-Sage II	3	162	1958	0.34
15	Lin-Silberberg-McKetta	4	-	-	-
16	Chueh-Swanson	3	162	1958	0.33
17	Guermouche-Vergnaud	4	130	1791 (160)	0.27
18	Todd-Hossenlopp-Scott	4	129	1785 (16,160)	0.29
19	Radosz-Lydersen	4	131	1801	0.31
20	Tekač-Majer-Svoboda-Hynek	2	162	1958	0.59
21	Torquato-Stell	4	131	1801	0.50
22	Armstrong	4	131	1801	0.29
23	Vetere	4	-	-	-
24	Somayajulu I	3	162	1958	0.37
25	Somayajulu II	4	125	1733	0.29
26	Svoboda	4	130	1791 (160)	0.28
27	Xiang	3	157	1927 (11, 70,133,135,160)	0.35
28	New	4	131	1801	0.27

Remarks: Number in parenthesis presents number of data sets for failed correlation

Vergnaud (p_{av}=0.27%), Svoboda (p_{av}=0.28%), Todd-Hossenlopp-Scott (p_{av}=0.29%), Armstrong (p_{av}=0.29%) and Somayajulu II (p_{av}=0.29%) equations, all with four parameters. However, the absolute percent deviation value increases for all equations when the reduced temperature approaches one. Detailed results of correlation for compounds with T_r≥0.9 for the best equations, along with results for Torquato-Stell and Armstrong equations with all six parameters, are presented in Table 4. The best results are obtained with Torquato-

Stell (p_{av}=0.40%) and Armstrong equations (p_{av}=0.48%), both with six parameters. Based on results presented in Table 3 and Table 4 it is recommended to use the Somayajulu II equation for T_r<0.9 and Torquato-Stell equation for T_r≥0.9.

The best results for correlation of all selected heats of vaporization were obtained with the following empirical equation:

$$\ln(\Delta H_v) = A + B/T_r + C/(1/T_r - 1) + D \ln(1/T_r - 1) \quad (3)$$

Table 4. Absolute mean percent deviation for compounds with $T_r \geq 0.9$

i	Compound/Equation	Guermouche-Vergnaud	Todd-Hossenlopp-Scott	Torquato-Stell m=6	Armstrong		Somayajulu II	Svoboda	New
					m=4	m=6			
1	1-butene	0.39(0.81)	0.40(0.79)	0.28(0.96)	0.33(0.89)	0.26(1.01)	0.35(0.89)	0.43(0.78)	0.44(0.73)
2	1,4-dimethylbenzene	0.20(0.40)	0.20(0.41)	0.12(0.31)	0.22(0.53)	0.14(0.24)	0.20(0.44)	0.20(0.47)	0.21(0.51)
3	1-propanol	0.18(0.64)	0.18(0.65)	0.17(0.64)	0.18(0.67)	0.18(0.64)	0.18(0.63)	0.20(0.74)	0.17(0.66)
4	2-butanol	0.27(1.17)	0.26(1.18)	0.25(1.11)	0.42(1.39)	0.25(1.15)	0.44(1.33)	0.38(1.15)	0.30(1.22)
5	2-butene,trans	0.20(0.88)	0.20(0.88)	0.18(0.77)	0.25(0.90)	0.16(0.55)	0.26(0.90)	0.19(0.88)	0.20(0.88)
6	2-methyl-1-propanol	0.40(1.44)	0.41(1.43)	0.25(1.45)	0.36(1.54)	0.34(1.63)	0.38(1.47)	0.47(1.78)	0.41(1.46)
7	2-propanol	0.23(0.67)	0.23(0.67)	0.22(0.61)	0.22(0.70)	0.20(0.56)	0.23(0.67)	0.23(0.64)	0.22(0.67)
8	Acetone	0.34(0.96)	0.33(0.93)	0.22(0.49)	0.26(0.62)	0.25(0.89)	0.31(0.67)	0.28(0.72)	0.42(1.23)
9	Benzene	0.61(5.72)	0.62(5.42)	0.55(3.31)	0.69(6.40)	0.66(7.87)	0.62(6.56)	0.63(7.06)	0.69(5.81)
10	Diborane	0.20(0.52)	0.19(0.51)	0.16(0.36)	0.29(1.37)	0.19(0.53)	0.28(1.45)	0.21(0.52)	0.16(0.38)
11	Diphenyl	3.02(6.45)	2.64(5.75)	1.14(2.98)	2.38(5.03)	1.62(4.81)	3.20(7.70)	3.45(6.49)	2.49(5.58)
12	Ethanal	0.14(0.42)	0.14(0.44)	0.10(0.25)	0.11(0.26)	0.11(0.24)	0.14(0.35)	0.30(0.62)	0.21(0.54)
13	Ethanol	0.74(2.09)	0.69(2.29)	0.74(2.05)	0.91(5.80)	0.77(2.02)	1.09(9.33)	0.94(2.86)	0.76(2.90)
14	Hexane	0.47(1.73)	0.46(1.55)	0.41(1.43)	0.56(3.57)	0.46(1.52)	0.57(4.45)	0.44(1.41)	0.41(1.37)
15	Methane	0.29(0.69)	0.23(0.60)	0.19(0.53)	0.42(1.02)	0.23(0.56)	0.42(1.17)	0.22(0.50)	0.21(0.53)
16	Methanol	0.34(2.10)	0.34(1.96)	0.21(0.90)	0.35(2.62)	0.33(2.32)	0.41(4.85)	0.25(1.03)	0.34(1.55)
17	Oxirane	0.78(2.21)	0.82(2.31)	0.17(0.33)	0.62(1.34)	0.07(0.18)	0.58(1.31)	1.07(2.51)	0.92(2.58)
18	Pentane	0.99(5.94)	0.97(5.74)	0.47(3.96)	0.90(9.33)	0.85(6.64)	0.87(6.50)	0.87(5.70)	0.86(5.52)
19	Propane	1.22(2.73)	1.22(2.72)	0.83(2.25)	1.22(2.76)	0.75(2.41)	1.23(2.80)	1.22(2.65)	1.22(2.68)
	p_{av} [%]	0.61	0.59	0.40	0.61	0.48	0.65	0.64	0.59

Remarks: Data in parenthesis are maximum (single) absolute percent deviations

Correlation results obtained with use of the above equation are included in Table 3 and Table 4.

Overall percent error deviation obtained by using the proposed equation is among the lowest (0.27%), and percent error deviation (0.59%) around the T_c ($T_r > 0.9$) classifies it among the best four-parameter equations; however, it performs worse than six-parameter equations.

ACKNOWLEDGMENT

This work was supported by a grant from the Research Fund of Serbia and Faculty of Technology and Metallurgy of Belgrade.

NOMENCLATURE

ΔH_v : heat of vaporization
 m : number of parameters
 n : number of data per set
 N : number of data
 p_{abs} : absolute mean percent deviation
 S : number of compounds
 T : temperature
 ΔT : temperature range
 T_c : critical temperature
 T_f : normal freezing point
 $T_r = T/T_c$: reduced temperature
 ΔT_r : reduced temperature range
 T_t : triple point

REFERENCES

1. Y. C. Ahn, J. M. Cho, H. S. Shin, Y. J. Hwang, C. G. Lee, J. K. Lee, H. U. Lee and T. W. Kang, *Korean J. Chem. Eng.*, **20**, 873 (2003).
2. R. F. Dye, *Korean J. Chem. Eng.*, **18**, 571 (2001).
3. S. P. Serbanovic, I. R. Grguric, M. Lj. Kijevcanin, A. Z. Tasic and B. D. Djordjevic, **21**, 858 (2004).
4. V. Majer and V. Svoboda, *Enthalpies of vaporization of organic compounds*, A Critical Review and Data Compilation, IUPAC Chemical Data Series No.32, Blackwell, Oxford (1985).
5. J. S. Chickos and W. E. Jr. Acree, *J. Phys. Chem. Ref. Data*, **32**, 519 (2003).
6. R. Mollier, *Z. ges. Kalte.-Ind.*, **2**, 66 (1895).
7. M. Thiesen, *Verh. Physik. Ges. (Berlin)*, **16**, 80 (1897).
8. O. Pilling, *Physik. Z.*, **10**, 162 (1909).
9. D. Tyrer, *J. Phys. Chem.*, **17**, 717 (1913).
10. J. Kendall, *J. Am. Chem. Soc.*, **36**, 1620 (1914).
11. N. S. Osborne and M. S. van Dusen, *J. Am. Chem. Soc.*, **40**, 14 (1918).
12. F. G. Keyes, R. S. Taylor and L. B. Smith, *J. Math. Phys. (MIT)*, **1**, 211 (1922).
13. R. M. Winter, *J. Phys. Chem.*, **32**, 576 (1928).
14. P. G. Nutting, *Ind. Eng. Chem.*, **22**, 771 (1930).
15. J. Eggert, *Lehrbuch der physikalischen Chemie*, S. Hirzel, Leipzig (1931).
16. W. J. Jones and S. T. Bowden, *Phil. Mag.*, **37**, 480 (1946).
17. P. M. Silverberg and L. A. Wenzel, *J. Chem. Eng. Data*, **10**, 363 (1965).

18. D. J. Graue, V. Berry and B. H. Sage, *Hydrocarbon Proc.*, **45**(6), 191 (1966).
19. D. C.-K. Lin, I. H. Silberberg and J. J. McKetta, *J. Chem. Eng. Data*, **15**, 483 (1970).
20. C. F. Chueh and A. C. Swanson, *Chem. Eng. Prog.*, **69**(7), 83 (1973).
21. C. F. Chueh and A. C. Swanson, *Can. J. Chem. Eng.*, **51**, 596 (1973).
22. M.-H. Guermouche and J.-M. Vergnaud, *J. Chim. Phys.*, **71**, 1049 (1974).
23. S. S. Todd, I. A. Hossenlopp and D. W. Scott, *J. Chem. Thermodynamics*, **10**, 641 (1978).
24. M. Radosz and A. Lydersen, *Chem.-Ing.-Tech.*, **52**, 756 (1980).
25. V. Tekáč, V. Majer, V. Svoboda and V. Hynek, *J. Chem. Thermodynamics*, **13**, 659 (1981).
26. S. Torquato and G. Stell, *J. Phys. Chem.*, **85**, 3029 (1981).
27. B. Armstrong, *J. Chem. Eng. Data*, **26**, 168 (1981).
28. A. Vetere, *Chem. Eng. J.*, **32**, 77 (1986).
29. G. R. Somayajulu, *Int. J. Thermodynamics*, **9**, 567 (1988).
30. V. Svoboda and P. Basařová, *Fluid Phase Equilibria*, **93**, 167 (1994).
31. H. W. Xiang, *Fluid Phase Equilibria*, **137**, 53 (1997).
32. R. J. L. Andon, J. F. Counsell, D. A. Lee and J. F. Martin, *J. Chem. Soc. Farad. Trans. I*, **69**, 1721 (1973).
33. J. Laynez and I. Wadsö, *Acta Chem. Scand.*, **26**, 3148 (1972).
34. V. Majer, L. Šváb and V. Svoboda, *J. Chem. Thermodynamics*, **12**, 843 (1980).
35. M. Månsson, B. Ringnér and S. Sunner, *J. Chem. Thermodynamics*, **3**, 547 (1971).
36. T. R. Rubin, B. H. Levedahl and D. M. Yost, *J. Am. Chem. Soc.*, **66**, 279 (1944).
37. V. Majer, V. Svoboda, A. Pošta and J. Pick, *Coll. Czech. Chem. Comm.*, **45**, 3063 (1980).
38. J. H. Mathews, *J. Am. Chem. Soc.*, **48**, 562 (1926).
39. Y. J. Rao and D. S. Viswanath, *J. Chem. Eng. Data*, **22**, 36 (1977).
40. S. Sundaram and D. S. Viswanath, *J. Chem. Eng. Data*, **23**, 62 (1978).
41. K. D. Williamson and R. H. Harrison, *J. Chem. Phys.*, **26**, 1409 (1957).
42. V. Majer, V. Svoboda, A. Pošta and J. Pick, *Coll. Czech. Chem. Comm.*, **46**, 817 (1981).
43. V. Svoboda, V. Kubeš and P. Basařová, *J. Chem. Thermodynamics*, **24**, 555 (1992).
44. I. Wadsö, *Acta Chem. Scand.*, **22**, 2438 (1968).
45. Н. П. Ярым-Агаев, Н. Н. Феодосьев and К. Г. Скориков, *Ж. Физ. Хим.*, **23**, 1257 (1949).
46. Y. J. Rao and D. S. Viswanath, *J. Chem. Eng. Data*, **18**, 49 (1973).
47. S. Sundaram and D. S. Viswanath, *J. Chem. Eng. Data*, **21**, 448 (1976).
48. I. A. Hossenlopp and D. G. Archer, *J. Chem. Thermodynamics*, **20**, 1061 (1988).
49. N. S. Osborne and D. C. Ginnings, *J. Res. NBS*, **39**, 453 (1947).
50. I. A. Hossenlopp and D. W. Scott, *J. Chem. Thermodynamics*, **13**, 423 (1981).
51. G. Natarajan and D. S. Viswanath, *J. Chem. Eng. Data*, **30**, 137 (1985).
52. J. H. Mathews and P. R. Fehlandt, *J. Am. Chem. Soc.*, **53**, 3212 (1931).
53. V. Svoboda, V. Majer, F. Veselý and J. Pick, *Coll. Czech. Chem. Comm.*, **42**, 1755 (1977).
54. I. Wadsö, *Acta Chem. Scand.*, **20**, 544 (1966).
55. J. F. Counsell, J. L. Hales and J. F. Martin, *Trans. Farad. Soc.*, **61**, 1869 (1965).
56. R. Fuchs and L. A. Peacock, *Can. J. Chem.*, **58**, 2796 (1980).
57. J. Polák and G. C. Benson, *J. Chem. Thermodynamics*, **3**, 235 (1971).
58. V. Svoboda, F. Veselý, R. Holub and J. Pick, *Coll. Czech. Chem. Comm.*, **38**, 3539 (1973).
59. P. Ulbig, I. M. Kluppe and S. Schulz, *Thermochim. Acta*, **271**, 9 (1996).
60. J. G. Aston, H. L. Fink, A. B. Bestul, E. L. Pace and G. J. Szasz, *J. Am. Chem. Soc.*, **68**, 52 (1946).
61. W. Kozicki, R. F. Cuffel and B. H. Sage, *J. Chem. Eng. Data*, **7**, 173 (1962).
62. J. G. Aston, S. V. R. Mastrangelo and G. W. Moessen, *J. Am. Chem. Soc.*, **72**, 5287 (1950).
63. D. Kulikov, S. P. Verevkin and A. Heintz, *Fluid Phase Equilibria*, **192**, 187 (2001).
64. C. Svensson, *J. Chem. Thermodynamics*, **11**, 593 (1979).
65. M. Månsson, P. Sellers, G. Stridh and S. Sunner, *J. Chem. Thermodynamics*, **9**, 91 (1977).
66. V. Majer, V. Svoboda, V. Uchytilová and M. Finke, *Fluid Phase Equilibria*, **20**, 111 (1985).
67. J. C. Brown, *J. Chem. Soc.*, **83**, 987 (1903).
68. V. Svoboda, V. Charvátová, V. Majer and V. Hynek, *Coll. Czech. Chem. Comm.*, **47**, 543 (1982).
69. J. F. Counsell, J. O. Fenwick and E. B. Lees, *J. Chem. Thermodynamics*, **2**, 367 (1970).
70. V. Majer, V. Svoboda, V. Hynek and J. Pick, *Coll. Czech. Chem. Comm.*, **43**, 1313 (1978).
71. J. F. Mathews and J. J. McKetta, *J. Phys. Chem.*, **65**, 758 (1961).
72. F. Veselý, L. Šváb, R. Provazník and V. Svoboda, *J. Chem. Thermodynamics*, **20**, 981 (1988).
73. V. Svoboda, V. Hynek and B. Koutek, *J. Chem. Thermodynamics*, **30**, 1411 (1998).
74. V. Majer, V. Svoboda, S. Hála and J. Pick, *Coll. Czech. Chem. Comm.*, **44**, 637 (1979).
75. K. S. Pitzer, *J. Am. Chem. Soc.*, **62**, 1224 (1940).
76. D. Kulikov, S. P. Verevkin and A. Heintz, *J. Chem. Eng. Data*, **46**, 1593 (2001).
77. V. Svoboda, V. Kubeš and P. Basařová, *J. Chem. Thermodynamics*, **24**, 333 (1992).
78. J. G. Aston and G. H. Messerly, *J. Am. Chem. Soc.*, **58**, 2354 (1936).
79. I. A. Hossenlopp and D. W. Scott, *J. Chem. Thermodynamics*, **13**, 415 (1981).
80. G. M. Barrow, *J. Am. Chem. Soc.*, **73**, 1824 (1951).
81. J. F. Lemons and W. A. Felsing, *J. Am. Chem. Soc.*, **65**, 46 (1943).
82. G. Waddington, J. C. Smith, D. W. Scott and H. M. Huffman, *J. Am. Chem. Soc.*, **71**, 3902 (1949).
83. V. Majer, V. Svoboda and M. Lencka, *J. Chem. Thermodynamics*, **17**, 365 (1985).
84. H. L. Finke, J. F. Messerly, S. H. Lee, A. G. Osborn and D. R. Doulin, *J. Chem. Thermodynamics*, **9**, 937 (1977).
85. N. S. Berman and J. J. McKetta, *J. Phys. Chem.*, **66**, 1444 (1962).
86. G. Della Gatta, L. Stradella and P. Venturolo, *J. Solution Chem.*, **10**, 209 (1981).
87. G. Geiseler, K. Quitzsch, H.-P. Hofmann and R. Pfestorf, *Z. Phys. Chem. Leipzig*, **252**, 170 (1973).

88. J. K. Nickerson, K. A. Kobe and J. J. McKetta, *J. Phys. Chem.*, **65**, 1037 (1961).
89. S. Sunner, C. Svensson and A. S. Zelepuga, *J. Chem. Thermodynamics*, **11**, 491 (1979).
90. V. Uchytlová, V. Majer, V. Svoboda and V. Hynek, *J. Chem. Thermodynamics*, **15**, 853 (1983).
91. W. N. Hubbard, W. D. Good and G. Waddington, *J. Phys. Chem.*, **62**, 614 (1958).
92. J. P. McCullough, H. L. Finke, D. W. Scott, R. E. Pennington, M. E. Gross, J. F. Messerly and G. Waddington, *J. Am. Chem. Soc.*, **80**, 4786 (1958).
93. L. Guttman and K. S. Pitzer, *J. Am. Chem. Soc.*, **67**, 324 (1945).
94. J. Huisman and B. H. Sage, *J. Chem. Eng. Data*, **9**, 536 (1964).
95. V. Uchytlová, V. Majer, V. Svoboda and I. Hemer, *J. Chem. Thermodynamics*, **16**, 475 (1984).
96. V. Majer, V. Svoboda and V. Hynek, *J. Chem. Thermodynamics*, **16**, 1059 (1984).
97. E. M. Arnett and D. Oancea, *J. Chem. Educ.*, **52**, 269 (1975).
98. E. T. Jr. Beynon and J. J. McKetta, *J. Phys. Chem.*, **67**, 2761 (1963).
99. S. C. Schumann, J. G. Aston and M. Sagenkahn, *J. Am. Chem. Soc.*, **64**, 1039 (1942).
100. D. W. Scott, J. P. McCullough, K. D. Williamson and G. Waddington, *J. Am. Chem. Soc.*, **73**, 1707 (1951).
101. V. Majer, V. Svoboda and M. Lencka, *J. Chem. Thermodynamics*, **16**, 1019 (1984).
102. D. W. Scott, W. N. Hubbard, J. F. Messerly, S. S. Todd, I. A. Hossenlopp, W. D. Good, D. R. Douslin and J. P. McCullough, *J. Phys. Chem.*, **67**, 680 (1963).
103. N. S. Berman, C. W. Larkam and J. J. McKetta, *J. Chem. Eng. Data*, **9**, 218 (1964).
104. J. L. Hales, J. D. Cox and E. B. Lees, *Trans. Farad. Soc.*, **59**, 1544 (1963).
105. D. M. T. Newsham and E. J. Mendez-Lecanda, *J. Chem. Thermodynamics*, **14**, 291 (1982).
106. D. Harrop, A. J. Head and G. B. Lewis, *J. Chem. Thermodynamics*, **2**, 203 (1970).
107. J. L. Hales, E. B. Lees and D. J. Ruxton, *Trans. Farad. Soc.*, **63**, 1876 (1967).
108. K. G. McCurdy and K. J. Laidler, *Can. J. Chem.*, **41**, 1867 (1963).
109. E. Morawetz, *Acta Chem. Scand.*, **22**, 1509 (1968).
110. I. Wadsö, *Acta Chem. Scand.*, **20**, 536 (1966).
111. D. W. Scott, W. D. Good, G. B. Guthrie, S. S. Todd, I. A. Hossenlopp, A. G. Osborn and J. P. McCullough, *J. Phys. Chem.*, **67**, 685 (1963).
112. L. A. Peacock and R. Fuchs, *J. Am. Chem. Soc.*, **99**, 5524 (1977).
113. I. A. Hossenlopp and D. W. Scott, *J. Chem. Thermodynamics*, **13**, 405 (1981).
114. B. T. Collins, C. F. Coleman and T. De Vries, *J. Am. Chem. Soc.*, **71**, 2929 (1949).
115. R. E. Pennington and K. A. Kobe, *J. Am. Chem. Soc.*, **79**, 300 (1957).
116. T. K. Yarlett and C. J. Wormald, *J. Chem. Thermodynamics*, **18**, 371 (1986).
117. C. F. Coleman and T. De Vries, *J. Am. Chem. Soc.*, **71**, 2839 (1949).
118. R. H. Davies, A. Finch and K. Salem, *Thermochim. Acta*, **170**, 213 (1990).
119. L. Kahlenberg, *J. Phys. Chem.*, **5**, 215 (1901).
120. J. Konicek, *Acta Chem. Scand.*, **27**, 1496 (1973).
121. G. Natarajan and D. S. Viswanath, *Rev. Sci. Instrum.*, **54**, 1175 (1983).
122. T. S. Storvick and J. M. Smith, *J. Chem. Eng. Data*, **5**, 133 (1960).
123. L. Šváb, L. Petroš, V. Hynek and V. Svoboda, *J. Chem. Thermodynamics*, **20**, 545 (1988).
124. G. Waddington and D. R. Douslin, *J. Am. Chem. Soc.*, **69**, 2275 (1947).
125. E. Morawetz and S. Sunner, *Acta Chem. Scand.*, **17**, 473 (1963).
126. D. W. Scott, J. P. McCullough, W. N. Hubbard, J. F. Messerly, I. A. Hossenlopp, F. R. Frow and G. Waddington, *J. Am. Chem. Soc.*, **78**, 5463 (1956).
127. K. Kusano, *Thermochim. Acta*, **88**, 109 (1985).
128. V. Majer, V. Svoboda, J. Koubek and J. Pick, *Coll. Czech. Chem. Comm.*, **44**, 3521 (1979).
129. V. Svoboda, V. Uchytlová, V. Majer and J. Pick, *Coll. Czech. Chem. Comm.*, **45**, 3233 (1980).
130. L. Petroš, V. Majer, J. Koubek, V. Svoboda and J. Pick, *Coll. Czech. Chem. Comm.*, **44**, 3533 (1979).
131. J. Cihlář, V. Hynek, V. Svoboda and R. Holub, *Coll. Czech. Chem. Comm.*, **41**, 1 (1976).
132. J. G. Aston, G. J. Szasz and H. L. Fink, *J. Am. Chem. Soc.*, **65**, 1135 (1943).
133. A. J. B. Cruickshank and A. J. B. Cutler, *J. Chem. Eng. Data*, **12**, 326 (1967).
134. J. O. Fenwick, D. Harrop and A. J. Head, *J. Chem. Thermodynamics*, **7**, 943 (1975).
135. J. Furukawa, M. Sakiyama, S. Seki, Y. Saito and K. Kusano, *Bull. Chem. Soc. Japan*, **55**, 3329 (1982).
136. R. Jochems, H. Dekker, C. Mosselman and G. Somsen, *J. Chem. Thermodynamics*, **14**, 395 (1982).
137. W. Kozicki and B. H. Sage, *Chem. Eng. Sci.*, **15**, 270 (1961).
138. J. P. McCullough, W. B. Person and R. Spitzer, *J. Am. Chem. Soc.*, **73**, 4069 (1951).
139. R. Sabbah, R. Chastel and M. Laffitte, *Thermochim. Acta*, **5**, 117 (1972).
140. R. Spitzer and K. S. Pitzer, *J. Am. Chem. Soc.*, **68**, 2537 (1946).
141. D. J. Subach and B. J. Zwolinski, *J. Chem. Eng. Data*, **20**, 232 (1975).
142. I. Wadsö, *Acta Chem. Scand.*, **14**, 566 (1960).
143. P. Sellers and S. Sunner, *Acta Chem. Scand.*, **16**, 46 (1962).
144. J. G. Aston, H. L. Fink and S. C. Schumann, *J. Am. Chem. Soc.*, **65**, 341 (1943).
145. J. P. McCullough, R. E. Pennington, J. C. Smith, I. A. Hossenlopp and G. Waddington, *J. Am. Chem. Soc.*, **81**, 5880 (1959).
146. H. T. Couch, W. Kozicki and B. H. Sage, *J. Chem. Eng. Data*, **8**, 346 (1963).
147. R. J. Irving, *J. Chem. Thermodynamics*, **4**, 793 (1972).
148. S. C. Mraw and C. F. Keweshan, *J. Chem. Thermodynamics*, **16**, 873 (1984).
149. J. T. Clarke, E. B. Rifkin and H. L. Johnston, *J. Am. Chem. Soc.*, **75**, 781 (1953).
150. L. J. Paridon, G. E. MacWood and J.-H. Hu, *J. Phys. Chem.*, **63**, 1998 (1959).
151. V. Majer, Z. Wagner, V. Svoboda and V. Čadek, *J. Chem. Thermodynamics*, **12**, 387 (1980).
152. I. Wadsö, *Acta Chem. Scand.*, **23**, 2061 (1969).

153. J. F. Counsell, D. A. Lee and J. F. Martin, *J. Chem. Soc. (A)*, 313 (1971).
154. R. L. Montgomery, F. D. Rossini and M. Månsson, *J. Chem. Eng. Data*, **23**, 125 (1978).
155. G. H. Montillon, K. L. Rohrbach and W. L. Badger, *Ind. Eng. Chem.*, **23**, 763 (1931).
156. E. Morawetz, *J. Chem. Thermodynamics*, **4**, 455 (1972).
157. R. J. L. Andon, J. F. Counsell, D. A. Lee and J. F. Martin, *J. Chem. Soc. Farad. Trans. I*, **70**, 1914 (1974).
158. R. J. L. Andon, J. F. Counsell, D. A. Lee and J. F. Martin, *J. Chem. Thermodynamics*, **7**, 587 (1975).
159. L. D. Christensen and J. M. Smith, *Ind. Eng. Chem.*, **42**, 2128 (1950).
160. M. D. Vine and C. J. Wormald, *J. Chem. Thermodynamics*, **21**, 1151 (1989).
161. V. Svoboda, V. Charvátová, V. Majer and J. Pick, *Coll. Czech. Chem. Comm.*, **46**, 2983 (1981).
162. J. E. Connett, J. F. Counsell and D. A. Lee, *J. Chem. Thermodynamics*, **8**, 1199 (1976).
163. V. Svoboda, F. Veselý, R. Holub and J. Pick, *Coll. Czech. Chem. Comm.*, **42**, 943 (1977).
164. M. Månsson, *J. Chem. Thermodynamics*, **4**, 865 (1972).
165. J. F. Counsell, J. H. S. Green, J. L. Hales and J. F. Martin, *Trans. Farad. Soc.*, **61**, 212 (1965).
166. E. L. Pace and J. G. Aston, *J. Am. Chem. Soc.*, **70**, 566 (1948).
167. J. Huisman and B. H. Sage, *J. Chem. Eng. Data*, **9**, 223 (1964).
168. C. J. Wormald and T. K. Yerlett, *J. Chem. Thermodynamics*, **17**, 1171 (1985).
169. T. B. Douglas, G. T. Furukawa, R. E. McCoskey and A. F. Ball, *J. Res. NBS*, **53**, 139 (1954).
170. R. A. McKay and B. H. Sage, *J. Chem. Eng. Data*, **5**, 21 (1960).
171. G. Waddington, S. S. Todd and H. M. Huffinan, *J. Am. Chem. Soc.*, **69**, 22 (1947).
172. P. Hestermans and D. White, *J. Phys. Chem.*, **65**, 362 (1961).
173. J. F. Counsell and D. A. Lee, *J. Chem. Thermodynamics*, **5**, 583 (1973).
174. W. Jr. Weltner and K. S. Pitzer, *J. Am. Chem. Soc.*, **73**, 2606 (1951).
175. T. K. Yerlett and C. J. Wormald, *J. Chem. Thermodynamics*, **18**, 719 (1986).
176. R. A. Macriss, *J. Chem. Eng. Data*, **12**, 28 (1967).
177. P. T. Eubank, L. E. Cedlel, J. C. Holste and K. R. Hall, *J. Chem. Eng. Data*, **29**, 389 (1984).
178. P. M. Варущенко, Г. Л. Гальченко and В. А. Медведев, *Ж. Физ. Хим.*, **51**, 992 (1977).
179. J. G. Aston, G. J. Janz and K. E. Russell, *J. Am. Chem. Soc.*, **73**, 1943 (1951).
180. S. Kapteina, K. Slowik, S. P. Verevkin and A. Heintz, *J. Chem. Eng. Data*, **50**, 398 (2005).
181. W. M. Jones and W. F. Giauque, *J. Am. Chem. Soc.*, **69**, 983 (1947).
182. J. P. McCullough, D. W. Scott, R. E. Pennington, I. A. Hossenlopp and G. Waddington, *J. Am. Chem. Soc.*, **76**, 4791 (1954).
183. J. C. Philip and S. C. Waterton, *J. Chem. Soc.*, 2783 (1930).
184. K. S. Pitzer and W. D. Gwinn, *J. Am. Chem. Soc.*, **63**, 3313 (1941).
185. V. Majer, V. Svoboda, J. Pecháček and S. Hála, *J. Chem. Thermodynamics*, **16**, 567 (1984).
186. W. F. Giauque and J. Gordon, *J. Am. Chem. Soc.*, **71**, 2176 (1949).
187. J. E. Mock and J. M. Smith, *Ind. Eng. Chem.*, **42**, 2125 (1950).
188. J. S. Chickos and J. A. Wilson, *J. Chem. Eng. Data*, **42**, 190 (1997).
189. E. Morawetz, *J. Chem. Thermodynamics*, **4**, 139 (1972).
190. S. Sunner and C. Svensson, *J. Chem. Soc. Farad. Trans. I*, **75**, 2359 (1979).
191. W. Kozicki and B. H. Sage, *J. Chem. Eng. Data*, **5**, 331 (1960).
192. G. H. Messerly and R. M. Kennedy, *J. Am. Chem. Soc.*, **62**, 2988 (1940).
193. K. S. Pitzer, *J. Am. Chem. Soc.*, **63**, 2413 (1941).
194. B. H. Sage, H. D. Evans and W. N. Lacey, *Ind. Eng. Chem.*, **31**, 763 (1939).
195. Н. Л. Ярым-Агаев, Е. А. Коган, В. Я. Рудин and В. А. Титова, *Ж. Физ. Хим.*, **37**, 1445 (1963).
196. Н. Л. Ярым-Агаев, В. Я. Рудин, В. А. Титова and Е. А. Коган, *Ж. Физ. Хим.*, **35**, 2285 (1961).
197. J. P. McCullough, D. R. Douslin, J. F. Messerly, I. A. Hossenlopp, T. C. Kincheloe and G. Waddington, *J. Am. Chem. Soc.*, **79**, 4289 (1957).
198. C. H. Rochester and J. A. Waters, *J. Chem. Soc. Farad. Trans. I*, **78**, 631 (1982).
199. N. L. Helgeson and B. H. Sage, *J. Chem. Eng. Data*, **12**, 47 (1967).
200. J. D. Kemp and C. J. Egan, *J. Am. Chem. Soc.*, **60**, 1521 (1938).
201. В. П. Лебедев, Е. А. Мирошниченко, Ю. Н. Матюшин, Б. П. Ларионов, В. С. Романов, Ю. Е. Буколов, Г. М. Денисов, А. А. Балепин and Ю. А. Лебедев, *Ж. Физ. Хим.*, **49**, 1928 (1975).
202. D. L. Hildenbrand and R. A. McDonald, *J. Phys. Chem.*, **64**, 1521 (1959).
203. J. P. McCullough, H. L. Finke, W. N. Hubbard, W. D. Good, R. E. Pennington, J. F. Messerly and G. Waddington, *J. Am. Chem. Soc.*, **76**, 2661 (1954).
204. D. W. Scott, G. B. Guthrie, J. F. Messerly, S. S. Todd, W. T. Berg, I. A. Hossenlopp and J. P. McCullough, *J. Phys. Chem.*, **66**, 911 (1962).
205. E. Donath, *Z. Elektrochem.*, **32**, 316 (1926).
206. P. A. Giguère and J. L. Carmichael, *J. Chem. Eng. Data*, **7**, 526 (1962).
207. N. S. Osborne, H. F. Stimson and D. C. Ginnings, *J. Res. NBS*, **23**, 197 (1939).
208. T. W. Richards and J. H. Mathews, *J. Am. Chem. Soc.*, **33**, 863 (1911).
209. V. Svoboda, V. Hynek, F. Veselý and J. Pick, *Coll. Czech. Chem. Comm.*, **37**, 3165 (1972).