

ERRATUM

Erratum to: Do Patient-specific Guides Improve Coronal Alignment in Total Knee Arthroplasty?

Ryan M. Nunley MD, Bradley S. Ellison MD,
Jinjun Zhu MD, PhD, Erin L. Ruh MS,
Stephen M. Howell MD, Robert L. Barrack MD

Published online: 18 February 2012
© The Association of Bone and Joint Surgeons® 2012

Erratum to: Clin Orthop Relat Res **10.1007/s11999-011-2222-2**

The authors of Reference 22 are incorrect as listed in the aforementioned article. This reference should read:

Lombardi AV Jr, Berend KR, Adams JB. Patient-specific approach in total knee arthroplasty. *Orthopedics*. 2008; 31:927–930.

The online version of the original article can be found under doi:
[10.1007/s11999-011-2222-2](https://doi.org/10.1007/s11999-011-2222-2).

R. M. Nunley (✉), B. S. Ellison, J. Zhu,
E. L. Ruh, R. L. Barrack
Department of Orthopaedic Surgery, Washington University
School of Medicine, One Barnes-Jewish Hospital Plaza, 11300
West Pavilion, Campus Box 8233, St Louis, MO 63110, USA
e-mail: nunleyr@wustl.edu

R. M. Nunley
VA Medical Center, John Cochran Division, St Louis, MO, USA

S. M. Howell
Methodist Hospital of Sacramento, Sacramento, CA, USA