

## Erratum: Chromium and Manganese Levels in Biological Samples of Normal and Night Blindness Children of Age Groups (3–7) and (8–12) Years

Hassan Imran Afridi · Tasneem Gul Kazi · Naveed Kazi · Ghulam Abbas Kandhro · Abdul Qadir Shah · Jameel Ahmed Baig · Sham Kumar Wadhwa · Sumaira Khan · Nida Fatima Kolachi · Faheem Shah · Mohammad Khan Jamali · Mohammad Balal Arain

Published online: 22 December 2010  
© Springer Science+Business Media, LLC 2010

**Erratum to: Biol Trace Elem Res**  
**DOI 10.1007/s12011-010-8851-6**

The original version of this article unfortunately contained mistakes.

In table 3, the units of white blood cell count and platelet count should be  $K/mm^3$ , while  $M/mm^3$  for red blood cell count.

---

The online version of the original article can be found at <http://dx.doi.org/10.1007/s12011-010-8851-6>.

H. I. Afridi (✉) · T. G. Kazi · G. A. Kandhro · A. Q. Shah · J. A. Baig · S. K. Wadhwa · S. Khan · N. F. Kolachi · F. Shah · M. K. Jamali · M. B. Arain  
National Center of Excellence in Analytical Chemistry, University of Sindh, Jamshoro, Pakistan  
e-mail: hassanimranafriidi@yahoo.com

T. G. Kazi  
e-mail: tgkazi@yahoo.com

J. A. Baig  
e-mail: jab\_mughal@yahoo.com

F. Shah  
e-mail: shah\_ceac@yahoo.com

M. K. Jamali  
e-mail: mkhanjamali@yahoo.com

M. B. Arain  
e-mail: bilal\_ku2004@yahoo.com

H. I. Afridi  
Mechanical and Manufacturing Engineering, Dublin City University, Dublin, Ireland

N. Kazi  
Liaquat University of Medical and Health Sciences, Jamshoro, Pakistan  
e-mail: tgkazi@yahoo.com