CORRECTION



Correction: Innovative operating room scheduling metric for creating surgical lists with desirable room utilisation rates

K. W. Soh¹ · C. Walker¹ · M. O'Sullivan¹ · J. Wallace²

Published online: 25 March 2024 © The Author(s) 2024

Correction to: Operations Management Research https://doi.org/10.1007/s12063-022-00313-4

In this article the below captured Table 3 was incorrect.

			Number of surgical lists categorised using:			
	Interval	Frequency	Threshold 1	Threshold 2	Threshold 3	
0 0.01 0.1	p(N) < 0.01 p(H) < 0.1 p(3) 1	82 10	} 87	}	231	
1 < 10 <	$\begin{array}{l} < p(S) & 10 \\ < p(H) & < 30 \end{array}$	134 191	335	469		
100	p(S) = p(S) = 100 p(S) < 500 p(S) = 1000	144 35	451	}	371	
500 1000	p(S) = 1000 $p(S) = 1000$	2 2fi9		} 307	2T1	

Table 3 should have appeared as shown belo	Table 3	should	have	appeared	as	shown	belo	w
--	---------	--------	------	----------	----	-------	------	---

	Number of surgical lists categorised using:				
Interval	Frequency	Threshold 1	Threshold 2	Threshold 3	
$\begin{array}{c} 0 \leq \rho(S) < 0.01 \\ 0.01 \leq \rho(S) < 0.1 \\ 0.1 \leq \rho(S) < 1 \\ 1 \leq \rho(S) < 10 \\ 10 \leq \rho(S) < 30 \\ 30 \leq \rho(S) < 100 \\ 100 \leq \rho(S) < 500 \\ 500 \leq \rho(S) < 1000 \\ 1000 \leq \rho(S) \end{array}$	$ \begin{array}{r} 82 \\ 5 \\ 10 \\ 134 \\ 191 \\ 144 \\ 36 \\ 2 \\ 269 \\ \end{array} $	$ \left. \right\} 87 \\ \left. \right\} 335 \\ \left. \right\} 451 $	$ \left. \begin{array}{c} 97\\ 469\\ 307 \end{array} \right\} $	$ \left.\begin{array}{c} 231\\ 371\\ 271 \end{array}\right. $	

The original article has been corrected.

The original article can be found online at https://doi.org/10.1007/s12063-022-00313-4.

K. W. Soh skia593@aucklanduni.ac.nz **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

¹ Department of Engineering Science, University of Auckland, Auckland, New Zealand

² North Shore Hospital, Auckland, New Zealand