

Research on qanats in Spain

Ramón Martínez-Medina 10 · Encarnación Gil-Meseguer · José Maria Gómez-Espín 2

Received: 27 September 2017 / Accepted: 10 December 2018 / Published online: 2 January 2019 © Springer Nature B.V. 2019

Abstract

Different types of drainage galleries exist in Span: *mina de agua*, qanat, *cimbra or tajea* and galleries associated with a groundwater dam (buried in the bed of the channel to stop sub-surface circulation). A qanat is a type of drainage gallery located in the foothills where groundwater is captured. Qanats, also called *galerías con lumbreras, minados con espejuelos, viajes de agua*, or *alcavons* in Spain, can be seen as models for sustainable use of water in arid and semi-arid environments. Furthermore, in their local contexts, these hydraulic systems create their own landscapes and hydraulic heritage. As such, the technique is the basis for new ways of thinking about how to generate water in dry environments like the Southeast of Spain. There are several groups of Spanish researchers studying qanats and other types of horizontal wells as systems being able to generate endogenous water resources. Because of their extensive and continuous research over a number of years, the teams from the Universities of Murcia and Valencia stand out.

Keywords Qanat · Well · Groundwater dam · Semi-arid · Spain

Introduction. The horizontal well technique as a response to the conditions of the arid and semiarid environments

Water is a limited and scarce resource in arid or semi-arid environments. Due to the limited amount of surface water derived from rainfall, water resources are subjected to high evaporation. Therefore, near and deep groundwater is exploited by low electrical energy consumption catchment systems to harvest water. In contrast to these systems, drainage and filter galleries like quants and other horizontal wells are models of sustainability, from both an environmental and exploitation point of view. They are smart

Ramón Martínez-Medina rmartinez@uco.es

Encarnación Gil-Meseguer encargil@um.es

José Maria Gómez-Espín espin@um.es

Department of Geography, University of Murcia, C/Santo Cristo s/n, 30001 Murcia, Spain



Department Social Science and Science Education, University of Córdoba, Av. San Alberto Magno s/n, 14071 Córdoba, Spain

solutions to obtain water using the force of gravity through a covered horizontal well, with or without vertical wells, and associated or not associated to a groundwater dam, without exhausting renewable resources (Manuel et al. 2018).

From a geographical point of view, the main interest lies in the study of the location and identification of these systems. Due to the scarcity of water in the regions under consideration, these small water supply systems were important for the founding of settlements and for agricultural uses. The systems have also been studied concerning social management (by-laws, ordinances, etc.), generated landscapes, new functionalities of this technology, as well as the value of material and intangible heritage associated to the exploitation of these endogenous water resources. In the case of Spain, and especially in dry Mediterranean Spain, these water inputs are of a very low-volume compared to water transfers coming from other river basins. Although, locally they are very important due to their contribution to the basic water needs of people and cattle and, in general, for socioeconomic reasons.

The history of the qanats in Spain extends back to the Roman Empire; to this period belongs the qanats of Los Arejos and Torralba in the Southeast (Murcia), Los Caños de Carmona in Andalusia or La Fuente del Canal de Medinaceli in Castile. However, it is in the Almoravid and Almohad period when the technique is widely diffused throughout Al-Andalus (Gómez 2004, p. 95), as will be discussed below. This water extraction technique continued to develop in medieval and modern Christian times, with systems such as the Arca del Agua (Guadalupe, Cáceres) or the *viaje de agua*of the Fuente Grande of Ocaña (Toledo). Subsequently, in the eighteenth, nineteenth and early twentieth centuries, its number increased until the 1960s, when many of these water extraction systems fell into disuse due to the appearance of modern techniques. The beginning of the twenty-first century has been a period of discovery and valorization of abandoned qanats, and seen the appearance of new functionalities, and the rehabilitation and renewed applications of these techniques. With the aim to extend the scope of qanat studies in Water History, especially after the thematic issue in 2018, this paper provides an overview of qanats and qanat research in Spain (Fig. 1).

Fig. 1 Drinking trough and washing space at the end of the qanat's pithead in Fuente Grande (Los Vélez, Almería)





Research on ganats

As for the age of qanat technology, some authors such as Goblot (1979) suggest they developed between the third—first centuries BC, in Armenia and Mesopotamia. However, other authors have argued for an even earlier development around the turn of the first millennium BC. Peter Magee (2005, p 228), for instance, claims that qanats already appeared in the Arabian Peninsula in the year 1000 BC, two hundred years earlier than has been argued for southwest Iran. These techniques of the horizontal draining well of the Middle East would have spread through routes such as the old Silk Road, both East and West. The first documentary evidence for qanats may come from the Assyrian king Sargon II, who in the seventh century BC in a battle in Persia, describes the finding of underground water channels (Laureano 2005, p 135). Vitruvius, architect and roman treatise writer of the first century BC, describes among the methods to obtain water, one based on wells that were connected by underground conduits (Vitruvio 2000) (From Architecture VIII, I, 6). Works like The Nabatean Agriculture of Qûtâma, translated into Arabic in the tenth century AD and whose data go back to the III-V centuries BC (El Faiz 2005, p 30) also influenced the spread of these techniques.

Regarding the origin of the horizontal well or covered conduit (gallery) technique, some authors, such as Goblot (1979), refer to a mining origin. These theories are in part based on accounts like that of Sennacherib, Sargon II's son, who seems to have learned the technique of underground pipes in Urartur, an old mining center, that were used later to supply the city of Nineveh (Laureano 2005, p 136). Other authors, such as Barcelo and Carbonero (1986) have argued that there might be multiple origins; they argue that there is not a single constructive technique, nor a uniform architecture, but that each system is a different world.

At the international level, there are more than fifty countries with horizontal covered wells (qanats). In regions like Yazd (Iran) and Turpan (Xinjiang-China) numerous qanats can be found. There is a wide literature that has influenced the studies on this topic in Spain. Since the mid-1960s, several publications on underground galleries were published, analyzing qanats in Iran (English 1968; Wulff 1968; Beaumont 1968) or the filter galleries of Puebla in Mexico (Seele 1969). In the 1970s, the work of the Japanese geographer Kobori (1973, 1976, 1979) can be highlighted. These publications study quants in arid areas like Iran, Syria or the Sahara. In the 1970s two texts appeared that had an important impact of further investigations: Wilkinson's study (1977) on Oman's aflâj and Goblot's handbook on ganats (1979). Subsequently, Bethemont's work (1980) on the use of inland waters and other works on quants in Iran (Sajjadi 1982; Behnia 1988) can be highlighted. In the 1990s, the territorial scope of the studies was extended with Barnes and Fleming's work (1991, 1995) on Peru, Beekman and Weigand's (1996, 1999) on Mexico, and Lightfoot's (1996, 1997, 2000) on North Africa. In the last decade, various studies on these topics have been published; those that stand out are the studies of Palerm Viqueira (Palerm et al. 2001; Palerm 2004) on Mexican quants or the most recent ones carried out on Iran and nearby areas like Kazakhstan and Afghanistan (Semsar 2003; Deom and Sala 2006; Goes et al. 2016; Semsar and Labbaf 2017). In Spain, there are many interesting contributions that will be discussed below.

Qanats in Spain

Depending on how water is extracted and collected, it is possible to distinguish different types of galleries in Spain, as discussed below. There are simple systems of excavated galleries to collect the subsurface water (cimbra) or from an aquifer (mina de agua); as well



as more complex ones, like horizontal wells, which are excavated to reach the water table with vertical aeration wells (galerias con lumbreras), or presas subalveas, built on the riverbed of the rambla to interrupt the subsurface circulation.

The techniques of water capturing by means of horizontal wells (qanat)—presumably with origin in the Persian Empire—were extended in the fifth century BC to Egypt, Syria and Palestine (Evenari et al. 1961; English 1968). Later, the arrival of the Roman Empire to the Middle East enabled the Romans to acquire knowledge about these techniques. In Spain, there are horizontal wells and covered conduits with a Roman origin like the qanats of Los Arejos in Águilas (Murcia) (Gil and Gómez 1993, p 139), Torralba in the watercourse of the Madroño stream (López 2009, p 105), Fuentes de Béjar (Gómez 2005, p 106), Caños de Carmona in Alcalá de Guadaira (Sevilla) (Grupo GEOS 2005, p 70; Fernández 2005, p 63; Grupo GEOS 2008, p 208), Fuente de la Canal of Medinaceli (Soria) (Morales y Borobio (1991–1992), and the water mine of the Huerta de Martin Pérez in Carmona (Sevilla) (Millán 2013, p 53).

The arrival of Arabs and Berbers in 711 AD to the Iberian Peninsula brought the development of collecting and piping of groundwater by means of opening trenches and groundwater dams in the sediments of riverbeds of ramblas (riverbeds with temporary or occasional flow due to rainfall). Some examples are the Fuente del Oro, in the bed of River Guadalentín in Lorca (Gómez 2004, p 111; Gil et al. 2011) or the Caño Viejo in the Rambla de Nogalte in Puerto Lumbreras, near Lorca (Gómez 2004, p 97). Cimbras predominate but there are also drainage galleries such as the qanat of Fuente la Peña in Fuentelapeña (Zamora) (Polo 2008, p 174) or the Raudal de la Magdalena in Jaén (Díez 2008, p 198). The latter has a Roman origin but was developed in tenth and eleventh centuries.

There are several hydraulic complexes from the Middle Ages built under Christian rule using the qanat technique, such as Arca del Agua in Guadalupe (Cáceres) or some Viajes de Agua in Madrid. The origin of the piped water supply from Las Villuercas to Monasterio and the village of Guadalupe dates from 1350, under the command of the prior Mr. Toribio Fernández de Mena (Amez 2004, p 189). In 1507 the master builder of the masonry work of the Monasterio de Guadalupe, Alfonso de Plasencia, wrote a book about the maintenance, cleaning and reparation of the Arca del Agua (Royal Archives of the Monastery, catalog number C-113). The Viaje del Agua (Qanat) of the Fuente Grande de Ocaña (Toledo) was built even more recently. It was built between 1573 and 1578 using drawings attributed to Juan de Herrera (López-Camacho et al. 2005, p 44) (Fig. 2).

In the eighteenth century there were several publications on qanats in Madrid, known as Viajes de Agua (Aznar 1727), or on the rebuilding of the groundwater dam of Fuente del Oro in Guadalentín (Lorca) (García 1739). In the Valle del Almanzora, the Cimbra del Cebollar and Mina de Toribio can be highlighted. These systems were extended from 1719 to 1878. Toribio Martínez de la Vega, Ildefonso Cerdá, Juan Fernando Feigenspan and Antonio Farces Yesares were successively in charge of the management (Gómez 2016, p 133).

In the nineteenth century, many dug and open galleries in the border between Andalucía and Murcia were built, like the qanat of the Fuente del Cabezo (1864) in Huercal-Overa (Gil and Gómez 2014). Contracaño was also built in 1890. It is a groundwater dam with a preceding filter gallery that captures the interstitial water between sands and gravels from the channel of the Rambla de Nogalte in Puerto Lumbreras (Gómez 2004, p 110). For the construction of the groundwater dam, a large trench was opened in the deposits of the Ramblade Nogalte as it passes through Puerto Lumbreras (Region of Murcia). The trench was 15 m wide by 120 m long and it formeda transverse arch (diagonal) reaching almost 8 m deep to the impermeable bedrock (a conglomerate that local tradition said was the base



Fig. 2 Last shaft of the gallery of Béjar (between Lorca and Puerto Lumbreras)



of the mountains that intruded under the bed of the rambla). The dam has a trapezoidal shape, with the base (about 4 m) wider than the cusp (1 m), made with stone and hydraulic lime. Preceding and attached to the dam, was a drainage gallery with seven shafts, which has on its front wall (in contact with the riverbed of the rambla) some holes called *troneras*, *piqueras* and *mechinales*. *These* holes are located 0.30 m from the base of the gallery (they are plugged with clean and loose stone) to allow the subsurface circulation of that buried reservoir (with dimensions of $120 \times 8 \times 1200$ cubic meters) to penetrate the interior. The gallery has a span of 1.80×0.80 m and its bed is covered with hydraulic lime. Water is brought (due to gravity and slope) to the surface. Once above ground level, the water supplies Los Caños and then accumulates in a pond (with a capacity of 1000 cubic meters) for later distribution for irrigation. Irrigation organization dates from July 25, 1926, when the Communidad de Propietarios de las Aguas del Caño and Balsa de Lumbreras was established (Gómez 2004, p 113; Gil and Gómez 2006, p 108) (Fig. 3).

1. Dam and gallery in Rambla de Béjar (Lorca-Murcia), 2. Los Caños de Carmona (Sevilla), 3. Fuente de la Canal of Medinaceli (Soria), 4. Fuente del Oro in Guadalentín River (Lorca-Murcia), 5. Caño Viejo in Rambla de Nogalte (Puerto Lumbreras-Murcia), 6. Fuente de La Peña qanat (Zamora), 7. Raudal de la Magdalena (Jaén), 8. Arca del Agua of Guadalupe (Cáceres), 9. Fuente Grande of Ocaña (Toledo), 10. Viajes de agua (Madrid), 11. Cimbra del Cebollar (Cuevas del Almanzora-Almería), 12. Fuente del Cabezo qanat (Huércal-Overa in Almería), 13. Qanats in Los Vélez (Almería), 14. Cimbras de Ragol (Almería), 15. Contracaño in Rambla de Nogalte (Puerto Lumbreras-Murcia), 16. Gallery and shafts in Los Arejos (Águilas-Murcia), 17. Minado of Torralba (Lorca-Murcia), 18. Fuente Antigua of Crevillente (Alicante), 19. Fonnueva gallery (Zaragoza), 20. Cimbra of Fuente Madre de Castejón de Monegros (Huesca), 21. Font de la Tosca qanat (Relleu-Alicante), 22. Fuente de la Bocamina in Suero (Castellón), 23. Mina de la Cartuja de Porta Coeli (Serra-Valencia), 24. Veto qanat (Mula-Murcia), 25. Minado con espejuelos de Las






Fig. 3 Location map of the main qunats in Spain

Tobarrillas (Yecla-Murcia), 26. Minado con espejuelos del Pulpillo (Yecla-Murcia), 27. Fuente del Rey qanat (Cieza-Murcia), 28. Minas de aguas in Benizar and Otos (Moratalla-Murcia) (Fig. 4).

In the twentieth century a good number of studies on the techniques of the horizontal well (galleries) can be found: in 1918, the Junta Consultiva Agronómica (Agronomic Advisory Board, at national level) edited an inventory of horizontal well (galleries) which included information about the volumes of water they collected, and the amount of water generated by these hydraulic systems. Publications on *viajes de agua* in Madrid (the name that qanats are given in this city) increased, such as those by Gil Clemente (1916), Bonet (1935), and Oliver Asín (1958). Publications from this period which stand out include that of Troll and Braun, which was published in 1972 in Germany and translated into Spanish in 1974, and those of Llamas (1976) and Vidal Domínguez (1989).

Regarding the municipalities of Almería like Huercal-Overa, the studies of García Asensio (1910) and Llobet Reverter (1958) can be mentioned, along with the thesis of Sáenz Lorite (1977) and Ferre Bueno (1979) about the valleys of Andarax and Almanzora, the studies of Bertrand and Cressier on Ragol's form works (1985), and more recently, the studies of Dietmar Roth about Vélez (2001, 2016).

In relation to the Balearic Islands, the studies of Barceló et al. (1996) stand out, as well as Carbonero's, Rosselló-Bordoy's and many others, who have extended their research beyond Mallorca to areas from Al-Andalus such as the Fuente Antigua of Crevillente.In the Canary Islands there are many galleries, most of them *mina de agua* type. Some of the most outstanding works on water drainage are those of Wladimiro Rodríguez (1988), Luis Miguel Pérez (2003), and Alejandro González (2006).

In the central area of Spain, the team of the University of Alcalá led by Irene Bustamante and López-Camacho (2001), López-Camacho et al. (2005) made remarkable works






Fig. 4 Sketch of the Contracaño groundwater dam in the riverbed of the Rambla de Nogalte (Puerto Lumbreras)

focused on Madrid and Alcalá de Henares (water trips) and nearby places like the Fuente Grande of Ocaña (Toledo).

In Aragon, the quant of Bureta is notable. According to recent research, including the use of OSL (Optically Stimulated Luminescence) dating, this quant dates from the twelfth century AD (Gerrard 2011; Bailiff et al. 2015; 2018)). Also, the gallery of La Fonnueva de Bulbuente (Zaragoza) excavated in the quaternary materials of the bed of the Huecha River, and the *cimbra*of the Fuente Madre de Castejón in Monegros (Huesca) (Hermosilla 2008) are relevant.

In regards to Valencia, there are several studies which should be mentioned. These include Monleón Guillén's (1988) on "alcavons" of the Foia de Castalla and Bernabé Maestre's (1989) on Petrer and the Domenech Rodríguez (1989) on Bocairent. The ESTEPA team (University of Valencia), led by Hermosilla Plá, published extensively on



Eastern Spain (2004/2005, 2006, 2008), though they also conducted numerous studies in Mediterranean countries like Tunisia, with studies of the galleries in the towns of Kebili, Tozeur, Gafsa and Gabes (Hermosilla et al. 2011), the central-eastern region (Hermosilla et al. 2012) and the north-western region of this country (Hermosilla 2013). They have made progress in developing a methodology for recording and a typology for classifying galleries and how they relate to traditional and historical irrigation systems. This research has led to a doctoral thesis at the University of Valencia by the team member Miguel Antequera under the title *Las galerías drenantes en el sector oriental y suroriental de la Península Ibérica. Identificación, análisis y gestión patrimonial* (2015) (Draining galleries in Eastern and Southeastern area of Iberian Peninsula. Identification, analysis and asset management).

In southeastern Spain the research, undertaken by the team led by Gil and Gómez from the University of Murcia (E0A5-03 Cambios ambientales, transformaciones paisajísticas y ordenación del territorio (SURESTE); Environmental changes, landscape transformations and spatial planning) stands out. In 1993 they coined the term "galerías con lumbreras" (galleries with skylights) following the terminology of JacintaPalerm Viqueira (2001, 2004); as well as the term "minado con espejuelos" (mined tunnel with shafts) (Gómez et al. 2007a). Above all, they studied groundwater dams with attached or preceding filter galleries (Gil et al. 2011). In covered conduits so-called mixed sections may occur when they cross the sediments of a rambla, as happens in the Tobarrilas-Yecla (Gil and Gómez 2006), or in the Canal del Sifón in Fuente Álamo (Gómez et al. 2007b; Gil et al. 2012). Through the sands, the covered conduit becomes a filter gallery in which the wall receiving the subsurface circulation depends on small holes (mechinales, piqueras o troneras) and the following wall becomes a groundwater dam (Fig. 5).

State of the art in Spain

In Spain, there are two research groups whose work on quants is notable: ESTEPA from the University of Valencia and E0A5-03 SURESTE from the University of Murcia. The following section will describe their current work in Spain.

The ESTEPA team of the University of Valencia has developed a worksheet for drafting inventories of qanats and groundwater dams to classify them according to the geomorphological and topological features of their location (Antequera 2015, p. 334). The categories they have developed are:

- Mountains includes slope environments, slope base and platforms, whether they are
 detrital, tabular or calcareous (minas and qanat, also alcavons for surface and underground captures),
- Foothills in category are grouped the piedmont (ravine, colluvial, etc.), the glacis (of accumulation, of erosion, with cover, ravine, etc.), and the alluvial fans (qanat with vertical and side shafts).
- River courses and river terraces river beds and terraces, talwegs and ravines (alcavons, cimbras, tajeas) groundwater dams for surface and underground waters harvesting.

To precisely determine the correct location in one or the other environment, in addition to considering their geomorphological characteristics, they rely on the existing slope, following the classification proposed by Young and Young (1974). In the environments of plains,






Fig. 5 Features of Las Tobarrillas qanat (Yecla, Murcia)

courses and river terraces, the slope is lower than 2% or 3%. In transitional environmental contexts, such as piedmont, glacis or alluvial fans the slope oscillates between 2% or 3% and 10% or 12%. In mountain environments, the slope is higher than 10% or 12% (Hermosilla 2008, pp. 75–86; Antequera 2015, p. 335).

Some of key contributions of the team's work include the mapping of these systems' location and general features, hydrogeological contexts, sketches and features, irrigation systems and supply systems associated and heritage assessment in which the importance of these systems from a cultural heritage standpoint are evaluated on a scale from "very high" to "of no interest". The evaluation method attempts to represent the complexity of the heritage concept (hydraulic) in a simple and practical way. This evaluation is based on the use of ten assessment criteria, which in turn are linked to compliance with three specific variables per indicator. The ten variables are: water culture, representativeness, authenticity, integrity, documentary references, technology, artistic heritage, landscaping, hydraulics, participation & awareness of social agents (Antequera 2015, p. 344).

The team of the University of Murcia E0A5-03 SURESTE has also contributed new methodologies to study of qanats in Spain. They have developed worksheets for horizontal wells (galleries) associated or not associated to a groundwater dam. They analyse these systems in geographical and historical contexts and the features of the system (how the water is captured, conducted stored, distributed and used) are noted and described. They have also developed a methodological outline for recording and studying qanats that involves the following stages:

- fieldwork (to collect information and develop initial hypotheses, etc.).
- analysis of sources and archives (search throughoriginal documentation, preparation of a diachronic study of systems in other places which can be used as comparison).
- interviews with water managers and users (qualitative and quantitative approach, perception of interviewees about the state and future of the hydraulic system and about its associated heritage and landscape).



It has been the Murcian team that classified the sixty-eight systems located in the territory of the Region of Murcia according to the way in which water is collected. This classification resulted in the four categories already mentioned earlier in the paper:

- drainage galleries (galerías con lumberas, minados con espejuelos) those that are excavated in foothills, and act as qanats in the strictest sense. That is, horizontal wells with a slight slope that connects the mother well (aquifer) with the surface and wich can have vertical shafts along its course. Examples include the qanat of Veto in Yechar-Mula, or the Fuente del Pinar in Yecla, the Fountain of the King in Cieza, the galería con lumbreras of the Garrobillo in Águilas, and the minado con espejuelos of the Alquerías in Jumilla (Fig. 6).
- Minas de agua, excavated in mountainous areas to increase flow. Generally, they have
 a short gallery, and are without vertical shafts or only have a small number of them.
 Examples include the Fuente de Benito, in the Sierra del Oro, in Abarán; the Fuente
 de la Perdiz, in Sierra Espuña, in Alhama de Murcia; the mines of Benizar and Otos in
 Moratalla, etc.
- Cimbras or tajeas are open and built in the beds of ramblas and river terraces. The covered gallery is immersed in the water table and water is filtered by the roof and walls to be collected in the inner base. From here the water is driven along the slope to the outside, such as in the Caño Viejo de Nogalte in Puerto Lumbreras, in Los Estanquicos in Jumilla, in the galleryof El Cocón in Águilas, and in the Vilerda Rambla in Puerto Lumbreras.
- Attached galleries or underground dams with holes (mechinales, piqueras o troneras) that allow water to penetrate the gallery such as in the Contracaño of the Nogalte Rambla in Puerto Lumbreras, in the Fuente del Oro in the Guadalentín River as it passes through Lorca, and the Béjar Rambla between Puerto Lumbreras and Lorca. Also included in this category are mixed galleries. While draining galleries at their origin, in the sections where the conduit crosses sediments in the bed of the rambla or river-rambla, the gallery includes a groundwater dam with holes in the wall to favor the drainage of the subsuperficial reservoir. This is the case of the minado con espejuelos of Las Tobarrillas, in Yecla; the gallery of Los Pozos de La Fuente, when it crosses the Avilés

Fig. 6 Shafts of the Pulpillo qanat (Yecla, Murcia)






Rambla; or the Canal del Sifón as it passes through the Álamo and Las Murtas Ramblas (Gil 2007, p 160; Gil et al. 2011, p 5; Gómez et al. 2012, p 240) (Fig. 7).

An example of a system that is environmentally, socially and economically sustainable is the "Caño y Contracaño System", which is exploited in the Nogalte Rambla (in the dry Southeast of Spain) by the irrigation association of Caño and Balsa de Lumbreras (Gil et al. 2012, p 193). At the beginning of December 2016, the Caño-Contracaño System captured about 2 L per second from the subsurface flow (it took 130 h to fill the pond where water accumulates before irrigation). On 15, 16 and 17 December, in Puerto Lumbreras, a storm dumped a total of 227 L per square meter, which generated in the gallery a flow of 25 L per second until March 20. In Tonosa (Los Vélez), at the headwaters of the Nogalte rambla, the storm had brought precipitation of 280 litres per square metre. After infiltrating the ground, some of the water flowed downstream between the rambla sediments. Three months later (from 20 March 2017) the groundwater level of the system was full, until saturating and surfacing in Peñas Blancas (on the opposite side to the groundwater dam). The system had drained more than 50 L per second (the pond was filled in less than 6 h), and this flow rate was maintained until the end of November 2017.

Faced with a drought (like the one that Spain experienced, especially in the Southeast, in 2017) with rainfall amounts of one-third of the annual average rainfall in regions with a structural water deficit and where external contributions, such as the Tajo-Segura

Fig. 7 Hole in the wall (*mechinal*, *piquera o tronera*) of the preceding filter gallery to the groundwater dam of the Contracaño (Puerto Lumbreras, Murcia)





transfer (in May 2017) and the Negratín-Almanzora transfer (in September 2017), have been closed, endogenous resources like those generated by the Caño and Contracaño system have a great importance at the local level. They are the main water resource (including because of its quality than volume, just 0.5 grams of salt per liter) used for irrigation by companies such as Barberet & Blanc, who produce cut flowers that are exported to more than fifty countries and employs more than four hundred people.

Another example of a qanat is the one rehabilitated at Casa Herrera in El Jimenado (Jumilla, Region of Murcia) on the 320-hectare estate dedicated to olive groves. Its previous owner, José María Guardiola, rehabilitated part of the gallery in 1903. The current owner, Atanasio Molina Martínez and his family, reconstructed 200 m of gallery, as well as the pithead and the pond in which the water accumulates, in 2008. To increase the amount of water supplied, the upper layer of the land has been adapted into large terraces that allow receiving the waters of the runoff concentrated in a ravine. Large separation dikes between terraces with spillways deal with the flood water, allowing the water to pass from one terrace to the next. With this technique of derivation in an intermittent flow bed, the system manages to increase infiltration and favor the water capture by the qanat. Despite the high cost, the owners (the largest landowners of Jumilla) are extending the rehabilitation of qanats, for example at the Partido de Los Alamos farm, in the foothills of Santa Ana Mountains and in the galleries owned by the Water Society of El Prado and La Pinosa (Gil et al. 2013 p 150) (Fig. 8).

The Murcia group has also studied new applications of the draining gallery technique, like in the Campo de Cartagena basin. Located in the Southeast of the Region of Murcia, this 1200 square kilometer plain has its lower part covered by the Mar Menor saltwater lagoon. The coastal plain topography, with a gradual decline from 200 to 0 m above sea level, leads water (from rain and irrigation) to infiltrate and end up in the Mar Menor lagoon, increasing local salinity and eutrophication. On the inner bank, in its southeastern boundary, the Arco Sur-Mar Menor Irrigation Community has recreated the technique of qanats to drain waters that infiltrate coastal plains before reaching the Mar Menor lagoon (Gil et al. 2013, p 152).


To use these waters (mostly from irrigation returns), the Arco Sur-Mar Menor Irrigation Community has made some drainage ditches a few meters from the inner bank of the lagoon. The ditches are about 150 m in length and 3 m in depth, and have a drain on them with a grooved tube of 100 mm in diameter. It pours into a lateral collector pitcher, where the ditches are directed. The pitcher (vertical watertight well) is 4 m in diameter and 6 m deep, houses the pumping equipment and elevates to a regulating tank with a capacity of 2500 cubic meters. The system that captures the drainage water is 16,250 m in length and has 14 brackish water reception pitchers, which are pumped to the 20,893 m³ reservoir next to the desalination plant (with a treatment capacity of 28,000 m3/day) that the Irrigation Community owns, located between Cabo de Palos and Cala Reona. Through this renewed drainage gallery system, a collection of brackish water is obtained, which ranges from 445,000 m3 to 810,000 m3 per year (Gil et al. 2013, p 152).

Concluding remarks

Building and exploitation of quants can be one environmentally sustainable model, especially when built with locally-available materials. Quants only drain the rainfall and collect water during the hydrological year (renewable resources) without "looting" the aquifers



Fig. 8 Interior view of the ganat of Casa Herrera (Jumilla), in the foreground rehabilitated part; in the background, the original part of the gallery



reserves. All qanats discussed above offer clear benefits in dry environments, because they do not need energy consumption to capture, drive and evacuate the flow of water. In addition, there is little risk of evaporation with covered horizontal wells, excavated or built underground.

Socially and economically there remain several challenges. Qanats need skilled labor for their maintenance. As such, the rural exodus has been one of the causes of their abandonment, with other job offers that were less risky or comfortable and better paid. In addition, the flow of water, with traditional irrigation techniques, did not allow an expansion of the irrigated area and/or an increase in the productivity that would have made the system profitable in that economic moment. Additionally, qanats are vulnerable to aquifers' overexploitation in its surroundings. Where legal action could not adequately demonstrate the relationship between aquifer exhaustion and this new kinds of exploitation or where other factors of higher productivity and social possibilities were put forward that could generate more jobs, qanat systems ended up being abandoned because their maintenance was not economically sustainable.

Actually, in the areas where qanats did survive, it was due to the will of some users who did not surrender to difficulties and the general indifference of society. Today, water has become a scarce and a very valuable resource, due to the increase in consumption generated by several factors including population growth, and increased agricultural production, especially in semi-arid environments with favorable temperatures where the application of



irrigation, can allow for year-round cultivation. Furthermore, as for livestock, the increase in livestock heads is mainly linked to stabling, which follows hygiene standards and sanitary maintenance that also increases the need for water. Even industry and leisure activities increase the demand for water. At the moment, and even more so in times of drought, water is the most valuable resource.

In such conditions, qanat systems should be considered anew. The quality of the water is even good enough for human supply. The use of qanats is economically and environmentally sustainable for the type of agriculture that does not require large amounts of water, which can be achieved when new irrigation techniques are used. This sustainability allows the maintenance and improvement of the system. Another issue to consider is the heritage value, both material and immaterial, of these systems. They are quickly becoming an object of cultural and leisure interest for the municipalities where they are located. This is the case of the Calle del Agua (Water Street) in Pliego, or the Caño-Contracaño in Puerto Lumbreras, both in the Region of Murcia.

In summary, the Spanish quants that are still in use are very interesting endogenous resources generating systems at the local level. The quality of the water makes them an important source of water for people, cattle and irrigation. It is an integral system from collection to distribution, with a succession of uses such as supply, cattle drinking, domestic uses in laundries, industrial uses in mills and fulling mills, environmental uses in wetlands and finally for support of irrigated spaces. The galleries have generated and kept an associated hydraulic heritage and a water landscape in arid or semi-arid environments within a rich water culture in the southeast of the Iberian Peninsula.

References

Amez M (2004) Obras realizadas para la traída del agua al Monasterio y Pueblo de Guadalupe. In: Modelos Arquitectónicos del Real Monasterio de Guadalupe. Ediciones Guadalupe, Cáceres

Antequera F (2015) Las galerías drenantes en el sector oriental y suroriental de la Península Ibérica. Identificación, análisis y gestión patrimonial. Tesis Doctoral, Universidad de Valencia, Valencia

Aznar JC (1727) Arithmetica inferior y Geometría práctica y especulativa; origen de los nacimientos de las aguas dulces y gordas de esta coronada villa de Madrid, sus viajes subterráneos con la noticia de las fuentes públicas y secretas de las casas de los señores y particulares, y cantidad que tiene cada uno. Ed. Francisco Martínez Abad, Madrid

Bailiff IK et al (2015) Luminescence dating of irrigation systems: application to a qanat in Aragón, Spain. Quat Geochronol 30:452–459

Bailiff IK et al (2018) Luminescence dating of qanat technology: prospects for further development. Water History 10:73–84

Barceló M, Carbonero MA (1986) Topografia i tipologia dels qanat(s) de l'illa de Mallorca. In Les aigües cercades (Els qanat(s) de l'illa de Mallorca), Institut d'Estudis Baleàrics, Palma de Mallorca, pp 37-46

Barceló M et al (1986) Les aigües cercades: elsqanats de l'illa de Mallorca. Institutd'EstudisBalarics, Palma de Mallorca

Barceló M, Kirchner H, Navarro C (1996) El agua que no duerme. Sierra Nevada, Granada

Barnes M, Fleming D (1991) Filtration-gallery irrigation in the Spanish New World. Latin Am Antiq 2:48–68

Barnes M, Fleming D (1995) Andarax and Nazca: two coastal valleys compared. In: Paper 1995 Annual Midwest Conference of Andean Archaeology and Ethnohistory, Chicago

Beaumont P (1968) Qanats on the Varamin Plain, Iran. Trans Inst Br Geogr 45:169–179

Beekman CS, Weigand PC (1996) El qanat de la Venta: sistemas hidráulicos de la época colonial en el centro de Jalisco. Relaciones: Estudios de Historia y sociedad 63/64:139–185

Beekman CS, Weigand PC, Pint JJ (1999) Old World irrigation technology in a New World context: qanats in Spanish colonial western Mexico. Antiquity 73:440–446

Behnia A (1988) Kanat: construction and maintenance. Centre for University Publications, Teherán



- Bernabé J (1989) Obras hidráulicas tradicionales en el regadío de Petrer (Valle del Vinalo-pó). In: Los paisajes del agua. Libro jubilar al profesor Antonio López Gómez. Universidades de Valencia y Alicante, pp 187–198
- Bertrand M, Cressier P (1985) Irrigation et amenagement du terroir dans la vallee de l'Andarax (Almería): Les reseaux anciens de Rágol. Mélanges de la Casa de Velázquez XXI:115–135
- Bethemont J (1980) Geografía de la utilización de las aguas continentales. Oikos-Tau, Barcelona
- Bonet C (1935) El problema del agua en Madrid. Artes Gráficas Municipales, Madrid
- Deom JM, Sala R (2006) The 261 Karez of the Sauran Region. In: 1st IWA international symposium on water and wastewater technologies in ancient civilizations. Iraklio, Greece, pp 517–530
- Diez C (2008) Las galerías en la cuenca alta del Guadalquivir (Jaen). In: Hermosilla J (dir) pp 195–205
- Domenech R (1989) El Bocairent Subterráneo (Alcavors). Bocairent. Ayuntamiento de Bocairent pp 135-150
- El Faïz M (2005) Les maîtres de l'eau. Histoire de l'hydraulique árabe. ACTES SUD. Arlés, France
- English PW (1968) The origin and spread of quants in the Old World. Am Philos Soc 112:170-181
- Evenari M, Shanan L, Tadmor T et al (1961) Ancient agriculture in the Negev. Science 133(3457):979–996 Fernández M (2005) La montanna de Alcalá y la Mina de agua. Ecos de un pasado Histórico. Actas de las VI Jornadas de patrimonio histórico y natural pp 63–78
- Ferre E (1979) El Valle del Almanzora. Estudio geográfico. Excma. Diputación Provincial de Almería. Caja de Ahorros de Almería, Almería
- García JA (1739) Manifiesto antiguo y presente de la insigne y memorable Fuente del Oro
- García E (1910) Historia de la Villa de Huércal-Overa y su comarca. Tip. José Antonio Jiménez, Murcia
- Gerrard CM (2011) Contest and co-operation: strategies for medieval and later irrigation along the Huecha Valley, Aragón, north-east Spain. Water Hist 3(1):3–28
- Gil J (1916) Informe de revisión de los proyectos de reforma, reparación y repartimiento y saneamiento de los viajes antiguos de agua de la villa de Madrid, Madrid
- Gil E (Coor) (2007) Sistemas locales de recursos propios de agua en la Región de Murcia: Minados y Galerías. Ente Público del Agua, Universidad de Murcia. Murcia
- Gil E, Gómez JM (1993) Galerías con lumbreras en el Sureste de España. Papeles de Geogr 19:125-143
- Gil E, Gómez JM (Coor) (2006) Modelos de sostenibilidad en el uso del agua en la Región de Murcia. Fundación CAJAMURCIA. Consejería de Industria y Medio Ambiente de la CARM. Universidad de Murcia, Murcia
- Gil E, Gómez JM (2014) Las aguas de fuentes en Huercal-Overa (Almeria). El modelo de la sociedad colectiva de aguas titulada "La Asunción). In: Libro jubilar en homenaje al profesor Antonio Gil Olcina. Universidad de Alicante, Alicante, pp 2015–230
- Gil E, Martínez R, Gómez JM (2011) Modelos de uso sostenible del agua: las galerías asociadas a presa subálvea. Scripta Nova. Revista electrónica de Geografía y Ciencias Sociales. Vol. XV, 374:10 de septiembre de 2011
- Gil E, Martínez R, Gómez JM (2012) Un modèle de gestion durable de l'eaud'irrigationdans le Sud-Est de l'Espagne. Le répartiteurdeeaux du Caño y Balsa de Lumbreras (Murcie). In: De l'eauagricole á l'eau environnementale. Éditions QUAE. París, pp 315–324
- Gil E, García M, Gómez JM (2013) Funcionalidad de las técnicas del pozo horizontal (galería) para la captación y conducción de aguas en el sureste de España. In Hermosilla J (ed) Las galerías de agua en la Región noroccidental de Túnez. Patrimonio hidráulico mediterráneo. Ministerio de Asuntos Exteriores y Cooperación, Valencia, pp 147–158
- Goblot H (1979) Les Qanats. Une techniqued'adquisition de l'eau. MoutonEditeurs. París-La Haya- New York
- Goes BJM, Parajuli UN, Haq M, Wardlaw RB (2016) Karez (qanat) irrigation in the Helmand River Basin, Afghanistan: a vanishing indigenous legacy. Hydrogeol J 25:269–285
- Gómez JM (2004) Aprovechamiento integral del agua en la Rambla de Nogalte (Puerto Lumbreras- Murcia). Ayuntamiento de Puerto Lumbreras. CAM, Obra Cultural. Universidad de Murcia, Murcia
- Gómez JM (2005) Galerías asociadas a presas subálveas generadoras de recursos propios de agua en el Sureste de la Península Ibérica. El modelo del sistema de la Rambla de Béjar. Rev Nimbus 15–16:101–120
- Gómez JM (2016) Qanates, cimbras y minados en el Valle del Almanzora (Sureste de España) In: Vera et al (Ed) Paisaje, cultura territorial y vivencia de la geografía. Universidad de Alicante, Alicante, pp 125-141
- Gómez JM, Gil E, Aliaga I et al (2007a) Las galerías, construcciones para alumbrar agua de freáticos próximos en el NE de la región de Murcia: minados con espejuelos en Jumilla. Investig Geogr 42:89–107
- Gómez JM, Gil E, Martínez R et al (2007b) Las estructuras de captación de aguas mediante galerías con lumbreras en el Campo de Cartagena. Rev Murciana de Antropol 14:165–198



Gómez JM, Castejón G, Gil E (2012) Un modelo de captación y conducción de aguas en medio áridos y semiáridos: el Canal del Sifón en Fuente Álamo de Murcia. Goméz JM, Hervás R (Coord) Patrimonio hidráulico y cultura del agua en el Mediterráneo. Fundación Seneca, Murcia, pp 227–248

- González A (2006) El agua en Lanzarote. Anroart Ediciones. Las Palmas de Gran Canaria
- Grupo Geos (2008) Los caños de Carmona. La red de galerías subterráneas de Alcalá de Guadaíra (Sevilla). In: Hermosilla J (dir) Las galerías drenantes en España. Ministerio de Medio Ambiente y Medio Rural y Marino, Madrid, pp 206–212
- Hermosilla J (2006) Las galerías drenantes del Sureste de la Península Ibérica. Ministerio de Medio Ambiente, Madrid
- Hermosilla J (2008) Las galerías drenantes en España. Análisis y selección de qanat(s). Ministerio de Medio Ambiente y Medio Rural y Marino. Madrid
- Hermosilla J (ed.) (2013) Las galerías de agua en la Región noroccidental de Túnez. Patrimonio hidráulico mediterráneo. Ministerio de Asuntos Exteriores y Cooperación, Valencia
- Hermosilla J, Iranzo E, Pérez A, et al (2004/2005) Las galerías drenantes de la provincia de Almería: análisis y clasificación tipológica. Cuadernos de Geografía 76:125–154
- Hermosilla J, Moussa M, Antequera M, et al (2011) Las galerías de agua tunecinas. Las gobernaciones de Kebili, Tozeur y Gabes. Universidad de Valencia. Ministerio de Educación y Ciencia. Valencia
- Hermosilla J, Moussa M, Rejeb H, et al (2012) Paisaje y galerías de agua en la región centro-oriental de Túnez. Las gobernaciones de Sousse, Monastir, Mahdia, Sfax y Kairouan. Universidad de Valencia. Ministerio de Educación, Cultura y Deporte. Valencia
- Kobori I (1973) Some notes on diffusion of qanats. Orient, The Reports of the Society for Near Eastern Studies in Japan 9:43–66
- Kobori I (1976) Notes on Foggara in the Algerian Sahara. Bulletin of Department of Geography University of Tokyo 8:41–55
- Kobori I (1979) Qanawat Romani of Taibe Oasis. Bulletin of Department of Geography University of Tokyo 11:1–32
- Laureano P (2005) Atlas del Agua. Los conocimientos tradicionales para combatir la desertificación. Laia, Barcelona
- Lightfoot DR (1996) Moroccan khettara: traditional irrigation and progressive desiccation. Geoforum 27:261–273
- Lightfoot DR (1997) Qanats in the Levant: hydraulic technology at the periphery of early empires. Technol Cult 38:432–451
- Lightfoot DR (2000) The origin and difussion of qanats in Arabia: new evidence from the Northern and Southern Peninsula. Geogr J 166:215–226
- Llamas MR (1976) La utilización de aguas subterráneas en Madrid. De los "mayrat" musulmanes a los modelos digitales. Estud Geol 32:121–139
- Llobet S (1958) Utilización del suelo y economía del agua en la región semiárida de Huércal-Overa. Estudios Geográficos XIX:5–22
- López B (2001) Galerías de captación en la Europa Mediterránea. Rev Obras Públicas 3414:121-126
- López JA (2009) El agua y sus usos en el campo alto de Lorca. Región de Murcia. Asociación Murciana de Ciencia Regional. Obra Social de la CAM. Murcia
- López-Camacho B, Bustamante I, Iglesias JA (2005) El viaje de agua (Qanat) de la Fuente Grande de Ocaña (Toledo). Pervivencia de una reliquia hidráulica. Rev de Obras Públicas 3451:43–54
- Magee P (2005) The chronology and environmental background of iron age settlement in Southeastern Iran and the question of the origin of the qunat irrigation system. Iranica Antiqua, XL:217–231
- Manuel M et al (2018) The sustainability of ancient water control techniques in Iran: an overview. Water History 10:13-30
- Millán J (2013) La mina de agua de la Huerta de Martín Pérez (Carmona, Sevilla). Gota a gota 3:53–57 Monleón M (1988) Datos etnográficos sobre "Els Alcavons" de la Foia de Castalla. Revista Anual de Estudios sobre la Foya de Castalla 1:59–67
- Morales F, Boborio, MJ (1991–1992) Fuente romana de "La Canal" Medinaceli (Soria). Numantia: Arqueología en Castilla y León 5:87–96
- Oliver J (1958) Historia del nombre "Madrid". Consejo Superior de Investigaciones Científicas, Instituto Miguel Asín, Madrid
- Palerm J (2004) Las galerías filtrantes o qanats en México. Introducción y tipología de técnicas. Rev de Agric Soc y desarrollo 5:133–143
- Palerm J, Pimentel J, Sánchez M (2001) Técnicas hidráulicas en México. Paralelismos con el viejo mundo. II Galerías filtrantes. In: Actas del II Encuentro sobre Historia y Medio Ambiente. XIII Economic History Congres. Huesca, pp 466–483



Pérez LM (2003) Patrimonio e innovación en la obtención y aprovechamiento de recursos hídricos en Canarias. Arucas

Polo JC (2008) Caño viejo de Fuentelapeña (Fuentelapeña-Zamora). In: Hermosilla J (dir) Las galerías drenantes en España. Ministerio de Medio Ambiente y Medio Rural y Marino, Madrid, pp 174–178

Rodríguez W (1988) Galerías y pozos en Canarias. In: Demanda y Economía del Agua en España. Alicante, pp. 213–226

Roth D, Schütt B (2001) Las galerías con lumbreras (qanats) obras maestras de ingeniería rural amenazadas. Rev Velezana 20:53–64

Roth D, Beckers B, Berking J et al (2016) A short history of the water and society in the región of Vélez Blanco. East Andalusia. Water History 8:59–73

Sáez M (1977) El valle del Andarax y Campo de Níjar: estudio geográfico. Sección de Geografía, Universidad de Granada, Granada

Sajjadi SM (1982) Qanat/Kariz, storia, tecnica costruttiva ed evoluzione. Instituto Italiano di Cultura sezione Arqueologica, Teheran

Seele E (1969) Galerías filtrantes en el área de Acatzingo-Tepeaca, estado de Puebla. Bol del Inst Nacl de Antropol e Historia 35:3–8

Semsar AA (2003) Hydraulic structures of "Qanats" in Iran. In: International Frontinus-Symposium "Wasserversorgung aus Qanaten-Qanate als Vorbilder im Tunnelbau". Walferdange, Luxembourg, pp 25–27 Semsar A, Labbaf M (2017) Qanat knowledge. Construction and maintenance. Springer, Dordrecht

Trol C, Braun C (1974) El abastecimiento de agua de la ciudad por medio de Qanats a lo largo de la Historia (Madrid). *Geographica* XVI:235–315

Vidal MJ (1989) Viajes de agua de Madrid. Una perspectiva actual.In: Los paisajes del agua. Libro jubilar dedicado al profesor Antonio López Gómez. Universidad de Valencia y Universidad de Alicante, Valencia, pp 265–274

Vitruvio ML (Reedición del 2000): Los diez libros de arquitectura. Editorial Iberia, S.A. Barcelona

Wilkinson JC (1977) Water and tribal settlement in South East Arabia: a study of the Aflâj of Oman. Cambridge University Press, London

Wulff HE (1968) The Qanats of Iran. Scientific American, April: 94-105

Young A, Young D (1974) Slope development. Macmillan Education, London

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

