REVIEW PAPERS

Compromising allocation for optimising agri‑food supply chain distribution network: a fuzzy stochastic programming approach

Srikant Gupta1 · Sachin Chaudhary2 · Rajesh Kr Singh3 · Jose Arturo Garza‑Reyes4 · Vikas Kumar5

Received: 3 August 2023 / Revised: 30 October 2023 / Accepted: 10 December 2023 / Published online: 16 January 2024 © The Author(s) under exclusive licence to The Society for Reliability Engineering, Quality and Operations Management (SREQOM), India and The Division of Operation and Maintenance, Lulea University of Technology, Sweden 2024

Abstract The management of Agri-food supply chains is a complex task, given the unique product characteristics, perishability, uncertain demand, and specifc storage requirements. This research introduces an innovative approach to optimizing product allocation among producers, brokers, wholesalers, and retailers, focusing on minimizing transportation costs and network delivery time through multiobjective programming. To address uncertainties, supply and demand constraints are modelled using a gamma distribution, and the maximum likelihood estimation method determines their parameters with specifed probabilities. The study conducts a case analysis to showcase the model's practical efectiveness, and a numerical comparison with alternative approaches is included. The primary goal of this study is to enhance the efficiency of agri-food supply chain management practices, providing valuable insights for

practitioners in the feld, with a focus on cost reduction and improved delivery time.

Keywords Multi-objective optimization · Supply chain network · Stochastic programming · Gamma distribution · Maximum likelihood estimation · Fuzziness

1 Introduction

Agri-Food Supply Chains (SC) play a pivotal role in ensuring the timely and efficient delivery of agricultural and food products, especially in the context of products characterized by a shorter shelf life and high perishability. Effectively managing the distribution networks within these supply chains is critical for resilience and efficiency (Kumar and Singh [2021](#page-21-0)). Agri-food SCs encompass a complex network of facilities and distribution options that facilitate the procurement of raw materials, their transformation into fnished products, and their distribution to end customers (Gupta et al. [2018a](#page-21-1), [b](#page-21-2)). This intricate network underpins the ability of organizations to provide fnished goods to customers in a cost-efective and timely manner (Gupta et al. [2021a](#page-21-3), [b,](#page-21-4) [c\)](#page-21-5). Balancing the supply and demand within the SC is paramount for achieving proftability, yet it presents a formida-ble challenge for organizations (Baral et al. [2021](#page-20-0)). Effective management of resources, supplies, and the delivery of the right products to the right locations and customers at the right cost is the essence of supply chain management. In the case of agri-food SCs, this task is further complicated by the perishable nature of the products and their vulnerability to disruptions (Kumar and Singh [2021](#page-21-0); Mishra et al. [2021](#page-21-6)).

The agri-food industry faces a multitude of challenges, including the pressures of rapid industrialization, the dynamics of oligopoly-based distribution systems, and the need to adhere to stringent food safety standards. In the face of these challenges, the efficient management of distribution networks becomes not just a necessity but a strategic imperative. Mishra et al. (2021) highlight the adaptability of agri-food SC networks in modifying their conventional procurement and inventory planning approaches to meet evolving customer demands. This shift underscores the growing importance of optimizing supply chain networks in the agri-food industry.

In this context, Lim et al. [\(2023](#page-21-7)) shed light on omnichannel strategies within agricultural supply chains, with a specifc focus on traceability technologies, services, advertisements, and holding costs. The research by Sarkar et al. ([2019](#page-22-0); [2021\)](#page-22-1) delves into sustainability, carbon emissions control, and product quality enhancement in a three-echelon supply chain. Dey et al. [\(2021\)](#page-21-8) underscore the criticality of reducing lead time and variance within smart manufacturing systems integrated into supply chains. Ullah et al. ([2021\)](#page-22-2) investigate the implications of remanufacturing within closed-loop supply chains, emphasizing the signifcance of hybrid policies and cost-related factors. Yadav et al. ([2021\)](#page-22-3) address the imperatives of waste reduction and carbon emissions management within sustainable supply chains, utilizing concepts like cross-price elasticity of demand and preservation technology to maximize proft while minimizing waste.

1.1 Problem description and research objectives:

Agri-food products are usually unique and perishable, so these items cannot be stored at any node of the SCN for a very long time (Violi et al. [2019](#page-22-4)). Agri-food SCs intrinsic sources of ambiguity have a detrimental effect on perfor-mance and stability. Several authors (Borodin et al. [2016](#page-20-1); Galal and El-Kilany [2016;](#page-21-9) Kamble et al. [2019](#page-21-10); Banasik et al. [2019\)](#page-20-2) have stated that agri-food SC development models must be updated to take an account the consequences of existing sources and consumer peregrination across the chain. Allocation of optimal order at diferent nodes of the agri-food SC under an uncertain environment is a challenge task. Researchers have mainly considered network optimisation for products with a long life cycle (Eskandarpour et al. [2015](#page-21-11); Kumar et al. [2016](#page-21-12); Banasik et al. [2017;](#page-20-3) Gupta et al. [2018a](#page-21-1)). Therefore, the focus of this study is to determine the compromised order allocations for optimising Agri-food SCN. In this study, a random and probabilistic model of agri-food SC has been developed and formulated with some imprecise input information. As we know, decision makers are often not familiar with the numerous values of shipping costs and shipment time in real-life scenarios, interpreting these as fuzzy coefficients would be more suitable. In this study, the parameters are represented through an interval type-2 triangular fuzzy parameter which are converted into a crisp form by using an appropriate ranking formula.

Additionally, when formulating real-life scenarios, circumstances may occur, when we do not understand exactly the right side of the constraints. In order to solve this condition, we regarded these parameters to be random variables following a Gamma distribution. Apart from it, we have used the maximum likelihood estimation (MLE) approach to obtain the Gamma distribution's scale and location parameter. Diferent types of optimization techniques like Goal Programming, Lexicographic or Pre-emptive Goal Programming, Weighted or Mini-sum Goal programming, Fuzzy programming, Fuzzy Goal Programming, AHP, TOPSIS, VIKOR, have been used to solve the formulated Agri-Food SC problem for getting an optimal result. Researchers have found that network optimisation for optimal order allocation is a challenging task for SC managers and is not very well researched specifcally in developing countries like India (Singh et al. [2018\)](#page-22-5). This study aims to identify the best ordering allocation for fnished goods from each producer, agent/broker, wholesaler, and retailer in the Agri-Food SCN. To demonstrate the proposed model in this study; a numerical case study has been provided.

In this study, we have identifed the research objective by examining the gaps in the existing literature that need to be solved. For this study, we have conducted have conducted a literature review to identify the challenges and opportunities in the agri-food SCN. Based on the literature review, we have identifed the need for an optimisation model that can address the uncertainties and complexities in the supply chain distribution network. Following the research objective of this study:

- 1. To develop a novel fuzzy stochastic programming model that can optimize the allocation of products from each stage of the SCN, including producers, agents/brokers, wholesalers, and retailers, while considering the uncertain parameters of supply and demand constraints.
- 2. To use the maximum likelihood estimation method to estimate the unknown parameters of the probabilistic distribution with a specifed level of probability, thereby enhancing the accuracy of the proposed model.
- 3. To compare the performance of diferent optimization approaches, such as value function, ϵ-constraint, fuzzy goal programming, weighted fuzzy goal programming, and pre-emptive fuzzy goal programming, in terms of their effectiveness and computational efficiency in obtaining the optimal order allocation of products.

By achieving these objectives, the study aims to contribute to the existing literature on agri-food SCN by proposing a robust and efective approach to optimizing the allocation of products in agri-food SCN, which can enhance their overall efficiency and profitability. The remaining paper has the following structure: In Sect. [2](#page-2-0), the SCN and Agri-food SCN literature are briefy reviewed. Section [3](#page-5-0) describes the mathematical model formulation with fuzziness and randomness for Agri-food SCN and the proposed optimization approach used to solve the problem. Section 4 illustrates the application of the proposed framework with a case scenario. Finally, in Sects. 5, the concluding remarks are presented.

2 Literature review

Various studies have focused on using the fuzziness and randomness theories to address the ambiguity in SCN problems (Petrovic et al. [1998;](#page-22-6) Sakawa et al. [2001](#page-22-7); Chuu [2011](#page-21-13); Nepal et al. [2011](#page-21-14); Cakici et al. [2012;](#page-20-4) Petridis [2015](#page-22-8); Zokaee et al. [2017;](#page-22-9) Choi et al. [2017](#page-21-15); Singh et al. [2018;](#page-22-5) Yaghin et al. [2020\)](#page-22-10). Mishra et al. [\(2018](#page-21-16)) conducted a survey of the current literature on SCN performance measurements and metrics, and gave a critical evaluation of 234 publications published over the course of the previous 24 years in SC. In most reallife scenarios, parameters are assumed to take deterministic values, but sudden change in related things may lead to uncertainty. In such cases, if the uncertain prevails within the parameters but presumed to take in some set of probable values, a solution can be developed that is feasible for all uncertain parameters. Further, to solve an uncertain optimization problem, it is important to transform the problem into a deterministic form using some ranking function that could be equally generalizable to the related deterministic optimization problem. Before formulating the problem under study, a literature review was conducted and presented in the following sections.

2.1 Agri‑food supply chain network design

Research in the optimization of Agri-food SCNs has taken various approaches and dimensions. Higgins et al. [\(2004\)](#page-21-17) conducted real-world research in the Australian sugar industry, utilizing simulation to enhance production and distribution efficiency. Akkerman et al. (2010) (2010) (2010) delved into the intricacies of Agri-food SCNs and logistics, addressing processes like brand integration, packing, bundling, sealing, and stock management. The typical Agri-food SCN encompasses a range of operations spanning agriculture, processing, storage, transportation, delivery, and advertising, forming a "land-to-fork" sequence (Iakovou et al. [2012](#page-21-18)). In the agri-food SCN context, Mirabella et al. ([2014\)](#page-21-19) scrutinized the environmental and economic impacts of loop closings through real case studies. Eskandarpour et al. [\(2015\)](#page-21-11) provided a comprehensive review of mathematical models applied in Agri-food SCNs, categorizing them into deterministic frameworks, such as linear programming, dynamic programming, mixed-integer linear programming, goal programming, and fuzzy programming. They underscored the need for advancements in Agri-food supply chain modeling, especially concerning biodiversity, emphasizing its unique research context. Tavana et al. ([2017\)](#page-22-11) contributed by developing an integrated supplier selection model for milk frms, incorporating analytic network process with quality function deployment.

Moreover, Banasik et al. ([2017\)](#page-20-3) conducted an analysis of fnancial and environmental aspects within the mushroom supply chain, emphasizing closed-loop technologies. They introduced a multi-objective (mixed-integer) linear programming method to aid decision-making for manufacturing and distribution by optimizing resource flows in closed-loop supply chains. Esteso et al. ([2018](#page-21-20)) observed that existing agri-food supply chain network (SCN) development models often overlooked consumer-related factors like food quality, safety, and environmental considerations, as well as product diversity. Their two-phase approach involved devising a conceptual framework for agri-food SCN development, integrating mathematical programming models and accounting for inherent ambiguities. In a second phase, this framework was applied to evaluate established agri-food SC models. Allaoui et al. ([2018](#page-20-6)) introduced a two-stage hybrid methodology for sustainable agri-food supply chain networks, combining multi-criteria and multi-objective decision-making, with a focus on sustainability aspects including carbon and water footprints, as well as overall costs. Liu et al. ([2019\)](#page-21-21) proposed an innovative model that integrated fuzzy numbers, Analytic Hierarchy Process, and Order Preference Model to comprehensively assess both quantitative and qualitative parameters. Sharma et al. ([2020\)](#page-22-12) conducted a systematic review of machine learning applications in agri-food supply chain networks, aiming to address complex issues. De and Singh [\(2020](#page-21-22)) and Tomasiello and Alijani ([2021\)](#page-22-13) established an integrated framework to assess overall supply chain performance and reviewed the application of fuzzy logic in the agri-food supply chain, considering land suitability, manufacturing techniques, water management, cold storage, transportation, waste disposal, environmental sustainability, and drought management. Recent studies have explored diverse aspects of sustainable supply chain management in the food industry, such as Kalantari and Hosseininezhad's ([2022\)](#page-21-23) focus on reducing economic costs, environmental impacts, and maximizing employment in a global food supply chain with risk considerations. Alinezhad et al. [\(2022](#page-20-7)) proposed a methodology for designing sustainable closed-loop supply chain networks that account for customer satisfaction and carbon footprint, even under uncertain conditions. Lastly, Gholian-Jouybari et al. [\(2023](#page-21-24)) addressed challenges related to greenhouse gas emissions, water consumption in farmlands, and supply chain issues caused by rapid population growth. They presented a mathematical model to enhance sustainability within agricultural food supply chain networks. These studies collectively underscore the pressing need to prioritize sustainability in the food industry and offer promising strategies to tackle the intricate challenges within supply chains.

2.2 Approaches adopted for supply chain network design

The SCN is increasingly recognized as a vital driver of competitiveness in dynamic economies (Altiparmak et al. [2006](#page-20-8)). Nevertheless, its productivity and efectiveness face challenges arising from various sources of uncertainty, spanning demand, supply, manufacturing, and planning aspects. It is undeniable that supply chain instability raises concerns for every manager (Charles et al. [2019\)](#page-20-9). The literature contains numerous studies addressing the design of supply chains, with Sabri and Beamon ([2000\)](#page-22-14) standing out for creating an integrated model capable of simultaneously addressing multi-objective supply chain challenges, encompassing both strategic and operational planning, including manufacturing costs and delivery times under uncertain demand. Lee et al. ([2010](#page-21-25)) endeavored to optimize supply chain networks, focusing on objectives related to optimal location, allocation, and routing to minimize costs. Meanwhile, Peidro et al. [\(2010\)](#page-22-15) developed an uncertain mathematical programming model for strategic supply chain management. Their objective was to centralize multiple node options to efficiently utilize available resources over time, ultimately delivering customer demands at a reduced cost.

Yeh and Chuang ([2011\)](#page-22-16) developed multi-objective optimzation model for partner choice in SCN. They considered four competing objectives, including optimization of overall manufacturing costs and time for manufacturing and shipping and, also tries to optimize product quality and green evaluation score, and solved them by utilizing two separate multi-objective genetic algorithms. Nasiri et al. [\(2014\)](#page-21-26) designed the three-tier SC models for diferent distribution hubs, manufacturing facilities and vendors with an unpredictable stochastic demand. Trisna et al. ([2016\)](#page-22-17) addressed diferent SC issues formulated through the use of multi-objective optimization techniques. The authors provided a study of several techniques used for formulating the mathematical model for diferent types of SCNs and, also classifed diferent modelling methods based on linear and non-linear programming, diferent kinds of techniques used for solving the multiobjective programming problems, and also categorized the models into various kinds of robust and non-robust techniques used for solving the mathematical models. Kumar et al. [\(2016\)](#page-21-12) addressed a two-echelon integrated procurement and production model for both the producer's and the customer's embedded SCN model. The authors proposed a new technique for evaluating the expected fuzzy shortage throughout the inventory period. Kim and Sarkar ([2017\)](#page-21-27) designed a SCN model that includes probabilistic demand for lead time, commercial credit policy, enhancement in product quality, lower costs for vendors and a fuctuating back-order rate. In order to handle the complicated supplier selection problem in SCM, (Pandey et al. [2017\)](#page-22-18) suggested a two-phase fuzzy goal programming technique that was integrated with a hyperbolic membership function. Haddadsisakht and Ryan ([2018\)](#page-21-28) built a closedloop SCN model, which incorporates forward as well as backward product fows of an item along with a change in demand of fresh and re-produced items. Gupta et al. ([2018a\)](#page-21-1) developed a comprehensive technique to programming the SCN issues efficiently. The author employed interactive fuzzy programming to reduce concurrently the overall transportation cost and entire delivery time in association with inventories, actual stock present at each source, as well as market demand and useable storage facilities at each site. Subsequently, Gupta et al. [\(2018b](#page-21-2)) formulated SCN as a two-tier programming problem with the principal purpose of identifying optimal product assignment orders for which demand and product supply was deemed to be inherently ambiguous. In hybrid uncertain conditions, including recycling and disposal operations, Farrokh et al. [\(2018](#page-21-29)) explored the development of a closed- loop SCN model. The authors proposed a mixed-integer programming model which optimized SCN confguration in terms of both interruption and risk management. Bhosale and Latpate [\(2019](#page-20-10)) took into consideration the demand of milk products for one cycle that follows probabilistic weibull distribution within the decentralized and centralizing SC for the perishable goods. Arasteh [\(2020](#page-20-11)) developed a three-level SC for manufacturer/ distributor/customer in which the customer demand, percentage of customer returned the items and delivery time of distributors to customers were considered fuzzy variables. Qiu et al. [\(2021](#page-22-19)) developed a distributionally resilient optimisation strategy for retailers that buy several items from many suppliers with a limited budget in which the demand for a product is supposed to rely on the existing inventory level. Dohale et al. [\(2022\)](#page-21-30) created a multi-product, multiperiod model for aggregate production planning in order to meet the needs of customers in terms of capacity and lead time in order to achieve market competency in the aggregate industry. Table [1](#page-4-0) summarises approach adopted by diferent researchers for solving SCN problem.

Table [1](#page-4-0) shows that very few researchers have used the MLE technique to obtain the desired shape, scale and location value of an uncertain parameter. That can be seen as the biggest disadvantage when dealing with uncertainty that has been identifed from all the previous work carried out by diferent researchers. However, decision makers (DMs) sometimes find it difficult to evaluate the accurate values of parameters to their full understanding in real **Table 1** Summary of approaches adopted for SCN

problems

 $\sqrt{\ }$ and \times indicates the nature of parameter used and not used in the respective paper

life problems. Therefore, the novelty of this study lies in the fact that we have used the MLE approach for getting the desired shape and scale parameter of the considered probabilistic parameters. Moreover, the authors used only hypothetical numerical examples to demonstrate the proposed methodology in the past. However, in this paper, the problem of an agri-food SCN is considered with the major objective is to identify the best ordering for each manufacturer, agent/contractor, wholesaler and retailer's. The unique points of this research are as follows:

i. In earlier studies, Agri-food SCNs were seen as a single objective programming problem, but to get the efficiency in SC process in Agri-food we have extended it to a multi-objective problem with some time constraint.

- ii. An Agri-food SCN with multi-objectives is studied with interval type-2 fuzzy variables among the shipment cost and delivery time coefficient.
- iii. Stochastic programming is used to resolve the inequalities between various supply and demand constraints.
- iv. The considered probabilistic demand and supply parameters are studied in conjunction with the use of MLE to model the best ft value for uncertainty.

After discussing the brief literature on Agri-food SCN and different approaches adopted by researchers in previous studies, the next section describes the formulation of the proposed mathematical model.

3 Proposed mathematical model

Designing suitable efective strategies to handle agri-food SC to meet consumer demand has become a complicated, demanding issue while addressing the constantly rising changes in life styles and dietary preferences. There can be no doubt that the SC management has increased the agrifood company priority signifcantly over the last few years. The SC is now widely recognized as having the key to both cost reduction and service enhancements in several sectors. Its function is now especially important for the food sector, due to the increasing demands of more strong retailers on suppliers. The concentration of retailers has become a way of life in many areas and increases as global merchants emerge. The suppliers need to reassess their SC strategy since they are demanding a just-in-time delivery, better product quality and tailor-made logistical solutions. Agri-food SCN comprise of farming, postharvest activities, distribution and retailing. Optimising distribution network is a challenge for managers. Here, in this section, we have formulated the multi-objective Agri-Food Supply Chain Network (MOAFSCN) model with some imprecise data. Following are the assumptions considered for the model formulation in this study:

- The system produces single type of item.
- Shipping cost and delivery time are considered as uncertain and represented by interval type-2 fuzzy number.
- Demand and supply are considered as uncertain parameter follows continuous probability distribution function.
- Order is placed only once.
- No cash discount are considered.
- No shortage and backlogging are allowed.

Nomenclature:

The following notations have been used to formulate the Agri-food supply chain problem:

Indices

- *i*− Retailers index,{*i* = 1, 2,, *I*};
- *j*− Wholesalers index, {*j* = 1, 2, ..., *J*};
- *k*− Agent/brokers index, {*k* = 1, 2, ..., *K*};
- *l*− Producers index,{*l* = 1, 2, ..., *L*};
- *t*− Objective index, {*t* = 1, 2,, *T*};

Parameters

*D*_{*i*} − Monthly demand from the *i*th Retailers,

P_k− The prospective volume of the k^{th} Agent/brokers,

*S*_{*l*} − The monthly supply volume of the *l*th Producers,

*W*_j − The prospective volume of the *j*th Wholesalers,

 \overline{SC}_n − The shipping cost of a single unit from different supply sources to diferent agent/brokers*,*

SC_{ki}− The producing and shipping cost of a single unit from diferent agent/brokers to diferent wholesalers*,*

SC_{ki}− The producing and shipping cost of a single unit from diferent agent/brokers to diferent retailer*,*

SC_{ii}− The shipping cost of a single unit from different wholesalers to diferent retailers*,*

DT_{kj}− Time is taken for delivering single unit from different agent/brokers to a diferent wholesaler*,*

 DT_{ki} − Time is taken for delivering single unit from different agent/brokers to a diferent retailer*,*

DT_{ii}− Time is taken for delivering single unit from different wholesalers to diferent retailers*.*

Decision variables

U_{lk}− Amount of products to be sent to various agents/ brokers from various producers*,*

X_{ki}− Amount of product to be sent to various wholesalers from various agent/brokers*,*

Y_{ki}− Amount of product to be sent to various retailers from various agent/brokers*,*

V_{ii}− Amount of product to be sent to various retailers from various wholesaler*.*

In the case of a deterministic parameter, the mathematical model of MOAFSCN is given as follows:

In alignment with the challenges posed by the perishable nature of agricultural products, our cost objective function distinguishes itself from the aforementioned studies (Lim et al. [2023;](#page-21-7) Sarkar et al. [2021](#page-22-1); Dey et al. [2021;](#page-21-8) Ullah et al. [2021;](#page-22-2) Yadav et al. [2021](#page-22-3)) by placing a primary focus on minimizing transportation costs within agri-food supply chains. While the previous studies consider factors like traceability technologies, carbon emissions, or lead time reduction, our research hones in on the crucial facet of transportation cost optimization. By developing strategies that specifcally target cost-effective and efficient transportation of perishable goods, we aim to offer agri-food supply chain firms a dedicated solution to enhance their proftability and deliver high-quality products promptly to consumers, thereby contributing to the overall efectiveness of the supply chain. For our study, the frst objective function to reduce the expenses of conveyance of the SCN, can be formulated as:

$$
Min Z_1 = \sum_{l=1}^{L} \sum_{k=1}^{K} SC_{lk} U_{lk} + \sum_{k=1}^{K} \sum_{j=1}^{J} SC_{kj} X_{kj} + \sum_{k=1}^{K} \sum_{i=1}^{I} SC_{ki} Y_{ki} + \sum_{j=1}^{J} \sum_{i=1}^{I} SC_{ji} V_{ji},
$$
 (1)

In the agri-food SC, timely delivery is crucial for maintaining the quality and freshness of the products. Any delay in the delivery process can result in spoilage or wastage of the produce, which ultimately afects the proftability of the businesses involved. Moreover, in the highly competitive market, customers expect prompt and reliable delivery services. Therefore, an efficient delivery system with a minimum delivery time is vital to ensure

the smooth functioning of the agri-food SC and meet the growing demand for fresh and healthy food products. For our study, the second objective function, which minimizes the SCN's delivery time, can be formulated as:

$$
Min Z_2 = \sum_{k=1}^{K} \sum_{j=1}^{J} DT_{kj}X_{kj} + \sum_{k=1}^{K} \sum_{i=1}^{I} DT_{ki}Y_{ki} + \sum_{j=1}^{J} \sum_{i=1}^{I} DT_{ji}V_{ji},
$$
\n(2)

Efective coordination and integration of diferent operations in the agri-food SC is crucial for ensuring optimal efficiency, reducing costs, and increasing customer satisfaction. This can involve streamlining processes such as procurement, production, logistics, and marketing, while also implementing innovative technologies and tools that facilitate real-time communication and data sharing among all stakeholders. By prioritizing coordination and integration, agri-food SCN can minimize delays, errors, and waste, while also improving product quality, safety, and traceability. Ultimately, this can help to enhance competitiveness, drive growth, and foster more sustainable and resilient SC networks in the agri-food sector. We have considered the following set of constraints for our model:

Constraint I is the complete amount shipped to the agent/broker from the producer, it can be presented as:

$$
\sum_{k=1}^{K} U_{lk} \le S_l, \quad \forall l = 1, 2, ..., L
$$
 (3)

Constraint II is the manufactured quantity in the factory that cannot exceed its potential, it can be presented as:

$$
\sum_{i=1}^{I} Y_{ki} + \sum_{j=1}^{J} X_{kj} \le P_k, \ \forall k = 1, 2, ..., K
$$
 (4)

Constraint III is the amount shipped through the wholesaler which cannot exceed its capacity, it can be presented as:

$$
\sum_{i=1}^{I} V_{ji} \le W_{j}, \ \forall j = 1, 2, ..., J
$$
 (5)

Constraint IV is the amount transferred to retailers that must cover the requirement of the customers, it can be presented as:

$$
\sum_{j=1}^{J} V_{ji} + \sum_{k=1}^{K} Y_{ki} \ge D_i, \quad \forall i = 1, 2, ..., I
$$
 (6)

Constraint V is the total amount shipped to the wholesaler and retailers from the agent/broker, which cannot exceed the quantity of the received raw material, it can be presented as:

$$
\sum_{l=1}^{L} U_{lk} \ge \sum_{j=1}^{J} X_{kj} + \sum_{i=1}^{I} Y_{ki}, \ \ \forall k = 1, 2, ..., K
$$
 (7)

Constraint VI is the amount shipped to retailers from the wholesaler that can not exceed their capacity, it can be presented as:

$$
\sum_{k=1}^{K} X_{kj} \ge \sum_{i=1}^{I} V_{ji}, \quad \forall j = 1, 2, ..., J
$$
\n(8)

with non-negative constraints:

$$
U_{lk} \geq 0, \forall l, k,X_{kj} \geq 0, \forall k, j,Y_{ki} \geq 0, \forall k, i,V_{ji} \geq 0, \forall j, i.
$$
\n(9)

Combining all the equations, we have our model of interest:

Model (1)

$$
Min Z_1 = \sum_{i=1}^{L} \sum_{k=1}^{K} SC_{ik} U_{ik} + \sum_{k=1}^{K} \sum_{j=1}^{J} SC_{kj} X_{kj} + \sum_{k=1}^{K} \sum_{i=1}^{I} SC_{ki} Y_{ki} + \sum_{j=1}^{J} \sum_{i=1}^{I} SC_{ji} V_{ji},
$$

$$
Min Z_2 = \sum_{k=1}^{K} \sum_{j=1}^{J} DT_{kj} X_{kj} + \sum_{k=1}^{K} \sum_{i=1}^{I} DT_{ki} Y_{ki} + \sum_{j=1}^{J} \sum_{i=1}^{I} DT_{ji} V_{ji},
$$

Subject to

$$
\sum_{k=1}^{K} U_{lk} \le S_l, \quad \forall l = 1, 2, ..., L
$$
\n
$$
\sum_{i=1}^{I} Y_{ki} + \sum_{j=1}^{J} X_{kj} \le P_k, \quad \forall k = 1, 2, ..., K
$$
\n
$$
\sum_{i=1}^{I} V_{ji} \le W_j, \quad \forall j = 1, 2, ..., J
$$
\n
$$
\sum_{j=1}^{J} V_{ji} + \sum_{k=1}^{K} Y_{ki} \ge D_i, \quad \forall i = 1, 2, ..., I
$$
\n
$$
\sum_{l=1}^{L} U_{lk} \ge \sum_{j=1}^{J} X_{kj} + \sum_{i=1}^{I} Y_{ki}, \quad \forall k = 1, 2, ..., K
$$

$$
\sum_{k=1}^{K} X_{kj} \ge \sum_{i=1}^{I} V_{ji}, \ \ \forall j = 1, 2, ..., J
$$

*U*_{*k*} ≥ 0, $∀$ *l*, *k*, X_{ki} ≥ 0, ∀ *k*, *j*, *Y_{ki}* ≥ 0, $∀$ *k*, *i*, $V_{ii} \geq 0$, $\forall j, i$.

3.1 Uncertain mathematical model

Uncertainty in SCN refers to the decision-making process in the SC where the DMs do not know exactly what to decide due to the lack of accountability in the SC and also due to the impact of viable decisions. The parameters are assumed to take deterministic values in the above model, but they may take imprecise values in most practical situations for some of the possible reasons, as the transportation cost and delivery time of the item may not be fxed in advance. The transportation cost and delivery time of one unit transported from the source to the agent/broker, from the agent/broker to the retailer, from the agent/broker to the wholesaler, and from the wholesaler to the retailer is not exactly known to the DM and may vary during the shipping time. Increased costs are the primary reason for uncertainty in demand, most frequently in the form of surplus inventory, and excess manufacturing capacity. Typically, the frm tries to achieve a SC balance by controlling inventory, transportation and the distribution process but always tries to provide the needed quality of service to its customers. Demand is difficult to predict depending on a number of causes, including the consequences of causal variables, incidents, or lumpy demand. Some of these may be recognized, but there may also be unforeseen developments that afect the demand for items. In view of the likely above-mentioned situations, the uncertain mathematical model of agri-food SCN is typically represented by substituting all deterministic parameters with fuzzy parameters,

Model (2)

$$
Min\widetilde{Z}_1 = \sum_{l=1}^L \sum_{k=1}^K \widetilde{SC}_{lk} U_{lk} + \sum_{k=1}^K \sum_{j=1}^J \widetilde{SC}_{kj} X_{kj} + \sum_{k=1}^K \sum_{i=1}^I \widetilde{SC}_{ki} Y_{ki} + \sum_{j=1}^J \sum_{i=1}^I \widetilde{SC}_{ji} V_{ji}
$$

$$
Min\widetilde{Z}_2 = \sum_{k=1}^K \sum_{j=1}^J \widetilde{DT}_{kj} X_{kj} + \sum_{k=1}^K \sum_{i=1}^I \widetilde{DT}_{ki} Y_{ki} + \sum_{j=1}^J \sum_{i=1}^I \widetilde{DT}_{ji} V_{ji}
$$

Subject to

$$
\sum_{k=1}^{K} U_{lk} \le S_l, \ \forall l = 1, 2, ..., L
$$

$$
\sum_{i=1}^{I} Y_{ki} + \sum_{j=1}^{J} X_{kj} \le P_k, \quad \forall k = 1, 2, ..., K
$$
\n
$$
\sum_{i=1}^{I} V_{ji} \le W_j, \quad \forall j = 1, 2, ..., J
$$
\n
$$
\sum_{j=1}^{J} V_{ji} + \sum_{k=1}^{K} Y_{ki} \ge D_i, \quad \forall i = 1, 2, ..., I
$$
\n
$$
\sum_{l=1}^{L} U_{lk} \ge \sum_{j=1}^{J} X_{kj} + \sum_{i=1}^{I} Y_{ki}, \quad \forall k = 1, 2, ..., K
$$
\n
$$
\sum_{k=1}^{K} X_{kj} \ge \sum_{i=1}^{I} V_{ji}, \quad \forall j = 1, 2, ..., J
$$
\n
$$
U_{lk} \ge 0, \quad \forall l, k,
$$
\n
$$
X_{kj} \ge 0, \quad \forall k, j,
$$
\n
$$
Y_{ki} \ge 0, \quad \forall k, i,
$$
\n
$$
V_{ji} \ge 0, \quad \forall j, i.
$$

In the above-discussed model of agri-food SCN, the input parameters of both the objective function's have been characterised with uncertainty; such uncertain parameters are as follows: shipping cost of a single unit from diferent supply sources to different agent/brokers, \overline{SC}_{lk} ; producing and shipping cost of a single unit from diferent agent/brokers to different wholesalers, SC_{ki} ; producing and shipping cost of a single unit from diferent agent/brokers to diferent retailer, \overline{SC}_{ki} ; shipping cost of a single unit from different wholesalers to different retailers, \widetilde{SC}_{ii} ; time is taken for delivering a single unit from diferent agent/brokers to a different wholesaler, DT_{ki} ; time is taken for delivering a single unit from different agent/brokers to a different retailer, DT_{ki} ; time is taken for delivering a single unit from diferent wholesalers to different retailers, \overline{DT}_{ii} . We have considered \widetilde{SC}_{lk} , \widetilde{SC}_{ki} , \widetilde{SC}_{ki} , \widetilde{SC}_{ji} , \widetilde{DT}_{ki} , \widetilde{DT}_{ki} , and \widetilde{DT}_{ji} as interval type-2 trapezoidal fuzzy numbers.

3.2 Preliminaries

Some important defnitions are provided below for the above defned imprecise parameters are as follows:

Definition 1 [Sinha et al. [\(2016\)](#page-22-20)]: Let \widetilde{SC}_{lk} be a type-2 fuzzy set, then \widetilde{SC}_{lk} can be expressed as \widetilde{SC}_{lk} $=\{(x, u), \mu_{\widetilde{SC}_k}(x, u)\}\$ $\leq \mu_{\widetilde{SC}_k} \leq 1\}$, where *X* is the universe of discourse and $\mu_{\widetilde{SC}_k}$ denotes the membership function of \widetilde{SC}_{lk} .

Then, \widetilde{SC}_{lk} can be expressed as $\widetilde{SC}_{lk} = \int_{x \in X} \int_{u \in J_x} \mu_{\tilde{d}_j}(x, u) / (x, u)},$ $u \in J$ _r \subseteq [0, 1].

Definition 2 [Sinha et al. (2016) (2016)]: For a type-2 fuzzy set \widetilde{SC}_{lk} , if all $\mu_{\widetilde{SC}_{lk}}(x, u) = 1$ then \widetilde{SC}_{lk} is called an interval type-2 fuzzy set, *i.e.*, $\widetilde{SC}_{lk} = \int \limits_{x \in X}$ ∫ $u \in J_x$ $1/(x, u)/(x, u)$ $u \in J_{r} \subseteq [0, 1].$

Definition 3 [Sinha et al. ([2016](#page-22-20))]: Uncertainty in the primary memberships of a type-2 fuzzy set, \widetilde{SC}_{lk} consists of a bounded region that we call the footprints of uncertainty (*FOU*). It is the union of all primary memberships, *i.e.,* FOU (SC_{lk}) = $U_{x \in X} J_x$.

FOU is characterized by the upper membership functions (*UMF*) and the lower membership function (*LMF*), and are denoted by $\overline{\mu}_{\widetilde{SC}_{lk}}$ and μ $-\widetilde{SC}_{lk}$.

Definition 4 [Sinha et al. [\(2016\)](#page-22-20)]: An interval type-2 fuzzy number is called interval type-2 trapezoidal fuzzy number where the UMF and LMF are both trapezoidal fuzzy numbers, *i.e.,*

$$
\widetilde{SC}_{ik} = (SC_{ik}^{U}, SC_{ik}^{L}) = (((SC_{ik}^{U})_{1}, (SC_{ik}^{U})_{2}, (SC_{ik}^{U})_{3}, (SC_{ik}^{U})_{4}) : H_{1}(SC_{ik}^{U}), H_{2}(SC_{ik}^{U})),
$$

$$
(((SC_{ik}^{L})_{1}, (SC_{ik}^{L})_{2}, (SC_{ik}^{L})_{3}, (SC_{ik}^{L})_{4}) : H_{1}(SC_{ik}^{L}), H_{2}(SC_{ik}^{L}))
$$
\n(10)

where, $H_r(SC^U_{lk})$ and $H_r(SC^L_{lk})$, $(r=1,2)$ denote membership values of the corresponding elements respectively.

Definition 5 [Sinha et al. [\(2016](#page-22-20))]: Defuzzification of Interval Type-2 Trapezoidal Fuzzy Number.

Let us consider an interval type-2 trapezoidal fuzzy number \overline{SC}_{lk} , given by Eq. ([10\)](#page-8-0). The expected value of interval type-2 trapezoidal fuzzy number is SC_{lk} defined as follows:

$$
E(\widetilde{SC}_{lk}) = \frac{1}{2} \left(\frac{1}{4} \sum_{r=1}^{4} \left(\left(SC_{lk}^{U} \right)_{r} + \left(SC_{lk}^{L} \right)_{r} \right) \times \frac{1}{4} \sum_{r=1}^{2} \left(\left(\left(H_{r} \left(SC_{lk}^{U} \right) \right) + \left(H_{r} \left(SC_{lk}^{L} \right) \right) \right) \right) \right) \tag{11}
$$

Similarly, the same defnition holds for other types of fuzzy parameters \widetilde{SC}_{ki} , \widetilde{SC}_{ki} , \widetilde{SC}_{ji} , \widetilde{DT}_{ki} , \widetilde{DT}_{ki} , and \widetilde{DT}_{ji} respectively. Using the above-defned defnitions of Interval Type-2 Trapezoidal Fuzzy Number, the crisp transformation of the considered fuzzy parameters of objective functions can be presented as:

$$
Min\widetilde{Z}_1 = \sum_{l=1}^L \sum_{k=1}^K \widetilde{SC}_{lk} U_{lk} + \sum_{k=1}^K \sum_{j=1}^J \widetilde{SC}_{kj} X_{kj} + \sum_{k=1}^K \sum_{i=1}^I \widetilde{SC}_{ki} Y_{ki} + \sum_{j=1}^J \sum_{i=1}^I \widetilde{SC}_{ji} V_{ji},
$$

To show the crisp transformation of the frst objective function in a precise manner, we have divided the above objective function into four parts:

1st part of objective function Z_1 can be presented as:

$$
= \sum_{l=1}^{L} \sum_{k=1}^{K} \widetilde{SC}_{lk} U_{lk},
$$

\n
$$
= \sum_{l=1}^{L} \sum_{k=1}^{K} (SC_{lk}^{U}, SC_{lk}^{L}) U_{lk},
$$

\n
$$
= \sum_{l=1}^{L} \sum_{k=1}^{K} \left(((SC_{lk})_{1}, (SC_{lk})_{2}, (SC_{lk})_{3}, (SC_{lk})_{4}) : H_{1}(SC_{lk}^{U}), H_{2}(SC_{lk}^{U})) \right) U_{lk},
$$

\n
$$
= \sum_{l=1}^{L} \sum_{k=1}^{K} \left(((SC_{lk}^{U})_{1}, (SC_{lk})_{2}, (SC_{lk}^{U})_{3}, (SC_{lk})_{4}) : H_{1}(SC_{lk}^{L}), H_{2}(SC_{lk}^{L})) \right) U_{lk},
$$

$$
= \sum_{l=1}^{L} \sum_{k=1}^{K} \frac{1}{2} \left(\frac{1}{4} \sum_{r=1}^{4} \left(\left(\left(SC_{lk}^{U} \right)_{r} + \left(SC_{lk}^{L} \right)_{r} \right) \right) \times \frac{1}{4} \sum_{r=1}^{2} \left(\left(\left(H_{r} \left(SC_{lk}^{U} \right) \right) + \left(H_{r} \left(SC_{lk}^{L} \right) \right) \right) \right) U_{lk},
$$

2nd part of objective function $Z₁$ can be presented as:

$$
= \sum_{k=1}^{K} \sum_{j=1}^{J} \widetilde{SC}_{kj} X_{kj},
$$

\n
$$
= \sum_{k=1}^{K} \sum_{j=1}^{J} \left(SC_{kj}^{U}, SC_{kj}^{L} \right) X_{kj},
$$

\n
$$
= \sum_{k=1}^{K} \sum_{j=1}^{J} \left(\left(\left(SC_{kj}^{U} \right)_{1}, \left(SC_{kj}^{U} \right)_{2}, \left(SC_{kj}^{U} \right)_{3}, \left(SC_{kj}^{U} \right)_{4} \right) : H_{1} \left(SC_{kj}^{U} \right), H_{2} \left(SC_{kj}^{U} \right) \right),
$$

\n
$$
= \sum_{k=1}^{K} \sum_{j=1}^{J} \left(\left(\left(SC_{kj}^{L} \right)_{1}, \left(SC_{kj}^{L} \right)_{2}, \left(SC_{kj}^{L} \right)_{3}, \left(SC_{kj}^{L} \right)_{4} \right) : H_{1} \left(SC_{kj}^{L} \right), H_{2} \left(SC_{kj}^{L} \right) \right) \right) X_{kj},
$$

\n
$$
= \sum_{k=1}^{K} \sum_{j=1}^{J} \frac{1}{2} \left(\frac{1}{4} \sum_{r=1}^{4} \left(\left(\left(SC_{kj}^{U} \right)_{r} + \left(SC_{kj}^{L} \right)_{r} \right) \right) \times \frac{1}{4} \sum_{r=1}^{2} \left(\left(\left(H_{r} \left(SC_{kj}^{U} \right) \right) + \left(H_{r} \left(SC_{kj}^{L} \right) \right) \right) \right) X_{kj},
$$

3rd part of objective function $Z₁$ can be presented as:

$$
= \sum_{k=1}^{K} \sum_{i=1}^{I} \widetilde{SC}_{ki} Y_{ki},
$$

\n
$$
= \sum_{k=1}^{K} \sum_{i=1}^{I} (SC_{ki}^{U}, SC_{ki}^{L}) Y_{ki},
$$

\n
$$
= \sum_{k=1}^{K} \sum_{i=1}^{I} \left(((sc_{ki}^{U})_{1}, (sc_{ki}^{U})_{2}, (sc_{ki}^{U})_{3}, (sc_{ki}^{U})_{4}) H_{1}(sc_{ki}^{U}), H_{2}(sc_{ki}^{U}) \right),
$$

\n
$$
= \sum_{k=1}^{K} \sum_{i=1}^{I} \frac{1}{2} \left(\frac{1}{4} \sum_{r=1}^{4} (((sc_{ki}^{U})_{r} + (sc_{ki}^{L})) \times \frac{1}{4} \sum_{r=1}^{2} (((H_{r}(sc_{ki}^{U})) + (H_{r}(sc_{ki}^{L}))))) \right) Y_{ki},
$$

4th part of objective function $Z₁$ can be presented as:

$$
=\sum_{j=1}^J\sum_{i=1}^I\widetilde{SC}_{ji}V_{ji},
$$

$$
= \sum_{j=1}^{J} \sum_{i=1}^{I} \left(SC_{Ji}^{U}, SC_{ki}^{L} \right) V_{ji},
$$

\n
$$
= \sum_{j=1}^{J} \sum_{i=1}^{I} \left(\left(\left(SC_{ji}^{U} \right)_{1}, \left(SC_{ji}^{U} \right)_{2}, \left(SC_{ji}^{U} \right)_{3}, \left(SC_{ji}^{U} \right)_{4} \right) : H_{1} \left(SC_{ji}^{U} \right) , H_{2} \left(SC_{ji}^{U} \right) \right), \right) V_{ji},
$$

\n
$$
= \sum_{j=1}^{J} \sum_{i=1}^{I} \frac{1}{2} \left(\frac{1}{4} \sum_{r=1}^{4} \left(\left(\left(SC_{ji}^{U} \right)_{r} + \left(SC_{ji}^{L} \right)_{r} \right) \right) \times \frac{1}{4} \sum_{r=1}^{2} \left(\left(\left(H_{r} \left(SC_{ji}^{U} \right) \right) + \left(H_{r} \left(SC_{ji}^{L} \right) \right) \right) \right) V_{ji},
$$

Similarly, the 1st part of objective function Z_2 can be presented as:

$$
= \sum_{k=1}^{K} \sum_{j=1}^{J} \widetilde{DT}_{kj} X_{kj},
$$

\n
$$
= \sum_{k=1}^{K} \sum_{j=1}^{J} \left(DT_{kj}^{U}, DT_{kj}^{L}\right) X_{kj},
$$

\n
$$
= \sum_{k=1}^{K} \sum_{j=1}^{J} \left(\left(\left(\left(DT_{kj}^{U}\right)_{1}, \left(DT_{kj}^{U}\right)_{2}, \left(DT_{kj}^{U}\right)_{3}, \left(DT_{kj}^{U}\right)_{4}\right) : H_{1}\left(DT_{kj}^{U}\right), H_{2}\left(DT_{kj}^{U}\right) \right), \right)
$$

\n
$$
= \sum_{k=1}^{K} \sum_{j=1}^{J} \left(\left(\left(\left(DT_{kj}^{L}\right)_{1}, \left(DT_{kj}^{L}\right)_{2}, \left(DT_{kj}^{L}\right)_{3}, \left(DT_{kj}^{L}\right)_{4}\right) : H_{1}\left(DT_{kj}^{L}\right), H_{2}\left(DT_{kj}^{L}\right) \right) \right) \right) X_{kj},
$$

\n
$$
= \sum_{k=1}^{K} \sum_{j=1}^{J} \left(\left(\left(DT_{kj}^{U}\right)_{r} + \left(DT_{kj}^{L}\right)_{r} \right) \right) \times \frac{1}{4} \sum_{r=1}^{2} \left(\left(\left(H_{r}\left(DT_{kj}^{U}\right) \right) + \left(H_{r}\left(DT_{kj}^{L}\right) \right) \right) \right) X_{kj},
$$

2nd part of objective function Z_2 can be presented as:

$$
= \sum_{k=1}^{K} \sum_{i=1}^{I} \widetilde{DT}_{ki} Y_{ki},
$$

\n
$$
= \sum_{k=1}^{K} \sum_{i=1}^{I} (DT_{ki}^{U}, DT_{ki}^{L}) Y_{ki},
$$

\n
$$
= \sum_{k=1}^{K} \sum_{i=1}^{I} \left(((\binom{DT_{ki}^{U}}{i_{1}} \cdot (DT_{ki}^{U})_{2} \cdot (DT_{ki}^{U})_{3} \cdot (DT_{ki}^{U})_{4}) \cdot H_{1}(DT_{ki}^{U}) \cdot H_{2}(DT_{ki}^{U}) \right),
$$

\n
$$
= \sum_{k=1}^{K} \sum_{i=1}^{I} \frac{1}{2} \left(\frac{1}{4} \sum_{r=1}^{4} (((DT_{ki}^{U})_{r} + (DT_{ki}^{L})_{r})) \times \frac{1}{4} \sum_{r=1}^{2} (((H_{r}(DT_{ki}^{U})) + (H_{r}(DT_{ki}^{L})))) \right) Y_{ki},
$$

\n
$$
= 2 \cdot 4 \text{ mod of of this of, of, with } 7 \text{ mod the second of, } 4 \text{ mod of } 8.
$$

3rd part of objective function Z_2 can be presented as:

$$
=\sum_{j=1}^J\sum_{i=1}^I\widetilde{DT}_{ji}V_{ji},
$$

K

$$
= \sum_{j=1}^{J} \sum_{i=1}^{I} \left(DT_{Ji}^{U}, DT_{ki}^{L}\right) V_{ji},
$$

\n
$$
= \sum_{j=1}^{J} \sum_{i=1}^{I} \left(\left(\left(\left(DT_{ji}^{U}\right)_{1}, \left(DT_{ji}^{U}\right)_{2}, \left(DT_{ji}^{U}\right)_{3}, \left(DT_{ji}^{U}\right)_{4}\right) ; H_{1}\left(DT_{ji}^{U}\right) , H_{2}\left(DT_{ji}^{U}\right) \right), \right)
$$

\n
$$
= \sum_{j=1}^{J} \sum_{i=1}^{I} \frac{1}{2} \left(\frac{1}{4} \sum_{r=1}^{4} \left(\left(\left(DT_{ji}^{U}\right)_{r} + \left(DT_{ji}^{L}\right)_{r} \right) \right) \times \frac{1}{4} \sum_{r=1}^{2} \left(\left(\left(H_{r}\left(OT_{ji}^{U}\right) \right) + \left(H_{r}\left(DT_{ji}^{L}\right) \right) \right) \right) \right) V_{ji},
$$

In most of the real scenarios, we may have the difficulty of having a partial knowledge of the input values of some or all of the parameters; such a situation falls under probabilistic or stochastic programming. In this circumstance, a solution which is feasible for all potential parameters and which can serve to optimize a set of the specifed objective function can be considered, if the parameters are uncertain, however presumed to be in certain potential values. Here we explored a scenario in which the demand and supply parameters of the agri-food SCN is probabilistic or random in nature and follows a gamma distribution. The importance of gamma distribution has been observed in several felds such as reliability, engineering, operational research etc. The Gamma distribution has two-parameters which belong to a continuous probability distribution. Gamma distribution has been used for modelling the aggregated volume size of the real-world problems. Gamma distribution is widely utilized for a wide range of applications, including insurance claims, forecasting of rainfall, satellite connectivity, oncology, neurology, microbial energy metabolism, genetics, etc. Many authors have been worked on this distribution in many areas such as, Harter et al. [\(1965\)](#page-21-32) examined the parameter evaluation problem for the populations of gamma and weibull distributions with completion and censoring of the samples. Choi and Wette ([1969\)](#page-21-33), Coit and Jin [\(2000\)](#page-21-34), and Zaigraev and Karakulska ([2009](#page-22-21)) obtained the estimated parameter's of the samples when the samples followed the gamma distribution. In the light of the above situations, the uncertain formulation of the agri-food SCN problem with fuzziness and randomness is conventionally expressed as:

Model (3)

$$
Min\widetilde{Z}_{1} = \sum_{i=1}^{L} \sum_{k=1}^{K} \widetilde{SC}_{ik}U_{ik} + \sum_{k=1}^{K} \sum_{j=1}^{J} \widetilde{SC}_{kj}X_{kj} + \sum_{k=1}^{K} \sum_{i=1}^{I} \widetilde{SC}_{ki}Y_{ki} + \sum_{j=1}^{J} \sum_{i=1}^{I} \widetilde{SC}_{ji}V_{ji}
$$

$$
Min\widetilde{Z}_{2} = \sum_{k=1}^{K} \sum_{j=1}^{J} \widetilde{DT}_{kj}X_{kj} + \sum_{k=1}^{K} \sum_{i=1}^{I} \widetilde{DT}_{ki}Y_{ki} + \sum_{j=1}^{J} \sum_{i=1}^{I} \widetilde{DT}_{ji}V_{ji}
$$

Subject to

$$
\Pr\left(\sum_{k=1}^{K} U_{lk} \le S_l\right) \ge 1 - \gamma_l, \ \forall l = 1, 2, ..., L
$$

$$
\sum_{i=1}^{I} Y_{ki} + \sum_{j=1}^{J} X_{kj} \le P_k, \forall k = 1, 2, ..., K
$$
\n
$$
\sum_{i=1}^{I} V_{ji} \le W_j, \forall j = 1, 2, ..., J
$$
\n
$$
\Pr\left(\sum_{j=1}^{J} V_{ji} + \sum_{k=1}^{K} Y_{ki} \ge D_i\right) \ge 1 - \beta_i, \forall i = 1, 2, ..., I
$$
\n
$$
\sum_{l=1}^{L} U_{lk} \ge \sum_{j=1}^{J} X_{kj} + \sum_{i=1}^{I} Y_{ki}, \forall k = 1, 2, ..., K
$$
\n
$$
\sum_{k=1}^{K} X_{kj} \ge \sum_{i=1}^{I} V_{ji}, \forall j = 1, 2, ..., J
$$
\n
$$
U_{lk} \ge 0, \forall l, k,
$$
\n
$$
X_{kj} \ge 0, \forall k, j,
$$
\n
$$
Y_{ki} \ge 0, \forall k, i,
$$
\n
$$
V_{ji} \ge 0, \forall j, i.
$$

where $0 < \gamma_l < 1$ and $0 < \beta_i < 1$, are the specified probability levels associated with demand and supply constraints. We assume that this probabilistic constraint follows a Gamma distribution. The probability density function of Gamma distribution with shape α and scale θ parameter is given by:

 $f(x) = \frac{1}{\theta^{\alpha} \Gamma \alpha} x^{\alpha - 1} e^{-\frac{x}{\theta}}, x \ge 0, \alpha > 0, \theta > 0.$

Since we have considered the problem of MOAFSCN under probabilistic environment also, two diferent cases occur for probabilistic constraints when it follows Gamma distribution, which can be presented as:

Case I When
$$
Pr\left(\sum_{k=1}^{K} U_{lk} \le S_l\right) \ge 1 - \gamma_l, l = 1, 2, ..., L
$$

or, $Pr\left(\sum_{k=1}^{K} U_{lk} \ge S_l\right) \le \gamma_l, l = 1, 2, ..., L$

The probability density function of S_l ($l = 1, 2, ..., L$) is given by

$$
f(S_l, \theta_l, \alpha_l) = \frac{1}{\theta_l^{\alpha_l} \Gamma \alpha_l} S_l^{\alpha_l - 1} e^{-\frac{S_l}{\theta_l}}, \quad S_l \ge 0, \quad \alpha_l > 0, \quad \theta_l > 0
$$
\n
$$
(12)
$$

Hence, the probabilistic constraint can be presented as:

$$
\int_{\sum_{k=1}^{K} U_{lk}}^{\infty} f(S_l, \theta_l, \alpha_l) d(S_l) \leq \gamma_l, \ l = 1, 2, ..., L
$$
\n(13)

Equation (13) (13) can be expressed in the integral form as:

$$
\int_{\sum_{k=1}^{K} U_{lk}}^{\infty} \frac{1}{\theta_l^{\alpha_l} \Gamma \alpha_l} S_l^{\alpha_l - 1} e^{-\frac{S_l}{\theta_l}} d(S_l) \le \gamma_l, \ l = 1, 2, ..., L
$$
\n(14)

Let,

$$
\frac{S_l}{\theta_l} = y \Rightarrow \ dS_l = \theta_l dy \tag{15}
$$

Using Eq. (15) (15) , the integral can be further presented as:

$$
\int_{\sum_{k=1}^{K} U_{lk}}^{\infty} \frac{1}{\theta_l^{\alpha_l} \Gamma \alpha_l} (\theta_l y)^{\alpha_l - 1} e^{-y} \theta_l dy \le \gamma_l, \ l = 1, 2, ..., L
$$
\n(16)

On rearranging, we obtain

$$
\frac{1}{\Gamma \alpha_l} \int_{\sum_{k=1}^{K} U_{lk}}^{\infty} y^{\alpha_l - 1} e^{-y} dy \le \gamma_l, \quad l = 1, 2, ..., L
$$
\n(17)

where $\Gamma_a(x) =$ ∞ $\int t^{a-1}e^{-t}dt$ an upper incomplete Gamma *x* function.

After simplifcation, we obtain

$$
\frac{1}{\Gamma \alpha_l} \Gamma_{\alpha_l} \left(\frac{\sum_{k=1}^K U_{lk}}{\theta_l} \right) \leq \gamma_l, \quad l = 1, 2, ..., L
$$

After rearranging, we obtain

$$
\frac{\sum_{k=1}^{K} U_{lk}}{\theta_{l}} \le \Gamma_{\alpha_{l}}^{-1} (\Gamma \alpha_{l} \gamma_{l}), \quad l = 1, 2, ..., L
$$
\n(18)

Finally, the probabilistic constraint can be transformed into a deterministic linear constraint as:

$$
\sum_{k=1}^{K} U_{lk} \leq \theta_l \Gamma_{\alpha_l}^{-1} (\Gamma \alpha_l \gamma_l), \quad l = 1, 2, ..., L
$$
 (19)

where $\Gamma_w^{-1}(u) = \{x : u = \Gamma_w(x)\}$ is an inverse gamma function solved by using R software.

C a s e I I W h e n P r
$$
\left(\sum_{j=1}^{J} V_{ji} + \sum_{k=1}^{K} Y_{ki} \geq D_i\right) \geq 1 - \beta_i, \quad i = 1, 2, ..., I
$$

The probability density function of D_i $(i = 1, 2, ..., I)$ is given by

$$
f(D_i, \theta_i t, \alpha_i t) = \frac{1}{\theta t_i^{\alpha_i t} \Gamma \alpha_i t} D_i^{\alpha_i t - 1} e^{-\frac{D_i}{\theta_i t}}, \ D_i \ge 0, \ \alpha_i t > 0, \ \theta_i t > 0
$$
\n(20)

Hence, the probabilistic constraint can be presented as:

$$
\int_{\sum_{j=1}^{J} V_{ji} + \sum_{k=1}^{K} Y_{ki}}^{\infty} f(D_i, \theta_i', \alpha_i') d(D_i) \ge 1 - \beta_i, \quad i = 1, 2, ..., I
$$
\n(21)

Equation (21) (21) can be expressed in the integral form as:

$$
\int_{\sum_{j=1}^{l} V_{ji} + \sum_{k=1}^{K} Y_{ki}}^{\infty} \frac{1}{\theta r_i^{\alpha_i} \Gamma \alpha_i t} D_i^{\alpha_i t - 1} e^{-\frac{D_i}{\theta_i t}} d(D_i) \ge 1 - \beta_i, \ i = 1, 2, ..., I
$$
\n(22)

Let,

$$
\frac{D_i}{\theta_i \prime} = y' \Rightarrow dD_i = \theta'_i dy \text{ and } \sum_{j=1}^J V_{ji} + \sum_{k=1}^K Y_{ki} = S \qquad (23)
$$

Using Eq. (23) , the integral can be further presented as:

$$
\int_{S/\theta_{i'}}^{\infty} \frac{1}{\theta t_{i}^{\alpha_{i'}} \Gamma \alpha_{i'}} (y'\theta_{i'})^{\alpha_{i'}-1} e^{-y'} \theta_{i'} d(y') \ge 1 - \beta_{i}, \ i = 1, 2, ..., I
$$
\n(24)

On rearranging, we obtain

$$
\frac{1}{\Gamma \alpha_i!} \int_{S/\theta_i}^{\infty} (y!)^{\alpha_i - 1} e^{-y'} d(y') \ge 1 - \beta_i, \ i = 1, 2, ..., I
$$
 (25)

After simplifcation, we get

$$
\frac{1}{\Gamma \alpha_i \prime} \Gamma_{\alpha_i} \left(\frac{S}{\theta_i \prime} \right) \ge 1 - \beta_i, \quad i = 1, 2, ..., l
$$

or,

$$
\frac{1}{\Gamma \alpha_i \Gamma} \Gamma_{\alpha_i} \left(\frac{\sum_{j=1}^{J} V_{ji} + \sum_{k=1}^{K} Y_{ki}}{\theta_i \Gamma} \right) \ge 1 - \beta_i, \quad i = 1, 2, ..., I
$$

After rearranging, we obtain

$$
\frac{\sum_{j=1}^{J} V_{ji} + \sum_{k=1}^{K} Y_{ki}}{\theta_i!} \ge \Gamma_{\alpha_i}^{-1} ((\Gamma \alpha_i / (1 - \beta_i))), \quad i = 1, 2, ..., I \quad (26)
$$

Thus fnally, the probabilistic constraints can be transformed into a deterministic linear constraint as:

$$
\sum_{j=1}^{J} V_{ji} + \sum_{k=1}^{K} Y_{ki} \le \theta_i \left(\Gamma_{\alpha_i}^{-1} \left(\Gamma \alpha_i \left((1 - \beta_i) \right) \right) \right), \quad i = 1, 2, ..., I
$$
\n(27)

where $\Gamma_w^{-1}(u) = \{x : u = \Gamma_w(x)\}\$ is an inverse Gamma function solved by using R software. The solution obtained from the MOAFSCN will be the compromised quantity to be transported from diferent sources to diferent destination i.e., diferent sources to diferent agent/brokers, diferent agent/brokers to diferent wholesalers, diferent wholesalers to diferent retailers, and from diferent agent/brokers to different retailers. For multi-objective, the concept of optimum with several objective functions changes because in multiobjective problems the aim is to fnd a good compromised solution. Belhoul et al. ([2014](#page-20-14)) stated that "the compromised solution is a feasible solution, which is the closest to the ideal, and a compromised means an agreement established by mutual concessions". In this study, we have used two diferent types of approach for getting the optimized result, which are discussed below.

3.3 The value function approach

The value function approach is a method that refects the preferences of a decision-maker when dealing with objective vectors. Different decision-makers working on the same problem may have distinct value functions, and this approach provides a systematic way to order the objective functions based on these preferences. Value functions are not only explicitly used to solve multi-objective optimization problems but also play a crucial role as a theoretical framework in the development of solution methods. It is often assumed that the value function is implicitly known in many multi-objective optimization problems, and based on this knowledge, it is selected by the decision-maker (Zionts [1997a](#page-22-22)[,b](#page-22-23)).

One of the primary advantages of the value function approach is that it provides a structured and intuitive means for decision-makers to express their preferences and make informed choices when faced with multiple conflicting objectives. Additionally, value functions are versatile and can accommodate various types of objective functions, making them applicable to a wide range of real-world problems.

Furthermore, value functions are generally presumed to exhibit a decreasing nature, meaning that a decision-maker's preference will increase if the value of an objective function decreases, while keeping all other objective values constant (Rosenthal [1985\)](#page-22-24). This inherent property of value functions simplifes the decision-making process and aids in identifying optimal solutions that align with the decision-maker's preferences. The Model (3) may be expressed as a value function approach:

Minimize
$$
\varphi\left(\sum_{i=1}^{T} \tilde{Z}_{i}\right)
$$
.
\nSubject to $\Pr\left(\sum_{k=1}^{K} U_{lk} \le S_{l}\right) \ge 1 - \gamma_{l}, \forall l = 1, 2, ..., L$
\n
$$
\sum_{i=1}^{I} Y_{ki} + \sum_{j=1}^{J} X_{kj} \le P_{k}, \forall k = 1, 2, ..., K
$$

\n
$$
\sum_{i=1}^{I} V_{ji} \le W_{j}, \forall j = 1, 2, ..., J
$$

\n
$$
\Pr\left(\sum_{j=1}^{J} V_{ji} + \sum_{k=1}^{K} Y_{ki} \ge D_{i}\right) \ge 1 - \beta_{i}, \forall i = 1, 2, ..., I
$$

$$
\sum_{l=1}^{L} U_{lk} \ge \sum_{j=1}^{J} X_{kj} + \sum_{i=1}^{I} Y_{ki},
$$
\n
$$
\sum_{k=1}^{K} X_{kj} \ge \sum_{i=1}^{I} V_{ji}, \quad \forall j = 1, 2, ..., J
$$

$$
U_{lk} \ge 0, \forall l, k,
$$

\n
$$
X_{kj} \ge 0, \forall k, j,
$$

\n
$$
Y_{ki} \ge 0, \forall k, i,
$$

\n
$$
V_{ji} \ge 0, \forall j, i.
$$

 $k=1$

where $\varphi(.)$ is a scalar function which summarizes each objective function's significance. The value function $\varphi(.)$ takes an appropriate value to the nature of the optimization problem for each problem. In this article, we define $\varphi(.)$ as the weighted sum of squared of both the functions. Model (3) under this conjecture becomes: *T*

Minimize
$$
\sum_{t=1} \lambda_t \tilde{Z}_t
$$
.
\nSubject to
\n
$$
\Pr\left(\sum_{k=1}^K U_{lk} \le S_l\right) \ge 1 - \gamma_l, \ \forall l = 1, 2, ..., L
$$

$$
\sum_{i=1}^{I} Y_{ki} + \sum_{j=1}^{J} X_{kj} \le P_k, \forall k = 1, 2, ..., K
$$
\n
$$
\sum_{i=1}^{I} V_{ji} \le W_j, \forall j = 1, 2, ..., J
$$
\n
$$
\Pr\left(\sum_{j=1}^{J} V_{ji} + \sum_{k=1}^{K} Y_{ki} \ge D_i\right) \ge 1 - \beta_i, \forall i = 1, 2, ..., I
$$
\n
$$
\sum_{l=1}^{L} U_{lk} \ge \sum_{j=1}^{J} X_{kj} + \sum_{i=1}^{I} Y_{ki},
$$
\n
$$
\sum_{k=1}^{K} X_{kj} \ge \sum_{i=1}^{I} V_{ji}, \forall j = 1, 2, ..., J
$$
\n
$$
U_{lk} \ge 0, \forall l, k,
$$
\n
$$
X_{kj} \ge 0, \forall k, i,
$$
\n
$$
Y_{ji} \ge 0, \forall k, i,
$$
\n
$$
V_{ji} \ge 0, \forall j, i.
$$
\nwhere $\sum_{i=1}^{2} \lambda_i = 1, \lambda_i \ge 0, \forall t = 1, 2, ..., T$ are the weights according to the relative importance of the objective functions. The step by step procedure of using the value function approach can be easily understood from (Ghomi-Avili et al.

3.4 The ϵ constraint approach

[2019](#page-21-31); Ghufran et al. [2020\)](#page-21-35).

J

The ε-constraint approach, as introduced by Haimes et al. ([1971\)](#page-21-36), involves selecting a single objective function for optimization, while imposing upper bounds on all other objectives. In this method, decision-makers are required to identify the most critical objective function. The advantage of this approach lies in its ability to simplify decisionmaking and provide a clear focus on the primary objective, streamlining the optimization process and facilitating more straightforward, informed choices. Additionally, by reducing the complexity associated with multi-objective optimization, it enhances the decision-maker's ability to manage and understand trade-ofs among various objectives, ultimately aiding in the development of more efficient and efective solutions. The problem of acquiring a compromise solution can be expressed under this approach as:

Minimize \tilde{Z}_t , $t = 1, 2, \dots, T$ Subject to

$$
\tilde{Z}_r \le \tilde{z}_r, \ r \ne t, \ r = 1, 2, ..., t - 1
$$
\n
$$
\Pr\left(\sum_{k=1}^K U_{lk} \le S_l\right) \ge 1 - \gamma_l, \ \forall l = 1, 2, ..., L
$$
\n
$$
\sum_{i=1}^I Y_{ki} + \sum_{j=1}^J X_{kj} \le P_k, \ \forall k = 1, 2, ..., K
$$

$$
\sum_{i=1}^{I} V_{ji} \le W_j, \quad \forall j = 1, 2, ..., J
$$
\n
$$
\Pr\left(\sum_{j=1}^{J} V_{ji} + \sum_{k=1}^{K} Y_{ki} \ge D_i\right) \ge 1 - \beta_i, \quad \forall i = 1, 2, ..., I
$$
\n
$$
\sum_{l=1}^{L} U_{lk} \ge \sum_{j=1}^{J} X_{kj} + \sum_{i=1}^{I} Y_{ki},
$$

$$
\sum_{k=1}^{K} X_{kj} \ge \sum_{i=1}^{I} V_{ji}, \ \ \forall j = 1, 2, ..., J
$$

*U*_{*k*} ≥ 0, \forall *l*, *k*, X_{ki} ≥ 0, ∀ *k*, *j*, $Y_{ki} \geq 0, \forall k, i$, $V_{ii} \geq 0, \forall j, i.$

where the *tth* objective function, $t \in \{1, 2, ..., t-1\}$, is assumed to be most important and *rth* is a predetermined bound for the *t−1* remaining objective functions that have the least importance. In practice, \tilde{z}_r is nothing but one of the solutions from two objective function that have the least importance according to the decision-maker, can be obtained as:

Minimize
$$
\tilde{z}_r
$$
, $r = 1, 2, ..., t - 1$.
\nSubject to $\Pr\left(\sum_{k=1}^K U_{lk} \le S_l\right) \ge 1 - \gamma_l, \ \forall l = 1, 2, ..., L$
\n
$$
\sum_{i=1}^I Y_{ki} + \sum_{j=1}^J X_{kj} \le P_k, \ \forall k = 1, 2, ..., K
$$

$$
\sum_{i=1}^{I} V_{ji} \le W_j, \ \forall j = 1, 2, ..., J
$$
\n
$$
\Pr\left(\sum_{j=1}^{J} V_{ji} + \sum_{k=1}^{K} Y_{ki} \ge D_i\right) \ge 1 - \beta_i, \ \forall i = 1, 2, ..., I
$$
\n
$$
\sum_{l=1}^{L} U_{lk} \ge \sum_{j=1}^{J} X_{kj} + \sum_{i=1}^{I} Y_{ki},
$$

$$
\sum_{k=1}^{K} X_{kj} \ge \sum_{i=1}^{I} V_{ji}, \quad \forall j = 1, 2, ..., J
$$

$$
U_{lk} \ge 0, \quad \forall \ l, k,
$$

$$
X_{kj} \ge 0, \quad \forall k, j,
$$

$$
Y_{ki} \ge 0, \quad \forall k, i,
$$

$$
V_{ji} \ge 0, \quad \forall j, i.
$$

K

The step by step procedure of using the ϵ —constraint approach can be easily understood from (Liu and Papageorgiou [2013;](#page-21-37) Mohebalizadehgashti et al. [2020\)](#page-21-38).

4 Case illustration: agri‑food supply chain network design

To explain the above algorithm, we applied our proposed model to a distribution network of agricultural products in India. In the food industry, freshness and quality of products are the most important criteria to satisfy customers. Customers always opt for fresh food items at all times. In the recent past, demand for Agri-food products has been continuously increasing. The network of the Agri-food SC, which used to be marked mainly by fexibility and agent sovereignty, is now moving rapidly into integrated networks with a broad variety of complex connections. Maintaining a fresh SC in the face of rising economic and regulatory stresses is a challenge for suppliers, brokers, wholesalers and retailers. In India, linking and convergence in the SC between the diferent players play a very important role in making the entire SC productive and competitive. But there is a shortage of forwarding and backward alignment between the farmers and other stakeholders in the SC of the Agri-food sector in India. Higher amounts of food processing is resulting in low fruit and vegetable wastage. The agri-food SC requires

Fig. 1 Agri-food supply chain

Table 2 The fuzzy shipping cost of a single unit from diferent supply sources to diferent agent/brokers

* shipping cost in thousands of rupees

*Shipping cost in thousands of rupees

Table 4 The fuzzy shipping cost of a single unit from diferent agents/brokers to diferent wholesalers

Agent/broker	Wholesalers							
						6		
	((295,305,315,325;0.92,0.93))	((145, 155, 165, 175, 0.90, 0.91))	((200, 210, 220, 230, 0.86, 0.87))	((200, 210, 220, 230, 0.86, 0.87))	((120, 130, 140, 150, 0.87, 0.88))	((295,305,315,325;0.92,0.93))		
	(290,300,310,320;0.93,0.94))	(140, 150, 160, 170, 0.91, 0.92))	(195,205,215,225;0.87,0.88))	(195,205,215,225;0.87,0.88))	(115, 125, 135, 145, 0.88, 0.89)	(290,300,310,320;0.93,0.94))		
	((390, 400, 410, 420, 0.90, 0.91))	((120, 130, 140, 150, 0.87, 0.88))	((200, 210, 220, 230, 0.86, 0.87))	((240, 250, 260, 270, 0.90, 0.91))	(270.280.290.300:0.86.0.87)	(310,320,330,340;0.91,0.92)		
	(385,395,405,415;0.91,0.92))	(115, 125, 135, 145, 0.88, 0.89))	(195,205,215,225;0.87,0.88))	(235, 245, 255, 265, 0.91, 0.92))	(265, 275, 285, 295, 0.87, 0.88))	(305,315,325,335;0.92,0.93))		
	((540, 550, 560, 570, 0.86, 0.87))	((145, 155, 165, 175, 0.90, 0.91))	((200, 210, 220, 230, 0.86, 0.87))	((295,305,315,325;0.92,0.93))	((240, 250, 260, 270, 0.90, 0.91)	((295,305,315,325;0.92,0.93))		
	(535,545,555,565;0.87,0.88))	(140, 150, 160, 170, 0.91, 0.92))	(195,205,215,225;0.87,0.88))	(290,300,310,320;0.93,0.94))	(235, 245, 255, 265, 0.91, 0.92))	(290,300,310,320;0.93,0.94))		
$\overline{4}$	((640,650,660,670;0.89,0.90))	((340,350,360,370,0.92,0.93))	((295,305,315,325;0.92,0.93))	((170, 190, 210, 230; 0.91, 0.92))	((295,305,315,325;0.92,0.93))	((310,320,330,340;0.91,0.92))		
	(635, 645, 655, 665, 0.90, 0.91)	(335,345,355,365;0.93,0.94))	(290,300,310,320;0.93,0.94))	(160, 180, 200, 220, 0.92, 0.93)	(290,300,310,320;0.93,0.94))	(305,315,325,335;0.92,0.93))		

*Shipping cost in thousands of rupees

a massive transportation system to ship the processed food at the minimum time to diferent destinations. However, as compared to other countries, food processing in India is very weak and has a huge scope for improvement.

To show the efficacy of the developed model of Agri-food SCN, a numerical instance is selected with multiple producers, agent/brokers, wholesalers, and retailers respectively. We took an examples to model and optimize a problem for

*Shipping cost in thousands of rupees

the Agri-food SCN with some imprecise data taken into account which is represented by the interval type-2 triangular fuzzy numbers. Based on the availability of some past research, we transformed the deterministic data into uncertainty and represented it with interval type-2 triangular fuzzy numbers. An Agri-food SCN consists of multiple producers, agent/brokers, wholesalers, and retailers, in different geographical regions or locations. In this problem, we have considered a multi-staged Agri-food SCN scenario in which a logistics company is dealing with the transportation of products from multiple producers to multiple retailers. It is assumed that fve diferent producers are shipping the

Table 6 The fuzzy delivery time of a single unit from the different agent/brokers to different retailers

Agent/broker	Retaile

*Delivery time in hours

Table 7 Fuzzy delivery time of single unit from diferent agent/ brokers to diferent wholesalers

*Delivery time in hours

Agent/broker Wholesalers

Table 8 The fuzzy delivery time of a single unit from a diferent wholesaler to diferent retailers

Wholesalers	Retailers								
	$\mathbf{1}$	\overline{c}	3	$\overline{4}$	5	6	τ	8	
	((15, 17, 19, 21;	((15, 17, 19, 21;	((20, 22, 24, 26))	((25,27,29,31;	((20, 22, 24, 26))	((20, 22, 24, 26))	((30,32,34,36))	((30,32,34,36;	
	0.81, 0.82	0.81, 0.82	0.90, 0.91)	0.91, 0.92)	0.90, 0.91)	0.90, 0.91)	0.89, 0.90	0.89, 0.90)	
	(14, 16, 18, 20;	(14, 16, 18, 20;	(19,21,23,25;	(24, 26, 28, 30;	(19,21,23,25;	(19,21,23,25;	(29,31,33,35;	(29,31,33,35;	
	(0.82, 0.83)	(0.82, 0.83)	0.91, 0.92)	(0.92, 0.93)	0.91, 0.92)	0.91, 0.92)	0.90, 0.91)	(0.90, 0.91)	
2	((20, 22, 24, 26))	((15, 17, 19, 21;	((20, 22, 24, 26))	((20, 22, 24, 26;	((27, 29, 31, 33))	((27, 29, 31, 33;	((30,32,34,36;	((25, 27, 29, 31;	
	0.90, 0.91)	0.81, 0.82)	0.90, 0.91)	0.90, 0.91)	0.91, 0.92)	0.91, 0.92)	0.89, 0.90	0.91, 0.92)	
	(19,21,23,25;	(14, 16, 18, 20;	(19,21,23,25;	(19,21,23,25;	(26, 28, 30, 32)	(26, 28, 30, 32)	(29,31,33,35;	(24, 26, 28, 30;	
	0.91, 0.92)	(0.82, 0.83)	0.91, 0.92)	0.91, 0.92)	0.92, 0.93)	(0.92, 0.93)	(0.90, 0.91)	0.92, 0.93)	
3	((20, 22, 24, 26))	((15, 17, 19, 21;	((20, 22, 24, 26))	((30,32,34,36;	((30,32,34,36))	((35,37,39,41;	((41, 43, 45, 47))	((35,37,39,41;	
	0.90, 0.91)	0.81, 0.82	0.90, 0.91)	0.89, 0.90	0.89, 0.90	0.92, 0.93	0.88, 0.89	0.92, 0.93	
	(19,21,23,25;	(14, 16, 18, 20;	(19,21,23,25;	(29,31,33,35;	(29,31,33,35;	(34,36,38,40;	(40, 42, 44, 46;	(34,36,38,40;	
	0.91, 0.92)	(0.82, 0.83)	0.91, 0.92)	0.90, 0.91)	(0.90, 0.91)	(0.93, 0.94)	(0.89, 0.90)	(0.93, 0.94)	
$\overline{4}$	((15, 17, 19, 21;	((20, 22, 24, 26))	((20, 22, 24, 26))	((25,27,29,31;	((27, 29, 31, 33))	((25,27,29,31;	((25,27,29,31;	((20, 22, 24, 26;	
	0.81, 0.82	0.90, 0.91)	0.90, 0.91)	0.91, 0.92)	0.91, 0.92)	0.91, 0.92)	0.91, 0.92)	0.90, 0.91)	
	(14, 16, 18, 20;	(21, 23, 25, 27)	(19,21,23,25;	$(24, 26, 28, 30)$;	(26, 28, 30, 32)	$(24, 26, 28, 30)$;	$(24, 26, 28, 30)$;	(19,21,23,25;	
	(0.82, 0.83)	0.91, 0.92)	0.91, 0.92)	0.92, 0.93)	0.92, 0.93)	0.92, 0.93)	0.92, 0.93)	0.91, 0.92)	
5	((15, 17, 19, 21;	((15, 17, 19, 21;	((15, 17, 19, 21;	((14, 16, 18, 20;	((35,37,39,41;	((35,37,39,41;	((35,37,39,41;	((41, 43, 45, 47;	
	0.81, 0.82	0.81, 0.82	0.81, 0.82	0.91, 0.92	0.92, 0.93	0.92, 0.93	0.92, 0.93	(0.88, 0.89)	
	(14, 16, 18, 20;	(14, 16, 18, 20;	(14, 16, 18, 20;	(13, 15, 17, 19;	(34,36,38,40;	(34,36,38,40;	(34,36,38,40;	(40, 42, 44, 46;	
	(0.82, 0.83)	(0.82, 0.83)	(0.82, 0.83)	(0.92, 0.93)	(0.93, 0.94)	(0.93, 0.94)	(0.93, 0.94)	(0.89, 0.90)	
6	((15, 17, 19, 21;	((10,12,14,16;	((15, 17, 19, 21;	((14, 16, 18, 20;	((35,37,39,41;	((30,32,34,36;	((41, 43, 45, 47))	((27, 29, 31, 33))	
	0.81, 0.82	0.81, 0.82	0.81, 0.82	0.91, 0.92	0.92, 0.93	0.89, 0.90	0.88, 0.89	0.91, 0.92	
	(14, 16, 18, 20;	(9,11,13,15;	(14, 16, 18, 20;	(13, 15, 17, 19;	(34,36,38,40;	(29,31,33,35;	(40, 42, 44, 46;	(26, 28, 30, 32;	
	(0.82, 0.83)	(0.82, 0.83)	(0.82, 0.83)	0.92, 0.93)	(0.93, 0.94)	(0.90, 0.91)	(0.89, 0.90)	0.92, 0.93)	

*Delivery time in hours

products to four diferent agent/brokers. Once the product reaches to agents/brokers, they deal with the further shipment of the products either to the six diferent wholesalers or directly to the eight diferent retailers. The left product at the agents/brokers is shipped to the diferent wholesalers and then according to the demand shipped to the diferent retailers. Figure [1](#page-13-0) demonstrates a complex Agri-food SCN comprising multiple producers, agents/brokers, wholesalers and retailers. The related transportation costs and delivery

*Supply in thousand units

Table 10 Demand from the retailers('000 units)

D_1	92, 91, 94, 91, 93, 93, 90, 90, 92, 93, 93, 90
D_{2}	50, 53, 51, 52, 51, 54, 52, 52, 51, 51, 52, 51
D_3	88, 88, 87, 86, 88, 90, 88, 89, 90, 89, 87, 88
D_4	63, 62, 65, 64, 65, 65, 62, 63, 64, 63, 63, 62
D_5	60, 64, 60, 62, 61, 64, 61, 61, 61, 63, 64, 62
D_6	111, 109, 111, 110, 111, 109, 110, 108, 112, 109, 111, 108
D_7	112, 111, 110, 110, 112, 111, 112, 110, 112, 109, 109, 109
D_{8}	80, 81, 82, 80, 80, 80, 79, 80, 82, 80, 79, 80

*Demand in thousand units

time are provided for each potential route for various stages in Table $2, 3, 4, 5, 6, 7$ $2, 3, 4, 5, 6, 7$ $2, 3, 4, 5, 6, 7$ $2, 3, 4, 5, 6, 7$ $2, 3, 4, 5, 6, 7$ $2, 3, 4, 5, 6, 7$ $2, 3, 4, 5, 6, 7$ $2, 3, 4, 5, 6, 7$ $2, 3, 4, 5, 6, 7$ $2, 3, 4, 5, 6, 7$ and 8 respectively.

Let us assume a scenario in which characteristics of demand and supply are known for more than one state. Distribution centers are confronted every time with the challenge of assessing their consumers' demand. If the projected needs for distribution centers are less than those of their customers, their proft will be afected. Due to this, there will be a marginal loss because of not matching the rate of surplus demand. On the other hand, the manufacturer must constantly know how much a product it has to supply to distribution centres, in order to get rid of its losses in a worse market condition. The data in Table [9](#page-17-0) do not expressly state how many units the producer should produce to fulfl the random demand in order to optimize its proft for future supply. In addition, the information given in Table [10](#page-17-1) does not directly notify retailers of the number of units that they need to optimize their proft every single time. Since the DM's demand and supply patterns are partially based on more than one demand and supply points, demand and supply can be treated as a random variable in order to compute

Table 12 Obtained results

the predicted demand/supply value using a variety of probability distributions.

Deterministic values of the Right Hand Side (RHS) of constraints have been obtained by using the chance-constrained programming approach as defned in the above section. We suppose that supply and demand parameters follow a Gamma distribution with a given degree of probability. We have also used a MLE approach for obtaining the shape, and scale parameters of the random variables and calculated values are given in Table [11.](#page-17-2)

In this study, we considered a scenario where there is no fxed or known value for the parameters of the MOAFSCN problem, but somehow, we know the range of the parameters. By using the above information, the problem can be formulated as a MOAFSCN. In order to overcome the uncertainty condition, we considered that the parameters of supply and demand of the constraints followed a Gamma distribution and maximum likelihood estimation approach has been used for getting the desired value of shape and scale parameter at a specifed probability level. Using an optimization software LINGO 16.0, on a PC Core i3 2.50- GHz processor, the formulated problem has been solved after converting the probabilistic and fuzzy parameters into deterministic ones. LINGO 16.0 is the most well-known software used for solving the mathematical programming problems. The best feature of LINGO 16.0 is that it tells the decision maker about the feasibility of the model formulated. In our case, the model formulated with uncertainty is found to be feasible for the both the objective functions and after that we have checked the feasibility of the model formulated using the value function approach and ϵ constraint approach, respectively. LINGO 16.0 software solved the multi-objective problem formulated for both the value function approach and ϵ constraint approach in 81 and 104 iterations, and within a time duration of 0.461 s and 0.583 s respectively. For the given data, the MOAFSCN proposed model (Eqs. 1 to 31) is solved and the results are evaluated. Table [12](#page-17-3) shows the optimized value of the transportation cost and delivery time along with the amount of product to

Fig. 2 Graphical presentation of obtained result

be shipped from diferent sources to diferent agent/brokers; the amount of products to be shipped from diferent agent/ brokers to diferent wholesalers; the amount of products to be shipped from diferent agents/brokers to diferent retailers and; the amount of products to be shipped from diferent wholesalers to diferent retailers. Figure [2](#page-18-0) gives graphical presentation of results.

For solving the formulated problem of SCN, in this study, authors have used diferent types of optimization approaches namely, value function approach, and ϵ − Constraint approach, and respectively compared the results with a simple additive approach, weighted additive approach and pre-emptive approach. Using the imprecise information as given in Tables [2](#page-14-0), [3](#page-14-1), [4,](#page-14-2) [5,](#page-15-0) [6,](#page-15-1) [7,](#page-16-0) [8,](#page-16-1) [9,](#page-17-0) and [10](#page-17-1), and also after obtaining the crisp value of the demand and supply parameter as defned in Table [6](#page-15-1), we obtain the fnal compromise solution of the MOAFSCN problem. Among all the used optimization approaches, we have found that the value function approach optimizes the formulated problem more efficiently as compared to other approaches. Relative comparison is presented in the Fig. [2](#page-18-0). The solution to the MOAFSCN problem involves four stages of transportation. In the frst stage, goods are transported from various producers to diferent agents/brokers. The agreed-upon allocation of shipments includes 178,000 units from producer(1) to agent/broker(4), 276,000 units from producer(2) to agent/ broker(2), 70,000 units from producer(2) to agent/broker(4), 197,000 units from producer(3) to agent/broker(2), and 98,000 units from producer(4) to agent/broker(2).

In the second stage, goods are transported from the agents/brokers to diferent wholesalers. The agreed-upon allocation of shipments includes 52,000 units from agent/ broker(2) to wholesaler(3), 188,000 units from agent/bro $ker(4)$ to wholesaler(4), and 177,000 units from agent/bro $ker(2)$ to wholesaler(2).

In the third stage, goods are transported from the agents/ brokers to diferent retailers. The agreed-upon allocation of shipments includes 87,000 units from agent/broker(2) to retailer(3), $62,000$ units from agent/broker(2) to retailer(5), and 95,000 units from agent/broker(2) to retailer(6).

In the fourth and fnal stage, goods are transported from the wholesalers to different retailers. The agreed-upon allocation of shipments includes 93,000 units from wholesaler(2) to retailer(1), 93,000 units from wholesaler(2) to retailer(1), $67,000$ units from wholesaler(2) to retailer(4), 17,000 units from wholesaler(2) to retailer(8), 52,000 units from wholesaler(3) to retailer(2), $16,000$ units from wholesaler(4) to retailer(6), 109,000 units from wholesaler(4) to retailer(7), and $63,000$ units from wholesaler(4) to retailer(8).

The solution to the MOAFSCN problem, which involves the efficient allocation of shipments in the different stages of the SC, is crucial in the agri-food SCN. Efficient allocation

Table 13 Comparison of results

Fig. 3 Sensitivity of result

of shipments in the agri-food SCN is critical to ensure that food products reach their intended destinations in a timely and cost-effective manner. Inefficient allocation of shipments can result in product waste, delay in delivery, and increased transportation costs, which can have adverse efects on the overall SC performance. Efective allocation of shipments in the agri-food SCN requires collaboration and coordination among the diferent stakeholders involved in the SC. It also involves the use of advanced technologies such as transportation management systems, inventory management systems, and SC analytics to optimize the allocation of shipments and improve SC efficiency.

In order to compare the proposed methodology with fuzzy goal programming, weighted fuzzy goal programming and pre-emptive fuzzy goal programming approaches, the demand and supply units have been kept constant, and the obtained result are given in Table [13.](#page-19-0) The compromise values of the first objective function (Z_1) and the second objective function (Z_2) are changes with the change in the methodology. The delivery time of the model remains almost the same for all the methodology but increases minorly with the use weighted fuzzy goal programming approach. The best value (minimum) for the frst and second objective function is attained by the value function approach. This trend is observed as other presented techniques give more preference to the membership functions of objective function and less signifcance to feasibility degree. Figure [2](#page-18-0) represents the change in the values of objective functions by using diferent methodologies presented in this study along with the fuzzy goal programming, weighted fuzzy goal programming and pre-emptive fuzzy goal programming approaches. Compared to other methods, the beneft of using the value function and ϵ —constraint approach is that they significantly reduces the possibility of an infeasible solution. Although far from a panacea, the value function and ϵ —constraint approach often represents a substantial improvement in the modelling and analysis of the real-life situation for a bi-criterion problems. The value function and ϵ —constraint approach are not similar to the fuzzy goal programming, weighted fuzzy goal programming and pre-emptive fuzzy goal programming approach in the sense that they all use scalarization technique that uses the combination of multiple objectives into one function.

To demonstrate the impact of quantity on the numerical solution, we performed ten additional experiments by varying the demand and supply units. For each experiment, we held all certain and uncertain parameters constant, except for the change in quantity. We generated ten new compromise solutions for each experiment using the same methodology as the original problem. The results in Fig. [3](#page-19-1) indicate that changing the quantity signifcantly afects transportation cost and delivery time due to the reallocation of units from one source to another destination. The uncertain change in the quantity of agri-food products can have a signifcant impact on the SC, particularly in terms of transportation cost and delivery time. As the demand for certain products fuctuates,

it can create a mismatch between supply and demand, leading to an increase in transportation costs and delays in delivery. For instance, if the demand for a particular product suddenly increases, farmers may struggle to produce enough to meet the demand, resulting in delays in delivery and higher transportation costs as farmers transport their goods to the market. On the other hand, if the demand suddenly decreases, farmers may be left with excess stock, leading to wastage and fnancial losses. Therefore, it is essential for the Agri-food SCN to have proper planning and management strategies in place to minimize the impact of uncertain changes in quantity on transportation cost and delivery time.

5 Conclusions, limitations and future scope

The management of AFSCN poses signifcant challenges due to the unique nature of agricultural products, seasonality, and specifc transportation and storage requirements (Yadav et al. [2021](#page-22-3)). These challenges are compounded by the constant threat of risks from various sources, including demand fuctuations, supply chain disruptions, production uncertainties, and planning complexities. In this study, we tackled the Multi-Objective Allocation Problem in AFSCN with fuzzy and probabilistic parameters. We employed the value function and ε-constraint approach to optimize decision-making in this intricate environment, with a primary focus on minimizing shipping costs and delivery times. The results obtained from our proposed model outperformed existing approaches, offering a promising avenue for enhancing the efficiency and competitiveness of AFSCN.

However, this study has its limitations. One notable constraint is that our model solely addresses fuzziness and probabilistic uncertainties, while real-world scenarios may involve multi-choice decision-making. Therefore, it is advisable to subject our fuzzy and probabilistic model to comprehensive testing in a true-life setting, where multiple decision alternatives are present. Additionally, future research should involve a comparative analysis of various approaches to address this problem. As cost control and efficient delivery times are crucial in today's competitive environment, the implications of this study can serve as a valuable policy framework for supply chain managers, enabling them to make more cost-efective and timely decisions. To further validate our proposed model, it should be applied to supply chain networks in other industries. Looking ahead, researchers may explore more complex probability distributions, multi-choice parameters, and the integration of intuitionistic fuzzy set theory, thereby expanding the scope of research in the feld of Agri-food Supply Chain Management.

Funding The authors express their gratitude to Jaipuria Institute of Management, Jaipur, for their invaluable assistance and support in conducting the research.

Data availability Data sharing not applicable.

Declarations

Confict of interest No potential confict of interest was reported by the authors.

References

- Akkerman R, Farahani P, Grunow M (2010) Quality, safety and sustainability in food distribution: a review of quantitative operations management approaches and challenges. OR Spectr 32(4):863–904
- Ali I, Gupta S, Ahmed A (2019) Multi-objective linear fractional inventory problem under intuitionistic fuzzy environment. Int J Syst Assur Eng Manag 10(2):173–189
- Ali I, Fügenschuh A, Gupta S, Modibbo UM (2020) The LR-type fuzzy multi-objective vendor selection problem in supply chain management. Mathematics 8(9):1621
- Alinezhad M, Mahdavi I, Hematian M, Tirkolaee EB (2022) A fuzzy multi-objective optimization model for sustainable closed-loop supply chain network design in food industries. Environ Dev Sustain 24:8779–8806
- Allaoui H, Guo Y, Choudhary A, Bloemhof J (2018) Sustainable agrofood supply chain design using two-stage hybrid multi-objective decision-making approach. Comput Oper Res 89:369–384
- Altiparmak F, Gen M, Lin L, Paksoy T (2006) A genetic algorithm approach for multi-objective optimization of supply chain networks. Comput Ind Eng 51(1):196–215
- Arasteh A (2020) Supply chain management under uncertainty with the combination of fuzzy multi-objective planning and real options approaches. Soft Comput 24(7):5177–5198
- Banasik A, Kanellopoulos A, Claassen GDH, Bloemhof-Ruwaard JM, van der Vorst JG (2017) Closing loops in agricultural supply chains using multi-objective optimization: a case study of an industrial mushroom supply chain. Int J Prod Econ 183:409–420
- Banasik A, Kanellopoulos A, Bloemhof-Ruwaard JM, Claassen GDH (2019) Accounting for uncertainty in eco-efficient agri-food supply chains: A case study for mushroom production planning. J Clean Prod 216:249–256
- Baral MM, Singh RK, Kazançoğlu Y (2021) Analysis of factors impacting survivability of sustainable supply chain during COVID-19 pandemic: an empirical study in the context of SMEs. Int J Logist Manag.<https://doi.org/10.1108/IJLM-04-2021-0198>
- Belhoul L, Galand L, Vanderpooten D (2014) An efficient procedure for fnding best compromise solutions to the multi-objective assignment problem. Comput Oper Res 49:97–106
- Bhosale MR, Latpate RV (2019) Single stage fuzzy supply chain model with Weibull distributed demand for milk commodities. Granul Comput 6:255–266
- Borodin V, Bourtembourg J, Hnaien F, Labadie N (2016) Handling uncertainty in agricultural supply chain management: a state of the art. Eur J Oper Res 254(2):348–359
- Cakici E, Mason SJ, Kurz ME (2012) Multi-objective analysis of an integrated supply chain scheduling problem. Int J Prod Res 50(10):2624–2638
- Charles V, Gupta S, Ali I (2019) A fuzzy goal programming approach for solving multi-objective supply chain network problems with

Pareto-distributed random variables. Int J Uncertain Fuzziness Knowl-Based Syst 27(4):559–593

- Choi SC, Wette R (1969) Maximum likelihood estimation of the parameters of the gamma distribution and their bias. Technometrics 11(4):683–690
- Choi TM, Govindan K, Li X, Li Y (2017) Innovative supply chain optimization models with multiple uncertainty factors. Ann Oper Res 257(1–2):1–14
- Chuu SJ (2011) Interactive group decision-making using a fuzzy linguistic approach for evaluating the fexibility in a supply chain. Eur J Oper Res 213(1):279–289
- Coit DW, andJin, T. (2000) Gamma distribution parameter estimation for feld reliability data with missing failure times. IIE Trans 32(12):1161–1166
- De A, Singh SP (2020) Analysis of fuzzy applications in the agrisupply chain: a literature review. J Clean Prod 283:124577
- Dey BK, Bhuniya S, Sarkar B (2021) Involvement of controllable lead time and variable demand for a smart manufacturing system under a supply chain management. Expert Syst Appl 184:115464
- Dohale V, Ambilkar P, Gunasekaran A, Bilolikar V (2022) A multiproduct and multi-period aggregate production plan: a case of automobile component manufacturing frm. Benchmarking Int J. <https://doi.org/10.1108/BIJ-07-2021-0425>
- Eskandarpour M, Dejax P, Miemczyk J, Péton O (2015) Sustainable supply chain network design: an optimization-oriented review. Omega 54:11–32
- Esteso A, Alemany MM, Ortiz A (2018) Conceptual framework for designing agri-food supply chains under uncertainty by mathematical programming models. Int J Prod Res 56(13):4418–4446
- Farrokh M, Azar A, Jandaghi G, Ahmadi E (2018) A novel robust fuzzy stochastic programming for closed loop supply chain network design under hybrid uncertainty. Fuzzy Sets Syst 341:69–91
- Galal NM, El-Kilany KS (2016) Sustainable agri-food supply chain with uncertain demand and lead time. Int J Simul Model 15(3):485–496
- Gholian-Jouybari F, Hashemi-Amiri O, Mosallanezhad B, Hajiaghaei-Keshteli M (2023) Metaheuristic algorithms for a sustainable agrifood supply chain considering marketing practices under uncertainty. Expert Syst Appl 213:118880
- Ghomi-Avili M, Khosrojerdi A, Tavakkoli-Moghaddam R (2019) A multi-objective model for the closed-loop supply chain network design with a price-dependent demand, shortage and disruption. J Intell Fuzzy Syst 36(6):5261–5272
- Ghufran S, Gupta S, Ahmed A (2020) A fuzzy compromise approach for solving multi-objective stratifed sampling design. Neural Comput Appl 33(17):10829–10840
- Gupta S, Ali I, Ahmed A (2018a) Multi-objective bi-level supply chain network order allocation problem under fuzziness. Opsearch 55(3–4):721–748
- Gupta S, Ali I, Ahmed A (2018b) Efficient fuzzy goal programming model for multi-objective production distribution problem. Int J Appl Comput Math 4:76. [https://doi.org/10.1007/](https://doi.org/10.1007/s40819-018-0511-0) [s40819-018-0511-0](https://doi.org/10.1007/s40819-018-0511-0)
- Gupta S, Chaudhary S, Chatterjee P, Yazdani M (2021b) An efficient stochastic programming approach for solving integrated multi-objective transportation and inventory management problem using goodness of ft. Kybernetes. [https://doi.org/10.](https://doi.org/10.1108/K-08-2020-0495) [1108/K-08-2020-0495](https://doi.org/10.1108/K-08-2020-0495)
- Gupta S, Haq A, Ali I, Sarkar B (2021c) Signifcance of multi-objective optimization in logistics problem for multi-product supply chain network under the intuitionistic fuzzy environment. Complex Intell Syst.<https://doi.org/10.1007/s40747-021-00326-9>
- Gupta A, Singh RK, Mangla SK (2021a) Evaluation of logistics providers for sustainable service quality: analytics based decision making framework. Ann Oper Res 1–48
- Haddadsisakht A, Ryan SM (2018) Closed-loop supply chain network design with multiple transportation modes under stochastic demand and uncertain carbon tax. Int J Prod Econ 195:118–131
- Haimes YY, Lasdon LS, Wismer DA (1971) On a bicriterion formulation of the problems of integrated system identifcation and system optimization. IEEE Trans Syst Man Cybern 3:296–297
- Harter HL, Moore AH (1965) Maximum-likelihood estimation of the parameters of gamma and Weibull populations from complete and from censored samples. Technometrics 7(4):639–643
- Higgins A, Antony G, Sandell G, Davies I, Prestwidge D, Andrew B (2004) A framework for integrating a complex harvesting and transport system for sugar production. Agric Syst 82(2):99–115
- Kalantari F, Hosseininezhad SJ (2022) A Multi-objective cross entropybased algorithm for sustainable global food supply chain with risk considerations: A case study. Comput Ind Eng 164:107766
- Kamble SS, Gunasekaran A, Gawankar SA (2019) Achieving sustainable performance in a data-driven agriculture supply chain: A review for research and applications. Int J Prod Econ 219(1):179–194
- Kim SJ, Sarkar B (2017) Supply chain model with stochastic lead time, trade-credit fnancing, and transportation discounts. Math Probl Eng.<https://doi.org/10.1155/2017/6465912>
- Kumar P, Singh RK (2021) Strategic framework for developing resilience in agri-food supply chains during COVID 19 pandemic. Int J Log Res Appl. [https://doi.org/10.1080/13675567.2021.](https://doi.org/10.1080/13675567.2021.1908524) [1908524](https://doi.org/10.1080/13675567.2021.1908524)
- Kumar RS, Tiwari MK, Goswami A (2016) Two-echelon fuzzy stochastic supply chain for the manufacturer–buyer integrated production–inventory system. J Intell Manuf 27(4):875–888
- Lakovou E, Vlachos D, Achillas C, Anastasiadis F (2012) A methodological framework for the design of green supply chains for the agrifood sector. In: de 2nd international conference on supply chains, Greece, vol 184, October
- Lee JH, Moon IK, Park JH (2010) Multi-level supply chain network design with routing. Int J Prod Res 48(13):3957–3976
- Lim H, Aviso KB, Sarkar B (2023) Efect of service factors and buy-online-pick-up-in-store strategies through an omnichannel system under an agricultural supply chain. Electron Commer Res Appl 60:101282
- Liu S, Papageorgiou LG (2013) Multiobjective optimisation of production, distribution and capacity planning of global supply chains in the process industry. Omega 41(2):369–382
- Liu Y, Eckert C, Yannou-Le Bris G, Petit G (2019) A fuzzy decision tool to evaluate the sustainable performance of suppliers in an agrifood value chain. Comput Ind Eng 127:196–212
- Mirabella N, Castellani V, Sala S (2014) Current options for the valorization of food manufacturing waste: a review. J Clean Prod 65:28–41
- Mishra D, Gunasekaran A, Papadopoulos T, Dubey R (2018) Supply chain performance measures and metrics: a bibliometric study. Benchmarking Int J 25(3):932–967
- Mishra R, Singh RK, Subramanian N (2021) Impact of disruptions in agri-food supply chain due to COVID-19 pandemic: contextualised resilience framework to achieve operational excellence. Int J Logist Manag.<https://doi.org/10.1108/IJLM-01-2021-0043>
- Mohebalizadehgashti F, Zolfagharinia H, Amin SH (2020) Designing a green meat supply chain network: a multi-objective approach. Int J Prod Econ 219:312–327
- Nasiri GR, Zolfaghari R, Davoudpour H (2014) An integrated supply chain production–distribution planning with stochastic demands. Comput Ind Eng 77(1):35–45
- Nepal B, Monplaisir L, Famuyiwa O (2011) A multi-objective supply chain confguration model for new products. Int J Prod Res 49(23):7107–7134
- Pandey P, Shah BJ, Gajjar H (2017) A fuzzy goal programming approach for selecting sustainable suppliers. Benchmarking Int J 24(5):1138–1165
- Peidro D, Mula J, Jiménez M, del Mar Botella M (2010) A fuzzy linear programming based approach for tactical supply chain planning in an uncertainty environment. Eur J Oper Res 205(1):65–80
- Petridis K (2015) Optimal design of multi-echelon supply chain networks under normally distributed demand. Ann Oper Res 227(1):63–91
- Petrovic D, Roy R, Petrovic R (1998) Modelling and simulation of a supply chain in an uncertain environment. Eur J Oper Res 109(2):299–309
- Qiu R, Sun Y, Sun M (2021) A distributionally robust optimization approach for multi-product inventory decisions with budget constraint and demand and yield uncertainties. Comput Oper Res 126:105081
- Rosenthal RE (1985) Concepts, theory, and techniques principles of multiobjective optimization. Decis Sci 16(2):133–152
- Sabri E, Beamon BM (2000) A Multi-objective approach to simultaneous strategic and operational planning in supply chain design. Omega Int J Manag Sci 28(1):581–598
- Sakawa M, Nishizaki I, Uemura Y (2001) Fuzzy programming and proft and cost allocation for a production and transportation problem. Eur J Oper Res 131(1):1–15
- Sarkar B, Tayyab M, Kim N, Habib MS (2019) Optimal production delivery policies for supplier and manufacturer in a constrained closed-loop supply chain for returnable transport packaging through metaheuristic approach. Comput Ind Eng 135:987–1003
- Sarkar B, Sarkar M, Ganguly B, Cárdenas-Barrón LE (2021) Combined efects of carbon emission and production quality improvement for fxed lifetime products in a sustainable supply chain management. Int J Prod Econ 231:107867
- Sharma R, Kamble SS, Gunasekaran A, Kumar V, Kumar A (2020) A systematic literature review on machine learning applications for sustainable agriculture supply chain performance. Comput Oper Res 119:104926
- Singh RK, Gunasekaran A, Kumar P (2018) Third party logistics (3PL) selection for cold chain management: a fuzzy AHP and fuzzy TOPSIS approach. Ann Oper Res 267(1–2):531–553
- Sinha B, Das A, Bera UK (2016) Proft maximization solid transportation problem with trapezoidal interval type-2 fuzzy numbers. Int J Appl Comput Math 2(1):41–56
- Tavana M, Yazdani M, Di Caprio D (2017) An application of an integrated ANP–QFD framework for sustainable supplier selection. Int J Log Res Appl 20(3):254–275
- Tomasiello S, Alijani Z (2021) Fuzzy-based approaches for agri-food supply chains: a mini-review. Soft Comput. [https://doi.org/10.](https://doi.org/10.1007/s00500-021-05707-3) [1007/s00500-021-05707-3](https://doi.org/10.1007/s00500-021-05707-3)
- Trisna T, Marimin M, Arkeman Y, Sunarti T (2016) Multi-objective optimization for supply chain management problem: a literature review. Decis Sci Lett 5(2):283–316
- Ullah M, Asghar I, Zahid M, Omair M, AlArjani A, Sarkar B (2021) Ramifcation of remanufacturing in a sustainable three-echelon closed-loop supply chain management for returnable products. J Clean Prod 290:125609
- Violi A, Laganá D, Paradiso R (2019) The inventory routing problem under uncertainty with perishable products: an application in the agri-food supply chain. Soft Comput 1–16
- Yadav D, Kumari R, Kumar N, Sarkar B (2021) Reduction of waste and carbon emission through the selection of items with crossprice elasticity of demand to form a sustainable supply chain with preservation technology. J Clean Prod 297:126298
- Yaghin RG, Sarlak P, Ghareaghaji AA (2020) Robust master planning of a socially responsible supply chain under fuzzy-stochastic uncertainty (a case study of clothing industry). Eng Appl Artif Intell 94:103715
- Yeh WC, Chuang MC (2011) Using multi-objective genetic algorithm for partner selection in green supply chain problems. Expert Syst Appl 38(4):4244–4253
- Zaigraev A, Podraza-Karakulska A (2009) On estimation of the shape parameter of the gamma distribution. Stat Probab Lett 78(3):286
- Zionts S (1997a) Some thoughts on MCDM: myths and ideas. In: Clímaco J (ed) Multicriteria analysis. Springer-Verlag, Berlin, pp 602–607
- Zionts S (1997b) Decision making: some experiences, myths and observations. In: Fandel G, Gal T (eds) Multiple criteria decision making: proceedings of the twelfth international conference, Hagen (Germany). Lecture notes in economics and mathematical systems, vol 448. Springer-Verlag, Berlin, pp 233–241
- Zokaee S, Jabbarzadeh A, Fahimnia B, Sadjadi SJ (2017) Robust supply chain network design: an optimization model with real world application. Ann Oper Res 257(1–2):15–44

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Springer Nature or its licensor (e.g. a society or other partner) holds exclusive rights to this article under a publishing agreement with the author(s) or other rightsholder(s); author self-archiving of the accepted manuscript version of this article is solely governed by the terms of such publishing agreement and applicable law.