



# Correction to: Biodentine™ material characteristics and clinical applications: a 3 year literature review and update

S. Rajasekharan<sup>1</sup> · L. C. Martens<sup>1</sup> · R. G. E. C. Cauwels<sup>1</sup> · R. P. Anthonappa<sup>2</sup> · R. M. H. Verbeek<sup>3</sup>

Published online: 15 March 2018

© European Academy of Paediatric Dentistry 2018

## Correction to:

**European Archives of Paediatric Dentistry**  
**(2018) 19:1–22**

<https://doi.org/10.1007/s40368-018-0328-x>

Owing to a misunderstanding on the part of the authors, the name of the last author, Prof. R. M. H. Verbeek, was omitted from this article.

---

The original article can be found online at <https://doi.org/10.1007/s40368-018-0328-x>.

---

✉ S. Rajasekharan  
sivaprakash.rajasekharan@ugent.be

<sup>1</sup> Department of Paediatric Dentistry and special care, PAECOMEDIS Research Cluster, Ghent University, 9000 Ghent, Belgium

<sup>2</sup> Paediatric Oral Health Research Group, School of Dentistry, The University of Western Australia, Perth, Australia

<sup>3</sup> Biomaterials Group, Department of Basic Medical Sciences, Ghent University, Ghent, Belgium