



Correction to: Energetic and exergetic assessment of two- and three-stage spray drying units for milk processing industry

Gurjeet Singh¹ · V. V. Tyagi² · K. Chopra^{2,3} · A. K. Pandey⁴ · R. K. Sharma⁵ · Ahmet Sari^{6,7}

Accepted: 30 July 2021 / Published online: 9 September 2021
© The Brazilian Society of Mechanical Sciences and Engineering 2021

Correction to:

Journal of the Brazilian Society of Mechanical Sciences and Engineering (2021) 43:359
<https://doi.org/10.1007/s40430-021-03015-3>

In the original publication of the article, the affiliations of authors in the author group are mismatched. This erratum corrects the same.

The original article has also been corrected.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s40430-021-03015-3>.

✉ V. V. Tyagi
vtyagi16@gmail.com

- ¹ Department of Mechanical Engineering, Punjab Engineering Collage, Chandigarh 160012, India
- ² School of Energy Management, Shri Mata Vaishno Devi University, Katra, Jammu and Kashmir 182320, India
- ³ School of Mechanical Engineering, Shri Mata Vaishno Devi University, Katra, Jammu and Kashmir 182320, India
- ⁴ Research Centre for Nano-Materials and Energy Technology (RCNMET), School of Engineering and Technology, Sunway University, No. 5, Jalan Universiti, Bandar Sunway, 47500 Petaling Jaya, Selangor Darul Ehsan, Malaysia
- ⁵ Department of Mechanical Engineering, Manipal University Jaipur, Jaipur 303007, India
- ⁶ Department of Metallurgical and Material Engineering, Karadeniz Technical University, 61080 Trabzon, Turkey
- ⁷ Center of Research Excellence in Renewable Energy (CoRERE), King Fahd University of Petroleum and Minerals (KFUPM), Dhahran 31261, Saudi Arabia