Regular Article - Experimental Physics



Lifetime measurements of yrast states in ¹⁷⁸Pt using the charge plunger method with a recoil separator

J. Heery^{1,a}, L. Barber², J. Vilhena³, B. S. Nara Singh³, R.-D. Herzberg¹, D. M. Cullen², C. Müller-Gatermann^{4,7}, G. Beeton³, M. Bowry³, A. Dewald⁴, T. Grahn⁵, P.T. Greenlees⁵, A. Illana⁵, R. Julin⁵, S. Juutinen⁵, J. M. Keatings³, M. Leino⁵, M. Luoma⁵, D. O'Donnell³, J. Ojala⁵, J. Pakarinen⁵, P. Rahkila⁵, P. Ruotsalainen⁵, M. Sandzelius⁵, J. Sarén⁵, J. Sinclair³, J. F. Smith³, J. Sorri^{6,8}, P. Spagnoletti^{3,9}, H. Tann^{1,5}, J. Uusitalo⁵, G. Zimba⁵

¹ Department of Physics, Oliver Lodge Laboratory, University of Liverpool, Liverpool L69 7ZE, UK

² Department of Physics and Astronomy, The University of Manchester, Schuster Building, Manchester M13 9PL, UK

³ School of Computing, Engineering and Physical Sciences, University of the West of Scotland, Paisley PA1 2BE, UK

⁴ Institut für Kernphysik, Universität zu Köln, 50937 Köln, Germany

⁵ Department of Physics, University of Jyväskylä, P.O. Box 35, 40014 Jyväskylä, Finland

⁶ Sodankylä Geophysical Observatory, University of Oulu, 99600 Sodankylä, Finland

⁷ Present address: Physics Division, Argonne National Laboratory, Argonne, IL 60439, USA

⁸ Present address: Radiation and Nuclear Safety Authority - STUK, Laippatie 4, 00880 Helsinki, Finland

⁹ Present address: Department of Chemistry, Simon Fraser University, Burnaby, BC V5A 1S6, Canada

Received: 22 October 2020 / Accepted: 7 March 2021 / Published online: 16 April 2021 © The Author(s) 2021 Communicated by Calin Alexandru Ur

Abstract Lifetime measurements in ¹⁷⁸Pt with excited states de-exciting through γ -ray transitions and internal electron conversions have been performed. Ionic charges were selected by the in-flight mass separator MARA and measured at the focal plane in coincidence with the $4_1^+ \rightarrow 2_1^+$ 257 keV γ -ray transition detected using the JUROGAM 3 spectrometer. The resulting charge-state distributions were analysed using the differential decay curve method (DDCM) framework to obtain a lifetime value of 430(20) ps for the 2^+_1 state. This work builds on a method that combines the charge plunger technique with the DDCM analysis. As an alternative analysis, ions were selected in coincidence with the ¹⁷⁸Pt alpha decay ($E_{alpha} = 5.458(5)$ MeV) at the focal plane. Lifetime information was obtained by fitting a two-state Bateman equation to the decay curve with the lifetime of individual states defined by a single quadrupole moment. This yielded a lifetime value of 430(50) ps for the 2_1^+ state, and 54(6) ps for the 4_1^+ state. An analysis method based around the Bateman equation will become especially important when using the charge plunger method for the cases where utilising coincidences between prompt γ rays and recoils is not feasible.

1 Introduction

Lifetime measurements play a crucial role in furthering our understanding of the nuclear force at the very edges of stability and have shed light on a number of nuclear structure phenomena, including shape coexistence, proton-neutron correlations, and the role of three-body forces [1–4]. Plunger techniques have been often employed for lifetime measurements of excited nuclear states [5]. The most common plunger method is the recoil distance Doppler-shift (RDDS) technique based on the detection of γ -ray transitions between excited states in recoiling nuclei [6]. However, the method is not applicable for measuring the lifetime of excited states that de-excite predominantly by the internal conversion process.

Two methods to extract the lifetime of nuclear states that de-excite via strong internal conversion are the charge plunger, the focus of this work, and the recoil shadow method [7]. The recoil shadow method uses an electron spectrometer to detect electrons from the internal conversion of excited states that de-excite in flight after the target foil. The target is "shadowed" from the spectrometer using a longitudinal semi-cylindrical baffle which suppresses the large δ -electron background originating from reactions in the target. Lifetime measurements are then possible by varying the target position.

The charge plunger method is based on an analysis of the changes in the charge-state distribution (CSD) of ions caused

^ae-mail: jheery@liv.ac.uk (corresponding author)

by a cascade of Auger electrons that follow internally converted transitions [8]. As shown in Fig. 1, it utilises a thin reset foil placed downstream at a distance from the target. The recoils produced at the target pass through the foil and their ionic charges are reset to a value dependent on their velocity. Thus the distribution of ionic charge states after the reset foil should reflect the proportion of internal conversions occurring before or after the reset foil. In Ref. [8] the authors used a tabletop magnetic deflector after the reset foil to separate ions by charge and deposit them on to a catcher foil. The distribution of recoils along the catcher foil was then measured offline. This was done for several target-to-reset foil distances, measured using a micrometer, to determine the change in intensity of high-charge components in the CSD with distance. Lifetime information was then obtained through either an integral or differential analysis. In the integral analysis the overall de-excitation of a sequence of states such as a rotational band is measured using the total yield of highly charged recoils as a function of target-to-reset foil distance. The differential analysis uses the decay curve of the different components in the CSD corresponding to 1, 2, 3 etc. internal conversions after the reset foil to measure the lifetime of individual states in a rotational band. Using this method the authors determined the lifetime of excited states in fission isomers for uranium and plutonium isotopes [9, 10].

More recently the charge plunger method has been developed further in order to extend studies to nuclear states produced with low-production cross sections in nuclear reactions [11]. Here, the DPUNS plunger device [12] was used for improved control of the distance between the target and reset foils. The recoils of interest are separated from the beam like and fissioning reaction products according to their mass/charge (m/q) ratio by the MARA recoil separator [13] and are transported to the focal plane for their detection by a multiwire proportional counter (MWPC) and a double-sided silicon strip detector (DSSSD). Nuclei of interest are then identified either by employing the recoil-decay tagging technique, i.e. using coincidences between the recoil implanted in the DSSSD and the subsequent particle decay [14], or by using γ -ray-recoil coincidences between the prompt γ rays detected at the target position using the JUROGAM 3 spectrometer [15] and the recoils detected in the MWPC and DSSSD.

In ref. [11], the CSD of ions detected in coincidence with the γ -ray de-excitation from the 4_1^+ state occurring before the reset foil were influenced only by the de-excitation from the 2_1^+ state via the internal conversion process. An analysis within the differential decay curve method (DDCM) [16] framework was performed to obtain the lifetime of the 2_1^+ state in ¹⁸⁰Pt. In the present work, we obtained the lifetime of the 2_1^+ state in ¹⁷⁸Pt using the same method. As in Ref. [11], it was not possible to resolve the Doppler-shifted components of the $4_1^+ \rightarrow 2_1^+$ 257 keV feeding transition occurring before



Fig. 1 Schematic diagram of the charge plunger method (upper) at target-to-reset foil distance x. An internal conversion and subsequent Auger cascade will cause the ionic charge to increase. If the transition occurs before the plunger foil the charge will be reset. If the transition occurs after the reset foil, and proceeds by internal conversion, the ion remains in a high charge state. A γ -ray transition does not create a vacancy in the atomic shell configuration and therefore does not affect the charge state of the ion. The charge state distribution after the plunger foil will therefore contain two components (lower)

and after the reset foil, therefore the analysis was restricted to data points taken at longer distances where the γ -ray deexcitation from the 4_1^+ state always occurs before the reset foil.

It is beneficial to develop an analysis procedure for charge plunger experiments which is not dependent on observing the γ -ray emission of the feeding transition. This would be especially important for cases where the DDCM is unsuitable due to either low production cross-sections, where coincidence analyses are limited due to low statistics, or the presence of multiple highly converted transitions in a band. This can be achieved by fitting experimental data to the Bateman equation, which takes into account the de-excitation properties of higher energy states feeding the level of interest. Therefore, an additional analysis was performed whereby an alpha particle of $\sim 5.5 \,\text{MeV}$ energy from the ground state decay of 178 Pt, with branching ratio $\sim 7.5\%$, was used to obtain recoilalpha tagged CSD spectra [17]. These are influenced by the internal conversion of transitions other than the $2^+_1 \rightarrow 0^+_1$ 170 keV transition. The lifetime of the 2^+_1 and 4^+_1 states were then obtained using the Bateman equation, accounting for the de-excitation of two states.



Fig. 2 a Example level scheme to demonstrate how the DDCM and Bateman analysis can be applied to the charge plunger method to deduce lifetimes in a band. b The CSD will now contain higher charge components corresponding to two and three internal conversions after the reset foil

2 Charge plunger method

A description of the principle of the charge plunger method can be found in Ref. [8]. The method relies on the large increase in ionic charge ($\sim 5-10e$) due to the Auger cascade that follows from the internal conversion of an electromagnetic transition from an excited nuclear state [18]. Nuclei are created via fusion-evaporation reactions in a target and recoil away from the target with a mean velocity v. If a charge reset foil is placed at a distance x after the target, then the distribution of charge states after this foil will depend on whether or not the de-excitation of the excited state occurs before or after the foil, and if it proceeds by internal conversion. This is demonstrated in Fig. 1, for the simple example of a nucleus with one excited state that can de-excite either by γ -ray transition or internal conversion. The CSD after the reset foil will contain a low charge component (Q_L) and a high charge component (Q_H) . The intensities of these two components $(I_L \text{ and } I_H)$ will depend on the time taken for recoils to traverse the distance x, the internal conversion coefficient of the transition and the lifetime of the excited state.

The next two sub-sections describe two methods of analysis that can be used to obtain the lifetime of an excited nuclear state. A γ -ray-recoil coincidence gate can be placed on a feeding transition to combine the charge plunger technique together with the DDCM (2.1). Alternatively a fit can be made to the intensities of the different components in the CSD using the Bateman equation (2.2).

2.1 DDCM coincidence analysis

As shown in Ref. [11], it is possible to use γ -ray coincidences with the charge plunger method and analyse the data in a DDCM framework. Figure 2a shows a rotational band level

scheme. As well as containing Q_L and Q_H , the CSD will now contain higher charge components (Q_{2H} , Q_{3H} , etc.) due to successive internal conversions after the reset foil, Fig. 2b. These higher charge components have intensities (I_{2H} , I_{3H} , etc.). For the Nth level shown in Fig. 2a, the lifetime is found using,

$$\tau_N = \frac{I_{\{M_B, N_A\}}(x)}{d(I_{\{M_B, N_B\}}(x))/dx} \cdot \frac{1}{v}$$
(1)

where $I_{\{M,N\}}$ is the number of T_N transitions that are in coincidence with a measured γ ray from the T_M transition. The subscript *B* and *A* refer to the transition occurring before or after the reset foil, respectively [6].

The discussion of physical processes benefits from focussing on the number of nuclei that de-excite after or before the reset foil, whereas the experimental observables are the intensity of charge components in the CSD (I_L , I_H , I_{2H} , etc). For the specific case where a coincidence gate is set on transitions between levels 2 and 1 (T_2) occurring before the reset foil then only transitions between level 1 and the ground state (T_1) can occur after the foil. The mapping of the experimental observables to the number of T_1 transitions occurring after and before the reset foil is developed in Ref. [11] and the result is given here.

The intensity of the high charge component in the CSD is related to the number of de-excitations occurring after the reset foil that proceed by internal conversion. Similarly the intensity of low charge ions is found from the number of de-excitations that occur either before the reset foil, or after the foil proceeding by γ -ray emission,

$$I_H(x) = P_{\rm ic}I_A(x) \tag{2}$$

$$I_L(x) = I_B(x) + P_{\gamma} I_A(x) \tag{3}$$

where P_{ic} and P_{γ} are the probabilities that the transition proceeds via internal conversion or γ -ray emission respectively. By rearranging Eqs. 2 and 3 one obtains,

$$I_A(x) = \left(\frac{1+\alpha_1}{\alpha_1}\right) I_H(x) \tag{4}$$

$$I_B(x) = I_L(x) - \frac{I_H(x)}{\alpha_1}$$
(5)

where α_1 is the internal conversion coefficient of transition T_1 . By measuring the charge state of ions in coincidence with the T_2 transition occurring before the charge reset foil, one can use Eqs. 5 and 4 together with Eq. 1 to find the lifetime of level 1.

2.1.1 Transition T₂

For example, to find the lifetime of level 2, τ_2 , a gate is placed on T_3 transitions occurring before the reset foil. There are now two internal conversions that can occur after the reset foil. The possible combinations of γ -ray transitions and

internal conversions that can occur after the reset foil are shown in Fig. 3. The number of T_2 transitions occurring after and before the foil are given by,

$$I_{\{3_B,2_A\}} = \left(\frac{1+\alpha_2}{\alpha_2}\right) \left(\frac{1+\alpha_1}{\alpha_1}\right) I_{\{3_B,2H\}}$$
(6)

$$I_{\{3_B,2_B\}} = I_{\{3_B,L\}} + I_{\{3_B,H\}} - I_{\{3_B,2H\}} \left[\frac{1}{\alpha_1} + \frac{1}{\alpha_2} + \frac{1}{\alpha_2\alpha_1} \right]$$
(7)

where the extra terms result from the different combinations of two transitions that can proceed by either γ -ray emission or internal conversion after the reset foil.

2.1.2 Transition T_N

When using coincidences to measure the lifetime of the N^{th} level in the band, which is fed by the transition $T_M(M \rightarrow N)$, the number of T_N transitions occurring after or before the foil are given by,

$$I_{\{M_B,N_A\}} = \left(\prod_{i=1}^{N} \frac{1+\alpha_i}{\alpha_i}\right) I_{\{M_B,NH\}}$$
(8)
$$I_{\{M_B,N_B\}} = I_{\{M_B,L\}} + \left(\sum_{i=1}^{N-1} I_{\{M_B,iH\}}\right)$$
$$-I_{\{M_B,NH\}} \left[\sum_{i=1}^{N} C_i(\alpha_1,\alpha_2,...,\alpha_N)\right]$$
(9)

where the function $C_i(\alpha_1, \alpha_2, ..., \alpha_N)$ is defined as,

$$C_{1}(\alpha_{1}, \alpha_{2}, ..., \alpha_{N}) = \sum_{j_{1}=1}^{N} \left(\frac{1}{\alpha_{j_{1}}}\right)$$

$$C_{2}(\alpha_{1}, \alpha_{2}, ..., \alpha_{N}) = \sum_{j_{1}=1}^{N-1} \sum_{j_{2}=j_{1}+1}^{N} \left(\frac{1}{\alpha_{j_{1}}\alpha_{j_{2}}}\right)$$

$$C_{i}(\alpha_{1}, \alpha_{2}, ..., \alpha_{N}) = \sum_{j_{1}=1}^{N-(i-1)} \sum_{j_{2}=j_{1}+1}^{N-(i-2)} ... \sum_{j_{i}=j_{i-1}+1}^{N} \times \left(\prod_{j=j_{1}}^{j_{i}} \frac{1}{\alpha_{j}}\right)$$
...
$$C_{N}(\alpha_{1}, \alpha_{2}, ..., \alpha_{N}) = \frac{1}{\alpha_{1}\alpha_{2} \cdots \alpha_{N}}$$
(10)

and describes the different combinations of *N* transitions that can proceed by either γ -ray emission or internal conversion after the foil. In Eqs. 8 and 9 it is important to note that for a lifetime measurement of a state where there are *N* possible internal conversions occurring after the reset foil, then all *N* components of the CSD must be measured.



Fig. 3 Schematic diagram to show the possible combinations that make up the different components in the CSD when there are two transitions that can occur after the reset foil

2.2 Bateman analysis

To illustrate how one may solve the Bateman equation in order to retain the lifetime of a state, consider a level scheme similar to the one shown in Fig. 2a, with just two excited states. There are three components in the CSD; Q_L , Q_H and Q_{2H} . This is a similar scenario to the one described in Sect. 2.1.1, and the possible combinations that make up each component of the CSD are shown in Fig 3.

The intensity of the second-high charge component, Q_{2H} is the probability that both states proceed by internal conversion after the reset foil,

$$I_{2H}(x) = P_{2_A}(x) \cdot P_{2,ic} \cdot P_{1,ic}$$
(11)

where $P_{1(2),ic}$ is the probability that transition $T_{1(2)}$ proceeds by internal conversion. $P_{2_A}(x)$ is the probability that transition T_2 occurs after the reset foil at target-to-reset foil distance x. Since T_2 is not fed by any higher transition the probability it occurs after the reset foil is given by,

$$P_{2_A}(x) = \exp\left(-\lambda_2 \cdot \frac{x}{v}\right) \tag{12}$$

where λ_2 is the decay constant of level 2. A measurement of I_{2H} is therefore sensitive to the lifetime of level 2.

The intensity of the first-high charge component, Q_H , is the probability that only one internal conversion occurs after the reset foil. By considering the possible combinations

$$I_{H}(x) = P_{2_{A}}(x) \left[P_{2,ic} \cdot P_{1,\gamma} + P_{2,\gamma} \cdot P_{1,ic} \right] + P_{2_{B},1_{A}}(x) \cdot P_{1,ic}$$
(13)

where $P_{1(2),\gamma}$ is the probability that transition $T_{1(2)}$ proceeds by γ -ray emission. $P_{2_B,1_A}(x)$ is the probability that transitions T_2 and T_1 occur before and after the reset foil respectively. An expression for $P_{2_B,1_A}(x)$ can be found from the Bateman equation and is given by,

$$P_{2_B,1_A}(x) = \frac{\lambda_2}{\lambda_1 - \lambda_2} \left[\exp\left(-\lambda_2 \cdot \frac{x}{v}\right) - \exp\left(-\lambda_1 \cdot \frac{x}{v}\right) \right]$$
(14)

where λ_1 is the decay constant of level 1. $I_H(x)$ is sensitive to the lifetime of both levels 2 and 1. Similarly, the intensity of the low charge component with respect to target-to-reset foil distance x, is also sensitive to the lifetime of both levels and is given by,

$$I_L(x) = P_{1_B}(x) + P_{2_A}(x) \cdot P_{2,\gamma} \cdot P_{1,\gamma} + P_{2_B,1_A}(x) \cdot P_{1,\gamma}$$
(15)

where $P_{1_B}(x)$ is the probability that both transitions T_2 and T_1 occur before the reset foil and is given by,

$$P_{1_B}(x) = 1 - P_{2_A}(x) - P_{2_B, 1_A}(x)$$

= $\frac{1}{\lambda_2 - \lambda_1} \left[\lambda_1 \exp\left(-\lambda_2 \cdot \frac{x}{v}\right) - \lambda_2 \exp\left(-\lambda_1 \cdot \frac{x}{v}\right) \right].$ (16)

By fitting functions of the form described above to the intensities of the relevant components in the CSD it is possible to find the lifetime of levels 2 and 1 shown in Fig. 2a.

The model given here assumes no side feeding into the first-excited state, i.e. the population of level 1 is solely due to the transition T_2 . Side feeding can be accounted for within the model by varying the initial population of each state within the band.

Some consideration must be given to estimating the effect of unknown internal conversion coefficients in a cascade. Good knowledge of the conversion coefficient for the transition depopulating the level of interest is imperative, however for transitions from higher-lying states the effect may not be so large. The conversion coefficient for transition T_2 only becomes important when T_2 occurs after the foil. If there is a significant difference in the lifetime of levels 1 and 2 then the obtained lifetime for level 1 has only a weak dependence on the conversion coefficient of T_2 . For example, it is estimated for the case presented in this paper ($\tau_1 \approx 8 \cdot \tau_2$) that the systematic error in the obtained lifetime of level 1 is $\sim 3.7\%$ when varying the conversion coefficient for transition T_2 between 0 and ∞ .

3 Experimental method

An experiment was performed at the accelerator laboratory of the University of Jyväskylä, Finland to measure the lifetime of excited states in ¹⁷⁸Pt. The experiment was performed during the same experimental run as Ref. [11] and a description of the setup can also be found there. The lifetime of the 2_1^+ has been previously measured to be 412(30) ps [19]. Two previous RDDS measurements of the lifetime of the 4_1^+ state give 41(2) ps [20], measured using γ -ray coincidences, and 54(5) ps [21], measured using γ -ray singles. The internal conversion coefficient taken from BrIcc for the $2^+ \rightarrow 0^+$ 170 keV transition is 0.63(1), and is 0.1578(23) for the $4^+ \rightarrow 2^+$ 257 keV transition [22]. A 2 pnA beam of ³²S from the K130 cyclotron was used to bombard a 1 mg/cm² ¹⁵²Sm target with an upstream 1.5 mg/cm² Ta backing at an energy of 192 MeV over a period \sim 2 days. For this asymmetric reaction at such a beam energy, recoils are expected to be created with relatively small kinetic energy. A thin stretched 0.29 mg/cm² Ni charge reset foil was therefore used to maintain good resolution and efficiency in MARA. Due to imperfect alignment of the target and reset foil, and additional surface effects, there was an offset between electrical contact of the foils and true zero separation distance which was measured to be $8(1) \mu m$. To maximise transmission of ¹⁷⁸Pt recoils, MARA settings were tuned for a reference particle of mass $M_{\rm ref} = 178 \,\mathrm{u}$ and energy $E_{\rm ref} = 23 \,\mathrm{MeV}$. Data was collected for 12 plunger distances that were chosen to be sensitive to the lifetime of the 2^+_1 excited state.

The vacuum separator MARA was used to separate ions by their mass/charge (m/q) ratio [13]. The ions were detected at the focal plane of MARA using a suite of detectors starting with a MWPC. The position of the ion in the MWPC is related to its m/q value. After the MWPC, ions are implanted into a DSSSD which reads out the energy of the implantation. A 300 µm thick BB20 DSSSD was used to detect recoils at the focal plane. The DSSSD had dimensions $128 \times 48 \text{ mm}^2$ with a pixel size of $0.69 \times 0.69 \text{ mm}^2$. Two Si veto detectors were employed behind the DSSSD and events were discarded if the signals from the DSSSD and veto detectors were recorded in coincidence.

Prompt γ rays were detected with the JUROGAM 3 spectrometer [15], an array of 39 Compton-suppressed HPGe detectors, on loan from GAMMAPOOL. The total data readout (TDR) [23] data acquisition system was employed to record the events from all detectors and the GRAIN [24] software package was used to perform offline analysis.

An initial scan of the CSD was taken at the start of the beam time to identify the regions of the low and high charge components, $Q_{\rm L}$ and $Q_{\rm H}$ respectively. The scan was taken at a reset foil distance of $x = 1542 \,\mu\text{m}$ and is shown in Fig. 4. At this distance only the first-high charge and reset components should be present in the CSD. ¹⁷⁸Pt recoils were identified



Fig. 4 Recoil CSD when gating on ¹⁷⁸Pt alpha decays for reset foil distance $x = 1542 \,\mu$ m. The different components that make up the CSD are shown including Q_L , Q_H . Two charge states were chosen to represent the intensities of Q_L and Q_H , these are also shown as q_L and q_H respectively. Instead of measuring the entire CSD, it was the intensity of these charge states that were measured for each plunger distance

using their characteristic alpha decays in the DSSSD. The two charge components Q_L , Q_H are shown. Due to beam time restrictions it was not possible to collect the entire CSD for each plunger distance. Instead, two charge states (indicated in Fig. 4) were chosen to represent Q_L ($q_{ref} = 17e$) and Q_H ($q_{ref} = 25e$) respectively. These charge states were chosen to maximise intensity and to minimise the intensity from overlapping charge components. For each plunger distance, two sets of data were collected for MARA settings corresponding to $q_{ref} = 17e$, 25e. Coulomb excitation population of the 2_1^+ in the ¹⁵²Sm target was used to normalise the charge states intensity across all data sets.

4 Results

Figure 5 shows part of the JUROGAM 3 spectrum for γ -rayrecoil coincidences. Yrast transitions in ¹⁷⁸Pt are labelled. The spectrum is the result of a combination of all plunger distances to illustrate the quality of the data. The greatest contaminant came from Coulomb excitations in the target and backing materials. The mean velocity of ¹⁷⁸Pt recoils after the target was measured to be $\beta = 1.77(2)\%$ using the Doppler-shift of the $4_1^+ \rightarrow 2_1^+$, $6_1^+ \rightarrow 4_1^+$ and $8_1^+ \rightarrow 6_1^+$ transitions at a plunger distance of $x = 5061 \,\mu$ m. At this distance all these transitions are expected to occur before the reset foil.

4.1 DDCM coincidence analysis

A gate was set on the $4_1^+ \rightarrow 2_1^+$ feeding transition, and the intensity of low and high charge ions (I_L and I_H respectively) were measured from the resulting normalised charge state spectra, shown in Fig. 6 for five distances. The transmission



Fig. 5 Part of the JUROGAM 3 spectrum for γ -ray-recoil coincidences. Yrast transitions for the ¹⁷⁸Pt ground-state rotational band are labelled. This spectrum is a summation of all distances. The $4_1^+ \rightarrow 2_1^+$ (257 keV) transition shown inset for reset foil distances of $x = 43 \,\mu\text{m}$ (all transitions occur after reset foil) and $x = 5061 \,\mu\text{m}$ (all transitions occur before reset foil)



Fig. 6 Charge spectra at the focal plane of MARA when gating on the $4_1^+ \rightarrow 2_1^+$ transition at 257 keV. In each spectrum counts have been normalised using coulomb excitation in the target. The central peaks lie at 17e and 25e. The evolution with distance of low and high charge components is shown for five distances. The integration limits of the central charge peaks are shown as blue (q = 17 e) and red (q = 25 e) dotted lines

through MARA is largest for the reference charge state, q_{ref} , therefore I_L and I_H were measured by integrating the counts in the normalised charge spectra for the central charge state only. The limits for the integration are shown in Fig. 6 as dotted lines. The values $R_L = \frac{I_L}{I_L + I_H}$ and $R_H = \frac{I_H}{I_L + I_H}$



Fig. 7 Proportional intensity of $4_1^+ \rightarrow 2_1^+$ transitions occurring after the reset foil for each target-to-reset foil distances. This was measured by applying the unresolved Doppler-shifted components method (UDCM) [25]. At distances longer than $x = 1223 \,\mu$ m the proportion of $4_1^+ \rightarrow 2_1^+$ transitions occurring after the reset foil is consistent with 0 to within 1σ

were used in Eqs. 4 and 5 to find the relative intensity of $2_1^+ \rightarrow 0_1^+$ transitions before (R_B) and after (R_A) the reset foil respectively.

The DDCM lifetime Eq. (1) requires that the coincidence gate is set on feeding transitions occurring before the reset foil. The $4_1^+ \rightarrow 2_1^+$ transition at 257 keV is shown in Fig. 5 inset for reset foil distances $x = 43 \,\mu\text{m}$ and $x = 5061 \,\mu\text{m}$. At these distances all the transitions are expected to occur after and before the charge reset foil respectively. As recoils pass through the reset foil they will slow down resulting in a smaller Doppler shift in γ -ray energy, and thus a different energy centroid. The change in the energy centroid $(\Delta E = 0.2 \,\text{keV})$ is much smaller than the resolution of the detectors ($\delta E \sim 2 \text{ keV}$), due to how thin the reset foil was. This meant that it was not possible to set a gate on feeding transitions occurring before the reset foil. However, using the unresolved Doppler-shifted components method (UDCM) [25] it was possible to measure the proportional intensity of $4_1^+ \rightarrow 2_1^+$ transitions occurring before and after the foil. This uses the change in the measured centroid of the transition to find the relative intensities of the unresolved Doppler-shifted components of the transition. The relative intensity of $4_1^+ \rightarrow 2_1^+$ transitions occurring after the reset foil is shown in Fig. 7 against target-to-reset foil distance. At distances $x \ge 1223 \,\mu m$ the proportion of $4_1^+ \rightarrow 2_1^+$ transitions occurring after the reset foil is consistent with 0 to within 1σ and the requirement for using the DDCM coincidence analysis is satisfied.

The program NAPATAU was used to extract the lifetime of the 2_1^+ state [26]. NAPATAU uses Eq. 1 to extract lifetime information from the data. A second degree polynomial, f(x), was fit to the values of R_B in the range of distances sensitive to the lifetime of the 2_1^+ state. The differential of



Fig. 8 Results from the analysis of the normalised charge spectra shown in Fig. 6 using the program NAPATAU [26]. **a** The values R_B are shown with a second degree polynomial f(x) (solid green line) which is fit to the data. **b** The values R_A are shown along with a function of the form $\tau \cdot v \cdot \frac{df(x)}{dx}$ (solid orange line). **c** The τ -curve of the 2_1^+ state in ¹⁷⁸Pt. The weighted average (solid line) of the lifetime found for each distance is shown. The error on the weighted mean is also shown (dashed line)

this function is used in the form $\tau \cdot v \cdot \frac{df(x)}{dx}$ to describe the values R_A . A common χ^2 minimisation of f(x) and $\frac{df(x)}{dx}$ is used to find a value for the lifetime at each distance [16]. The values R_B along with the fit f(x) are shown in Fig. 8a, and R_A is shown in Fig. 8b with the function $\tau \cdot v \cdot \frac{df(x)}{dx}$. Figure 8c shows the resulting τ -curve for the 2_1^+ state in ¹⁷⁸Pt. Data points at $x \leq 1223 \,\mu\text{m}$ were not included in the fit, since at these distances the proportion of $4_1^+ \rightarrow 2_1^+$ occurring after the foil are not consistent with 0 (see Fig. 7). A weighted average gives a lifetime of $\tau(2_1^+) = 430(20) \,\text{ps.}$

4.2 Bateman analysis

An alternative method of analysing the CSD spectra that result from the internal conversion of transitions from excited states in ¹⁷⁸Pt is to use recoil-alpha coincidences in the DSSSD. The half-life of the ¹⁷⁸Pt ground state is 20.7(7) s [27]. A time window of 200 seconds was used to search for recoil-alpha coincidences originating from ¹⁷⁸Pt. Fig. 9 shows part of the DSSSD spectrum for recoil-decay coincidences with an enlargement of the prominent alpha-decay lines shown in the inset. The strongest peak represents the ¹⁷⁸Pt alpha decay. There is also a weaker peak resulting from the alpha decay of ¹⁷⁷Pt recoils.



Fig. 9 Part of the DSSSD energy spectrum for recoil-decay coincidences. This spectrum is an summation of all distances. The prominent peaks originate from the alpha decays of ¹⁷⁸Pt and ¹⁷⁷Pt recoils. The parent nucleus is labelled for each peak



Fig. 10 Charge spectra at the focal plane of MARA in coincidence with an alpha decay of 178 Pt. Normalization is the same as in Fig. 6. The evolution with distance of low and high charge components is shown for five distances. The integration limits of the central charge peaks are shown as blue (q = 17 e) and red (q = 25 e) dotted lines

Recoils were selected in coincidence with 178 Pt alpha decays and the resulting normalised charge spectra are shown in Fig. 10 for five distances. Once again the intensities of the low (I_L) and high (I_H) charge states were measured by integrating the counts in the central charge peak. The limits of integration are shown in Fig. 10 as dotted lines.

Figure 11 shows proportional intensity of the high charge state $R_H = \frac{I_H}{I_L + I_H}$ against target-to-reset foil distance. At the distances $x \le 264 \,\mu$ m the proportion of high charge ions increases rapidly. There are two possible explanations for this. Firstly, at low distances there will be a significant inten-



Fig. 11 The relative intensity of highly charged ions detected at the focal plane as a function of target-to-reset foil distance. The solid (blue) line is the result of fitting a two-state model described in Eq. 13 to the data (circles). The lifetimes of the two states are described by a single quadrupole moment, as defined in Eq. 17. Data points below 264 μ m (squares) were left out of the fit (see text). The dashed (red) and dot-dashed (green) lines represent the contribution to the high charge component from internal conversion of the 2⁺ \rightarrow 0⁺ or 4⁺ \rightarrow 2⁺ transition respectively. The dotted line (blue) is the 1 σ error on the fit

sity of a second-high charge component (2 internal conversions after the reset foil). As only the intensity of charge states corresponding to the low and first-high charge component were measured, the effect of this second-high charge component is ignored. The second possibility is that there could be highly converted side-feeding transitions that populate the ground state band. In this case the change in intensity of highly charge ions detected after the reset foil will reflect the lifetime of these side feeding transitions. For this reason the data points at distances $x < 264 \,\mu\text{m}$ are left out of the Bateman analysis. A two-state fit of the form described in Eq. 13 is made to the data points at distances $x \ge 264 \,\mu\text{m}$. In this model the first excited level corresponds to the 2^+_1 state; the second excited level accounts for the average de-excitation properties of all higher energy states but is dominated by the lifetime of the 4_1^+ state. Intensities for the 170 keV and 257 keV transitions were compared using the data set for target-to-reset foil distance $x = 5061 \mu m$ and found to be the same to within 1σ . This confirms that there is negligible side-feeding directly into the 2^+_1 state, thus the equations given in Sect. 2.2 are suitable. To minimise the number of free parameters in the fit, the assumption is made that the rotational band is described by a single quadrupole moment Q_0 , with units eb, and the lifetime of each state is defined by,

$$\tau(J_i) = \frac{0.826}{E_{\gamma}^5 Q_0^2 \langle J_i \ 020 | J_f \ 0 \rangle^2 (1+\alpha)} \quad \text{(ps)}$$
(17)

where the E_{γ} is the transition energy in MeV, α is the internal conversion coefficient and $\langle J_i \ 020 | J_f \ 0 \rangle$ is the

Table 1 Contributions from different sources of systematic error to final uncertainty in $\tau(2^+)$ and $\tau(4^+)$ for the Bateman analysis. Each error contribution was varied by $\pm 1\sigma$

Error Contribution	$\sigma_{\tau(2^+)}$ (ps)	$\sigma_{\tau(4^+)}$ (ps)
$\alpha(2^+ \rightarrow 0^+)$	0.6	0.3
$\alpha(4^+ \rightarrow 2^+)$	0.2	0.1
Average recoil velocity, v	4.9	0.6
Absolute target-to-reset foil distance	2.6	0.3
Total systematic error	5.3	0.7

Table 2 Lifetime of excited states in 178 Pt deduced from the DDCM coincidence analysis described in Sect. 4.1, and from the Bateman fits described in Sect. 4.2. The lifetime of the 2_1^+ and 4_1^+ states measured in Refs. [19–21] are also given

Analysis Method	2_1^+ lifetime (ps)	4_1^+ lifetime (ps)
DDCM coincidence	430(20)	_
Two-state Bateman	430(50)	54(6)
Li et al. [19]	412(30)	-
Fransen et al. [20]	445 (100)	41 (2)
Dracoulis et al. [21]	-	54 (5)

Clebsch–Gordon coefficient for the E2 transition $J_i \rightarrow J_f$. This assumption is justified by the experimental results in Ref. [20] which show a constant quadrupole moment within the yrast band down to the ground state for ¹⁷⁸Pt.

The fit gives a quadrupole moment of $Q_0 = 6.4(4)$ eb which corresponds to lifetime values of $\tau(2^+) = 430(50)$ ps and $\tau(4^+) = 54(6)$ ps. Table 1 shows the uncertainty contribution from systematic errors in internal conversion coefficients, average velocity of recoils and absolute distance values. The total systematic error contribution amounts to 1.2% for $\tau(2^+)$ and 1.3% for $\tau(4^+)$, whilst the statistical error is 11%. The systematic error arising from having no knowledge of the $4^+ \rightarrow 2^+$ internal conversion coefficient $(0 \le \alpha(4^+ \rightarrow 2^+) \le \infty)$ amounts to $\sim 3.7\%$. The values for lifetime of the 2_1^+ and 4_1^+ states from previous measurements and from this work for both the DDCM coincidence and Bateman analysis are summarised in Table 2.

5 Discussion

We have shown through both a DDCM and Bateman analysis that the charge plunger method is able to measure the lifetime of low-lying states in ¹⁷⁸Pt. It is difficult to perform a lifetime measurement on the 2_1^+ state in ¹⁷⁸Pt using the standard RDDS technique due to both a relatively large internal conversion coefficient and unfavourable kinematics for asymmetric reactions which produce recoiling nuclei at a slow mean velocity.

Whilst the value for the 2^+_1 lifetime obtained from the Bateman analysis is consistent to within 1σ of the result obtained using the DDCM coincidence analysis and the value given in Ref. [19], the uncertainty is more than twice that in the DDCM. This is because a DDCM coincidence analysis has significant advantages over a Bateman analysis for retrieving lifetime information. The DDCM is independent of absolute distances between the target and reset-foil, and instead only the relative distances are needed. This means the method is independent of the offset between the foils which can cause an error when analysing the data using a Bateman fit. Additionally, when applying a Bateman fit to the data, there is a dependence on the lifetime of states feeding the level of interest (directly or indirectly). If the lifetime of these transitions are unknown then they must be included in the fit as free parameters which will introduce more uncertainty in to the final result. In this work it was possible to reduce the number of free parameters by assuming a rigidrotor model for the nucleus, however this assumption may not always be valid. The DDCM becomes independent of these lifetimes when a γ -ray coincidence is required on the feeding transition occurring before the reset foil.

A lifetime is also obtained for the 4_1^+ state using the Bateman analysis. The true lifetime of the 4_1^+ state will in fact be shorter than the value given here since only a two-state system is used and the lifetime of higher energy excited states are not considered. The value is also dependent on the assumption of a rigid-rotor model for ¹⁷⁸Pt which allows for the lifetime of excited states in the rotational band to be contained within a single parameter, the quadrupole moment. Since more data points were taken at longer target-to-reset foil distances, the fit of the quadrupole moment will be more sensitive to the lifetime of the 2_1^+ state. However, the lifetime given here agrees to within 3σ of the value given in Ref. [20], which is an independent lifetime measurement obtained using the DDCM coincidence method, and is exactly the same as that obtained using γ -ray singles, given in Ref. [21], with a similar error. This suggests that the charge plunger method is vulnerable to the same effects as γ -ray singles measurements.

There are drawbacks to performing the DDCM coincidence analysis with the charge plunger method. In both this work and in ref. [11], a recoil was required to be detected in coincidence with the γ -ray emission of the feeding transition occurring before the reset foil. Due to the inability to resolve between different Doppler-shifted peaks in the γ -ray spectrum, this limited the available data to distances where the feeding transition always occurred before the reset foil.

The need for γ -ray detection also reduces the available data. The JUROGAM 3 spectrometer has an absolute efficiency of 5.2% at 1.3 MeV [15]. Using this efficiency, the available statistics in an experiment are reduced by a factor of ~ 20 when one requires a γ -ray-recoil condition. The data is then further split between the number of measured charge states

and target-to-reset foil distances. Comparatively, the detection efficiency of recoiling ions in the DSSSD after separation in MARA is ~ 100%. Subsequent alpha decays, which either travel out of or further into the DSSSD, then have a detection efficiency of ~ 50%. This value can be increased by using box detectors or, in the case of an alpha-decay chain, searching for child alpha decays [28]. For future experiments using the charge plunger, the use of γ -ray-recoil coincidences will depend heavily on the specific case.

The charge plunger method has been suggested as a possible means of extracting lifetime information in transfermium nuclei, where, at present, $\tau(2^+)$ and β_2 (quadrupole deformation parameter) values are determined using empirical formulas [29,30] and any direct lifetime measurements would be invaluable. In this region, production cross sections are low ($\sigma(^{254}No) \leq 3 \mu b$ [31]) and internal conversion coefficients for low energy transitions are extremely high, for example the $2_1^+ \rightarrow 0_1^+$ 44 keV transition in 254 No has an internal conversion coefficient of $\alpha = 1510$ [22].

Due to low γ ray statistics, a DDCM coincidence analvsis will be unsuitable and instead it will be more efficient to require recoil detection only and retain lifetimes using a Bateman analysis. Identification would have to be done using the alpha decay of the recoiling nucleus. This would not be a problem for many nuclei in the transactinide and transfermium regions of the chart where alpha decay channels are typically very strong with branching ratios $\simeq 100\%$. It may also be possible to reduce the number of free parameters in a Bateman fit by considering a rotational band that is described by a single quadrupole moment, and determining the lifetimes of individual states according to the rotational model, as has been shown here. The fit is then sensitive to only one free parameter, the quadrupole moment. This assumption is valid for transfermium nuclei where ground state bands match closely to the rigid rotor model [32].

6 Conclusion

The charge plunger method has been used at the accelerator laboratory at the University of Jyväskylä to measure the lifetime of the 2_1^+ and 4_1^+ states in ¹⁷⁸Pt which de-excite through either internal conversion or γ -ray emission. The recoil separator MARA was used to select ions by their charge state and ions were implanted into a DSSSD at the focal plane. Identification of ¹⁷⁸Pt recoils was done using prompt γ ray-recoil coincidences with the JUROGAM 3 spectrometer and the resulting CSD spectra were analysed in a DDCM framework, with a γ -ray-recoil coincidence gate set on the $4_1^+ \rightarrow 2_1^+ 257$ keV feeding transition. This yielded the lifetime for the 2_1^+ state in ¹⁷⁸Pt of $\tau = 430(20)$ ps. CSD spectra were also obtained by identifying ¹⁷⁸Pt ions using recoilalpha coincidences in the DSSSD. The de-excitation of states were modelled by fitting a two-state Bateman equation to the relative intensity of high charge ions against distance. The lifetime of states in this fit were determined using a single quadrupole moment for the rotational band. This gave the lifetime of the 2_1^+ state as $\tau = 430(50)$ ps and $\tau = 54(6)$ ps for the 4_1^+ state. These values agree with both previous results and the measurement made using a DDCM coincidence analysis. The development of a Bateman analysis and its application here is crucial for a thorough understanding of the how the charge plunger method can be used with a recoil separator to perform lifetime measurements of excited states in nuclei at the spectroscopic boundary of the nuclear chart.

Acknowledgements The authors gratefully acknowledge the support of the accelerator staff and the students at the JYFL accelerator facility of the University of Jyväskylä. This work was supported by the EU 7th Framework Programme, Integrating Activities Transnational Access, Project No. 262010 ENSAR. We acknowledge GAMMAPOOL support for the loan of the JUROGAM 3 detectors. J.H. acknowledges support of the Science and Technology Facilities Council, UK, Grant No. ST/R504920/1. C.M-G. and A.D. were supported by the Deutsche Forschungs Gemeinschaft (DFG), Germany, under contract number DE 1516/5-1. L.B. and D.M.C. acknowledge support of the Science and Technology Facilities Council, UK, Grant Nos. ST/L005794/1 and ST/P004423/1.

Data Availability Statement This manuscript has no associated data or the data will not be deposited. [Authors' comment: The data of this publication are available from the authors upon request.]

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/.

References

- K. Heyde, J.L. Wood, Rev. Mod. Phys. 83, 1467 (2011). https:// doi.org/10.1103/RevModPhys.83.1467
- D.S. Delion, R. Wyss, R.J. Liotta, B. Cederwall, A. Johnson, M. Sandzelius, Phys. Rev. C 82, 024307 (2010). https://doi.org/10. 1103/PhysRevC.82.024307
- C. Forssén, R. Roth, P. Navrátil, J. Phys. G: Nucl. Part. Phys. 40(5), 055105 (2013). https://doi.org/10.1088/0954-3899/40/5/055105
- M. Ciemała, S. Ziliani, F.C.L. Crespi, S. Leoni, B. Fornal, A. Maj et al., Phys. Rev. C 101, 021303 (2020). https://doi.org/10.1103/ PhysRevC.101.021303
- P.J. Nolan, J.F. Sharpey-Schafer, Rep. Progress Phys. 42(1), 1 (1979). https://doi.org/10.1088/0034-4885/42/1/001
- A. Dewald, O. Möller, P. Petkov, Progress Part. Nucl. Phys. 67(3), 786 (2012). https://doi.org/10.1016/j.ppnp.2012.03.003

- H. Backe, L. Richter, R. Willwater et al., Z. Phys. A 285, 159 (1978). https://doi.org/10.1007/BF01408742
- G. Ulfert, D. Habs, V. Metag, H. Specht, Nucl. Instrum. Methods 148(2), 369 (1978). https://doi.org/10.1016/ 0029-554X(70)90191-6
- G. Ulfert, V. Metag, D. Habs, H.J. Specht, Phys. Rev. Lett. 42, 1596 (1979). https://doi.org/10.1103/PhysRevLett.42.1596
- D. Habs, V. Metag, H.J. Specht, G. Ulfert, Phys. Rev. Lett. 38, 387 (1977). https://doi.org/10.1103/PhysRevLett.38.387
- L. Barber, J. Heery, D. Cullen, B.S. Nara Singh, R.-D. Herzberg, C. Müller-Gatermann, G. Beeton, M. Bowry, A. Dewald, T. Grahn, P. Greenlees, A. Illana, R. Julin, S. Juutinen, J. Keatings, M. Luoma, D. O'Donnell, J. Ojala, J. Pakarinen, P. Rahkila, P. Ruotsalainen, M. Sandzelius, J. Sarén, J. Sinclair, J. Smith, J. Sorri, P. Spagnoletti, H. Tann, J. Uusitalo, J. Vilhena, G. Zimba, Nucl. Instrum. Methods Phys. Res. Sect. A: Accelerator Spectrom. Detect. Associat. Equip. 979, 164454 (2020). https://doi.org/10.1016/j.nima.2020.164454
- M.J. Taylor, D.M. Cullen, A.J. Smith, A. McFarlane, V. Twist, G.A. Alharshan, M.G. Procter et al., Nucl. Instrum. Methods Phys. Res. Sect. A: Accelerat. Spectrom. Detect. Associat. Equip. **707**, 143 (2013) https://doi.org/10.1016/j.nima.2012.12.120. http://www. sciencedirect.com/science/article/pii/S0168900213000028
- 13. J. Sarén, J. Uusitalo, M. Leino, et al., Nuclear Instruments and Methods in Physics Research, Section B: Beam Interactions with Materials and Atoms 266(19), 4196 (2008). https://doi.org/10. 1016/j.nimb.2008.05.027. http://www.sciencedirect.com/science/ article/pii/S0168583X08007040. Proceedings of the XVth International Conference on Electromagnetic Isotope Separators and Techniques Related to their Applications
- E.S. Paul, P.J. Woods, T. Davinson, R.D. Page, P.J. Sellin, C.W. Beausang, R.M. Clark, R.A. Cunningham, S.A. Forbes, D.B. Fossan, A. Gizon, J. Gizon, K. Hauschild, I.M. Hibbert, A.N. James, D.R. LaFosse, I. Lazarus, H. Schnare, J. Simpson, R. Wadsworth, M.P. Waring, Phys. Rev. C 51, 78 (1995). https://doi.org/10.1103/ PhysRevC.51.78
- J. Pakarinen, J. Ojala, P. Ruotsalainen, H. Tann et al., Eur. Phys. J. A. 56, 149 (2020). https://doi.org/10.1140/epja/s10050-020-00144-6
- A. Dewald, S. Harissopulos, P. von Brentano, Z. Phys. A Atom. Nucl. 334, 163 (1989). https://doi.org/10.1007/BF01294217
- U. Schrewe, P. Tidemand-Petersson et al., Phys. Lett. B 91(1), 46 (1980). https://doi.org/10.1016/0370-2693(80)90659-0
- T.A. Carlson, W.E. Hunt, M.O. Krause, Phys. Rev. 151, 41 (1966). https://doi.org/10.1103/PhysRev.151.41
- C.B. Li et al., Phys. Rev. C 90, 047302 (2014). https://doi.org/10. 1103/PhysRevC.90.047302
- C. Fransen, F. Mammes, R. Bark, T. Braunroth, Z. Buthelezi, A. Dewald, T. Dinoko, S. Förtsch, M. Hackstein, J. Jolie, P. Jones, E. Lawrie, J. Litzinger, C. Müller-Gatermann, R. Newman, N. Saed-Samii, J.F. Sharpey-Schafer, O. Shirinda, R. Smit, N. Warr, M. Wiedeking, K.O. Zell, EPJ Web Conf. 223, 01016 (2019). https://doi.org/10.1051/epjconf/201922301016

- G.D. Dracoulis, A.E. Stuchbery, A.P. Byrne, A.R. Poletti, S.J. Poletti, J. Gerl, R.A. Bark, Journal of Physics G: Nuclear Physics 12(3), L97 (1986). https://doi.org/10.1088/0305-4616/12/3/005. 10.1088%2F0305-4616%2F12%2F3%2F005
- T. Kibédi, T. Burrows, M. Trzhaskovskaya, P. Davidson, C. Nestor, Nucl. Instrum. Methods Phys. Res. Sect. A: Accelerat. Spectrom. Detect. Associat. Equip. 589(2), 202 (2008). https://doi.org/10. 1016/j.nima.2008.02.051. http://www.sciencedirect.com/science/ article/pii/S0168900208002520
- I.H. Lazarus, el at. IEEE Trans. Nucl. Sci. 48(3), 567 (2001). https:// doi.org/10.1109/23.940120. https://ieeexplore.ieee.org/abstract/ document/940120
- P. Rahkila, Nucl. Instrum. Methods Phys. Res. Sect. A: Accelerat. Spectrom. Detect. Associat. Equip. 595(3), 637 (2008) https://doi. org/10.1016/j.nima.2008.08.039. http://www.sciencedirect.com/ science/article/pii/S0168900208011698
- L. Barber , D.M. Cullen, M.M. Giles, B.S. Nara Singh, M.J. Mallaburn, M. Beckers, A. Blazhev, T. Braunroth, A. Dewald, C. Fransen, A. Goldkuhle, J. Jolie, F. Mammes, C. Müller-Gatermann, D. Wölk, K.O. Zell, Nucl. Instrum. Methods Phys. Res. Sect. A: Accelerat. Spectrom. Detect. Associat. Equip. 950, 162965 (2020). https://doi.org/10.1016/j.nima.2019.162965. http://www. sciencedirect.com/science/article/pii/S0168900219313567
- B. Saha, Bestimmung der lebensdauern kollektiver kernanregungen in 124-Xe und entwicklung von entsprechender analysesoftware. Ph.D. thesis, Universität zu Köln (2004). https://kups.ub. uni-koeln.de/1246/
- E. Achterberg, O. Capurro, G. Marti, Nuclear Data Sheets 110(7), 1473 (2009) https://doi.org/10.1016/j.nds.2009.05.002. http:// www.sciencedirect.com/science/article/pii/S0090375209000490
- 28. R. Page, et al., Nuclear Instruments and Methods in Physics Research Section B: Beam Interactions with Materials and Atoms 204, 634 (2003). 10.1016/S0168-583X(02)02143-2. http://www. sciencedirect.com/science/article/pii/S0168583X02021432. 14th International Conference on Electromagnetic Isotope Separators and Techniques Related to their Applications
- L. Grodzins, Phys. Letters 2 (1962) https://doi.org/10.1016/ j.nds.2009.05.002. http://www.sciencedirect.com/science/article/ pii/S0090375209000490
- R.-D. Herzberg et al., Phys. Rev. C 65, 014303 (2001). https:// doi.org/10.1103/PhysRevC.65.014303. https://link.aps.org/doi/ 10.1103/PhysRevC.65.014303
- M. Leino, H. Kankaanpää, R.D. Herzberg, A. Chewter, F. Heßberger, Y.L. Coz et al., Eur. Phys. J. A. 6 (1999). https://doi. org/10.1007/s100500050318. https://link.springer.com/article/10. 1007/s100500050318
- C. Theisen, P. Greenlees, T.L. Khoo, P. Chowdhury, T. Ishii, Nucl. Phys. A 944, 333 (2015). https://doi.org/10.1016/ j.nuclphysa.2015.07.014. http://www.sciencedirect.com/science/ article/pii/S0375947415001621. Special Issue on Superheavy Elements